

Status: Point in time view as at 31/01/2020.

*Changes to legislation: There are currently no known outstanding effects for the
Council Regulation (EC) No 1362/2008, ANNEX. (See end of Document for details)*

ANNEX

‘ANNEXEntry under this subheading is subject to conditions laid down in the relevant
I Community provisions (see Articles 291 to 300 of Commission Regulation (EEC)
No 2454/93 (OJ L 253, 11.10.1993, p. 1)).However, the measure is not allowed
where processing is carried out by retail or catering undertakings.’Order numberCN
codeTARICDescriptionQuota periodQuota amountQuota duty09.2849ex 0710 80
6910Mushrooms of the species *Auricularia polytricha* (uncooked or cooked by
steaming or boiling), frozen, for the manufacture of prepared meals1.1.-31.12.700
tonnes0 %09.2913ex 2401 10 3591Natural unmanufactured tobacco, whether or not
cut in regular size, having a custom value of not less than EUR 450 per 100 kg net
weight, for use as binder or wrapper for the manufacture of goods falling within
subheading 2402 10 001.1-31.12.6 000 tonnes0 %ex 2401 10 7010ex 2401 10
9511ex 2401 10 9521ex 2401 10 9591ex 2401 20 3591ex 2401 20 7010ex 2401 20
9511ex 2401 20 9521ex 2401 20 959109.2841ex 2712 90 9910Blend of 1-alkenes
containing 80 % by weight or more of 1-alkenes of a chain-length of 20 and 22
carbon atoms1.1.-31.12.10 000 tonnes0 %09.2703ex 2825 30 0010Vanadium oxides
and hydroxides exclusively for use in alloys1.1-31.12.13 000 tonnes0 %09.2806ex
2825 90 4030Tungsten trioxide1.1.-31.12.12 000 tonnes0 %09.2611ex 2826 19
9010Calcium fluoride having a total content of aluminium, magnesium and sodium
of 0,25 mg/kg or less, in the form of powder1.1.-31.12.55 tonnes0 %09.2837ex
2903 49 8010Bromochloromethane1.1.-31.12.600 tonnes0 %09.2933ex 2903
69 90301,3-Dichlorobenzene1.1.-31.12.2 600 tonnes0 %09.2950ex 2905
59 98102-Chloroethanol, for the manufacture of liquid thioplasts of
subheading 4002 99 901.1.-31.12.15 000 tonnes0 %09.2851ex 2907
12 00100-Cresol having a purity of not less than 98,5 %
by weight1.1.-31.12.20 000 tonnes0 %09.26242912 42 00Ethylvanillin
(3-ethoxy-4-hydroxybenzaldehyde)1.1.-31.12.600 tonnes0 %09.2767ex 2910
90 0080Allyl glycidyl ether1.1.-31.12.1 500 tonnes0 %09.29722915
24 00Acetic anhydride1.1.-31.12.20 000 tonnes0 %09.2769ex 2917
13 9010Dimethyl sebacate1.1.-31.12.1 300 tonnes0 %09.2808ex 2918
22 0010o-Acetylsalicylic acid1.1.-31.12.120 tonnes0 %09.2975ex 2918
30 0010Benzophenone-3,3':4,4'-tetracarboxylic dianhydride1.1.-31.12.1 000
tonnes0 %09.2602ex 2921 51 1910o-Phenylenediamine1.1.-31.12.1 800
tonnes0 %09.29772926 10 00Acrylonitrile1.1.-31.12.30 000 tonnes0 %09.2030ex
2926 90 9574Chlorothalonil1.1.-31.12.1 500 tonnes0 %09.2002ex 2928
00 9030Phenylhydrazine1.1.-31.12.1 000 tonnes0 %09.2917ex 2930 90
1390Cystine1.1.-31.12.600 tonnes0 %09.2603ex 2930 90 8579Bis(3-
triethoxysilylpropyl)tetrasulphide1.1.-31.12.9 000 tonnes0 %09.28102932 11
00Tetrahydrofuran1.1-31.12.20 000 tonnes0 %09.2955ex 2932 19 0060Flurtamone
(ISO)1.1.-31.12.300 tonnes0 %09.2812ex 2932 29 8577Hexan-6-olide1.1.-31.12.4
000 tonnes0 %09.2615ex 2934 99 9070Ribonucleic acid1.1.-31.12.110
tonnes0 %09.2619ex 2934 99 90712-Thienylacetonitrile1.1.-31.12.80
tonnes0 %09.2945ex 2940 00 0020D-Xylose1.1.-31.12.400 tonnes0 %09.2908ex
3804 00 9010Sodium lignosulphonate1.1.-31.12.40 000 tonnes0 %09.28893805 10
90Sulphate turpentine1.1.-31.12.20 000 tonnes0 %09.29353806 10 10Rosin and resin
acids obtained from fresh oleoresins1.1.-31.12.280 000 tonnes0 %09.2814ex 3815
90 9076Catalyst consisting of titanium dioxide and tungsten trioxide1.1.-31.12.1
600 tonnes0 %09.2829ex 3824 90 9719Solid extract of the residual, insoluble in
aliphatic solvents, obtained during the extraction of rosin from wood, having the
following characteristics:a resin acid content not exceeding 30 % by weightan acid
number not exceeding 110anda melting point of 100 °C or more1.1.-31.12.1 600
tonnes0 %09.2914ex 3824 90 9726Aqueous solution containing not less than 40 %

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Council Regulation (EC) No 1362/2008, ANNEX. (See end of Document for details)

by weight of dry betaine-extract and between 5 % and 30 % by weight of organic or inorganic salts1.1.-31.12.5 000 tonnes0 %09.2986ex 3824 90 9776Mixture of tertiary amines containing:60 % by weight of dodecyldimethylamine, or more20 % by weight of dimethyl(tetradecyl)amine, or more0,5 % by weight of hexadecyldimethylamine, or morefor use in the production of amine oxides1.1.-31.12.14 315 tonnes0 %09.2907ex 3824 90 9786Mixture of phytosterols, in the form of powder, containing by weight:75 % or more of sterolsnot more than 25 % of stanolsfor use in the manufacture of stanol/sterol esters1.1.-31.12.2 500 tonnes0 %09.2140ex 3824 90 9798Mixture of tertiary amines containing by weight:2,0-4,0 % of N,N-dimethyl-1-octanamine94 % minimum of N,N-dimethyl-1-decanamine2 % maximum of N,N-dimethyl-1-dodecanamine1.1.-31.12.4 500 tonnes0 %09.2992ex 3902 30 0093Propylene-butylene copolymer, containing by weight 60 % or more but not more than 68 % of propylene and 32 % or more but not more than 40 % of butylene, of a melt viscosity of not more than 3 000 mPa at 190 °C, as determined by the ASTM D 3236 method, for use as an adhesive in the manufacture of products falling within subheading 4818 401.1.-31.12.1 000 tonnes0 %09.2947ex 3904 69 9095Poly(vinylidene fluoride), in powder form, for the preparation of paint or varnish for coating metal1.1.-31.12.1 300 tonnes0 %09.2604ex 3905 30 0010Poly(vinyl alcohol) partially acetalized with 5-(4-azido-2-sulphobenzylidene)-3-(formylpropyl)-rhodanine, sodium salt1.1.-31.12.100 tonnes0 %09.2616ex 3910 00 0030Polydimethylsiloxane with a degree of polymerisation of 2 800 monomer units (± 100)1.1.-31.12.1 300 tonnes0 %09.2816ex 3912 11 0020Cellulose acetate flakes for use in the manufacture of cellulose acetate filament tow1.1.-31.12.45 500 tonnes0 %09.2818ex 6902 90 0010Refractory bricks with:an edge length of more than 300 mm anda TiO₂ content of not more than 1 % by weight anda Al₂O₃ content of not more than 0,4 % by weight anda change in volume of less than 9 % at 1 700 °C1.1.-31.12.75 tonnes0 %09.2628ex 7019 52 0010Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m² (± 10 g/m²), of a type used in rolling insect screens with fixed frames1.1.-31.12.350 000 m²0 %09.2799ex 7202 49 9010Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium1.1.-31.12.50 000 tonnes0 %09.2629ex 7616 99 9085Aluminium telescopic handle for use in the manufacture of luggage1.1.-31.12.240 000 units0 %09.2763ex 8501 40 8030Electric AC commutator motor, single-phase, with an output of more than 750 W, an input power of more than 1 600 W but not more than 2 700 W, an external diameter of more than 120 mm (± 0,2 mm) but not more than 135 mm (± 0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners1.1.-31.12.2 000 000 units0 %09.2620ex 8526 91 2020Assembly for GPS system having a position determination function1.1.-31.12.2 000 000 units0 %09.2003ex 8543 70 9063Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 × 30 mm1.1.-31.12.1 400 000 units0 %09.2631ex 9001 90 0080Unmounted glass lenses, prisms and cemented elements for use in the manufacture of goods of CN codes 9005, 9013 and 90151.1.-31.12.5 000 000 units0 %

Status:

Point in time view as at 31/01/2020.

Changes to legislation:

There are currently no known outstanding effects for the Council Regulation (EC) No 1362/2008, ANNEX.