**Changes to legislation:** There are outstanding changes not yet made to Commission Regulation (EC) No 245/2009. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

## ANNEX I

## [<sup>F1</sup>Exemptions]

Textu F1	al Amendments Substituted by Commission Regulation (EU) No 347/2010 of 21 April 2010 amending Commission Regulation (EC) No 245/2009 as regards the ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps (Text with EEA relevance).
1.	[ <sup>F1</sup> The following lamps shall be exempt from the provisions of Annex III, provided that the technical documentation file drawn up for the purposes of conformity assessment pursuant to Article 8 of Directive 2009/125/EC states which of the technical parameters listed hereunder provide(s) a basis for their exemption:]
(a)	lamps that are not white light sources as defined in Annex II; this exemption does not apply to high pressure sodium lamps;
(b)	lamps that are directional light sources as defined in Annex II;
(c)	<ul> <li>[<sup>F1</sup>blended high intensity discharge lamps having:</li> <li>6 % or more of total radiation of the range 250-780 nm in the range of 250-400 nm; and</li> <li>11 % or more of total radiation of the range 250-780 nm in the range of 630-780 nm; and</li> <li>5 % or more of total radiation of the range 250-780 nm in the range of 640-700 nm;</li> </ul>
(d)	<ul> <li>blended high intensity discharge lamps having:</li> <li>the peak of the radiation between 315-400 nm (UVA) or 280-315 nm (UVB);]</li> </ul>
(e)	<ul> <li>double capped fluorescent lamps having:</li> <li>a diameter of 7 mm (T2) and less,</li> <li>a diameter of 16 mm (T5) and lamp power P ≤ 13 W or P &gt; 80 W,</li> <li>a diameter of 38 mm (T12), lamp cap G-13 Medium BiPin base, +/- 5 m (+magenta, -green) colour compensating filter value limit (cc). CIE coordinates x=0,330 y=0,335 and x=0,415 y=0,377, and</li> <li>a diameter of 38 mm (T12) and equipped with an external ignition strip;</li> </ul>
(f)	single capped fluorescent lamps having a diameter of 16 mm (T5) 2G11 4 pin base, Tc = 3 200 K with chromaticity coordinates x=0,415 y=0,377 and Tc = 5 500 K with chromaticity coordinates x=0,330 y=0,335;
(g)	high intensity discharge lamps with $Tc > 7\ 000\ K$ ;
(h)	high intensity discharge lamps having a specific effective UV output > 2 mW/klm; and
(i)	high intensity discharge lamps not having lamp cap E27, E40, PGZ12.
[ <sup>F1</sup> 2.	The following products shall be exempt from the provisions of Annex III, provided

that in all forms of product information it is stated that they are not intended for general

lighting use within the meaning of this Regulation, or that they are intended for use in applications listed in points (b) to (e):

- (a) products intended for use in applications other than general lighting and products incorporated into products which do not provide a general lighting function;
- (b) lamps covered by the requirements of Directives 94/9/EC of the European Parliament and of the Council<sup>(1)</sup> or Directive 1999/92/EC of the European Parliament and of the Council<sup>(2)</sup>;
- (c) emergency lighting luminaires and emergency sign luminaires within the meaning of Directive 2006/95/EC of the European Parliament and of the Council<sup>(3)</sup>.
- (d) ballasts intended for use in luminaires defined in paragraph (c) and designed to operate lamps in emergency conditions;
- (e) luminaires covered by the requirements of Directive 94/9/EC, Directive 1999/92/ EC, Directive 2006/42/EC of the European Parliament and of the Council<sup>(4)</sup>, Council Directive 93/42/EEC<sup>(5)</sup>, Council Directive 88/378/EEC<sup>(6)</sup> and luminaires integrated into equipment covered by these requirements.

The intended purpose shall be stated for each product in the product information, and the technical documentation file drawn up for the purposes of conformity assessment pursuant to Article 8 of Directive 2009/125/EC shall list the technical parameters that make the product design specific for the stated intended purpose.]

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EC) No 245/2009. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (1) [<sup>F1</sup>OJ L 100, 19.4.1994, p. 1.]
- (2) [<sup>F1</sup>OJ L 23, 28.1.2000, p. 57.]
- (**3**) [<sup>F1</sup>OJ L 374, 27.12.2006, p. 10.]
- (4) [<sup>F1</sup>OJ L 157, 9.6.2006, p. 24.]
- (5) [<sup>F1</sup>OJ L 169, 12.7.1993, p. 1.]
- (6) [<sup>F1</sup>OL L 187, 16.7.1988, p. 1.]

## **Textual Amendments**

F1 Substituted by Commission Regulation (EU) No 347/2010 of 21 April 2010 amending Commission Regulation (EC) No 245/2009 as regards the ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps (Text with EEA relevance).

<b>Changes to legislation:</b> There are outstanding changes not yet made to Commission Regulation (EC) No 245/2009. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. View outstanding changes		
Changes and effects yet to be applied to :		
_	Regulation revoked by S.I. 2021/1095 reg. 19(b)	
-	Annex 1 words substituted by S.I. 2019/539 Sch. 2 para. 4(6)(e)	
	hanges and effects yet to be applied to the whole legislation item and associated ovisions	
	Annex 1 para. 2(b) substituted by S.I. 2019/539 Sch. 2 para. 4(6)(b)	
_	Annex 1 para. $2(c)$ substituted by S.I. $2019/539$ Sch. 2 para. $4(6)(c)$	
-	Annex 1 para. $2(e)(f)$ substituted for Annex 1 para. $2(e)$ by S.I. $2019/539$ Sch. 2 para. $4(6)(d)$	
_	Annex 1 para. 1 words substituted by S.I. 2019/539 Sch. 2 para. 4(6)(a)	
-	Annex 1 para. 2(b) words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 4(6)(b) by S.I. 2020/1528 reg. 4	
-	Annex 1 para. 2(c) words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 4(6)(c) by S.I. 2020/1528 reg. 4	
-	Annex 1 para. 2(e) words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 4(6)(d) by S.I. 2020/1528 reg. 4	
-	Annex 1 para. 2(f) words substituted in earlier amending provision S.I. 2019/539, Sch. 2 para. 4(6)(d) by S.I. 2020/1528 reg. 4	
_	Annex 3 para. 1.3 words substituted by S.I. 2019/539 Sch. 2 para. 4(7)(a)	
_	Annex 3 para. 2.2 words substituted by S.I. 2019/539 Sch. 2 para. 4(7)(b)	
_	Annex 3 para. 3.2 words substituted by S.I. 2019/539 Sch. 2 para. 4(7)(c)	