

Changes to legislation: There are outstanding changes not yet made to Regulation (EC) No 661/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

ANNEX I

Scope of application of the requirements referred to in Article 5(1) and (2)

Subject	Applicability									
	M ₁	M ₂	M ₃	N ₁	N ₂	N ₃	O ₁	O ₂	O ₃	O ₄
Fuel tanks/ rear protective devices	X	X	X	X	X	X	X	X	X	X
Rear registration plate	X	X	X	X	X	X	X	X	X	X
Steering effort	X	X	X	X	X	X	X	X	X	X
Door latches and hinges	X			X	X	X				
Audible warning	X	X	X	X	X	X				
Indirect vision devices	X	X	X	X	X	X				
Braking	X	X	X	X	X	X	X	X	X	X
Radio interference (electromagnetic compatibility)	X	X	X	X	X	X	X	X	X	X
Interior fittings	X									
Anti- theft and immobiliser	X	X	X	X	X	X				
Protective steering	X			X						
a	Vehicles of this category shall be fitted with an adequate windscreen defrosting and demisting device.									
b	Vehicles of this category shall be fitted with adequate windscreen washing and wiping devices.									
c	Only if the vehicle is fitted with couplings.									
d	Not exceeding 2,5 tonnes technically permissible maximum laden mass.									
e	Only applicable to vehicles where the 'Seating reference point ("R" point)' of the lowest seat is not more than 700 mm above ground level. The 'R' point is defined in UNECE Regulation 95.									
f	Only when the manufacturer applies for type-approval of a vehicle intended for the transport of dangerous goods.									

Changes to legislation: There are outstanding changes not yet made to Regulation (EC) No 661/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Seat strength	X	X	X	X	X	X				
Exterior projections	X									
Speedometer	X	X	X	X	X	X				
Plates (statutory)	X	X	X	X	X	X	X	X	X	X
Seat belt anchorages	X	X	X	X	X	X				
Installation of lighting and light signalling devices	X	X	X	X	X	X	X	X	X	X
Retro reflectors	X	X	X	X	X	X	X	X	X	X
End-outline, front-position (side), rear-position (side), stop, side marker, daytime running lamps	X	X	X	X	X	X	X	X	X	X
Direction indicators	X	X	X	X	X	X	X	X	X	X
Rear registration plate lamps	X	X	X	X	X	X	X	X	X	X

a Vehicles of this category shall be fitted with an adequate windscreen defrosting and demisting device.

b Vehicles of this category shall be fitted with adequate windscreen washing and wiping devices.

c Only if the vehicle is fitted with couplings.

d Not exceeding 2,5 tonnes technically permissible maximum laden mass.

e Only applicable to vehicles where the 'Seating reference point ("R" point)' of the lowest seat is not more than 700 mm above ground level. The 'R' point is defined in UNECE Regulation 95.

f Only when the manufacturer applies for type-approval of a vehicle intended for the transport of dangerous goods.

Changes to legislation: There are outstanding changes not yet made to Regulation (EC) No 661/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Headlamps (including bulbs)	X	X	X	X	X	X				
Front fog lamps	X	X	X	X	X	X				
Towing hooks	X	X	X	X	X	X				
Rear fog lamps	X	X	X	X	X	X	X	X	X	X
Reversing lamps	X	X	X	X	X	X	X	X	X	X
Parking lamps	X	X	X	X	X	X				
Seat belts and restraint systems	X	X	X	X	X	X				
Forward vision	X									
Identification of controls, tell-tales and indicators	X	X	X	X	X	X				
Defrost/demist	X	a	a	a	a	a				
Wash/wipe	X	b	b	b	b	b				
Heating systems	X	X	X	X	X	X	X	X	X	X
Wheel guards	X									

a Vehicles of this category shall be fitted with an adequate windscreen defrosting and demisting device.

b Vehicles of this category shall be fitted with adequate windscreen washing and wiping devices.

c Only if the vehicle is fitted with couplings.

d Not exceeding 2,5 tonnes technically permissible maximum laden mass.

e Only applicable to vehicles where the 'Seating reference point ("R" point)' of the lowest seat is not more than 700 mm above ground level. The 'R' point is defined in UNECE Regulation 95.

f Only when the manufacturer applies for type-approval of a vehicle intended for the transport of dangerous goods.

Changes to legislation: There are outstanding changes not yet made to Regulation (EC) No 661/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Head restraints	X									
Lateral protection					X	X			X	X
[^{f1} Spray-suppression systems				X	X	X	X	X	X	X]
Safety glazing	X	X	X	X	X	X	X	X	X	X
Tyres	X	X	X	X	X	X	X	X	X	X
Speed limitation devices		X	X		X	X				
Masses and dimensions	X	X	X	X	X	X	X	X	X	X
External projections of cabs				X	X	X				
Couplings ^c	X ^c	X ^c	X ^c	X ^c	X ^c	X ^c	X	X	X	X
Flammability			X							
Buses and coaches		X	X							
Frontal impact	X ^d									
Side impact	X ^e			X ^e						
Vehicles intended for the transportation of dangerous goods				X ^f	X ^f	X ^f	X ^f	X ^f	X ^f	X ^f

a Vehicles of this category shall be fitted with an adequate windscreen defrosting and demisting device.

b Vehicles of this category shall be fitted with adequate windscreen washing and wiping devices.

c Only if the vehicle is fitted with couplings.

d Not exceeding 2,5 tonnes technically permissible maximum laden mass.

e Only applicable to vehicles where the 'Seating reference point ("R" point)' of the lowest seat is not more than 700 mm above ground level. The 'R' point is defined in UNECE Regulation 95.

f Only when the manufacturer applies for type-approval of a vehicle intended for the transport of dangerous goods.

Changes to legislation: There are outstanding changes not yet made to Regulation (EC) No 661/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Front underrun protection					X	X				
F ² Electric safety	X	X	X	X	X	X				I
a	Vehicles of this category shall be fitted with an adequate windscreen defrosting and demisting device.									
b	Vehicles of this category shall be fitted with adequate windscreen washing and wiping devices.									
c	Only if the vehicle is fitted with couplings.									
d	Not exceeding 2,5 tonnes technically permissible maximum laden mass.									
e	Only applicable to vehicles where the ‘Seating reference point (“R” point)’ of the lowest seat is not more than 700 mm above ground level. The ‘R’ point is defined in UNECE Regulation 95.									
f	Only when the manufacturer applies for type-approval of a vehicle intended for the transport of dangerous goods.									

Textual Amendments

- F1** Substituted by [Commission Regulation \(EU\) 2015/166 of 3 February 2015 supplementing and amending Regulation \(EC\) No 661/2009 of the European Parliament and of the Council as regards the inclusion of specific procedures, assessment methods and technical requirements, and amending Directive 2007/46/EC of the European Parliament and of the Council, and Commission Regulations \(EU\) No 1003/2010, \(EU\) No 109/2011 and \(EU\) No 458/2011 \(Text with EEA relevance\).](#)
- F2** Inserted by [Commission Regulation \(EU\) 2015/166 of 3 February 2015 supplementing and amending Regulation \(EC\) No 661/2009 of the European Parliament and of the Council as regards the inclusion of specific procedures, assessment methods and technical requirements, and amending Directive 2007/46/EC of the European Parliament and of the Council, and Commission Regulations \(EU\) No 1003/2010, \(EU\) No 109/2011 and \(EU\) No 458/2011 \(Text with EEA relevance\).](#)

Changes to legislation:

There are outstanding changes not yet made to Regulation (EC) No 661/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to the whole legislation item and associated provisions

- Signature words omitted by [S.I. 2022/1273 reg. 55\(11\)](#)
- Art. 12(2)(b) words substituted by [S.I. 2022/1273 reg. 55\(5\)](#)
- Art. 13(2)(a) words substituted by [S.I. 2022/1273 reg. 55\(7\)\(b\)\(ii\)](#)
- Art. 13(2)(b) word substituted by [S.I. 2022/1273 reg. 55\(7\)\(b\)\(iii\)](#)
- Art. 13(5)(a) words substituted by [S.I. 2022/1273 reg. 55\(7\)\(e\)](#)
- Art. 13(6)(a) words substituted by [S.I. 2022/1273 reg. 55\(7\)\(e\)](#)
- Art. 13(9)(a) words substituted by [S.I. 2022/1273 reg. 55\(7\)\(e\)](#)
- Art. 13(10)(a) words substituted by [S.I. 2022/1273 reg. 55\(7\)\(e\)](#)
- Art. 13(15)(a) words substituted by [S.I. 2022/1273 reg. 55\(7\)\(j\)\(i\)](#)
- Art. 13(15)(a) words substituted by [S.I. 2022/1273 reg. 55\(7\)\(j\)\(ii\)](#)
- Art. 14(1)(b) words omitted by [S.I. 2022/1273 reg. 55\(8\)\(b\)](#)
- Art. 14(1)(f) words substituted by [S.I. 2022/1273 reg. 55\(8\)\(c\)](#)
- Art. 14(3)(b) omitted by [S.I. 2022/1273 reg. 55\(8\)\(e\)\(ii\)](#)