

Changes to legislation: *There are outstanding changes not yet made to Regulation (EC) No 79/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes*

ANNEX V

Applicable test procedures for hydrogen components, other than containers, designed to use compressed (gaseous) hydrogen

5. Internal leakage test: the purpose of the test is to provide evidence that the specified hydrogen components are free from internal leakage. In order to prove this, the hydrogen components are pressurised under different temperature conditions and observed for leakage. The hydrogen components must stay bubble free and must not leak internally at a higher rate than a specified number.

Changes to legislation:

There are outstanding changes not yet made to Regulation (EC) No 79/2009 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to the whole legislation item and associated provisions

- Signature words omitted by [S.I. 2022/1273 reg. 52\(8\)](#)
- Art. 2(1) words substituted by [S.I. 2022/1273 reg. 52\(2\)](#)
- Art. 11(1)(a) words omitted by [S.I. 2022/1273 reg. 52\(4\)\(a\)\(iv\)](#)
- Art. 11(3)(a) words omitted by [S.I. 2022/1273 reg. 52\(4\)\(c\)\(iv\)](#)
- Art. 12(e) word omitted by [S.I. 2022/1273 reg. 52\(5\)\(b\)](#)