

Commission Regulation (EU) No 1008/2010 of 9 November 2010 concerning type-approval requirements for windscreen wiper and washer systems of certain motor vehicles and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (Text with EEA relevance)

ANNEX II

**Administrative documents for EC type-approval of
windscreen washer systems as separate technical units**

PART 1

Information document**MODEL**

Information document No ... relating to the EC type-approval as a separate technical unit of windscreen washer systems.

The following information shall be supplied in triplicate and include a list of contents. Any drawings shall be supplied in appropriate scale and in sufficient detail on size A4 or on a folder of A4 format. Photographs, if any, shall show sufficient detail.

If the systems, components or separate technical units referred to in this information document have electronic controls, information concerning their performance shall be supplied.

0. GENERAL

0.1. Make (trade name of manufacturer): ...

0.2. Type: ...

0.3. Means of identification of type, if marked on the separate technical unit⁽¹⁾: ...

0.3.1. Location of that marking: ...

0.5. Name and address of manufacturer: ...

0.7. In case of separate technical units, location and method of affixing the EC approval mark: ...

0.8. Name(s) and address(es) of assembly plant(s): ...

0.9. Name and address of the manufacturer's representative (if any): ...

9.7. Windscreen washer

9.7.1. Detailed technical description (including photographs or drawings): ...

Explanatory notes

PART 2

EC type-approval certificate**MODEL**Format: A4 (210 × 297 mm)EC TYPE-APPROVAL CERTIFICATE

Stamp of type-approval authority

Communication concerning:

Status: This is the original version (as it was originally adopted).

— EC type-approval ^a	of a type of windscreen washer system as a separate technical unit
— extension of EC type-approval ^a	
— refusal of EC type-approval ^a	
— withdrawal of EC type-approval ^a	

with regard to Regulation (EU) No 1008/2010, as last amended by Regulation (EU) No .../
...^a

EC type-approval number: ...

Reason for extension: ...

^a Delete where not applicable.

SECTION 1.

I

Make (trade name of manufacturer): ...

0.2. Type: ...

0.3. Means of identification of type, if marked on the separate technical unit⁽²⁾: ...

0.3.1. Location of that marking: ...

0.5. Name and address of manufacturer: ...

0.7. Location and method of affixing of the EC approval mark: ...

0.8. Name(s) and address(es) of assembly plant(s): ...

0.9. Name and address of the manufacturer's representative (if any): ...

SECTION II.

II

Additional information: see Addendum.

2. Technical service responsible for carrying out the tests: ...

3. Date of test report: ...

4. Number of test report: ...

5. Remarks (if any): see Addendum.

6. Place: ...

7. Date: ...

8. Signature: ...

Attachments : Information package

Test report

Addendum

to EC type-approval certificate No ...

1. Additional information:

Status: This is the original version (as it was originally adopted).

- 1.1. Brief description of the type of separate technical unit: ...
- 1.2. Detailed description of the washer system:
 - 1.2.1. Number of nozzles: ...
 - 1.2.2. Number of outlet ports per nozzle: ...
 - 1.2.3. Description of washer line hoses and its mounting to pump and nozzles: ...
 - 1.2.4. Description of washer pump: ...
 - 1.2.5. Fluid storage capacity (litre): ...
2. Suitable for hand of drive: left/right⁽³⁾
3. Any part of the system may be situated in the engine compartment: yes/no⁽³⁾
4. Separate technical unit: universal/vehicle specific⁽³⁾
5. Remarks: ...
6. List of vehicle types for which the separate technical unit has been approved (if applicable): ...

PART 3

EC separate technical unit type-approval mark


1. The EC separate technical unit type-approval mark shall consist of:
 - 1.1. A rectangle surrounding the lower-case letter 'e' followed by the distinguishing number of the Member State which has granted the EC separate technical unit type-approval:

1	for Germany
2	for France
3	for Italy
4	for The Netherlands
5	for Sweden
6	for Belgium
7	for Hungary
8	for the Czech Republic
9	for Spain
11	for the United Kingdom
12	for Austria
13	for Luxembourg
17	for Finland

18	for Denmark
19	for Romania
20	for Poland
21	for Portugal
23	for Greece
24	for Ireland
26	for Slovenia
27	for Slovakia
29	for Estonia
32	for Latvia
34	for Bulgaria
36	for Lithuania
49	for Cyprus
50	for Malta

- 1.2. In the vicinity of the rectangle the 'base approval number' contained in Section 4 of the type-approval number preceded by the two figures indicating the sequence number assigned to this Regulation or latest major technical amendment to this Regulation. The sequence number is '00' at present.
2. The EC separate technical unit type-approval mark shall be affixed to the windscreen washer fluid storage container in such a way as to be indelible as well as clearly and easily legible even if the device is fitted to a vehicle.
3. An example of an EC separate technical unit type-approval mark is shown in Figure 1.
Figure 1

Example of EC separate technical unit type-approval mark



Explanatory note

Legend

The EC separate technical unit type-approval was issued by The Netherlands under number 0046. The first two digits '00' indicate that the separate technical unit was approved according to this Regulation.

Status: *This is the original version (as it was originally adopted).*

- (1) If the means of identification of type contains characters not relevant to describe the vehicle, component or separate technical unit types covered by this information document, such characters shall be represented in the documentation by the symbol ‘?’ (e.g. ABC??123??).
- (2) If the means of identification of type contains characters not relevant to describe the vehicle, component or separate technical unit types covered by this information document, such characters shall be represented in the documentation by the symbol ‘?’ (e.g. ABC??123??).
- (3) Delete as appropriate.