

Commission Regulation (EU) No 1009/2010 of 9 November 2010 concerning type-approval requirements for wheel guards of certain motor vehicles and implementing Regulation (EC) No 661/2009 of the European Parliament and of the Council concerning type-approval requirements for the general safety of motor vehicles, their trailers and systems, components and separate technical units intended therefor (Text with EEA relevance)

Article 1	Scope
Article 2	Definitions
Article 3	Provisions for EC type-approval of a vehicle with regard to wheel guards
Article 4	Validity and extension of approvals granted under Directive 78/549/EEC
Article 5	Entry into force Signature

ANNEX I

Administrative documents for EC type-approval
of motor vehicles with regard to wheel guards

PART 1

Information document

MODEL

0. GENERAL
 - 0.1. Make (trade name of manufacturer): ...
 - 0.2. Type: ...
 - 0.2.1. Commercial name(s) (if available): ...
 - 0.3. Means of identification of type, if marked on the vehicle: ...
 - 0.3.1. Location of that marking: ...
 - 0.4. Category of vehicle: ...
 - 0.5. Name and address of manufacturer: ...
 - 0.8. Name(s) and address(es) of assembly plant(s): ...
 - 0.9. Name and address of the manufacturer's representative (if any):
1. GENERAL CONSTRUCTION CHARACTERISTICS OF THE VEHICLE
 - 1.1. Photographs and/or drawings of a representative vehicle: ...
 - 1.3. Number of axles and wheels: ...
 - 1.3.1. Number and position of axles with twin wheels: ...
 - 1.3.2. Number and position of steered axles: ...
 - 1.3.3. Powered axles (number, position, interconnection): ...
2. MASSES AND DIMENSIONS
 - 2.3. Axle track(s) and width(s):
 - 2.3.1. Track of each steered axle: ...
 - 2.3.2. Track of all other axles: ...
 - 2.3.3. Width of the widest rear axle: ...

- 2.3.4. Width of the foremost axle (measured at the outermost part...
- 2.4. Range of vehicle dimensions (overall)
 - 2.4.1. For chassis without bodywork
 - 2.4.1.2. Width: ...
 - 2.4.1.3. Height (in running order) (for suspensions adjustable for height, indicate...
 - 2.4.2. For chassis with bodywork
 - 2.4.2.2. Width: ...
 - 2.4.2.3. Height (in running order) (for suspensions adjustable for height, indicate...
- 2.6. Mass in running order
- 6. SUSPENSION
 - 6.2.1. Level adjustment: yes/no/optional
 - 6.6. Tyres and wheels
 - 6.6.1. Tyre/wheel combination(s)
 - 6.6.1.1. Axles
 - 6.6.1.1.1Axle 1: ...
 - 6.6.1.1.2Axle 2: ...
 - 6.6.4. Description of the snow traction device(s) and the tyre/wheel combination(s)...
- 9.16. Wheel guards
 - 9.16.1. Brief description of the vehicle with regard to its wheel...
 - 9.16.2. Detailed drawings of the wheel guards and their position on...

Explanatory notes

PART 2

EC type-approval certificate

MODEL Format: A4 (210 × 297 mm) EC TYPE-APPROVAL CERTIFICATE Stamp of type-approval authority...EC TYPE-APPROVAL CERTIFICATE Stamp of type-approval authority Communication concerning: Delete...

SECTION I

0.1. Make (trade name of manufacturer): ...

- 0.1. Make (trade name of manufacturer): ...
- 0.2. Type: ...
 - 0.2.1. Commercial name(s) (if available): ...
- 0.3. Means of identification of type, if marked on the vehicle:...
 - 0.3.1. Location of that marking: ...
- 0.4. Category of vehicle: ...
- 0.5. Name and address of manufacturer: ...
- 0.8. Name(s) and address(es) of assembly plant(s): ...
- 0.9. Name and address of the manufacturer's representative (if any):

SECTION II

1. Additional information: see Addendum.

- 1. Additional information: see Addendum.
- 2. Technical service responsible for carrying out the tests: ...

3. Date of test report: ...
4. Number of test report: ...
5. Remarks (if any): see Addendum.
6. Place: ...
7. Date: ...
8. Signature: ...

Addendum

to EC type-approval certificate No ...

1. Additional information:
2. Permanently driven axle(s): axle 1/axle 2/...
3. Suspension height adjustable: yes/no
4. Wheel guards detachable/not detachable as a unit/in parts
5. Remarks: ...

ANNEX II

Requirements for wheel guards

1. GENERAL REQUIREMENTS
 - 1.1. The motor vehicle shall be provided with a wheel guard...
 - 1.2. The wheel guard may consist of parts of the bodywork...
2. SPECIFIC REQUIREMENTS
 - 2.1. The wheel guards shall meet the following requirements with the...
 - 2.1.1. In the part formed by radial planes at an angle...
 - 2.1.1.1. For the purposes of determining the widths referred to in...
 - 2.1.2. The rear of the wheel guard shall not terminate above...
 - 2.1.3. The contour and location of each wheel guard shall be...
 - 2.1.4. In the case of vehicles having an adjustable suspension height,...
 - 2.2. The wheel guards may consist of several components, provided that...
 - 2.3. The wheel guards shall be firmly attached. However, they may...
3. USE OF SNOW TRACTION DEVICES
 - 3.1. In the case of vehicles where only two wheels are...
 - 3.2. In the case of vehicles where all wheels are driven,...
 - 3.3. The vehicle manufacturer shall include relevant instructions regarding the correct...

Status: This is the original version (as it was originally adopted).

- (1) OJ L 200, 31.7.2009, p. 1.
- (2) OJ L 263, 9.10.2007, p. 1.
- (3) OJ L 168, 26.6.1978, p. 45.