

Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers (Text with EEA relevance)

---


**Status:** This is the original version (as it was originally adopted).

---

## ANNEX I

### Label

1. LABEL



I  
II

III

IV

V  
VI  
VII  
VIII

---


*Status: This is the original version (as it was originally adopted).*

---

- (1) The following information shall be included in the label:
  - I. supplier's name or trade mark;
  - II. supplier's model identifier, where 'model identifier' means the code, usually alphanumeric, which distinguishes a specific household dishwasher model from other models with the same trade mark or supplier's name;
  - III. the energy efficiency class determined in accordance with point 1 of Annex VI; the head of the arrow containing the energy efficiency class of the household dishwasher shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
  - IV. annual energy consumption ( $AE_C$ ) in kWh per year, rounded up to the nearest integer and calculated in accordance with point 1(b) of Annex VII;
  - V. annual water consumption ( $AW_C$ ) in litres per year, rounded up to the nearest integer and calculated in accordance with point 3 of Annex VII;
  - VI. the drying efficiency class determined in accordance with point 2 of Annex VI;
  - VII. rated capacity in standard place settings, for the standard cleaning cycle;
  - VIII. airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nearest integer.
- (2) The design of the label shall be in accordance with point 2. By way of derogation, where a model has been granted an 'EU Ecolabel' under Regulation (EC) No 66/2010 of the European Parliament and of the Council<sup>(1)</sup>, a copy of the EU Ecolabel may be added.

## 2. LABEL DESIGN

The design of the label shall be as in the figure below.



## Whereby

- (a) The label shall be at least 110 mm wide and 220 mm high. Where the label is printed in a larger format, its content must nevertheless remain proportionate to the specifications above.
- (b) The background shall be white.
- (c) Colours shall be CMYK — cyan, magenta, yellow and black, following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (d) The label shall fulfil all of the following requirements (numbers refer to the figure above):
- 1 **Border stroke:** 5 pt — colour: Cyan 100 % — round corners: 3,5 mm.
  - 2 **EU logo** — colours: X-80-00-00 and 00-00-X-00.
  - 3 **Energy logo** : colour: X-00-00-00. Pictogram as depicted; EU logo and energy logo (combined): width: 92 mm, height: 17 mm.
  - 4 **Sub-logos border:** 1 pt — colour: Cyan 100 % — length: 92,5 mm.
  - 5 **A-G scale**
    - **Arrow:** height: 7 mm, gap: 0,75 mm — colours:  
Highest class: X-00-X-00,  
Second class: 70-00-X-00,  
Third class: 30-00-X-00,  
Fourth class: 00-00-X-00,  
Fifth class: 00-30-X-00,  
Sixth class: 00-70-X-00,  
Last class: 00-X-X-00.
    - **Text:** Calibri bold 18 pt, capitals and white; ‘+’ symbols: Calibri bold 12 pt, capitals, white, aligned on a single row.
  - 6 **Energy efficiency class**
    - **Arrow:** width: 26 mm, height: 14 mm, 100 % black.
    - **Text:** Calibri bold 29 pt, capitals and white; ‘+’ symbols: Calibri bold 18 pt, capitals, white, aligned on a single row.
  - 7 **Energy**
    - **Text:** Calibri regular 11 pt, capitals, 100 % black.
  - 8 **Annual energy consumption**
    - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
    - **Value:** Calibri bold 37 pt, 100 % black.
    - **Second line:** Calibri regular 17 pt, 100 % black.
  - 9 **Annual water consumption:**
    - **Pictogram as depicted**
    - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.

- **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- 10 **Drying efficiency class:**
  - **Pictogram as depicted**
  - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
  - **Value:** Calibri regular 16 pt, horizontal scale 75 %, 100 % black; and Calibri bold 22 pt, horizontal scale 75 %, 100 % black.
- 11 **Rated capacity:**
  - **Pictogram as depicted**
  - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
  - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- 12 **Noise emissions:**
  - **Pictogram as depicted**
  - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
  - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- 13 **Supplier's name or trade mark**
- 14 **Supplier's model identifier**
- 15 The supplier's name or trademark and model identifier should fit in a space of 92 × 15 mm.
- 16 **Numbering of the Regulation:** Calibri bold 9 pt, 100 % black.

## ANNEX II

### Product fiche

1. The information in the product fiche of the household dishwasher shall be provided in the following order and shall be included in the product brochure or other literature provided with the product:
  - (a) supplier's name or trade mark;
  - (b) supplier's model identifier, meaning the code, usually alphanumeric, which distinguishes a specific household dishwasher model from other models with the same trade mark or supplier's name;
  - (c) rated capacity, in standard place settings, for the standard cleaning cycle;
  - (d) energy efficiency class, in accordance with point 1 of Annex VI;
  - (e) where the household dishwasher has been awarded an 'EU Ecolabel' under Regulation (EC) No 66/2010, this information may be included;
  - (f) annual energy consumption ( $AE_C$ ) in kWh per year, rounded up to the nearest integer and calculated in accordance with point 1(b) of Annex VII. It shall be described as 'Energy consumption "X" kWh per year, based on 280 standard cleaning cycles

- using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.’;
- (g) the energy consumption ( $E_l$ ) of the standard cleaning cycle;
  - (h) the power consumption in off-mode and left-on mode ( $P_o$  and  $P_l$ );
  - (i) annual water consumption ( $AW_C$ ), in litres per year, rounded up to the nearest integer and calculated in accordance with point 3 of Annex VII; it shall be described as: ‘Water consumption “X” litres per year, based on 280 standard cleaning cycles. Actual water consumption will depend on how the appliance is used.’;
  - (j) drying efficiency class determined in accordance with point 2 of Annex VI expressed as ‘Drying efficiency class “X” on a scale from G (least efficient) to A (most efficient)’. Where this information is provided in a table, this may be expressed by other means provided it is clear that the scale is from G (least efficient) to A (most efficient);
  - (k) indication that the ‘standard programme’ is the standard cleaning cycle to which the information in the label and the fiche relates, that this programme is suitable to clean normally soiled tableware, and that it is the most efficient programme in terms of combined energy and water consumption;
  - (l) programme time for the standard cleaning cycle, in minutes and rounded to the nearest integer;
  - (m) the duration of the left-on mode ( $T_l$ ) if the household dishwasher is equipped with a power management system;
  - (n) airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nearest integer;
  - (o) if the household dishwasher is intended to be built-in, an indication to this effect.
2. One fiche may cover a number of household dishwasher models supplied by the same supplier.
  3. The information contained in the fiche may be given in the form of a copy of the label, either in colour or in black and white. Where this is the case, the information listed in point 1 not already displayed on the label shall also be provided.

## ANNEX III

### Technical documentation

1. The technical documentation referred to in Article 3(c) shall include:
  - (a) the name and address of the supplier;
  - (b) a general description of the dishwasher model, sufficient for it to be unequivocally and easily identified;
  - (c) where appropriate, the references of the harmonised standards applied;
  - (d) where appropriate, the other technical standards and specifications used;
  - (e) identification and signature of the person empowered to bind the supplier;



- (f) technical parameters for measurements as follows:
    - (i) *energy consumption;*
    - (ii) *water consumption;*
    - (iii) *programme time;*
    - (iv) *drying efficiency;*
    - (v) *power consumption in 'off-mode';*
    - (vi) *power consumption in 'left-on mode';*
    - (vii) *'left-on mode' duration;*
    - (viii) *airborne acoustical noise emissions;*
  - (g) the results of calculations performed in accordance with Annex VII.
2. Where the information included in the technical documentation file for a particular household dishwasher model has been obtained by calculation on the basis of design, or extrapolation from other equivalent household dishwashers, or both, the documentation shall include details of such calculations or extrapolations, or both, and of tests undertaken by suppliers to verify the accuracy of the calculations undertaken. The information shall also include a list of all other equivalent household dishwasher models where the information was obtained on the same basis.

#### ANNEX IV

##### **Information to be provided in the cases where end-users cannot be expected to see the product displayed**

1. The information referred to in Article 4(b) shall be provided in the following order:
  - (a) the energy efficiency class, as defined in point 1 of Annex VI;
  - (b) the rated capacity in standard place settings for the standard cleaning cycle;
  - (c) the annual energy consumption ( $AE_C$ ) in kWh per year, rounded up to the nearest integer and calculated in accordance with point 1(b) of Annex VII;
  - (d) the annual water consumption ( $AW_C$ ) in litres per year, rounded up to the nearest integer and calculated in accordance with point 3 of Annex VII;
  - (e) the drying efficiency class in accordance with point 2 of Annex VI;
  - (f) airborne acoustical noise emissions in dB(A) re 1 pW and rounded to the nearest integer;
  - (g) if the model is intended to be built-in, an indication to this effect.
2. Where other information contained in the product fiche is also provided, it shall be in the form and order specified in Annex II.
3. The size and font in which all the information referred in this Annex is printed or shown shall be legible.

---

*Status: This is the original version (as it was originally adopted).*

---

## ANNEX V

**Verification procedure for market surveillance purposes**

For the purposes of checking conformity with the requirements laid down in Articles 3 and 4, Member State authorities shall test a single household dishwasher. If the measured parameters do not meet the values declared by the supplier within the ranges set out in Table 1, the measurements shall be made on three more household dishwashers. The arithmetic mean of the measured values of these three household dishwashers shall meet the values declared by the supplier within the range defined in Table 1, except for the energy consumption, where the measured value shall not be greater than the rated value of  $E_t$  by more than 6 %.

Otherwise, the model and all other equivalent household dishwasher models shall be considered not to comply with the requirements laid down in Articles 3 and 4.

Member State authorities shall use reliable, accurate and reproducible measurement procedures, which take into account the generally recognised state-of-the-art measurement methods, including methods set out in documents, the reference numbers of which have been published for that purpose in the *Official Journal of the European Union*.

TABLE 1

<b>Measured parameter</b>	<b>Verification tolerances</b>
Annual energy consumption	The measured value shall not be greater than the rated value <sup>a</sup> of $AE_C$ by more than 10 %.
Water consumption	The measured value shall not be greater than the rated value of $W_t$ by more than 10 %.
Drying efficiency index	The measured value shall not be less than the rated value of $I_D$ by more than 19 %.
Energy consumption	The measured value shall not be greater than the rated value of $E_t$ by more than 10 %.
Programme time	The measured value shall not be longer than the rated values $T_t$ by more than 10 %.
Power consumption in off-mode and left-on mode	The measured value of power consumption $P_o$ and $P_l$ of more than 1,00 W shall not be greater than the rated value by more than 10 %. The measured value of power consumption $P_o$ and $P_l$ of less than or equal to 1,00 W shall not be greater than the rated value by more than 0,10 W.
Duration of left-on mode	The value measured shall not be longer than the rated value of $T_l$ by more than 10 %.
Airborne acoustical noise emissions	The measured value shall meet the rated value.

<sup>a</sup> 'Rated value' means a value declared by the supplier.

## ANNEX VI

### Energy efficiency classes and drying efficiency classes

#### 1. ENERGY EFFICIENCY CLASSES

The energy efficiency class of a household dishwasher shall be determined on the basis of its Energy Efficiency Index (*EEI*) as set out in Table 1.

The Energy Efficiency Index (*EEI*) of a household dishwasher shall be calculated in accordance with point 1 of Annex VII.

TABLE 1

#### Energy efficiency classes

Energy efficiency class	Energy Efficiency Index
A+++ (most efficient)	$EEI < 50$
A++	$50 \leq EEI < 56$
A+	$56 \leq EEI < 63$
A	$63 \leq EEI < 71$
B	$71 \leq EEI < 80$
C	$80 \leq EEI < 90$
D (least efficient)	$EEI \geq 90$

#### 2. DRYING EFFICIENCY CLASSES

The drying efficiency class of a household dishwasher shall be determined on the basis of its Drying Efficiency Index (*I<sub>D</sub>*) as set out in Table 2.

The Drying Efficiency Index (*I<sub>D</sub>*) shall be calculated in accordance with point 2 of Annex VII.

TABLE 2

#### Drying efficiency classes

Drying efficiency class	Drying Efficiency Index
A (most efficient)	$I_D > 1,08$
B	$1,08 \geq I_D > 0,86$
C	$0,86 \geq I_D > 0,69$
D	$0,69 \geq I_D > 0,55$
E	$0,55 \geq I_D > 0,44$
F	$0,44 \geq I_D > 0,33$
G (least efficient)	$0,33 \geq I_D$

## ANNEX VII

**Method for calculating the Energy Efficiency Index,  
the Drying Efficiency Index and water consumption**

## 1. CALCULATION OF THE ENERGY EFFICIENCY INDEX

For the calculation of the Energy Efficiency Index (*EEl*) of a household dishwasher model, the annual energy consumption of the household dishwasher is compared to its standard annual energy consumption.

- (a) The Energy Efficiency Index (*EEl*) is calculated as follows and rounded to one decimal place:

$$EEI = \frac{AE_C}{SAE_C} \times 100$$

where:

- $AE_C$  = annual energy consumption of the household dishwasher;  
 $SAE_C$  = standard annual energy consumption of the household dishwasher.

- (b) The annual energy consumption ( $AE_C$ ) is calculated in kWh/year as follows and rounded to two decimal places:

$$(i) \quad AE_C = E_t \times 280 + \frac{\left[ P_o \times \frac{525\,600 - (T_t \times 280)}{2} + P_1 \times \frac{525\,600 - (T_t \times 280)}{2} \right]}{60 \times 1\,000}$$

where:

- $E_t$  = energy consumption for the standard cycle, in kWh and rounded to three decimal places;  
 $P_1$  = power in 'left-on mode' for the standard cleaning cycle, in W and rounded to two decimal places;  
 $P_o$  = power in 'off-mode' for the standard cleaning cycle, in W and rounded to two decimal places;  
 $T_t$  = programme time for the standard cleaning cycle, in minutes and rounded to the nearest minute;  
 280 = total number of standard cleaning cycles per year;

- (ii) Where the household dishwasher is equipped with a power management system, with the household dishwasher reverting automatically to 'off-mode' after the end of the programme,  $AE_C$  is calculated taking into consideration the effective duration of 'left-on mode', according to the following formula:

$$AE_C = E_t \times 280 + \frac{\{(P_1 \times T_1 \times 280) + P_o \times [525\,600 - (T_t \times 280) - (T_1 \times 280)]\}}{60 \times 1\,000}$$

where:

- $T_1$  = measured time in 'left-on mode' for the standard cleaning cycle, in

280 = minutes and rounded to the nearest minute;  
total number of standard cleaning cycles per year.

(c) The standard annual energy consumption ( $SAE_C$ ) is calculated in kWh/year as follows and rounded to two decimal places:

(i) for household dishwashers with rated capacity  $ps \geq 10$  and width  $> 50$  cm:

$$SAE_C = 7,0 \times ps + 378$$

(ii) for household dishwashers with rated capacity  $ps \leq 9$  and household dishwashers with rated capacity  $9 < ps \leq 11$  and width  $\leq 50$  cm:

$$SAE_C = 25,2 \times ps + 126$$

where:

$ps$  = number of place settings.

## 2. CALCULATION OF THE DRYING EFFICIENCY INDEX

For the calculation of the Drying Efficiency Index ( $I_D$ ) of a household dishwasher model, the drying efficiency of the household dishwasher is compared to the drying efficiency of a reference dishwasher, where the reference dishwasher shall have the characteristics indicated in the generally recognised state-of-the-art measurement methods, including methods set out in documents, the reference numbers of which have been published for that purpose in the *Official Journal of the European Union*.

(a) The Drying Efficiency Index ( $I_D$ ) is calculated as follows and rounded to two decimal places:

$$\ln I_D = \frac{1}{n} \times \sum_{i=1}^n \ln \left( \frac{D_{T,i}}{D_{R,i}} \right)$$

$$I_D = \exp(\ln I_D)$$

where:

$D_{T,i}$  = drying efficiency of the household dishwasher under test for one test cycle ( $i$ );

$D_{R,i}$  = drying efficiency of the reference dishwasher for one test cycle ( $i$ );

$n$  = number of test cycles,  $n \geq 5$ .

(b) The drying efficiency ( $D$ ) is the average of the wet score of each load item after completion of a standard cleaning cycle. The wet score is calculated as shown in Table 1:

TABLE 1

Number of water traces ( $W_T$ ) or wet streak ( $W_S$ )	Total wet area ( $Aw$ ) in $mm^2$	Wet score
$W_T = 0$ and $W_S = 0$	Not applicable	2 (most efficient)
$1 < W_T \leq 2$ or $W_S = 1$	$Aw < 50$	1
$2 < W_T$ or $W_S = 2$	$Aw > 50$	0 (least efficient)

---

**Status:** This is the original version (as it was originally adopted).

---

or  $W_S = 1$  and  $W_T = 1$

---

### 3. CALCULATION OF THE ANNUAL WATER CONSUMPTION

The annual water consumption ( $AW_C$ ) of a household dishwasher is calculated, in litres and rounded up to the nearest integer, as:

$$AW_C = W_t \times 280$$

where:

$W_t$  = water consumption for the standard cleaning cycle, in litres and rounded to one decimal place.

(1) [OJ L 27, 30.1.2010, p. 1.](#)