


Commission Delegated Regulation (EU) No 1061/2010 of 28
September 2010 supplementing Directive 2010/30/EU of the
European Parliament and of the Council with regard to energy
labelling of household washing machines (Text with EEA relevance)

Status: This is the original version (as it was originally adopted).

ANNEX I

Label

1. LABEL



I
II

III


IV

V
VI
VII
VIII

- (1) The following information shall be included in the label:
- I. supplier's name or trade mark;
 - II. supplier's model identifier, meaning the code, usually alphanumeric, which distinguishes a specific household washing machine model from other models with the same trade mark or supplier's name;
 - III. the energy efficiency class determined in accordance with point 1 of Annex VI; the head of the arrow containing the energy efficiency class of the household washing machine shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
 - IV. weighted annual energy consumption (AE_C) in kWh per year, rounded up to the nearest integer in accordance with Annex VII;
 - V. weighted annual water consumption (AW_C), in litres per year, rounded up to the nearest integer in accordance with Annex VII;
 - VI. rated capacity, in kg, for the standard 60 °C cotton programme at full load or the standard 40 °C cotton programme at full load, whichever is the lower;
 - VII. the spin-drying efficiency class as set out in point 2 of Annex VI;
 - VIII. airborne acoustical noise emissions, during the washing and spinning phases, for the standard 60 °C cotton programme at full load, expressed in dB(A) re 1 pW, rounded to the nearest integer.
- (2) The design of the label shall be in accordance with point 2. By way of derogation, where a model has been awarded an 'EU Ecolabel' under Regulation (EC) No 66/2010 of the European Parliament and of the Council⁽¹⁾, a copy of the EU Ecolabel may be added.

2. LABEL DESIGN

The design of the label shall be as in the figure below.



Whereby:

- (a) The label must be at least 110 mm wide and 220 mm high. Where the label is printed in a larger format, its content must nevertheless remain proportionate to the specifications above.
- (b) The background shall be white.
- (c) Colours shall be CMYK — cyan, magenta, yellow and black, following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (d) The label shall fulfil all of the following requirements (numbers refer to the figure above):
 - 1 **Border stroke:** 5 pt — colour: Cyan 100 % — round corners: 3,5 mm.
 - 2 **EU logo** — colours: X-80-00-00 and 00-00-X-00.
 - 3 **Energy logo:** colour: X-00-00-00.
Pictogram as depicted: EU logo and energy logo (combined): width: 92 mm, height: 17 mm.
 - 4 **Sub-logos border:** 1 pt — colour: Cyan 100 % — length: 92,5 mm.
 - 5 **A-G scale**
 - **Arrow:** height: 7 mm, gap: 0,75 mm — colours:
 - Highest class: X-00-X-00,
 - Second class: 70-00-X-00,
 - Third class: 30-00-X-00,
 - Fourth class: 00-00-X-00,
 - Fifth class: 00-30-X-00,
 - Sixth class: 00-70-X-00,
 - Last class: 00-X-X-00.
 - **Text:** Calibri bold 18 pt, capitals and white; ‘+’ symbols: Calibri bold 12 pt, capitals, white, aligned on a single row.
 - 6 **Energy efficiency class**
 - **Arrow:** width: 26 mm, height: 14 mm, 100 % black.
 - **Text:** Calibri bold 29 pt, capitals and white; ‘+’ symbols: Calibri bold 18 pt, capitals, white, aligned on a single row.
 - 7 **Energy:** text: Calibri regular 11 pt, capitals, 100 % black.
 - 8 **Weighted annual energy consumption**
 - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
 - **Value:** Calibri bold 42 pt, 100 % black; and Calibri regular 17 pt, 100 % black.
 - 9 **Weighted annual water consumption**
 - **Pictogram as depicted**
 - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
 - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.

- 10 **Rated capacity**
- **Pictogram as depicted**
 - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
 - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- 11 **Spin-drying efficiency class**
- **Pictogram as depicted**
 - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
 - **Value:** Calibri regular 16 pt, horizontal scale 75 %, 100 % black and Calibri Bold 22 pt, horizontal scale 75 %, 100 % black.
- 12 **Airborne acoustical noise emissions**
- **Pictograms as depicted**
 - **Border:** 2 pt — colour: Cyan 100 % — round corners: 3,5 mm.
 - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- 13 **Supplier's name or trade mark**
- 14 **Supplier's model identifier**
- 15 The supplier's name or trademark and model identifier should fit in a space of 92 × 15 mm.
- 16 **Numbering of the Regulation:** Calibri bold 12 pt, 100 % black.

(1) [OJ L 27, 30.1.2010, p. 1.](#)