Commission Regulation (EU) No 349/2010 of 23 April 2010 concerning the authorisation of copper chelate of hydroxy analogue of methionine as a feed additive for all animal species (Text with EEA relevance)

COMMISSION REGULATION (EU) No 349/2010

of 23 April 2010

concerning the authorisation of copper chelate of hydroxy analogue of methionine as a feed additive for all animal species

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition⁽¹⁾, and in particular Article 9(2) thereof,

Whereas:

- (1) Regulation (EC) No 1831/2003 provides for the authorisation of additives for use in animal nutrition and for the grounds and procedures for granting such authorisation.
- (2) In accordance with Article 7 of Regulation (EC) No 1831/2003, an application was submitted for the authorisation of the preparation set out in the Annex to this Regulation. That application was accompanied by the particulars and documents required pursuant to Article 7(3) of Regulation (EC) No 1831/2003.
- (3) The application concerns the authorisation of copper chelate of hydroxy analogue of methionine as a feed additive for all animal species, to be classified in the additive category 'nutritional additives'.
- (4) From the opinion of the European Food Safety Authority (the Authority) adopted on 12 November 2009⁽²⁾ read in combination with that of 16 April 2008⁽³⁾ it results that copper chelate of hydroxy analogue of methionine does not have an adverse effect on animal health, human health or the environment. According to the opinion of 16 April 2008, the use of that preparation may be considered as a source of available copper and fulfils the criteria of a nutritional additive for all animal species. The Authority recommends appropriate measures for user safety. It does not consider that there is a need for specific requirements of post market monitoring. It also verified the report on the method of analysis of the feed additive in feed submitted by the Community Reference Laboratory set up by Regulation (EC) No 1831/2003.
- (5) The assessment of that preparation shows that the conditions for authorisation, as provided for in Article 5 of Regulation (EC) No 1831/2003, are satisfied. Accordingly, the use of that preparation should be authorised, as specified in the Annex to this Regulation.

- (6) By Commission Regulation (EC) No 1253/2008 of 15 December 2008 concerning the authorisation of copper chelate of hydroxy analogue of methionine as a feed additive⁽⁴⁾ that preparation was already authorised as a feed additive for chickens for fattening. That Regulation should be repealed.
- (7) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

Article 1

The preparation specified in the Annex, belonging to the additive category 'nutritional additives' and to the functional group 'compounds of trace elements', is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

Article 2

Regulation (EC) No 1253/2008 is repealed.

Article 3

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

ANNEX

of the holder of authori of nutrit	sation tional add Copper chelate	descrip analytic method	ı, categor ti ofi , ca l nimal	age y	content Content element in mg/k complet feedings with a moistur content	c (Cu) g of te stuff e	provisio	period of authorisatio
of authori	tional add Copper	descrip analytic method	tiofi, calanimal	y	element in mg/k complet feedings with a moistur	c (Cu) g of te stuff e		of
authori	tional add Copper	analytic method	calinimal		in mg/k complet feedings with a moistur	g of te stuff te		
	tional add Copper	method	•		complet feedings with a moistur	te stuff re		autnorisatio
of nutrit	Copper				feedings with a moistur	stuff re		
of nutrit	Copper	itives. Fu	nctional s		with a moistur	e		
of nutrit	Copper	itives. Fu	nctional s		moistur			
of nutrit	Copper	itives. Fu	nctional 9					
of nutrit	Copper	itives. Fu	nctional 9		content			
of nutrit	Copper	itives. Fu	nctional a			of		
of nutrit —	Copper	itives. Fu	nctional a		12 %			
			notional E	group: con	npounds	of trace el	ements	
			C Haracte	risation		[^{F1} Bovin	es:	T4he May
			splecies				Bovines	adattive
	of		the				before	shall
	hydroxy		additive:				the	be
	analogue	;		Copper				incorporated
	of			chelate				into
	methioni	ne		of				feed
				hydroxy				in
				analogue			-	the
				of				form
				methion	ine			of
				containi	ng			а
				18 %	C			premixture.
				copper		Ovines [.]	2.	For
				and				user
				79,5 %				safety:
				-		· / /	:	Breathing
				81 %				protection,
				(2-				safety
				hydroxy	-4-			glasses
				methylth	io)		suckling	and
				butanoic				gloves
				acid				should
				Mineral				be
				oil:			-	worn
				1 %			4	during
				CAS:			weeks	handling.
					30-8		âfter	The
			Analytic					following
			method*				150	words
								shall
				on				be
								included
								in
			,					the
								labelling:
	f the analy	of methioni	of methionine	of methionine Analytic method ^a : Atomic Absorpti Spectron (AAS)	of methionine methionine	of methionine of hydroxy analogue of methionine containing 18 % copper and 79,5 % - 81 % (2- hydroxy-4- methylthio) butanoic acid Mineral oil: 1 % CAS: 292140-30-8 Analytical method* Atomic Absorption Spectrometry (AAS)	of methionine of methionine containing 18 % copper and 15 79,5 % copper and 15 79,5 % (total). - Caprines 81 % 35 (2- (total) hydroxy-4- methylthio) butanoic acid Mineral oil: 1 % CAS: 292140-30-8 Analytical method ^a Atomic Absorption Spectrometry (AAS)	of methionine of methionine containing 18 % copper and 18 % copper and 15 (total); Ovines: 30 (total). 2. and 15 (total). Caprines: 81 % 35 (2- (total) hydroxy-4- methylthio) butanoic acid Mineral oil: 1 % CAS: 292140-30-8 Analytical method ^a : Absorption Spectrometry Mineral oil: 1 % Caprines: 30 (total). Caprines: suckling and weaned up to 5-

a Details of the analytical methods are available at the following address of the Community Reference Laboratory: http://www.irmm.jrc.be/crl-feed-additives

					20 mg/
				1	kg:
					The
					level
					of
					copper
					in
					this
					feed
					may
					cause
					copper
					deficiencies
					in
					cattle
					grazing
					pastures with
					high
					contents
					of
					molybdenum
					or
					sulphur.

a Details of the analytical methods are available at the following address of the Community Reference Laboratory: http://www.irmm.jrc.be/crl-feed-additives

Textual Amendments

F1 Substituted by Commission Implementing Regulation (EU) 2018/1039 of 23 July 2018 concerning the authorisation of Copper(II) diacetate monohydrate, Copper(II) carbonate dihydroxy monohydrate, Copper(II) chloride dihydrate, Copper(II) oxide, Copper(II) sulphate pentahydrate, Copper(II) chelate of amino acids hydrate, Copper(II) chelate of protein hydrolysates, Copper(II) chelate of glycine hydrate (solid) and Copper(II) chelate of glycine hydrate (liquid) as feed additives for all animal species and amending Regulations (EC) No 1334/2003, (EC) No 479/2006 and (EU) No 349/2010 and Implementing Regulations (EU) No 269/2012, (EU) No 1230/2014 and (EU) 2016/2261 (Text with EEA relevance).

- (1) OJ L 268, 18.10.2003, p. 29.
- (2) The EFSA Journal (2009) 7(11): 1382.
- (**3**) The EFSA Journal (2008) 693, 1.
- (4) OJ L 337, 16.12.2008, p. 78.

Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 349/2010.