Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Text with EEA relevance)

#### COMMISSION REGULATION (EU) No 37/2010

of 22 December 2009

on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin

(Text with EEA relevance)

## THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 470/2009 of the European Parliament and of the Council of 6 May 2009 laying down Community procedures for the establishment of residue limits of pharmacologically active substances in foodstuffs of animal origin, repealing Council Regulation (EEC) No 2377/90 and amending Directive 2001/82/EC of the European Parliament and of the Council and Regulation (EC) No 726/2004 of the European Parliament and of the Council<sup>(1)</sup>, and in particular Article 27(1) thereof,

#### Whereas:

- (1) In order to protect public health, pharmacologically active substances, on the basis of the scientific assessment of the safety of those substances, were classified in four Annexes to Council Regulation (EEC) No 2377/90 of 26 June 1990 laying down a Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin<sup>(2)</sup>. Annex I contained substances for which a maximum residue limit was established, Annex II contained substances for which it was not necessary to establish a maximum residue limit, Annex III contained substances for which a provisional maximum residue limit was established and Annex IV contained substances for which a maximum residue limit could not be established because residues of those substances, at whatever limit, constitute a hazard to human health.
- (2) For reasons of simplification, it is necessary to incorporate those pharmacologically active substances and their classification regarding maximum residue limits in a Commission Regulation. As this classification follows the classification system foreseen in Regulation (EC) No 470/2009, the classification should also be taken account of with regard to the possibility to administer those pharmacologically active substances to food-producing animals.
- (3) Existing information on the therapeutical classification of pharmacologically active substances contained in the Annexes to Regulation (EEC) No 2377/90 should be incorporated into a column on the therapeutical classification of substances.

Status: Point in time view as at 10/04/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- (4) For reasons of ease of use, all pharmacologically active substances should be listed in one Annex in alphabetical order. For reasons of clarity, two separate tables should be established: one for allowed substances, listed in Annexes I, II and III of Regulation (EEC) No 2377/90, and one for prohibited substances, listed on Annex IV to that Regulation.
- (5) Provisional maximum residue limits for pharmacologically active substances, laid down in Annex III to Regulation (EEC) No 2377/90 for which the period of application has ended, should not be incorporated into this Regulation.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Veterinary Medicinal Products,

## HAS ADOPTED THIS REGULATION:

Article 1 U.K.

Pharmacologically active substances and their classification regarding maximum residue limits are set out in the Annex.

Article 2 U.K.

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Status: Point in time view as at 10/04/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

# ANNEX U.K.

Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

# TABLE 1

#### Allowed substances

Pharmacol active Substance	og <b>MaHl</b> yer residue	Animal Species	MRL	Target Tissues	Other Provisions( to Article 14(7 of Regulation (EC) No 470/200	
Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Ovine	20 μg/kg 50 μg/kg 25 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Absinthium extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylmethi	o <b>nioe</b> APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Acetylsalicy acid	INOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Acetylsalicy acid DL- lysine	INOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Adenosine and its 5'-mono-, 5'-di-and 5' triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Adonis vernalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Aesculus hippocastant	NOT u <b>A</b> PPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
Agnus castus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in homeopathic veterinary medicinal products prepared according	NO ENTRY

Status: Point in time view as at 10/04/2013.

					to homeopathic pharmacopoo at concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Ailanthus altissima	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Alanine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	All ruminants	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone,	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	and albendazole 2-amino sulphone, expressed as albendazole		100 μg/kg			
Alfacalcidol	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Farturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABI	Bovine, Forcine, rabbit, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Allantoin	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY
Allium cepa	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s g
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical times only.	NO ENTRY
Aloes, Barbados and Capae, their standardised dry extract and	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

preparations thereof						
Alphacypern	nellypiermethri (sum of isomers)	nBovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
[F1Altrenoges	Altrenogest	Porcine	4 μg/kg	Skin and fat	Only for zootechnical	Agents acting on the reproductive system
			2 μg/kg	Liver	use and in accordance	
		Equidae	4 μg/kg	Fat	with the	
			4 μg/kg	Liver]	provisions of Directive 96/22/EC	
Aluminium distearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium salicylate, basic	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	Not for use in animals from which milk is produced for human consumption	NO ENTRY
		producing species	required	APPLICABI	atrise only.	

		except fin fish				
Aluminium tristearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethan	NOT DAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethane glucuronate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethyl dihydrogenp		All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
containing the 2,4- DMA moiety, expressed	amitraz and all metabolites	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	the 2,4- DMA moiety,	Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney		
		Bees	200 μg/kg	Honey		
Ammonium chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ammonium lauryl sulphate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 10/04/2013.

					in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Ampicillin	Ampicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced	Anti- infectious agents/ Antibiotics

					for human consumption	
Amprolium	NOT APPLICABI	Poultry LE	No MRL required	NOT APPLICABI	For oral use Enly.	NO ENTRY
Angelicae radix aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Apocynum cannabinum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Apramycin	Apramycin	Bovine	1 000 μg/ kg 1 000 μg/ kg 10 000 μg/ kg 20 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
	NOT APPLICABI	Ovine,  Disporcine,	No MRL required	NOT APPLICABI	For oral use Enly.	

Status: Point in time view as at 10/04/2013.

		chicken, rabbit			Not for use in animals from which milk or eggs are produced for human consumption	
Aqua levici	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopolouly.	
Arginine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical lise only.	NO ENTRY
Arnicae radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding in the products not exceeding one part per ten only.	eias 1s
Artemisia abrotanum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary	NO ENTRY

					medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Asparagine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aspartic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Atropa belladonna	NOT APPLICABI	species	No MRL required		For use in Forneopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias, ns
Atropine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Avilamycin	Dichloroisoe acid	Rominie, poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 10/04/2013.

					and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	-
Azagly- nafarelin	NOT APPLICABI	Salmonidae LE	No MRL required	NOT APPLICABI	Not for Tise in fish from which eggs are produced for human consumption	NO ENTRY
[F2Azamethip	MQT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites]
Azaperone	Sum of azaperone and azaperol	Porcine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of	Bovine	100 μg/kg	Milk	NO	Anti-
	bacitracin A, bacitracin B, and bacitracin C	Rabbit	150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	ENTRY infectious agents/ Antibiotics	
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	For Entramamma use in lactating cows only.	ry
Balsamum peruvianum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lese only.	NO ENTRY
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg	Fat Liver Kidney	NO ENTRY	Anti- infectious

			30 μg/kg	Milk		agents/
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney		Chemotheurapeutics
Barium selenate	NOT APPLICABI	Bovine, Dovine	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Beclomethas dipropionate	ൽ©T APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Inhalation use only.	NO ENTRY
Bellis perennis	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Benzalkoniu chloride	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use As an excipient at concentration up to 0,05 % only.	NO ENTRY ns
Benzocaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Less local anaesthetic only.	NO ENTRY
		Salmonidae	No MRL required	NOT APPLICABI	NO ÆNTRY	
Benzyl alcohol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Benzyl p- hydroxybenz	NOT OARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzylpenic	i <b>li e</b> nzylpenic	illith food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Betaine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betamethaso	n <del>B</del> etamethaso	navine, porcine	0,75 μg/kg 2,0 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine	0,3 μg/kg	Milk		
Biotin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Bismuth subcarbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Enly.	NO ENTRY
Bismuth subgallate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Lonly.	NO ENTRY
Bismuth subnitrate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI		NO ENTRY
		Bovine	No MRL required	NOT APPLICABI	For Intramamma use only.	NO r <b>Ę</b> NTRY
Bismuth subsalicylate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use finly.	NO ENTRY
Bituminosult ammonium and sodium salts	OMOGES, APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	For topical Firse only.	NO ENTRY
Boldo folium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromhexine	NOT APPLICABI	Bovine,  Forcine,  poultry	No MRL required	NOT APPLICABI	Not for use fin animals from which milk or eggs are produced for human consumption	NO ENTRY
Bromide, potassium salt	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABI	All- mammalian food- producing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Bronopol	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Brotizolam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Merapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Butafosfan	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
n-Butane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
n-Butanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Butorphanol tartrate	eNOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
Butyl 4- hydroxybenz	NOT ONEPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Butylscopola bromide	a <b>Niðil</b> im APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Caffeine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium acetate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium aspartate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium borogluconat	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

-						
Calcium chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium citrate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucoheptona	NOT at&PPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucono glucoheptona	NOT APPLICABI ate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconolacta	NOT t <b>&amp;</b> PPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glycerophos <sub>l</sub>	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Calcium hypophosphi	NOT t <b>a</b> pplicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium malate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium oxide	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium polyphospha	NOT t <b>e</b> sPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Document Generated: 2024-08-17

Status: Point in time view as at 10/04/2013.

Calcium propionate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium stearate	NOT APPLICABI	All food  Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calendula officinalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding in the products not exceeding one part per ten only.	eias ns
Calendulae flos	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For topical  Arese only.	NO ENTRY
Camphor	NOT APPLICABI	All food  Abroducing species	No MRL required	NOT APPLICABI	External Æse only.	NO ENTRY
Camphora	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in  Nomeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration	eias

					in the products not exceeding one part per hundred only.	
Capsici fructus acer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 μg/kg 5 μg/kg 15 μg/kg 15 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Porcine	5 μg/kg 5 μg/kg 25 μg/kg 25 μg/kg	Muscle Skin and fat Liver Kidney		
Carbasalate calcium	NOT APPLICABI	All food Producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Carbetocin	NOT APPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Cardamon extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardiosperm halicacabum	alwOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration corresponding	eias 1s

Status: Point in time view as at 10/04/2013.

					to the mother tincture and dilutions thereof only.	
Carlinae radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Liese only.	NO ENTRY
Carnitine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, Equidae	500 μg/kg 1 000 μg/ kg 1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
	NOT APPLICABI	Bovine LE	No MRL required for milk	NOT APPLICABI	LE	
Carvi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Caryophylli aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma	rinfectious agents/ Antibiotics
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 1 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 μg/kg	Milk	For	Anti-
	NOT APPLICABI	CABLE roa a e	No MRL required for all tissues except milk.	NOT APPLICABI	use and eve	rynfectious agents/ Antibiotics

Cefapirin	Sum of cephapirin and desacetylcep	Bovine hapirin	50 μg/kg 50 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 μg/kg	Milk	NO ENTRY	Anti- infectious agents/
	NOT APPLICABI	Bovine,  Description  Descripti	No MRL required for all tissues except milk.	NOT APPLICABI	For Intramamma use, except if the udder may be used as food for human consumption	
Cefoperazon	eCefoperazon	eBovine	50 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use in factating cows only.	agents/ Antibiotics
Cefquinome	Cefquinome	Bovine, porcine, Equidae	50 μg/kg 50 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	20 μg/kg	Milk	to 'skin and fat in natural proportions'.	
Ceftiofur	Sum of all residues retaining the betalactam structure expressed as desfuroylcef	All mammalian food producing species	1 000 μg/ kg 2 000 μg/ kg 2 000 μg/ kg 6 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Centellae asiaticae extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Cetostearyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Cetrimide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorhexidir	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY
Chlormadino	Mchlormadino	ni Reovine	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocresol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorphenan		All finammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Chlortetracy	cBinm of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Choline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chrysanthen cinerariifolii flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Chymotryps	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Not for use fin animals from which milk is produced	NO ENTRY

					for human consumption	
Cinchonae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Cinnamomi ceylanici aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi ceylanici cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Citri aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citronellae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citrulline	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	200 μg/kg	Milk	to 'skin and fat in natural proportions'.	
Clazuril	NOT APPLICABI	Pigeon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Clenbuterol hydrochlorid	Clenbuterol	Bovine, Equidae  Bovine	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg 0,05 μg/kg	Muscle Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous	
Cloprostenol	NOT APPLICABI	Bovine,  Diorcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
R- Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
[F3Clorsulon	Clorsulon	Bovine	35 μg/kg	Muscle		Antiparasitic	
			100 μg/kg	Liver		agents/ Agents	
			200 μg/kg	Kidney		against	
			16 μg/kg	Milk	Provisional MRL shall expire on 1 January 2014]	endoparasites	
[F4Closantel	Closantel	Bovine	1 000 μg/ kg	Muscle	a	Antiparasitic agents/	
			3 000 μg/ kg	Fat		Agents against endoparasites	
			1 000 μg/ kg	Liver			
			3 000 µg/ kg	Kidney			
		Ovine	1 500 μg/ kg	Muscle			
			2 000 μg/ kg	Fat			
			1 500 μg/ kg	Liver			
			5 000 μg/ kg	Kidney			
		Bovine, Ovine	45 μg/kg	Milk	Provisional MRL shall		

					expire on 1 January 2014]	
Cloxacillin	Cloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Cobalt carbonate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Cobalt trioxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 μg/kg 150 μg/kg 150 μg/kg 200 μg/kg 50 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Condurango cortex, standardised extracts and preparations thereof	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Convallaria majalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not	eias,

					exceeding one part per thousand only.	
Copper chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper methionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Copper oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Copper sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Coriandri aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Corticotropia	nNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 μg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Crataegus	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopo at concentration corresponding to the	eias ns

Status: Point in time view as at 10/04/2013.

					mother tincture and dilutions thereof only.	
Cupressi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
	nCypermethri (sum of isomers)	nAll ruminants	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission	Antiparasitic agents/ Agents against ectoparasites
		Salmonidae	50 μg/kg	Muscle and skin in natural proportions.	Directive 98/82/EC are to be observed.	
Cyromazine	Cyromazine	Ovine	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cytidine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Danofloxacii	nDanofloxacii	nBovine, ovine, caprine, poultry	200 μg/kg 100 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Antibiotics
		All other food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	'muscle and skin in natural proportions'. MRLs for	
		Bovine, ovine, caprine	30 μg/kg	Milk	fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Decoquinate	NOT APPLICABI	Bovine, Evine	No MRL required	NOT APPLICABI	For oral use Inly. Not for use in animals from which milk is produced for human consumption	NO ENTRY
Deltamethrin	Deltamethrir	All ruminants	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites

Status: Point in time view as at 10/04/2013.

		Fin fish	10 μg/kg	Muscle and skin in natural proportions.		
Dembrexine	NOT APPLICABI	<i>Equidae</i> Æ	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Denaverine hydrochlorid	NOT eAPPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F5Derquante	1Derquantel	Ovine	2 μg/kg	Muscle	Not for use	Antiparasitic
			40 μg/kg	Fat	in animals from which	agents/ Agents
			20 μg/kg	Liver	milk is	against
			5 μg/kg	Kidney]	produced for human consumption	endoparasites
Deslorelin acetate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Detomidine	NOT APPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	For Merapeutic use only.	NO ENTRY
Dexamethaso	of Dexamethas	oBovine, caprine, porcine, Equidae	0,75 μg/kg 2 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine, caprine	0,3 μg/kg	Milk		
Dexpantheno	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Antiparasitic agents/ Agents against
		Bovine, ovine, caprine	20 μg/kg	Milk	to 'skin and fat in natural proportions'.	ectoparasites
[ <sup>F6</sup> Diclazuril	NOT APPLICABI	All Euminants, porcine	No MRL required	NOT APPLICABI	For oral use Lonly	NO ENTRY
		Poultry	500 μg/kg	Muscle	Not for use in animals from which eggs are produced for human consumption	Antiparasitic
			500 μg/kg	Skin and fat in natural proportions		agents/ Agents acting againsts protozoa

			1 500 μg/ kg	Liver		
			1 000 μg/ kg	Kidney]		
Diclofenac	Diclofenac	Bovine	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg 0,1 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
		Porcine	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg	Muscle Skin and fat Liver Kidney	and fat in natural proportions'.	
Dicloxacillin	Dicloxacillin	producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Dicopper oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil	Ovine	200 μg/kg 150 μg/kg	Muscle Fat	Not for use in animals	Antiparasitic agents/

Status: Point in time view as at 10/04/2013.

	and 2, 4, 6-triamino-pyrimidine-s	<b>-</b>	400 μg/kg 400 μg/kg	Liver Kidney	from which milk is produced for human consumption	Agents against ectoparasites
Diethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethylene glycol monoethyl ether	NOT APPLICABI	All Fuminants and porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Difloxacin	Difloxacin Difloxacin	Bovine, ovine, caprine	400 μg/kg 100 μg/kg 1 400 μg/ kg 800 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which milk is produced for human consumption. Not for use in animals from which eggs are produced for human consumption consumption which eggs are produced for human consumption consumption.	
		Porcine	400 μg/kg 100 μg/kg 800 μg/kg 800 μg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	300 μg/kg 400 μg/kg 1 900 μg/ kg 600 μg/kg	Muscle Skin and fat Liver Kidney		
		All other food producing species	300 μg/kg 100 μg/kg 800 μg/kg 600 μg/kg	Muscle Fat Liver Kidney		
Diflubenzuro	nDiflubenzur	Salmonidae	1 000 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Dihydrostrep	t <b>Dinhycliro</b> strep	t <b>Ath</b> ycin ruminants,	500 μg/kg 500 μg/kg	Muscle Fat	For porcine species the	Anti- infectious

		porcine, rabbit  All ruminants	500 μg/kg 1 000 μg/ kg 200 μg/kg	Liver Kidney Milk	fat MRL relates to 'skin and fat in natural proportions'.	agents/ Antibiotics
3,5-Diiodo- L-thyrosine	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO	NO ENTRY
Dimanganese trioxide	eNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Enly.	NO ENTRY
Dimethicone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost	NOT APPLICABI	All  Riammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost tromethamin	NOT eAPPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprostone		All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diprophyllin	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food	40 μg/kg 150 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Antiparasitic agents/ Agents

Status: Point in time view as at 10/04/2013.

		producing species	60 μg/kg	Kidney	relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption	acting against endo- and ectoparasites
Doxapram	NOT APPLICABI	All finammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Doxycycline	Doxycycline	Bovine	100 μg/kg 300 μg/kg 600 μg/kg	Muscle Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine, poultry	100 μg/kg 300 μg/kg 300 μg/kg 600 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption	
D-Phenylalanir (6) – luteinising-hormone releasing hormone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Echinacea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration	eias

					corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration corresponding in the products not exceeding one part per ten only.	eias 1s
Echinacea purpurea  Emamectin	NOT APPLICABI Emamectin B1a	All food Froducing species Fin fish	No MRL required 100 μg/kg	Muscle and skin in natural	For topical Ese only.  NO ENTRY	NO ENTRY  Antiparasitic agents/ Agents acting
				proportions		against endo- and ectoparasites
Enilconazole	NOT APPLICABI	Bovine, Æquidae	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY
and	enrofloxacin	caprine	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	the muscle MRL relates to 'muscle	Anti- infectious agents/ Antibiotics
		Porcine, rabbit	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	and skin in natural proportions'. MRLs for fat, liver	
		Poultry	100 μg/kg	Muscle	and kidney	

Status: Point in time view as at 10/04/2013.

		All other food producing species	100 μg/kg 200 μg/kg 300 μg/kg 100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney  Muscle Fat Liver Kidney	do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Epinephrine	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F7Eprinomeo	cEprinomectii	nBovine	50 μg/kg	Muscle	NO	Antiparasitic
	B1a		250 μg/kg	Fat	ENTRY	agents/ Agents
			1 500 μg/ kg	Liver		acting against endo- and ectoparasites
			300 μg/kg	Kidney		
			20 μg/kg	Milk		
		Ovine,	50 μg/kg	Muscle	The MRLs	
		caprine	250 μg/kg	Fat	laid down for these	
			1 500 μg/ kg	Liver	animal species are	
			300 μg/kg	Kidney	provisional MRLs.	
			20 μg/kg	Milk]	They shall expire on 1 July 2014.	
Ergometrine maleate		All mammalian food producing species	No MRL required	NOT APPLICABI	For use in Farturient animals only.	NO ENTRY
Erythromyci	nErythromyci A	nAll food producing species	200 μg/kg 200 μg/kg 200 μg/kg 200 μg/kg 40 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin	Anti- infectious agents/ Antibiotics

					in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	
Etamiphyllin camsylate	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etamsylate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Ethyl lactate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethylenedian acid and salts	nM@tEtraaceti APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etiproston tromethamin	NOT eAPPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptus globulus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal	NO ENTRY

Status: Point in time view as at 10/04/2013.

					products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias 1s
Euphrasia officinalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Febantel	Sum of extractable residues which may be oxidised to oxfendazole	All ruminants, porcine, Equidae All ruminants	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural	Antiparasitic agents/ Agents against endoparasites
IF8Eanbandar	sulphone	All food-	50 μg/kg	Muscle	proportions'.  For porcine	Antiparasitic
[ <sup>F8</sup> Fenbenda:	extractable residues which may be oxidised to oxfendazole sulfone	producing species except fin fish	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/	Fat Liver Kidney Milk Eggs	and poultry species the fat MRL relates to 'skin and fat in natural proportions'	agents/ Agents against endoparasites]

Fenpipramid hydrochlorid	eNOT eAPPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
and its metabolite measured as	florfenicol and its metabolites	Bovine, ovine, caprine	200 μg/kg 3 000 μg/ kg 300 μg/kg	Muscle Liver Kidney	Not for animals from which milk is produced for human consumption Not for animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
	as florfenicol-	Porcine	300 μg/kg 500 μg/kg 2 000 μg/ kg 500 μg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	100 μg/kg 200 μg/kg 2 500 μg/ kg 750 μg/kg	Muscle Skin and fat Liver Kidney		
		Fin fish	1 000 μg/ kg	Muscle and skin in natural proportions.		
		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/ kg 300 μg/kg	Muscle Fat Liver Kidney		
Fluazuron	Fluazuron	Bovine	200 μg/kg 7 000 μg/ kg 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites

Status: Point in time view as at 10/04/2013.

Flubendazol	eSum of flubendazole and (2- amino 1H- benzimidazo yl) (4fluoropher methanone	1-5-	50 μg/kg 50 μg/kg 400 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazol	ePoultry	400 μg/kg	Eggs		
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use	Anti- infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 μg/kg	Milk		
		Poultry	400 μg/kg 250 μg/kg 800 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	in animals from which eggs are produced for human	
		Fin Fish	600 μg/kg	Muscle and skin in natural proportion.	consumption	
		All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z- isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced	

					for human consumption	
	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	
Flunixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
		Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney		
		Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
	5- Hydroxyflun	Bovine ixin	40 μg/kg	Milk		
Foeniculi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Folic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from all species and their synthetic analogues)	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Only Fubstances approved as additives in foodstuffs for human consumption with the exception of preservatives listed in part C of Annex III	

Status: Point in time view as at 10/04/2013.

					to European Parliament and Council Directive 95/2/EC.	
Formaldehyo	INOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Formic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Frangulae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Furosemide	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Intravenous administration only.	NO ENTRY on
Gamithromy	<b>Cr</b> amithromy	c <del>B</del> rovine	20 μg/kg 200 μg/kg 100 μg/kg	Fat Liver Kidney	Not for use in animals producing milk for human consumption	Anti- infectious agents/ Antibiotics
Gentamicin	Sum of gentamicin C1, gentamicin	Bovine, porcine	50 μg/kg 50 μg/kg 200 μg/kg 750 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
	C1a, gentamicin C2 and gentamicin C2a	Bovine	100 μg/kg	Milk	to 'skin and fat in natural proportions'.	
Gentianae radix, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ginkgo biloba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in fromeopathic veterinary medicinal	NO ENTRY

					products prepared according to homeopathic pharmacopoo at concentration in the products not exceeding one part per thousand only.	18
Ginseng	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Ginseng, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glutamic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glutaraldehy	dvOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

	1	1	i .			
Glycerol formal	NOT APPLICABI	All food  Deroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Gonadotroph releasing hormone	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guaiacol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guanosine and its 5'-mono-, 5'-di- and 5'-triphosphate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Halofuginon	eHalofuginon	eBovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against protozoa
Hamamelis virginiana	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For use in  Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per ten only.	eias
		All food producing species	No MRL required	NOT APPLICABI	For topical Large only.	
Harpagophy procumbens		All food  Producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary	NO ENTRY

					medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns g
Harunga madagascar	NOT ienprLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only	eias,
Heparin and its salts	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Heptaminol	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hexetidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY

Status: Point in time view as at 10/04/2013.

Hippocastan semen	iNOT Applicabi	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY
Histidine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorion gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorionic gonadotropir (natural HCG and its synthetic analogues)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Human menopausal urinary gonadotroph	NOT APPLICABI in	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Enly.	NO ENTRY
Hyaluronic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrochloric acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Hydrochloro	t <b>N@</b> Tde APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Hydrocortisc	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Hydrogen peroxide	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydroxyethy	NACOTE ylate APPLICABI	All food- producing species except fin fish	No MRL required	NOT APPLICABI	For topical Justes only.	NO ENTRY
8- Hydroxyquir	NOT MARRELICABI	All Jamanmalian	No MRL required	NOT APPLICABI	For topical  Figure 1.	NO ENTRY

		food- producing species			newborn animals only.	
Hyperici oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Just only.	NO ENTRY
Hypericum perforatum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Imidocarb	Imidocarb	Bovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Inosine and its 5'-mono-, 5'-di- and 5'-triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Inositol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Iodine	NOT	All food	No MRL	NOT	NO	NO
and iodine inorganic	APPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
compounds including:	lium					
and						
pot iod	assium- ide					
— Soc	lium					
and pot	ı assium-					
iod — Iod	ate ophors					
inc	luding					
pol iod	yvinylpyrrolio ine	done-				
Iodine organic	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO FNTRY	NO ENTRY
compounds		species	required			LIVIRI
	oform			N.O.M.		
Iron ammonium	NOT APPLICABI	All food  Descriptions	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
citrate		species	1			
Iron dextran	NOT APPLICABI	All food	No MRL	NOT APPLICABI	NO	NO ENTRY
uextran	AFFLICADI	species	required	AFFLICABI	ZEN I K I	ENIKI
Iron dichloride	NOT	All food	No MRL	NOT	NO	NO ENTRY
dichioride	APPLICABI	species	required	APPLICABI	LEN I K I	ENIKY
Iron	NOT	All food	No MRL	NOT	NO	NO
fumarate	APPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
Iron	NOT	All food	No MRL	NOT	NO	NO
glucoheptona	at <b>&amp;</b> PPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
Iron	NOT	All food	No MRL	NOT	NO	NO
sulphate	APPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
Isobutane	NOT	All food	No MRL	NOT	NO	NO
	APPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
[F9]Isoeugeno	Isoeugenol	Fin fish	6 000 μg/	Muscle	NOT	Agents
			kg	and skin in natural	APPLICABI	the nervous
				proportions		system/ Agents
						acting on

						the central nervous system]
Isoflurane	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Inaesthetic use only.	NO ENTRY
Isoleucine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isopropanol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Merapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
Ivermectin	22, 23- Dihydro- avermectin B1a	All mammalian food producing species	100 μg/kg 100 μg/kg 30 μg/kg	Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Jecoris oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Juniperi fructus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/ kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 10/04/2013.

					natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Ketamine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Ketoprofen	NOT APPLICABI	Bovine, Forcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias
Lactic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lanolin	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F10Lasalocid	Lasalocid	Poultry	20 μg/kg	Muscle	NO	Anti-
	A		100 μg/kg	Skin and fat	8	infectious agents/ Antibiotics
			100 μg/kg	Liver		
			50 μg/kg	Kidney		

			150 μg/kg	Eggs		
		Bovine	10 μg/kg	Muscle	Not for use	
			20 μg/kg	Fat	in animals from which	
			100 μg/kg	Liver	milk is	
			20 μg/kg	Kidney]	produced for human consumption	
Lauri folii aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lauri fructus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Leftse only.	NO ENTRY
Lecirelin	NOT APPLICABI	Bovine, <i>Equidae</i> , rabbit	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lectin extracted from red kidney beans Phaseolus vulgaris	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Tonly.	NO ENTRY
Lespedeza capitata	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Leucine	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced	Antiparasitic agents/ Agents against endoparasites

					for human consumption	
Levomethad	o <b>n</b> ©T APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Levothyroxi	nNOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lidocaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For local- Regional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food-producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/ kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C <sub>9</sub> to C <sub>13</sub> , containing less than 2,5 % of	NOT APPLICABI	Bovine,  Devine	No MRL required	NOT APPLICABI	For topical	NO ENTRY

chains longer than $C_{13}$						
Lini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lobaria pulmonaria	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Lobeline	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luprostiol	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lysine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Magnesium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glutamate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glycerophosj	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hypophosphi	NOT t <b>a</b> pplicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Magnesium sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Majoranae herba	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Malic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Manganese carbonate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use fonly.	NO ENTRY
Manganese chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Fonly.	NO ENTRY
Manganese gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Imply.	NO ENTRY
Manganese glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use July.	NO ENTRY
Manganese oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese pidolate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use July.	NO ENTRY
Manganese ribonucleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Included the Formula of the Included the Inc	NO ENTRY
Manganese sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use July.	NO ENTRY
Mannitol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Marbofloxac	i <b>M</b> arbofloxac	iBovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	75 μg/kg	Milk	to 'skin and fat in	

Status: Point in time view as at 10/04/2013.

					natural proportions'.	
Matricaria recutita and preparations thereof	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Matricariae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mebendazolo	Sum of mebendazole methyl (5- (1-hydroxy, 1-phenyl) methyl-1H-benzimidazoyl) carbamate and (2- amino-1H-benzimidazoyl) phenylmethal expressed as mebendazole equivalents	Equidae	60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against endoparasites
Mecillinam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Intrauterine use only.	NO ENTRY
Medicago sativa extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Medroxypro acetate	gMæfone APPLICABI	Ovine LE	No MRL required	NOT APPLICABI	For Intravaginal use for zootechnical purposes only.	
Melatonin	NOT APPLICABI	Ovine, Eaprine	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Melissae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae folium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, Equidae	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti-
		Bovine, caprine	15 μg/kg	Milk		inflammatory agents
Menadione	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Menbutone	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menthae arvensis aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Menthae piperitae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Menthol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Mepivacaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For intra- Articular and epidural use as local anaesthetic only.	NO ENTRY
Mercaptamir hydrochlorid	NOT CAPPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Metamizole	4- Methylamino	Bovine, p <b>otițiyr</b> in Equidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- inflammatory agents/ Nonsteroidal
		Bovine	50 μg/kg	Milk	to 'skin and fat in natural proportions'	anti- inflammatory agents
Methionine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Methyl nicotinate	NOT APPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY
Methyl salicylate	NOT APPLICABI	All food Producing species except fin fish	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Methylbenzo	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[F11Methylpr	e <b>Misthydpr</b> edn	iBolvine	10 μg/kg	Muscle		Corticoides/
			10 μg/kg	Fat		Glucocorticoides
			10 μg/kg	Liver		
			10 μg/kg	Kidney		
			2 μg/kg	Milk]		
1- Methyl-2- pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Millefolii herba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
low to high viscosity including micorcristall waxes, approximate C10-C60, aliphatic, branched aliphatic and alicyclic compounds	ly	All food Froducing species	No MRL required	NOT APPLICABI	Excludes Aromatic and unsaturated compounds.	NO ENTRY
[F12Monensin		Bovine	2 μg/kg	Muscle	NO	Anti-
	A		10 μg/kg	Fat	ENTRY	infectious agents/
			50 μg/kg	Liver		Antibiotics
			10 μg/kg	Kidney		
			2 μg/kg	Milk]		
[F13Monepan	Monepantel- sulfone	Ovine, caprine	700 μg/kg	Muscle	Not for use in animals producing	Antiparasitic agents/ Agents

			7 000 μg/ kg 5 000 μg/ kg 2 000 μg/ kg	Fat Liver Kidney]	milk for human consumption	acting against .endoparasites
Monothiogly	APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Montanide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N-methyl-1,3-propanediam and expressed as morantel equivalents	All ruminants	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Moxidectin	Moxidectin	Bovine, ovine, Equidae	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting
		Bovine, ovine	40 μg/kg	Milk		against endo- and ectoparasites
Myglyol	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Myristicae aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For intramamma use only.	Anti- rynfectious agents/ Antibiotics
Natamycin	NOT APPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	For topical Large only.	NO ENTRY

Status: Point in time view as at 10/04/2013.

Neomycin (including framycetin)	Neomycin B	All food producing species	500 μg/kg 500 μg/kg 500 μg/kg 5 000 μg/ kg 1 500 μg/ kg 500 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
Neostigmine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites
Nickel gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nickel sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nicoboxil	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical  Turse only.	NO ENTRY
[ <sup>F14</sup> Nitroxini]	Nitroxinil	Bovine, ovine	400 μg/kg 200 μg/kg	Muscle Fat		Antiparasitic agents/agents

			20 μg/kg	Liver		against
			400 μg/kg	Kidney		endoparasites
			20 μg/kg	Milk]		
Nonivamide	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Juse only	NO ENTRY
Norgestomet	Norgestomet	Bovine	0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,12 μg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	Agents acting on the reproductive system
Novobiocin	Novobiocin	Bovine	50 μg/kg	Milk	For intramamma use only.	agents/
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	NO LENTRY	Antibiotics
[F15Octenidir dihydrochlor	₽OT i <b>Ą</b> PPLICABI	All Finammalian food- producing species	No MRL required	NOT APPLICABI	For Eutaneous use only.	Anti- infectious agents/ Antiseptics]
17β- Oestradiol	NOT APPLICABI	All Friammalian food producing species	No MRL required	NOT APPLICABI	For  Merapeutic and zootechnical use only.	NO ENTRY
Okoubaka aubrevillei	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns

Status: Point in time view as at 10/04/2013.

Oleyloleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical dise only.	NO ENTRY
Omeprazole	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For oral use finly.	NO ENTRY
Orgotein	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ornithine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Orotic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxacillin	Oxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxalic acid	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	Anti- infectious agent
Oxfendazole	Sum of extractable	All ruminants,	50 μg/kg 50 μg/kg	Muscle Fat	For porcine species the	Antiparasitic agents/

	residues which may be oxidised to oxfendazole sulphone	porcine, Equidae  All ruminants	500 μg/kg   50 μg/kg   10 μg/kg	Liver Kidney Milk	fat MRL relates to 'skin and fat in natural proportions'.	Agents against endoparasites
Oxibendazol	eOxibendazol	ePorcine	100 μg/kg 500 μg/kg 200 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthina oleum</i>	NOT APPLICABI e	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxolinic acid	Oxolinic	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which milk or eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Oxyclozanid	eOxyclozanid	eAll ruminants	20 μg/kg 20 μg/kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents

Status: Point in time view as at 10/04/2013.

			10 μg/kg	Milk		against endoparasites
Oxytetracycl	i <b>Se</b> m of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. [XIMRLs for liver and kidney do not apply to fin fish.]	Anti- infectious agents/ Antibiotics
Oxytocin	NOT APPLICABI	All Friammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Pancreatin	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	For topical offise only.	NO ENTRY
Papain	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Papaverine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	Newborn Æalves only.	NO ENTRY
Paracetamol	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Tonly.	NO ENTRY
Parconazole	NOT APPLICABI	Guinea J <b>f</b> owl	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Paromomyci	nParomomyci	nAll food producing species	500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics

					Not for use in animals from which milk or eggs are produced for human consumption		
Peforelin	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY	
[F16Pegylated bovine granulocyte colony stimulating factor	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ENTRY	Biological/ Immunomodulator	
Penethamate	Benzylpenic	mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics	
Pepsin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Peracetic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites	
Phenol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
[F17Phenoxyr	netroppennen	<b>Popeme</b> illin	25 μg/kg	Muscle	NO	Anti-	
Ž			25 μg/kg	Liver	ENTRY	infectious agents/	
			25 μg/kg	Kidney		Antibiotics	
		Poultry	25 μg/kg	Muscle			

			25 μg/kg	Skin and fat		
			25 μg/kg	Liver		
			25 μg/kg	Kidney		
			25 μg/kg	Eggs]		
Phenylalanin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Phloroglucin	dNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F18Phoxim	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites.]
Phytolacca americana	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,

Phytomenad	idni@T APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Piceae turiones recentes extractum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For oral use Enly.	NO ENTRY
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 μg/ kg	Eggs		
Piperazine dihydrochlor	NOT i <b>4</b> PPLICABI	Chicken LE	No MRL required for all tissues except eggs	NOT APPLICABI	NO LENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For topical  From the second of the second o	NO ENTRY
Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 400 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Policresulen	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Poloxalene	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Poloxamer	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Polyethylene glycol 15 hydroxystear	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Latise only.	NO ENTRY

Status: Point in time view as at 10/04/2013.

Polyethylene glycol stearates with 8-40 oxyethylene units	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyethy sorbitan monooleate and trioleate	IMOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units	NOT IAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polysorbate 80	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polysulphate glycosamino	dNOT g <b>a</b> yrrahICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Potassium DL- aspartate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glycerophosp	NOT DARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Potassium nitrate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium selenate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Praziquantel	NOT APPLICABI	Ovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Prednisolone	Prednisolone	Bovine	4 μg/kg 4 μg/kg 10 μg/kg 10 μg/kg 6 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoides/ Glucocorticoides
Pregnant mare serum gonadotroph	NOT APPLICABI in	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prethcamide (crotethamid and cropropamid	eAPPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Procaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Progesterone	NOT APPLICABI	Bovine, Lowine, caprine, Equidae (female)	No MRL required	NOT APPLICABI	Only for Intravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propane	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propylene glycol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use in Infomeopathic veterinary	NO ENTRY

Status: Point in time view as at 10/04/2013.

					medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias
Pyrantel embonate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Pyrethrum extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
2- Pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	At Farenteral doses up to 40 mg/kg bw.	NO ENTRY
Quatresin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as preservative only at concentration of up to 0,5 %.	NO ENTRY
Quercus cortex	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Quillaia saponins	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Rafoxanide	Rafoxanide	Bovine	30 μg/kg 30 μg/kg 10 μg/kg 40 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is	Antiparasitic agents/ Agents against
		Ovine	100 μg/kg 250 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	produced for human consumption	endoparasites

Status: Point in time view as at 10/04/2013.

Rhei radix, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ricini oleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Rifaximin	Rifaximin	Bovine	60 μg/kg	Milk	NO ENTRY	Anti- infectious
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	For Intramamma use, except if the udder may be used as food for human consumption and intrauterine use only.	
		All mammalian food producing species	No MRL required	NOT APPLICABI	For topical Justese only.	
Romifidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Therapeutic uses only.	NO ENTRY
Rosmarini aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Rosmarini folium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ruscus aculeatus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Ruta graveolens	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic	

Status: Point in time view as at 10/04/2013.

					pharmacopoe at concentration in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption	ns
Salicylic acid	NOT APPLICABI	All food foroducing species except fin fish	No MRL required	NOT APPLICABI	For topical trise only.	NO ENTRY
Salviae folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sambuci flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/
		Salmonidae	30 μg/kg	Muscle and skin in natural proportions		Antibiotics
Selenicereus grandiflorus	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not	eias,

					exceeding one part per hundred only.	
Serenoa repens	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in  Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Serine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Serotonin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Silybum marianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s

Status: Point in time view as at 10/04/2013.

Sinapis nigrae semen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium 2- methyl-2- phenoxy- propanoate	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium acetylsalicyl	NOT a <b>t</b> ePPLICABI	All food Producing species except fin fish	No MRL required	NOT APPLICABI	Not for use The animals from which milk or eggs are produced for human consumption	NO ENTRY
Sodium benzyl 4- hydroxybenz	NOT APPLICABI coate	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium butyl 4- hydroxybenz	NOT APPLICABI coate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY
Sodium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Inse only.	NO ENTRY
Sodium cromoglycat	NOT eAPPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium dichloroisocy	NOT y <b>arripi</b> ticabi	Bovine,  Dovine, caprine	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Sodium dioctylsulpho	NOT O <b>ARPINK</b> EABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium formaldehyd	NOT e <b>suH₱hd©yA&amp;d</b>	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

				1		
Sodium glycerophosi	NOT MARPLICABI	All food  All food  species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium hypophosphi	NOT t <b>a</b> pplicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium nitrite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Itse only.	NO ENTRY
Sodium propionate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium pyrosulphite	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F19Sodium salicylate	NOT APPLICABI	Bovine, Diorcine	No MRL required	NOT APPLICABI	For oral  Not for use in animals from which milk is produced for human consumption	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical larse only.	
	Salicylic acid	Turkey	400 μg/kg 2 500 μg/ kg 200 μg/kg 150 μg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption	Anti- inflammatory agents/ Non- steroidal .anti- inflammatory agents]
Sodium selenate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sodium selenite	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Sodium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Solidago virgaurea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Somatosalm	NOT APPLICABI	Salmon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABI	All food  Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Spectinomyc	inpectinomy	in vine	300 μg/kg 500 μg/kg 2 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural	Anti- infectious agents/ Antibiotics
		All other food producing species	300 μg/kg 500 μg/kg 1 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry	

					species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Spiramycin	Sum of spiramycin and neospiramyc	Bovine in	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Liver Kidney	NO ENTRY	
Streptomycin	Streptomycii	nAll ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		All ruminants	200 μg/kg	Milk	and fat in natural proportions'.	
Strychni semen	NOT APPLICABI	Bovine,  Devine, caprine	No MRL required	NOT APPLICABI	For oral  Less only at doses up to the equivalent of 0,1 mg strychnine/kg bw.	NO ENTRY
Strychnine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For oral Lese only at dose	NO ENTRY

Status: Point in time view as at 10/04/2013.

Substances used in homeopathic veterinary medicines	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	to 0,1 mg/kg bw.  All  Aubstances used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand.	
Sulfogaiacol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sulfonamide (all substances belonging to the sulfonamide group)	sParent drug	All food- producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	total agents/	infectious
		Bovine, ovine, caprine	100 μg/kg	Milk		

					produced for human consumption	
Sulphur	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Symphyti radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Trise on intact skin only.	NO ENTRY
Syzygium cumini	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Tanninum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Tau fluvalinate	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Teflubenzuro	offeflubenzuro	Salmonidae	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites

Status: Point in time view as at 10/04/2013.

Terebinthina aetheroleum rectificatum	eNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Terebinthina laricina	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Terpin hydrate	NOT APPLICABI	Bovine, Devine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tetracaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Inaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Theobromine	eNOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Theophylline	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiabendazo	lSum of thiabendazol and 5- hydroxythial	_	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenic	dlhiamphenio	coll food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney	Anti- infectious agents/ Antibiotics

					do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Thiamylal	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
Thioctic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiomersal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use  For	
Thiopental sodium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
Threonine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thuja occidentalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in homeopathic veterinary medicinal products	NO ENTRY

Status: Point in time view as at 10/04/2013.

					prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Thymi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymidine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
	Sum of metabolites that may be hydrolysed to 8-α-hydroxymuti	Porcine, rabbit Chicken	100 μg/kg 500 μg/kg 100 μg/kg 100 μg/kg 1 000 μg/	Muscle Liver  Muscle Skin and fat Liver	NO ENTRY	Anti- infectious agents/ Antibiotics
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver		
	Tiamulin	Chicken	1 000 μg/ kg	Eggs		
Tiaprost	NOT APPLICABI	Bovine,  Evine, porcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F20</sup> Tildipiros	iTildipirosin	Bovine, caprine	400 μg/kg 200 μg/kg 2 000 μg/ kg 3 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption The MRL for muscle	Macrolide

					shall not apply to the injection site, where residue levels shall not exceed 11 500 µg/kg. Provisional MRL shall expire on 1 January 2012.	
		Porcine	1 200 μg/ kg 800 μg/kg 5 000 μg/ kg 10 000 μg/ kg	Muscle Skin and fat Liver Kidney	The MRL for muscle shall not apply to the injection site, where residue levels shall not exceed 7 500 µg/kg. Provisional MRL shall expire on 1 January 2012.]	
Tiliae flos	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/ kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Antibiotics
		All other food producing species	50 μg/kg 50 μg/kg 1 000 μg/ kg 1 000 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates	

Status: Point in time view as at 10/04/2013.

					to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Tiludronic acid (in the form of	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
disodium salt)		Poultry	No MRL required	NOT APPLICABI	For Farenteral use only and for use in laying and breeder birds only.	
Timerfonate	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For use  For use  For use  preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Toldimfos	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/
		Bovine	50 μg/kg	Milk		Nonsteroidal anti- inflammatory agents
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents acting against
		Poultry	100 μg/kg 200 μg/kg	Muscle	and fat in natural proportions'.	protozoa

			600 μg/kg 400 μg/kg	Skin and fat Liver Kidney	Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption	
Tosylchloran sodium	n <b>NIO</b> T APPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	For topical Lates only.	NO ENTRY
		Fin fish	No MRL required	NOT APPLICABI	For water- Forne use only.	
Tragacanth	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	For water Forne use only.	NO ENTRY
Trichlormeth		All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F21Triclaben	Sum of the	All .	225 μg/kg	Muscle		Antiparasitic
	extractable residues	ruminants	100 μg/kg	Fat		agents/
	that may be		250 μg/kg	Liver		against
	oxidised to ketotriclaben	dazole	150 μg/kg	Kidney		endoparasites
			10 μg/kg	Milk	Provisional MRL shall expire on 1 January 2014]	
TrimethoprimTrimethop		rimethoprinEquidae		Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Chemotheurapeutics
		All other food	50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver	a 'muscle and skin in natural proportions'.	

Status: Point in time view as at 10/04/2013.

		producing species	50 μg/kg 50 μg/kg	Kidney Milk	MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Trimethylph	<b>MOTOST</b> ucinol APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Trypsin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tryptophan	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tulathromyc	i(2R,3S,4R,5 ethyl-3,4,10, tetra- hydroxy-3,5 hexamethyl- [[3,4,6- trideoxy-3- (dimethy- lamino)- β-D-xylo- hexopyranos oxa-6- azacyclopent decan-15- one expressed as tulathromyci equivalents	RSRinOR,11113- 8,10,12,14- 11- Porcine  yl]oxy]-1-	RIMES \( \mu \) 3 000 \( \mu \) g/kg 3 000 \( \mu \) kg \\ 100 \( \mu \) g/kg 3 000 \( \mu \) g/kg 3 000 \( \mu \) g/kg 3 000 \( \mu \) kg 3 000 \( \mu \) kg \\ 3 000 \( \mu \) g/kg	Rhal- Liver Kidney  Skin and fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics

Turnera diffusa	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Isomeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Tylvalosin	Sum of tylvalosin and 3-O- acetyltylosin	Porcine	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics
		Poultry	50 μg/kg 50 μg/kg	Skin and fat Liver	Not for use in animals from which eggs are	

Status: Point in time view as at 10/04/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

produced for human consumption Tyrosine NOT All food No MRL NOT NO NO APPLICABLENTRY APPLICABLE for ducing **ENTRY** required species Urea NOT No MRL NOT NO NO All food APPLICABLE for ducing required APPLICABLENTRY **ENTRY** species Urginea NOT All food No MRL NOT For use in NO maritima APPLICABLE fooducing required APPLICABLE omeopathic ENTRY species veterinary medicinal products prepared according homeopathic pharmacopoeias, concentrations in the products not exceeding one part per hundred only. For oral use only. Uridine NOT All food No MRL NOT NO NO and its 5'-APPLICABL Froducing required APPLICABLENTRY **ENTRY** mono-5'species di- and 5'triphosphates All food Urticae NOT No MRL NOT NO NO herba APPLICABLE for ducing required APPLICABLENTRY **ENTRY** species Valine NOT All food No MRL NOT NO NO APPLICABLE for oducing APPLICABLENTRY **ENTRY** required species I<sup>F22</sup>Valnemulii\vec{Y}alnemulin Muscle Porcine,  $50 \mu g/kg$ NO Antiinfectious rabbit 500 μg/kg Liver **ENTRY**  $100 \mu g/kg$ Kidney agents/ **Antibiotics** Vedaprofen Vedaprofen Equidae  $50 \mu g/kg$ Muscle NO Anti- $20 \mu g/kg$ Fat **ENTRY** inflammatory  $100 \mu g/kg$ Liver agents/

			1 000 μg/ kg	Kidney		Nonsteroidal anti- inflammatory agents
Vetrabutine hydrochloric	NOT leAPPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Vincamine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
Virola sebifera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,
Viscum album	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns

Status: Point in time view as at 10/04/2013.

Vitamin A	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B1	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B2	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B3	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B5	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B6	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B12	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin D	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin E	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Wool alcohols	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Xylazine hydrochlorid	NOT eapplicabi	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Zinc acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 10/04/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

Zinc oleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc stearate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY

#### **Editorial Information**

X1 Substituted by Corrigendum to Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Official Journal of the European Union L 15 of 20 January 2010).

#### **Textual Amendments**

- **F1** Substituted by Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance altrenogest (Text with EEA relevance).
- **F2** Substituted by Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance azamethiphos (Text with EEA relevance).
- **F3** Substituted by Commission Implementing Regulation (EU) No 466/2012 of 1 June 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance clorsulon (Text with EEA relevance).
- **F4** Substituted by Commission Implementing Regulation (EU) No 221/2012 of 14 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance closantel (Text with EEA relevance).
- **F5** Inserted by Commission Regulation (EU) No 890/2010 of 8 October 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance derquantel (Text with EEA relevance).
- **F6** Substituted by Commission Implementing Regulation (EU) No 115/2013 of 8 February 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance diclazuril (Text with EEA relevance).
- **F7** Substituted by Commission Implementing Regulation (EU) No 116/2013 of 8 February 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance eprinomectin (Text with EEA relevance).
- **F8** Substituted by Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their

Status: Point in time view as at 10/04/2013.

- classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance fenbendazole (Text with EEA relevance).
- **F9** Inserted by Commission Regulation (EU) No 363/2011 of 13 April 2011 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance isoeugenol (Text with EEA relevance).
- **F10** Substituted by Commission Implementing Regulation (EU) No 86/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance lasalocid (Text with EEA relevance).
- **F11** Substituted by Commission Implementing Regulation (EU) No 122/2012 of 13 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance methylprednisolone (Text with EEA relevance).
- **F12** Substituted by Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monensin (Text with EEA relevance).
- **F13** Substituted by Commission Implementing Regulation (EU) No 123/2012 of 13 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monepantel (Text with EEA relevance).
- **F14** Substituted by Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance nitroxinil (Text with EEA relevance).
- F15 Inserted by Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance octenidine dihydrochloride (Text with EEA relevance).
- F16 Inserted by Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance pegylated bovine granulocyte colony stimulating factor (Text with EEA relevance).
- F17 Substituted by Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phenoxymethylpenicillin (Text with EEA relevance).
- **F18** Substituted by Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phoxim (Text with EEA relevance).
- **F19** Substituted by Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance sodium salicylate (Text with EEA relevance).
- **F20** Inserted by Commission Regulation (EU) No 759/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance tildipirosin (Text with EEA relevance).
- **F21** Substituted by Commission Implementing Regulation (EU) No 222/2012 of 14 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification

Status: Point in time view as at 10/04/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

regarding maximum residue limits in foodstuffs of animal origin, as regards the substance triclabendazole (Text with EEA relevance).

**F22** Substituted by Commission Regulation (EU) No 758/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance valnemulin (Text with EEA relevance).

## TABLE 2

## Prohibited substances

Pharmacologically active substance	MRL
Aristolochia spp. and preparations thereof	MRL cannot be established
Chloramphenicol	MRL cannot be established
Chloroform	MRL cannot be established
Chlorpromazine	MRL cannot be established
Colchicine	MRL cannot be established
Dapsone	MRL cannot be established
Dimetridazole	MRL cannot be established
Metronidazole	MRL cannot be established
Nitrofurans (including furazolidone)	MRL cannot be established
Ronidazole	MRL cannot be established

Status: Point in time view as at 10/04/2013.

- **(1)** OJ L 152, 16.6.2009, p. 11.
- (2) OJ L 224, 18.8.1990, p. 1.

## **Status:**

Point in time view as at 10/04/2013.

# **Changes to legislation:**

There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010.