Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Text with EEA relevance)

COMMISSION REGULATION (EU) No 37/2010

of 22 December 2009

on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 470/2009 of the European Parliament and of the Council of 6 May 2009 laying down Community procedures for the establishment of residue limits of pharmacologically active substances in foodstuffs of animal origin, repealing Council Regulation (EEC) No 2377/90 and amending Directive 2001/82/EC of the European Parliament and of the Council and Regulation (EC) No 726/2004 of the European Parliament and of the Council⁽¹⁾, and in particular Article 27(1) thereof,

Whereas:

- (1) In order to protect public health, pharmacologically active substances, on the basis of the scientific assessment of the safety of those substances, were classified in four Annexes to Council Regulation (EEC) No 2377/90 of 26 June 1990 laying down a Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin⁽²⁾. Annex I contained substances for which a maximum residue limit was established, Annex II contained substances for which it was not necessary to establish a maximum residue limit, Annex III contained substances for which a provisional maximum residue limit was established and Annex IV contained substances for which a maximum residue limit could not be established because residues of those substances, at whatever limit, constitute a hazard to human health.
- (2) For reasons of simplification, it is necessary to incorporate those pharmacologically active substances and their classification regarding maximum residue limits in a Commission Regulation. As this classification follows the classification system foreseen in Regulation (EC) No 470/2009, the classification should also be taken account of with regard to the possibility to administer those pharmacologically active substances to food-producing animals.
- (3) Existing information on the therapeutical classification of pharmacologically active substances contained in the Annexes to Regulation (EEC) No 2377/90 should be incorporated into a column on the therapeutical classification of substances.

- (4) For reasons of ease of use, all pharmacologically active substances should be listed in one Annex in alphabetical order. For reasons of clarity, two separate tables should be established: one for allowed substances, listed in Annexes I, II and III of Regulation (EEC) No 2377/90, and one for prohibited substances, listed on Annex IV to that Regulation.
- (5) Provisional maximum residue limits for pharmacologically active substances, laid down in Annex III to Regulation (EEC) No 2377/90 for which the period of application has ended, should not be incorporated into this Regulation.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Veterinary Medicinal Products,

HAS ADOPTED THIS REGULATION:

Article 1

Pharmacologically active substances and their classification regarding maximum residue limits are set out in the Annex.

Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

ANNEX

Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

TABLE 1

Allowed substances

Pharmacole active Substance	og MaH yer residue	Animal Species	MRL	Target Tissues	Other Provisions(to Article 14(7 of Regulation (EC) No 470/200	
Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/
		Ovine	20 μg/kg 50 μg/kg 25 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Agents acting against endo- and ectoparasites
Absinthium extract	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylmethi	ONIGET APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylsalicy acid	INOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Acetylsalicy acid DL- lysine	NOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Adenosine and its 5'- mono-, 5'- di-and 5' triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Adonis vernalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,
Aesculus hippocastant	NOT #APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
Agnus castus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Ailanthus altissima	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondint to the mother tincture and dilutions thereof only.	eias ns
Alanine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	All ruminants	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone,	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	and albendazole 2-amino sulphone, expressed as albendazole		100 μg/kg			
Alfacalcidol	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Farturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABI	Bovine, Forcine, rabbit, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Allantoin	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	For topical Ese only.	NO ENTRY
Allium cepa	NOT APPLICABI	species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 1s g
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For topical Here only.	NO ENTRY
Aloes, Barbados and Capae, their standardised dry extract and	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

preparations thereof						
Alphacypern	netypiarmethri (sum of isomers)	nBovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
[^{F1} Altrenoge	stAltrenogest	Porcine	4 µg/kg	Skin and fat	Only for zootechnical	
			2 µg/kg	Liver	use and in accordance	on the reproductive
		Equidae	4 μg/kg	Fat	with the	system
			4 µg/kg	Liver]	provisions of Directive 96/22/EC	
Aluminium distearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium monostearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium salicylate, basic	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	Not for use in animals from which milk is produced for human consumption For topical	NO ENTRY
		producing species	required	APPLICABI	Juse only.	

		except fin fish				
Aluminium tristearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethan	NOT 0APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
2- Aminoethano glucuronate	NOT 0APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethyl dihydrogenp		All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	containing the 2,4- DMA moiety, expressed	Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
	as amitraz	Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney		
		Bees	200 µg/kg	Honey		
Ammonium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Ammonium lauryl sulphate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin	Anti- infectious agents/ Antibiotics

					in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	
Ampicillin	Ampicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced	Anti- infectious agents/ Antibiotics

					for human consumption	
Amprolium	NOT APPLICABI	Poultry LE	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Angelicae radix aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Apocynum cannabinum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Apramycin	Apramycin	Bovine	1 000 μg/ kg 1 000 μg/ kg 10 000 μg/ kg 20 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
	NOT APPLICABI	Ovine, Forcine,	No MRL required	NOT APPLICABI	For oral use	

		chicken, rabbit			Not for use in animals from which milk or eggs are produced for human consumption	
Aqua levici	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo only.	
Arginine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical Hese only.	NO ENTRY
Arnicae radix	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin in the products not exceeding one part per ten only.	eias 15
Artemisia abrotanum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary	NO ENTRY

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					medicinal products prepared according to homeopathic pharmacopod at concentration correspondin to the mother tincture and dilutions thereof only.	eias 1s
Asparagine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aspartic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Atropa belladonna	NOT APPLICABI	species	No MRL required		For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias, 1s
Atropine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Avilamycin	Dichloroisoe acid	Woninie , poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin	Anti- infectious agents/ Antibiotics

					and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Azagly- nafarelin	NOT APPLICABI	<i>Salmonidae</i> LE	No MRL required	NOT APPLICABI	Not for Dese in fish from which eggs are produced for human consumption	NO ENTRY
[^{F2} Azamethij	APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO LENTRY	Antiparasitic agents/ Agents against ectoparasites]
Azaperone	Sum of azaperone and azaperol	Porcine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of	Bovine	100 µg/kg	Milk	NO	Anti-
	bacitracin A, bacitracin B, and bacitracin C	Rabbit	150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	ENTRY	infectious agents/ Antibiotics
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	For Entramamma use in lactating cows only.	ry
Balsamum peruvianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg	Fat Liver Kidney	NO ENTRY	Anti- infectious

			30 µg/kg	Milk		agents/
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney		Chemotheurapeutic
Barium selenate	NOT APPLICABI	Bovine, Jevine	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Beclomethas dipropionate	dnot Applicabi	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Inhalation use only.	NO ENTRY
Bellis perennis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Benzalkoniu chloride	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use For use For an excipient at concentration up to 0,05 % only.	NO ENTRY ns
Benzocaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Is local anaesthetic only.	NO ENTRY
		Salmonidae	No MRL required	NOT APPLICABI	NO LENTRY	
Benzyl alcohol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Benzyl p- hydroxybenz	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzylpenic	Be nzylpenic	il Ai H food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Betaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betamethaso	n B etamethaso	porcine	0,75 μg/kg 2,0 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine	0,3 µg/kg	Milk		
Biotin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Bismuth subcarbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
Bismuth subgallate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
Bismuth subnitrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
		Bovine	No MRL required	NOT APPLICABI	For Entramamma use only.	NO r€NTRY
Bismuth subsalicylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
Bituminosulf ammonium and sodium salts		All Inammalian food producing species	No MRL required	NOT APPLICABI	For topical Hese only.	NO ENTRY
Boldo folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromhexine	NOT APPLICABI	Bovine, Forcine, poultry	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Bromide, potassium salt	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABI	All- Frammalian food- producing species	No MRL required	NOT APPLICABI	For topical Æse only.	NO ENTRY
Bronopol	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY

Brotizolam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Butafosfan	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Entravenous use only.	NO ENTRY
n-Butane	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
n-Butanol	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Butorphanol tartrate	eNOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous administratic only.	NO ENTRY m
Butyl 4- hydroxybenz	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Butylscopola bromide	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Caffeine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium boroglucona	NOT t¢APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Calcium	NOT	All food	No MRL	NOT	NO	NO
chloride	APPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
Calcium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucoheptona	NOT atapplicabl	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucono glucoheptona	NOT APPLICABI ate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconolacta	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Calcium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Calcium hypophosphi	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Calcium malate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Calcium oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium polyphospha	NOT tespPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
					-	

Calcium propionate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calendula officinalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin in the products not exceeding one part per ten only.	eias 15
Calendulae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Free only.	NO ENTRY
Camphor	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	External Firse only.	NO ENTRY
Camphora	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration	eias

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					in the products not exceeding one part per hundred only.	
Capsici fructus acer	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 μg/kg 5 μg/kg 15 μg/kg 15 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Porcine	5 μg/kg 5 μg/kg 25 μg/kg 25 μg/kg	Muscle Skin and fat Liver Kidney		
Carbasalate calcium	NOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use The animals from which milk or eggs are produced for human consumption	NO ENTRY
Carbetocin	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardamon extract	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardiosperm halicacabum	ûMOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin	eias 15

					to the mother tincture and dilutions thereof only.	
Carlinae radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Frese only.	NO ENTRY
Carnitine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, Equidae	500 μg/kg 1 000 μg/ kg 1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
	NOT APPLICABI	Bovine LE	No MRL required for milk	NOT APPLICABI	LE	
Carvi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Caryophylli aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 µg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use only. E	rinfectious agents/ Antibiotics
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 1 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 µg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma	

Cefapirin	Sum of cephapirin and desacetylcep	Bovine hapirin	50 μg/kg 50 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 μg/kg	Milk	NO ENTRY	Anti- infectious agents/
	NOT APPLICABI	Bovine, Ævine, caprine	No MRL required for all tissues except milk.	NOT APPLICABI	For Fatramamma use, except if the udder may be used as food for human consumption	
Cefoperazon	eCefoperazon	eBovine	50 µg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use in factating cows only.	ryntectious agents/ Antibiotics
Cefquinome	Cefquinome	Bovine, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	20 µg/kg	Milk	to 'skin and fat in natural proportions'.	
Ceftiofur	Sum of all residues retaining the betalactam structure expressed as desfuroylcef	All mammalian food producing species	1 000 μg/ kg 2 000 μg/ kg 2 000 μg/ kg 6 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Centellae asiaticae extractum	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Cetostearyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Cetrimide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorhexidir	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Chlormadino	Mchlormadinc	n Beovine	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocreso	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorphenan	n₩ΘT APPLICABI	All frammalian food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Chlortetracy	cBnm of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Choline	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chrysanthen cinerariifolii flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Firse only.	NO ENTRY
Chymotryps	inot Applicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Not for use In animals from which milk is produced	NO ENTRY

					for human consumption	•
<i>Cinchonae</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Cinnamomi</i> <i>cassiae</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi ceylanici aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Cinnamomi</i> <i>ceylanici</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citri aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citronellae aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citrulline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		Bovine	200 µg/kg	Milk	and fat in natural proportions'.	
Clazuril	NOT APPLICABI	Pigeon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Clenbuterol hydrochlorid	Clenbuterol e	Bovine, Equidae	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous
		Bovine	0,05 µg/kg	Milk		system/ Agents acting on the autonomic nervous system
Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
R- Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F3} Clorsulon	Clorsulon	Bovine	35 µg/kg	Muscle		Antiparasitic agents/ Agents against endoparasites
			100 µg/kg	Liver		
			200 µg/kg	Kidney		
			16 µg/kg	Milk	Provisional MRL shall expire on 1 January 2014]	
[^{F4} Closantel	Closantel	antel Bovine	1 000 μg/ kg	Muscle	agent: Agent again:	Antiparasitic agents/
			3 000 μg/ kg	Fat		Agents against endoparasites
			1 000 μg/ kg	Liver		
			3 000 μg/ kg	Kidney		
		Ovine	1 500 μg/ kg	Muscle		
			2 000 μg/ kg	Fat		
			1 500 μg/ kg	Liver		
			5 000 μg/ kg	Kidney		
		Bovine, Ovine	45 µg/kg	Milk	Provisional MRL shall	

					expire on 1 January 2014]	
Cloxacillin	Cloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Cobalt carbonate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Cobalt trioxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 μg/kg 150 μg/kg 150 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
<i>Condurango</i> <i>cortex</i> , standardised extracts and preparations thereof	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Convallaria majalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration in the products not	eias,

					exceeding one part per thousand only.	
Copper chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Copper methionate	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Copper oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coriandri aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Corticotropin	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 µg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Crataegus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondin to the	eias ns

					mother tincture and dilutions thereof only.	
Cupressi aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cypermethri	Cypermethrir (sum of isomers)	nAll ruminants	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission	Antiparasitic agents/ Agents against ectoparasites
		Salmonidae	50 μg/kg	Muscle and skin in natural proportions.	Directive 98/82/EC are to be observed.	
Cyromazine	Cyromazine	Ovine	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cytidine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Danofloxacir	nDanofloxacii	nBovine, ovine, caprine, poultry	200 μg/kg 100 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Antibiotics
		All other food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	'muscle and skin in natural proportions'. MRLs for	
		Bovine, ovine, caprine	30 µg/kg	Milk	proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human	
Decoquinate	NOT APPLICABI	Bovine, Tovine	No MRL required	NOT APPLICABI	For oral use Enly. Not for use in animals from which milk is produced for human consumption	NO ENTRY
Deltamethrin	Deltamethrir	All ruminants	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasiti agents/ Agents against ectoparasite

		Fin fish	10 µg/kg	Muscle and skin in natural proportions.			
Dembrexine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY	
Denaverine hydrochlorid	NOT eAPPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY	
[^{F5} Derquante	IDerquantel	Ovine	2 µg/kg	Muscle	Not for use	Antiparasitic	
			40 µg/kg	Fat	in animals from which	agents/ Agents	
			20 µg/kg	Liver	milk is produced for human consumption	against	
			5 μg/kg	Kidney]		endoparasites	
Deslorelin acetate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY	
Detomidine	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Herapeutic use only.	NO ENTRY	
Dexamethasofte:	De xamethas	b Bo vine, caprine, porcine, <i>Equidae</i>	0,75 μg/kg 2 μg/kg 0,75 μg/kg	Muscle Liver Kidney		Corticoides/ Glucocorticoide	
		Bovine, caprine	0,3 µg/kg	Milk			
Dexpanthene	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY	
Diazinon	c c F F c	on Diazinon Bovine, ovine, caprine, porcine Bovine, caprine, caprine	ovine, caprine,	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	species the a fat MRL a relates a	Antiparasitic agents/ Agents against
			ovine,	20 µg/kg	Milk	to 'skin and fat in natural proportions'.	ectoparasites
[^{F6} Diclazuril	NOT APPLICABI	All Fuminants, porcine	No MRL required	NOT APPLICABI	For oral use Joinly	NO ENTRY	
		Poultry	500 µg/kg	Muscle	Not for use in animals from which eggs are produced for human consumption	Antiparasitic	
			500 μg/kg	Skin and fat in natural proportions		agents/ Agents acting againsts protozoa	

			1 500 μg/ kg	Liver		
		1	1 000 μg/ kg	Kidney]		
Diclofenac	Diclofenac	Bovine	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg 0,1 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin	Anti- inflammatory agents/ Nonsteroidal anti-
		Porcine	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg	Muscle Skin and fat Liver Kidney	and fat in natural proportions'	inflammatory agents
Dicloxacillin	Dicloxacillir	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Dicopper oxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil	Ovine	200 μg/kg 150 μg/kg	Muscle Fat	Not for use in animals	Antiparasitic agents/

	and 2, 4, 6- triamino- pyrimidine-5 carbonitrile	-	400 μg/kg 400 μg/kg	Liver Kidney	from which milk is produced for human consumption	Agents against ectoparasites
Diethyl phthalate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethylene glycol monoethyl ether	NOT APPLICABI	All Euminants and porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Difloxacin	Difloxacin	Bovine, ovine, caprine	400 μg/kg 100 μg/kg 1 400 μg/ kg 800 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine	400 μg/kg 100 μg/kg 800 μg/kg 800 μg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	300 μg/kg 400 μg/kg 1 900 μg/ kg 600 μg/kg	Muscle Skin and fat Liver Kidney		
		All other food producing species	300 μg/kg 100 μg/kg 800 μg/kg 600 μg/kg	Muscle Fat Liver Kidney		
Diflubenzure	o D iflubenzuro	Salmonidae	1 000 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Dihydrostre	otDiihyclirostrep	t ah hycin ruminants,	500 μg/kg 500 μg/kg	Muscle Fat	For porcine species the	Anti- infectious

		porcine, rabbit	500 μg/kg 1 000 μg/ kg	Liver Kidney	fat MRL relates to 'skin	agents/ Antibiotics
		All ruminants	200 µg/kg	Milk	and fat in natural proportions'	
3,5-Diiodo- L-thyrosine	NOT APPLICABI	All Inframmalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimanganese trioxide	eNOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Anly.	NO ENTRY
Dimethicone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Dinoprost	NOT APPLICABI	All Inammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost tromethamin	NOT eAPPLICABI	All Inammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoproston		All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diprophyllin	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food	40 μg/kg 150 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Antiparasitic agents/ Agents

		producing species	60 μg/kg	Kidney	relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption	acting against endo- and ectoparasites
[^{F7} Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	NO ENTRY]
Doxapram	NOT APPLICABI	All Inammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Doxycycline	Doxycycline	Bovine	100 μg/kg 300 μg/kg 600 μg/kg	Muscle Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine, poultry	100 μg/kg 300 μg/kg 300 μg/kg 600 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption	

(6) – luteinising- hormone releasing	NOT ¢APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
hormone	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint in the products not exceeding one part per ten only.	eias ns g eias ns
Echinacea purpurea	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	For topical The se only.	NO ENTRY

Emamectin	Emamectin B1a	Fin fish	100 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Enilconazole	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Enrofloxacin	Sum of enrofloxacin and ciprofloxacir	caprine	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine, rabbit	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney		
		Poultry	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney		
		All other food producing species	100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
Epinephrine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F8} Eprinomed	Eprinomectii	nBovine	50 µg/kg	Muscle	NO	Antiparasitic
	Bla		250 µg/kg	Fat	ENTRY	agents/ Agents
			1 500 μg/ kg	Liver		acting against endo- and ectoparasites
			300 µg/kg	Kidney		
			20 µg/kg	Milk		

		Ovine,	50 μg/kg	Muscle	The MRLs	
		caprine	250 µg/kg	Fat	laid down for these	
			1 500 μg/ kg	Liver	animal species are	
			300 µg/kg	Kidney	provisional MRLs.	
			20 µg/kg	Milk]	They shall expire on 1 July 2014.	
Ergometrine maleate		All Fnammalian food producing species	No MRL required	NOT APPLICABI	For use in Farturient animals only.	NO ENTRY
Erythromyci	nErythromyci A	nAll food producing species	200 μg/kg 200 μg/kg 200 μg/kg 200 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
Etamiphyllin camsylate	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Etamsylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

Ethyl lactate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethylenediar acid and salts	nNHØfEtraaceti APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etiproston tromethamin	NOT eAPPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptus globulus	NOT APPLICABI	species	No MRL required		For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondint to the mother tincture and dilutions thereof only.	eias 1s 1g
Euphrasia officinalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin	eias 1s

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					to the mother tincture and dilutions thereof only.	
Febantel	Sum of extractable residues which	All ruminants, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Antiparasitic agents/ Agents against
	may be oxidised to oxfendazole sulphone	All ruminants	10 µg/kg	Milk	to 'skin and fat in natural proportions'	endoparasites
[^{F9} Fenbenda:	Shem of extractable residues which may be oxidised to oxfendazole sulfone	All food- producing species except fin fish	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/ kg	Muscle Fat Liver Kidney Milk Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites]
Fenpipramid hydrochloric	eNOT EAPPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Florfenicol	Sum of florfenicol and its metabolites	Bovine, ovine, caprine	200 μg/kg 3 000 μg/ kg 300 μg/kg	Muscle Liver Kidney	Not for animals from which milk is	Anti- infectious agents/ Antibiotics
measured as florfenicol- amine	Porcine	300 μg/kg 500 μg/kg 2 000 μg/ kg	Muscle Skin and fat Liver	produced for human consumption Not for animals		

			500 µg/kg	Kidney	from which	
		Poultry	100 μg/kg 200 μg/kg 2 500 μg/ kg 750 μg/kg	Muscle Skin and fat Liver Kidney	eggs are produced for human consumption	
		Fin fish	1 000 μg/ kg	Muscle and skin in natural proportions.		
		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/ kg 300 μg/kg	Muscle Fat Liver Kidney		
Fluazuron	Fluazuron	Bovine	200 μg/kg 7 000 μg/ kg 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Flubendazol	eSum of flubendazole and (2- amino 1H- benzimidazo yl) (4fluoropher methanone	1-5-	50 μg/kg 50 μg/kg 400 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazol	ePoultry	400 µg/kg	Eggs	-	
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 µg/kg	Milk	natural proportions'. Not for use	
		Poultry	400 μg/kg 250 μg/kg	Muscle	in animals from which	

			800 μg/kg 1 000 μg/ kg	Skin and fat Liver Kidney	eggs are produced for human consumption	
		Fin Fish	600 μg/kg	Muscle and skin in natural proportion.		
		All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z- isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO ÆNTRY	
Flunixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal
		Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney		anti- inflammatory agents
		Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
	5- Hydroxyflun	Bovine ixin	40 µg/kg	Milk	-	
Foeniculi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Folic acid	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from all species and their synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Only Fubstances approved as additives in foodstuffs for human consumption with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	
Formaldehyc	INOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Formic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
<i>Frangulae</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Furosemide	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Intravenous administratic only.	NO ENTRY m

Gamithromy	cûnamithromy	c B rovine	20 μg/kg 200 μg/kg 100 μg/kg	Fat Liver Kidney	Not for use in animals producing milk for human consumption	Anti- infectious agents/ Antibiotics
Gentamicin	Sum of gentamicin C1, gentamicin	Bovine, porcine	50 μg/kg 50 μg/kg 200 μg/kg 750 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
	C1a, gentamicin C2 and gentamicin C2a	Bovine	100 µg/kg	Milk	to 'skin and fat in natural proportions'	
<i>Gentianae</i> <i>radix</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Ginkgo biloba	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias
Ginseng	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo	

					at concentration correspondin to the mother tincture and dilutions thereof only.	
<i>Ginseng</i> , standardised extracts and preparations thereof	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Glutamic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutaraldehy	deot Applicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycerol formal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Gonadotroph releasing hormone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guaiacol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guanosine and its 5'- mono-, 5'- di- and 5'- triphosphate	NOT APPLICABI s	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Halofuginon	eHalofuginon	eBovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against protozoa

Hamamelis	NOT	All food	No MRL	NOT	For use in	NO
virginiana	APPLICABI	producing species	required	APPLICABI	Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
		All food producing species	No MRL required	NOT APPLICABI	For topical	
Harpagophy procumbens	nMOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Harunga madagascari	NOT APRLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at	

					concentration in the products not exceeding one part per thousand only	ns
Heparin and its salts	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Heptaminol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Hesperidin	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hexetidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Hippocastan semen	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Histidine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorion gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorionic gonadotropin (natural HCG and its synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human menopausal urinary gonadotroph	NOT APPLICABI in	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For oral use Sonly.	NO ENTRY

Hyaluronic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrochlorid acid	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Hydrochloro	tNo2Tde APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrocortisc	APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Hydrogen peroxide	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydroxyethy	(Mat)Tylate APPLICABI	All food- producing species except fin fish	No MRL required	NOT APPLICABI	For topical Juise only.	NO ENTRY
8- Hydroxyquir	NOT MRLICABI	All Inammalian food- producing species	No MRL required	NOT APPLICABI	For topical Tise in newborn animals only.	NO ENTRY
Hyperici oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
<i>Hypericum</i> <i>perforatum</i>	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions thereof only.	eias ns
Imidocarb	Imidocarb	Bovine	300 μg/kg 50 μg/kg	Muscle Fat	NO ENTRY	Antiparasitic agents/

			2 000 μg/ kg 1 500 μg/ kg 50 μg/kg	Liver Kidney Milk		Agents acting against protozoa
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Inosine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Inositol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iodine and iodine inorganic compounds including:	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
 Sociant potiod iod Sociant 	assium- ide lium					
inc	ophors luding yvinylpyrroli	done-				
Iodine organic compounds — Iod	NOT APPLICABI oform	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron ammonium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron dextran	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Iron dichloride	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron fumarate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron glucohepton	NOT at&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isobutane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F10} Isoeugene	Jsoeugenol	Fin fish	6 000 μg/ kg	Muscle and skin in natural proportions	NOT APPLICABI	Agents Facting on the nervous system/ Agents acting on the central nervous system]
Isoflurane	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Anaesthetic use only.	NO ENTRY
Isoleucine	NOT APPLICABI	All food Defroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isopropanol	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Herapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
Ivermectin	22, 23- Dihydro- avermectin B1a	All mammalian food producing species	100 μg/kg 100 μg/kg 30 μg/kg	Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Antiparasitic agents/ Agents acting against

					natural proportions'. Not for use in animals from which milk is produced for human consumption	endo- and ectoparasites
Jecoris oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Juniperi fructus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/ kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ketamine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Ketoprofen	NOT APPLICABI	Bovine, Forcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo	

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					at concentration in the products not exceeding one part per thousand only.	15
Lactic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lanolin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F11} Lasalocid	Lasalocid	Poultry	20 µg/kg	Muscle	NO	Anti-
-	A		100 µg/kg	Skin and fat	ENTRY	infectious agents/ Antibiotics
			100 µg/kg	Liver		
			50 µg/kg	Kidney		
			150 µg/kg	Eggs		
		Bovine	10 µg/kg	Muscle	Not for use	
			20 µg/kg	Fat	in animals from which	
			100 µg/kg	Liver	milk is	
			20 µg/kg	Kidney]	produced for human consumption	
Lauri folii aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lauri fructus	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Lecirelin	NOT APPLICABI	Bovine, <i>Equidae</i> , rabbit	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lectin extracted from red kidney beans	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Tomly.	NO ENTRY

Phaseolus vulgaris						
Lespedeza capitata	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Leucine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	Antiparasitic agents/ Agents against endoparasites
Levomethad	onkot APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Levothyroxi		All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lidocaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For local- Fegional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food- producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/ kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C_9 to C_{13} , containing less than 2,5 % of chains longer than C_{13}	NOT APPLICABI	Bovine, Avine	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Lini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lobaria pulmonaria	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15

Lobeline	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luprostiol	NOT APPLICABI	All Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lysine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium chloride	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium citrate	NOT APPLICAB	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium gluconate	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glutamate	NOT APPLICAB	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Magnesium glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hypophosphi	NOT tapplicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium sulphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Majoranae herba	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Malic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
[^{F12} Manganes carbonate	NOT APPLICABI	All food Froducing species	NO MRL REQUIRED	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]
Manganese chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY
Manganese gluconate	NOT APPLICABI	All food Defroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY

Manganese glycerophosj	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Manganese oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Jonly.	NO ENTRY
Manganese pidolate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI		NO ENTRY
Manganese ribonucleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY
Manganese sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY
Mannitol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
MarbofloxaciM		i B ovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- infectious agents/ Antibiotics
		Bovine	75 μg/kg	Milk	to 'skin and fat in natural proportions'	
<i>Matricaria</i> <i>recutita</i> and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Matricariae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mebendazolo	Sum of mebendazold methyl (5- (1-hydroxy, 1-phenyl) methyl-1H- benzimidazo yl) carbamate and (2- amino-1H- benzimidazo yl) phenylmetha expressed	Equidae 1-2- 1-5-	60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against endoparasites

	as mebendazole equivalents					
Mecillinam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Intrauterine use only.	NO ENTRY
Medicago sativa extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Medroxyprojacetate	g&tteFone APPLICABI	Ovine LE	No MRL required	NOT APPLICABI	For Fatravaginal use for zootechnical purposes only.	NO ENTRY
Melatonin	NOT APPLICABI	Ovine, Æaprine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, <i>Equidae</i>	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti-
		Bovine, caprine	15 μg/kg	Milk		inflammatory agents
Menadione	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menbutone	NOT APPLICABI	Bovine, Dovine, caprine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menthae arvensis aetheroleum	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Menthae piperitae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Menthol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Mepivacaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For intra- Articular and epidural use as local anaesthetic only.	NO ENTRY	
Mercaptamir hydrochlorid	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Metamizole	4- Methylamino	Bovine, poticiyicin Equidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Anti- inflammatory agents/ Nonsteroidal	
		Bovine	50 μg/kg	Milk	to 'skin and fat in natural proportions'	anti- inflammatory agents	
Methionine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Methyl nicotinate	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY	
Methyl salicylate	NOT APPLICABI	All food broducing species except fin fish	No MRL required	NOT APPLICABI	For topical Here only.	NO ENTRY	
Methylbenzo	anteot Applicabi	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
[^{F13} Methylpr	eXAntbydpredn	iBolvine	10 µg/kg	Muscle		Corticoides/	
			10 µg/kg	Fat		Glucocorticoide	
			10 µg/kg	Liver			
			10 µg/kg	Kidney			
			2 µg/kg	Milk]			
1- Methyl-2- pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY	

Millefolii	NOT	All food	No MRL	NOT	NO	NO
herba	APPLICABI	peroducing species	required	APPLICABI	LENTRY	ENTRY
Mineral hydrocarbon low to high viscosity including micorcristall waxes, approximate C10-C60, aliphatic, branched aliphatic and alicyclic compounds		All food producing species	No MRL required	NOT APPLICABI	Excludes Aromatic and unsaturated compounds.	NO ENTRY
[^{F14} Monensir		Bovine	2 µg/kg	Muscle	NO ENTRY	Anti- infectious
A	A		10 µg/kg	Fat	ENIKI	agents/
			50 µg/kg	Liver		Antibiotics
			10 µg/kg	Kidney		
			2 µg/kg	Milk]		
[^{F15} Monepan	Monepantel-	ntel- Ovine, caprine	700 µg/kg	Muscle		Antiparasitic agents/ Agents acting against endoparasites
	sulfone		7 000 μg/ kg	Fat	-	
			5 000 μg/ kg	Liver		
			2 000 µg/ kg	Kidney		
			170 µg/kg	Milk]		
Monothiogly	dəfə t APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Montanide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N- methyl-1,3- propanediam	All ruminants	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	and expressed as morantel equivalents					
Moxidectin	Moxidectin	Bovine, ovine, <i>Equidae</i>	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Bovine, ovine	40 µg/kg	Milk	1	
Myglyol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Myristicae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in frewborn animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For intramamma use only.	Anti- rjnfectious agents/ Antibiotics
Natamycin	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[^{F16} Neomyci		All food	500 µg/kg	Muscle	For fin fish	Anti- infectious agents/
(including framycetin)	В	producing species	500 µg/kg	Fat	the muscle MRL	
nunyeenny		1	5 500 μg/ kg	Liver	relates to 'muscle	Antibiotics
			9 000 μg/ kg	Kidney	and skin in natural proportions'.	
			1 500 μg/ kg	Milk	MRLs for fat, liver and kidney	
			500 μg/kg	Eggs]	do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	

Neostigmine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites
Nickel gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nickel sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nicoboxil	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical	NO ENTRY
[^{F17} Nitroxinil	Nitroxinil	Bovine, ovine	400 µg/kg	Muscle		Antiparasitic
			200 µg/kg	Fat	-	agents/ agents against endoparasites
			20 µg/kg	Liver		
			400 µg/kg	Kidney		
			20 µg/kg	Milk]		
Nonivamide	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Norgestomet	Norgestomet	Bovine	0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,12 μg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	Agents acting on the reproductive system
Novobiocin	Novobiocin	Bovine	50 μg/kg	Milk	For intramamma use only.	agents/
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	NO LENTRY	Antibiotics

[^{F18} Octenidir dihydrochlor	₽NOT j A ₽PLICABI	All Frammalian food- producing species	No MRL required	NOT APPLICABI	For Æutaneous use only.	Anti- infectious agents/ Antiseptics]
17β- Oestradiol	NOT APPLICABI	All Internation food producing species	No MRL required	NOT APPLICABI	For Herapeutic and zootechnical use only.	NO ENTRY
Okoubaka aubrevillei	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Oleyloleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Omeprazole	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For oral use Tomly.	NO ENTRY
Orgotein	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ornithine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Orotic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxacillin	Oxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle	Anti- infectious agents/ Antibiotics

					and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Oxalic acid	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	Anti- infectious agent
Oxfendazole	extractable residues which may be oxidised to oxfendazole	All ruminants, porcine, <i>Equidae</i> All ruminants	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural	Antiparasitic agents/ Agents against endoparasites
Oxibendazol	sulphone eOxibendazol	ePorcine	100 μg/kg 500 μg/kg 200 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	proportions'. NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthina</i> oleum	NOT APPLICABI e	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxolinic acid	Oxolinic acid	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle	Anti- infectious agents/ Antibiotics

			20 //		and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	
Oxyclozanid	eOxyclozanid	eAll ruminants	20 μg/kg 20 μg/kg 500 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxytetracycl	i Se m of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. [^{X1} MRLs for liver and kidney do not apply to fin fish.]	Anti- infectious agents/ Antibiotics
Oxytocin	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Pancreatin	NOT APPLICABI	All friammalian food producing species	No MRL required	NOT APPLICABI	For topical Herse only.	NO ENTRY
Papain	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Papaverine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	Newborn Æalves only.	NO ENTRY
Paracetamol	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Parconazole	NOT APPLICABI	Guinea L fo wl	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Paromomyci	nParomomyci	nAll food producing species	500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk or eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Peforelin	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F19} Pegylated bovine granulocyte colony stimulating factor	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	Biological/ Immunomodulator]
Penethamate	Benzylpenic	il AH mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics

					and fat in natural proportions'.	
Pepsin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Peracetic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F20} Phenoxyr	netiopipenicit	Repenie illin	25 µg/kg	Muscle	NO	Anti-
			25 µg/kg	Liver	ENTRY	infectious agents/ Antibiotics
			25 µg/kg	Kidney		
		Poultry	25 µg/kg	Muscle		
			25 µg/kg	Skin and fat		
			25 µg/kg	Liver		
			25 µg/kg	Kidney		
			25 µg/kg	Eggs]		
Phenylalanir	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Phloroglucin	dNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F21} Phoxim	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against ectoparasites.]

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					Not for use in animals from which milk is produced for human consumption	
Phytolacca americana	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration in the products not exceeding one part per thousand only.	eias,
Phytomenad	iðhæt APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Piceae turiones recentes extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Jonly.	NO ENTRY
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 μg/ kg	Eggs		
Piperazine dihydrochlor	NOT TAPPLICABI	Chicken LE	No MRL required for all tissues except eggs	NOT APPLICABI	NO LENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABI	Bovine, Evine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Inse only.	NO ENTRY

Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 400 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Policresulen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Poloxalene	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Poloxamer	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyethylene glycol 15 hydroxystear	APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical Infise only.	NO ENTRY
Polyethylene glycol stearates with 8-40 oxyethylene units	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyethy sorbitan monooleate and trioleate	INNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Æxcipient.	NO ENTRY

Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units	NOT dAPPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as	NO ENTRY
Polysorbate 80	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Polysulphate glycosamino	dNOT gAyRahICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium DL- aspartate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glycerophosj	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Praziquantel	NOT APPLICABI	Ovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F22} Prednisol	onednisolone	Bovine	4 μg/kg	Muscle	NO ENTRY	Corticoids/ Glucocorticoids
			4 μg/kg	Fat		Shuebeontieonas
			10 µg/kg	Liver		
			10 µg/kg	Kidney		
			6 μg/kg	Milk		
		Equidae	4 μg/kg	Muscle		
			8 μg/kg	Fat		
			6 μg/kg	Liver		
			15 μg/kg	Kidney]		
Pregnant mare serum gonadotroph	NOT APPLICABI in	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Prethcamide (crotethamid and cropropamid	eAPPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Procaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Progesterone	NOT APPLICABI	Bovine, Devine, caprine, <i>Equidae</i> (female)	No MRL required	NOT APPLICABI	Only for Entravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propylene glycol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias

Pyrantel embonate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
<i>Pyrethrum</i> extract	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
2- Pyrrolidone	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	At parenteral doses up to 40 mg/ kg bw.	NO ENTRY
Quatresin	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as preservative only at concentration of up to 0,5 %.	NO ENTRY ns
Quercus cortex	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
<i>Quillaia</i> saponins	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Rafoxanide	Rafoxanide	Bovine	30 μg/kg 30 μg/kg 10 μg/kg 40 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is	Antiparasitic agents/ Agents against endoparasites
		Ovine	100 μg/kg 250 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	produced for human consumption	
<i>Rhei radix</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ricini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Rifaximin	Rifaximin	Bovine	60 µg/kg	Milk	NO ENTRY	Anti- infectious
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	For Entramamma use, except if the udder may be used as food for	agents/ Antibiotics ry

					human consumption and intrauterine use only.	,
		All mammalian food producing species	No MRL required	NOT APPLICABI	For topical Juise only.	
Romifidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Rosmarini aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Rosmarini folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ruscus aculeatus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Tese only.	NO ENTRY
Ruta graveolens	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption	eias, 15

Salicylic acid	NOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical fise only.	NO ENTRY
Salviae folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sambuci flos	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from which	Anti- infectious agents/
		Salmonidae	30 µg/kg	Muscle and skin in natural proportions	eggs are produced for human consumption	Antibiotics
Selenicereus grandiflorus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration in the products not exceeding one part per hundred only.	eias,
Serenoa repens	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration	eias

					correspondin to the mother tincture and dilutions thereof only.	g
Serine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Serotonin	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Silybum marianum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration correspondint to the mother tincture and dilutions thereof only.	eias 1s
Sinapis nigrae semen	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium 2- methyl-2- phenoxy- propanoate	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium acetylsalicyl	NOT at&PPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY

Sodium benzyl 4- hydroxybenz	NOT APPLICABI oate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium butyl 4- hydroxybenz	NOT APPLICABI toate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Sodium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Sodium chlorite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Sodium cromoglycat	NOT eAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium dichloroisoc	NOT y arrfa t e CABI	Bovine, Ævine, caprine	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Sodium dioctylsulpho	NOT SAIEPInIateABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium formaldehyd	№Т е\$П₽Њ₫€УАВА	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium glycerophosj	NOT MARPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium hypophosphi	NOT tapplicabi	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium nitrite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Sodium propionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Sodium pyrosulphite	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F23} Sodium salicylate	NOT APPLICABI	Bovine,	No MRL required	NOT APPLICABI	For oral fise. Not for use in animals from which milk is produced for human consumption	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical fise only.	
	Salicylic acid	Turkey	400 μg/kg 2 500 μg/ kg 200 μg/kg 150 μg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption	Anti- inflammatory agents/ Non- steroidal .anti- inflammatory agents]
Sodium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium selenite	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium stearate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Solidago virgaurea	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at	

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					concentration correspondin to the mother tincture and dilutions thereof only.	
Somatosalm	NOT APPLICABI	Salmon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Spectinomyc	iSpectinomyc	i @ vine	300 μg/kg 500 μg/kg 2 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural	Anti- infectious agents/ Antibiotics
		All other food producing species	300 μg/kg 500 μg/kg 1 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	-
Spiramycin	Sum of spiramycin and neospiramyc	Bovine in	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics

			200 µg/kg	Milk		
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Liver Kidney	NO ENTRY	
Streptomycin	Streptomyci	nAll ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		All ruminants	200 µg/kg	Milk	and fat in natural proportions'.	
Strychni semen	NOT APPLICABI	Bovine, Ævine, caprine	No MRL required	NOT APPLICABI	For oral Ease only at doses up to the equivalent of 0,1 mg strychnine/ kg bw.	NO ENTRY
Strychnine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For oral Herese only at dose to 0,1 mg/ kg bw.	NO ENTRY
Substances used in homeopathic veterinary medicines	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	All All All All All All All All All All	

Sulfogaiacol	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	part per ten thousand. NO LENTRY	NO ENTRY
Sulfonamide (all substances belonging	sParent drug	All food- producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	The combined total residues	Anti- infectious agents/ Chemotheurapeutics/
to the sulfonamide group)		Bovine, ovine, caprine	100 µg/kg	Milk		
Sulphur	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Symphyti radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise on intact skin only.	NO ENTRY
Syzygium cumini	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products	NO ENTRY

					prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Tanninum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Tau fluvalinate	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Teflubenzuro	offeflubenzuro	Salmonidae	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Terebinthina aetheroleum rectificatum	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Terebinthina laricina	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Terpin hydrate	NOT APPLICABI	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tetracaine	NOT APPLICABI	· ·	No MRL required	NOT APPLICABI		NO ENTRY
		species			only.	

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

	and its 4- epimer		100 μg/kg 200 μg/kg	Milk Eggs	relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	agents/ Antibiotics
Theobromin	eNOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Theophyllind	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiabendazo	lSum of thiabendazol and 5- hydroxythiał	-	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenio	dlhiamphenic	coll food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced	

					for human consumption	
Thiamylal	NOT APPLICABI	All Inammalian food producing species	No MRL required	NOT APPLICABI	For Entravenous administratic only.	NO ENTRY n
Thioctic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiomersal	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use Evently as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Thiopental sodium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For Intravenous administratic only.	NO ENTRY m
Threonine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thuja occidentalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,

Thymi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymidine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymol	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tiamulin	Sum of metabolites	Porcine, rabbit	100 μg/kg 500 μg/kg	Muscle Liver	NO ENTRY	Anti- infectious
	that may be hydrolysed to 8-α- hydroxymuti	Chicken lin	100 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver		agents/ Antibiotics
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver		
Tiamul	Tiamulin	Chicken	1 000 μg/ kg	Eggs	_	
Tiaprost	NOT APPLICABI	Bovine, Evine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F24} Tildipiros	i T ildipirosin	Bovine, caprine	400 μg/kg 200 μg/kg 2 000 μg/ kg 3 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption The MRL for muscle shall not apply to the injection site, where residue levels shall not exceed 11 500 µg/ kg. Provisional MRL shall expire on 1 January 2012.	Macrolide

		Porcine	1 200 μg/ kg 800 μg/kg 5 000 μg/ kg 10 000 μg/ kg	Muscle Skin and fat Liver Kidney	The MRL for muscle shall not apply to the injection site, where residue levels shall not exceed 7 500 µg/ kg. Provisional MRL shall expire on 1 January 2012.]	
Tiliae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/ kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Antibiotics
		All other food producing species	50 μg/kg 50 μg/kg 1 000 μg/ kg 1 000 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	
Tiludronic acid (in the form of	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Entravenous use only.	NO ENTRY

disodium salt)		Poultry	No MRL required	NOT APPLICABI	For Farenteral use only and for use in laying and breeder birds only.	
Timerfonate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use For use For use preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Toldimfos	NOT APPLICABI	All food Deroducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/
		Bovine	50 μg/kg	Milk		Nonsteroidal anti- inflammatory agents
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg	Muscle Fat Liver Kidney	species the fat MRL relates	Antiparasitic agents/ Agents acting against
		Poultry	100 μg/kg 200 μg/kg 600 μg/kg 400 μg/kg	Muscle Skin and fat Liver Kidney	and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption	

Tosylchloran sodium	NHOT APPLICABL	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
		Fin fish	No MRL required	NOT APPLICABI	For water- Deforme use only.	-
Tragacanth	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	For water Forne use only.	NO ENTRY
Trichlormeth	ikinik APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F25} Triclaben	daymeof the	All	225 µg/kg	Muscle		Antiparasitic
	extractable residues	ruminants	100 µg/kg	Fat		agents/ agents
	that may be		250 µg/kg	Liver		against
	oxidised to ketotriclaben	dazole	150 µg/kg	Kidney		endoparasites
			10 µg/kg	Milk	Provisional MRL shall expire on 1 January 2014]	
Trimethoprir	nTrimethoprir	nEquidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Chemotheurapeut
		All other food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	a 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in	

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Trimethylph	ldriogTucinol APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Trypsin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tryptophan	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tulathromyc	if $(2R,3S,4R,5)$ ethyl-3,4,10, tetra- hydroxy-3,5, hexamethyl- [[3,4,6- trideoxy-3- (dimethy- lamino)- β -D-xylo- hexopyranos oxa-6- azacyclopent decan-15- one expressed as tulathromyci equivalents	13- 8,10,12,14- 11- Porcine yl]oxy]-1-	RJD2Sμ£3ISg14] 3 000 μg/ kg 3 000 μg/ kg 100 μg/kg 3 000 μg/ kg 3 000 μg/ kg	Image: Additional symmetry Skin and fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
Turnera diffusa	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin	eias 15

					to the mother tincture and dilutions thereof only.	
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Tylvalosin	Sum of tylvalosin and 3-O- acetyltylosin	Porcine	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics
		Poultry	50 μg/kg 50 μg/kg	Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
Tyrosine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urea	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urginea maritima	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary	NO ENTRY

Status: Point in time view as at 30/12/2013.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					medicinal products prepared according to homeopathic pharmacopoo at concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Uridine and its 5'- mono-5'- di- and 5'- triphosphate	NOT APPLICABI \$	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urticae herba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L E NTRY	NO ENTRY
Valine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[^{F26} Valnemu	i∦alnemulin	Porcine, rabbit	50 μg/kg 500 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics]
Vedaprofen	Vedaprofen	Equidae	50 μg/kg 20 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Vetrabutine hydrochloric	NOT eAPPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vincamine	NOT APPLICAB	Bovine LE	No MRL required	NOT APPLICABI	For use in Frewborn animals only.	NO ENTRY

Virola sebifera	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration in the products not exceeding one part per thousand only.	eias,
Viscum album	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Vitamin A	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B1	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B2	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B3	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Vitamin B5	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B6	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B12	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin D	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin E	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Wool alcohols	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Xylazine hydrochlorid	NOT eAPPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Zinc acetate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc chloride	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oleate	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oxide	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc stearate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc sulphate	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Editorial Information

X1 Substituted by Corrigendum to Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Official Journal of the European Union L 15 of 20 January 2010).

Textual Amendments

- F1 Substituted by Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance altrenogest (Text with EEA relevance).
- **F2** Substituted by Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance azamethiphos (Text with EEA relevance).
- **F3** Substituted by Commission Implementing Regulation (EU) No 466/2012 of 1 June 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance clorsulon (Text with EEA relevance).
- F4 Substituted by Commission Implementing Regulation (EU) No 221/2012 of 14 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance closantel (Text with EEA relevance).
- F5 Inserted by Commission Regulation (EU) No 890/2010 of 8 October 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance derquantel (Text with EEA relevance).
- **F6** Substituted by Commission Implementing Regulation (EU) No 115/2013 of 8 February 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance diclazuril (Text with EEA relevance).
- F7 Inserted by Commission Implementing Regulation (EU) No 489/2013 of 27 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus (Text with EEA relevance).
- **F8** Substituted by Commission Implementing Regulation (EU) No 116/2013 of 8 February 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance eprinomectin (Text with EEA relevance).
- **F9** Substituted by Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance fendendazole (Text with EEA relevance).
- F10 Inserted by Commission Regulation (EU) No 363/2011 of 13 April 2011 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance isoeugenol (Text with EEA relevance).
- **F11** Substituted by Commission Implementing Regulation (EU) No 86/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance lasalocid (Text with EEA relevance).

Document Generatea: 2023-12-
Status: Point in time view as at 30/12/2013.
Changes to legislation: There are currently no known outstanding effects for
the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- **F12** Substituted by Commission Implementing Regulation (EU) No 1057/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance manganese carbonate (Text with EEA relevance).
- **F13** Substituted by Commission Implementing Regulation (EU) No 122/2012 of 13 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance methylprednisolone (Text with EEA relevance).
- **F14** Substituted by Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monensin (Text with EEA relevance).
- **F15** Substituted by Commission Implementing Regulation (EU) No 394/2013 of 29 April 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monepantel (Text with EEA relevance).
- **F16** Substituted by Commission Implementing Regulation (EU) No 1056/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance neomycin (Text with EEA relevance).
- **F17** Substituted by Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance nitroxinil (Text with EEA relevance).
- F18 Inserted by Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance octenidine dihydrochloride (Text with EEA relevance).
- **F19** Inserted by Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance pegylated bovine granulocyte colony stimulating factor (Text with EEA relevance).
- **F20** Substituted by Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phenoxymethylpenicillin (Text with EEA relevance).
- **F21** Substituted by Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phoxim (Text with EEA relevance).
- **F22** Substituted by Commission Implementing Regulation (EU) No 406/2013 of 2 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance prednisolone (Text with EEA relevance).
- **F23** Substituted by Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance sodium salicylate (Text with EEA relevance).
- **F24** Inserted by Commission Regulation (EU) No 759/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance tildipirosin (Text with EEA relevance).

- **F25** Substituted by Commission Implementing Regulation (EU) No 222/2012 of 14 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance triclabendazole (Text with EEA relevance).
- **F26** Substituted by Commission Regulation (EU) No 758/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance valuemulin (Text with EEA relevance).

TABLE 2

Prohibited substances Pharmacologically active substance **MRL** Aristolochia spp. and preparations thereof MRL cannot be established Chloramphenicol MRL cannot be established Chloroform MRL cannot be established MRL cannot be established Chlorpromazine Colchicine MRL cannot be established MRL cannot be established Dapsone Dimetridazole MRL cannot be established Metronidazole MRL cannot be established Nitrofurans (including furazolidone) MRL cannot be established Ronidazole MRL cannot be established

- (**1**) OJ L 152, 16.6.2009, p. 11.
- (**2**) OJ L 224, 18.8.1990, p. 1.

Status:

Point in time view as at 30/12/2013.

Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010.