Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

## **ANNEX**

Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

## TABLE 1

## Allowed substances

Pharmacol active Substance	og <b>MaHl</b> yer residue	Animal Species	MRL	Target Tissues	Other Provisions( to Article 14(7 of Regulation (EC) No 470/200	
Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/
		Ovine	20 μg/kg 50 μg/kg 25 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Agents acting against endo- and ectoparasites
Absinthium extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylmethi	o <b>Ni©</b> E APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylsalicy acid	INOT APPLICABI	All food froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Acetylsalicy acid DL- lysine	iNOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Adenosine and its 5'-mono-, 5'-di-and 5' triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Adonis vernalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,
Aesculus hippocastant	NOT u <b>A</b> PPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per ten only.	eias
Agnus castus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoe at concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Ailanthus altissima	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Alanine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F1Alarelin	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO ENTRY	Agents acting on the reproductive system]
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed	All ruminants	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	as albendazole					
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Alfacalcidol	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For farturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABI	Bovine, Forcine, rabbit, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Allantoin	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	For topical Arese only.	NO ENTRY
Allium cepa	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Justese only.	NO ENTRY

Aloes, Barbados and Capae, their standardised dry extract and preparations thereof		All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Alphacypern	nethpermethri (sum of isomers)	nBovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
[F2Altrenoge	Altrenogest	Porcine	4 μg/kg	Skin and fat	Only for zootechnical	
			2 μg/kg	Liver	use and in accordance	on the reproductive
		Equidae	4 μg/kg	Fat	with the	system
			4 μg/kg	Liver]	provisions of Directive 96/22/EC	
Aluminium distearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium monostearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F3Aluminium salicylate, basic	Salicylic acid	Bovine, caprine, Equidae, rabbit	200 μg/kg 500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Antidiarrheal and intestinal anti- inflammatory agents

		Bovine, caprine, Equidae	9 μg/kg	Milk		
	NOT APPLICABI	All food Producing species except bovine, caprine, Equidae, rabbit and fin fish	No MRL required	NOT APPLICABI	For topical Juse only	]
Aluminium tristearate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethan	NOT papplicabl	All food  Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethan glucuronate	NOT papplicabl	All food  All food  species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethyl dihydrogenp		All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	containing the 2,4- DMA moiety, expressed	Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
as amitraz		Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney		
		Bees	200 μg/kg	Honey		
Ammonium chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Ammonium lauryl sulphate	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ampicillin	Ampicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics

					For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Amprolium	NOT APPLICABI	Poultry LE	No MRL required	NOT APPLICABI	For oral use Fonly.	NO ENTRY
Angelicae radix aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Apocynum cannabinum	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only. For	eias,

Status: Point in time view as at 03/03/2019.

					oral use only.	
Apramycin	Apramycin	Bovine	1 000 μg/ kg 1 000 μg/ kg 10 000 μg/ kg 20 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
	NOT APPLICABI	Ovine,  Diorcine, chicken, rabbit	No MRL required	NOT APPLICABI	For oral use of the form which milk or eggs are produced for human consumption	
Aqua levici	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolonly.	
Arginine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical trise only.	NO ENTRY
Arnicae radix	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoopathic pharmacopoopathic products prepared according to homeopathic pharmacopoopathic pharmacopoopathic products are supplied to the product of the	

					at concentration corresponding in the products not exceeding one part per ten only.	
Artemisia abrotanum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Asparagine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aspartic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Atropa belladonna	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per	eias,

Document Generated: 2024-06-09

Status: Point in time view as at 03/03/2019.

					hundred only.	
Atropine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Avilamycin	Dichloroisoe	Ponime, poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Azagly- nafarelin	NOT APPLICABI	Salmonidae LE	No MRL required	NOT APPLICABI	Not for Thise in fish from which eggs are produced for human consumption	NO ENTRY
[F4Azamethi]	MQT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites]
Azaperone	Sum of azaperone and azaperol	Porcine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of	Bovine	100 μg/kg	Milk	NO	Anti-
	bacitracin A, bacitracin B, and bacitracin C	bacitracin B, and bacitracin	150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	ENTRY	infectious agents/ Antibiotics

	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	For Fatramamma use in lactating cows only.	ry
Balsamum peruvianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg 30 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Chemotheurapeutics
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney		
[F5Barium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Not for Administration by injection	Alimentary otract and metabolism/ mineral supplements]
Beclomethas dipropionate	oni⊕T APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Inhalation use only.	NO ENTRY
Bellis perennis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Benzalkoniu chloride	nNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use Lets an excipient at concentration up	NO ENTRY ns

Status: Point in time view as at 03/03/2019.

					to 0,05 % only.	
Benzocaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use  Let's local anaesthetic only.	NO ENTRY
		Salmonidae	No MRL required	NOT APPLICABI	NO ÆNTRY	
Benzyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Benzyl p- hydroxybenz	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Benzylpenic	i <b>Be</b> nzylpenic	illith food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics

Betaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betamethaso	n <b>B</b> etamethaso	ræovine, porcine	0,75 μg/kg 2,0 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide
		Bovine	0,3 μg/kg	Milk		
Biotin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bismuth subcarbonate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For oral use forly.	NO ENTRY
Bismuth subgallate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use forly.	NO ENTRY
Bismuth subnitrate	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For oral use finly.	NO ENTRY
		Bovine	No MRL required	NOT APPLICABI	For Intramamma use only.	NO r <b>E</b> NTRY
Bismuth subsalicylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Imply.	NO ENTRY
Bituminosult ammonium and sodium salts	Oniones, APPLICABI	All finammalian food producing species	No MRL required	NOT APPLICABI	For topical drive only.	NO ENTRY
Boldo folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F6Bromelain	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	Antidiarrheal agents]
Bromhexine	NOT APPLICABI	Bovine, Forcine, poultry	No MRL required	NOT APPLICABI	Not for use In animals from which milk or	NO ENTRY

Status: Point in time view as at 03/03/2019.

					eggs are produced for human consumption	
Bromide, potassium salt	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABI	All- mammalian food- producing species	No MRL required	NOT APPLICABI	For topical dise only.	NO ENTRY
Bronopol	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Brotizolam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Therapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F7Butafosfar	<sub>1</sub> NOT Applicabi	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]
n-Butane	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
n-Butanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Butorphanolo tartrate	eNOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous administration only.	NO ENTRY on
Butyl 4- hydroxybenz	NOT ONE PLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Butylscopola bromide	uNOTUm APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F8Cabergolin	abergoline	Bovine	0,1 μg/kg	Fat	NO	Prolactin
			0,25 μg/kg	Liver	ENTRY	inhibitor
			0,5 μg/kg	Kidney		

			0,15 μg/kg	Muscle		
			0,1 μg/kg	Milk]		
Caffeine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium boroglucona	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucoheptona	NOT at&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucono glucoheptona	NOT APPLICABI ate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconolacta	NOT t&PPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

~				1100	1.70	1.70
Calcium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hypophosphi	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Calcium malate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Calcium oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium polyphospha	NOT t <b>A</b> SPPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium propionate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium silicate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium stearate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calendula officinalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding in the	eias ns

Calendulae flos	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	products not exceeding one part per ten only. For topical	NO ENTRY
Jios	THI LICINDI	species	required		Juse omy.	LIVIKI
Camphor	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	External Juse only.	NO ENTRY
Camphora	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Romeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration in the products not exceeding one part per hundred only.	eias
Capsici fructus acer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 μg/kg 5 μg/kg 15 μg/kg 15 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Porcine	5 μg/kg 5 μg/kg 25 μg/kg 25 μg/kg	Muscle Skin and fat Liver Kidney		
Carbasalate calcium	NOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	Not for use fin animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Carbetocin	NOT APPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardamon extract	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cardiosperm	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Carlinae radix	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lese only.	NO ENTRY
Carnitine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, Equidae	500 μg/kg 1 000 μg/ kg 1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
	NOT APPLICABI	Bovine LE	No MRL required for milk	NOT APPLICABI	ĹE	
Carvi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Caryophylli aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cefacetrile	Cefacetrile NOT APPLICABI	Bovine Bovine LE	No MRL required for all tissues except milk.	Milk NOT APPLICABI	For intramamma use only.	Anti- rinfectious agents/ Antibiotics
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 1 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use and eye treatment only.	rinfectious agents/ Antibiotics
Cefapirin	Sum of cephapirin and desacetylcep	Bovine hapirin	50 μg/kg 50 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 μg/kg	Milk	NO ENTRY	Anti- infectious agents/
	NOT APPLICABI	Bovine, Jovine, caprine	No MRL required for all tissues except milk.	NOT APPLICABI	For Entramamma use, except if the udder may be used as food for human consumption	
Cefoperazon	eCefoperazon	eBovine	50 μg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use in factating cows only.	argents/ Antibiotics
Cefquinome	Cefquinome	Bovine, porcine, Equidae	50 μg/kg 50 μg/kg 100 μg/kg	Muscle Fat Liver	For porcine species the fat MRL	Anti- infectious

			200 μg/kg	Kidney	relates	agents/
		Bovine	20 μg/kg	Milk	to 'skin and fat in natural proportions'.	Antibiotics
Ceftiofur	Sum of all residues retaining the betalactam structure expressed as desfuroylcef	All mammalian food producing species	1 000 μg/ kg 2 000 μg/ kg 2 000 μg/ kg 6 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Centellae asiaticae extractum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Cetostearyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cetrimide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorhexidir	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lese only.	NO ENTRY
Chlormadino	<b>n</b> Chlormadino	n Recovine	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocresol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F9Chloroform	nNOT APPLICABI	All  Imammalian food producing species	No MRL required	NOT APPLICABI	Only to be Fised as an excipient in vaccines and only at concentration not exceeding 1 % w/v and total doses not exceeding 20 mg per animal.	NO ENTRY]

Chlorphenan	NAT.	All	No MRL	NOT	NO	NO
Cinorphenan		mammalian food producing species	required	APPLICABI		ENTRY
Chlortetracy	eline of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Choline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chrysanthen cinerariifolii flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  Fee only.	NO ENTRY
Chymotrypsi	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Not for use Im animals from which milk is produced for human consumption	NO ENTRY
Cinchonae cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae cortex, standardised extracts and	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY

preparations thereof						
Cinnamomi ceylanici aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi ceylanici cortex, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Citri aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citronellae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citrulline	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
		Bovine	200 μg/kg	Milk		
Clazuril	NOT APPLICABI	Pigeon LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Clenbuterol hydrochlorid	Clenbuterol e	Bovine, Equidae	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous
		Bovine	0,05 μg/kg	Milk		system/ Agents acting on the autonomic nervous system
[F10 Clodronic acid (in the form of disodium salt)	NOT APPLICABI	Equidae LE	No MRL required	NOT APPLICABI	Not for use Im animals from which milk is produced for human consumption	Musculoskeletal system/ drugs for treatment of bone diseases]

Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
R- Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F11Clorsulon	Clorsulon	Bovine	35 μg/kg	Muscle	NO	Antiparasitic
			100 μg/kg	Liver	ENTRY	agents/ Agents
			200 μg/kg	Kidney		against
			16 μg/kg	Milk]		endoparasites
[F12Closantel	Closantel	Bovine	1 000 µg/kg 3 000 µg/kg 1 000 µg/kg 3 000 µg/kg 45 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	1 500 μg/ kg 2 000 μg/ kg 1 500 μg/ kg 5 000 μg/ kg 45 μg/kg	Muscle Fat Liver Kidney Milk]		
Cloxacillin	Cloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 03/03/2019.

					relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Cobalt carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt trioxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 μg/kg 150 μg/kg 150 μg/kg 200 μg/kg 50 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics

Condurango	NOT	All food	No MRL	NOT	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	NO
cortex, standardised extracts and preparations thereof	APPLICABI		required	APPLICABI		ENTRY
Convallaria majalis	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration in the products not exceeding one part per thousand only.	eias,
[F13Copper carbonate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ Mineral supplement]
Copper chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/03/2019.

Copper	NOT	All food	No MRL	NOT	NO	NO
methionate	APPLICABI	species	required	APPLICABI	LENIKY	ENTRY
Copper oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coriandri aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Corticotropin	nNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 μg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Crataegus	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Cupressi aetheroleum	NOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	For topical Latese only.	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC	Antiparasitic agents/ Agents against ectoparasites

					are to be observed.	
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cypermethrin Cypermet (sum of isomers)	(sum of	nAll ruminants	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission	Antiparasitic agents/ Agents against ectoparasites
		Salmonidae	50 μg/kg	Muscle and skin in natural proportions.	Directive 98/82/EC are to be observed.	
Cyromazine	Cyromazine	Ovine	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cytidine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Danofloxaci		nBovine, ovine, caprine, poultry	200 μg/kg 100 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
		All other food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine, caprine	30 μg/kg	Milk		

				For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Decoquinate NOT APPLICAB	Bovine, Lowine	No MRL required	NOT APPLICABI	For oral use Dinly. Not for use in animals from which milk is produced for human consumption	NO ENTRY
Deltamethrin Deltamethrin	All ruminants	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
	Fin fish	10 μg/kg	Muscle and skin in natural proportions.		
Dembrexine NOT APPLICAB	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Denaverine NOT hydrochlorideAPPLICAB	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F14DerquanteDerquantel	Ovine	2 μg/kg	Muscle	Not for use	Antiparasitic
		40 μg/kg	Fat	in animals from which	agents/ Agents
		20 μg/kg	Liver	milk is produced	against endoparasites

			5 μg/kg	Kidney]	for human consumption	
Deslorelin acetate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Detomidine	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Merapeutic use only.	NO ENTRY
Dexamethasone xamethas	o <b>læ</b> xamethas	oBovine, caprine, porcine, Equidae	0,75 μg/kg 2 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide
		Bovine, caprine	0,3 μg/kg	Milk		
Dexpantheno	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against ectoparasites
		Bovine, ovine, caprine	20 μg/kg	Milk		
[F15Diclazuri	NOT APPLICABI	All Fuminants, porcine	No MRL required	NOT APPLICABI	For oral use forly	NO ENTRY
	Diclazuril	Poultry	500 μg/kg	Muscle	Not for use	Antiparasitic
			500 μg/kg	Skin and fat in natural proportions	in animals from which eggs are produced for human	agents/ Agents acting againsts protozoa
			1 500 μg/ kg	Liver	consumption	
			1 000 μg/ kg	Kidney		
		Rabbit	150 μg/kg	Muscle		
			300 μg/kg	Fat		
			2 500 μg/ kg	Liver		
			1 000 μg/ kg	Kidney]		
Diclofenac	Diclofenac	Bovine	5 μg/kg 1 μg/kg	Muscle Fat	For porcine species the	Anti- inflammatory

		Porcine	5 μg/kg 10 μg/kg 0,1 μg/kg 5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg	Liver Kidney Milk  Muscle Skin and fat Liver Kidney	fat MRL relates to 'skin and fat in natural proportions'.	agents/ Nonsteroidal anti- inflammatory agents
Dicloxacillin	Dicloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Dicopper oxide	NOT APPLICABI	All food Fooducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6-triamino-pyrimidine-5 carbonitrile	Ovine	200 μg/kg 150 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites

Diethyl phthalate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F16Diethyler glycol monethyl ether	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY]
Difloxacin Difloxacin	Difloxacin	Bovine, ovine, caprine	400 μg/kg 100 μg/kg 1 400 μg/ kg 800 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney	Anti- infectious agents/ Antibiotics
		Porcine	400 μg/kg 100 μg/kg 800 μg/kg 800 μg/kg	Muscle Skin and fat Liver Kidney		
	Poultry	300 μg/kg 400 μg/kg 1 900 μg/ kg 600 μg/kg	Muscle Skin and fat Liver Kidney	do not apply to fin fish. Not for use in animals		
		All other food producing species	300 μg/kg 100 μg/kg 800 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption	
Diflubenzuro	nDiflubenzur	Salmonidae	1 000 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Dihydrostrep	<b>ti) inhyclir</b> ostrep	tAthycin ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

		All ruminants	200 μg/kg	Milk	natural proportions'	
3,5-Diiodo- L-thyrosine		All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimanganes trioxide	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Dimethicone	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost	NOT APPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost tromethamin	NOT eAPPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoproston		All  All  food  producing  species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diprophyllin	eNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 μg/kg 150 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Antiparasitic agents/ Agents acting against

					natural proportions'. Not for use in animals from which milk is produced for human consumption	endo- and ectoparasites
[F17] Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	NO ENTRY]
Doxapram	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F18Doxycycl	iPoxycycline	All food producing species	100 μg/kg 300 μg/kg 300 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates	Anti- infectious agents/ Antibiotics]

					to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	
D- Phenylalanin (6) – luteinising- hormone releasing hormone	NOT &APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI		NO ENTRY
Echinacea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration	eias ns g

					corresponding in the products not exceeding one part per ten only.	g
Echinacea purpurea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY
Emamectin	Emamectin B1a	Fin fish	100 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Enilconazole	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Inse only.	NO ENTRY
an	Sum of enrofloxacin and ciprofloxacir	caprine	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
		Porcine, rabbit	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney		
		Poultry	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney		
		All other food producing species	100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		

Epinephrine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F19Eprinome	Eprinomecti	nAll .	50 μg/kg	Muscle	NO	Antiparasitic
	B1a	ruminants, equidae	250 μg/kg	Fat	ENTRY	agents/ Agents
	equiuae	1 500 μg/ kg	Liver		acting against	
			300 μg/kg	Kidney		endo- and ectoparasites
			20 μg/kg	Milk		
		Fin fish	50 μg/kg	Muscle and skin in natural proportions		
		Rabbits	50 μg/kg	Muscle		
			250 μg/kg	Fat		
			1 500 μg/ kg	Liver		
			300 μg/kg	Kidney]		
Ergometrine maleate		All Finammalian food producing species	No MRL required	NOT APPLICABI	For use in parturient animals only.	NO ENTRY
Erythromyci	nErythromyci A	nAll food producing species	200 μg/kg 200 μg/kg 200 μg/kg 200 μg/kg 40 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics

Etamiphyllin camsylate	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Etamsylate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethanol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Ethyl lactate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethylenedian acid and salts	nM@fEtraaceti APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etiproston tromethamin	NOT eAPPLICABI	Bovine,  Dorcine	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptus globulus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s

Euphrasia officinalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Febantel	Sum of extractable residues which may be oxidised to oxfendazole	All ruminants, porcine, Equidae All ruminants	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural	Antiparasitic agents/ Agents against endoparasites
[F20Fenbenda	sulphone  Sum of extractable residues which may be oxidised to oxfendazole sulfone	All food- producing species except fin fish	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/	Muscle Fat Liver Kidney Milk Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites]
Fenpipramid hydrochlorid	eNOT eAPPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg	Muscle Fat Liver	NO ENTRY	Anti- inflammatory agents/

			10 μg/kg	Kidney		Nonsteroidal anti- inflammatory agents
Florfenicol	Sum of florfenicol and its metabolites	Bovine, ovine, caprine	200 μg/kg 3 000 μg/ kg 300 μg/kg	Muscle Liver Kidney	Not for animals from which milk is	Antibiotics  n.
as florfer	measured as florfenicol- amine	Porcine	300 μg/kg 500 μg/kg 2 000 μg/ kg 500 μg/kg	Muscle Skin and fat Liver Kidney	produced for human consumption Not for animals from which	
		Poultry	100 μg/kg 200 μg/kg 2 500 μg/ kg 750 μg/kg	Muscle Skin and fat Liver Kidney	eggs are produced for human consumption	
		1 000 μg/ kg	Muscle and skin in natural proportions.			
		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/ kg 300 μg/kg	Muscle Fat Liver Kidney		
[F21Fluazuro	Fluazuron	All	200 μg/kg	Muscle	Not for use	Antiparasitic
		ruminants except bovine and	7 000 μg/ kg	Fat	in animals from which milk is	agents/ Agents (acting)
		ovine	500 μg/kg	Liver	produced	against
			500 μg/kg	Kidney	for human consumption	ectoparasites
		Bovine	200 μg/kg	Muscle	NO	
			7 000 μg/ kg	Fat	ENTRY	
			500 μg/kg	Liver		
			500 μg/kg	Kidney		
			200 μg/kg	Milk	_	
		Fin fish	200 μg/kg	Muscle and skin in natural proportions	NO ENTRY]	
Flubendazol	eSum of flubendazole	Poultry, porcine	50 μg/kg 50 μg/kg	Muscle	NO ENTRY	Antiparasitic agents/

	and (2- amino 1H- benzimidazo yl) (4fluoropher methanone		400 μg/kg   300 μg/kg	Skin and fat Liver Kidney		Agents against endoparasites
	Flubendazol	ePoultry	400 μg/kg	Eggs		
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 μg/kg	Milk		
		Poultry	400 μg/kg 250 μg/kg 800 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney		
		Fin Fish	600 μg/kg	Muscle and skin in natural proportion.		
		All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z- isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	

	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	
Flunixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal
		Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney		anti- inflammatory agents
		Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
	5- Hydroxyflun	Bovine ixin	40 μg/kg	Milk		
[F22Fluralane	rFluralaner	Poultry	65 μg/kg	Muscle	NO	Antiparasitic
			650 μg/kg	Skin and fat in natural proportions	ENTRY	agents/ Agents against ectoparasites
			650 μg/kg	Liver		
			420 μg/kg	Kidney		
			1 300 μg/ kg	Eggs]		
Foeniculi aetheroleum	NOT APPLICABI	All food  All food  species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Folic acid	NOT APPLICABI	All food  Peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from all species and their synthetic analogues)	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Food additives (substances with a valid E number	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	Only Fubstances approved as additives in foodstuffs	NO ENTRY

Status: Point in time view as at 03/03/2019.

approved as additives in foodstuffs for human consumption)				for human consumption with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	
Formaldehyd NOT APPLICAB	All food Libroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Formic acid NOT APPLICAB	All food Libroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Frangulae cortex, standardised extracts and preparations thereof	All food Libroducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Furosemide NOT APPLICAB	Bovine, L <i>Equidae</i>	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY on
[F23Gamithrorsymmithrom	yc <b>A</b> nll	50 μg/kg	Muscle	Not for use	Anti-
	ruminants except	50 μg/kg	Fat	in animals producing	infectious agents/
	bovine	300 μg/kg	Liver	milk for	Antibiotics
		200 μg/kg	Kidney	human consumption	
	Bovine	20 μg/kg	Fat	1	
		200 μg/kg	Liver		
		100 μg/kg	Kidney		
	Porcine	100 μg/kg	Muscle	NO	
		100 μg/kg	Skin and fat in natural proportions	ENTRY	
		100 μg/kg	Liver		

			300 μg/kg	Kidney]		
[F24Gentamic	isum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2 and	All mammalian food producing species and fin fish	50 μg/kg 50 μg/kg 200 μg/kg 750 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' For porcine species the fat relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics]
Gentianae radix, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ginkgo biloba	NOT APPLICABI	species	No MRL required		For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias 1s
Ginseng	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in  Fromeopathic veterinary medicinal products prepared according to homeopathic	

Status: Point in time view as at 03/03/2019.

					pharmacoporat concentration correspondir to the mother tincture and dilutions thereof only.	ns
Ginseng, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glutamic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutaraldehy	deOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycerol formal	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glycine	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Gonadotroph releasing hormone	iNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guaiacol	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guanosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Halofuginon	eHalofuginon	eBovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced	Antiparasitic agents/ Agents acting against protozoa

					for human consumption	
Hamamelis virginiana		All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per ten only.	eias
		All food producing species	No MRL required	NOT APPLICABI	For topical trise only.	
Harpagophy procumbens		All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Harunga madagascari	NOT ienpirlicabi	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic	

Status: Point in time view as at 03/03/2019.

					pharmacopo at concentratio in the products not exceeding one part per thousand only	
Heparin and its salts	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Heptaminol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
[F25Hexaflum	uH⊕¥aflumuro	Fin fish	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Hexetidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Hippocastan semen	iNOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical  From the second of the second o	NO ENTRY
Histidine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Human chorion gonadotroph	NOT APPLICABI in	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorionic gonadotropin (natural HCG and its synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Human menopausal	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY

urinary gonadotroph	in					
Humic acids and their sodium salts	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI		NO ENTRY
Hyaluronic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrochloric acid	NOT APPLICABI	All food  Abroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Hydrochloro	tN@zīde APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Hydrocortiso	MOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Just only.	NO ENTRY
[F26Hydrocor aceponate	hydrocortiso and its esters after alkaline hydrolysis expressed as hydrocortiso	Equidae	10 μg/kg	Milk	For intramamma use only	Corticosteroids ry
	NOT APPLICABI	All Fuminants, Equidae	No MRL required for all tissues except milk	NOT APPLICABI	LE]	
Hydrogen peroxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydroxyethy	INDEVIATE APPLICABI	All food- froducing species except fin fish	No MRL required	NOT APPLICABI	For topical firse only.	NO ENTRY
8- Hydroxyquii	NOT MRELICABI	All mammalian food- producing species	No MRL required	NOT APPLICABI	For topical lise in newborn animals only.	NO ENTRY
Hyperici oleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lesse only.	NO ENTRY

Status: Point in time view as at 03/03/2019.

Hypericum	NOT ADDI ICADI	All food	No MRL	NOT ADDI ICA DI	For use in	NO
perforatum	APPLICABI	species	required	APPLICABI	Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Imidocarb	Imidocarb	Bovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Inosine and its 5'- mono-, 5'- di- and 5'- triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Inositol	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
and pot	NOT APPLICABI dium i assium- ide	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY

and po ioc — Ioc inc	dium d tassium- late lophors luding lyvinylpyrrolid line	done-				
Iodine organic compounds — Iod	NOT APPLICABI doform	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron ammonium citrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron dextran	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron dichloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron fumarate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron glucohepton	NOT a&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Iron sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isobutane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F27]Isoeugen	<sub>o</sub> Isoeugenol	Fin fish	6 000 μg/ kg	Muscle and skin in natural proportions	NOT APPLICABI	Agents Ecting on the nervous system/ Agents acting on the central nervous system]
[F28]Isofluran	eNOT APPLICABI		No MRL required	NOT APPLICABI		General anaesthetics
		Porcine	No MRL required	NOT APPLICABI	For use by Linhalation in piglets	

Isoleucine	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	up to 7 days of age] NO LENTRY	NO ENTRY
Isopropanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For Merapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
[F29Ivermecti	n <sup>2</sup> 2, 23- Dihydro- avermectin B 1a	All mammalian food producing species	30 μg/kg 100 μg/kg 100 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against endo and ectoparasites]
Jecoris oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Juniperi fructus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/ kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals	Anti- infectious agents/ Antibiotics

					from which eggs are produced for human consumption	
Ketamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketoprofen	NOT APPLICABI	Bovine,  Forcine,  Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias
Lactic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lanolin	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F30]Lasalocid	Lasalocid A	Poultry	60 μg/kg 300 μg/kg 150 μg/kg 300 μg/kg 150 μg/kg	Muscle Liver Kidney Skin and fat in natural proportions Eggs	NO ENTRY	Anti- infectious agents/ Antibiotics
		Bovine	10 μg/kg 20 μg/kg	Muscle Fat	Not for use in animals	

			100 μg/kg 20 μg/kg	Liver Kidney	from which milk is produced for human consumption	]
Lauri folii aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lauri fructus	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical  These only.	NO ENTRY
Lecirelin	NOT APPLICABI	Bovine, <i>Equidae</i> , rabbit	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lectin extracted from red kidney beans Phaseolus vulgaris	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Lespedeza capitata	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Leucine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	Antiparasitic agents/ Agents against endoparasites

			T	T		
Levomethad	APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Levothyroxin	nNOT APPLICABI	All  Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lidocaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For local- legional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food- producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/ kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C <sub>9</sub> to C <sub>13</sub> , containing less than 2,5 % of chains	NOT APPLICABI	Bovine,	No MRL required	NOT APPLICABI	For topical	NO ENTRY

longer than C <sub>13</sub>						
Lini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lobaria pulmonaria	NOT APPLICABI	All food foroducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Lobeline	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F31Lufenuro (RS- isomers)	nLufenuron (RS- isomers)	Fin fish	1 350 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Luprostiol	NOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lysine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

		T		1		
Magnesium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium acetate	NOT APPLICABI	All food  Aproducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium citrate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glutamate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium glycerophos	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium hypophosphi	NOT t <b>A</b> PPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Magnesium stearate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium sulphate	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Majoranae herba	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Malic acid	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
[F32Mangane carbonate	sNOT APPLICABI	All food Froducing species	NO MRL REQUIRED	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]
Manganese chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Lonly.	NO ENTRY
Manganese glycerophosp	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Lonly.	NO ENTRY
Manganese oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese pidolate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Abuly.	NO ENTRY
Manganese ribonucleate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese sulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Mannitol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Marbofloxac	i <b>M</b> arbofloxac	iBovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		Bovine	75 μg/kg	Milk	and fat in natural proportions'	
Matricaria recutita and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Matricariae flos	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mebendazolo	eSum of mebendazole methyl (5- (1-hydroxy, 1-phenyl) methyl-1H-benzimidazo yl) carbamate and (2- amino-1H-benzimidazo yl) phenylmetha expressed as mebendazole equivalents	Equidae	60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against endoparasites
Mecillinam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Intrauterine use only.	NO ENTRY
Medicago sativa extractum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical  From the second of the second o	NO ENTRY
Medroxypro acetate	gMæfone APPLICABI	Ovine LE	No MRL required	NOT APPLICABI	For Intravaginal use for zootechnical purposes only.	NO ENTRY
Melatonin	NOT APPLICABI	Ovine, Æaprine	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY

Status: Point in time view as at 03/03/2019.

Melissae aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Melissae folium	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, Equidae	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti-	
		Bovine, caprine	15 μg/kg	Milk		inflammatory agents	
Menadione	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Menbutone	NOT APPLICABI	Bovine, Evine, caprine, porcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Menthae arvensis aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Menthae piperitae aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Menthol	NOT APPLICABI	All food  Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Mepivacaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For intra- Articular and epidural use as local anaesthetic only.	NO ENTRY	
Mercaptamir hydrochlorid	ıNOT €APPLICABI	All Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Metamizole	4- Methylamino	Bovine, p <b>otițiyri</b> n Equidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- inflammatory agents/ Nonsteroidal anti-	

		Bovine	50 μg/kg	Milk	and fat in natural proportions'.	inflammatory agents
Methionine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Methyl nicotinate	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Infrare only.	NO ENTRY
Methyl salicylate	NOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	For topical dise only.	NO ENTRY
Methylbenzo	aniot Applicabl	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F33Methylpr	e <b>Másbyópre</b> dn	i <b>Koloida</b> e	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY]	
1- Methyl-2- pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Millefolii herba	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mineral hydrocarbon low to high viscosity including micorcristall waxes, approximate C10-C60, aliphatic, branched aliphatic and alicyclic compounds		All food  Froducing species	No MRL required	NOT APPLICABI	Excludes Fromatic and unsaturated compounds.	NO ENTRY

[F34Monensin		Bovine	2 μg/kg	Muscle	NO	Anti-
	A		10 μg/kg	Fat	ENTRY	infectious agents/
			50 μg/kg	Liver		Antibiotics
			10 μg/kg	Kidney		
			2 μg/kg	Milk]		
[F35Monepan	Monepantel	Ovine,	700 μg/kg	Muscle	NO	Antiparasitic agents/ Agents (acting)
	sulfone	caprine	7 000 μg/ kg	Fat	ENTRY	
			5 000 μg/ kg	Liver		against endoparasites
			2 000 μg/ kg	Kidney		
			170 μg/kg	Milk		
		Bovine	300 μg/kg	Muscle	Not for use	
			7 000 μg/ kg	Fat	in animals producing milk for human consumption	
			2 000 μg/ kg	Liver		
			1 000 μg/ kg	Kidney]		
Monothiogly	<b>ഷ്ത്⊺</b> APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Montanide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N-methyl-1,3-propanediam and expressed as morantel equivalents	All ruminants	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Moxidectin	Moxidectin	Bovine, ovine, Equidae	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against

		Bovine, ovine	40 μg/kg	Milk		endo- and ectoparasites
Myglyol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Myristicae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For intramamma use only.	Anti- rinfectious agents/ Antibiotics
Natamycin	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[F36]Neomyci (including framycetin)		All food producing species	500 μg/kg 500 μg/kg 5 500 μg/kg 9 000 μg/kg 1 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney Milk Eggs]	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics
Neostigmine	NOT APPLICABI		No MRL required	NOT APPLICABI	natural proportions' NO LENTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites

Status: Point in time view as at 03/03/2019.

Changes to legislation: There are currently no known outstanding effects for

the Commission Regulation (EU) No 37/2010. (See end of Document for details)

albendazole 2-amino sulphone, expressed as albendazole Nickel No MRL NOT NO NOT All food NO gluconate APPLICABLE fooducing required APPLICABLENTRY **ENTRY** species No MRL Nickel NOT All food NOT NO NO **ENTRY** sulphate APPLICABLE for ducing required APPLICABLENTRY species NOT Nicoboxil Equidae No MRL NOT For topical NO **APPLICABLE** required APPLICABLEse only. **ENTRY** [F37Nitroxini] Nitroxinil Bovine,  $400 \mu g/kg$ Muscle Antiparasitic ovine agents/  $200 \mu g/kg$ Fat agents  $20 \mu g/kg$ Liver against endoparasites  $400 \mu g/kg$ Kidney  $20 \mu g/kg$ Milk] Nonivamide NOT No MRL NOT For topical NO Equidae APPLICABLE required APPLICABLEse only **ENTRY** Norgestomet Norgestomet Bovine  $0.2 \mu g/kg$ Muscle For Agents  $0.2 \mu g/kg$ Fat therapeutic acting  $0.2 \,\mu g/kg$ Liver and on the  $0.2 \, \mu g/kg$ Kidney zootechnical reproductive purposes  $0.12 \mu g/kg$ Milk system only. Novobiocin Novobiocin Bovine  $50 \mu g/kg$ Milk For Antiintramammarinfectious use only. agents/ Antibiotics NOT NOT Bovine No MRL NO APPLICABLE required for APPLICABLENTRY all tissues except milk NOT [F38OctenidineNOT All No MRL For Antidihydrochlorid PPLICAB Linammalian infectious required APPLICABL Eutaneous fooduse only. agents/ producing Antiseptics]

No MRL

required

NOT

For

and

zootechnical

use only.

APPLICABLE therapeutic

NO

**ENTRY** 

species

All

food

producing

species

APPLICABL frammalian

17β-

Oestradiol

NOT

Okoubaka aubrevillei	NOT APPLICABI		No MRL required	NOT APPLICABI	For use in	NO ENTRY
		species			veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Oleyloleate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Omeprazole	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For oral use Forly.	NO ENTRY
Orgotein	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ornithine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Orotic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F39Ovotrans	fNOT APPLICABI	Chicken LE	No MRL required	NOT APPLICABI	For Hahalation use only	Anti- infectious agent
		All poultry except chicken	No MRL required	NOT APPLICABI	For Enhalation use only Not for use in animals from which eggs are produced]	
Oxacillin	Oxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Antibiotics

			30 μg/kg	Milk	'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Oxalic acid	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	Anti- infectious agent
Oxfendazole	Sum of extractable residues which may be	All ruminants, porcine, Equidae	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents against endoparasites
	oxidised to oxfendazole sulphone	All ruminants	10 μg/kg	Milk	and fat in natural proportions'.	•
Oxibendazol	eOxibendazol	ePorcine	100 μg/kg 500 μg/kg 200 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthina oleum</i>	NOT APPLICABI e	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxolinic acid	Oxolinic acid	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Antibiotics

					'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced	
					for human consumption	
Oxyclozanid	eOxyclozanid	eAll ruminants	20 μg/kg 20 μg/kg 500 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxytetracycl	i <b>Se</b> m of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. [XIMRLs for liver and kidney do not apply to fin fish.]	Anti- infectious agents/ Antibiotics
Oxytocin	NOT APPLICABI	All  Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Pancreatin	NOT APPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	For topical Arise only.	NO ENTRY
Papain	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Papaverine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	Newborn Æalves only.	NO ENTRY
Paracetamol	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Jonly.	NO ENTRY
Parconazole	NOT APPLICABI	Guinea L <b>f</b> owl	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
[F40Paromom	<sub>Patr</sub> omomyci	nAll food producing species	500 μg/kg 1 500 μg/kg 1 500 μg/kg 200 μg/kg	Muscle Liver  Kidney  Eggs]	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk is produced for human consumption	Anti- infectious agents/ Antibiotics
Peforelin	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F41Pegylated bovine granulocyte colony stimulating factor	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	Biological/ Immunomodulator]
Penethamate	Benzylpenic	IMH mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

					natural proportions'.	
Pepsin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Peracetic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F42Phenoxy	netroposyment	<b>hPopeini</b> eillin	25 μg/kg	Muscle	NO	Anti- infectious agents/ Antibiotics
			25 μg/kg	Liver	ENTRY	
			25 μg/kg	Kidney		
		Poultry	25 μg/kg	Muscle		
			25 μg/kg	Skin and fat		
			25 μg/kg	Liver		
			25 μg/kg	Kidney		
			25 μg/kg	Eggs]		
Phenylalanir	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Phloroglucin	dNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F43Phoxim	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against ectoparasites.]

					Not for use in animals from which milk is produced for human consumption	
Phytolacca americana	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only.	eias,
Phytomenad	idni@T APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Piceae turiones recentes extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Imply.	NO ENTRY
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 μg/ kg	Eggs		
Piperazine dihydrochlor	NOT i <b>A</b> PPLICABI	Chicken LE	No MRL required for all tissues except eggs	NOT APPLICABI	NO LENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABI	Bovine,  Evine, caprine, Equidae	No MRL required	NOT APPLICABI	For topical Larse only.	NO ENTRY

Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 400 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Policresulen	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical  These only.	NO ENTRY
Poloxalene	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Poloxamer	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyethylene glycol 15 hydroxystear	APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Polyethylene glycol stearates with 8-40 oxyethylene units	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Polyoxyethy sorbitan monooleate and trioleate	IMOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

Status: Point in time view as at 03/03/2019.

Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units	NOT JAPPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polysorbate 80	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polysulphate glycosamino	dNOT gangrahicabi	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F44Porcine prolactin	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	For oral use Fin newborn piglets at a dose of up to 0,2 mg/animal. For use in sows at a total dose of up to 5 mg/animal.	Agents acting on the reproductive system]
Potassium DL-aspartate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glycerophosp	NOT MARPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium selenate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Praziquantel	NOT APPLICABI	Ovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[F45Prednisol	ohrednisolone	Bovine	4 μg/kg	Muscle	NO	Corticoids/
			4 μg/kg	Fat	ENTRY	Glucocorticoids
			10 μg/kg	Liver		
			10 μg/kg	Kidney		
			6 μg/kg	Milk		

		Equidae	4 μg/kg	Muscle		
			8 μg/kg	Fat		
			6 μg/kg	Liver		
	'		15 μg/kg	Kidney]		
Pregnant mare serum gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prethcamide (crotethamid and cropropamid	eAPPLICABI	All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Procaine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Progesterone	NOT APPLICABI	Bovine, Evine, caprine, Equidae (female)	No MRL required	NOT APPLICABI	Only for Intravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F46Propyl 4- hydroxybenz and its sodium salt	NOT APPLICABI oate	All food Froducing species	No MRL required	NOT APPLICABI	For use as a preservative only	NO ENTRY]
Propylene glycol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared	NO ENTRY

Status: Point in time view as at 03/03/2019.

					according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	
[F47Purified semi-solid extract from Humulus lupulus L. containing approximate 48 % of beta acids (as potassium salts)	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites]
Pyrantel embonate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Pyrethrum extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical  Fise only.	NO ENTRY
2- Pyrrolidone	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	At Farenteral doses up to 40 mg/kg bw.	NO ENTRY
Quatresin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as preservative only at concentration of up to 0,5 %.	NO ENTRY ns
Quercus cortex	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Quillaia saponins	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

[F48Rafoxanio	dRafoxanide	Bovine	30 μg/kg 30 μg/kg 10 μg/kg 40 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against	
		Ovine	100 μg/kg 250 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney		endoparasites	
		Bovine, ovine	10 μg/kg	Milk	Provisional MRL shall expire on 31 December 2017]		
Rhei radix, standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Ricini oleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY	
Rifaximin	Rifaximin	Bovine	60 μg/kg	Milk	NO ENTRY	Anti- infectious	
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	For Intramamma use, except if the udder may be used as food for human consumption and intrauterine use only.		
		All mammalian food producing species	No MRL required	NOT APPLICABI	For topical Larse only.		
Romifidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For  Herapeutic uses only.	NO ENTRY	
Rosmarini aetheroleum	NOT APPLICABI	All food  Producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	

Status: Point in time view as at 03/03/2019.

Rosmarini folium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ruscus aculeatus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Just only.	NO ENTRY
Ruta graveolens	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption	eias, ns
Salicylic acid	NOT APPLICABI	All food  Froducing species except fin fish	No MRL required	NOT APPLICABI	For topical Arise only.	NO ENTRY
Salviae folium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sambuci flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from which	Anti- infectious agents/
		Salmonidae	30 μg/kg	Muscle and skin	eggs are produced	Antibiotics

				in natural proportions	for human consumption	
Selenicereus grandiflorus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration in the products not exceeding one part per hundred only.	eias,
Serenoa repens	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Momeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s
Serine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Serotonin	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Silybum marianum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal	NO ENTRY

					products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Sinapis nigrae semen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F49</sup> Sisaproni	Sisapronil	Bovine, caprine	100 μg/kg 2 000 μg/ kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites]
Sodium 2- methyl-2- phenoxy- propanoate	NOT APPLICABI	Bovine, Forcine, caprine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium acetylsalicyl	NOT a <b>t</b> ePPLICABI	All food Producing species except fin fish	No MRL required	NOT APPLICABI	Not for use Im animals from which milk or eggs are produced for human consumption	NO ENTRY
Sodium benzyl 4- hydroxybenz	NOT APPLICABI coate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium butyl 4- hydroxybenz	NOT APPLICABI coate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Sodium cetostearyl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Liese only.	NO ENTRY
Sodium chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Large only.	NO ENTRY
Sodium cromoglycat	NOT eAPPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium dichloroisoc	NOT y <b>a</b> rr <b>p</b> atecabl	Bovine, Evine, caprine	No MRL required	NOT APPLICABI	For topical Lise only.	NO ENTRY
Sodium dioctylsulpho	NOT D <b>ARPI</b> DKÆBI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium formaldehyd	NOT e <b>s</b> iH <b>Pho©ylas</b> d	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium hypophosphi	NOT t <b>a</b> pplicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium nitrite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Sodium propionate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium pyrosulphite	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F50]Sodium salicylate	NOT APPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	For oral Tise. Not for use in animals from which milk is produced	NO ENTRY

					for human consumption	
		All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical Turse only.	
	Salicylic acid	Turkey	400 μg/kg 2 500 μg/ kg 200 μg/kg 150 μg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption	Anti- inflammatory agents/ Non- steroidal .anti- inflammatory agents]
Sodium selenate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium selenite	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium stearate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Solidago virgaurea	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration corresponding to the mother tincture and dilutions thereof only.	eias 1s

[F51] Solvent naphtha, light aromatic, with cumene concentration not exceeding 2,5 %, and benzene concentration not exceeding 0,0002 %		All food Producing species	No MRL required	NOT APPLICABI	For Autaneous use only. Only at volume not exceeding 15 µl solvent naphtha/kg bw.	NO ENTRY]
Somatosalm	NOT APPLICABI	Salmon LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABI	All food- producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Spectinomy	iSpectinomyc	i <b>0</b> vine	300 μg/kg 500 μg/kg 2 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural	Anti- infectious agents/ Antibiotics
		All other food producing species	300 μg/kg 500 μg/kg 1 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are	

					produced for human consumption	
Spiramycin	Sum of spiramycin and neospiramyc	Bovine	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Liver Kidney	NO ENTRY	
StreptomycinStr	Streptomycii	nAll ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		All ruminants	200 μg/kg	Milk	and fat in natural proportions'.	
Strychni semen	NOT APPLICABI	Bovine, Devine, caprine	No MRL required	NOT APPLICABI	For oral  Let'se only at doses up to the equivalent of 0,1 mg strychnine/ kg bw.	NO ENTRY
Strychnine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For oral  Fixe only at dose to 0,1 mg/kg bw.	NO ENTRY
Substances used in homeopathic veterinary medicines	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	All Fubstances used in homeopathic veterinary medicinal products provided	NO ENTRY

					that their concentration in the product does not exceed one part per ten thousand.	1
Sulfogaiacol	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
(all substances belonging	sParent drug	All food- producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	The combined total residues	Anti- infectious agents/ Chemotheurapeutics/
to the sulfonamide group)		Bovine, ovine, caprine	100 μg/kg	Milk	of all substances within the sulfonamide group should not exceed 100 µg/kg. For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which eggs are produced for human consumption	
Sulphur	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Symphyti radix	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY

Status: Point in time view as at 03/03/2019.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

intact skin only. NOT All food No MRL NOT NO Syzygium For use in APPLICABLE for ducing APPLICABLE omeopathic ENTRY cumini required species veterinary medicinal products prepared according homeopathic pharmacopoeias concentrations corresponding to the mother tincture and dilutions thereof only. **Tanninum** NOT No MRL NOT NO NO All food APPLICABLE for ducing required APPLICABLENTRY **ENTRY** species L-tartaric NOT All food No MRL NOT For use as NO APPLICABL Froducing acid and its required APPLICABLExcipient. **ENTRY** mono- and species di-basic salt of sodium, potassium and calcium Tau NOT Bees No MRL NOT NO NO APPLICABLE APPLICABLENTRY **ENTRY** fluvalinate required Teflubenzuron Teflubenzuron Salmonidae  $500 \mu g/kg$ Muscle NO Antiparasitic and skin **ENTRY** agents/ in natural Agents proportions against ectoparasites *Terebinthinae*NOT All food No MRL NOT For topical NO aetheroleum APPLICABL Froducing required APPLICABLE only. **ENTRY** rectificatum species **TerebinthinaeNOT** No MRL NO All food NOT For topical APPLICABLE for ducing APPLICABLEse only. **ENTRY** laricina required species NO Terpin NOT Bovine, No MRL NOT NO hydrate APPLICABLEvine, required APPLICABLENTRY **ENTRY** 

		caprine, porcine				
Tetracaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Imaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Theobromine	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Theophylline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Thiabendazo	lSum of thiabendazol and 5- hydroxythial	_	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenic	dlhiamphenio	coll food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 03/03/2019.

					natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Thiamylal	NOT APPLICABI	All finammalian food producing species	No MRL required	NOT APPLICABI	For Intravenous administrationly.	NO ENTRY n
Thioctic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiomersal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	
Thiopental sodium	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For Intravenous administration only.	NO ENTRY on
Threonine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thuja occidentalis	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not	eias,

					exceeding one part per hundred only.	
Thymi aetheroleum	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Thymidine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Thymol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tiamulin	Sum of metabolites	Porcine, rabbit	100 μg/kg 500 μg/kg	Muscle Liver	NO ENTRY	Anti- infectious
	that may be hydrolysed to 8-α-hydroxymuti	Chicken lin	100 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver	agents/ Antibioti	agents/ Antibiotics
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver		
	Tiamulin	Chicken	1 000 μg/ kg	Eggs		
Tiaprost	NOT APPLICABI	Bovine, Evine, porcine, Equidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[F52Tildipiros	iTildipirosin	Bovine,	400 μg/kg	Muscle	Not for use	Anti-
		caprine	200 μg/kg	Fat	in animals from which	infectious agents/
			2 000 μg/ kg	Liver	milk is produced for human	Antibiotics
			3 000 μg/ kg	Kidney	consumption	
		Porcine	1 200 μg/ kg	Muscle		
			800 μg/kg	Skin and fat in natural proportions		
			5 000 μg/ kg	Liver		

Status: Point in time view as at 03/03/2019.

			10 000 μg/ kg	Kidney]		
Tiliae flos	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/ kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Antibiotics
		All other food producing species	50 μg/kg 50 μg/kg 1 000 μg/ kg 1 000 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	
Tiludronic acid (in the form of disodium	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
salt)		Poultry	No MRL required	NOT APPLICABI	For Farenteral use only and for use in laying and breeder birds only.	
Timerfonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines	NO ENTRY

					at a concentration not exceeding 0,02 %.	1
Toldimfos	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/
		Bovine	50 μg/kg	Milk		Nonsteroidal anti- inflammatory agents
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Antiparasitic agents/ Agents acting against
		Poultry	100 μg/kg 200 μg/kg 600 μg/kg 400 μg/kg	Muscle Skin and fat Liver Kidney	and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption consumption	
Tosylchlorar sodium	n <b>N</b> OT APPLICABI	Bovine, Equidae	No MRL required	NOT APPLICABI	For topical	NO ENTRY
		Fin fish	No MRL required	NOT APPLICABI	For water- Eorne use only.	
Tragacanth	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	For water Forne use only.	NO ENTRY

Trichlormeth		All Finammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY		
[ <sup>F53</sup> Triclaben	cannot the extractable residues that may be oxidised to ketotriclaben	All ruminants	225 μg/kg 100 μg/kg 250 μg/kg 150 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites]		
Trimethoprin	nTrimethoprir	nEquidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to	the muscle MRL relates to	the muscle MRL relates to	Anti- infectious agents/ Chemotheurapeutics
		All other food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption			
Trimethylph	MOTucinol APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY		
[F54Triptoreli acetate	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	Agents acting on the reproductive system		

Trypsin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Tryptophan	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
[F55Tulathror	n(2Rn3S,4R,5	RQ&Rn&0R,111	R <b>4520S</b> µg/kg	Muscle	Not for use	Anti-	
	13S,14R)-2- ethyl-3,4,10,		250 μg/kg	Fat	in animals from which	infectious agents/	
	tetra- hydroxy-3,5,	8,10,12,14-	5 400 μg/ kg	Liver	milk is produced for human	Antibiotics	
	hexamethyl- [[3,4,6- trideoxy-3-	11-	1 800 μg/ kg	Kidney	consumption		
	(dimethy-lamino)-	Bovine	300 μg/kg	Muscle			
	ß-D-xylo-		200 μg/kg	Fat			
	hexopyranos oxa-6- azacyclopen		4 500 μg/ kg	Liver			
	decan-15- one		3 000 µg/ kg	Kidney			
	expressed as	Porcine	800 μg/kg	Muscle			
	tulathromyci equivalents		in	300 μg/kg	Skin and fat in natural proportions		
			4 000 μg/ kg	Liver			
			8 000 μg/ kg	Kidney]			
Turnera diffusa	NOT APPLICABI	All food Producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopolat concentration corresponding to the mother tincture and dilutions	eias ns	

					thereof only.	
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
[F56Tylvalosi	nSum of	Porcine	50 μg/kg	Muscle	NO	Anti-
	tylvalosin and 3-O- acetyltylosin		50 μg/kg	Skin and fat	ENTRY	infectious agents/ Antibiotics
			50 μg/kg	Liver		
			50 μg/kg	Kidney		
		Poultry	50 μg/kg	Skin and fat		
			50 μg/kg	Liver		
	Tylvalosin	Poultry	200 μg/kg	Eggs]		
Tyrosine	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urginea maritima	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoo at concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Uridine and its 5'-mono-5'-di- and 5'-triphosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Urticae herba	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Valine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[F57Valnemul	i∤∕alnemulin	Porcine, rabbit	50 μg/kg 500 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- infectious agents/ Antibiotics]
Vedaprofen	Vedaprofen	Equidae	50 μg/kg 20 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Vetrabutine hydrochlorid	NOT eAPPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Vincamine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For use in Infewborn animals only.	NO ENTRY
[F58Virginian	Winginiamyc factor S1	i <b>P</b> oultry	10 μg/kg 30 μg/kg 10 μg/kg 60 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced	Anti- infectious agents/ Antibiotics]

					for human consumption	
Virola sebifera	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration in the products not exceeding one part per thousand only.	eias,
Viscum album	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacoporat concentration corresponding to the mother tincture and dilutions thereof only.	eias ns
Vitamin A	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B1	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B2	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Vitamin B3	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B5	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B6	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B12	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin D	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin E	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Wool alcohols	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	For topical Lifese only.	NO ENTRY
Xylazine hydrochlorid	NOT eAPPLICABI	Bovine, <b>E</b> quidae	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc acetate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc chloride	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oleate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oxide	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc stearate	NOT APPLICABI	All food  Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Status: Point in time view as at 03/03/2019.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

Zinc	NOT	All food	No MRL	NOT	NO	NO
sulphate	APPLICABI	peroducing	required	APPLICABI	LENTRY	ENTRY
		species				

#### **Editorial Information**

X1 Substituted by Corrigendum to Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Official Journal of the European Union L 15 of 20 January 2010).

#### **Textual Amendments**

- **F1** Inserted by Commission Implementing Regulation (EU) 2017/1559 of 14 September 2017 amending Regulation (EU) No 37/2010 to classify the maximum residue limit of the substance alarelin (Text with EEA relevance).
- **F2** Substituted by Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance altrenogest (Text with EEA relevance).
- **F3** Substituted by Commission Implementing Regulation (EU) 2016/2074 of 25 November 2016 amending Regulation (EU) No 37/2010 as regards the substance aluminium salicylate, basic (Text with EEA relevance).
- **F4** Substituted by Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance azamethiphos (Text with EEA relevance).
- F5 Substituted by Commission Implementing Regulation (EU) 2015/446 of 17 March 2015 amending Regulation (EU) No 37/2010 as regards the substance 'barium selenate' (Text with EEA relevance).
- **F6** Inserted by Commission Implementing Regulation (EU) 2017/1558 of 14 September 2017 amending Regulation (EU) No 37/2010 to classify the substance bromelain as regards its maximum residue limit (Text with EEA relevance).
- F7 Substituted by Commission Implementing Regulation (EU) No 20/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance butafosfan (Text with EEA relevance).
- F8 Inserted by Commission Implementing Regulation (EU) No 677/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'cabergoline' (Text with EEA relevance).
- **F9** Inserted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).
- **F10** Inserted by Commission Implementing Regulation (EU) 2015/1078 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'clodronic acid (in the form of disodium salt)' (Text with EEA relevance).
- F11 Substituted by Commission Implementing Regulation (EU) No 683/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'clorsulon' (Text with EEA relevance).
- F12 Substituted by Commission Implementing Regulation (EU) No 682/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'closantel' (Text with EEA relevance).
- F13 Inserted by Commission Implementing Regulation (EU) 2016/710 of 12 May 2016 amending Regulation (EU) No 37/2010 as regards the substance 'copper carbonate' (Text with EEA relevance).
- **F14** Inserted by Commission Regulation (EU) No 890/2010 of 8 October 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding

Status: Point in time view as at 03/03/2019.

- maximum residue limits in foodstuffs of animal origin, as regards the substance derquantel (Text with EEA relevance).
- **F15** Substituted by Commission Implementing Regulation (EU) No 1235/2013 of 2 December 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance diclazuril (Text with EEA relevance).
- **F16** Substituted by Commission Implementing Regulation (EU) 2015/1820 of 9 October 2015 amending Regulation (EU) No 37/2010 as regards the substance 'Diethylene glycol monoethyl ether' (Text with EEA relevance).
- F17 Inserted by Commission Implementing Regulation (EU) No 489/2013 of 27 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus (Text with EEA relevance).
- **F18** Substituted by Commission Implementing Regulation (EU) 2015/151 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'doxycycline' (Text with EEA relevance).
- **F19** Substituted by Commission Implementing Regulation (EU) 2018/722 of 16 May 2018 amending Regulation (EU) No 37/2010 to classify the substance eprinomectin as regards its maximum residue limit (Text with EEA relevance).
- **F20** Substituted by Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance fenbendazole (Text with EEA relevance).
- **F21** Substituted by Commission Implementing Regulation (EU) 2018/523 of 28 March 2018 amending Regulation (EU) No 37/2010 to classify the substance fluazuron as regards its maximum residue limit (Text with EEA relevance).
- **F22** Inserted by Commission Implementing Regulation (EU) 2017/201 of 6 February 2017 amending Regulation (EU) No 37/2010 to classify the substance fluralaner as regards its maximum residue limit (Text with EEA relevance).
- **F23** Substituted by Commission Implementing Regulation (EU) 2016/2045 of 23 November 2016 amending Regulation (EU) No 37/2010 as regards the substance gamithromycin (Text with EEA relevance).
- **F24** Substituted by Commission Implementing Regulation (EU) 2016/305 of 3 March 2016 amending Regulation (EU) No 37/2010 as regards the substance 'gentamicin' (Text with EEA relevance).
- F25 Inserted by Commission Implementing Regulation (EU) 2015/1079 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'hexaflumuron' (Text with EEA relevance).
- **F26** Inserted by Commission Implementing Regulation (EU) 2016/1444 of 31 August 2016 amending Regulation (EU) No 37/2010 as regards the substance hydrocortisone aceponate (Text with EEA relevance).
- **F27** Inserted by Commission Regulation (EU) No 363/2011 of 13 April 2011 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance isoeugenol (Text with EEA relevance).
- **F28** Substituted by Commission Implementing Regulation (EU) 2018/1076 of 30 July 2018 amending Regulation (EU) No 37/2010 to classify the substance isoflurane as regards its maximum residue limit (Text with EEA relevance).
- **F29** Substituted by Commission Implementing Regulation (EU) No 418/2014 of 24 April 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance ivermectin (Text with EEA relevance).
- **F30** Substituted by Commission Implementing Regulation (EU) No 1277/2014 of 1 December 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lasalocid' (Text with EEA relevance).
- **F31** Inserted by Commission Implementing Regulation (EU) No 967/2014 of 12 September 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lufenuron' (Text with EEA relevance).

- **F32** Substituted by Commission Implementing Regulation (EU) No 1057/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance manganese carbonate (Text with EEA relevance).
- **F33** Substituted by Commission Implementing Regulation (EU) 2015/149 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'methylprednisolone' (Text with EEA relevance).
- **F34** Substituted by Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monensin (Text with EEA relevance).
- F35 Substituted by Commission Implementing Regulation (EU) 2016/1834 of 17 October 2016 amending Regulation (EU) No 37/2010 as regards the substance monepantel (Text with EEA relevance).
- **F36** Substituted by Commission Implementing Regulation (EU) No 1056/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance neomycin (Text with EEA relevance).
- F37 Substituted by Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance nitroxinil (Text with EEA relevance).
- **F38** Inserted by Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance octenidine dihydrochloride (Text with EEA relevance).
- **F39** Inserted by Commission Implementing Regulation (EU) 2019/238 of 8 February 2019 amending Regulation (EU) No 37/2010 to classify the substance ovotransferrin as regards its maximum residue limit (Text with EEA relevance).
- **F40** Substituted by Commission Implementing Regulation (EU) 2018/1967 of 12 December 2018 amending Regulation (EU) No 37/2010 to classify the substance paromomycin as regards its maximum residue limit (Text with EEA relevance).
- **F41** Inserted by Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance pegylated bovine granulocyte colony stimulating factor (Text with EEA relevance).
- **F42** Substituted by Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phenoxymethylpenicillin (Text with EEA relevance).
- **F43** Substituted by Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phoxim (Text with EEA relevance).
- **F44** Inserted by Commission Implementing Regulation (EU) 2018/721 of 16 May 2018 amending Regulation (EU) No 37/2010 to classify the substance porcine prolactin as regards its maximum residue limit (Text with EEA relevance).
- **F45** Substituted by Commission Implementing Regulation (EU) No 406/2013 of 2 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance prednisolone (Text with EEA relevance).
- **F46** Inserted by Commission Implementing Regulation (EU) 2015/1080 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'propyl 4-hydroxybenzoate and its sodium salt' (Text with EEA relevance).

Status: Point in time view as at 03/03/2019.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- **F47** Inserted by Commission Implementing Regulation (EU) 2016/129 of 1 February 2016 amending Regulation (EU) No 37/2010 as regards the substance 'Purified semi-solid extract from Humulus lupulus L. containing approximately 48 % of beta acids (as potassium salts)' (Text with EEA relevance).
- **F48** Substituted by Commission Implementing Regulation (EU) 2016/576 of 14 April 2016 amending Regulation (EU) No 37/2010 as regards the substance 'rafoxanide' (Text with EEA relevance).
- **F49** Inserted by Commission Implementing Regulation (EU) 2015/2062 of 17 November 2015 amending Regulation (EU) No 37/2010 as regards the substance 'sisapronil' (Text with EEA relevance).
- **F50** Substituted by Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance sodium salicylate (Text with EEA relevance).
- **F51** Inserted by Commission Implementing Regulation (EU) 2018/520 of 28 March 2018 amending Regulation (EU) No 37/2010 to classify the substance solvent naphtha, light aromatic, as regards its maximum residue limit (Text with EEA relevance).
- **F52** Substituted by Commission Implementing Regulation (EU) No 201/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance tildipirosin (Text with EEA relevance).
- **F53** Substituted by Commission Implementing Regulation (EU) No 676/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'triclabendazole' (Text with EEA relevance).
- **F54** Inserted by Commission Implementing Regulation (EU) No 200/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance triptorelin acetate (Text with EEA relevance).
- **F55** Substituted by Commission Implementing Regulation (EU) 2015/394 of 10 March 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'tulathromycin' (Text with EEA relevance).
- **F56** Substituted by Commission Implementing Regulation (EU) 2016/312 of 4 March 2016 correcting Regulation (EU) No 37/2010 as regards the substance 'tylvalosin' (Text with EEA relevance).
- **F57** Substituted by Commission Regulation (EU) No 758/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance valnemulin (Text with EEA relevance).
- **F58** Inserted by Commission Implementing Regulation (EU) 2015/1491 of 3 September 2015 amending Regulation (EU) No 37/2010 as regards the substance 'virginiamycin' (Text with EEA relevance).

#### TABLE 2

### Prohibited substances

Pharmacologically active substance	MRL
Aristolochia spp. and preparations thereof	MRL cannot be established
Chloramphenicol	MRL cannot be established
[ <sup>F59</sup> ]	
Chlorpromazine	MRL cannot be established
Colchicine	MRL cannot be established
Dapsone	MRL cannot be established
Dimetridazole	MRL cannot be established
Metronidazole	MRL cannot be established

Status: Point in time view as at 03/03/2019.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

Nitrofurans (including furazolidone)	MRL cannot be established
Ronidazole	MRL cannot be established

# **Textual Amendments**

**F59** Deleted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).

# **Status:**

Point in time view as at 03/03/2019.

# **Changes to legislation:**

There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010.