

## ANNEX

## Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

TABLE 1

## Allowed substances

Pharmacologically active Substance	Milk residue	Animal Species	MRL	Target Tissues	Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009)	Therapeutic Classification
Abamectin	Avermectin B1a	Bovine	10 µg/kg 20 µg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Ovine	20 µg/kg 50 µg/kg 25 µg/kg 20 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	
<i>Absinthium</i> extract	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Acetylmethionine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Acetylsalicylic acid	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Acetylsalicylic acid DL-lysine	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced	NO ENTRY

---

*Status: This is the original version (as it was originally adopted).*

---

					for human consumption.	
Adenosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Adonis vernalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
<i>Aesculus hippocastanum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per ten only.	NO ENTRY
<i>Agnus castus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	
<i>Ailanthus altissima</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Alanine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	All ruminants	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone,	Bovine, ovine	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

*Status: This is the original version (as it was originally adopted).*

	and albendazole 2-amino sulphone, expressed as albendazole		100 µg/kg			
Alfacalcidol	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For Parturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABLE	Bovine, porcine, rabbit, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Allantoin	NOT APPLICABLE	All food-producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Allium cepa</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Aloe vera</i> gel and whole leaf extract of <i>Aloe vera</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Aloes, Barbados and Capae, their standardised dry extract and	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

preparations thereof						
Alphacypermethrin	Cypermethrin (sum of isomers)	Bovine, ovine	20 µg/kg 200 µg/kg 20 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Altrenogest	Altrenogest	Porcine	1 µg/kg 0,4 µg/kg	Skin and fat Liver	Only for zootechnical use and in accordance with the provisions of Directive 96/22/EC.	Agents acting on the reproductive system
		<i>Equidae</i>	1 µg/kg 0,9 µg/kg	Fat Liver		
Aluminium distearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium monostearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aluminium salicylate, basic	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For oral use only. Not for use in animals from which milk is produced for human consumption.	NO ENTRY
		All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	

*Status: This is the original version (as it was originally adopted).*

		except fin fish				
Aluminium tristearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
2-Aminoethanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
2-Aminoethanol glucuronate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
2-Aminoethyl dihydrogenphosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites containing the 2,4-DMA moiety, expressed as amitraz	Bovine 200 µg/kg 200 µg/kg 200 µg/kg 10 µg/kg Fat Liver Kidney Milk Ovine 400 µg/kg 100 µg/kg 200 µg/kg 10 µg/kg Fat Liver Kidney Milk Caprine 200 µg/kg 100 µg/kg 200 µg/kg 10 µg/kg Fat Liver Kidney Milk Porcine 400 µg/kg 200 µg/kg 200 µg/kg Skin and fat Liver Kidney Bees 200 µg/kg Honey			NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Ammonium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ammonium lauryl sulphate	NOT APPLICABLE	All food-producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Amoxicillin	Amoxicillin	All food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin	Anti-infectious agents/ Antibiotics

					<p>in natural proportions’ MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to ‘skin and fat in natural proportions’ Not for use in animals from which eggs are produced for human consumption.</p>	
Ampicillin	Ampicillin	All food producing species	<p>50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg</p>	<p>Muscle Fat Liver Kidney Milk</p>	<p>For fin fish the muscle MRL relates to ‘muscle and skin in natural proportions’ MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to ‘skin and fat in natural proportions’ Not for use in animals from which eggs are produced</p>	<p>Anti-infectious agents/ Antibiotics</p>

*Status: This is the original version (as it was originally adopted).*

					for human consumption.	
Amprolium	NOT APPLICABLE	Poultry	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
<i>Angelicae radix aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Anisi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Anisi stellati fructus</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Apocynum cannabinum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. For oral use only.	NO ENTRY
Apramycin	Apramycin	Bovine	1 000 µg/kg 1 000 µg/kg 10 000 µg/kg 20 000 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Ovine, Porcine,	No MRL required	NOT APPLICABLE	For oral use only.	



		chicken, rabbit			Not for use in animals from which milk or eggs are produced for human consumption.	
<i>Aqua levici</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias only.	NO ENTRY
Arginine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Arnica montana (arnicae flos and arnicae planta tota)</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Arnicae radix</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only.	NO ENTRY
<i>Artemisia abrotanum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary	NO ENTRY

---

*Status: This is the original version (as it was originally adopted).*

---

					medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	
Asparagine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Aspartic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Atropa belladonna</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
Atropine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Avilamycin	Dichloroisocoumaric acid	Porcine, poultry, rabbit	50 µg/kg 100 µg/kg 300 µg/kg 200 µg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin	Anti-infectious agents/ Antibiotics

					and fat in natural proportions? Not for use in animals from which eggs are produced for human consumption.	
Azagly-nafarelin	NOT APPLICABLE	<i>Salmonidae</i>	No MRL required	NOT APPLICABLE	Not for use in fish from which eggs are produced for human consumption.	NO ENTRY
Azamethiphos	NOT APPLICABLE	<i>Salmonidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Azaperone	Sum of azaperone and azaperol	Porcine	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of bacitracin A, bacitracin B, and bacitracin C	Bovine	100 µg/kg	Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
		Rabbit	150 µg/kg 150 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney		
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE	For intramammary use in lactating cows only.	
<i>Balsamum peruvianum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Baquiloprim	Baquiloprim	Bovine	10 µg/kg 300 µg/kg 150 µg/kg 30 µg/kg	Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Chemotherapeutics

Status: This is the original version (as it was originally adopted).

		Porcine	40 µg/kg 50 µg/kg 50 µg/kg	Skin and fat Liver Kidney		
Barium selenate	NOT APPLICABLE	Bovine, Equine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Beclomethasone dipropionate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For Inhalation use only.	NO ENTRY
<i>Bellis perennis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Benzalkonium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as an excipient at concentrations up to 0,05 % only.	NO ENTRY
Benzocaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as local anaesthetic only.	NO ENTRY
		<i>Salmonidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	
Benzyl alcohol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Benzyl p-hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Benzylpenicillin	Benzylpenicillin	All food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Betaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Betamethasone	Betamethasone	Bovine, porcine	0,75 µg/kg 2,0 µg/kg 0,75 µg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine	0,3 µg/kg	Milk		
Biotin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Bismuth subcarbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Bismuth subgallate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Bismuth subnitrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
		Bovine	No MRL required	NOT APPLICABLE	For intramammary use only.	NO ENTRY
Bismuth subsalicylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Bituminosulfonates, ammonium and sodium salts	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Boldo folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Bromhexine	NOT APPLICABLE	Bovine, porcine, poultry	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Bromide, potassium salt	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABLE	All-mammalian food-producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Bronopol	NOT APPLICABLE	Fin fish	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Brotizolam	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For therapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Butafosfan	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For intravenous use only.	NO ENTRY
n-Butane	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
n-Butanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Butorphanol tartrate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Butyl 4-hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Butylscopolamine bromide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Caffeine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium benzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium borogluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Calcium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium citrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glucoheptonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glucono glucoheptonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium gluconolactate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium hydroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium hypophosphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium malate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium polyphosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY



Calcium propionate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium silicate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Calendula officinalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only.	NO ENTRY
<i>Calendulae flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Camphor	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	External use only.	NO ENTRY
<i>Camphora</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations	NO ENTRY

Status: This is the original version (as it was originally adopted).

					in the products not exceeding one part per hundred only.	
<i>Capsici fructus acer</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 µg/kg 5 µg/kg 15 µg/kg 15 µg/kg 1 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Porcine	5 µg/kg 5 µg/kg 25 µg/kg 25 µg/kg	Muscle Skin and fat Liver Kidney		
Carbasalate calcium	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption.	NO ENTRY
Carbetocin	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cardamon extract	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cardiospermum halicacabum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopœias at concentrations corresponding	NO ENTRY

					to the mother tincture and dilutions thereof only.	
<i>Carlinae radix</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Carnitine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, <i>Equidae</i>	500 µg/kg 1 000 µg/kg 1 000 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
	NOT APPLICABLE	Bovine	No MRL required for milk	NOT APPLICABLE		
<i>Carvi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Caryophylli aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cefacetrile	Cefacetrile	Bovine	125 µg/kg	Milk	For intramammary use only.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE		
Cefalexin	Cefalexin	Bovine	200 µg/kg 200 µg/kg 200 µg/kg 1 000 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 µg/kg	Milk	For intramammary use and eye treatment only.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE		

Status: This is the original version (as it was originally adopted).

Cefapirin	Sum of cephapirin and desacetylcephapirin	Bovine	50 µg/kg 50 µg/kg 100 µg/kg 60 µg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 µg/kg	Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine, ovine, caprine	No MRL required for all tissues except milk.	NOT APPLICABLE	For intramammary use, except if the udder may be used as food for human consumption.	
Cefoperazone	Cefoperazone	Bovine	50 µg/kg	Milk	For intramammary use in lactating cows only.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk.	NOT APPLICABLE		
Cefquinome	Cefquinome	Bovine, porcine, <i>Equidae</i>	50 µg/kg 50 µg/kg 100 µg/kg 200 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		Bovine	20 µg/kg	Milk		
Ceftiofur	Sum of all residues retaining the betalactam structure expressed as desfuroylceftiofur	All mammalian food producing species	1 000 µg/kg 2 000 µg/kg 2 000 µg/kg 6 000 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
<i>Centellae asiaticae extractum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Cetostearyl alcohol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Cetrimide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Chlorhexidine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Chlormadinone	Chlormadinone	Bovine	4 µg/kg 2 µg/kg 2,5 µg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocresol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Chlorphenamine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Chlortetracycline	Sum of parent drug and its 4-epimer	All food-producing species	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics
Choline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Chrysanthemi cinerariifolii flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Chymotrypsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cimicifugae racemosae rhizoma</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Not for use in animals from which milk is produced	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

					for human consumption.	
<i>Cinchonae cortex, standardised extracts and preparations thereof</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cinnamomi cassiae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cinnamomi cassiae cortex, standardised extracts and preparations thereof</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cinnamomi ceylanici aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Cinnamomi ceylanici cortex, standardised extracts and preparations thereof</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Citri aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Citronellae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Citrulline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 µg/kg 100 µg/kg 200 µg/kg 400 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		Bovine	200 µg/kg	Milk		
Clazuril	NOT APPLICABLE	Pigeon	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Clenbuterol hydrochloride	Clenbuterol	Bovine, <i>Equidae</i>	0,1 µg/kg 0,5 µg/kg 0,5 µg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the autonomic nervous system
		Bovine	0,05 µg/kg	Milk		
Cloprostenol	NOT APPLICABLE	Bovine, porcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
R-Cloprostenol	NOT APPLICABLE	Bovine, porcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Clorsulon	Clorsulon	Bovine	35 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
Closantel	Closantel	Bovine	1 000 µg/kg 3 000 µg/kg 1 000 µg/kg 3 000 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
		Ovine	1 500 µg/kg 2 000 µg/kg 1 500 µg/kg 5 000 µg/kg	Muscle Fat Liver Kidney		
Cloxacillin	Cloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'	Anti-infectious agents/ Antibiotics

*Status: This is the original version (as it was originally adopted).*

					MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	
Cobalt carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cobalt trioxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 µg/kg 150 µg/kg 150 µg/kg 200 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle	Anti-infectious agents/ Antibiotics



			300 µg/kg	Eggs	and skin in natural proportions? MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions?'	
<i>Condurango cortex, standardised extracts and preparations thereof</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Convallaria majalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
Copper chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Status: This is the original version (as it was originally adopted).

Copper heptanoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper methionate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Copper sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Coriandri aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Corticotropin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 µg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
<i>Crataegus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Cupressi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 µg/kg 50 µg/kg 10 µg/kg	Muscle Fat Liver	For milk further provisions	Antiparasitic agents/ Agents

			10 µg/kg 20 µg/kg	Kidney Milk	in Council Directive 94/29/EC are to be observed.	against ectoparasites
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 µg/kg 50 µg/kg 50 µg/kg	Fat Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cypermethrin	Cypermethrin (sum of isomers)	All ruminants	20 µg/kg 200 µg/kg 20 µg/kg 20 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
		<i>Salmonidae</i>	50 µg/kg	Muscle and skin in natural proportions.		
Cyromazine	Cyromazine	Ovine	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Cytidine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Danofloxacin	Danofloxacin	Bovine, ovine, caprine, poultry	200 µg/kg 100 µg/kg 400 µg/kg 400 µg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not	Anti-infectious agents/ Antibiotics
		All other food producing species	100 µg/kg 50 µg/kg 200 µg/kg 200 µg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine, caprine	30 µg/kg	Milk		

---

*Status: This is the original version (as it was originally adopted).*

---

					apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	
Decoquinat	NOT APPLICABLE	Bovine, Equine	No MRL required	NOT APPLICABLE	For oral use only. Not for use in animals from which milk is produced for human consumption.	NO ENTRY
Deltamethrin	Deltamethrin	All ruminants	10 µg/kg 50 µg/kg 10 µg/kg 10 µg/kg 20 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Fin fish	10 µg/kg	Muscle and skin in natural proportions.		
Dembrexine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Denaverine hydrochloride	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Deslorelin acetate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Detomidine	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For therapeutic use only.	NO ENTRY
Dexamethasone	Dexamethasone	Bovine, caprine, porcine, Equidae	0,75 µg/kg 2 µg/kg 0,75 µg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine, caprine	0,3 µg/kg	Milk		
Dexpanthenol	NOT APPLICABLE	All food-producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 µg/kg 700 µg/kg 20 µg/kg 20 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against ectoparasites
		Bovine, ovine, caprine	20 µg/kg	Milk		
Diclazuril	NOT APPLICABLE	All ruminants, porcine	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Diclofenac	Diclofenac	Bovine	5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg 0,1 µg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Porcine	5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg	Muscle Skin and fat Liver Kidney		
Dicloxacillin	Dicloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics

*Status: This is the original version (as it was originally adopted).*

					For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	
Dicopper oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6-triamino-pyrimidine-5-carbonitrile	Ovine	200 µg/kg 150 µg/kg 400 µg/kg 400 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites
Diethyl phthalate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diethylene glycol monoethyl ether	NOT APPLICABLE	All ruminants and porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Difloxacin	Difloxacin	Bovine, ovine, caprine	400 µg/kg 100 µg/kg 1 400 µg/kg 800 µg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics
		Porcine	400 µg/kg 100 µg/kg 800 µg/kg 800 µg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	300 µg/kg 400 µg/kg	Muscle		

			1 900 µg/kg 600 µg/kg	Skin and fat Liver Kidney	Not for use in animals from which milk is produced for human consumption. Not for use in animals from which eggs are produced for human consumption.	
		All other food producing species	300 µg/kg 100 µg/kg 800 µg/kg 600 µg/kg	Muscle Fat Liver Kidney		
Diflubenzuron	Diflubenzuron	Salmonidae	1 000 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Dihydrostreptomycin	Dihydrostreptomycin	All ruminants, porcine, rabbit	500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		All ruminants	200 µg/kg	Milk		
3,5-Diiodo-L-thyrosine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dimanganese trioxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Dimethicone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Dimethyl sulphoxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dinoprost	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dinoprost tromethamine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Dinoprostone	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Diprophylline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 µg/kg 150 µg/kg 100 µg/kg 60 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Doxapram	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Doxycycline	Doxycycline	Bovine	100 µg/kg 300 µg/kg 600 µg/kg	Muscle Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Anti-infectious agents/ Antibiotics



		Porcine, poultry	100 µg/kg 300 µg/kg 300 µg/kg 600 µg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption.	
D-Phenylalanine (6) – luteinising-hormone releasing hormone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Echinacea</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

					exceeding one part per ten only.	
<i>Echinacea purpurea</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Emamectin	Emamectin B1a	Fin fish	100 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
Enilconazole	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Enrofloxacin	Sum of enrofloxacin and ciprofloxacin	Bovine, ovine, caprine	100 µg/kg 100 µg/kg 300 µg/kg 200 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		Porcine, rabbit	100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg	Muscle Fat Liver Kidney		
		Poultry	100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg	Muscle Skin and fat Liver Kidney		
		All other food producing species	100 µg/kg 100 µg/kg 200 µg/kg 200 µg/kg	Muscle Fat Liver Kidney		
Epinephrine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Eprinomectin	Eprinomectin B1a	Bovine	50 µg/kg 250 µg/kg	Muscle Fat Liver	NO ENTRY	Antiparasitic agents/ Agents

			1 500 µg/kg 300 µg/kg 20 µg/kg	Kidney Milk		acting against endo- and ectoparasites
Ergometrine maleate	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For use in Parturient animals only.	NO ENTRY
Erythromycin A	Erythromycin A	All food producing species	200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 40 µg/kg 150 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Etamiphylline camsylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Etamsylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ethanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY
Ethyl lactate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Status: This is the original version (as it was originally adopted).

Ethylendiamine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Etiproston tromethamine	NOT APPLICABLE	Bovine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Eucalypti aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Eucalyptol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Eucalyptus globulus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Euphrasia officinalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY

Febantel	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, <i>Equidae</i>	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites
		All ruminants	10 µg/kg	Milk		
Fenbendazole	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, <i>Equidae</i>	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites
		All ruminants	10 µg/kg	Milk		
Fenpipramide hydrochloride	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 µg/kg 250 µg/kg 25 µg/kg 25 µg/kg 40 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Firocoxib	Firocoxib	<i>Equidae</i>	10 µg/kg 15 µg/kg 60 µg/kg 10 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
Florfenicol	Sum of florfenicol and its metabolites measured as florfenicol-amine	Bovine, ovine, caprine	200 µg/kg 3 000 µg/kg 300 µg/kg	Muscle Liver Kidney	Not for animals from which milk is produced for human consumption. Not for animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		Porcine	300 µg/kg 500 µg/kg 2 000 µg/kg 500 µg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	100 µg/kg 200 µg/kg 2 500 µg/kg 750 µg/kg	Muscle Skin and fat Liver Kidney		

*Status: This is the original version (as it was originally adopted).*

		Fin fish	1 000 µg/kg	Muscle and skin in natural proportions.		
		All other food producing species	100 µg/kg 200 µg/kg 2 000 µg/kg 300 µg/kg	Muscle Fat Liver Kidney		
Fluazuron	Fluazuron	Bovine	200 µg/kg 7 000 µg/kg 500 µg/kg 500 µg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites
Flubendazole	Sum of flubendazole and (2-amino 1H-benzimidazol-5-yl) (4fluorophenyl) methanone	Poultry, porcine	50 µg/kg 50 µg/kg 400 µg/kg 300 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazole	Poultry	400 µg/kg	Eggs		
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 µg/kg 0,5 µg/kg 0,5 µg/kg 0,5 µg/kg 1 µg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 µg/kg 300 µg/kg 500 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		Bovine, ovine, caprine	50 µg/kg	Milk		
		Poultry	400 µg/kg 250 µg/kg 800 µg/kg 1 000 µg/kg	Muscle Skin and fat Liver Kidney		
		Fin Fish	600 µg/kg	Muscle and skin		

				in natural proportion.		
		All other food producing species	200 µg/kg 250 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney		
Flumethrin	Flumethrin (sum of trans-Z-isomers)	Bovine	10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	
	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY	
Flunixin	Flunixin	Bovine	20 µg/kg 30 µg/kg 300 µg/kg 100 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Porcine	50 µg/kg 10 µg/kg 200 µg/kg 30 µg/kg	Muscle Skin and fat Liver Kidney		
		<i>Equidae</i>	10 µg/kg 20 µg/kg 100 µg/kg 200 µg/kg	Muscle Fat Liver Kidney		
	5-Hydroxyflunixin	Bovine	40 µg/kg	Milk		
<i>Foeniculi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Folic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

---

*Status: This is the original version (as it was originally adopted).*

---

all species and their synthetic analogues)						
Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Only substances approved as additives in foodstuffs for human consumption, with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	NO ENTRY
Formaldehyde	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Formic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Frangulae cortex</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Furosemide	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Gamithromycin	Gamithromycin	Bovine	20 µg/kg 200 µg/kg 100 µg/kg	Fat Liver Kidney	Not for use in animals producing milk for human consumption.	Anti-infectious agents/ Antibiotics
Gentamicin	Sum of gentamicin	Bovine, porcine	50 µg/kg 50 µg/kg	Muscle Fat	For porcine species the	Anti-infectious



	C1, gentamicin C1a, gentamicin C2 and gentamicin C2a		200 µg/kg 750 µg/kg	Liver Kidney	fat MRL relates to 'skin and fat in natural proportions'.	agents/ Antibiotics
		Bovine	100 µg/kg	Milk		
<i>Gentiana</i> <i>radix</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Ginkgo</i> <i>biloba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopœias at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
<i>Ginseng</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopœias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY

Status: This is the original version (as it was originally adopted).

<i>Ginseng</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glutamic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glutamine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glutaraldehyde	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glycerol formal	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Glycine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Gonadotrophin releasing hormone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Guaiacol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Guanosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Halofuginone	Halofuginone	Bovine	10 µg/kg 25 µg/kg 30 µg/kg 30 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents acting against protozoa
<i>Hamamelis virginiana</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic	NO ENTRY

					pharmacopœias at concentrations in the products not exceeding one part per ten only.	
		All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	
<i>Harpagophytum procumbens</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopœias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Harunga madagascariensis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopœias, at concentrations in the products not exceeding one part per thousand only	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Heparin and its salts	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Heptaminol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hesperidin	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hexetidine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Hippocastani semen</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Histidine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Human chorion gonadotrophin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Human chorionic gonadotropin (natural HCG and its synthetic analogues)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Human menopausal urinary gonadotrophin	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Hyaluronic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hydrochloric acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY

Hydrochlorothiazide	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hydrocortisone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Hydrogen peroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Hydroxyethylcellulose	NOT APPLICABLE	All food-producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
8-Hydroxyquinoline	NOT APPLICABLE	All mammalian food-producing species	No MRL required	NOT APPLICABLE	For topical use in newborn animals only.	NO ENTRY
<i>Hyperici oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Hypericum perforatum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Imidocarb	Imidocarb	Bovine	300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa

*Status: This is the original version (as it was originally adopted).*

		Ovine	300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	
Inosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Inositol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iodine and iodine inorganic compounds including: — Sodium and potassium-iodide — Sodium and potassium-iodate — Iodophors including polyvinylpyrrolidone-iodine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iodine organic compounds — Iodoform	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron ammonium citrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron dextran	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron dichloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron fumarate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Iron glucoheptonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Iron sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isobutane	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isoflurane	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For anaesthetic use only.	NO ENTRY
Isoleucine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isopropanol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For therapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
Ivermectin	22, 23-Dihydro-avermectin B1a	All mammalian food producing species	100 µg/kg 100 µg/kg 30 µg/kg	Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents acting against endo- and ectoparasites
<i>Jecoris oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Juniperi fructus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Kanamycin	Kanamycin A	All food producing species except fin fish	100 µg/kg 100 µg/kg 600 µg/kg 2 500 µg/kg 150 µg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
Ketamine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ketoprofen	NOT APPLICABLE	Bovine, Porcine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lachnanthes tinctoria</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
Lactic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lanolin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY



Lasalocid	Lasalocid A	Poultry	20 µg/kg 100 µg/kg 100 µg/kg 50 µg/kg 150 µg/kg	Muscle Skin and fat Liver Kidney Eggs	NO ENTRY	Anti-infectious agents/ Antibiotics
<i>Lauri folii aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lauri fructus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lavandulae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Lecirelin	NOT APPLICABLE	Bovine, Equidae, rabbit	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lectin extracted from red kidney beans <i>Phaseolus vulgaris</i>	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
<i>Lespedeza capitata</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Leucine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 µg/kg 10 µg/kg 100 µg/kg 10 µg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption.	Antiparasitic agents/ Agents against endoparasites

Status: This is the original version (as it was originally adopted).

Levomethadone	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intravenous use only.	NO ENTRY
Levothyroxine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lidocaine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For local-regional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food-producing species	100 µg/kg 50 µg/kg 500 µg/kg 1 500 µg/kg 150 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C <sub>9</sub> to C <sub>13</sub> , containing less than 2,5 % of chains	NOT APPLICABLE	Bovine, Equine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY

longer than C <sub>13</sub>						
<i>Lini oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Lobaria pulmonaria</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Lobeline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Luprostiol	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Lysine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Magnesium acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium aluminium silicate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium citrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium glutamate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium hydroxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium hypophosphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium orotate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium phosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Magnesium sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Majoranae herba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Malic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as excipient.	NO ENTRY
Manganese carbonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese pidolate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese ribonucleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Manganese sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Mannitol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Marbofloxacin	Marbofloxacin	Bovine, porcine	150 µg/kg 50 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in	Anti-infectious agents/ Antibiotics
		Bovine	75 µg/kg	Milk		

Status: This is the original version (as it was originally adopted).

					natural proportions?	
<i>Matricaria recutita</i> and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Matricariae flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Mebendazole	Sum of mebendazole methyl (5-(1-hydroxy, 1-phenyl) methyl-1H-benzimidazol-2-yl) carbamate and (2-amino-1H-benzimidazol-5-yl) phenylmethanone, expressed as mebendazole equivalents	Ovine, caprine, <i>Equidae</i>	60 µg/kg 60 µg/kg 400 µg/kg 60 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
Mecillinam	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For intrauterine use only.	NO ENTRY
<i>Medicago sativa extractum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Medroxyprogesterone acetate	NOT APPLICABLE	Ovine	No MRL required	NOT APPLICABLE	For intravaginal use for zootechnical purposes only.	NO ENTRY
Melatonin	NOT APPLICABLE	Ovine, caprine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Melissae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Melissae folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, <i>Equidae</i>	20 µg/kg 65 µg/kg 65 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Bovine, caprine	15 µg/kg	Milk		
Menadione	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Menbutone	NOT APPLICABLE	Bovine, caprine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Menthae arvensis aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Menthae piperitae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Menthol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Mepivacaine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For intrarticular and epidural use as local anaesthetic only.	NO ENTRY
Mercaptamine hydrochloride	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Metamizole	4-Methylaminopyridin	Bovine, caprine, porcine, <i>Equidae</i>	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Bovine	50 µg/kg	Milk		
Methionine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Methyl nicotinate	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Methyl salicylate	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Methylbenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Methylprednisolone	Methylprednisolone	Bovine	10 µg/kg 10 µg/kg 10 µg/kg 10 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Corticoides/ Glucocorticoides
1-Methyl-2-pyrrolidone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Millefolii herba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Mineral hydrocarbons, low to high viscosity including microrcristalline waxes, approximately C10-C60, aliphatic, branched aliphatic and alicyclic compounds	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Excludes aromatic and unsaturated compounds.	NO ENTRY
Monensin	Monensin A	Bovine	2 µg/kg 10 µg/kg 30 µg/kg 2 µg/kg 2 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Monepantel	Monepantel-sulfone	Ovine	700 µg/kg 7 000 µg/kg 5 000 µg/kg	Muscle Fat Liver Kidney	Not for use in animals producing milk for	Antiparasitic agents/ Agents acting



			2 000 µg/kg		human consumption	against endoparasites
		Caprine	700 µg/kg 7 000 µg/kg 5 000 µg/kg 2 000 µg/kg	Muscle Fat Liver Kidney	Provisional maximum residue limit expires on 1 January 2011. Not for use in animals producing milk for human consumption.	
Monothio glycol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Montanide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N-methyl-1,3-propanediamine and expressed as morantel equivalents	All ruminants	100 µg/kg 100 µg/kg 800 µg/kg 200 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Moxidectin	Moxidectin	Bovine, ovine, <i>Equidae</i>	50 µg/kg 500 µg/kg 100 µg/kg 50 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites
		Bovine, ovine	40 µg/kg	Milk		
Myglyol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Myristicae aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in newborn animals only.	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

Nafcillin	Nafcillin	All ruminants	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For intramammary use only.	Anti-infectious agents/ Antibiotics
Natamycin	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Neomycin (including framycetin)	Neomycin B	All food producing species	500 µg/kg 500 µg/kg 500 µg/kg 5 000 µg/kg 1 500 µg/kg 500 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Neostigmine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Netobimin	Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	Bovine, ovine	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	For oral use only.	Antiparasitic agents/ Agents against endoparasites
Nickel gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Nickel sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Nicoboxil	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Nitroxinil	Nitroxinil	Bovine, ovine	400 µg/kg 200 µg/kg 20 µg/kg 400 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
Nonivamide	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only	NO ENTRY
Norgestomet	Norgestomet	Bovine	0,2 µg/kg 0,2 µg/kg 0,2 µg/kg 0,2 µg/kg 0,12 µg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	Agents acting on the reproductive system
Novobiocin	Novobiocin	Bovine	50 µg/kg	Milk	For intramammary use only.	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk	NOT APPLICABLE	NO ENTRY	
17β-Oestradiol	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For therapeutic and zootechnical use only.	NO ENTRY
<i>Okoubaka aubrevillei</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

					dilutions thereof only.	
Oleyloleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Omeprazole	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Orgotein	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Ornithine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Orotic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Oxacillin	Oxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics

Oxalic acid	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY	Anti-infectious agent
Oxfendazole	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, <i>Equidae</i>	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites
		All ruminants	10 µg/kg	Milk		
Oxibendazole	Oxibendazole	Porcine	100 µg/kg 500 µg/kg 200 µg/kg 100 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthinaceae oleum</i>	NOT APPLICABLE	Bovine, Equine, caprine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Oxolinic acid	Oxolinic acid	All food producing species	100 µg/kg 50 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced	Anti-infectious agents/ Antibiotics

*Status: This is the original version (as it was originally adopted).*

					for human consumption.	
Oxyclozanide	Oxyclozanide	All ruminants	20 µg/kg 20 µg/kg 500 µg/kg 100 µg/kg 10 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxytetracycline	Sum of parent drug and its 4-epimer	All food-producing species	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish.	Anti-infectious agents/ Antibiotics
Oxytocin	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Pancreatin	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Papain	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Papaverine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	Newborn calves only.	NO ENTRY
Paracetamol	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY
Parconazole	NOT APPLICABLE	Guinea fowl	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Paromomycin	Paromomycin	All food producing species	500 µg/kg 1 500 µg/kg 1 500 µg/kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'.	Anti-infectious agents/ Antibiotics

					MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk or eggs are produced for human consumption.	
Peforelin	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Penethamate	Benzylpenicillin	All mammalian food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Pepsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Peracetic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 µg/kg 500 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Phenoxyethylpenicillin	Phenoxymethylpenicillin	Phenoxymethylpenicillin	25 µg/kg 25 µg/kg 25 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-infectious agents/ Antibiotics
		Poultry	25 µg/kg 25 µg/kg 25 µg/kg 25 µg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are	

Status: This is the original version (as it was originally adopted).

				Kidney	produced for human consumption.	
Phenylalanine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Phloroglucine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Phoxim	Phoxim	Ovine	50 µg/kg 400 µg/kg 50 µg/kg	Muscle Fat Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against ectoparasites
		Porcine	20 µg/kg 700 µg/kg 20 µg/kg 20 µg/kg	Muscle Skin and fat Liver Kidney		
		Chicken	25 µg/kg 550 µg/kg 50 µg/kg 30 µg/kg 60 µg/kg	Muscle Skin and fat Liver Kidney Eggs		
<i>Phytolacca americana</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
Phytomenadione	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Piceae turiones</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For oral use only.	NO ENTRY



<i>recentes extractum</i>						
Piperazine	Piperazine	Porcine	400 µg/kg 800 µg/kg 2 000 µg/kg 1 000 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 µg/kg	Eggs		
Piperazine dihydrochloride	NOT APPLICABLE	Chicken	No MRL required for all tissues except eggs	NOT APPLICABLE	NO ENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABLE	Bovine, Equine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Pirlimycin	Pirlimycin	Bovine	100 µg/kg 100 µg/kg 1 000 µg/kg 400 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
Policresulen	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Poloxalene	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Poloxamer	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polyethylene glycol 15 hydroxystearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Polyethylene glycol stearates with 8-40 oxyethylene units	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY

Status: This is the original version (as it was originally adopted).

Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polyoxyethylene sorbitan monooleate and trioleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY
Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY
Polysorbate 80	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Polysulphated glycosaminoglycan	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium DL-aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Potassium selenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Praziquantel	NOT APPLICABLE	Ovine, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Prednisolone	Prednisolone	Bovine	4 µg/kg 4 µg/kg 10 µg/kg 10 µg/kg 6 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoides/ Glucocorticoides
Pregnant mare serum gonadotrophin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Prethcamide (crotethamide and cropropamide)	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Procaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Progesterone	NOT APPLICABLE	Bovine, ovine, caprine, Equidae (female)	No MRL required	NOT APPLICABLE	Only for intravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Propane	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Propylene glycol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias	NO ENTRY

Status: This is the original version (as it was originally adopted).

					at concentrations in the products not exceeding one part per thousand only.	
Pyrantel embonate	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Pyrethrum</i> extract	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
2-Pyrrolidone	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	At Parenteral doses up to 40 mg/kg bw.	NO ENTRY
Quatresin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as preservative only at concentrations of up to 0,5 %.	NO ENTRY
<i>Quercus cortex</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Quillaia</i> saponins	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Rafoxanide	Rafoxanide	Bovine	30 µg/kg 30 µg/kg 10 µg/kg 40 µg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Antiparasitic agents/ Agents against endoparasites
		Ovine	100 µg/kg 250 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidney		
<i>Rhei radix</i> , standardised extracts and preparations thereof	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Ricini oleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY

Rifaximin	Rifaximin	Bovine	60 µg/kg	Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
	NOT APPLICABLE	Bovine	No MRL required for all tissues except milk	NOT APPLICABLE	For intramammary use, except if the udder may be used as food for human consumption, and intrauterine use only.	
		All mammalian food producing species				
Romifidine	NOT APPLICABLE	<i>Equidae</i>	No MRL required	NOT APPLICABLE	For therapeutic uses only.	NO ENTRY
<i>Rosmarini aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Rosmarini folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Ruscus aculeatus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Ruta graveolens</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per	NO ENTRY

Status: This is the original version (as it was originally adopted).

					thousand only. Not for use in animals from which milk is produced for human consumption.	
Salicylic acid	NOT APPLICABLE	All food producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Salviae folium</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Sambuci flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 µg/kg 100 µg/kg	Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		<i>Salmonidae</i>	30 µg/kg	Muscle and skin in natural proportions		
<i>Selenicereus grandiflorus</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopœias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
<i>Serenoa repens</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary	NO ENTRY

					medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	
Serine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Serotonin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Silybum marianum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
<i>Sinapis nigrae semen</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium 2-methyl-2-phenoxypropanoate	NOT APPLICABLE	Bovine, porcine, caprine, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium acetylsalicylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	Not for use in animals	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

		species except fin fish			from which milk or eggs are produced for human consumption.	
Sodium benzyl 4- hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium butyl 4- hydroxybenzoate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium cromoglycate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium dichloroisocyanurate	NOT APPLICABLE	Bovine, Equine, caprine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium dioctylsulphosuccinate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium formaldehyde sulphoxylate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium glycerophosphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium hypophosphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY



Sodium nitrite	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Sodium propionate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium pyrosulphite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium salicylate	NOT APPLICABLE	Bovine, porcine	No MRL required	NOT APPLICABLE	For oral use. Not for use in animals from which milk is produced for human consumption.	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABLE	For topical use only.	
Sodium selenate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium selenite	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Solidago virgaurea</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

					mother tincture and dilutions thereof only.	
Somatosalm	NOT APPLICABLE	Salmon	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABLE	All food-producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Spectinomycin	Spectinomycin	Cow	300 µg/kg 500 µg/kg 2 000 µg/kg 5 000 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics
		All other food producing species	300 µg/kg 500 µg/kg 1 000 µg/kg 5 000 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk		
Spiramycin	Sum of spiramycin and neospiramycin	Bovine	200 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti-infectious agents/ Antibiotics
		Chicken	200 µg/kg 300 µg/kg	Muscle		

			400 µg/kg	Skin and fat Liver	from which eggs are produced for human consumption.	
	Spiramycin 1	Porcine	250 µg/kg 2 000 µg/kg 1 000 µg/kg	Muscle Liver Kidney	NO ENTRY	
Streptomycin	Streptomycin	All ruminants, porcine, rabbit	500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
		All ruminants	200 µg/kg	Milk		
<i>Strychni semen</i>	NOT APPLICABLE	Bovine, Equine, caprine	No MRL required	NOT APPLICABLE	For oral use only at doses up to the equivalent of 0,1 mg strychnine/kg bw.	NO ENTRY
Strychnine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For oral use only at dose to 0,1 mg/kg bw.	NO ENTRY
Substances used in homeopathic veterinary medicines	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	All substances used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand.	NO ENTRY

Status: This is the original version (as it was originally adopted).

Sulfogaiacol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Sulfonamides (all substances belonging to the sulfonamide group)	Parent drug	All food-producing species	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidney	The combined total residues of all substances within the sulfonamide group should not exceed 100 µg/kg. For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Chemotheurapeutics/
		Bovine, ovine, caprine	100 µg/kg	Milk		
Sulphur	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Symphyti radix</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use on intact skin only.	NO ENTRY
<i>Syzygium cumini</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	
Tanninum	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as Excipient.	NO ENTRY
Tau fluvalinate	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Teflubenzuron	Teflubenzuron	Salmonidae	500 µg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
<i>Terebinthinae aetheroleum rectificatum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
<i>Terebinthinae laricina</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Terpin hydrate	NOT APPLICABLE	Bovine, Equine, caprine, porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tetracaine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use as anaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4-epimer	All food-producing species	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle	Anti-infectious agents/ Antibiotics

*Status: This is the original version (as it was originally adopted).*

					and skin in natural proportions? MRLs for liver and kidney do not apply to fin fish.	
Theobromine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Theophylline	Not applicable	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Bovine, caprine	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Thiamphenicol	Thiamphenicol	All food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions? MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions? Not for use in animals from which eggs are produced for human consumption.	Anti-infectious agents/ Antibiotics

Thiamylal	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Thioctic acid	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Thiomersal	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use only as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	NO ENTRY
Thiopental sodium	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For intravenous administration only.	NO ENTRY
Threonine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Thuja occidentalis</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only.	NO ENTRY
<i>Thymi aetheroleum</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Status: This is the original version (as it was originally adopted).

Thymidine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Thymol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tiamulin	Sum of metabolites that may be hydrolysed to 8- $\alpha$ -hydroxymutillin	Porcine, rabbit	100 $\mu$ g/kg 500 $\mu$ g/kg	Muscle Liver	NO ENTRY	Anti-infectious agents/ Antibiotics
		Chicken	100 $\mu$ g/kg 100 $\mu$ g/kg 1 000 $\mu$ g/kg	Muscle Skin and fat Liver		
		Turkey	100 $\mu$ g/kg 100 $\mu$ g/kg 300 $\mu$ g/kg	Muscle Skin and fat Liver		
	Tiamulin	Chicken	1 000 $\mu$ g/kg	Eggs		
Tiaprost	NOT APPLICABLE	Bovine, Equine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Tiliae flos</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 $\mu$ g/kg 75 $\mu$ g/kg 1 000 $\mu$ g/kg 250 $\mu$ g/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions', MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions',	Anti-infectious agents/ Antibiotics
		All other food producing species	50 $\mu$ g/kg 50 $\mu$ g/kg 1 000 $\mu$ g/kg 1 000 $\mu$ g/kg 50 $\mu$ g/kg	Muscle Fat Liver Kidney Milk		



					Not for use in animals from which eggs are produced for human consumption.	
Tiludronic acid (in the form of disodium salt)	NOT APPLICABLE	Equidae	No MRL required	NOT APPLICABLE	For intravenous use only.	NO ENTRY
		Poultry	No MRL required	NOT APPLICABLE	For parenteral use only and for use in laying and breeder birds only.	
Timerfonate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use only as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	NO ENTRY
Toldimfos	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 µg/kg 400 µg/kg 100 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
		Bovine	50 µg/kg	Milk		
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 µg/kg 150 µg/kg 500 µg/kg 250 µg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is	Antiparasitic agents/ Agents acting against protozoa
		Poultry	100 µg/kg 200 µg/kg 600 µg/kg 400 µg/kg	Muscle Skin and fat Liver Kidney		

Status: This is the original version (as it was originally adopted).

					produced for human consumption. Not for use in animals from which eggs are produced for human consumption.	
Tosylchloramide sodium	NOT APPLICABLE	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
		Fin fish	No MRL required	NOT APPLICABLE	For water-borne use only.	
Tragacanth	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABLE	Fin fish	No MRL required	NOT APPLICABLE	For water-borne use only.	NO ENTRY
Trichlormethine	NOT APPLICABLE	All mammalian food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Triclabendazole	Sum of extractable residues which may be oxidised to ketotriclabendazole	All ruminants	225 µg/kg 100 µg/kg 250 µg/kg 150 µg/kg	Muscle Fat Liver Kidney	Not for use in animals producing milk for human consumption.	Antiparasitic agents/ Agents against endoparasites
Trimethoprim	Trimethoprim	<i>Equidae</i>	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry	Anti-infectious agents/ Chemotherapeutics
		All other food producing species	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidney Milk		

					species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.	
Trimethylphosphorotricinol	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Trypsin	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tryptophan	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Tulathromycin	(2R,3S,4R,5R,6R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopent-decan-15-one expressed as tulathromycin equivalents	Porcine	100 µg/kg 3 000 µg/kg 3 000 µg/kg	Fat Liver Kidney  Skin and fat Liver Kidney	Not for use in animals from which milk is produced for human consumption.	Anti-infectious agents/ Antibiotics
<i>Turnera diffusa</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to	NO ENTRY

*Status: This is the original version (as it was originally adopted).*

					homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	
Tylosin	Tylosin A	All food producing species	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg 50 µg/kg 200 µg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti-infectious agents/ Antibiotics
Tylvalosin	Sum of tylvalosin and 3-O-acetyltylosin	Porcine	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Anti-infectious agents/ Antibiotics
		Poultry	50 µg/kg 50 µg/kg	Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption.	
Tyrosine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Urea	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Urginea maritima</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. For oral use only.	NO ENTRY
Uridine and its 5'-mono-5'-di- and 5'-triphosphates	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
<i>Urticae herba</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Valine	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Valnemulin	Valnemulin	Porcine	50 µg/kg 500 µg/kg 100 µg/kg	Muscle Liver Kidney	NO ENTRY	Anti-infectious agents/ Antibiotics
Vedaprofen	Vedaprofen	<i>Equidae</i>	50 µg/kg 20 µg/kg 100 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti-inflammatory agents/ Nonsteroidal anti-inflammatory agents
Vetrabutine hydrochloride	NOT APPLICABLE	Porcine	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

---

*Status: This is the original version (as it was originally adopted).*

---

Vincamine	NOT APPLICABLE	Bovine	No MRL required	NOT APPLICABLE	For use in newborn animals only.	NO ENTRY
<i>Viola sebifera</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only.	NO ENTRY
<i>Viscum album</i>	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only.	NO ENTRY
Vitamin A	NOT APPLICABLE	All food-producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B1	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

Vitamin B2	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B3	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B5	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B6	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin B12	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin D	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Vitamin E	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Wool alcohols	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	For topical use only.	NO ENTRY
Xylazine hydrochloride	NOT APPLICABLE	Bovine, Equidae	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc acetate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc aspartate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc chloride	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc oleate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc oxide	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

---

*Status: This is the original version (as it was originally adopted).*

---

Zinc stearate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY
Zinc sulphate	NOT APPLICABLE	All food producing species	No MRL required	NOT APPLICABLE	NO ENTRY	NO ENTRY

TABLE 2

## Prohibited substances

<b>Pharmacologically active substance</b>	<b>MRL</b>
<i>Aristolochia spp.</i> and preparations thereof	MRL cannot be established
Chloramphenicol	MRL cannot be established
Chloroform	MRL cannot be established
Chlorpromazine	MRL cannot be established
Colchicine	MRL cannot be established
Dapsone	MRL cannot be established
Dimetridazole	MRL cannot be established
Metronidazole	MRL cannot be established
Nitrofurans (including furazolidone)	MRL cannot be established
Ronidazole	MRL cannot be established