

This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

► **B** **COMMISSION REGULATION (EU) No 37/2010**
of 22 December 2009
on pharmacologically active substances and their classification regarding maximum residue limits
in foodstuffs of animal origin
 (Text with EEA relevance)
 (OJ L 15, 20.1.2010, p. 1)

Amended by:

| | | Official Journal | | |
|---------------------|---|------------------|------|------------|
| | | No | page | date |
| ► <u>M1</u> | Commission Regulation (EU) No 758/2010 of 24 August 2010 | L 223 | 37 | 25.8.2010 |
| ► <u>M2</u> | Commission Regulation (EU) No 759/2010 of 24 August 2010 | L 223 | 39 | 25.8.2010 |
| ► <u>M3</u> | Commission Regulation (EU) No 761/2010 of 25 August 2010 | L 224 | 1 | 26.8.2010 |
| ► <u>M4</u> | Commission Regulation (EU) No 890/2010 of 8 October 2010 | L 266 | 1 | 9.10.2010 |
| ► <u>M5</u> | Commission Regulation (EU) No 914/2010 of 12 October 2010 | L 269 | 5 | 13.10.2010 |
| ► <u>M6</u> | Commission Regulation (EU) No 362/2011 of 13 April 2011 | L 100 | 26 | 14.4.2011 |
| ► <u>M7</u> | Commission Regulation (EU) No 363/2011 of 13 April 2011 | L 100 | 28 | 14.4.2011 |
| ► <u>M8</u> | Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 | L 30 | 1 | 2.2.2012 |
| ► <u>M9</u> | Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 | L 30 | 4 | 2.2.2012 |
| ► <u>M10</u> | Commission Implementing Regulation (EU) No 86/2012 of 1 February 2012 | L 30 | 6 | 2.2.2012 |
| ► <u>M11</u> | Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 | L 36 | 25 | 9.2.2012 |
| ► <u>M12</u> | Commission Implementing Regulation (EU) No 122/2012 of 13 February 2012 | L 40 | 2 | 14.2.2012 |
| ► <u>M13</u> | Commission Implementing Regulation (EU) No 123/2012 of 13 February 2012 | L 40 | 4 | 14.2.2012 |
| ► <u>M14</u> | Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 | L 71 | 37 | 9.3.2012 |
| ► <u>M15</u> | Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 | L 71 | 40 | 9.3.2012 |
| ► <u>M16</u> | Commission Implementing Regulation (EU) No 221/2012 of 14 March 2012 | L 75 | 7 | 15.3.2012 |
| ► <u>M17</u> | Commission Implementing Regulation (EU) No 222/2012 of 14 March 2012 | L 75 | 10 | 15.3.2012 |
| ► <u>M18</u> | Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 | L 134 | 10 | 24.5.2012 |
| ► <u>M19</u> | Commission Implementing Regulation (EU) No 466/2012 of 1 June 2012 | L 143 | 2 | 2.6.2012 |
| ► <u>M20</u> | Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 | L 336 | 14 | 8.12.2012 |

| | | | | |
|---------------------|--|-------|-----|------------|
| ► <u>M21</u> | Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 | L 338 | 20 | 12.12.2012 |
| ► <u>M22</u> | Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 | L 340 | 35 | 13.12.2012 |
| ► <u>M23</u> | Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 | L 21 | 21 | 24.1.2013 |
| ► <u>M24</u> | Commission Implementing Regulation (EU) No 115/2013 of 8 February 2013 | L 38 | 11 | 9.2.2013 |
| ► <u>M25</u> | Commission Implementing Regulation (EU) No 116/2013 of 8 February 2013 | L 38 | 14 | 9.2.2013 |
| ► <u>M26</u> | Commission Implementing Regulation (EU) No 394/2013 of 29 April 2013 | L 118 | 17 | 30.4.2013 |
| ► <u>M27</u> | Commission Implementing Regulation (EU) No 406/2013 of 2 May 2013 | L 121 | 42 | 3.5.2013 |
| ► <u>M28</u> | Commission Implementing Regulation (EU) No 489/2013 of 27 May 2013 | L 141 | 4 | 28.5.2013 |
| ► <u>M29</u> | Commission Implementing Regulation (EU) No 1056/2013 of 29 October 2013 | L 288 | 60 | 30.10.2013 |
| ► <u>M30</u> | Commission Implementing Regulation (EU) No 1057/2013 of 29 October 2013 | L 288 | 63 | 30.10.2013 |
| ► <u>M31</u> | Commission Implementing Regulation (EU) No 1235/2013 of 2 December 2013 | L 322 | 21 | 3.12.2013 |
| ► <u>M32</u> | Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 | L 8 | 18 | 11.1.2014 |
| ► <u>M33</u> | Commission Implementing Regulation (EU) No 20/2014 of 10 January 2014 | L 8 | 20 | 11.1.2014 |
| ► <u>M34</u> | Commission Implementing Regulation (EU) No 200/2014 of 3 March 2014 | L 62 | 8 | 4.3.2014 |
| ► <u>M35</u> | Commission Implementing Regulation (EU) No 201/2014 of 3 March 2014 | L 62 | 10 | 4.3.2014 |
| ► <u>M36</u> | Commission Implementing Regulation (EU) No 418/2014 of 24 April 2014 | L 124 | 19 | 25.4.2014 |
| ► <u>M37</u> | Commission Implementing Regulation (EU) No 676/2014 of 19 June 2014 | L 180 | 5 | 20.6.2014 |
| ► <u>M38</u> | Commission Implementing Regulation (EU) No 677/2014 of 19 June 2014 | L 180 | 8 | 20.6.2014 |
| ► <u>M39</u> | Commission Implementing Regulation (EU) No 681/2014 of 20 June 2014 | L 182 | 11 | 21.6.2014 |
| ► <u>M40</u> | Commission Implementing Regulation (EU) No 682/2014 of 20 June 2014 | L 182 | 14 | 21.6.2014 |
| ► <u>M41</u> | Commission Implementing Regulation (EU) No 683/2014 of 20 June 2014 | L 182 | 17 | 21.6.2014 |
| ► <u>M42</u> | Commission Implementing Regulation (EU) No 967/2014 of 12 September 2014 | L 272 | 3 | 13.9.2014 |
| ► <u>M43</u> | Commission Implementing Regulation (EU) No 1277/2014 of 1 December 2014 | L 346 | 23 | 2.12.2014 |
| ► <u>M44</u> | Commission Implementing Regulation (EU) No 1359/2014 of 18 December 2014 | L 365 | 103 | 19.12.2014 |
| ► <u>M45</u> | Commission Implementing Regulation (EU) No 1390/2014 of 19 December 2014 | L 369 | 65 | 24.12.2014 |
| ► <u>M46</u> | Commission Implementing Regulation (EU) 2015/149 of 30 January 2015 | L 26 | 7 | 31.1.2015 |
| ► <u>M47</u> | Commission Implementing Regulation (EU) 2015/150 of 30 January 2015 | L 26 | 10 | 31.1.2015 |
| ► <u>M48</u> | Commission Implementing Regulation (EU) 2015/151 of 30 January 2015 | L 26 | 13 | 31.1.2015 |
| ► <u>M49</u> | Commission Implementing Regulation (EU) 2015/152 of 30 January 2015 | L 26 | 16 | 31.1.2015 |

| | | | | |
|---------------------|--|-------|----|------------|
| ► <u>M50</u> | Commission Implementing Regulation (EU) 2015/394 of 10 March 2015 | L 66 | 1 | 11.3.2015 |
| ► <u>M51</u> | Commission Implementing Regulation (EU) 2015/446 of 17 March 2015 | L 74 | 18 | 18.3.2015 |
| ► <u>M52</u> | Commission Implementing Regulation (EU) 2015/1078 of 3 July 2015 | L 175 | 5 | 4.7.2015 |
| ► <u>M53</u> | Commission Implementing Regulation (EU) 2015/1079 of 3 July 2015 | L 175 | 8 | 4.7.2015 |
| ► <u>M54</u> | Commission Implementing Regulation (EU) 2015/1080 of 3 July 2015 | L 175 | 11 | 4.7.2015 |
| ► <u>M55</u> | Commission Implementing Regulation (EU) 2015/1308 of 29 July 2015 | L 200 | 11 | 30.7.2015 |
| ► <u>M56</u> | Commission Implementing Regulation (EU) 2015/1491 of 3 September 2015 | L 231 | 7 | 4.9.2015 |
| ► <u>M57</u> | Commission Implementing Regulation (EU) 2015/1492 of 3 September 2015 | L 231 | 10 | 4.9.2015 |
| ► <u>M58</u> | Commission Implementing Regulation (EU) 2015/1820 of 9 October 2015 | L 265 | 1 | 10.10.2015 |
| ► <u>M59</u> | Commission Implementing Regulation (EU) 2015/2062 of 17 November 2015 | L 301 | 7 | 18.11.2015 |
| ► <u>M60</u> | Commission Implementing Regulation (EU) 2016/129 of 1 February 2016 | L 25 | 44 | 2.2.2016 |
| ► <u>M61</u> | Commission Implementing Regulation (EU) 2016/305 of 3 March 2016 | L 58 | 35 | 4.3.2016 |
| ► <u>M62</u> | Commission Implementing Regulation (EU) 2016/312 of 4 March 2016 | L 60 | 3 | 5.3.2016 |
| ► <u>M63</u> | Commission Implementing Regulation (EU) 2016/576 of 14 April 2016 | L 99 | 1 | 15.4.2016 |
| ► <u>M64</u> | Commission Implementing Regulation (EU) 2016/710 of 12 May 2016 | L 125 | 6 | 13.5.2016 |
| ► <u>M65</u> | Commission Implementing Regulation (EU) 2016/885 of 3 June 2016 | L 148 | 1 | 4.6.2016 |
| ► <u>M66</u> | Commission Implementing Regulation (EU) 2016/1444 of 31 August 2016 | L 235 | 8 | 1.9.2016 |
| ► <u>M67</u> | Commission Implementing Regulation (EU) 2016/1834 of 17 October 2016 | L 280 | 22 | 18.10.2016 |
| ► <u>M68</u> | Commission Implementing Regulation (EU) 2016/2045 of 23 November 2016 | L 318 | 3 | 24.11.2016 |
| ► <u>M69</u> | Commission Implementing Regulation (EU) 2016/2074 of 25 November 2016 | L 320 | 29 | 26.11.2016 |
| ► <u>M70</u> | Commission Implementing Regulation (EU) 2017/201 of 6 February 2017 | L 32 | 17 | 7.2.2017 |
| ► <u>M71</u> | Commission Implementing Regulation (EU) 2017/1558 of 14 September 2017 | L 237 | 67 | 15.9.2017 |
| ► <u>M72</u> | Commission Implementing Regulation (EU) 2017/1559 of 14 September 2017 | L 237 | 69 | 15.9.2017 |
| ► <u>M73</u> | Commission Implementing Regulation (EU) 2018/520 of 28 March 2018 | L 87 | 9 | 3.4.2018 |
| ► <u>M74</u> | Commission Implementing Regulation (EU) 2018/523 of 28 March 2018 | L 88 | 1 | 4.4.2018 |
| ► <u>M75</u> | Commission Implementing Regulation (EU) 2018/721 of 16 May 2018 | L 122 | 5 | 17.5.2018 |
| ► <u>M76</u> | Commission Implementing Regulation (EU) 2018/722 of 16 May 2018 | L 122 | 8 | 17.5.2018 |

Corrected by:

- **C1** Corrigendum, OJ L 293, 11.11.2010, p. 72 (37/2010)

▼B

COMMISSION REGULATION (EU) No 37/2010

of 22 December 2009

**on pharmacologically active substances and their classification
regarding maximum residue limits in foodstuffs of animal origin**

(Text with EEA relevance)

Article 1

Pharmacologically active substances and their classification regarding maximum residue limits are set out in the Annex.

Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.



ANNEX

Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

Table 1

Allowed substances

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|-------------------|---|--|----------------------------------|--|--|
| Abamectin | Avermectin B1a | Bovine | 10 µg/kg 20 µg/kg | Fat Liver | NO ENTRY | Antiparasitic agents/ Agents acting against endo- and ectoparasites |
| | | Ovine | 20 µg/kg 50 µg/kg 25 µg/kg 20 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | |
| <i>Absinthium</i> extract | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Acetyl cysteine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Acetylme- thionine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Acetylsalicylic acid | NOT APPLICABLE | All food producing species except fin fish | No MRL required | NOT APPLICABLE | Not for use in animals from which milk or eggs are produced for human consumption. | NO ENTRY |
| Acetylsalicylic acid DL-lysine | NOT APPLICABLE | All food producing species except fin fish | No MRL required | NOT APPLICABLE | Not for use in animals from which milk or eggs are produced for human consumption. | NO ENTRY |
| Adenosine and its 5'-mono-, 5'- di- and 5' triphosphates | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Adonis vernalis</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeo- pathic veterinary medicinal products prepared according | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|---|----------------------------|---|--|--|---|
| | | | | | to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. | |
| <i>Aesculus hippocastanum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per ten only. | NO ENTRY |
| <i>Agnus castus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Ailanthus altissima</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Alanine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ <u>M72</u> Alarelin | NOT APPLICABLE | All food-producing species | No MRL required | NOT APPLICABLE | NO ENTRY | Agents acting on the reproductive system |
| ▼ <u>B</u> Albendazole | Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole | All ruminants | 100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|--|---|---|--|--|---|
| Albendazole oxide | Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole | Bovine, ovine | 100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| Alfacalcidol | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | For parturient cows only. | NO ENTRY |
| Alfaprostol | NOT APPLICABLE | Bovine, porcine, rabbit, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Allantoin | NOT APPLICABLE | All food-producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Allium cepa</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Aloe vera</i> gel and whole leaf extract of <i>Aloe vera</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Aloes, Barbados and Capae, their standardised dry extract and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Alphacypermethrin | Cypermethrin (sum of isomers) | Bovine, ovine | 20 µg/kg 200 µg/kg 20 µg/kg 20 µg/kg 20 µg/kg | Muscle Fat Liver Kidney Milk | For milk MRL further provisions in Commission Directive 98/82/EC are to be observed. | Antiparasitic agents/ Agents against ectoparasites |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|---|--|----------------------------------|---|---|
| ▼M9 Altrenogest | Altrenogest | Porcine | 4 µg/kg 2 µg/kg | Skin and fat Liver | Only for zootechnical use and in accordance with the provisions of Directive 96/22/ EC | Agents acting on the reproductive system |
| | | Equidae | 4 µg/kg 4 µg/kg | Fat Liver | | |
| ▼B Aluminium distearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Aluminium hydroxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Aluminium hydroxide acetate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Aluminium monostearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Aluminium phosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M69 Aluminium salicylate, basic | Salicylic acid | Bovine, caprine, Equidae, rabbit | 200 µg/kg 500 µg/kg 1 500 µg/kg 1 500 µg/kg | Muscle Fat Liver Kidney | NO ENTRY | Antidiarrheal and intestinal anti-inflammatory agents |
| | | Bovine, caprine, Equidae | 9 µg/kg | Milk | | |
| | NOT APPLICABLE | All food producing species except bovine, caprine, Equidae, rabbit and fin fish | No MRL required | NOT APPLICABLE | For topical use only | |
| ▼B Aluminium tris-tearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| 2-Aminoethanol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| 2-Aminoethanol glucuronate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|----------------------------|---|--|---|--|
| 2-Aminoethyl dihydrogenphosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Amitraz | Sum of amitraz and all metabolites containing the 2,4-DMA moiety, expressed as amitraz | Bovine | 200 µg/kg 200 µg/kg 200 µg/kg 10 µg/kg | Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| | | Ovine | 400 µg/kg 100 µg/kg 200 µg/kg 10 µg/kg | Fat Liver Kidney Milk | | |
| | | Caprine | 200 µg/kg 100 µg/kg 200 µg/kg 10 µg/kg | Fat Liver Kidney Milk | | |
| | | Porcine | 400 µg/kg 200 µg/kg 200 µg/kg | Skin and fat Liver Kidney | | |
| | | Bees | 200 µg/kg | Honey | | |
| Ammonium chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Ammonium lauryl sulphate | NOT APPLICABLE | All food-producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Ammonium sulfate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Amoxicillin | Amoxicillin | All food producing species | 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|----------------------------|---|--|--|------------------------------------|
| | | | | | Not for use in animals from which eggs are produced for human consumption. | |
| Ampicillin | Ampicillin | All food producing species | 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Amprolium | NOT APPLICABLE | Poultry | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| <i>Angelicae radix aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Anisi aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Anisi stellati fructus</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Apocynum cannabinum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. For oral use only. | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|---------------------------------|--|----------------------------------|--|------------------------------------|
| Apramycin | Apramycin | Bovine | 1 000 µg/kg 1 000 µg/kg 10 000 µg/kg 20 000 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | Anti-infectious agents/Antibiotics |
| | NOT APPLICABLE | Ovine, porcine, chicken, rabbit | No MRL required | NOT APPLICABLE | For oral use only. Not for use in animals from which milk or eggs are produced for human consumption. | |
| <i>Aqua levici</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias only. | NO ENTRY |
| Arginine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Arnica montana (arnicae flos and arnicae planta tota)</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Arnicae radix</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only. | NO ENTRY |
| <i>Artemisia abrotanum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Asparagine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|---|----------------------------|--|---|---|---|
| Aspartic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Atropa belladonna</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. | NO ENTRY |
| Atropine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Avilamycin | Dichloroisoevernic acid | Porcine, poultry, rabbit | 50 µg/kg 100 µg/kg 300 µg/kg 200 µg/kg | Muscle Fat Liver Kidney | For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Azagly-nafarelin | NOT APPLICABLE | <i>Salmonidae</i> | No MRL required | NOT APPLICABLE | Not for use in fish from which eggs are produced for human consumption. | NO ENTRY |
| ▼M18 Azamethiphos | NOT APPLICABLE | Fin fish | No MRL required | NOT APPLICABLE | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| ▼B Azaperone | Sum of azaperone and azaperol | Porcine | 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg | Muscle Skin and fat Liver Kidney | NO ENTRY | Agents acting on the nervous system/ Agents acting on the central nervous system |
| Bacitracin | Sum of bacitracin A, bacitracin B, and bacitracin C | Bovine | 100 µg/kg | Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| | | Rabbit | 150 µg/kg 150 µg/kg 150 µg/kg 150 µg/kg | Muscle Fat Liver Kidney | | |
| | NOT APPLICABLE | Bovine | No MRL required for all tissues except milk. | NOT APPLICABLE | For intramammary use in lactating cows only. | |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|----------------------------|--|---------------------------------|--|---|
| <i>Balsamum peruvianum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Baquiloprim | Baquiloprim | Bovine | 10 µg/kg 300 µg/kg 150 µg/kg 30 µg/kg | Fat Liver Kidney Milk | NO ENTRY | Anti-infectious agents/Chemotherapeutics |
| | | Porcine | 40 µg/kg 50 µg/kg 50 µg/kg | Skin and fat Liver Kidney | | |
| ▼ M51 Barium selenate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | Not for administration by injection | Alimentary tract and metabolism/mineral supplements |
| ▼ B Beclomethasone dipropionate | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For inhalation use only. | NO ENTRY |
| <i>Bellis perennis</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Benzalkonium chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as an excipient at concentrations up to 0,05 % only. | NO ENTRY |
| Benzocaine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as local anaesthetic only. | NO ENTRY |
| | | <i>Salmonidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | |
| Benzyl alcohol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Benzyl benzoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|------------------|----------------------------|---|--|--|------------------------------------|
| Benzyl p-hydroxybenzoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Benzylpenicillin | Benzylpenicillin | All food producing species | 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Betaine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Betaine glucuronate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Betamethasone | Betamethasone | Bovine, porcine | 0,75 µg/kg 2,0 µg/kg 0,75 µg/kg | Muscle Liver Kidney | NO ENTRY | Corticoides/Gluco-corticoides |
| | | Bovine | 0,3 µg/kg | Milk | | |
| Biotin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Bismuth subcarbonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Bismuth subgallate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Bismuth subnitrate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| | | Bovine | No MRL required | NOT APPLICABLE | For intramammary use only. | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|--------------------------------------|-----------------|----------------|--|---|
| Bismuth subsalicylate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Bituminosulfonates, ammonium and sodium salts | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Boldo folium</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Boric acid and borates | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M71 | | | | | | |
| Bromelain | NOT APPLICABLE | Porcine | No MRL required | NOT APPLICABLE | NO ENTRY | Antidiarrheal agents |
| ▼B | | | | | | |
| Bromhexine | NOT APPLICABLE | Bovine, porcine, poultry | No MRL required | NOT APPLICABLE | Not for use in animals from which milk or eggs are produced for human consumption. | NO ENTRY |
| Bromide, potassium salt | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Bromide, sodium salt | NOT APPLICABLE | All-mammalian food-producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Bronopol | NOT APPLICABLE | Fin fish | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Brotizolam | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | For therapeutic uses only. | NO ENTRY |
| Buserelin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M33 | | | | | | |
| Butafosfan | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | Alimentary tract and metabolism/mineral supplements |
| ▼B | | | | | | |
| n-Butane | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|--|--|--|-------------------------------|
| n-Butanol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Butorphanole tartrate | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For intravenous administration only. | NO ENTRY |
| Butyl 4-hydroxybenzoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Butylscopolaminium bromide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M38 Cabergoline | Cabergoline | Bovine | 0,10 µg/kg 0,25 µg/kg 0,50 µg/kg 0,15 µg/kg 0,10 µg/kg | Fat Liver Kidney Muscle Milk | NO ENTRY | Prolactin inhibitor |
| ▼ B Caffeine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium acetate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium aspartate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium benzoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium borogluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium carbonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium citrate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium glucoheptonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|-----------------|----------------|--|-------------------------------|
| Calcium gluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium glucono glucoheptonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium gluconolactate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium glutamate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium glycerophosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium hydroxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium hypophosphite | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium malate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium oxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium pantothenate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium phosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium polyphosphates | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium propionate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|---|---|--|---|
| Calcium silicate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium stearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Calcium sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Calendula officinalis</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only. | NO ENTRY |
| <i>Calendulae flos</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Camphor | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | External use only. | NO ENTRY |
| <i>Camphora</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per hundred only. | NO ENTRY |
| <i>Capsici fructus acer</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Carazolol | Carazolol | Bovine | 5 µg/kg 5 µg/kg 15 µg/kg 15 µg/kg 1 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Agents acting on the nervous system/ Agents acting on the autonomic nervous system |
| | | Porcine | 5 µg/kg 5 µg/kg 25 µg/kg 25 µg/kg | Muscle Skin and fat Liver Kidney | | |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|--|--|----------------------------------|--|--|
| Carbasalate calcium | NOT APPLICABLE | All food producing species except fin fish | No MRL required | NOT APPLICABLE | Not for use in animals from which milk or eggs are produced for human consumption. | NO ENTRY |
| Carbetocin | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Cardamon extract | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Cardiospermum halicacabum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Carlinae radix</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Carnitine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Carprofen | Sum of carprofen and carprofen glucuronide conjugate | Bovine, <i>Equidae</i> | 500 µg/kg 1 000 µg/kg 1 000 µg/kg 1 000 µg/kg | Muscle Fat Liver Kidney | NO ENTRY | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents |
| | NOT APPLICABLE | Bovine | No MRL required for milk | NOT APPLICABLE | | |
| <i>Carvi aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Caryophylli aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|--------------------------------------|---|--|--|------------------------------------|
| Cefacetriple | Cefacetriple | Bovine | 125 µg/kg | Milk | For intramammary use only. | Anti-infectious agents/Antibiotics |
| | NOT APPLICABLE | Bovine | No MRL required for all tissues except milk. | NOT APPLICABLE | | |
| Cefalexin | Cefalexin | Bovine | 200 µg/kg 200 µg/kg 200 µg/kg 1 000 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| Cefalonium | Cefalonium | Bovine | 20 µg/kg | Milk | For intramammary use and eye treatment only. | Anti-infectious agents/Antibiotics |
| | NOT APPLICABLE | Bovine | No MRL required for all tissues except milk. | NOT APPLICABLE | | |
| Cefapirin | Sum of cephalapirin and desacetylcephapirin | Bovine | 50 µg/kg 50 µg/kg 100 µg/kg 60 µg/kg | Muscle Fat Kidney Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| Cefazolin | Cefazolin | Bovine, ovine, caprine | 50 µg/kg | Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| | NOT APPLICABLE | Bovine, ovine, caprine | No MRL required for all tissues except milk. | NOT APPLICABLE | For intramammary use, except if the udder may be used as food for human consumption. | |
| Cefoperazone | Cefoperazone | Bovine | 50 µg/kg | Milk | For intramammary use in lactating cows only. | Anti-infectious agents/Antibiotics |
| | NOT APPLICABLE | Bovine | No MRL required for all tissues except milk. | NOT APPLICABLE | | |
| Cefquinome | Cefquinome | Bovine, porcine, <i>Equidae</i> | 50 µg/kg 50 µg/kg 100 µg/kg 200 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| | | Bovine | 20 µg/kg | Milk | | |
| Ceftiofur | Sum of all residues retaining the betalactam structure expressed as desfuroylceftiofur | All mammalian food producing species | 1 000 µg/kg 2 000 µg/kg 2 000 µg/kg 6 000 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|-------------------------------------|--------------------------------------|---|---|--|--|
| <i>Centellae asiaticae extractum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Cetostearyl alcohol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Cetrimide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Chlorhexidine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Chlormadinone | Chlormadinone | Bovine | 4 µg/kg 2 µg/kg 2,5 µg/kg | Fat Liver Milk | For zootechnical use only. | Agents acting on the reproductive system |
| Chlorocresol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M32 Chloroform | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | Only to be used as an excipient in vaccines and only at concentrations not exceeding 1 % w/v and total doses not exceeding 20 mg per animal. | NO ENTRY |
| ▼ B Chlorphenamine | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Chlortetracycline | Sum of parent drug and its 4-epimer | All food-producing species | 100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg | Muscle Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish. | Anti-infectious agents/Antibiotics |
| Choline | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Chrysanthemi cinerariifolii flos</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Chymotrypsin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|-----------------|----------------------------|--|----------------------------------|--|------------------------------------|
| <i>Cimicifugae racemosae rhizoma</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | Not for use in animals from which milk is produced for human consumption. | NO ENTRY |
| <i>Cinchonae cortex</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Cinnamomi cassiae aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Cinnamomi cassiae cortex</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Cinnamomi ceylanici aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Cinnamomi ceylanici cortex</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Citri aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Citronellae aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Citrulline | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Clavulanic acid | Clavulanic acid | Bovine, porcine | 100 µg/kg 100 µg/kg 200 µg/kg 400 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| | | Bovine | 200 µg/kg | Milk | | |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|--|--|--|--|---|
| Clazuril | NOT APPLICABLE | Pigeon | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Clenbuterol hydrochloride | Clenbuterol | Bovine, <i>Equidae</i> | 0,1 µg/kg 0,5 µg/kg 0,5 µg/kg | Muscle Liver Kidney | NO ENTRY | Agents acting on the nervous system/ Agents acting on the autonomic nervous system |
| | | Bovine | 0,05 µg/kg | Milk | | |
| ▼ M52 Clodronic acid (in the form of disodium salt) | NOT APPLICABLE | Equidae | No MRL required | NOT APPLICABLE | Not for use in animals from which milk is produced for human consumption | Musculoskeletal system/drugs for treatment of bone diseases |
| ▼ B Cloprostenol | NOT APPLICABLE | Bovine, porcine, caprine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| R-Cloprostenol | NOT APPLICABLE | Bovine, porcine, caprine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M41 Clorsulon | Clorsulon | Bovine | 35 µg/kg 100 µg/kg 200 µg/kg 16 µg/kg | Muscle Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| ▼ M40 Closantel | Closantel | Bovine | 1 000 µg/kg 3 000 µg/kg 1 000 µg/kg 3 000 µg/kg 45 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| | | Ovine | 1 500 µg/kg 2 000 µg/kg 1 500 µg/kg 5 000 µg/kg 45 µg/kg | Muscle Fat Liver Kidney Milk | | |
| ▼ B Cloxacillin | Cloxacillin | All food producing species | 300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Cobalt carbonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|----------------------------|---|--|---|------------------------------------|
| Cobalt dichloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Cobalt gluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Cobalt oxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Cobalt sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Cobalt trioxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Coco alkyl dimethyl betaines | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Colistin | Colistin | All food producing species | 150 µg/kg 150 µg/kg 150 µg/kg 200 µg/kg 50 µg/kg 300 µg/kg | Muscle Fat Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| <i>Condurango cortex</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Convallaria majalis</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only. | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|-----------------|----------------|--|--|
| ▼ <u>M64</u> Copper carbonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | Alimentary tract and metabolism/ Mineral supplement |
| ▼ <u>B</u> Copper chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Copper gluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Copper heptanoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Copper methionate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Copper oxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Copper sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Coriandri aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Corticotropin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Coumafos | Coumafos | Bees | 100 µg/kg | Honey | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| <i>Crataegus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Cupressi aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|-------------------------------|----------------------------------|---|--|--|---|
| Cyfluthrin | Cyfluthrin (sum of isomers) | Bovine, caprine | 10 µg/kg 50 µg/kg 10 µg/kg 10 µg/kg 20 µg/kg | Muscle Fat Liver Kidney Milk | For milk further provisions in Council Directive 94/29/EC are to be observed. | Antiparasitic agents/ Agents against ectoparasites |
| Cyhalothrin | Cyhalothrin (sum of isomers) | Bovine | 500 µg/kg 50 µg/kg 50 µg/kg | Fat Kidney Milk | For milk further provisions in Council Directive 94/29/EC are to be observed. | Antiparasitic agents/ Agents against ectoparasites |
| Cypermethrin | Cypermethrin (sum of isomers) | All ruminants | 20 µg/kg 200 µg/kg 20 µg/kg 20 µg/kg 20 µg/kg | Muscle Fat Liver Kidney Milk | For milk further provisions in Commission Directive 98/82/EC are to be observed. | Antiparasitic agents/ Agents against ectoparasites |
| | | <i>Salmonidae</i> | 50 µg/kg | Muscle and skin in natural proportions. | | |
| Cyromazine | Cyromazine | Ovine | 300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | Antiparasitic agents/ Agents against ectoparasites |
| Cysteine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Cytidine and its 5 ² -mono-, 5 ² -di- and 5 ² -triphosphates | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Danofloxacin | Danofloxacin | Bovine, ovine, caprine, poultry | 200 µg/kg 100 µg/kg 400 µg/kg 400 µg/kg | Muscle Fat Liver Kidney | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| | | All other food producing species | 100 µg/kg 50 µg/kg 200 µg/kg 200 µg/kg | Muscle Fat Liver Kidney | | |
| | | Bovine, ovine, caprine | 30 µg/kg | Milk | | |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|--|--|--|---|---|
| Decoquinat | NOT APPLICABLE | Bovine, ovine | No MRL required | NOT APPLICABLE | For oral use only. Not for use in animals from which milk is produced for human consumption | NO ENTRY |
| Deltamethrin | Deltamethrin | All ruminants | 10 µg/kg 50 µg/kg 10 µg/kg 10 µg/kg 20 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| | | Fin fish | 10 µg/kg | Muscle and skin in natural proportions. | | |
| Dembrexine | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Denaverine hydrochloride | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ <u>M4</u> Derquantel | Derquantel | Ovine | 2 µg/kg 40 µg/kg 20 µg/kg 5 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | Antiparasitic agents/ Agents against endoparasites |
| ▼ <u>B</u> Deslorelin acetate | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Detomidine | NOT APPLICABLE | Bovine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | For therapeutic use only. | NO ENTRY |
| Dexamethasone | Dexamethasone | Bovine, caprine, porcine, <i>Equidae</i> | 0,75 µg/kg 2 µg/kg 0,75 µg/kg | Muscle Liver Kidney | NO ENTRY | Corticoides/Gluco-corticoides |
| | | Bovine, caprine | 0,3 µg/kg | Milk | | |
| Dexpanthenol | NOT APPLICABLE | All food-producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Diazinon | Diazinon | Bovine, ovine, caprine, porcine | 20 µg/kg 700 µg/kg 20 µg/kg 20 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Antiparasitic agents/ Agents against ectoparasites |
| | | Bovine, ovine, caprine | 20 µg/kg | Milk | | |

▼ **B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|----------------------------|--|--|--|--|
| ▼ M31 Diclazuril | NOT APPLICABLE | All ruminants, porcine | No MRL required | NOT APPLICABLE | For oral use only | NO ENTRY |
| | Diclazuril | Poultry | 500 µg/kg 500 µg/kg 1 500 µg/kg 1 000 µg/kg | Muscle Skin and fat in natural proportions Liver Kidney | Not for use in animals from which eggs are produced for human consumption | Antiparasitic agents/ Agents acting against protozoa |
| | | Rabbit | 150 µg/kg 300 µg/kg 2 500 µg/kg 1 000 µg/kg | Muscle Fat Liver Kidney | | |
| ▼ B Diclofenac | Diclofenac | Bovine | 5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg 0,1 µg/kg | Muscle Fat Liver Kidney Milk | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents |
| | | Porcine | 5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg | Muscle Skin and fat Liver Kidney | | |
| Dicloxacillin | Dicloxacillin | All food producing species | 300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Dicopper oxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Dicyclanil | Sum of dicyclanil and 2, 4, 6-triamino-pyrimidine-5-carbonitrile | Ovine | 200 µg/kg 150 µg/kg 400 µg/kg 400 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | Antiparasitic agents/ Agents against ectoparasites |
| Diethyl phthalate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|---------------------|--------------------------------------|--|---|---|---|
| Diethyl sebacate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M58 Diethylene glycol monethyl ether | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ B Difloxacin | Difloxacin | Bovine, ovine, caprine | 400 µg/kg 100 µg/kg 1 400 µg/kg 800 µg/kg | Muscle Fat Liver Kidney | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which milk is produced for human consumption. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| | | Porcine | 400 µg/kg 100 µg/kg 800 µg/kg 800 µg/kg | Muscle Skin and fat Liver Kidney | | |
| | | Poultry | 300 µg/kg 400 µg/kg 1 900 µg/kg 600 µg/kg | Muscle Skin and fat Liver Kidney | | |
| | | All other food producing species | 300 µg/kg 100 µg/kg 800 µg/kg 600 µg/kg | Muscle Fat Liver Kidney | | |
| Diflubenzuron | Diflubenzuron | <i>Salmonidae</i> | 1 000 µg/kg | Muscle and skin in natural proportions | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| Dihydrostreptomycin | Dihydrostreptomycin | All ruminants, porcine, rabbit | 500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| | | All ruminants | 200 µg/kg | Milk | | |
| 3,5-Diiodo-L-thyrosine | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Dimanganese trioxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Dimethicone | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Dimethyl acetamide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Dimethyl phthalate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|--------------------------------------|--|----------------------------------|---|--|
| Dimethyl sulphoxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Dinoprost | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Dinoprost tromethamine | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Dinoprostone | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Diprophylline | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Doramectin | Doramectin | All mammalian food producing species | 40 µg/kg 150 µg/kg 100 µg/kg 60 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption. | Antiparasitic agents/ Agents acting against endo- and ectoparasites |
| ▼M28 Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus | NOT APPLICABLE | Bees | No MRL required | Honey | NO ENTRY | NO ENTRY |
| ▼B Doxapram | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M48 Doxycycline | Doxycycline | All food producing species | 100 µg/kg 300 µg/kg 300 µg/kg 600 µg/kg | Muscle Fat Liver Kidney | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and | Anti-infectious agents/Antibiotics |

▼M48

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|---------------------------------------|----------------------------|---|--|---|--|
| | | | | | poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption. | |
| ▼B D-Phenylalanine (6) –luteinising-hormone releasing hormone | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Echinacea</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per ten only. | NO ENTRY |
| <i>Echinacea purpurea</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Emamectin | Emamectin B1a | Fin fish | 100 µg/kg | Muscle and skin in natural proportions | NO ENTRY | Antiparasitic agents/ Agents acting against endo- and ectoparasites |
| Enilconazole | NOT APPLICABLE | Bovine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Enrofloxacin | Sum of enrofloxacin and ciprofloxacin | Bovine, ovine, caprine | 100 µg/kg 100 µg/kg 300 µg/kg 200 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which | Anti-infectious agents/Antibiotics |
| | | Porcine, rabbit | 100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg | Muscle Fat Liver Kidney | | |
| | | Poultry | 100 µg/kg 100 µg/kg | Muscle Skin and fat | | |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|------------------|--------------------------------------|---|--|---|--|
| | | | 200 µg/kg 300 µg/kg | Liver Kidney | eggs are produced for human consumption. | |
| | | All other food producing species | 100 µg/kg 100 µg/kg 200 µg/kg 200 µg/kg | Muscle Fat Liver Kidney | | |
| Epinephrine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ <u>M76</u> Eprinomectin | Eprinomectin B1a | All ruminants, <i>equidae</i> | 50 µg/kg 250 µg/kg 1 500 µg/kg 300 µg/kg 20 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents acting against endo- and ectoparasites |
| | | Fin fish | 50 µg/kg | Muscle and skin in natural proportions | | |
| | | Rabbits | 50 µg/kg 250 µg/kg 1 500 µg/kg 300 µg/kg | Muscle Fat Liver Kidney | | |
| ▼ <u>B</u> Ergometrine maleate | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | For use in parturient animals only. | NO ENTRY |
| Erythromycin | Erythromycin A | All food producing species | 200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 40 µg/kg 150 µg/kg | Muscle Fat Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| Etamiphylline camsylate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Etamsylate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Ethanol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Ethyl lactate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Ethyl oleate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼ **B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|---|--|--|--|--|---|
| Ethylenediaminetetraacetic acid and salts | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Etiproston tromethamine | NOT APPLICABLE | Bovine, porcine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Eucalypti aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Eucalyptol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Eucalyptus globulus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Euphrasia officinalis</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Febantel | Sum of extractable residues which may be oxidised to oxfendazole sulphone | All ruminants, porcine, <i>Equidae</i> | 50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Antiparasitic agents/ Agents against endoparasites |
| | | All ruminants | 10 µg/kg | Milk | | |
| ▼ M20 Fenbendazole | Sum of extractable residues which may be oxidised to oxfendazole sulfone | All food-producing species except fin fish | 50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg 10 µg/kg 1 300 µg/kg | Muscle Fat Liver Kidney Milk Eggs | For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' | Antiparasitic agents/ Agents against endoparasites |
| ▼ B Fenpipramide hydrochloride | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For intravenous use only. | NO ENTRY |
| Fenvalerate | Fenvalerate (sum of RR, SS, RS and SR isomers) | Bovine | 25 µg/kg 250 µg/kg 25 µg/kg 25 µg/kg 40 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification | |
|------------------------------------|--|---------------------------------------|---|---|---|--|----------|
| Fertirelin acetate | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY | |
| Firocoxib | Firocoxib | <i>Equidae</i> | 10 µg/kg 15 µg/kg 60 µg/kg 10 µg/kg | Muscle Fat Liver Kidney | NO ENTRY | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents | |
| Florfenicol | Sum of florfenicol and its metabolites measured as florfenicol-amine | Bovine, ovine, caprine | 200 µg/kg 3 000 µg/kg 300 µg/kg | Muscle Liver Kidney | Not for animals from which milk is produced for human consumption. Not for animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics | |
| | | Porcine | 300 µg/kg 500 µg/kg 2 000 µg/kg 500 µg/kg | Muscle Skin and fat Liver Kidney | | | |
| | | Poultry | 100 µg/kg 200 µg/kg 2 500 µg/kg 750 µg/kg | Muscle Skin and fat Liver Kidney | | | |
| | | Fin fish | 1 000 µg/kg | Muscle and skin in natural proportions. | | | |
| | | All other food producing species | 100 µg/kg 200 µg/kg 2 000 µg/kg 300 µg/kg | Muscle Fat Liver Kidney | | | |
| ▼ <u>M74</u> Fluazuron | Fluazuron | All ruminants except bovine and ovine | 200 µg/kg 7 000 µg/kg 500 µg/kg 500 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption | Antiparasitic agents/ Agents (acting) against ectoparasites | |
| | | Bovine | 200 µg/kg 7 000 µg/kg 500 µg/kg 500 µg/kg 200 µg/kg | Muscle Fat Liver Kidney Milk | | | NO ENTRY |
| | | Fin fish | 200 µg/kg | Muscle and skin in natural proportions | | | NO ENTRY |
| ▼ <u>B</u> Flubendazole | Sum of flubendazole and (2-amino 1H-benzimidazol-5-yl) (4fluorophenyl) methanone | Poultry, porcine | 50 µg/kg 50 µg/kg 400 µg/kg 300 µg/kg | Muscle Skin and fat Liver Kidney | NO ENTRY | Antiparasitic agents/ Agents against endoparasites | |
| | Flubendazole | Poultry | 400 µg/kg | Eggs | | | |
| Flugestone acetate | Flugestone acetate | Ovine, caprine | 0,5 µg/kg 0,5 µg/kg 0,5 µg/kg 0,5 µg/kg 1 µg/kg | Muscle Fat Liver Kidney Milk | For intravaginal use for zootechnical purposes only. | Agents acting on the reproductive system | |

▼ **B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|--|---|--|--|---|
| Flumequine | Flumequine | Bovine, ovine, caprine, porcine | 200 µg/kg 300 µg/kg 500 µg/kg 1 500 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human con- sumption. | Anti-infectious agents/Antibiotics |
| | | Bovine, ovine, caprine | 50 µg/kg | Milk | | |
| | | Poultry | 400 µg/kg 250 µg/kg 800 µg/kg 1 000 µg/kg | Muscle Skin and fat Liver Kidney | | |
| | | Fin Fish | 600 µg/kg | Muscle and skin in natural proportion. | | |
| | | All other food producing species | 200 µg/kg 250 µg/kg 500 µg/kg 1 000 µg/kg | Muscle Fat Liver Kidney | | |
| Flumethrin | Flumethrin (sum of trans-Z- isomers) | Bovine | 10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg 30 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| | | Ovine | 10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consump- tion. | |
| | NOT APPLICABLE | Bees | No MRL required | NOT APPLICABLE | NO ENTRY | |
| Flunixin | Flunixin | Bovine | 20 µg/kg 30 µg/kg 300 µg/kg 100 µg/kg | Muscle Fat Liver Kidney | NO ENTRY | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents |
| | | Porcine | 50 µg/kg 10 µg/kg 200 µg/kg 30 µg/kg | Muscle Skin and fat Liver Kidney | | |
| | | <i>Equidae</i> | 10 µg/kg 20 µg/kg 100 µg/kg 200 µg/kg | Muscle Fat Liver Kidney | | |
| | 5-Hydroxy- flunixin | Bovine | 40 µg/kg | Milk | | |
| ▼ M10 | Fluralaner | Poultry | 65 µg/kg | Muscle | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| 650 µg/kg | | | Skin and fat in natural proportions | | | |
| 650 µg/kg | | | Liver | | | |
| 420 µg/kg | | | Kidney | | | |
| 1 300 µg/kg | | | Eggs | | | |

▼ **B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|-----------------------------|--|--|--|------------------------------------|
| <i>Foeniculi aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Folic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Follicle stimulating hormone (natural FSH from all species and their synthetic analogues) | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption) | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | Only substances approved as additives in foodstuffs for human consumption, with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC. | NO ENTRY |
| Formaldehyde | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Formic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Frangulae cortex</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Furosemide | NOT APPLICABLE | Bovine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | For intravenous administration only. | NO ENTRY |
| ▼ M68 Gamithromycin | Gamithromycin | All ruminants except bovine | 50 µg/kg 50 µg/kg 300 µg/kg 200 µg/kg | Muscle Fat Liver Kidney | Not for use in animals producing milk for human consumption | Anti-infectious agents/Antibiotics |
| | | Bovine | 20 µg/kg 200 µg/kg 100 µg/kg | Fat Liver Kidney | | |
| | | Porcine | 100 µg/kg 100 µg/kg 100 µg/kg 300 µg/kg | Muscle Skin and fat in natural proportions Liver Kidney | NO ENTRY | |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|--|---|---|--|--|------------------------------------|
| ▼ M61 Gentamicin | Sum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a | All mammalian food producing species and fin fish | 50 µg/kg 50 µg/kg 200 µg/kg 750 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' For porcine species the fat relates to 'skin and fat in natural proportions' | Anti-infectious agents/Antibiotics |
| ▼ B <i>Gentiana radix</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Ginkgo biloba</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only. | NO ENTRY |
| <i>Ginseng</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Ginseng</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Glutamic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Glutamine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Glutaraldehyde | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Glycerol formal | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Glycine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|----------------------------|--|----------------------------------|--|---|
| Gonadotrophin releasing hormone | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Guaiacol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Guanosine and its 5'-mono-, 5'-di- and 5'-triphosphates | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Halofuginone | Halofuginone | Bovine | 10 µg/kg 25 µg/kg 30 µg/kg 30 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | Antiparasitic agents/ Agents acting against protozoa |
| <i>Hamamelis virginiana</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per ten only. | NO ENTRY |
| | | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | |
| <i>Harpagophytum procumbens</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Harunga madagascariensis</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only | NO ENTRY |
| Heparin and its salts | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|----------------------------|-----------------|--|--|--|
| Heptaminol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Hesperidin | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Hesperidin methyl chalcone | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M53 Hexaflumuron | Hexaflumuron | Fin fish | 500 µg/kg | Muscle and skin in natural proportions | NO ENTRY | Antiparasitic agents/ Agents (acting) against ecto- parasites |
| ▼ B Hexetidine | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Hippocastani semen</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Histidine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Human chorion gonadotrophin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Human chorionic gonadotropin (natural HCG and its synthetic analogues) | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Human menopausal urinary gonadotrophin | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Humic acids and their sodium salts | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Hyaluronic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Hydrochloric acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Hydrochlorothiazide | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|--|--|---|--|--|---|
| Hydrocortisone | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| ▼ M66 Hydrocortisone aceponate | Sum of hydrocortisone and its esters after alkaline hydrolysis expressed as hydrocortisone | All ruminants, <i>Equidae</i> | 10 µg/kg | Milk | For intramammary use only | Corticosteroids |
| | NOT APPLICABLE | All ruminants, <i>Equidae</i> | No MRL required for all tissues except milk | NOT APPLICABLE | | |
| ▼ B Hydrogen peroxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Hydroxyethylsallylate | NOT APPLICABLE | All food-producing species except fin fish | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| 8-Hydroxyquinoline | NOT APPLICABLE | All mammalian food-producing species | No MRL required | NOT APPLICABLE | For topical use in newborn animals only. | NO ENTRY |
| <i>Hyperici oleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Hypericum perforatum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Imidocarb | Imidocarb | Bovine | 300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg 50 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents acting against protozoa |
| | | Ovine | 300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | |
| Inosine and its 5'-mono-, 5'-di- and 5'-triphosphates | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|----------------------------|-----------------|--|--|---|
| Inositol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iodine and iodine inorganic compounds including: — Sodium and potassium-iodide — Sodium and potassium-iodate — Iodophors including polyvinylpyrrolidone-iodine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iodine organic compounds — Iodoform | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iron ammonium citrate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iron dextran | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iron dichloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iron fumarate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iron glucoheptonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Iron sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Isobutane | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M7 Isoeugenol | Isoeugenol | Fin fish | 6 000 µg/kg | Muscle and skin in natural proportions | NOT APPLICABLE | Agents acting on the nervous system/ Agents acting on the central nervous system |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--------------------------------|--|---|--|--|---|
| Isoflurane | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For anaesthetic use only. | NO ENTRY |
| Isoleucine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Isopropanol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Isoxsuprine | NOT APPLICABLE | Bovine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | For therapeutic use only in accordance with Council Directive 96/22/EEC. | NO ENTRY |
| ▼ M36 Ivermectin | 22, 23-Dihydro-avermectin B 1a | All mammalian food producing species | 30 µg/kg 100 µg/kg 100 µg/kg 30 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption | Antiparasitic agents/ Agents acting against endo and ectoparasites |
| ▼ B <i>Jecoris oleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Juniperi fructus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Kanamycin | Kanamycin A | All food producing species except fin fish | 100 µg/kg 100 µg/kg 600 µg/kg 2 500 µg/kg 150 µg/kg | Muscle Fat Liver Kidney Milk | For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Ketamine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Ketanserin tartrate | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Ketoprofen | NOT APPLICABLE | Bovine, porcine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|----------------------------|--|--|---|------------------------------------|
| <i>Lachnanthes tinctoria</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only. | NO ENTRY |
| Lactic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Lanolin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Lasalocid | Lasalocid A | Poultry | 60 µg/kg 300 µg/kg 150 µg/kg 300 µg/kg 150 µg/kg | Muscle Liver Kidney Skin and fat in natural proportions Eggs | NO ENTRY | Anti-infectious agents/Antibiotics |
| | | Bovine | 10 µg/kg 20 µg/kg 100 µg/kg 20 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption | |
| <i>Lauri folii aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Lauri fructus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Lavandulae aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Lecirelin | NOT APPLICABLE | Bovine, Equidae, rabbit | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Lectin extracted from red kidney beans <i>Phaseolus vulgaris</i> | NOT APPLICABLE | Porcine | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| <i>Lespedeza capitata</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼M43**▼B**

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|--------------------------------------|--|--|---|---|
| Leucine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Levamisole | Levamisole | Bovine, ovine, porcine, poultry | 10 µg/kg 10 µg/kg 100 µg/kg 10 µg/kg | Muscle Fat Liver Kidney | For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption. | Antiparasitic agents/ Agents against endoparasites |
| Levomethadone | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For intravenous use only. | NO ENTRY |
| Levothyroxine | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Lidocaine | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For local-regional anaesthesia only. | NO ENTRY |
| Lincomycin | Lincomycin | All food-producing species | 100 µg/kg 50 µg/kg 500 µg/kg 1 500 µg/kg 150 µg/kg 50 µg/kg | Muscle Fat Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C ₉ to C ₁₃ , containing less than 2,5 % of chains longer than C ₁₃ | NOT APPLICABLE | Bovine, ovine | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Lini oleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Lobaria pulmonaria</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|---------------------------|--------------------------------------|-----------------|--|--|--|
| | | | | | to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | |
| Lobeline | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M42 Lufenuron (RS-isomers) | Lufenuron (RS-isomers) | Fin fish | 1 350 µg/kg | Muscle and skin in natural proportions | NO ENTRY | Antiparasitic agents/ Agents (acting) against ecto- parasites |
| ▼B Luprostiol | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Luteinising hormone (natural LH from all species and their synthetic analogues) | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Lysine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium acetate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium aluminium silicate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium aspartate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium carbonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|-----------------|----------------|--|-------------------------------|
| Magnesium citrate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium gluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium glutamate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium glycerophosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium hydroxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium hypophosphite | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium orotate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium oxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium phosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium stearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Magnesium trisilicate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Majoranae herba</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|----------------------------|---|----------------------------------|--|---|
| Malic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| ▼M30 Manganese carbonate | NOT APPLICABLE | All food producing species | NO MRL REQUIRED | NOT APPLICABLE | NO ENTRY | Alimentary tract and metabolism/mineral supplements |
| ▼B Manganese chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Manganese gluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Manganese glycerophosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Manganese oxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Manganese pidolate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Manganese ribonucleate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Manganese sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Mannitol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Marbofloxacin | Marbofloxacin | Bovine, porcine | 150 µg/kg 50 µg/kg 150 µg/kg 150 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| | | Bovine | 75 µg/kg | Milk | | |
| <i>Matricaria recutita</i> and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|---|---|----------------------------------|--|--|
| <i>Matricariae flos</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Mebendazole | Sum of mebendazole methyl (5-(1-hydroxy, 1-phenyl) methyl-1H-benzimidazol-2-yl) carbamate and (2-amino-1H-benzimidazol-5-yl) phenylmethanone, expressed as mebendazole equivalents | Ovine, caprine, Equidae | 60 µg/kg 60 µg/kg 400 µg/kg 60 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption. | Antiparasitic agents/ Agents against endoparasites |
| Mecillinam | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | For intrauterine use only. | NO ENTRY |
| <i>Medicago sativa extractum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Medroxyprogesterone acetate | NOT APPLICABLE | Ovine | No MRL required | NOT APPLICABLE | For intravaginal use for zootechnical purposes only. | NO ENTRY |
| Melatonin | NOT APPLICABLE | Ovine, caprine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Melissae aethroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Melissae folium</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Meloxicam | Meloxicam | Bovine, caprine, porcine, rabbit, Equidae | 20 µg/kg 65 µg/kg 65 µg/kg | Muscle Liver Kidney | NO ENTRY | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents |
| | | Bovine, caprine | 15 µg/kg | Milk | | |
| Menadione | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--------------------------------------|------------------------|---|--|----------------------------------|--|--|
| Menbutone | NOT APPLICABLE | Bovine, ovine, caprine, porcine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Menthae arvensis aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Menthae piperitae aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Menthol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Mepivacaine | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For intra-articular and epidural use as local anaesthetic only. | NO ENTRY |
| Mercaptamine hydrochloride | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Metamizole | 4-Methylaminoantipyrin | Bovine, porcine, <i>Equidae</i> | 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents |
| | | Bovine | 50 µg/kg | Milk | | |
| Methionine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Methyl nicotinate | NOT APPLICABLE | Bovine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Methyl salicylate | NOT APPLICABLE | All food producing species except fin fish | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|---------------------|----------------------------|---|--|--|---|
| Methylbenzoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M46 Methylpredni-solone | Methylpredni-solone | Equidae | 10 µg/kg 10 µg/kg 10 µg/kg 10 µg/kg 2 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Corticoides/Gluco-corticoides |
| | | Bovine | 10 µg/kg 10 µg/kg 10 µg/kg 10 µg/kg 2 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | |
| ▼ B 1-Methyl-2-pyrrolidone | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Millefolii herba</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Mineral hydrocarbons, low to high viscosity including micocrystalline waxes, approximately C10-C60, aliphatic, branched aliphatic and alicyclic compounds | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | Excludes aromatic and unsaturated compounds. | NO ENTRY |
| ▼ M23 Monensin | Monensin A | Bovine | 2 µg/kg 10 µg/kg 50 µg/kg 10 µg/kg 2 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| ▼ M67 Monepantel | Monepantel sulfone | Ovine, caprine | 700 µg/kg 7 000 µg/kg 5 000 µg/kg 2 000 µg/kg 170 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents (acting) against endoparasites |
| | | Bovine | 300 µg/kg 7 000 µg/kg 2 000 µg/kg 1 000 µg/kg | Muscle Fat Liver Kidney | Not for use in animals producing milk for human consumption | |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|--|----------------------------|--|--|--|--|
| Monothio-glycerol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Montanide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Morantel | Sum of residues which may be hydrolysed to N-methyl-1,3-propanediamine and expressed as morantel equivalents | All ruminants | 100 µg/kg 100 µg/kg 800 µg/kg 200 µg/kg 50 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| Moxidectin | Moxidectin | Bovine, ovine, Equidae | 50 µg/kg 500 µg/kg 100 µg/kg 50 µg/kg | Muscle Fat Liver Kidney | NO ENTRY | Antiparasitic agents/ Agents acting against endo- and ectoparasites |
| | | Bovine, ovine | 40 µg/kg | Milk | | |
| Myglyol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Myristica aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in newborn animals only. | NO ENTRY |
| Nafcillin | Nafcillin | All ruminants | 300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg | Muscle Fat Liver Kidney Milk | For intramammary use only. | Anti-infectious agents/Antibiotics |
| Natamycin | NOT APPLICABLE | Bovine, Equidae | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| ▼ <u>M29</u> Neomycin (including framycetin) | Neomycin B | All food producing species | 500 µg/kg 500 µg/kg 5 500 µg/kg 9 000 µg/kg 1 500 µg/kg 500 µg/kg | Muscle Fat Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' | Anti-infectious agents/Antibiotics |
| ▼ <u>B</u> Neostigmine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|----------------------------|---|--|--|--|
| Netobimin | Sum of albendazole oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole | Bovine, ovine | 100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | For oral use only. | Antiparasitic agents/ Agents against endoparasites |
| Nickel gluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Nickel sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Nicoboxil | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| ▼M14 Nitroxinil | Nitroxinil | Bovine, ovine | 400 µg/kg 200 µg/kg 20 µg/kg 400 µg/kg 20 µg/kg | Muscle Fat Liver Kidney Milk | | Antiparasitic agents/ agents against endoparasites |
| ▼B Nonivamide | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For topical use only | NO ENTRY |
| Norgestomet | Norgestomet | Bovine | 0,2 µg/kg 0,2 µg/kg 0,2 µg/kg 0,2 µg/kg 0,12 µg/kg | Muscle Fat Liver Kidney Milk | For therapeutic and zootechnical purposes only. | Agents acting on the reproductive system |
| Novobiocin | Novobiocin | Bovine | 50 µg/kg | Milk | For intramammary use only. | Anti-infectious agents/Antibiotics |
| | NOT APPLICABLE | Bovine | No MRL required for all tissues except milk | NOT APPLICABLE | NO ENTRY | |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|--------------------------------------|--|--|--|------------------------------------|
| ▼M11 Octenidine dihydrochloride | NOT APPLICABLE | All mammalian food-producing species | No MRL required | NOT APPLICABLE | For cutaneous use only. | Anti-infectious agents/Antiseptics |
| ▼B 17β-Oestradiol | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | For therapeutic and zootechnical use only. | NO ENTRY |
| <i>Okoubaka aubrevillei</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Oleyloleate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Omeprazole | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Orgotein | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Ornithine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Orotic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Oxacillin | Oxacillin | All food producing species | 300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|---|--|---|---|--|---|
| Oxalic acid | NOT APPLICABLE | Bees | No MRL required | NOT APPLICABLE | NO ENTRY | Anti-infectious agent |
| Oxfendazole | Sum of extractable residues which may be oxidised to oxfendazole sulphone | All ruminants, porcine, <i>Equidae</i> | 50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Antiparasitic agents/ Agents against endoparasites |
| | | All ruminants | 10 µg/kg | Milk | | |
| Oxibendazole | Oxibendazole | Porcine | 100 µg/kg 500 µg/kg 200 µg/kg 100 µg/kg | Muscle Skin and fat Liver Kidney | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| Oxidation products of <i>Terebinthinae oleum</i> | NOT APPLICABLE | Bovine, ovine, caprine, porcine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Oxolinic acid | Oxolinic acid | All food producing species | 100 µg/kg 50 µg/kg 150 µg/kg 150 µg/kg | Muscle Fat Liver Kidney | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Oxyclozanide | Oxyclozanide | All ruminants | 20 µg/kg 20 µg/kg 500 µg/kg 100 µg/kg 10 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| Oxytetracycline | Sum of parent drug and its 4-epimer | All food-producing species | 100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg | Muscle Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. | Anti-infectious agents/Antibiotics |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|------------------|--------------------------------------|---|--|---|------------------------------------|
| | | | | | ► <u>C1</u> MRLs for liver and kidney do not apply to fin fish. ◀ | |
| Oxytocin | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Pancreatin | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Papain | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Papaverine | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | Newborn calves only. | NO ENTRY |
| Paracetamol | NOT APPLICABLE | Porcine | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Parconazole | NOT APPLICABLE | Guinea fowl | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Paromomycin | Paromomycin | All food producing species | 500 µg/kg 1 500 µg/kg 1 500 µg/kg | Muscle Liver Kidney | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk or eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Peforelin | NOT APPLICABLE | Porcine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ <u>M15</u> Pegylated bovine granulocyte colony stimulating factor | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | NO ENTRY | Biological/Immuno-modulator |
| ▼ <u>B</u> Penethamate | Benzylpenicillin | All mammalian food producing species | 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg | Muscle Fat Liver Kidney Milk | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|-----------------------------|---|---|---|---|--|
| Pepsin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Peracetic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Permethrin | Permethrin (sum of isomers) | Bovine | 50 µg/kg 500 µg/kg 50 µg/kg 50 µg/kg | Muscle Fat Liver Kidney Milk | For milk further provisions in Commission Directive 98/82/EC are to be observed. | Antiparasitic agents/ Agents against ectoparasites |
| Phenol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M8 Phenoxymethylpenicillin | Phenoxymethylpenicillin | Porcine | 25 µg/kg 25 µg/kg 25 µg/kg | Muscle Liver Kidney | NO ENTRY | Anti-infectious agents/Antibiotics |
| | | Poultry | 25 µg/kg 25 µg/kg 25 µg/kg 25 µg/kg 25 µg/kg | Muscle Skin and fat Liver Kidney Eggs | | |
| ▼ B Phenylalanine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Phloroglucinol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M21 Phoxim | Phoxim | All food-producing species except fin fish. | 25 µg/kg 550 µg/kg 50 µg/kg 30 µg/kg 60 µg/kg | Muscle Fat Liver Kidney Eggs | For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption. | Antiparasitic agents/ Agents against ectoparasites. |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|---------------------------------|---|---|--|--|
| <i>Phytolacca americana</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only. | NO ENTRY |
| Phytomenadione | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Piceae turiones recentes extractum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For oral use only. | NO ENTRY |
| Piperazine | Piperazine | Porcine | 400 µg/kg 800 µg/kg 2 000 µg/kg 1 000 µg/kg | Muscle Skin and fat Liver Kidney | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| | | Chicken | 2 000 µg/kg | Eggs | | |
| Piperazine dihydrochloride | NOT APPLICABLE | Chicken | No MRL required for all tissues except eggs | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Piperonyl butoxide | NOT APPLICABLE | Bovine, ovine, caprine, Equidae | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Pirlimycin | Pirlimycin | Bovine | 100 µg/kg 100 µg/kg 1 000 µg/kg 400 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| Policresulen | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Poloxalene | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Poloxamer | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|----------------------------|-----------------|----------------|--|--|
| Polyethylene glycol 15 hydroxystearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Polyethylene glycol 7 glyceryl cocoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Polyethylene glycol stearates with 8-40 oxyethylene units | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Polyethylene glycols (molecular weight ranging from 200 to 10 000) | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Polyoxyethylene sorbitan monooleate and trioleate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Polyoxyl castor oil with 30 to 40 oxyethylene units | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Polyoxyl hydrogenated castor oil with 40 to 60 oxyethylene units | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Polysorbate 80 | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Polysulphated glycosaminoglycan | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M75 Porcine prolactin | NOT APPLICABLE | Porcine | No MRL required | NOT APPLICABLE | For oral use in newborn piglets at a dose of up to 0,2 mg/animal. For use in sows at a total dose of up to 5 mg/animal. | Agents acting on the reproductive system |
| ▼B Potassium DL-aspartate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|--------------------------------------|-----------------|----------------|--|-------------------------------|
| Potassium glucuronate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Potassium glycerophosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Potassium nitrate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Potassium selenate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Praziquantel | NOT APPLICABLE | Ovine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ <u>M27</u> Prednisolone | Prednisolone | Bovine | 4 µg/kg | Muscle | NO ENTRY | Corticoids/Glucocorticoids |
| | | | 4 µg/kg | Fat | | |
| | | | 10 µg/kg | Liver | | |
| | | | 10 µg/kg | Kidney | | |
| | | | 6 µg/kg | Milk | | |
| | | <i>Equidae</i> | 4 µg/kg | Muscle | | |
| | | | 8 µg/kg | Fat | | |
| | | | 6 µg/kg | Liver | | |
| | | | 15 µg/kg | Kidney | | |
| | | | | | | |
| ▼ <u>B</u> Pregnant mare serum gonadotrophin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| | | | | | | |
| | | | | | | |
| Prethcamide (crotethamide and cropropamide) | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Procaine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|----------------|---|-----------------|----------------|---|---|
| Progesterone | NOT APPLICABLE | Bovine, ovine, caprine, <i>Equidae</i> (female) | No MRL required | NOT APPLICABLE | Only for intra-vaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC. | NO ENTRY |
| Proline | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Propane | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M54 | | | | | | |
| Propyl 4-hydroxybenzoate and its sodium salt | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as a preservative only | NO ENTRY |
| ▼B | | | | | | |
| Propylene glycol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Prunus laurocerasus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations in the products not exceeding one part per thousand only. | NO ENTRY |
| ▼M60 | | | | | | |
| Purified semi-solid extract from <i>Humulus lupulus L.</i> containing approximately 48 % of beta acids (as potassium salts) | NOT APPLICABLE | Bees | No MRL required | Honey | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| ▼B | | | | | | |
| Pyrantel embonate | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Pyrethrum</i> extract | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| 2-Pyrrolidone | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | At parenteral doses up to 40 mg/kg bw. | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|-----------------|----------------|--|----------------------------|
| Quatresin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as preservative only at concentrations of up to 0,5 %. | NO ENTRY |
| <i>Quercus cortex</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Quillaia saponins</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼M63

| | | | | | | |
|------------|------------|---------------|--|----------------------------------|--|---|
| Rafoxanide | Rafoxanide | Bovine | 30 µg/kg 30 µg/kg 10 µg/kg 40 µg/kg | Muscle Fat Liver Kidney | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |
| | | Ovine | 100 µg/kg 250 µg/kg 150 µg/kg 150 µg/kg | Muscle Fat Liver Kidney | | |
| | | Bovine, ovine | 10 µg/kg | Milk | Provisional MRL shall expire on 31 December 2017 | |

▼B

| | | | | | | |
|--|----------------|--------------------------------------|---|----------------|---|------------------------------------|
| <i>Rhei radix</i> , standardised extracts and preparations thereof | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Ricini oleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |
| Rifaximin | Rifaximin | Bovine | 60 µg/kg | Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| | NOT APPLICABLE | Bovine | No MRL required for all tissues except milk | NOT APPLICABLE | For intramammary use, except if the udder may be used as food for human consumption, and intrauterine use only. | |
| | | All mammalian food producing species | No MRL required | NOT APPLICABLE | For topical use only. | |
| Romifidine | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For therapeutic uses only. | NO ENTRY |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|--|-----------------------|--|--|------------------------------------|
| <i>Rosmarini aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Rosmarini folium</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Ruscus aculeatus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Ruta graveolens</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption. | NO ENTRY |
| Salicylic acid | NOT APPLICABLE | All food producing species except fin fish | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Salviae folium</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Sambuci flos</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sarafloxacin | Sarafloxacin | Chicken | 10 µg/kg 100 µg/kg | Skin and fat Liver | Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| | | <i>Salmonidae</i> | 30 µg/kg | Muscle and skin in natural proportions | | |

▼ **B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|--|----------------------------------|--|---|
| <i>Selenicereus grandiflorus</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. | NO ENTRY |
| <i>Serenoa repens</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Serine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Serotonin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Silybum marianum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| <i>Sinapis nigrae semen</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M59 | | | | | | |
| Sisapronil | Sisapronil | Bovine, caprine | 100 µg/kg 2 000 µg/kg 200 µg/kg 100 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption | Antiparasitic agents/ Agents against ectoparasites |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--------------------------------------|----------------|--|-----------------|----------------|--|-------------------------------|
| Sodium 2-methyl-2-phenoxy-propanoate | NOT APPLICABLE | Bovine, porcine, caprine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium acetyl-salicylate | NOT APPLICABLE | All food producing species except fin fish | No MRL required | NOT APPLICABLE | Not for use in animals from which milk or eggs are produced for human consumption. | NO ENTRY |
| Sodium benzyl 4-hydroxy-benzoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium boro-formiate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium butyl 4-hydroxy-benzoate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium cetos-tearyl sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Sodium chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium chlorite | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Sodium cromoglycate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium dichloroisocyanurate | NOT APPLICABLE | Bovine, ovine, caprine | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Sodium dioctylsulphosuccinate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium formaldehydesulphoxylate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|--|--|--|--|---|
| Sodium glycerophosphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium hypophosphite | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium lauryl sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium nitrite | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Sodium propionate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium pyrosulphite | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M22 Sodium salicylate | NOT APPLICABLE | Bovine, porcine | No MRL required | NOT APPLICABLE | For oral use. Not for use in animals from which milk is produced for human consumption. | NO ENTRY |
| | | All food producing species except fin fish | No MRL required | NOT APPLICABLE | For topical use only. | |
| | Salicylic acid | Turkey | 400 µg/kg 2 500 µg/kg 200 µg/kg 150 µg/kg | Muscle Skin and fat in natural proportions Liver Kidney | Not for use in animals producing eggs for human consumption. | Anti-inflammatory agents/Non-steroidal anti-inflammatory agents |
| ▼B Sodium selenate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium selenite | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|-----------------|----------------|--|----------------------------|
| Sodium stearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sodium thio-sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Solidago virgaurea</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |

▼M73

| | | | | | | |
|--|----------------|----------------------------|-----------------|----------------|---|----------|
| Solvent naphtha, light aromatic, with cumene concentration not exceeding 2,5 %, and benzene concentration not exceeding 0,0002 % | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For cutaneous use only. Only at volume not exceeding 15 µl solvent naphtha/kg bw. | NO ENTRY |
|--|----------------|----------------------------|-----------------|----------------|---|----------|

▼B

| | | | | | | |
|-----------------------|----------------|----------------------------------|---|--|--|------------------------------------|
| Somatosalm | NOT APPLICABLE | Salmon | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sorbitan sesquioleate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Sorbitan trioleate | NOT APPLICABLE | All food-producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Spectinomycin | Spectinomycin | Ovine | 300 µg/kg 500 µg/kg 2 000 µg/kg 5 000 µg/kg 200 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| | | All other food producing species | 300 µg/kg 500 µg/kg 1 000 µg/kg 5 000 µg/kg 200 µg/kg | Muscle Fat Liver Kidney Milk | | |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|-------------------------------------|--------------------------------|---|--|--|------------------------------------|
| Spiramycin | Sum of spiramycin and neospiramycin | Bovine | 200 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 200 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Anti-infectious agents/Antibiotics |
| | | Chicken | 200 µg/kg 300 µg/kg 400 µg/kg | Muscle Skin and fat Liver | Not for use in animals from which eggs are produced for human consumption. | |
| | Spiramycin 1 | Porcine | 250 µg/kg 2 000 µg/kg 1 000 µg/kg | Muscle Liver Kidney | NO ENTRY | |
| Streptomycin | Streptomycin | All ruminants, porcine, rabbit | 500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| | | All ruminants | 200 µg/kg | Milk | | |
| <i>Strychni semen</i> | NOT APPLICABLE | Bovine, ovine, caprine | No MRL required | NOT APPLICABLE | For oral use only at doses up to the equivalent of 0,1 mg strychnine/kg bw. | NO ENTRY |
| Strychnine | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | For oral use only at dose to 0,1 mg/kg bw. | NO ENTRY |
| Substances used in homeopathic veterinary medicines | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | All substances used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand. | NO ENTRY |
| Sulfogaiacol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|--|----------------|----------------------------|--|----------------------------------|---|---|
| Sulfonamides (all substances belonging to the sulfonamide group) | Parent drug | All food-producing species | 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg | Muscle Fat Liver Kidney | The combined total residues of all substances within the sulfonamide group should not exceed 100 µg/kg. For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Chemotherapeutics/ |
| | | Bovine, ovine, caprine | 100 µg/kg | Milk | | |
| Sulphur | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Symphyti radix</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use on intact skin only. | NO ENTRY |
| <i>Syzygium cumini</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Tanninum | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| L-tartaric acid and its mono- and di-basic salt of sodium, potassium and calcium | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as excipient. | NO ENTRY |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|---|---------------------------------|---|---|--|---|
| Tau fluvalinate | NOT APPLICABLE | Bees | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Teflubenzuron | Teflubenzuron | <i>Salmonidae</i> | 500 µg/kg | Muscle and skin in natural proportions | NO ENTRY | Antiparasitic agents/ Agents against ectoparasites |
| <i>Terebinthinae aetheroleum rectificatum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| <i>Terebinthinae laricina</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Terpin hydrate | NOT APPLICABLE | Bovine, ovine, caprine, porcine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Tetracaine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use as anaesthetic only. | NO ENTRY |
| Tetracycline | Sum of parent drug and its 4-epimer | All food-producing species | 100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg | Muscle Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish. | Anti-infectious agents/Antibiotics |
| Theobromine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Theophylline | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Thiabendazole | Sum of thiabendazole and 5-hydroxythiabendazole | Bovine, caprine | 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|--------------------------------------|--|--|--|------------------------------------|
| Thiamphenicol | Thiamphenicol | All food producing species | 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg | Muscle Fat Liver Kidney Milk | For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| Thiamylal | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | For intravenous administration only. | NO ENTRY |
| Thioctic acid | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Thiomersal | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use only as preservatives in multidose vaccines at a concentration not exceeding 0,02 %. | NO ENTRY |
| Thiopental sodium | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For intravenous administration only. | NO ENTRY |
| Threonine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Thuja occidentalis</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. | NO ENTRY |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|--|---|-------------------------------------|--|------------------------------------|
| <i>Thymi aetheroleum</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Thymidine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Thymol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Tiamulin | Sum of metabolites that may be hydrolysed to 8- α -hydroxymutilin | Porcine, rabbit | 100 $\mu\text{g}/\text{kg}$ 500 $\mu\text{g}/\text{kg}$ | Muscle Liver | NO ENTRY | Anti-infectious agents/Antibiotics |
| | | Chicken | 100 $\mu\text{g}/\text{kg}$ 100 $\mu\text{g}/\text{kg}$ 1 000 $\mu\text{g}/\text{kg}$ | Muscle Skin and fat Liver | | |
| | | Turkey | 100 $\mu\text{g}/\text{kg}$ 100 $\mu\text{g}/\text{kg}$ 300 $\mu\text{g}/\text{kg}$ | Muscle Skin and fat Liver | | |
| | Tiamulin | Chicken | 1 000 $\mu\text{g}/\text{kg}$ | Eggs | | |
| Tiaprost | NOT APPLICABLE | Bovine, ovine, porcine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M35 Tildipirosin | Tildipirosin | Bovine, caprine | 400 $\mu\text{g}/\text{kg}$ | Muscle | Not for use in animals from which milk is produced for human consumption. | Anti-infectious agents/Antibiotics |
| | | | 200 $\mu\text{g}/\text{kg}$ | Fat | | |
| | | | 2 000 $\mu\text{g}/\text{kg}$ | Liver | | |
| | | | 3 000 $\mu\text{g}/\text{kg}$ | Kidney | | |
| | | Porcine | 1 200 $\mu\text{g}/\text{kg}$ | Muscle | | |
| | | | 800 $\mu\text{g}/\text{kg}$ | Skin and fat in natural proportions | | |
| | | | 5 000 $\mu\text{g}/\text{kg}$ | Liver | | |
| | | | 10 000 $\mu\text{g}/\text{kg}$ | Kidney | | |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|-----------------|----------------------------------|--|---|--|--|
| <i>Tiliae flos</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Tilmicosin | Tilmicosin | Poultry | 75 µg/kg 75 µg/kg 1 000 µg/kg 250 µg/kg | Muscle Skin and fat Liver Kidney | For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/Antibiotics |
| | | All other food producing species | 50 µg/kg 50 µg/kg 1 000 µg/kg 1 000 µg/kg 50 µg/kg | Muscle Fat Liver Kidney Milk | | |
| Tiludronic acid (in the form of disodium salt) | NOT APPLICABLE | <i>Equidae</i> | No MRL required | NOT APPLICABLE | For intravenous use only. | NO ENTRY |
| | | Poultry | No MRL required | NOT APPLICABLE | For parenteral use only and for use in laying and breeder birds only. | |
| Timerfonate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use only as preservatives in multidose vaccines at a concentration not exceeding 0,02 %. | NO ENTRY |
| Toldimfos | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Tolfenamic acid | Tolfenamic acid | Bovine, porcine | 50 µg/kg 400 µg/kg 100 µg/kg | Muscle Liver Kidney | NO ENTRY | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents |
| | | Bovine | 50 µg/kg | Milk | | |

▼ **B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|---|--------------------------------------|--|---|---|---|
| Toltrazuril | Toltrazuril sulfone | All mammalian food producing species | 100 µg/kg 150 µg/kg 500 µg/kg 250 µg/kg | Muscle Fat Liver Kidney | For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption. Not for use in animals from which eggs are produced for human consumption. | Antiparasitic agents/ Agents acting against protozoa |
| | | Poultry | 100 µg/kg 200 µg/kg 600 µg/kg 400 µg/kg | Muscle Skin and fat Liver Kidney | | |
| Tosylchloramide sodium | NOT APPLICABLE | Bovine, <i>Equidae</i> | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| | | Fin fish | No MRL required | NOT APPLICABLE | For water-borne use only. | |
| Tragacanth | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Tricaine mesilate | NOT APPLICABLE | Fin fish | No MRL required | NOT APPLICABLE | For water borne use only. | NO ENTRY |
| Trichlormethiazide | NOT APPLICABLE | All mammalian food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M37 Triclabendazole | Sum of the extractable residues that may be oxidised to ketotriclabendazole | All ruminants | 225 µg/kg 100 µg/kg 250 µg/kg 150 µg/kg 10 µg/kg | Muscle Fat Liver Kidney Milk | NO ENTRY | Antiparasitic agents/ Agents against endoparasites |

▼ B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|----------------------------------|--|--|--|---|
| Trimethoprim | Trimethoprim | <i>Equidae</i> | 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg | Fat Muscle Liver Kidney | For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption. | Anti-infectious agents/ Chemotheurapeutics |
| | | All other food producing species | 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg | Muscle Fat Liver Kidney Milk | | |
| Trimethylphloroglucinol | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M34 | | | | | | |
| Triptorelin acetate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | Agents acting on the reproductive system |
| ▼ B | | | | | | |
| Trypsin | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Tryptophan | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼ M50 | | | | | | |
| Tulathromycin | (2R,3S,4R,5R,8R,10R,11R,12S,13S,14R)-2-ethyl-3,4,10,13-tetra-hydroxy-3,5,8,10,12,14-hexamethyl-11-[[[3,4,6-trideoxy-3-(dimethylamino)-β-D-xylo-hexopyranosyl]oxy]-1-oxa-6-azacyclopentecan-15-one expressed as tulathromycin equivalents | Ovine, caprine | 450 µg/kg 250 µg/kg 5 400 µg/kg 1 800 µg/kg | Muscle Fat Liver Kidney | Not for use in animals from which milk is produced for human consumption | Anti-infectious agents/Antibiotics |
| | | Bovine | 300 µg/kg 200 µg/kg 4 500 µg/kg 3 000 µg/kg | Muscle Fat Liver Kidney | | |
| | | Porcine | 800 µg/kg 300 µg/kg 4 000 µg/kg 8 000 µg/kg | Muscle Skin and fat in natural proportions Liver Kidney | | |

▼**B**

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|--|----------------------------|---|--|---|------------------------------------|
| <i>Turnera diffusa</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Tylosin | Tylosin A | All food producing species | 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg 50 µg/kg 200 µg/kg | Muscle Fat Liver Kidney Milk Eggs | For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. | Anti-infectious agents/Antibiotics |
| ▼ M62 Tylvalosin | Sum of tylvalosin and 3-O-acetyl-tylosin | Porcine | 50 µg/kg | Muscle | NO ENTRY | Anti-infectious agents/Antibiotics |
| | | | 50 µg/kg | Skin and fat | | |
| | 50 µg/kg | | Liver | | | |
| 50 µg/kg | Kidney | | | | | |
| Poultry | 50 µg/kg | Skin and fat | | | | |
| | 50 µg/kg | Liver | | | | |
| Tylvalosin | Poultry | 200 µg/kg | Eggs | | | |
| ▼ B Tyrosine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Urea | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Urginea maritima</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per hundred only. For oral use only. | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|---|-------------------------|----------------------------|--|---|--|--|
| Uridine and its 5'-mono-5'-di- and 5'-triphosphates | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| <i>Urticae herba</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Valine | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| ▼M1 | | | | | | |
| Valnemulin | Valnemulin | Porcine, rabbit | 50 µg/kg 500 µg/kg 100 µg/kg | Muscle Liver Kidney | NO ENTRY | Anti-infectious agents/Antibiotics |
| ▼B | | | | | | |
| Vedaprofen | Vedaprofen | <i>Equidae</i> | 50 µg/kg 20 µg/kg 100 µg/kg 1 000 µg/kg | Muscle Fat Liver Kidney | NO ENTRY | Anti-inflammatory agents/Nonsteroidal anti-inflammatory agents |
| Vetrabutine hydrochloride | NOT APPLICABLE | Porcine | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vincamine | NOT APPLICABLE | Bovine | No MRL required | NOT APPLICABLE | For use in newborn animals only. | NO ENTRY |
| ▼M56 | | | | | | |
| Virginiamycin | Virginiamycin factor S1 | Poultry | 10 µg/kg 30 µg/kg 10 µg/kg 60 µg/kg | Muscle Skin and fat Liver Kidney | Not for use in animals from which eggs are produced for human consumption | Anti-infectious agents/Antibiotics |
| ▼B | | | | | | |
| <i>Viola sebifera</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias, at concentrations in the products not exceeding one part per thousand only. | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|-----------------|----------------|--|----------------------------|
| <i>Viscum album</i> | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and dilutions thereof only. | NO ENTRY |
| Vitamin A | NOT APPLICABLE | All food-producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin B1 | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin B2 | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin B3 | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin B5 | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin B6 | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin B12 | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin D | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Vitamin E | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Wool alcohols | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | For topical use only. | NO ENTRY |
| Xylazine hydrochloride | NOT APPLICABLE | Bovine, Equidae | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

| Pharmacologically active Substance | Marker residue | Animal Species | MRL | Target Tissues | Other Provisions (according to Article 14(7) of Regulation (EC) No 470/2009) | Therapeutic Classification |
|------------------------------------|----------------|----------------------------|-----------------|----------------|--|-------------------------------|
| Zinc acetate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Zinc aspartate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Zinc chloride | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Zinc gluconate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Zinc oleate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Zinc oxide | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Zinc stearate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |
| Zinc sulphate | NOT APPLICABLE | All food producing species | No MRL required | NOT APPLICABLE | NO ENTRY | NO ENTRY |

▼B

Table 2

Prohibited substances

| Pharmacologically active substance | MRL |
|---|---------------------------|
| <i>Aristolochia spp.</i> and preparations thereof | MRL cannot be established |
| Chloramphenicol | MRL cannot be established |
| ▼<u>M32</u> | |
| ▼<u>B</u> | |
| Chlorpromazine | MRL cannot be established |
| Colchicine | MRL cannot be established |
| Dapsone | MRL cannot be established |
| Dimetridazole | MRL cannot be established |
| Metronidazole | MRL cannot be established |
| Nitrofurans (including furazolidone) | MRL cannot be established |
| Ronidazole | MRL cannot be established |