

Commission Regulation (EU) No 459/2010 of 27 May 2010 amending Annexes II, III and IV to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for certain pesticides in or on certain products (Text with EEA relevance)

COMMISSION REGULATION (EU) No 459/2010

of 27 May 2010

amending Annexes II, III and IV to Regulation (EC) No 396/2005
of the European Parliament and of the Council as regards maximum
residue levels for certain pesticides in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC⁽¹⁾, and in particular Article 5(1) and Article 14(1) thereof,

Whereas:

- (1) For azoxystrobin, cypermethrin, indoxacarb, isoxaflutole, ethephon fenitrothion, lambda-cyhalothrin, methomyl, profenofos, pyraclostrobin, thiacycloprid, triadimefon, triadimenol and trifloxystrobin maximum residue levels (MRLs) were set in Annex II and part B of Annex III to Regulation (EC) No 396/2005. For aminopyralid, boscalid, buprofezin, chlorantraniliprole, cyprodinil, difenoconazole, flusilazole, fosetyl, imidacloprid, mandipropamid, metazachlor, prothioconazole, spinetoram, spirotetramat, sulphur and tebuconazole MRLs were set in part A of Annex III to Regulation (EC) No 396/2005.
- (2) In the context of a procedure, in accordance with Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market⁽²⁾, for the authorisation of the use of a plant protection product containing the active substance azoxystrobin on swedes an application was made under Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRL.
- (3) As regards aminopyralid, such an application was made for the use on pastures. In view of that application, it is necessary to modify the existing MRL for bovine kidney because through grazing the pesticide is ingested by cattle. As regards boscalid, such an application was made for the use on gherkins and courgettes. As regards cyprodinil, such an application was made for the use on celeriac. As regards difenoconazole, such an application was made for the use on fennel, parsley, celery leaves and chervil. As regards indoxacarb, such an application was made for the use on cherries and sugar beets. As regards isoxaflutole, such an application was made to change the residue

*Status: Point in time view as at 27/05/2010.**Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)*

definition. As regards fosetyl, such an application was made for the use on radishes. As regards lambda-cyhalothrin, such an application was made for the use on globe artichokes and currants. As regards metazachlor, such an application was made for the use on rapeseed, kale, cabbage, swedes, turnips, and cereals. In view of that application, it is necessary to modify the existing MRLs for liver from bovines, sheep and goats, since rapeseed, kale, cabbage, swedes, turnips, and cereals are used as feed, and residues may end up on forage for these animals. In addition, it is necessary to modify the residue definition on animal products. As regards pyraclostrobin, such an application was made for the use on beetroot, gherkin and courgettes. As regards spirotetramat, such an application was made for the use on plums and cherries. As regards tebuconazole, such an application was made for the use on swedes and turnips. As regards thiacycloprid, such an application was made for the use on lambs lettuce, celery and fennel. As regards trifloxystrobin, such an application was made for the use on parsnips, parsley root, salsify, swedes and turnips.

- (4) In accordance with Article 6(2) and (4) of Regulation (EC) No 396/2005 applications were made for spinetoram on peaches (including nectarines) and apricots. The authorised use of spinetoram on peaches, nectarines and apricots in South Africa, Argentina, Chile, New Zealand and Israel lead to higher residues than the MRL in Annex III to Regulation (EC) No 396/2005. To avoid trade barriers for the importation of peaches, nectarines and apricots, a higher MRL is necessary.
- (5) In accordance with Article 8 of Regulation (EC) No 396/2005, these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.
- (6) The European Food Safety Authority, hereinafter ‘the Authority’, assessed the applications and the evaluation reports, examining in particular the risks to the consumer and where relevant to animals and gave reasoned opinions on the proposed MRLs⁽³⁾. It forwarded these opinions to the Commission and the Member States and made them available to the public.
- (7) The Authority concluded in its reasoned opinions that all requirements with respect to data were met and that the modifications to the MRLs needed by the applicants were acceptable with regard to consumer safety on the basis of a consumer exposure assessment for 27 specific European consumer groups. It took into account the most recent information on the toxicological properties of the substances. Neither the lifetime exposure to these substances via consumption of all food products that may contain these substances, nor the short term exposure due to extreme consumption of the relevant crops showed that there is a risk that the acceptable daily intake (ADI) or the acute reference dose (ARfD) is exceeded. In some cases the Authority considered that a higher MRL was necessary than the MRL proposed by the evaluating Member State. In those cases it is appropriate to allow the higher MRL, as proposed by the Authority, provided that the Authority considered this MRL safe. In other cases the Authority considered that a lower MRL than the MRL proposed by the evaluating Member State was sufficient. In those cases it is appropriate to set the lower MRL.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

- (8) In accordance with Article 12(2) of Regulation (EC) No 396/2005 the Authority evaluated the safety of existing MRLs for ethephon⁽⁴⁾ and concluded that the MRLs for 12 crops could be set higher to take account of existing CXLs.
- (9) As regards fenitrothion, the validity of MRLs for cereals expired on 1 June 2009. For the sake of clarity it is appropriate to indicate the lowest limit of analytical determination (LOD) for that pesticide on cereals in Regulation (EC) No 396/2005.
- (10) As regards sulphur, the Authority recommended in its conclusion⁽⁵⁾ not to continue to set MRLs for that pesticide because of its low toxicity. In view of that conclusion it is appropriate to delete the existing MRLs for that pesticide and to include it in Annex IV to Regulation (EC) No 396/2005.
- (11) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 5(1) and Article 14(2) of Regulation (EC) No 396/2005.
- (12) On 4 July 2009 the Codex Alimentarius Commission (CAC) adopted CXLs for azoxystrobin, buprofezin, chlorantraniliprole, cypermethrin, flusilazole, imidacloprid, lambda-cyhalothrin, mandipropamid, methomyl, profenofos, prothioconazole, spinetoram, spirotetramate, tebuconazole, triadimefon and triadimenol. These CXLs should be included in Regulation (EC) No 396/2005 as MRLs, with the exception of those CXLs which are not safe for a European consumer group and for which the Union presented a reservation to the CAC.
- (13) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (14) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II, III and IV to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

The MRLs for ethephon shall apply from 8 June 2010.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)

Done at Brussels, 27 May 2010.

For the Commission

The President

José Manuel BARROSO

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)

ANNEX

Annexes II, III and IV to Regulation (EC) No 396/2005 are amended as follows:

- In Annex II the heading ‘Isoxaflutole (sum of isoxaflutole, RPA 202248 and RPA 203328, expressed as isoxaflutole)’ is changed by removing ‘and RPA 203328’; the columns for azoxystrobin, cypermethrin, indoxacarb, ethephon, fenitrothion, lambda-cyhalothrin, methomyl, profenofos, pyraclostrobin, thiocloprid, triadimefon, triadimenol and trifloxystrobin are replaced by the following:

PESTICIDE RESIDUES AND MAXIMUM RESIDUE LEVELS (MG/KG)

Code number	Group examples of individual products to which the MRLs apply ^a	Isoxyl (cypermethrin including other mixtures of constituent isomers (sum of isomers)) (F)	Cypermethrin (F)	Ethephon (R)	Fenitrothion (S)	Indoxacarb (R)	Methomyl (F)	Pyraclostrobin (F)	Thiocloprid (F)	Triadimenol (F)	Trifloxystrobin (F)	and triadimenol (sum of triadimefon and triadimenol) (F)	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
01000001.		FRUIT FRESH OR FROZEN; NUTS											
011000015 (i)	2 Citrus fruit	0,05 ^b	0,01 ^b	0,02 ^b	0,2	0,02 ^b	0,05 ^b	1	0,02 ^b	0,1 ^b	0,3		
011000016	Grapefruit												
011000017	Oranges												
011000018	Lemons												

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000; Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Etephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Etephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0110010	Oranges										
0110011	Mandarins										
0110990	Others										
0120000 (ii)	Tree nuts (shelled or unshelled)	0,05 ^b		0,01 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b		0,02 ^b	0,2 ^b
0120010	Almonds ^b		0,1						0,02 ^b		
0120020	Brazil nuts	0,1 ^b		0,1					0,02 ^b		
0120030	Cashew nuts	0,1 ^b		0,1					0,02 ^b		
0120040	Chestnuts ^b		0,1						0,02 ^b		
0120050	Coconuts ^b		0,1						0,02 ^b		
0120060	Hazelnuts ^b	0,2							0,02 ^b		
0120070	Macadamia		0,1						0,02 ^b		
0120080	Pecans ^b		0,1						0,02 ^b		
0120090	Pine nuts	0,1 ^b		0,1					0,02 ^b		
0120100	Pistachios		0,1						1		
0120110	Walnuts ^b	0,5 ^b							0,02 ^b		
0120990	Others ^b	0,1 ^b		0,1					0,02 ^b		
0130000 (iii)	Pome fruit	0,05 ^b	1			0,1		0,05 ^b	0,3	0,3	0,5
0130010	Apples		0,6	0,01 ^b	0,5		0,02 ^b			0,2 ^b	
0130020	Pears			0,05 ^b	0,01 ^b	0,3		0,02 ^b			0,1 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011
pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July
2011 pending submission and evaluation of an additional
metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0130000	Quinces			0,05 ^b	0,01 ^b	0,3		0,02 ^b				0,1 ^b	
0130001	Medlar	e	e	e	e	e	e	e	e	e	e	e	e
0130002	Loquat	e	e	e	e	e	e	e	e	e	e	e	e
0130900	Others			0,05 ^b	0,01 ^b	0,3		0,2				0,1 ^b	
0140000 (iv)	2 Stone fruit			0,01 ^b				0,05 ^b				0,1 ^b	
0140001	Apricots			0,05 ^b		0,3	0,2	0,02 ^b		0,2	0,3		1
0140002	Cherries		3		0,5	0,3	0,1			0,3	0,3		1
0140003	Banches			0,05 ^b		0,3	0,2	0,02 ^b		0,2	0,3		1
0140004	Rums			0,05 ^b		0,02 ^b	0,2	0,02 ^b		0,2	0,1		0,2
0140900	Others			0,05 ^b		0,02 ^b	0,1	0,02 ^b		0,02 ^b	0,02 ^b		0,02 ^b
0150000 (v)	Berries & small fruit							0,05 ^b					
0151000 (a)	2 <i>0,5 Table and wine grapes</i>			0,01 ^b	2	0,2				0,02 ^b	2		5
0151001	Table grapes			0,7				0,02 ^b		1			
0151002	Wine grapes			2				0,5		2			
0152000 (b)	10 <i>0,07 Strawberries</i>	0,05 ^b	0,01 ^b	0,02 ^b	0,5	0,02 ^b			0,5	0,5	0,5	0,5	
0153000 (c)	5 <i>0,5 Cane fruit</i>	0,05 ^b	0,01 ^b		0,2	0,02 ^b				0,1 ^b	0,02 ^b		
0153001	Blackberries				0,5					1	3		

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0153020	Dewberries			0,02 ^b			0,02 ^b	1		
0153020	Raspberries			0,5			1	3		
0153900	Others			0,02 ^b			0,02 ^b	1		
0154000 (d)	<i>Other small fruit & berries</i>	0,05 ^b		1				1	1	
0154020	Blueberries	20	0,01 ^b	0,2	0,02 ^b		0,5		2	
0154020	Bananas	0,05 ^b	0,01 ^b	0,2	0,02 ^b		0,5		0,02 ^b	
0154030	Currants (red, black and white)	0,05 ^b	0,01 ^b	0,2	0,02 ^b		2		1	
0154040	Gooseberries	0,05 ^b	0,01 ^b	0,2	0,02 ^b		0,5		1	
0154050	Rose hips	e	e	e	e	e	e	e	e	e
0154060	Mulberries	e	e	e	e	e	e	e	e	e
0154070	Amarone (mediterranean medlar)	e	e	e	e	e	e	e	e	e
0154080	Elderberries ^c	e	e	e	e	e	e	e	e	e
0154900	Others	0,05 ^b	0,01 ^b	0,2	0,02 ^b		0,5		0,02 ^b	
0160000 (vi)	Miscellaneous fruit									
0161000 (a)	0,05 ^b <i>Edible peel</i>			0,02 ^b			0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

01610	Dates		0,05 ^b	0,05 ^b	0,01 ^b		0,02 ^b	0,02 ^b						0,02 ^b
01610	Pears		0,05 ^b	0,05 ^b	0,01 ^b		0,02 ^b	0,02 ^b						0,02 ^b
01610	Table olives		0,05 ^b	5 (+)	0,01 ^b		1	0,02 ^b						0,3
01610	Kumquats		0,05 ^b	0,05 ^b	0,01 ^b		0,02 ^b	0,02 ^b						0,02 ^b
01610	Carambola	e	e	e	e	e	e	e	e	e	e	e	e	e
01610	Bersimimon	e	e	e	e	e	e	e	e	e	e	e	e	e
01610	Jambolan (java plum)	e	e	e	e	e	e	e	e	e	e	e	e	e
01619	Others		0,05 ^b	0,05 ^b	0,01 ^b		0,02 ^b	0,02 ^b						0,02 ^b
0162000 (b)	Inedible peel, small		0,05 ^b			0,02 ^b	0,02 ^b		0,05 ^b	0,02 ^b	0,02 ^b			0,1 ^b
01620	Kwi	0,05 ^b	0,05 ^b		0,01 ^b			0,02 ^b						0,02 ^b
01620	Lichee	0,05 ^b	2		0,01 ^b			0,02 ^b						0,02 ^b
01620	Passion fruit		0,05 ^b		0,01 ^b			0,02 ^b						4
01620	Ficky pear (cactus fruit)	e	e	e	e	e	e	e	e	e	e	e	e	e
01620	Star apple	e	e	e	e	e	e	e	e	e	e	e	e	e
01620	American persimmon (Virginia kaki)	e	e	e	e	e	e	e	e	e	e	e	e	e
01629	Others	0,05 ^b	0,05 ^b		0,01 ^b			0,02 ^b						0,02 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
 = The residue definition differs for the following combinations pesticide-code number:
 Lambda-Cyhalothrin — code 1000000; Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
 Ethepron 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
 Ethepron 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0163000 (c)	<i>Inedible peel, large</i>												
016301000 Avocados	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b		
016302000 Bananas	0,05 ^b	0,05 ^b	0,01 ^b	0,2	0,1	0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,02 ^b	1	0,05	
016303000 Mangoes	0,7	0,05 ^b	0,01 ^b	0,02 ^b	0,2	0,02 ^b	0,2	0,05	0,02 ^b	0,1 ^b	0,5		
016304000 Papaya	0,3	0,5	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,05	0,5	0,1 ^b	1	
016305000 Pomegranate	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b		
016306000 Pherimoya	e	e	e	e	e	e	e	e	e	e	e	e	
016307000 Pawpaw	e	e	e	e	e	e	e	e	e	e	e	e	
016308000 Pineapple	0,05 ^b	2	0,01 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	3	0,02 ^b		
016309000 Peach	e	e	e	e	e	e	e	e	e	e	e	e	
016310000 Peach	e	e	e	e	e	e	e	e	e	e	e	e	
016311000 Durian	e	e	e	e	e	e	e	e	e	e	e	e	
016312000 Soursop (guanabana)	e	e	e	e	e	e	e	e	e	e	e	e	
016390000 Others	0,05 ^b	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
02000000 2.	VEGETABLES FRESH OR FROZEN		0,01 ^b										
02100000 (1)	1	Root and tuber vegetables	0,05 ^b	0,05 ^b				0,05 ^b			0,1 ^b		
02110000 (a)	<i>Potatoes</i>				0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b		0,02 ^b	

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Lambda-Cyhalothrin — code 1000000; Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers) Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.

*Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)*

0212000 (b)	<i>Tropical root and tuber vegetables</i>			0,02 ^b	0,02 ^b			0,02 ^b	0,02 ^b		0,02 ^b
0212001 Cassava						0,02 ^b					
0212002 Sweet potatoes						0,02 ^b					
0212003 Yams						0,02 ^b					
0212004 Arrowroot	e	e	e	e	e	e	e	e	e	e	e
0212900 Others						0,02 ^b					
0213000 (c)	<i>Other root and tuber vegetables except sugar beet</i>					0,02 ^b					
0213001 Beetroots				0,02 ^b	0,02 ^b			0,1	0,02 ^b		0,02 ^b
0213002 Carrots				0,02 ^b	0,02 ^b			0,1	0,02 ^b		0,05
0213003 Ginger				0,02 ^b	0,1			0,02 ^b	0,1		0,02 ^b
0213004 Horseradish				0,02 ^b	0,02 ^b			0,3	0,02 ^b		0,02 ^b
0213005 Jerusalem artichokes				0,02 ^b	0,02 ^b			0,02 ^b	0,02 ^b		0,02 ^b
0213006 Parsnips				0,02 ^b	0,02 ^b			0,3	0,02 ^b		0,04
0213007 Parsley root				0,02 ^b	0,02 ^b			0,1	0,02 ^b		0,04
0213008 Radishes				0,2	0,1			0,2	0,02 ^b		0,02 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin – code 1000000: Lambda-cyhalothrin,
including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011
pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July
2011 pending submission and evaluation of an additional
metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0213090	Onions			0,02 ^b	0,02 ^b			0,1	0,02 ^b		0,04
0213180	Garlic			0,02 ^b	0,02 ^b			0,02 ^b	0,02 ^b		0,04
02131T0	Turnips			0,02 ^b	0,02 ^b			0,02 ^b	0,02 ^b		0,04
0213900	Others			0,02 ^b	0,02 ^b			0,02 ^b	0,02 ^b		0,02 ^b
0220000 (ii)	10	Bulb vegetables	0,05 ^b	0,02 ^b	0,2	0,02 ^b	0,05 ^b				0,02 ^b
0220000	Garlic	0,1						0,2	0,02 ^b	0,1 ^b	
0220000	Onions	0,1						0,2	0,02 ^b	0,5	
02200S0	Ballots	0,1						0,2	0,02 ^b	0,1 ^b	
02200S0	Spring onions	0,05 ^b						0,02 ^b	0,1	1	
0220900	Others	0,05 ^b						0,02 ^b	0,02 ^b	0,1 ^b	
0230000 (iii)		Fruiting vegetables									
0231000 (a)	3	0,5 <i>Solanaceae</i>				0,02 ^b				1	
02310T0	Tomatoes	1		0,5	0,1		10	0,2	0,5		0,5
02310P0	Peppers		0,05 ^b	0,3	0,1		0,05 ^b	0,5	1		0,3
02310A0	Aubergines (egg plants)		0,05 ^b	0,5	0,5		0,05 ^b	0,2	0,5		0,02 ^b
02310C0	Kra, lady's fingers		0,05 ^b	0,02 ^b	0,3		0,05 ^b	0,02 ^b	0,02 ^b		0,02 ^b
0231900	Others		0,05 ^b	0,02 ^b	0,3		0,05 ^b	0,02 ^b	0,02 ^b		0,02 ^b
0232000 (b)	1	0,2 <i>Cucurbits</i> edible peel	0,05 ^b	0,2	0,1	0,1	0,05 ^b		0,3	0,2	0,2

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0232000	Cucumbers							0,02 ^b		
0232000	Merkins							0,5		
0232060	Burgettes							0,5		
0232900	Others							0,02 ^b		
0233000 (c)	1 <i>Cucurbits inedible peel</i>	0,2 0,05 ^b		0,1	0,05	0,1	0,05 ^b	0,02 ^b	0,2	
0233000	Melons							0,2		0,3
0233020	Pumpkins							0,02 ^b		0,2
0233030	Watermelons							0,2		0,2
0233900	Others							0,02 ^b		0,02 ^b
0234000 (d)	0,05 ^b <i>Sweet corn</i>	0,05 ^b	0,05 ^b	0,02 ^b	0,05	0,02 ^b	0,05 ^b	0,02 ^b	0,1	0,1 ^b
0239000 (e)	0,05 ^b <i>Other fruiting vegetables</i>	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,02 ^b
0240000 (iv)	5 Brassica vegetables	0,05 ^b					0,05 ^b			0,1 ^b
0241000 (a)	<i>Flowering brassica</i>		0,3		0,02 ^b		0,1	0,1		
0241010	Boccoli	1			0,1					0,05
0241020	Auliflower	0,5			0,1					0,05
0241900	Others	1			0,5					0,02 ^b
0242000 (b)	<i>Head brassica</i>	1								

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers) Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

02420	B	ussels sprouts			0,1	0,05	0,05		0,2	0,05		0,5
02420	P	read cabbage			3	0,2	0,02 ^b		0,2	0,2		0,3
02429	0	Others			0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b		0,02 ^b
0243000	(c)		1 <i>Leafy brassica</i>			1	0,02 ^b		0,02 ^b	1		0,02 ^b
0243000	C	hinese cabbage			0,2							
02430	K	ale			0,2							
02439	0	Others			0,02 ^b							
0244000	(d)		1 <i>Kohlrabi</i>		0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,05		0,5
0250000	(v)		Leaf vegetables & fresh herbs	0,05 ^b				0,05 ^b			0,1 ^b	
0251000	(a)	3	2 <i>Lettuce and other salad plants including Brassicaceae</i>									
02510	L	amb's lettuce			1	1	0,02 ^b		10	5		0,02 ^b
02510	L	tuce			2	0,5	0,2		2	2		10
02510	S	carole (broad-)			2	1	0,02 ^b		2	2		10

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

	leaf endive)												
0251040	0 cress					0,02 ^b	1	0,02 ^b		2	2		0,02 ^b
0251050	End cress	e	e	e	e	e	e	e	e	e	e	e	e
0251060	Rocket, Rucola					0,02 ^b	1	0,02 ^b		2	3		0,02 ^b
0251070	Red mustard	e	e	e	e	e	e	e	e	e	e	e	e
0251080	Leaves and sprouts of <i>Brassica</i> spp					1	1	0,02 ^b		2	2		0,02 ^b
0251900	Others					0,02 ^b	1	0,02 ^b		2	2		0,02 ^b
0252000 (b)	Spinach & similar (leaves)	0,7					0,5				0,02 ^b		0,02 ^b
0252005	Spinach	0,05 ^b				2		0,05		0,5			
0252010	Mustard	e	e	e	e	e	e	e	e	e	e	e	e
0252015	Bet	0,5				0,02 ^b		0,02 ^b		0,5			
0252900	Others	0,05 ^b				0,02 ^b		0,02 ^b		0,5			
0253000 (c)	Vine leaves (grape leaves)	e	e	e	e	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011
pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July
2011 pending submission and evaluation of an additional
metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0254000 (d)	0,05 ^b 0,7 Water cress			0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b		0,02 ^b
0255000 (e)	0,2 <i>Willow</i>			0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b		0,02 ^b
0256000 (f)	<i>Herbs</i>			2	1			2	5		10
0256000 Cervil						0,3					
0256000 Olive ⁷⁰						0,3					
0256000 Celery ⁷⁰ leaves						0,3					
0256000 Parsley ⁷⁰						0,3					
0256000 Sage ^c	e	e	e	e	e	e	e	e	e	e	e
0256000 Rosemary ^c	e	e	e	e	e	e	e	e	e	e	e
0256000 Thyme ^c	e	e	e	e	e	e	e	e	e	e	e
0256000 Basil ^c	e	e	e	e	e	e	e	e	e	e	e
0256000 Bay leaves (laurel)	e	e	e	e	e	e	e	e	e	e	e
0256100 Parsley	e	e	e	e	e	e	e	e	e	e	e
0256999 Other ⁷⁰						0,3					
0260000 (vi)	3 0,7 Legume vegetables (fresh)	0,05 ^b		0,02 ^b	0,2	0,02 ^b	0,05 ^b	0,02 ^b		0,1 ^b	
0260000 Beans (with pods)									1		0,5
0260000 Beans (without pods)									0,02 ^b		0,02 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011
pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July
2011 pending submission and evaluation of an additional
metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

02600000	Bearas (with pods)									0,02 ^b		0,02 ^b	
02600000	Bearas (without pods)									0,2		0,02 ^b	
02600000	Bearntils									0,02 ^b		0,02 ^b	
02609000	Bearthers									0,02 ^b		0,02 ^b	
02700000 (vii)	Stem vegetables (fresh)		0,05 ^b					0,05 ^b					
02700000	Mspargos ^b	0,1			0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
02700000	Cardo ^b	0,05 ^b			0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
02700000	Celeri ^b	0,05 ^b			2	0,3	0,02 ^b		0,02 ^b	0,5	0,1 ^b	1	
02700000	Honne ^b	10	0,05 ^b		0,02 ^b	0,3	0,02 ^b		0,02 ^b	0,5	0,1 ^b	0,02 ^b	
02700000	Chlobe ^b	5	artichokes	2		0,1	0,2	0,02 ^b		0,02 ^b	0,02 ^b	1	0,02 ^b
02700000	Krek ^b	10	0,5		0,02 ^b	0,3	0,02 ^b		0,5	0,1	0,1 ^b	0,2	
02700000	Rhubarb ^b	10	0,05 ^b		0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
02700000	Bamboo shoots	e	e	e	e	e	e	e	e	e	e	e	
02700000	Palm hearts	e	e	e	e	e	e	e	e	e	e	e	
02709000	Bearthers	0,05 ^b	0,05 ^b		0,02 ^b	0,02 ^b	0,02 ^b		0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
02800000 (viii)	Fungi	0,05 ^b	0,05 ^b		0,02 ^b		0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
02800000	Cultivated	0,05 ^b				0,02 ^b							
02800000	Wild	1				0,5							

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
 = The residue definition differs for the following combinations
 pesticide-code number:
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
 including other mixed isomeric constituents (sum of isomers)
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011
 pending submission and evaluation of additional residue trials
 Ethephon 0401090 (+) MRL will be valid until 1 July
 2011 pending submission and evaluation of an additional
 metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0280900	Others		0,05 ^b				0,02 ^b							
0290000 (ix)	c	c	c	c	c	c	c	c	c	c	c	c	c	c
	Sea weeds													
0300000 3.	0,1	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,05	0,02 ^b	0,05 ^b	0,3	0,1	0,1 ^b	0,02 ^b		
	PULSES, DRY													
0300000	Beans													
0300000	Lentils													
0300000	Bas													
0300000	Onions													
0300000	Others													
0400000 4.	OILSEEDS AND OILFRUITS		0,01 ^b						0,02 ^b					
0401000 (i)	Oilseeds									0,2 ^b	0,05 ^b			
0401000	Oilseed	0,05 ^b	0,2	0,1 ^b		0,05 ^b	0,2	0,05 ^b	0,05 ^b		0,05 ^b			
0401000	Canuts	0,1	0,1 ^b			0,05 ^b	0,2	0,1	0,05 ^b		0,05 ^b			
0401000	Soybean	0,05 ^b	0,2	0,1 ^b		0,05 ^b	0,2	0,05 ^b	0,05 ^b		0,05 ^b			
0401000	Sesame	0,05 ^b	0,2	0,1 ^b		0,05 ^b	0,2	0,05 ^b	0,05 ^b		0,05 ^b			
0401000	Sunflower	0,05 ^b	0,2	0,1 ^b		0,05 ^b	0,2	0,05 ^b	0,05 ^b		0,05 ^b			
0401000	Rape	0,5	0,2	0,1 ^b		0,05 ^b	0,2	0,05 ^b	0,05 ^b		0,3			
0401000	Soya	0,5	0,05 ^b	0,1 ^b		0,5	0,05 ^b	0,1	0,05 ^b		0,05 ^b			

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers) Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

04010	Mustard seed	0,05 ^b	0,1	0,1 ^b		0,05 ^b	0,2	0,05 ^b	0,05 ^b		0,2		
04010	Cotton seed	0,7	0,2	2 (+)		0,05 ^b	0,2	0,1	3		0,05 ^b		
04011	Hemp seeds	0,05 ^b	0,1 ^b			0,05 ^b	0,05 ^b	0,05 ^b	0,05 ^b		0,05 ^b		
04011	Safflower	e	e	e	e	e	e	e	e	e	e	e	e
04011	Borage	e	e	e	e	e	e	e	e	e	e	e	e
04011	Mold of pleasure	e	e	e	e	e	e	e	e	e	e	e	e
04011	Hemp seeds	0,05 ^b	0,1 ^b			0,05 ^b	0,05 ^b	0,05 ^b	0,05 ^b		0,05 ^b		
04011	Castor bean	e	e	e	e	e	e	e	e	e	e	e	e
04019	Others	0,05 ^b	0,05 ^b	0,1 ^b		0,05 ^b	0,2	0,05 ^b	0,05 ^b		0,05 ^b		
0402000	Oilfruits (II)	0,05 ^b	0,05 ^b			0,02 ^b		0,05 ^b	0,05 ^b				
0402000	Olives for oil production			10			1				0,02 ^b	0,1 ^b	0,3
04020	Palm nuts (palmoil kernels)	e	e	e	e	e	e	e	e	e	e	e	e
04020	Balmyfruit	e	e	e	e	e	e	e	e	e	e	e	e
04020	Kopok	e	e	e	e	e	e	e	e	e	e	e	e
0402900	Others		0,05 ^b			0,05 ^b					0,05 ^b	0,2 ^b	0,05 ^b
05000000	CEREALS	5.	0,05^b	0,02 ^b			0,02 ^b	0,05 ^b					
05000	Barley	0,5	2	1			0,5			0,3	1	0,2	0,3

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

05000	Po ^a ck wheat	0,3	0,05 ^b			0,02 ^b			0,02 ^b	0,05	0,1 ^b	0,02 ^b
05000	Maize	0,05 ^b	0,3	0,05 ^b		0,02 ^b			0,02 ^b	0,05	0,1 ^b	0,02 ^b
05000	Millet	0,05 ^b	0,3	0,05 ^b		0,02 ^b			0,02 ^b	0,05	0,1 ^b	0,02 ^b
05000	Oats	0,5	2	0,05 ^b		0,05			0,3	1	0,2	0,02 ^b
05000	Rice	5	2	0,05 ^b		1			0,02 ^b	0,05	0,1 ^b	0,02 ^b
05000	Rye	0,3	2	1		0,05			0,1	0,05	0,2	0,05
05000	Worgh	0,05 ^b	0,3	0,05 ^b		0,02 ^b			0,02 ^b	0,05	0,1 ^b	0,02 ^b
05000	Wheat	0,3	2	1		0,05			0,1	0,1	0,2	0,05
05000	Wheat	0,05 ^b	0,3	0,05 ^b		0,02 ^b			0,02 ^b	0,05	0,1 ^b	0,02 ^b
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA		0,1 ^b				0,1 ^b	0,1 ^b	0,05 ^b		0,2 ^b	0,05 ^b
0610000	(I)	0,1 ^b	0,5 Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>)		0,5	0,05 ^b	1			10		
0620000	(II)	e	e	Coffee beans	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
 = The residue definition differs for the following combinations
 pesticide-code number:
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
 including other mixed isomeric constituents (sum of isomers)
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011
 pending submission and evaluation of additional residue trials
 Ethephon 0401090 (+) MRL will be valid until 1 July
 2011 pending submission and evaluation of an additional
 metabolism study.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)

0630000 (iii)	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0631000 (a)	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0631000 Camomille flowers	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0631000 Hybiscus flowers	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0631000 Rose petals	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0631000 Jasmine flowers	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0631000 Lime (linden)	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0631900 Others	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0632000 (b)	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0632000 Leaves	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0632000 Strawberry leaves	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0632000 Roibos leaves	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0632000 Maté	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0632900 Others	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0633000 (c)	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0633000 Roots	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0633000 Valerian root	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0633000 Ginseng root	e	e	e	e	e	e	e	e	e	e	e	e	e	e
0633900 Others	e	e	e	e	e	e	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
including other mixed isomeric constituents (sum of isomers)
Ethepron 0161030 (+) MRL will be valid until 1 July 2011
pending submission and evaluation of additional residue trials
Ethepron 0401090 (+) MRL will be valid until 1 July
2011 pending submission and evaluation of an additional
metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0639000 (d)	e	e	e	e	e	e	e	e	e	e	e	e	e
0640000 (iv)	e	e	e	e	e	e	e	e	e	e	e	e	e
0650000 (v)	e	e	e	e	e	e	e	e	e	e	e	e	e
0700000 7.	30	30	HOPS (dried), including hop pellets and unconcentrated powder	0,1	0,02 ^b	0,05 ^b	10	10	0,1 ^b	10	0,1 ^b	10	30
0800000 8.	e	e	e	e	e	e	e	e	e	e	e	e	e
0810000 (i)	e	e	e	e	e	e	e	e	e	e	e	e	e
0810000 A	anise	e	e	e	e	e	e	e	e	e	e	e	e
0810000 B	black caraway	e	e	e	e	e	e	e	e	e	e	e	e
0810000 C	celery seed	e	e	e	e	e	e	e	e	e	e	e	e
0810000 D	coriander seed	e	e	e	e	e	e	e	e	e	e	e	e
0810000 E	comin seed	e	e	e	e	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
 = The residue definition differs for the following combinations
 pesticide-code number:
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
 including other mixed isomeric constituents (sum of isomers)
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011
 pending submission and evaluation of additional residue trials
 Ethephon 0401090 (+) MRL will be valid until 1 July
 2011 pending submission and evaluation of an additional
 metabolism study.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0810050011	e	e	e	e	e	e	e	e	e	e	e	e	e
0810070011	e	e	e	e	e	e	e	e	e	e	e	e	e
0810080011	e	e	e	e	e	e	e	e	e	e	e	e	e
0810090011	e	e	e	e	e	e	e	e	e	e	e	e	e
08200000 (ii)	e	e	e	e	e	e	e	e	e	e	e	e	e
Fruits and berries													
0820010011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820020011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820030011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820040011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820050011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820060011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820070011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820080011	e	e	e	e	e	e	e	e	e	e	e	e	e
0820090011	e	e	e	e	e	e	e	e	e	e	e	e	e
08300000 (iii)	e	e	e	e	e	e	e	e	e	e	e	e	e
Bark													
0830010011	e	e	e	e	e	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
including other mixed isomeric constituents (sum of isomers)
Ethepron 0161030 (+) MRL will be valid until 1 July 2011
pending submission and evaluation of additional residue trials
Ethepron 0401090 (+) MRL will be valid until 1 July
2011 pending submission and evaluation of an additional
metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0830900	Others	e	e	e	e	e	e	e	e	e	e	e	e
0840000 (iv)	Roots or rhizome	e	e	e	e	e	e	e	e	e	e	e	e
0840010	Liquorice	e	e	e	e	e	e	e	e	e	e	e	e
0840020	Ginger	e	e	e	e	e	e	e	e	e	e	e	e
0840030	Turmeric (Curcuma)	e	e	e	e	e	e	e	e	e	e	e	e
0840040	Horse radish	e	e	e	e	e	e	e	e	e	e	e	e
0840900	Others	e	e	e	e	e	e	e	e	e	e	e	e
0850000 (v)	Buds	e	e	e	e	e	e	e	e	e	e	e	e
0850010	Cloves	e	e	e	e	e	e	e	e	e	e	e	e
0850020	Peppers	e	e	e	e	e	e	e	e	e	e	e	e
0850900	Others	e	e	e	e	e	e	e	e	e	e	e	e
0860000 (vi)	Flower stigma	e	e	e	e	e	e	e	e	e	e	e	e
0860010	Saffron	e	e	e	e	e	e	e	e	e	e	e	e
0860900	Others	e	e	e	e	e	e	e	e	e	e	e	e
0870000 (vii)	Aril	e	e	e	e	e	e	e	e	e	e	e	e
0870010	Mace	e	e	e	e	e	e	e	e	e	e	e	e
0870900	Others	e	e	e	e	e	e	e	e	e	e	e	e
0900000 9.	SUGAR PLANTS	e	e	e	e	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers) Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

090000	Sugar ^c beet (root)	e	e	e	e	e	e	e	e	e	e	e	e
090000	Sugar ^c cane	e	e	e	e	e	e	e	e	e	e	e	e
090000	Cicory roots	e	e	e	e	e	e	e	e	e	e	e	e
090090	Others	e	e	e	e	e	e	e	e	e	e	e	e
10000000 10.	PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS	0,05^b	0,01^b			0,02^b	0,05^b			0,1^b	0,01^b		
10100000 (i)	Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours									0,05^b			

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

		or meals; other processed products such as sausages and food preparations based on these							
1011000 (a)	<i>Swine</i>			0,5					
10110Meat	0,05 ^b	2		0,01 ^b				0,05	
10110Fat free of lean meat	0,05 ^b	0,2		0,3				0,05	
10110Over	0,07	0,2		0,01 ^b				0,3	
10110Kidne	0,07	0,2		0,01 ^b				0,3	
10110Edibl offal	0,07	0,2		0,01 ^b				0,01 ^b	
1011900Others	0,05 ^b	0,2		0,01 ^b				0,01 ^b	
1012000 (b)	<i>Bovine</i>			0,5					
10120Meat	0,05 ^b	2		0,01 ^b				0,05	
10120Fat	0,05 ^b	0,2		0,3				0,05	
10120Over	0,07	0,2		0,01 ^b				0,3	
10120Kidne	0,07	0,2		0,01 ^b				0,3	

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.

*Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)*

10120	Edible offal	0,07	0,2			0,01 ^b					0,01 ^b	
10129	Others	0,05 ^b	0,2			0,01 ^b					0,01 ^b	
1013000	<i>(c) Sheep</i>					0,5						
10130		Meat	0,05 ^b	2		0,01 ^b					0,05	
10130	Pork	0,05 ^b	0,2			0,3					0,05	
10130	Bovine	0,07	0,2			0,01 ^b					0,3	
10130	Kidneys	0,07	0,2			0,01 ^b					0,3	
10130	Edible offal	0,07	0,2			0,01 ^b					0,01 ^b	
1013900	Others	0,05 ^b	0,2			0,01 ^b					0,01 ^b	
1014000	<i>(d) Goat</i>					0,5						
10140	Meat	0,05 ^b	2			0,01 ^b					0,05	
10140	Pork	0,05 ^b	0,2			0,3					0,05	
10140	Bovine	0,07	0,2			0,01 ^b					0,3	
10140	Kidneys	0,07	0,2			0,01 ^b					0,3	
10140	Edible offal	0,07	0,2			0,01 ^b					0,01 ^b	
1014900	Others	0,05 ^b	0,2			0,01 ^b					0,01 ^b	
1015000	<i>(e) Horses, asses, mules or hinnies</i>	e	e	e	e	e	e	e	e	e	e	e
10150	Meat	e	e	e	e	e	e	e	e	e	e	e
10150	Pork	e	e	e	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

10150	B ^a over	e	e	e	e	e	e	e	e	e	e	e	e
10150	K ^a dney	e	e	e	e	e	e	e	e	e	e	e	e
10150	E ^a dible offal	e	e	e	e	e	e	e	e	e	e	e	e
1015900	Others	e	e	e	e	e	e	e	e	e	e	e	e
1016000	(f)	0,05 ^b	0,05 ^b	Poultry chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon			0,02 ^b						
10160	M ^a eat					0,01 ^b					0,05		
10160	P ^a at					0,3					0,05		
10160	B ^a over					0,01 ^b					0,3		
10160	K ^a dney					0,01 ^b					0,3		
10160	E ^a dible offal					0,01 ^b					0,01 ^b		
1016900	Others					0,01 ^b					0,01 ^b		
1017000	(g)	e	e	e	e	e	e	e	e	e	e	e	e
			Other farm animals										
10170	M ^a eat	e	e	e	e	e	e	e	e	e	e	e	e
10170	P ^a at	e	e	e	e	e	e	e	e	e	e	e	e
10170	B ^a over	e	e	e	e	e	e	e	e	e	e	e	e
10170	K ^a dney	e	e	e	e	e	e	e	e	e	e	e	e

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

10170	Edible offal	e	e	e	e	e	e	e	e	e	e	e
10179	Others	e	e	e	e	e	e	e	e	e	e	e
1020000 (ii)	0,01 ^b 0,05 Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd			0,02	0,05			0,01 ^b	0,03			
1020000	Cattle											
1020000	Sheep											
1020000	Lamb											
1020000	Horse											
1020990	Others											
1030000 (iii)	0,05 ^b 0,05 ^b Birds eggs, fresh preserved			0,02	0,02 ^b			0,05 ^b	0,01 ^b			

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

	or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter										
103000	Chicken										
103000	Duck	c	c	c	c	c	c	c	c	c	c
103000	Goose	c	c	c	c	c	c	c	c	c	c
103000	Pail	c	c	c	c	c	c	c	c	c	c
103090	Others	c	c	c	c	c	c	c	c	c	c

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Lambda-Cyhalothrin — code 1000000; Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers) Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)

1040000 (iv)	c	c	c	c	c	c	c	c	c	c	c	c	c	c
1050000 (v)	c	c	c	c	c	c	c	c	c	c	c	c	c	c
1060000 (vi)	c	c	c	c	c	c	c	c	c	c	c	c	c	c
1070000 (vii)	c	c	c	c	c	c	c	c	c	c	c	c	c	c

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations
pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin,
including other mixed isomeric constituents (sum of isomers)
Ethephon 0161030 (+) MRL will be valid until 1 July 2011
pending submission and evaluation of additional residue trials
Ethephon 0401090 (+) MRL will be valid until 1 July
2011 pending submission and evaluation of an additional
metabolism study.

2. Annex III is amended as follows:

(a) Part A is amended as follows:

(i) The columns for aminopyralid, boscalid, buprofezin,
chlorantraniliprole, cyprodinil, difenoconazole, flusilazole,
fosetyl, imidacloprid, mandipropamid, metazachlor,
prothioconazole, spinetoram, spirotetramat and tebuconazole are
replaced by the following:

*Status: Point in time view as at 27/05/2010.**Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)*

**PESTICIDE RESIDUES AND
MAXIMUM RESIDUE LEVELS (MG/KG)**

Code number	Group of products	By-product	Code number	Detected residue	Maximum residue level (mg/kg)	Code number	Detected residue	Maximum residue level (mg/kg)
	(F) example of individual products to which the MRLs apply ^a	(F) (R) E-2(M45)	(F) (R) Al (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	(R) (sum fosetyl + phosphorous acid and their salts, expressed as fosetyl)	(R) 4	(R) (Pr-M45)	(R) desthiotiojots	(R) 4
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0100000	0,01 ^b	1.	FRUIT				0,1 ^b	0,02 ^b
			FRESH					
			OR					
			FROZEN;					
			NUTS					
0110000	0,05 ^b	(1)	0,01 ^b	0,05 ^b	0,1	0,1	75	1
			Citrus fruit					
0110100	0,01 ^b	pefruit						

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)

0110020	ages										
0110030	nons										
0110040	es										
0110050	mandarins										
0110060	ers										
0120000 (ii)	1	Tree nuts (shelled or unshelled)	0,05 ^a ,0,50 ^b ,0,50 ^b ,0,22 ^b	0,05 ^b ,0,01 ^b		0,05 ^b ,1 ^b 0,05 ^b					
0120010	nmonds	0,7									
0120020	oil nuts	0,05 ^b									
0120030	new nuts	0,05 ^b									
0120040	astnuts	0,05 ^b									
0120050	onuts	0,05 ^b									
0120060	Inuts	0,05 ^b									
0120070	Cadamia	0,05 ^b									
0120080	ons	0,05 ^b									
0120090	nuts	0,05 ^b									
0120100	achios	0,05 ^b									
0120110	Walnuts	0,05 ^b									

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0120990rs		0,05 ^b									
0130000 (iii)	2	0,5	0,5	1		75	0,5	0,01 ^b		0,2	1
0130000 apples					0,5	0,02 ^b					1
0130000 pears					0,5	0,02 ^b					1
0130000 quinces					0,2	0,3					0,5
0130000 melon					0,5	0,3					0,5
0130000 grapefruit					0,5	0,3					0,5
0130000 oranges					0,2	0,3					0,5
0140000 (iv)	3	1				2 ^b		0,01 ^b		3	
0140000 peaches		0,2		2	0,5	0,02 ^b	0,5			0,2	1
0140000 cherries		0,5		1	0,3	0,2	0,5			0,05 ^b	5
0140000 raspberries		0,7		2	0,5	0,2	0,5			0,2	1
0140000 apricots		0,3		2	0,5	0,1	0,3			0,05 ^b	0,5
0140000 oranges		0,1		0,5	0,1	0,5	0,05 ^b			0,05 ^b	0,5
0150000 (v)			Berries & small fruit								
0151000 (a)	5	1	Table and	1	5	0,5	100	1	2	0,5	2

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F) (R)	= Fat soluble = The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.
------------	--

Status: Point in time view as at 27/05/2010.

*Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)*

			wine grapes								
015	Table grapes				0,05						
015	Wine grapes				0,2						
0152000 (b)	10 Strawberries	0,05 ^a ,01 ^b	0,1	0,02 ^b 5	0,5	0,01 ^b		0,2	0,1 ^b 0,05 ^b		
0153000 (c)	10 Cane fruit	0,05 ^a ,01 ^b		0,02 ^b 5	5	0,01 ^b		0,05 ^a ,1 ^b 1			
015	Blackberries		10	0,3							
015	Blueberries			0,05 ^a ,1							
015	Gooseberries		10	0,3							
015	Bilberries			0,05 ^a ,1							
0154000 (d)	10 Other small fruit & berries	0,05 ^a ,01 ^b		0,02 ^b 5		0,01 ^b		0,05 ^a ,1 ^b 2			
0154100	Blueberries		5	0,1		5					
0154200	Gooseberries		2	0,1		0,05 ^b					
0154300	Grapes (red, black and white)			5	0,2		5				

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F) (R)	= Fat soluble = The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.
------------	--

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

01540000	Roseberries	5	0,1		5				
01540500	hips	2	0,1		5				
01540600	berries	2	0,1		5				
01540700	Mole (mediteranean medlar)	2	0,1		0,05 ^b				
01540800	berries	2	0,1		5				
01549900	rs	2	0,1		5				
01600000 (vi)	Miscellaneous fruit					0,01 ^b		0,05 ^b	0,1 ^b
01610000 (a)	0,05 ^b <i>Edible peel</i>			0,02 ^b					0,05 ^b
01610000	Dates	0,05 ^b		0,1		0,05 ^b			
016F0200		0,05 ^b		0,1		0,05 ^b			
016F0200	Table olives	2		2		0,5			
016K0400	quats	0,05 ^b		0,1		0,05 ^b			
016L0500	Carambola	0,05 ^b		0,1		0,05 ^b			
016P0600	Common	0,05 ^b		0,1		0,05 ^b			
016J0700	Bolan (java plum)	0,05 ^b		0,1		0,05 ^b			
016O0900	rs	0,05 ^b		0,1		0,05 ^b			

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0162000 (b)	<i>Inedible peel, small</i>	0,1	0,02 ^b	0,05 ^b				
0162000 (b)	5 1							0,5
0162000 (b)	0,05 ^b ,05 ^b (Litchi)							0,05 ^b
0162000 (b)	0,05 ^b ,05 ^b fruit							0,05 ^b
0162000 (b)	0,05 ^b ,05 ^b pear (cactus fruit)							0,05 ^b
0162000 (b)	0,05 ^b ,05 ^b apple							0,05 ^b
0162000 (b)	0,05 ^b ,05 ^b persimmon (Virginia kaki)							0,05 ^b
0162000 (b)	0,05 ^b ,05 ^b							0,05 ^b
0163000 (c)	<i>Inedible peel, large</i>	0,1						
0163000 (c)	0,05 ^b ,05 ^b		0,02 ^b	1				0,05 ^b
0163000 (c)	0,3 0,5		0,1 2 ^b	0,05 ^b				0,05 ^b
0163000 (c)	0,05 ^b ,1		0,02 ^b	0,2				0,1
0163000 (c)	0,05 ^b ,05 ^b		0,02 ^b	0,05 ^b				2

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0161050	Pineapple	0,05 ^b		0,02 ^b	1				0,05 ^b
0161060	Guava	0,05 ^b		0,02 ^b	0,05 ^b				0,05 ^b
0161080	Cappuccino fruit	0,05 ^b		0,02 ^b	0,05 ^b				0,05 ^b
0161090	Dragon fruit	0,05 ^b		0,02 ^b	0,05 ^b				0,05 ^b
0161100	Banan	0,05 ^b		0,02 ^b	0,05 ^b				0,05 ^b
0161110	Sblt	0,05 ^b	(guanabana)	0,02 ^b	0,05 ^b				0,05 ^b
0161120	Mars	0,05 ^b		0,02 ^b	0,05 ^b				0,05 ^b
0200000	2.	VEGETABLES FRESH OR FROZEN		0,02 ^b					
0210000	(i)	Root and tuber vegetables	0,05,02			0,5	0,010,3	0,020,05 ^b	
0211000	(a)	Potatoes	0,05,1	30				0,8	0,2
0212000	(b)	Tropical root and tuber vegetables	0,05,1	2 ^b				0,1 ^b	0,05 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

021	Tab sava										
021	Solanum et potatoes										
021	20300 ns										
021	20400 wroot										
021	20900 rs										
021	3000 (c)	<i>Other root and tuber vegetables except sugar beet</i>									0,1 ^b
021	Beta root 0,5		1	0,2	2 ^b						0,05 ^b
021	Cucurbita oots 1		2	0,3	2 ^b						0,5
021	Cle erial		0,3	2	2 ^b						0,5
021	Hor eradish		2	0,2	2 ^b						0,4
021	Cyn ical 0,5 artichokes		0,05	0,1	2 ^b						0,05 ^b
021	Pae nips		2	0,3	2 ^b						0,5
021	Parsley 3 root		2	0,2	2 ^b						0,5
021	Fos fishes		0,05	0,05 ^b	25						0,05 ^b
021	Sap ify 1		2	0,2	2 ^b						0,4

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

021	Sweet <i>Onions</i>	0,5		0,05 ^b	1	2 ^b						0,3	
021	Thistle <i>Leaves</i>	0,5		0,05 ^b	1	2 ^b						0,3	
021	Tomatoes	0,5		0,05 ^b	0,05 ^b	2 ^b						0,05 ^b	
0220000 (ii)	Bulb vegetables		0,05 ^b	0,01 ^b					0,3	0,02 ^b	0,05 ^b	0,1 ^b	
0220000	Onions	0,5		0,3	0,05 ^b	2 ^b	0,05 ^b	0,01 ^b				0,1	
0220000	Onions	3		0,3	0,05 ^b	50	0,1	0,1				0,05 ^b	
0220000	Onions	0,5		0,3	0,05 ^b	2 ^b	0,05 ^b	0,01 ^b				0,05 ^b	
0220000	Onions	0,5		1	0,1	30	0,2	7				0,5	
0220000	Onions	0,5		0,05 ^b	0,05 ^b	2 ^b	0,05 ^b	0,01 ^b				0,05 ^b	
0230000 (iii)	Fruiting vegetables								0,02 ^b				
0231000 (a)	<i>Solanaceae</i>									0,5			
023	Tomatoes	1	0,6	1	2		1000	0,5	1	0,3		2	1
023	Potatoes	2	1	1	1	0,05 ^b	1301	1	0,3			2	0,5
023	Mor <i>Gherishes</i>	1	0,6	1	0,05 ^b	1000	0,5	1	0,3			2	0,5
023	Okra , lady's fingers	0,5	0,5	0,6	0,5	0,05 ^b	2 ^b	0,5	0,0130			1	0,05 ^b
023	Onions	0,5	0,5	0,6	0,5	0,05 ^b	2 ^b	0,5	0,010,3			1	0,05 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0232000 (b)		0,3	0,5	0,1	75		0,3	0,2	0,2
0232000 Tomatoes	0,2	1			1	0,2			0,5
0232000 Pumpkins	0,5				0,5	0,1			0,05 ^b
0232000 Mangos	0,5				1	0,2			0,2
0232000 Oranges	0,2	0,5			0,5	0,1			0,05 ^b
0233000 (c)	0,5	0,3	0,05 ^b	0,05 ^b	75		0,3	0,05 ^b	0,2
0233000 Cucurbits inedible peel									
0233000 Moltons		1				0,5	0,5		0,2
0233000 Pumpkins	0,5				1	0,3			0,2
0233000 Watermelons	0,5				0,2	0,3			0,2
0233000 Oranges		0,5			0,1	0,3			0,05 ^b
0234000 (d)	0,5	0,5	0,2	0,05 ^b	0,05 ^b	5	0,1	0,010,3	0,05 ^b 0,1 ^b 0,2
0234000 Sweet corn									
0239000 (e)	0,5	0,5	0,2	0,05 ^b	0,05 ^b	5	0,1	0,0130	0,05 ^b 0,1 ^b 0,05 ^b
0239000 Other fruiting vegetables									
0240000 (iv)		0,05 ^b	0,05 ^b		10		0,3	0,05 ^b	
0240000 Brassica vegetables									
0241000 (a)	1							0,02 ^b	1
Flowering brassica									

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

*Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)*

02410000	Broccoli	1	0,2		0,5	2				1
02410200	Brussels sprouts	0,01 ^b	0,2		0,5	0,01 ^b				1
02410300	Brussels sprouts	0,01 ^b	0,05 ^b		0,3	0,01 ^b				0,05 ^b
02420000 (b)	<i>Head brassica</i>		0,2							
02420100	Brussels sprouts	0,01 ^b			0,5	0,01 ^b	0,1		0,3	0,5
02420200	cabbage	2			0,5	3	0,1	2	1	
02420300	Brussels sprouts	1	0,01 ^b		0,3	0,01 ^b	0,02 ^b	0,1	0,5	
02430000 (c)	10 Leafy brassica	20	2			25	0,02 ^b	7		
02430100	Chinese cabbage				0,5				1	
02430200	Kohlrabi				0,3				0,05 ^b	
02430300	Brussels sprouts				0,3				0,05 ^b	
02440000 (d)	0,5 Kohlrabi	0,01 ^b	0,05 ^b		0,3	0,01 ^b	0,02 ^b	2	0,05 ^b	
02500000 (v)	Leaf vegetables & fresh herbs	20					0,02 ^b			

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0251000 (a)	0,5 <i>Lettuce and other salad plants including Brassicaceae</i>	10		75	25			7	0,05 ^b
0251000 lettuce	40		0,05 ^b		2		0,3	0,05 ^b	
0251020	10		3		2		0,5	10	
0251030 (broad-leaf endive)	10		0,05 ^b		1		0,3	0,05 ^b	
0251040 cress	10		0,05 ^b		2		0,3	0,05 ^b	
0251050 cress	10		0,05 ^b		2		0,3	0,05 ^b	
0251060 Rucola	10		2		2		0,3	0,05 ^b	
0251070 mustard	10		0,05 ^b		2		0,3	0,05 ^b	
0251080 and sprouts of <i>Brassica</i> spp	10		0,05 ^b		2		0,3	0,05 ^b	
0251090 ers	10		0,05 ^b		2		0,3	0,05 ^b	

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F) (R)	= Fat soluble = The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.
------------	--

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0252000 (b)	0,05 ^b <i>Spinach</i> & <i>similar</i> (leaves)				0,05 ^b	0,3	0,05 ^b	0,05 ^b
0253010 <i>Spinach</i> 10		8	2	75				
0252020 <i>Spinach</i> 0,5		10	2	2 ^b				
0252030 <i>Spinach</i> leaves (chard)	5		10 ^b	0,05 ^b	15			
0252040 <i>Spinach</i> 0,5		0,05 ^b	0,05 ^b	2 ^b				
0253000 (c)	0,05 ^b 0,05 ^b <i>Vine</i> <i>leaves</i> (grape leaves)	0,05 ^b	0,05 ^b	2 ^b	2	0,010,3	0,05 ^b 0,1 ^b 0,05 ^b	
0254000 (d)	10 0,05 ^b <i>Water</i> <i>cress</i>	0,05 ^b	0,5	2 ^b	2	25	0,3	0,05 ^b
0255000 (e)	0,5 0,05 ^b <i>Willow</i>	0,05 ^b	0,05 ^b	75	0,05 ^b 0,10,3		0,05 ^b 0,1 ^b 0,05 ^b	
0256000 (f)	10 4 <i>Herbs</i>	10		75	2	10	0,3	0,05 ^b
0256010 <i>Chervil</i>				10				0,05 ^b
0256020 <i>Chives</i>				2				0,5
0256030 <i>Cherry</i> leaves				10				0,05 ^b
0256040 <i>Cley</i>				10				0,05 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F) (R)	= Fat soluble = The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.
------------	--

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0256050				2						0,05 ^b
0256060	mary			2						0,05 ^b
0256070	ne			2						0,05 ^b
0256080				2						0,05 ^b
0256090	leaves (laurel)			2						0,05 ^b
0257100	agon			2						0,05 ^b
0256090	ers			2						0,05 ^b
0260000 (vi)	Legume vegetables (fresh)		0,01 ^b		2 ^b	0,010,3	0,02 ^b	0,1 ^b		
0260010	els (with pods)	2	1	2	1		2		0,1	2
0260020	ls (without pods)	2	0,5	0,5	1		2		0,05 ^b	2
0260030	ls (with pods)	2	0,05 ^b	2	1		5		0,1	2
0260040	ls (without pods)	1	0,5	0,1	1		2		0,05 ^b	0,05 ^b
0260050	ils	0,5	0,05 ^b	0,05 ^b	0,05 ^b		0,05 ^b		0,05 ^b	0,05 ^b
0260090	ers	0,5	0,05 ^b	0,05 ^b	0,05 ^b		0,05 ^b		0,05 ^b	0,05 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F) (R)	= Fat soluble = The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.
------------	--

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0270000 (vii)	0,05^b Stem vegetables (fresh)									0,05 ^b
0270001	Parag 0,05 ^b	0,0	10,05 ^b ,05 ^b	2 ^b	0,05 ^b ,010,3	0,02 ^b	0,1 ^b 0,05 ^b			
0270002	leeks 0,5	0,0	10,05 ^b ,3	2 ^b	0,5 0,010,3	0,02 ^b	0,1 ^b 0,05 ^b			
0270003	onion 7	10	5 5	2 ^b	2 20 0,3	0,02 ^b	4 0,3			
0270004	cel 0,5	0,0	10,2 5	2 ^b	0,05 ^b ,010,3	0,02 ^b	0,1 ^b 0,05 ^b			
0270005	artichokes 0,5	0,0	10,05 ^b ,05 ^b	50	0,5 0,010,3	0,02 ^b	0,1 ^b 0,5			
0270006	onion 5	0,0	10,05 ^b ,5	30	0,05 ^b ,010,3	0,05	0,1 ^b 1			
0270007	garlic 0,5	0,0	10,05 ^b ,3	2 ^b	0,05 ^b ,010,3	0,02 ^b	0,1 ^b 0,05 ^b			
0270008	garlic 0,5 shoots	0,0	10,05 ^b ,05 ^b	2 ^b	0,05 ^b ,0130	0,02 ^b	0,1 ^b 0,05 ^b			
0270009	onion 0,5 hearts	0,0	10,05 ^b ,05 ^b	2 ^b	0,05 ^b ,0130	0,02 ^b	0,1 ^b 0,05 ^b			
0270010	onions 0,5	0,0	10,05 ^b ,05 ^b	2 ^b	0,05 ^b ,010,3	0,02 ^b	0,1 ^b 0,05 ^b			
0280000 (viii)	0,5 0,05 ^b ,010,05 ^b ,05 ^b	2 ^b	0,05 ^b ,010,3	0,02 ^b	0,20,05 ^b ,1 ^b 0,05 ^b					
0280001	Cultivated									
0280002	Wild									
0280003	Others									
0290000 (ix)	0,05 ^b ,05 ^b ,010,05 ^b ,05 ^b	2 ^b	0,05 ^b ,010,1 ^b 0,020,05 ^b ,1 ^b 0,05 ^b							
0290001	Sea weeds									

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

03000000,03.	10,5	0,05 ^b	0,10,2	0,02 ^b		0,010,1 ^b	0,020,050,1 ^b
	PULSES, DRY						
0300 Beans		0,05 ^b		1			0,2
0300 Peas	0,010,1	0,05 ^b		0,05 ^b			0,05 ^b
0300 Peas		0,1		2			0,05 ^b
0300 Lins	0,040,1	0,05 ^b		0,05 ^b			0,2
0300 Beans		0,05 ^b		0,05 ^b			0,05 ^b
04000000,04.	0,01 ^b	OILSEEDS AND OILFRUITS	0,05 ^b	2 ^b	0,01 ^b		0,05 ^b ,1 ^b
0401000 (i)		Oilseeds					0,05
0401 Oilseed	0,5	0,05 ^b ,01 ^b	0,2	0,02 ^b	0,05 ^b	0,1 ^b	0,05 ^b
0401 Peanuts	0,5	0,05 ^b ,01 ^b	0,05 ^b	0,02 ^b	1	0,1 ^b	0,05 ^b
0401 Poppy seed	0,5	0,05 ^b ,01 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b	0,05 ^b
0401 Sesame seed	0,5	0,05 ^b ,01 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b	0,05 ^b
0401 Sunflower seed	0,5	0,05 ^b ,01 ^b	0,05 ^b	1	0,1	0,1 ^b	0,05 ^b
0401 Rape seed	0,2	0,05 ^b ,01 ^b	0,5	0,1	0,1	1	0,5
0401 Soya bean	0,5	0,05 ^b ,01 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b	0,1

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)
(R) = Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075
Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole
Boscalid (F) (R) — code 1000000:
Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates
Metazachlor (R) — code 1000000:
Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

040	M88	standard	0,5	0,05 ^b	0,01 ^b	0,2	0,02 ^b	0,05 ^b	0,1 ^b			0,2
040	Cotton	seed	0,5	0,5	0,3		0,05 ^b	0,02 ^b	1		0,1 ^b	
040	Pumpkin	seeds	0,5	0,05 ^b	0,01 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b			0,05 ^b
040	Shallow	0,5	0,05 ^b	0,01 ^b		0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b			0,05 ^b
040	Bladage	0,5	0,05 ^b	0,01 ^b		0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b			0,05 ^b
040	Gold	of pleasure	0,5	0,05 ^b	0,01 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b			0,05 ^b
040	Hempseed	0,5	0,05 ^b	0,01 ^b		0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b			0,05 ^b
040	Castor	bean	0,5	0,05 ^b	0,01 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b			0,05 ^b
040	Dillers	0,5	0,05 ^b	0,01 ^b		0,05 ^b	0,02 ^b	0,05 ^b	0,1 ^b			0,05 ^b
040	2000	0,05 ^b	0,01 ^b				0,02 ^b			0,1 ^b	0,02 ^b	0,05 ^b
040	Oilfruits											
040	Olives	for oil production	2			2			1			
040	Palm	nuts (palmoil kernels)		0,05 ^b			0,05 ^b		0,05 ^b			
040	Palm	fruit		0,05 ^b			0,05 ^b		0,05 ^b			
040	Kratok			0,05 ^b			0,05 ^b		0,05 ^b			

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

*Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)*

0402990rs		0,05 ^b		0,05 ^b		0,05 ^b			
05000000 5.	CEREALS	0,02			2 ^b		0,010,1 ^b	0,050,1 ^b	
05000000 5.									
05000000 5.		0,05 ^b	3	0,050,2		0,1		0,3	2
05000000 5.									
05000000 5.		0,05 ^b	0,050,050,02 ^b	0,050,050,02 ^b		0,1		0,02 ^b	0,2
05000000 5.									
05000000 5.		0,05 ^b	0,050,050,02 ^b	0,050,050,02 ^b		0,05 ^b		0,02 ^b	0,2
05000000 5.									
05000000 5.		0,05 ^b	2	0,050,2		0,1		0,05	2
05000000 5.									
05000000 5.		0,05 ^b	0,050,050,02 ^b	0,050,050,02 ^b		0,05 ^b		0,02 ^b	2
05000000 5.									
05000000 5.		0,05 ^b	0,5	0,050,2		0,1		0,1	0,2
05000000 5.									
05000000 5.		0,05 ^b	0,5	0,050,2		0,1		0,1	0,2
05000000 5.									
05000000 5.		0,05 ^b	0,5	0,050,2		0,1		0,1	0,2
05000000 5.									
05000000 5.		0,05 ^b	0,5	0,050,2		0,1		0,1	0,2
05000000 5.									
05000000 5.		0,05 ^b	0,5	0,050,2		0,1		0,1	0,2
05000000 5.									
05000000 5.		0,05 ^b	0,5	0,050,2		0,1		0,1	0,2
05000000 5.									
06000000 6.	TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0,050,050,02 ^b		0,05 ^b		0,020,2 ^b 0,020,1 ^b 0,1 ^b			
0610000 (i)	Tea (dried leaves and stalks, fermented	0,050,05 ^b	5 ^b	0,05 ^b					0,05 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

- (F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075
Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole
Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates
Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

		or otherwise of <i>Camellia sinensis</i>)										
0620000 (ii)	Coffee beans		0,05 ^a	0,05 ^b	5 ^b	1						0,1
0630000 (iii)	Herbal infusions (dried)			20		5000	0,05 ^b					50
0631000 (a)	<i>Flowers</i>			0,05 ^b								
0632000 (b)	<i>Californium flowers</i>											
0632100 (b)	<i>Hibiscus flowers</i>											
0632200 (b)	<i>Rose petals</i>											
0632300 (b)	<i>Jasmine flowers</i>											
0632400 (b)	<i>Linden (linden)</i>											
0632500 (b)	<i>Dillers</i>											
0632600 (b)	<i>Leaves</i>		0,05 ^b									
0632700 (b)	<i>Goatberry leaves</i>											

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

06320000	bos leaves											
06320000	Mate											
06320000	Others											
06330000		Roots	1									
(c)												
06330000	Valerian root											
06330000	Ginseng root											
06330000	Others											
06390000		Other herbal infusions	0,05 ^b									
(d)												
06400000		Cocoa (fermented beans)	0,05 ^a ,05 ^b	2 ^b	0,05 ^b							0,05 ^b
(iv)												
06500000		Carob (St johns bread)	0,05 ^a ,05 ^b	2 ^b	0,05 ^b							0,05 ^b
(v)												
07000000	0,02 ^a ,0,02 ^b	HOPS (dried), including hop pellets and	5,5,0,02 ^a ,0,05 ^a ,0,05 ^b ,0,05 ^b	15000	0,02 ^a ,2 ^b ,0,02 ^a ,1 ^b	15	30					
7.												

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

		unconcentrated powder									
08000000	8.	0,02 ^a	9,5	0,05 ^b	1,02 ^b	0,3	0,05 ^b	0,05 ^b	0,02 ^b	1,2 ^b	0,02 ^b
08100000	(i)	SPICES	Seeds	0,05 ^b							
08100100	e									2	
08101100	Black									2	
08101200	caraway										
08101300	seed									1	
08101400	Celander									2	
08101500	seed									1	
08101600	seed									1	
08101700	seed									2	
08101800	greek									1	
08101900	neg									1	
08102000	ors									1	
08200000	(ii)		Fruits and berries	0,05 ^b							1
08200100	alk Spice										

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

082	0010e pepper (Japan pepper)						
082	0030way						
082	004damom						
082	005per berries						
082	006per, black and white						
082	007olla pods						
082	008marind						
082	009ers						
083	00000 (iii)	Bark	0,05 ^b				1
083	001damon						
083	002ers						
084	00000 (iv)	Roots or rhizome	1				1
084	001rice						
084	002ger						

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075
Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole
Boscalid (F) (R) — code 1000000:
Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates
Metazachlor (R) — code 1000000:
Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0840030	Afroheric (Curcuma)												
0840040	Be- radish												
0840090	Others												
0850000 (v)	Buds	0,05 ^b											1
0850000 (vi)	Flower stigma	0,05 ^b											1
0860000	Saffron												
0860090	Others												
0870000 (vii)	Aril	0,05 ^b											1
0870000 (viii)	Others												
0900000 9.	10,5 SUGAR PLANTS	0,05 ^b	0,05 ^b										0,010,1 ^b ,0,020,050,1 ^b 0,05 ^b
0900000 10.	Sugar beet (root)	0,02	0,2	0,05 ^b	0,5								
0900000 11.	Sugar cane	0,01 ^b	0,05 ^b	0,02 ^b	0,05 ^b								

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 459/2010. (See end of Document for details)

09000000	09000000	0,02	0,1	0,2	75	0,5						
09000000	09000000	0,01 ^b	0,05 ^a	0,02 ^b		0,05 ^b						
10000000	10.	0,05 ^a	0,05 ^b				0,02 ^b					
		PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS										
10100000	(i)	Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours				0,5 ^b					0,1	

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

		or meals; other processed products such as sausages and food preparations based on these								
1011000 (a)		<i>Swine</i>								
101M 0,010,05 ^b			0,02 ^b ,02 ^b	0,1	0,05,05,05,2	0,01^b				
101F 0,020,020,1 free of lean meat			0,050,1	0,05 ^b	0,05,05,05,05,05,01 ^b					
101L 0,020,020,1			0,2 0,1	0,3	0,2 0,2 0,01 0,03					
101K 0,030,01			0,050,5	0,3	0,05,0,2	0,010,03				
101H 0,010,01 offal			0,1 0,5	0,3	0,05,0,2	0,010,03				
101O 0,010,05 ^b			0,1 0,02 ^b	0,05 ^b	0,05,010,010,01 ^b					
1012000 (b)		<i>Bovine</i>								
101M 0,010,05 ^b			0,02 ^b ,02 ^b	0,1	0,05,05,05,2	0,01^b				

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

101	101 0,020,3		0,050,1	0,05 ^b	0,050,050,010,01 ^b
101	101 0,020,2		0,2 0,1	0,3	0,3 0,2 0,010,03
101	101 0,030,3		0,050,5	0,3	0,050,2 0,010,03
101	101 0,010,3 offal		0,1 0,5	0,3	0,050,2 0,010,03
101	101 0,010,05 ^b		0,1 0,02 ^b	0,05 ^b	0,050,050,010,01 ^b
101	3000 (c) <i>Sheep</i>				
101	101 0,010,05 ^b		0,020,02 ^b	0,1	0,050,050,2 0,01^b
101	101 0,020,3		0,050,1	0,05 ^b	0,050,050,010,01 ^b
101	101 0,020,2		0,2 0,1	0,3	0,3 0,2 0,010,03
101	101 0,030,3		0,050,5	0,3	0,050,2 0,010,03
101	101 0,010,3 offal		0,1 0,5	0,3	0,050,2 0,010,03
101	101 0,010,05 ^b		0,1 0,02 ^b	0,05 ^b	0,050,010,010,01 ^b
101	4000 (d) <i>Goat</i>				
101	101 0,010,05 ^b		0,020,02 ^b	0,1	0,050,050,2 0,01^b
101	101 0,020,3		0,050,1	0,05 ^b	0,050,050,010,01 ^b
101	101 0,020,2		0,2 0,1	0,3	0,3 0,2 0,010,03
101	101 0,030,3		0,050,5	0,3	0,050,2 0,010,03
101	101 0,010,3 offal		0,1 0,5	0,3	0,050,2 0,010,03

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

1014990,0	10,05 ^b		0,1	0,02 ^b	0,05 ^b	0,05 ^b	0,05 ^b	10,01^b
1015000 (e)	<i>Horses, asses, mules or hinnyes</i>						0,05 ^b	
1015040,0	10,05 ^b		0,02 ^b	0,02 ^b	0,1		0,05 ^b	0,01^b
1015020,0	20,3		0,05 ^b	0,1	0,05 ^b		0,05 ^b	0,01^b
1015030,0	20,2		0,2	0,1	0,3		0,2	0,01^b
1015040,0	3		0,05 ^b	0,5	0,3		0,2	0,01^b
1015050,0	10,3 offal		0,1	0,5	0,3		0,2	0,01^b
1015990,0	10,05 ^b		0,1	0,02 ^b	0,05 ^b		0,05 ^b	10,01^b
1016000 (f)	<i>Poultry — chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		0,1		0,05 ^b	0,05 ^b	0,01^b	
1016040,0	10,05 ^b			0,02 ^b			0,05	
1016020,0	20,1			0,1			0,05	
1016030,0	20,1			0,1			0,05	

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

101	60403	0,05			0,5			0,05		
101	60510,10,1 offal				0,5			0,01 ^b		
101	6990,10,05 ^b				0,02 ^b			0,01 ^b		
101	7000 (g) <i>Other farm animals</i>			0,1				0,05 ^b		
101	7040,010,05 ^b				0,02 ^b	0,1		0,050,2 0,01^b		
101	7020,020,3				0,1	0,05 ^b		0,050,010,01 ^b		
101	7030,020,2				0,1	0,3		0,2 0,010,03		
101	70403,0,3				0,5	0,3		0,2 0,010,03		
101	70510,10,3 offal				0,5	0,3		0,2 0,010,03		
101	7090,10,05 ^b				0,02 ^b	0,05 ^b		0,010,010,01 ^b		
1020000,020,05 ^b (ii)	<i>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter</i>			0,01 ^b	0,1 ^b 0,1		0,050,010,010,005 ^b			

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075
Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole
Boscalid (F) (R) — code 1000000:
Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates
Metazachlor (R) — code 1000000:
Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

	boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter						
1030010ken							
1030020k							
1030030se							
1030040l							
1030050rs							
1040000,010,5 (iv)	Honey	0,05 ^b ,050,5 ^b 0,05 ^b	0,05 ^b ,010,010,010,05 ^b				
1050000,010,05 ^b (v)	Amphibians and reptiles	0,05 ^b ,050,5 ^b 0,05 ^b	0,05 ^b ,010,010,010,05 ^b				
1060000,010,05 ^b (vi)	Snails	0,05 ^b ,050,5 ^b 0,05 ^b	0,05 ^b ,010,010,010,05 ^b				

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)
(R) = Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075
Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole
Boscalid (F) (R) — code 1000000:
Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates
Metazachlor (R) — code 1000000:
Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

10700000,00	10,05 ^b	Other terrestrial animal products	0,05	0,05	0,5 ^b	0,05 ^b	0,05	0,05	10,010,010,1
-------------	--------------------	--	------	------	------------------	-------------------	------	------	--------------

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

(ii) The column for sulphur is deleted.

(b) In part B the heading ‘Isoxaflutole (sum of isoxaflutole, RPA 202248 and RPA 203328, expressed as isoxaflutole)’ is changed by removing ‘and RPA 203328’; the column for ethephon is deleted; the columns for azoxystrobin, cypermethrin, indoxacarb, fenitrothion, lambda-cyhalothrin, methomyl, profenofos, pyraclostrobin, thiacloprid triadimefon, triadimenol and trifloxystrobin are replaced by the following:

PESTICIDE RESIDUES AND MAXIMUM RESIDUE LEVELS (MG/KG)

Code number	Group	Type	Ethephon	Indoxacarb	Methomyl	Buprofezin	Pyraclor	Thiacloprid	Triadimenol	Trifloxystrobin
(cypermethrin example including of other individual constituents to constituent which isomers the (sum				Cyhalothrin (F) sum (R) of the isomers S and	Thiodicarb (sum of methomyl and thiodicarb expressed				and triadimenol (sum of triadimefon and triadimenol) (F)	

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination

(F)	= Fat soluble
(R)	= The residue definition differs for the following combinations pesticide-code number: Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.
Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

	MRLs of apply (sumers)) (F)	R (F)	as methomyl)										
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
0130	040	0,05 ^b 1		0,05 ^b 0,5	0,3	0,1	0,2	0,05 ^b 0,3	0,3	0,1 ^b	0,5		
0130	050	0,05 ^b 1		0,05 ^b 0,5	0,3	0,1	0,2	0,05 ^b 0,3	0,3	0,1 ^b	0,5		
0154	050	ose 5 hips		0,05 ^b 0,05 ^b 0,5	1	0,2	0,02 ^b 0,05 ^b 0,5	1	1	1	0,02 ^b		
0154	040	berries	0,05 ^b 0,05 ^b 0,5	1	0,2	0,05 ^b 0,05 ^b 0,5	1	1	1	0,02 ^b			
0154	070	0,05 ^b 0,05 ^b 0,5	(mediteranean medlar)	1	0,02 ^b 0,05 ^b 0,05 ^b 0,5	1	1	1	0,02 ^b				
0154	080	lder berries	0,05 ^b 0,05 ^b 0,5	1	0,2	0,05 ^b 0,05 ^b 0,5	1	1	1	2			
0161	050	ram	0,05 ^b 0,2	0,05 ^b 0,5	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b						
0161	060	0,05 ^b 0,05 ^b 0,05 ^b 0,01 ^b	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0161	070	0,05 ^b 0,05 ^b 0,05 ^b 0,5	(java plum)	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0162	040	ckly,0,05 ^b 0,05 ^b 0,5	pear (actus fruit)	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0162	050	0,05 ^b 0,05 ^b 0,05 ^b 0,5	apple	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0162	060	0,05 ^b 0,05 ^b 0,05 ^b 0,5	persimmon (Virginia kaki)	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0163	060	0,05 ^b 0,05 ^b 0,5	0,05 ^b 0,05 ^b 0,5	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0163	070	0,05 ^b 0,05 ^b 0,5	0,05 ^b 0,05 ^b 0,5	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0163	080	0,05 ^b 0,05 ^b 0,5	Bread fruit	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								
0163	090	0,05 ^b 1	0,05 ^b 0,5	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,02 ^b 0,02 ^b 0,1 ^b	0,02 ^b								

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0163	Soursop	0,05 ^b	0,05 ^b	0,05 ^b	0,5	0,02 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
0212	Marrowroot	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b			
0251	Red cress	1,5 ^a	1,3	2	0,05 ^b	0,01 ^b	0,02 ^b	1	2	0,05 ^b	2	2	0,1 ^b	0,02 ^b	
0251	Red mustard	1,5 ^a	3	2	0,05 ^b	0,01 ^b	0,02 ^b	1	2	0,05 ^b	0,05 ^b	2	2	0,1 ^b	0,02 ^b
0252	Purslane	0,7	0,05 ^b	0,01 ^b	0,02 ^b	0,5	0,02 ^b	0,05 ^b	2	0,02 ^b	0,1 ^b	0,02 ^b			
0253000 (c)	Vine leaves (grape leaves)	0,05 ^b	0,05 ^b	0,05 ^b	0,01 ^b	2	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b	
0256	Sage	70	2	0,05 ^b	0,01 ^b	2	1	2	0,05 ^b	2	5	0,1 ^b	10		
0256	Rosemary	70	2	0,05 ^b	0,01 ^b	2	1	2	0,05 ^b	2	5	0,1 ^b	10		
0256	Oregano	70	2	0,05 ^b	0,01 ^b	2	1	2	0,05 ^b	2	5	0,1 ^b	10		
0256	Basil	70	2	0,05 ^b	0,01 ^b	2	1	2	0,05 ^b	2	5	0,1 ^b	10		
0256	Bay leaves (laurel)	70	2	0,05 ^b	0,01 ^b	2	1	2	0,05 ^b	2	5	0,1 ^b	10		
0256	Marjoram	70	2	0,05 ^b	0,01 ^b	2	1	2	0,05 ^b	2	5	0,1 ^b	10		
0270	Bamboo shoots	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b			
0270	Palm hearts	0,05 ^b	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b		
0290000 (ix)	Sea weeds	0,05 ^b	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b			
0401	Flax	0,05 ^b	0,1	0,1 ^b	0,01 ^b	0,05 ^b	0,2	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,2 ^b	0,05 ^b		
0401	Orange	0,05 ^b	0,05 ^b	0,1 ^b	0,01 ^b	0,05 ^b	0,05 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,2 ^b	0,05 ^b		
0401	Gold of pleasure	0,05 ^b	0,05 ^b	0,1 ^b	0,01 ^b	0,05 ^b	0,05 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,2 ^b	0,05 ^b		

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.
Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0401	150	0,05 ^b	0,05 ^b	0,1 ^b	0,01 ^b	0,05 ^b	0,05 ^b	0,05 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0402	120	0,05 ^b	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,2	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0402	130	0,05 ^b	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,05^b	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0402	140	0,05 ^b	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,2	0,05 ^b	0,05 ^b	0,02 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0620000 (ii)	0,1 ^b	0,1 ^b	0,1 ^b		0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0630000 (iii)		0,1 ^b	0,1 ^b			10	1	0,1 ^b	0,1 ^b	0,05 ^b		0,2 ^b	0,05 ^b	
0631000 (a)	50	0,1 ^b	0,1 ^b			10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0631000 (b)	Clamshell	0,1 ^b	0,1 ^b		0,5	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0631020	bisous	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0631030	Rose 50 petals	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0631040	Orange 50 flowers	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0631050	Lime 50 (linden)	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0631060	Others 50	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b	
0632000 (b)	50	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	50	0,2 ^b	0,05 ^b	
0632000 (c)	Strawberry leaves	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	50	0,2 ^b	0,05 ^b	
0632000 (d)	Rhubarb leaves	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	50	0,2 ^b	0,05 ^b	
0632000 (e)	Mate 50	0,1 ^b	0,1 ^b		0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	50	0,2 ^b	0,05 ^b	

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0632	Others	50	0,1 ^b	0,1 ^b	0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	50	0,2 ^b	0,05 ^b
0633	000 (c)	50	0,1 ^b <i>Roots</i>	0,1 ^b	0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0633	Melissa	50	0,1 ^b	0,1 ^b	0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0633	Cinnamon	50	0,1 ^b	0,1 ^b	0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0633	Others	50	0,1 ^b	0,1 ^b	0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0639	000 (d)	0,1 ^b	0,1 ^b <i>Other herbal infusions</i>	0,1 ^b	0,02	10	1	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0640	000 (iv)	0,1 ^b	0,1 ^b Cocoa (fermented beans)	0,1 ^b	0,2	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0650	000 (v)	0,1 ^b	0,1 ^b Carob (St johns bread)	0,1 ^b	0,5	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0800	000 8.	0,1 ^b	SPICES	0,1 ^b		0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (i)	0,1 ^b	0,1 ^b Seeds	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (ii)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (iii)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (iv)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (v)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (vi)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (vii)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (viii)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0810	000 (ix)	0,1 ^b	0,1 ^b	0,1 ^b	7	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.
Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0810	Fennel, seed	0,1 ^b	0,1 ^b	7	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
0810	Papaya, seed	0,1 ^b	0,1 ^b	7	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
0810	Tomato	0,1 ^b	0,1 ^b	7	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
0810	Others	0,1 ^b	0,1 ^b	7	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000 (ii)	Fruits and berries	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Allspice	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Black pepper (Japan pepper)	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Caraway	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Cardamom	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Cranberry berries	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Pepper, black and white	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Zanilla pods	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Chamomile	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08200000	Others	0,1 ^b	0,1 ^b	1	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b
08300000 (iii)	Bark	0,1 ^b	0,1 ^b	0,02 ^b 0,05 ^b 0,05 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b	
08300000	Onion	0,1 ^b	0,1 ^b	0,02 ^b 0,05 ^b 0,05 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b	
08300000	Others	0,1 ^b	0,1 ^b	0,02 ^b 0,05 ^b 0,05 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b	
08400000 (iv)	Roots or rhizome	0,1 ^b	0,2 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,1 ^b	0,1 ^b	0,05 ^b 0,05 ^b 0,2 ^b	0,05 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F) = Fat soluble
(R) = The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

0840	Liquorice	0,2 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0840	ginger	0,2 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0840	Curcuma (Curcuma)	0,2 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0840	Horseradish	0,2 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0840	Onions	0,2 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
08500000	(v) Buds	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0850	Cloves	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0850	Capers	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0850	Onions	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
08600000	(vi) Flower stigma	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0860	Saffron	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0860	Onions	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
08700000	(vii) Aril	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0870	Mace	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
0870	Onions	0,1 ^b	0,1 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,1 ^b	0,1 ^b	0,05 ^b	0,05 ^b	0,2 ^b	0,05 ^b
09000000	9. SUGAR PLANTS		0,05 ^b						0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b 0,1 ^b
0900	Sugarcane	1	0,05 ^b	0,5	0,1	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,05
0900	Sugarcane	0,05 ^b	0,2	0,05 ^b	0,01 ^b	0,02 ^b	0,05	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b
0900	Chicory	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b
0900	Onions	0,05 ^b	0,05 ^b	0,01 ^b	0,02 ^b	0,02 ^b	0,05 ^b	0,05 ^b	0,02 ^b	0,02 ^b	0,1 ^b	0,02 ^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.
Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

1015000 (e)		<i>Horses, asses, mules or hinnies</i>	0,05 ^b 0,01^b	0,5	0,02 ^b 0,05 ^b 0,05 ^b	0,1 ^b	0,01^b
1015010at	0,05 ^b 2		0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,05	0,1 ^b	0,01^b	
1015020	0,05 ^b 0,2	0,05^b0,01^b 0,3	0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,05	0,1 ^b	0,01^b	
1015030er	0,07 0,2	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,3	0,1 ^b	0,01^b		
1015040Iny	0,07 0,2	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,3	0,1 ^b	0,01^b		
1015050bl	0,07 0,2 offal	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b		0,01^b		
1015090her	0,05 ^b 0,2	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b		0,01^b		
1017000 (g)	0,2	<i>Other farm animals</i>	0,05 ^b 0,01^b	0,5	0,02 ^b 0,05 ^b 0,05 ^b	0,1 ^b	0,01^b
1017010at	0,05 ^b 0,2	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,05	0,1 ^b	0,01^b		
1017020	0,05 ^b 0,2	0,05 ^b 0,01^b 0,3	0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,05	0,1 ^b	0,01^b	
1017030er	0,07 0,2	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,3	0,1 ^b	0,01^b		
1017040Iny	0,07 0,2	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,3	0,1 ^b	0,01^b		
1017050bl	0,07 0,2 offal	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b		0,01^b		
1017090her	0,05 ^b 0,2	0,05 ^b 0,01^b 0,01 ^b 0,5	0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b		0,01^b		
1030010ck	0,05 ^b 0,05 ^b 0,05 ^b 0,01^b 0,02	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b			0,01^b		
1030030ose	0,05 ^b 0,05 ^b 0,05 ^b 0,01^b 0,02	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b			0,01^b		
1030040ail	0,05 ^b 0,05 ^b 0,05 ^b 0,01^b 0,02	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b			0,01^b		
1030090her	0,05 ^b 0,05 ^b 0,05 ^b 0,01^b 0,02	0,02 ^b 0,02 ^b 0,05 ^b 0,05 ^b 0,01 ^b 0,1 ^b			0,01^b		
1040000 (iv)	0,01^b0,05^b0,05^b0,01^b 0,02	0,02^b0,02^b0,05^b0,05^b 0,2			0,1^b	0,01^b	
	Honey						

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: Point in time view as at 27/05/2010.**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

1050000 (v)	0,01^b 0,05^b 0,05^b 0,01^b 0,02 0,02^b 0,02^b 0,05^b 0,05^b 0,01^b 0,1^b 0,01^b
1060000 (vi)	0,01^b 0,05^b 0,05^b 0,01^b 0,02 0,02^b 0,05^b 0,05^b 0,01^b 0,1^b 0,01^b
1070000 (vii)	0,01^b 0,05^b 0,05^b 0,01^b 0,02 0,02^b 0,05^b 0,05^b 0,01^b 0,1^b 0,01^b

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F)
(R)

= Fat soluble
= The residue definition differs for the following combinations pesticide-code number:
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

3. In Annex IV, the entry: ‘sulphur’ is added, in alphabetical order.

Status: Point in time view as at 27/05/2010.

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010. (See end of Document for details)

- (1) [OJ L 70, 16.3.2005, p. 1.](#)
- (2) [OJ L 230, 19.8.1991, p. 1.](#)
- (3) EFSA scientific reports available on <http://www.efsa.europa.eu>
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for aminopyralid in bovine kidney. *EFSA Scientific Report* (2009) 302, 1.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for azoxystrobin in swedes, *EFSA Journal* 2009; 7(9):1308.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for cyprodinil in celeriac. *EFSA Scientific Report* (2009) 325.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for difenoconazole in leafy vegetables. *EFSA Scientific Report* (2009) 337.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for indoxacarb in cherries and sugar beet. *EFSA Scientific Report* (2009) 324.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the residue definition for isoxaflutole. *EFSA Scientific Report* (2009) 323.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for fosetyl-al on radishes. *EFSA Journal* 2009; 7(9):1313.
Reasoned opinion of EFSA prepared by the Pesticides Unit on the modification of the existing MRLs for lambda-cyhalothrin, *EFSA Scientific Report* (2009) 226 and 330.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for metazachlor on liver. *EFSA Scientific Report* (2009) 320.
Reasoned opinion of EFSA prepared by the Pesticides Unit on the modification of the existing MRLs for pyraclostrobin in courgettes, gherkins and beetroot. *EFSA Scientific Report* (2009) 342.
Reasoned opinion of EFSA prepared by the Pesticides Unit on the setting of an import tolerance for spinetoram on peach and apricot. *EFSA Journal* 2009; 7(9):1312.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for spirotetramat. *EFSA Scientific Report* (2009) 306.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for tebuconazole in mandarins and passion fruit. *EFSA Scientific Report* (2009) 1368.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for thiocloprid. *EFSA Scientific Report* (2009) 307.
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for trifloxystrobin in various crops. *EFSA Scientific Report* (2008) 314.
- (4) Reasoned Opinion Review of existing MRLs for ethephon. *EFSA Journal* 2009; 7(10):1347.
- (5) Conclusion on pesticide peer review regarding the risk assessment of the active substance sulfur. *EFSA Scientific Report* (2008) 221.

Status:

Point in time view as at 27/05/2010.

Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 459/2010.