

Commission Regulation (EU) No 459/2010 of 27 May 2010 amending Annexes II, III and IV to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for certain pesticides in or on certain products (Text with EEA relevance)

COMMISSION REGULATION (EU) No 459/2010

of 27 May 2010

amending Annexes II, III and IV to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for certain pesticides in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC<sup>(1)</sup>, and in particular Article 5(1) and Article 14(1) thereof,

Whereas:

- (1) For azoxystrobin, cypermethrin, indoxacarb, isoxaflutole, ethephon fenitrothion, lambda-cyhalothrin, methomyl, profenofos, pyraclostrobin, thiacloprid, triadimefon, triadimenol and trifloxystrobin maximum residue levels (MRLs) were set in Annex II and part B of Annex III to Regulation (EC) No 396/2005. For aminopyralid, boscalid, buprofezin, chlorantraniliprole, cyprodinil, difenoconazole, flusilazole, fosetyl, imidacloprid, mandipropamid, metazachlor, prothioconazole, spinetoram, spirotetramat, sulphur and tebuconazole MRLs were set in part A of Annex III to Regulation (EC) No 396/2005.
- (2) In the context of a procedure, in accordance with Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market<sup>(2)</sup>, for the authorisation of the use of a plant protection product containing the active substance azoxystrobin on swedes an application was made under Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRL.
- (3) As regards aminopyralid, such an application was made for the use on pastures. In view of that application, it is necessary to modify the existing MRL for bovine kidney because through grazing the pesticide is ingested by cattle. As regards boscalid, such an application was made for the use on gherkins and courgettes. As regards cyprodinil, such an application was made for the use on celeriac. As regards difenoconazole, such an application was made for the use on fennel, parsley, celery leaves and chervil. As regards indoxacarb, such an application was made for the use on cherries and sugar beets. As regards isoxaflutole, such an application was made to change the residue

definition. As regards fosetyl, such an application was made for the use on radishes. As regards lambda-cyhalothrin, such an application was made for the use on globe artichokes and currants. As regards metazachlor, such an application was made for the use on rapeseed, kale, cabbage, swedes, turnips, and cereals. In view of that application, it is necessary to modify the existing MRLs for liver from bovines, sheep and goats, since rapeseed, kale, cabbage, swedes, turnips, and cereals are used as feed, and residues may end up on forage for these animals. In addition, it is necessary to modify the residue definition on animal products. As regards pyraclostrobin, such an application was made for the use on beetroot, gherkin and courgettes. As regards spirotetramat, such an application was made for the use on plums and cherries. As regards tebuconazole, such an application was made for the use on swedes and turnips. As regards thiacloprid, such an application was made for the use on lambs lettuce, celery and fennel. As regards trifloxystrobin, such an application was made for the use on parsnips, parsley root, salsify, swedes and turnips.

- (4) In accordance with Article 6(2) and (4) of Regulation (EC) No 396/2005 applications were made for spinetoram on peaches (including nectarines) and apricots. The authorised use of spinetoram on peaches, nectarines and apricots in South Africa, Argentina, Chile, New Zealand and Israel lead to higher residues than the MRL in Annex III to Regulation (EC) No 396/2005. To avoid trade barriers for the importation of peaches, nectarines and apricots, a higher MRL is necessary.
- (5) In accordance with Article 8 of Regulation (EC) No 396/2005, these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.
- (6) The European Food Safety Authority, hereinafter ‘the Authority’, assessed the applications and the evaluation reports, examining in particular the risks to the consumer and where relevant to animals and gave reasoned opinions on the proposed MRLs<sup>(3)</sup>. It forwarded these opinions to the Commission and the Member States and made them available to the public.
- (7) The Authority concluded in its reasoned opinions that all requirements with respect to data were met and that the modifications to the MRLs needed by the applicants were acceptable with regard to consumer safety on the basis of a consumer exposure assessment for 27 specific European consumer groups. It took into account the most recent information on the toxicological properties of the substances. Neither the lifetime exposure to these substances via consumption of all food products that may contain these substances, nor the short term exposure due to extreme consumption of the relevant crops showed that there is a risk that the acceptable daily intake (ADI) or the acute reference dose (ARfD) is exceeded. In some cases the Authority considered that a higher MRL was necessary than the MRL proposed by the evaluating Member State. In those cases it is appropriate to allow the higher MRL, as proposed by the Authority, provided that the Authority considered this MRL safe. In other cases the Authority considered that a lower MRL than the MRL proposed by the evaluating Member State was sufficient. In those cases it is appropriate to set the lower MRL.

- (8) In accordance with Article 12(2) of Regulation (EC) No 396/2005 the Authority evaluated the safety of existing MRLs for ethephon<sup>(4)</sup> and concluded that the MRLs for 12 crops could be set higher to take account of existing CXLs.
- (9) As regards fenitrothion, the validity of MRLs for cereals expired on 1 June 2009. For the sake of clarity it is appropriate to indicate the lowest limit of analytical determination (LOD) for that pesticide on cereals in Regulation (EC) No 396/2005.
- (10) As regards sulphur, the Authority recommended in its conclusion<sup>(5)</sup> not to continue to set MRLs for that pesticide because of its low toxicity. In view of that conclusion it is appropriate to delete the existing MRLs for that pesticide and to include it in Annex IV to Regulation (EC) No 396/2005.
- (11) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 5(1) and Article 14(2) of Regulation (EC) No 396/2005.
- (12) On 4 July 2009 the Codex Alimentarius Commission (CAC) adopted CXLs for azoxystrobin, buprofezin, chlorantraniliprole, cypermethrin, flusilazole, imidacloprid, lambda-cyhalothrin, mandipropamid, methomyl, profenofos, prothioconazole, spinetoram, spirotetramate, tebuconazole, triadimefon and triadimenol. These CXLs should be included in Regulation (EC) No 396/2005 as MRLs, with the exception of those CXLs which are not safe for a European consumer group and for which the Union presented a reservation to the CAC.
- (13) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (14) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

*Article 1*

Annexes II, III and IV to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

*Article 2*

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

The MRLs for ethephon shall apply from 8 June 2010.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 27 May 2010.

*For the Commission*

*The President*

José Manuel BARROSO

## ANNEX

Annexes II, III and IV to Regulation (EC) No 396/2005 are amended as follows:

- In Annex II the heading 'Isoxaflutole (sum of isoxaflutole, RPA 202248 and RPA 203328, expressed as isoxaflutole)' is changed by removing 'and RPA 203328'; the columns for azoxystrobin, cypermethrin, indoxacarb, ethephon, fenitrothion, lambda-cyhalothrin, methomyl, profenofos, pyraclostrobin, thiacloprid, triadimefon, triadimenol and trifloxystrobin are replaced by the following:

## PESTICIDE RESIDUES AND MAXIMUM RESIDUE LEVELS (MG/KG)

Code number	Group and examples of individual products to which the MRLs apply <sup>a</sup>	Azoxystrobin	Cypermethrin (including other mixtures of constituent isomers (sum of isomers)) (F)	Fenitrothion	Indoxacarb	Lambda-cyhalothrin as sum of the isomers S and R (F)	Cyhalothrin (F) (R)	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	Profenofos (F)	Pyraclostrobin (F)	Triadimefon (F)	Triadimenol and triadimefon and triadimenol (F)	Trifloxystrobin
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
0100000	1. FRUIT FRESH OR FROZEN; NUTS												
0110000	15 (i) Citrus fruit	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,2	0,02 <sup>b</sup>	0,05 <sup>b</sup>	1	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,3	
0110000	15 (i) Grapefruit												
0110000	15 (i) Oranges												
0110000	15 (i) Lemons												

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.



*Status: This is the original version (as it was originally adopted).*

013000	Quinces			0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,3		0,02 <sup>b</sup>				0,1 <sup>b</sup>	
013000	Medlar	c	c	c	c	c	c	c	c	c	c	c	c
013000	Equat	c	c	c	c	c	c	c	c	c	c	c	c
013090	Others			0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,3		0,2				0,1 <sup>b</sup>	
014000	(iv)	2	2		0,01 <sup>b</sup>				0,05 <sup>b</sup>			0,1 <sup>b</sup>	
	<b>Stone fruit</b>												
014000	Apricots			0,05 <sup>b</sup>		0,3	0,2	0,02 <sup>b</sup>		0,2	0,3		1
014000	Cherries			3		<b>0,5</b>	<b>0,3</b>	0,1		0,3	0,3		1
014000	Peaches			0,05 <sup>b</sup>		0,3	0,2	0,02 <sup>b</sup>		0,2	0,3		1
014000	Plums			0,05 <sup>b</sup>		0,02 <sup>b</sup>	<b>0,2</b>	0,02 <sup>b</sup>		0,2	0,1		0,2
014090	Others			0,05 <sup>b</sup>		0,02 <sup>b</sup>	0,1	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
015000	(v)								0,05 <sup>b</sup>				
	<b>Berries &amp; small fruit</b>												
015100	(a)	2	0,5		0,01 <sup>b</sup>	2	0,2				0,02 <sup>b</sup>	2	5
	<i>Table and wine grapes</i>												
015100	Table grapes			<b>0,7</b>				0,02 <sup>b</sup>		1			
015100	Wine grapes			<b>2</b>				0,5		2			
015200	(b)	10	<b>0,07</b>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,5	0,02 <sup>b</sup>		0,5	0,5	0,5	0,5
	<i>Strawberries</i>												
015300	(c)	5	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>		<b>0,2</b>	0,02 <sup>b</sup>				0,1 <sup>b</sup>	0,02 <sup>b</sup>
	<i>Cane fruit</i>												
015300	Blackberries					0,5				1	3		

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.





*Status: This is the original version (as it was originally adopted).*

016101	Dates		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>					0,02 <sup>b</sup>	
016102	Figs		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>					0,02 <sup>b</sup>	
016103	Table olives		0,05 <sup>b</sup>	5 (+)	0,01 <sup>b</sup>		1	0,02 <sup>b</sup>					0,3	
016104	Kumquats		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>					0,02 <sup>b</sup>	
016105	Carambola	c	c	c	c	c	c	c	c	c	c	c	c	
016106	Bersifmon	c	c	c	c	c	c	c	c	c	c	c	c	
016107	Rambolan (java plum)	c	c	c	c	c	c	c	c	c	c	c	c	
016108	Others		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>					0,02 <sup>b</sup>	
016200	(b)			Inedible peel, small		0,05 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>
016201	Kiwi	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,01 <sup>b</sup>			0,02 <sup>b</sup>					0,02 <sup>b</sup>	
016202	Lochee (Litchi)	0,05 <sup>b</sup>	2		0,01 <sup>b</sup>			0,02 <sup>b</sup>					0,02 <sup>b</sup>	
016203	Bassion fruit	0,05 <sup>b</sup>			0,01 <sup>b</sup>			0,02 <sup>b</sup>					4	
016204	Pickly pear (cactus fruit)	c	c	c	c	c	c	c	c	c	c	c	c	
016205	Star apple	c	c	c	c	c	c	c	c	c	c	c	c	
016206	American persimmon (Virginia kaki)	c	c	c	c	c	c	c	c	c	c	c	c	
016207	Others	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,01 <sup>b</sup>			0,02 <sup>b</sup>					0,02 <sup>b</sup>	

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

0163000	(c)	Inedible peel, large											
0163000	Avocados	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0163000	Bananas	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,2	0,1	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	1	0,05	
0163000	Mangoes	0,7	0,7	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,2	0,02 <sup>b</sup>	0,2	0,05	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,5
0163000	Papaya	0,3	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05	0,5	0,1 <sup>b</sup>	1
0163000	Pomegranate	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0163000	Cherimoya	c	c	c	c	c	c	c	c	c	c	c	c
0163000	Guava	c	c	c	c	c	c	c	c	c	c	c	c
0163000	Breadfruit	0,05 <sup>b</sup>	2	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	3	0,02 <sup>b</sup>	
0163000	Breadfruit	c	c	c	c	c	c	c	c	c	c	c	c
0163100	Durian	c	c	c	c	c	c	c	c	c	c	c	c
0163100	Soursop (guanabana)	c	c	c	c	c	c	c	c	c	c	c	c
0163900	Others	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0200000	2.	<b>VEGETABLES FRESH OR FROZEN</b>		0,01 <sup>b</sup>									
0210000	(i)	1 <b>Root and tuber vegetables</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>			0,1 <sup>b</sup>	
0211000	(a)	Potatoes				0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:

Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

*Status: This is the original version (as it was originally adopted).*

02120000	(b)	<i>Tropical root and tuber vegetables</i>				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
02120000		Cassava								0,02 <sup>b</sup>			
02120000		Sweet potatoes								0,02 <sup>b</sup>			
02120000		Yams								0,02 <sup>b</sup>			
02120000		Arrowroot	c	c	c	c	c	c	c	c	c	c	c
02129000		Others								0,02 <sup>b</sup>			
02130000	(c)	<i>Other root and tuber vegetables except sugar beet</i>								0,02 <sup>b</sup>			
02130000		Beetroot				0,02 <sup>b</sup>	0,02 <sup>b</sup>			<b>0,1</b>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
02130000		Carrots				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,1	0,02 <sup>b</sup>		0,05
02130000		Celeriac				0,02 <sup>b</sup>	0,1			0,02 <sup>b</sup>	0,1		0,02 <sup>b</sup>
02130000		Horseradish				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,3	0,02 <sup>b</sup>		0,02 <sup>b</sup>
02130000		Jerusalem artichokes				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
02130000		Parsnips				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,3	0,02 <sup>b</sup>		<b>0,04</b>
02130000		Parsley root				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,1	0,02 <sup>b</sup>		<b>0,04</b>
02130000		Radishes				0,2	0,1			0,2	0,02 <sup>b</sup>		0,02 <sup>b</sup>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

02130000	090	Asparagus				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,1	0,02 <sup>b</sup>		<b>0,04</b>
02131000	100	Beetroot				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>		<b>0,04</b>
02131100	100	Turnips				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>		<b>0,04</b>
02139000	900	Others				0,02 <sup>b</sup>	0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
02200000	000	(ii) <b>10 Bulb vegetables</b>	0,05 <sup>b</sup>			0,02 <sup>b</sup>	<b>0,2</b>	0,02 <sup>b</sup>	0,05 <sup>b</sup>				0,02 <sup>b</sup>
02200000	000	Garlic	0,1							0,2	0,02 <sup>b</sup>	0,1 <sup>b</sup>	
02200000	000	Onions	0,1							0,2	0,02 <sup>b</sup>	0,5	
02200000	000	Shallots	0,1							0,2	0,02 <sup>b</sup>	0,1 <sup>b</sup>	
02200000	000	Spring onions	0,05 <sup>b</sup>							0,02 <sup>b</sup>	0,1	1	
02209000	900	Others	0,05 <sup>b</sup>							0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	
02300000	000	(iii) <b>Fruiting vegetables</b>											
02310000	000	(a) <b>3 Solanacea</b>	0,5					0,02 <sup>b</sup>					<b>1</b>
02310000	000	Tomatoes	1			0,5	0,1		<b>10</b>	0,2	0,5		0,5
02310000	000	Peppers	0,05 <sup>b</sup>			0,3	0,1		0,05 <sup>b</sup>	0,5	1		0,3
02310000	000	Aubergines (egg plants)	0,05 <sup>b</sup>			0,5	0,5		0,05 <sup>b</sup>	0,2	0,5		0,02 <sup>b</sup>
02310000	000	Cokra, lady's fingers	0,05 <sup>b</sup>			0,02 <sup>b</sup>	<b>0,3</b>		0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
02319000	900	Others	0,05 <sup>b</sup>			0,02 <sup>b</sup>	<b>0,3</b>		0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
02320000	000	(b) <b>1 Cucurbits — edible peel</b>	0,2	0,05 <sup>b</sup>		0,2	0,1	<b>0,1</b>	0,05 <sup>b</sup>		0,3	<b>0,2</b>	0,2

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

023200	Cucumbers								0,02 <sup>b</sup>			
023200	Herkins								<b>0,5</b>			
023200	Bourgettes								<b>0,5</b>			
023290	Others								0,02 <sup>b</sup>			
0233000 (c)	<b>1</b> <i>Cucurbits inedible peel</i>	0,2	0,05 <sup>b</sup>		0,1	0,05	<b>0,1</b>	0,05 <sup>b</sup>	0,02 <sup>b</sup>		<b>0,2</b>	
023300	Melons									0,2		0,3
023300	Pumpkins									0,02 <sup>b</sup>		0,2
023300	Watermelons									0,2		0,2
023390	Others									0,02 <sup>b</sup>		0,02 <sup>b</sup>
0234000 (d)	<b>0,05<sup>b</sup></b> <i>Sweet corn</i>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,02 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,1	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0239000 (e)	<b>0,05<sup>b</sup></b> <i>Other fruiting vegetables</i>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0240000 (iv)	<b>5</b> <b>Brassica vegetables</b>		0,05 <sup>b</sup>					0,05 <sup>b</sup>			0,1 <sup>b</sup>	
0241000 (a)	<i>Flowering brassica</i>				0,3		0,02 <sup>b</sup>		0,1	0,1		
0241000	Broccoli	<b>1</b>				0,1						0,05
0241000	Cauliflower	0,5				0,1						0,05
024190	Others	<b>1</b>				<b>0,5</b>						0,02 <sup>b</sup>
0242000 (b)	<b>1</b> <i>Head brassica</i>											

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

024200	Bussels sprouts				0,1	0,05	0,05		0,2	0,05		0,5
024200	Head cabbage				3	0,2	0,02 <sup>b</sup>		0,2	0,2		0,3
024290	Others				0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
024300	(c)	1 <i>Leafy brassica</i>				1	0,02 <sup>b</sup>		0,02 <sup>b</sup>	1		0,02 <sup>b</sup>
024300	Chinese cabbage				0,2							
024300	Kale				0,2							
024390	Others				0,02 <sup>b</sup>							
024400	(d)	1 <i>Kohlrabi</i>			0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,05		0,5
025000	(v)	<b>Leaf vegetables &amp; fresh herbs</b>	0,05 <sup>b</sup>					0,05 <sup>b</sup>			0,1 <sup>b</sup>	
025100	(a)	3 2 <i>Lettuce and other salad plants including Brassicacea</i>										
025100	Lamb's lettuce				1	1	0,02 <sup>b</sup>		10	5		0,02 <sup>b</sup>
025100	Lettuce				2	0,5	0,2		2	2		10
025100	Garole (broad-				2	1	0,02 <sup>b</sup>		2	2		10

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

	leaf endive)												
0251000	Cress					0,02 <sup>b</sup>	1	0,02 <sup>b</sup>		2	2		0,02 <sup>b</sup>
0251050	End cress	c	c	c	c	c	c	c	c	c	c	c	c
0251080	Rocket, Rucola					0,02 <sup>b</sup>	1	0,02 <sup>b</sup>		2	3		0,02 <sup>b</sup>
0251090	Red mustard	c	c	c	c	c	c	c	c	c	c	c	c
0251080	Leaves and sprouts of <i>Brassica</i> spp					1	1	0,02 <sup>b</sup>		2	2		0,02 <sup>b</sup>
0251900	Others					0,02 <sup>b</sup>	1	0,02 <sup>b</sup>		2	2		0,02 <sup>b</sup>
0252000	(b)		0,7 <i>Spinach</i> & <i>similar</i> (leaves)				0,5				0,02 <sup>b</sup>		0,02 <sup>b</sup>
0252050	Spinach	0,05 <sup>b</sup>				2		0,05		0,5			
0252020	Por slane	c	c	c	c	c	c	c	c	c	c	c	c
0252080	Beet leaves (chard)	0,5				0,02 <sup>b</sup>		0,02 <sup>b</sup>		0,5			
0252900	Others	0,05 <sup>b</sup>				0,02 <sup>b</sup>		0,02 <sup>b</sup>		0,5			
0253000	(c)	c	c <i>Vine</i> <i>leaves</i> ( <i>grape</i> <i>leaves</i> )	c	c	c	c	c	c	c	c	c	c

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

0254000 (d)	0,05 <sup>b</sup>	0,7			0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
		Water cress										
0255000 (e)	0,2	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>
		Witloof										
0256000 (f)		2			2	1			2	5		10
		Herbs										
0256000 (F)									0,3			
		Onion										
0256000 (R)									0,3			
		Onion										
0256000 (R)									0,3			
		Celery leaves										
0256000 (R)									0,3			
		Parsley										
0256000 (c)	e		e	e	e	e	e	e	e	e	e	e
		Sage										
0256000 (c)	e		e	e	e	e	e	e	e	e	e	e
		Rosemary										
0256000 (c)	e		e	e	e	e	e	e	e	e	e	e
		Thyme										
0256000 (c)	e		e	e	e	e	e	e	e	e	e	e
		Basil										
0256000 (c)	e		e	e	e	e	e	e	e	e	e	e
		Bay leaves (laurel)										
0256100 (c)	e		e	e	e	e	e	e	e	e	e	e
		Corrigan										
0256900 (R)									0,3			
		Others										
0260000 (vi)	3	0,7	0,05 <sup>b</sup>		0,02 <sup>b</sup>	0,2	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>			0,1 <sup>b</sup>
		Legume vegetables (fresh)										
0260000 (R)										1		0,5
		Beans (with pods)										
0260000 (R)										0,02 <sup>b</sup>		0,02 <sup>b</sup>
		Beans (without pods)										

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.



026000	Beans (with pods)											0,02 <sup>b</sup>	0,02 <sup>b</sup>
026000	Beans (without pods)											0,2	0,02 <sup>b</sup>
026000	Beans											0,02 <sup>b</sup>	0,02 <sup>b</sup>
026000	Others											0,02 <sup>b</sup>	0,02 <sup>b</sup>
027000	(vii)	<b>Stem vegetables (fresh)</b>		0,05 <sup>b</sup>					0,05 <sup>b</sup>				
027000	Asparagus	0,05 <sup>b</sup>	0,1			0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
027000	Cardoons	0,05 <sup>b</sup>	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
027000	Celery	5	0,05 <sup>b</sup>			2	0,3	0,02 <sup>b</sup>		0,02 <sup>b</sup>	<b>0,5</b>	0,1 <sup>b</sup>	<b>1</b>
027000	Fennel	<b>10</b>	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,3	0,02 <sup>b</sup>		0,02 <sup>b</sup>	<b>0,5</b>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
027000	Globe artichokes	<b>5</b>	2			0,1	<b>0,2</b>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>	1	0,02 <sup>b</sup>
027000	Leek	<b>10</b>	0,5			0,02 <sup>b</sup>	0,3	0,02 <sup>b</sup>		0,5	0,1	0,1 <sup>b</sup>	0,2
027000	Rhubarb	0,05 <sup>b</sup>	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
027000	Bamboo shoots	c	c	c	c	c	c	c	c	c	c	c	c
027000	Palm hearts	c	c	c	c	c	c	c	c	c	c	c	c
027000	Others	0,05 <sup>b</sup>	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
028000	(viii)	0,05 <sup>b</sup>	<b>Fungi</b>	0,05 <sup>b</sup>		0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
028000	Cultivated	0,05 <sup>b</sup>					0,02 <sup>b</sup>						
028000	Wild		1				0,5						

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

02809000	Others		0,05 <sup>b</sup>				0,02 <sup>b</sup>						
02900000	(IX)	c	c	c	c	c	c	c	c	c	c	c	c
	<b>Sea weeds</b>												
03000000	3.	0,1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	<b>0,05</b>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,3	0,1	0,1 <sup>b</sup>	0,02 <sup>b</sup>
	<b>PULSES, DRY</b>												
03000000	Beans												
03000000	Lentils												
03000000	Peas												
03000000	Lupins												
03009000	Others												
04000000	4.				0,01 <sup>b</sup>					0,02 <sup>b</sup>			
	<b>OILSEEDS AND OILFRUITS</b>												
04010000	(I)											0,2 <sup>b</sup>	0,05 <sup>b</sup>
	<b>Oilseeds</b>												
04010000	Linseed	0,05 <sup>b</sup>	0,2	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
04010000	Peanut	<b>0,2</b>	<b>0,1</b>	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,1	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
04010000	Poppy seed	0,05 <sup>b</sup>	0,2	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
04010000	Sesame seed	0,05 <sup>b</sup>	0,2	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
04010000	Sunflower seed	0,5	0,2	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
04010000	Rape seed	0,5	0,2	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,3		
04010000	Soya bean	0,5	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,5	0,05 <sup>b</sup>	0,1	0,05 <sup>b</sup>		0,05 <sup>b</sup>		

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

*Status: This is the original version (as it was originally adopted).*

0401080	Mustard seed	0,05 <sup>b</sup>	<b>0,1</b>	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,2		
0401090	Cotton seed	<b>0,7</b>	0,2	2 (+)		0,05 <sup>b</sup>	<b>0,2</b>	0,1	<b>3</b>		0,05 <sup>b</sup>		
0401100	hemp seeds	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
0401110	Safflower	c	c	c	c	c	c	c	c	c	c	c	c
0401120	Borage	c	c	c	c	c	c	c	c	c	c	c	c
0401130	Gold of pleasure	c	c	c	c	c	c	c	c	c	c	c	c
0401140	Hemp seeds	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
0401150	Castor bean	c	c	c	c	c	c	c	c	c	c	c	c
0401900	Others	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>		
0402000 (ii)	<b>Oilfruits</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>			0,02 <sup>b</sup>		0,05 <sup>b</sup>	0,05 <sup>b</sup>				
0402000	Olives for oil production			<b>10</b>			<b>1</b>				0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,3
0402010	Palm nuts (palm oil kernels)	c	c	c	c	c	c	c	c	c	c	c	c
0402020	Palm fruit	c	c	c	c	c	c	c	c	c	c	c	c
0402030	Kapok	c	c	c	c	c	c	c	c	c	c	c	c
0402900	Others			0,05 <sup>b</sup>			0,05 <sup>b</sup>				0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0500000 5.	<b>CEREALS</b>				<b>0,05<sup>b</sup></b>	0,02 <sup>b</sup>		0,02 <sup>b</sup>	0,05 <sup>b</sup>				
0500010	Barley	<b>0,5</b>	<b>2</b>	<b>1</b>			<b>0,5</b>				0,3	1	0,2

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

050000	Buckwheat	0,3	0,05 <sup>b</sup>			0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,05	0,1 <sup>b</sup>	0,02 <sup>b</sup>
050000	Maize	0,05 <sup>b</sup>	0,3	0,05 <sup>b</sup>		0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,05	0,1 <sup>b</sup>	0,02 <sup>b</sup>
050000	Millet	0,05 <sup>b</sup>	0,3	0,05 <sup>b</sup>		0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,05	0,1 <sup>b</sup>	0,02 <sup>b</sup>
050000	Oats	0,5	2	0,05 <sup>b</sup>		0,05			0,3	1	0,2	0,02 <sup>b</sup>
050000	Rice	5	2	0,05 <sup>b</sup>		1			0,02 <sup>b</sup>	0,05	0,1 <sup>b</sup>	0,02 <sup>b</sup>
050000	Rye	0,3	2	1		0,05			0,1	0,05	0,2	0,05
050000	Sorghum	0,05 <sup>b</sup>	0,3	0,05 <sup>b</sup>		0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,05	0,1 <sup>b</sup>	0,02 <sup>b</sup>
050000	Wheat	0,3	2	1		0,05			0,1	0,1	0,2	0,05
050090	Others	0,05 <sup>b</sup>	0,3	0,05 <sup>b</sup>		0,02 <sup>b</sup>			0,02 <sup>b</sup>	0,05	0,1 <sup>b</sup>	0,02 <sup>b</sup>
060000	6.			0,1 <sup>b</sup>				0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
			<b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>									
061000	(i)	0,1 <sup>b</sup>	0,5		0,5	0,05 <sup>b</sup>	1				10	
			<b>Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis)</b>									
062000	(ii)	c	c	c	c	c	c	c	c	c	c	c
			<b>Coffee beans</b>									

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

---

*Status: This is the original version (as it was originally adopted).*

---

0630000 (iii)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Herbal infusions (dried)</b>											
0631000 (a)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<i>Flowers</i>											
0631000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Camomille flowers											
0631000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Pybiscus flowers											
0631000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Rose petals											
0631000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Jasmine flowers											
0631000	c	c	c	c	c	c	c	c	c	c	c	c	c
		lime (linden)											
0631900	c	c	c	c	c	c	c	c	c	c	c	c	c
		Others											
0632000 (b)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<i>Leaves</i>											
0632000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Strawberry leaves											
0632000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Booibbs leaves											
0632000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Maté											
0632900	c	c	c	c	c	c	c	c	c	c	c	c	c
		Others											
0633000 (c)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<i>Roots</i>											
0633000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Valerian root											
0633000	c	c	c	c	c	c	c	c	c	c	c	c	c
		Onseing root											
0633900	c	c	c	c	c	c	c	c	c	c	c	c	c
		Others											

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

---

*Status: This is the original version (as it was originally adopted).*

---

0639000 (d)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<i>Other herbal infusions</i>											
0640000 (iv)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Cocoa (fermented beans)</b>											
0650000 (v)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Carob (St johns bread)</b>											
0700000 7.	30	30	0,1	0,02 <sup>b</sup>	0,05 <sup>b</sup>	10	10	0,1 <sup>b</sup>	10	0,1 <sup>b</sup>	10	30	
		<b>HOPS (dried), including hop pellets and unconcentrated powder</b>											
0800000 8.	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>SPICES</b>											
0810000 (i)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Seeds</b>											
0810000 Anise	c	c	c	c	c	c	c	c	c	c	c	c	c
0810000 Black caraway	c	c	c	c	c	c	c	c	c	c	c	c	c
0810000 Celery seed	c	c	c	c	c	c	c	c	c	c	c	c	c
0810000 Coriander seed	c	c	c	c	c	c	c	c	c	c	c	c	c
0810000 Cumin seed	c	c	c	c	c	c	c	c	c	c	c	c	c

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

*Status: This is the original version (as it was originally adopted).*

08100501	oil seed	c	c	c	c	c	c	c	c	c	c	c	c
08100701	onion seed		c	c	c	c	c	c	c	c	c	c	c
08100801	onion seed		c	c	c	c	c	c	c	c	c	c	c
08100901	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101001	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101101	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101201	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101301	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101401	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101501	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101601	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101701	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101801	onion seed		c	c	c	c	c	c	c	c	c	c	c
08101901	onion seed		c	c	c	c	c	c	c	c	c	c	c
08102001	onion seed		c	c	c	c	c	c	c	c	c	c	c
08200000	(ii)	c	c	c	c	c	c	c	c	c	c	c	c
			<b>Fruits and berries</b>										
08200101	Alspice		c	c	c	c	c	c	c	c	c	c	c
08200201	Anise pepper (Japan pepper)		c	c	c	c	c	c	c	c	c	c	c
08200301	Caraway		c	c	c	c	c	c	c	c	c	c	c
08200401	Cardamom		c	c	c	c	c	c	c	c	c	c	c
08200501	Chiniper berries		c	c	c	c	c	c	c	c	c	c	c
08200601	Pepper, black and white		c	c	c	c	c	c	c	c	c	c	c
08200701	Vanilla pods		c	c	c	c	c	c	c	c	c	c	c
08200801	Garlic		c	c	c	c	c	c	c	c	c	c	c
08200901	Others		c	c	c	c	c	c	c	c	c	c	c
08300000	(iii)	c	c	c	c	c	c	c	c	c	c	c	c
			<b>Bark</b>										
08300101	Cinnamon		c	c	c	c	c	c	c	c	c	c	c

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

*Status: This is the original version (as it was originally adopted).*

08309000	Others	c	c	c	c	c	c	c	c	c	c	c	c
08400000	(iv) <b>Roots or rhizome</b>	c	c	c	c	c	c	c	c	c	c	c	c
08400000	Quince	c	c	c	c	c	c	c	c	c	c	c	c
08400000	Onion	c	c	c	c	c	c	c	c	c	c	c	c
08400000	Turmeric (Curcuma)	c	c	c	c	c	c	c	c	c	c	c	c
08400000	Horse radish	c	c	c	c	c	c	c	c	c	c	c	c
08409000	Others	c	c	c	c	c	c	c	c	c	c	c	c
08500000	(v) <b>Buds</b>	c	c	c	c	c	c	c	c	c	c	c	c
08500000	Clove	c	c	c	c	c	c	c	c	c	c	c	c
08500000	Capers	c	c	c	c	c	c	c	c	c	c	c	c
08509000	Others	c	c	c	c	c	c	c	c	c	c	c	c
08600000	(vi) <b>Flower stigma</b>	c	c	c	c	c	c	c	c	c	c	c	c
08600000	Saffron	c	c	c	c	c	c	c	c	c	c	c	c
08609000	Others	c	c	c	c	c	c	c	c	c	c	c	c
08700000	(vii) <b>Aril</b>	c	c	c	c	c	c	c	c	c	c	c	c
08700000	Mace	c	c	c	c	c	c	c	c	c	c	c	c
08709000	Others	c	c	c	c	c	c	c	c	c	c	c	c
09000000	9. <b>SUGAR PLANTS</b>	c	c	c	c	c	c	c	c	c	c	c	c

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.



090000	Sugar beet (root)	c	c	c	c	c	c	c	c	c	c	c	c
090000	Sugar cane	c	c	c	c	c	c	c	c	c	c	c	c
090000	Manioc roots	c	c	c	c	c	c	c	c	c	c	c	c
090000	Others	c	c	c	c	c	c	c	c	c	c	c	c
100000	10. <b>PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>			0,05 <sup>b</sup>	0,01 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>			0,1 <sup>b</sup>	0,01 <sup>b</sup>
101000	(i) <b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours</b>								0,05 <sup>b</sup>				

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

			or meals; other processed products such as sausages and food preparations based on these								
1011000	(a)	Swine				0,5					
1011000	Meat	0,05 <sup>b</sup>	2			0,01 <sup>b</sup>			0,05		
1011000	Fat free of lean meat	0,05 <sup>b</sup>	0,2			0,3			0,05		
1011000	Liver	0,07	0,2			0,01 <sup>b</sup>			0,3		
1011000	Kidney	0,07	0,2			0,01 <sup>b</sup>			0,3		
1011000	Edible offal	0,07	0,2			0,01 <sup>b</sup>			0,01 <sup>b</sup>		
1011900	Others <sup>c</sup>	0,05 <sup>b</sup>	0,2			0,01 <sup>b</sup>			0,01 <sup>b</sup>		
1012000	(b)	Bovine				0,5					
1012000	Meat	0,05 <sup>b</sup>	2			0,01 <sup>b</sup>			0,05		
1012000	Fat	0,05 <sup>b</sup>	0,2			0,3			0,05		
1012000	Liver	0,07	0,2			0,01 <sup>b</sup>			0,3		
1012000	Kidney	0,07	0,2			0,01 <sup>b</sup>			0,3		

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

*Status: This is the original version (as it was originally adopted).*

101200	Edible offal	0,07	0,2			0,01 <sup>b</sup>				0,01 <sup>b</sup>		
101290	Others	0,05 <sup>b</sup>	0,2			0,01 <sup>b</sup>				0,01 <sup>b</sup>		
101300	(c) Sheep					0,5						
101300	Meat	0,05 <sup>b</sup>	2			0,01 <sup>b</sup>				0,05		
101300	Fat	0,05 <sup>b</sup>	0,2			0,3				0,05		
101300	Over	0,07	0,2			0,01 <sup>b</sup>				0,3		
101300	Kidney	0,07	0,2			0,01 <sup>b</sup>				0,3		
101300	Edible offal	0,07	0,2			0,01 <sup>b</sup>				0,01 <sup>b</sup>		
101390	Others	0,05 <sup>b</sup>	0,2			0,01 <sup>b</sup>				0,01 <sup>b</sup>		
101400	(d) Goat					0,5						
101400	Meat	0,05 <sup>b</sup>	2			0,01 <sup>b</sup>				0,05		
101400	Fat	0,05 <sup>b</sup>	0,2			0,3				0,05		
101400	Over	0,07	0,2			0,01 <sup>b</sup>				0,3		
101400	Kidney	0,07	0,2			0,01 <sup>b</sup>				0,3		
101400	Edible offal	0,07	0,2			0,01 <sup>b</sup>				0,01 <sup>b</sup>		
101490	Others	0,05 <sup>b</sup>	0,2			0,01 <sup>b</sup>				0,01 <sup>b</sup>		
101500	(e) Horses, asses, mules or hinnies	c	c	c	c	c	c	c	c	c	c	c
101500	Meat	c	c	c	c	c	c	c	c	c	c	c
101500	Fat	c	c	c	c	c	c	c	c	c	c	c

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

Status: This is the original version (as it was originally adopted).

101500	Over	c	c	c	c	c	c	c	c	c	c	c	c
101500	Kidney	c	c	c	c	c	c	c	c	c	c	c	c
101500	Edible offal	c	c	c	c	c	c	c	c	c	c	c	c
101590	Others	c	c	c	c	c	c	c	c	c	c	c	c
101600	(f)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	—				0,02 <sup>b</sup>					
		<i>Poultry chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>											
101600	Meat							0,01 <sup>b</sup>				0,05	
101600	Fat							0,3				0,05	
101600	Over							0,01 <sup>b</sup>				0,3	
101600	Kidney							0,01 <sup>b</sup>				0,3	
101600	Edible offal							0,01 <sup>b</sup>				0,01 <sup>b</sup>	
101690	Others							0,01 <sup>b</sup>				0,01 <sup>b</sup>	
101700	(g)	c	c	c	c	c	c	c	c	c	c	c	c
		<i>Other farm animals</i>											
101700	Meat	c	c	c	c	c	c	c	c	c	c	c	c
101700	Fat	c	c	c	c	c	c	c	c	c	c	c	c
101700	Over	c	c	c	c	c	c	c	c	c	c	c	c
101700	Kidney	c	c	c	c	c	c	c	c	c	c	c	c

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

b Indicates lower limit of analytical determination.

c Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

101705	Edible offal		c	c	c	c	c	c	c	c	c	c	c
101790	Others		c	c	c	c	c	c	c	c	c	c	c
1020000 (ii)	0,01 <sup>b</sup> 0,05 Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd					0,02	0,05				0,01 <sup>b</sup>	0,03	
102000	Cattle												
102000	Sheep												
102000	Goat												
102000	Horse												
102090	Others												
1030000 (iii)	0,05 <sup>b</sup> 0,05 <sup>b</sup> Birds, eggs, fresh preserved					0,02	0,02 <sup>b</sup>				0,05 <sup>b</sup>	0,01 <sup>b</sup>	

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

---

*Status: This is the original version (as it was originally adopted).*

---

			or cooked; Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter										
103000	Chicken												
103000	Duck	e	e	e	e	e	e	e	e	e	e	e	e
103000	Goose	e	e	e	e	e	e	e	e	e	e	e	e
103000	Quail	e	e	e	e	e	e	e	e	e	e	e	e
103090	Others	e	e	e	e	e	e	e	e	e	e	e	e

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

1040000 (iv)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Honey</b>											
1050000 (v)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Amphibians and reptiles</b>											
1060000 (vi)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Snails</b>											
1070000 (vii)	c	c	c	c	c	c	c	c	c	c	c	c	c
		<b>Other terrestrial animal products</b>											

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination.

**c** Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers)  
 Ethephon 0161030 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of additional residue trials  
 Ethephon 0401090 (+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study.

2. Annex III is amended as follows:

(a) Part A is amended as follows:

(i) The columns for aminopyralid, boscalid, buprofezin, chlorantraniliprole, cyprodinil, difenoconazole, flusilazole, fosetyl, imidacloprid, mandipropamid, metazachlor, prothioconazole, spinetoram, spirotetramat and tebuconazole are replaced by the following:











Status: This is the original version (as it was originally adopted).

0154060	Roseberries		5	0,1		5				
0154050	Rose hips		2	0,1		5				
0154061	Raspberries		2	0,1		5				
0154070	Loquat (mediterranean medlar)		2	0,1		0,05 <sup>b</sup>				
0154080	Blackberries		2	0,1		5				
0154090	Quinces		2	0,1		5				
0160000 (vi)	Miscellaneous fruit		0,01	0,05 <sup>b</sup>			0,01 <sup>b</sup>		0,05 <sup>b</sup>	0,1 <sup>b</sup>
0161000 (a)	Edible peel	0,05 <sup>b</sup>				0,02 <sup>b</sup>				0,05 <sup>b</sup>
0161010	Dates		0,05 <sup>b</sup>	0,1		0,05 <sup>b</sup>				
0161020	Figs		0,05 <sup>b</sup>	0,1		0,05 <sup>b</sup>				
0161030	Table olives	2		2		0,5				
0161040	Kiwifruit	0,05 <sup>b</sup>		0,1		0,05 <sup>b</sup>				
0161050	Cashew	0,05 <sup>b</sup>		0,1		0,05 <sup>b</sup>				
0161060	Pecan	0,05 <sup>b</sup>		0,1		0,05 <sup>b</sup>				
0161070	Jambolan (java plum)	0,05 <sup>b</sup>		0,1		0,05 <sup>b</sup>				
0161080	Quinces	0,05 <sup>b</sup>		0,1		0,05 <sup>b</sup>				

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodin — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

---

*Status: This is the original version (as it was originally adopted).*

---

0162000 (b)	<i>Inedible peel, small</i>			0,1	0,02 <sup>b</sup>	0,05 <sup>b</sup>						
0162010	5	1										0,5
0162020 (Litchi)	0,05	0,05 <sup>b</sup>										0,05 <sup>b</sup>
0162030 fruit	0,05	0,05 <sup>b</sup>										0,05 <sup>b</sup>
0162040 pear (cactus fruit)	0,05	0,05 <sup>b</sup>										0,05 <sup>b</sup>
0162050 apple	0,05	0,05 <sup>b</sup>										0,05 <sup>b</sup>
0162060 persimmon (Virginia kaki)	0,05	0,05 <sup>b</sup>										0,05 <sup>b</sup>
0162070 pears	0,05	0,05 <sup>b</sup>										0,05 <sup>b</sup>
0163000 (c)	<i>Inedible peel, large</i>			0,1								
0163010 avocado	0,05	0,05 <sup>b</sup>			0,02 <sup>b</sup>	1						0,05 <sup>b</sup>
0163020 Bananas	0,3	0,5			0,1	2 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>
0163030 Mangoes	0,05	0,1			0,02 <sup>b</sup>	0,2						0,1
0163040 Papaya	0,05	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>						2

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: This is the original version (as it was originally adopted).

016	Pineapple	0,05 <sup>b</sup>			0,02 <sup>b</sup>	1					0,05 <sup>b</sup>
016	Guava	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>
016	Apple	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>
016	Bread fruit	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>
016	Durian	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>
016	Soursop (guanabana)	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>
016	Bananas	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>					0,05 <sup>b</sup>
020	0000 2.	0,01 <sup>b</sup>	<b>VEGETABLES FRESH OR FROZEN</b>		0,02 <sup>b</sup>						
021	0000 (i)	0,05	<b>Root and tuber vegetables</b>	0,02			0,5	0,01	0,3	0,02	0,05 <sup>b</sup>
021	1000 (a)	0,5	<i>Potatoes</i>	0,05	0,1	30					0,8 0,2
021	2000 (b)	0,5	<i>Tropical root and tuber vegetables</i>	0,05	0,1	2 <sup>b</sup>					0,1 <sup>b</sup> 0,05 <sup>b</sup>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.







*Status: This is the original version (as it was originally adopted).*

0232000 (b)	<i>Cucurbits edible peel</i>	0,3	0,5	0,1	75			0,3	0,2	0,2			
0232100	<i>Cucumbers</i>	0,2	1			1	0,2			0,5			
0232200	<i>Pumpkins</i>	0,5				0,5	0,1			0,05 <sup>b</sup>			
0232300	<i>Zucchini</i>	0,5				1	0,2			0,2			
0232400	<i>Squashes</i>	0,2	0,5			0,5	0,1			0,05 <sup>b</sup>			
0233000 (c)	<i>Cucurbits inedible peel</i>	0,5	0,3	0,05	0,05 <sup>b</sup>	75		0,3	0,05	0,2			
0233100	<i>Melons</i>	1				0,5	0,5			0,2			
0233200	<i>Pumpkins</i>	0,5				1	0,3			0,2			
0233300	<i>Watermelons</i>	0,5				0,2	0,3			0,2			
0233400	<i>Squashes</i>	0,5				0,1	0,3			0,05 <sup>b</sup>			
0234000 (d)	<i>Sweet corn</i>	0,5	0,5	0,2	0,05	0,05 <sup>b</sup>	5	0,1	0,01	0,3	0,05	0,1 <sup>b</sup>	0,2
0239000 (e)	<i>Other fruiting vegetables</i>	0,5	0,5	0,2	0,05	0,05 <sup>b</sup>	5	0,1	0,01	0,3	0,05	0,1 <sup>b</sup>	0,05 <sup>b</sup>
0240000 (iv)	<b>Brassica vegetables</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>			10		0,3		0,05 <sup>b</sup>			
0241000 (a)	<i>Flowering brassica</i>	1							0,02 <sup>b</sup>	1			

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: This is the original version (as it was originally adopted).

0241000	Broccoli		1	0,2		0,5	2				1
0242000	Caiflower		0,01 <sup>b</sup>	0,2		0,5	0,01 <sup>b</sup>				1
0243000	Cauliflowers		0,01 <sup>b</sup>	0,05 <sup>b</sup>		0,3	0,01 <sup>b</sup>				0,05 <sup>b</sup>
0242000 (b)	Head brassica			0,2							
0243000	Broccoli sprouts	2	0,01 <sup>b</sup>			0,5	0,01 <sup>b</sup>	0,1		0,3	0,5
0242000	Head cabbage	2	2			0,5	3	0,1		2	1
0243000	Cauliflowers	1	0,01 <sup>b</sup>			0,3	0,01 <sup>b</sup>	0,02 <sup>b</sup>		0,1	0,5
0243000 (c)	Leafy brassica	10	20	2			25	0,02 <sup>b</sup>		7	
0243000	Chinese cabbage					0,5					1
0243000	Kale					0,3					0,05 <sup>b</sup>
0243000	Cauliflowers					0,3					0,05 <sup>b</sup>
0244000 (d)	Kohlrabi	0,5	0,01 <sup>b</sup>	0,05 <sup>b</sup>		0,3	0,01 <sup>b</sup>	0,02 <sup>b</sup>		2	0,05 <sup>b</sup>
0250000 (v)	Leaf vegetables & fresh herbs		20					0,02 <sup>b</sup>			

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

---

*Status: This is the original version (as it was originally adopted).*

---

0251000 (a)	0,5 <i>Lettuce and other salad plants including Brassicacea</i>	10	75	25	7	0,05 <sup>b</sup>
0251100's lettuce	40	0,05 <sup>b</sup>	2	0,3	0,05 <sup>b</sup>	
0251200 lettuce	10	3	2	0,5	10	
0251300 Scaole (broad- leaf endive)	10	0,05 <sup>b</sup>	1	0,3	0,05 <sup>b</sup>	
0251400 Cress	10	0,05 <sup>b</sup>	2	0,3	0,05 <sup>b</sup>	
0251500 Lad cress	10	0,05 <sup>b</sup>	2	0,3	0,05 <sup>b</sup>	
0251600 Rocket, Rucola	10	2	2	0,3	0,05 <sup>b</sup>	
0251700 Red mustard	10	0,05 <sup>b</sup>	2	0,3	0,05 <sup>b</sup>	
0251800 Leaves and sprouts of <i>Brassica</i> spp	10	0,05 <sup>b</sup>	2	0,3	0,05 <sup>b</sup>	
0251900 Others	10	0,05 <sup>b</sup>	2	0,3	0,05 <sup>b</sup>	

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:

Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075

Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole

Boscalid (F) (R) — code 1000000:

Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates

Metazachlor (R) — code 1000000:

Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: This is the original version (as it was originally adopted).

0252000 (b)	Spinach & similar (leaves)	0,05 <sup>b</sup>				0,05	25	0,3		0,05 <sup>a</sup>	0,05 <sup>b</sup>
0252010	Spinach	10		8	2	75					
0252020	Potatoes	0,5		10	2	2 <sup>b</sup>					
0252030	Beet leaves (chard)	5		10 <sup>b</sup>	0,05 <sup>b</sup>	15					
0252040	Onions	0,5		0,05 <sup>a</sup>	0,05 <sup>b</sup>	2 <sup>b</sup>					
0253000 (c)	Vine leaves (grape leaves)	0,05 <sup>a</sup>	0,05 <sup>b</sup>	0,05 <sup>a</sup>	0,05 <sup>b</sup>	2 <sup>b</sup>	2	0,01	0,3	0,05 <sup>a</sup>	0,05 <sup>b</sup>
0254000 (d)	Water cress	10	0,05 <sup>b</sup>	0,05 <sup>a</sup>	0,5	2 <sup>b</sup>	2	25	0,3	0,05 <sup>a</sup>	0,05 <sup>b</sup>
0255000 (e)	Willow	0,5	0,05 <sup>b</sup>	0,05 <sup>a</sup>	0,05 <sup>b</sup>	75	0,05	0,01	0,3	0,05 <sup>a</sup>	0,05 <sup>b</sup>
0256000 (f)	Herbs	10	4	10		75	2	10	0,3	0,05 <sup>a</sup>	0,05 <sup>b</sup>
0256010	Chervil				10						0,05 <sup>b</sup>
0256020	Chives				2						0,5
0256030	Celery leaves				10						0,05 <sup>b</sup>
0256040	Chicory				10						0,05 <sup>b</sup>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.



Status: This is the original version (as it was originally adopted).

0270000 (vii)		0,05 <sup>b</sup>											0,05 <sup>b</sup>	
	<b>Stem vegetables (fresh)</b>													
0270010	Asparagus	0,5	0,01	0,05	0,05 <sup>b</sup>	2 <sup>b</sup>	0,05	0,01	0,3	0,02 <sup>b</sup>	0,1	0,05 <sup>b</sup>		
0270020	Broccoli	0,5	0,01	0,05	0,3	2 <sup>b</sup>	0,5	0,01	0,3	0,02 <sup>b</sup>	0,1	0,05 <sup>b</sup>		
0270030	Celery	7	10	5	5	2 <sup>b</sup>	2	20	0,3	0,02 <sup>b</sup>	4	0,3		
0270040	Chenopium	0,5	0,01	0,2	5	2 <sup>b</sup>	0,05	0,01	0,3	0,02 <sup>b</sup>	0,1	0,05 <sup>b</sup>		
0270050	Leeks artichokes	0,5	0,01	0,05	0,05 <sup>b</sup>	50	0,5	0,01	0,3	0,02 <sup>b</sup>	0,1	0,5		
0270060	Leeks	5	0,01	0,05	0,5	30	0,05	0,01	0,3	0,05	0,1	1		
0270070	Chicory	0,5	0,01	0,05	0,3	2 <sup>b</sup>	0,05	0,01	0,3	0,02 <sup>b</sup>	0,1	0,05 <sup>b</sup>		
0270080	Bamboo shoots	0,5	0,01	0,05	0,05 <sup>b</sup>	2 <sup>b</sup>	0,05	0,01	0,3	0,02 <sup>b</sup>	0,1	0,05 <sup>b</sup>		
0270090	Papaia hearts	0,5	0,01	0,05	0,05 <sup>b</sup>	2 <sup>b</sup>	0,05	0,01	0,3	0,02 <sup>b</sup>	0,1	0,05 <sup>b</sup>		
0270100	Onions	0,5	0,01	0,05	0,05 <sup>b</sup>	2 <sup>b</sup>	0,05	0,01	0,3	0,02 <sup>b</sup>	0,1	0,05 <sup>b</sup>		
0280000 (viii)		0,5	0,05	0,01	0,05	0,05 <sup>b</sup>	2 <sup>b</sup>	0,05	0,01	0,3	0,02	0,05	0,1	0,05 <sup>b</sup>
0280010	Cultivated													
0280020	Wild													
0280030	Others													
0290000 (ix)		0,05	0,05	0,01	0,05	0,05 <sup>b</sup>	2 <sup>b</sup>	0,05	0,01	0,1	0,02	0,05	0,1	0,05 <sup>b</sup>
	<b>Sea weeds</b>													

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

*Status: This is the original version (as it was originally adopted).*

0300000	0,01	0,5	0,05 <sup>b</sup>	0,01	0,2	0,02 <sup>b</sup>	0,01	0,1 <sup>b</sup>	0,02	0,05	0,1 <sup>b</sup>
3.											
<b>PULSES, DRY</b>											
0300000						0,05 <sup>b</sup>	1				0,2
Beans											
0300000						0,05 <sup>b</sup>	0,05 <sup>b</sup>				0,05 <sup>b</sup>
Peas											
0300000						0,1	2				0,05 <sup>b</sup>
Chickpeas											
0300000						0,05 <sup>b</sup>	0,05 <sup>b</sup>				0,2
Lentils											
0300000						0,05 <sup>b</sup>	0,05 <sup>b</sup>				0,05 <sup>b</sup>
Other pulses											
0400000	0,01 <sup>b</sup>				0,05 <sup>b</sup>	2 <sup>b</sup>		0,01 <sup>b</sup>		0,05	0,1 <sup>b</sup>
4.											
<b>OILSEEDS AND OILFRUITS</b>											
0401000										0,05	
(i)											
<b>Oilseeds</b>											
0401000	0,5	0,05	0,01 <sup>b</sup>	0,2	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>				0,05 <sup>b</sup>
Linseed											
0401000	0,5	0,05	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	1	0,1 <sup>b</sup>				0,05 <sup>b</sup>
Peas											
0401000	0,5	0,05	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>				0,05 <sup>b</sup>
Poppy seed											
0401000	0,5	0,05	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>				0,05 <sup>b</sup>
Sesame seed											
0401000	0,5	0,05	0,01 <sup>b</sup>	0,05	0,1	0,1	0,1 <sup>b</sup>				0,05 <sup>b</sup>
Sunflower seed											
0401000	0,2	0,05	0,01 <sup>b</sup>	0,5	0,1	0,1	1				0,5
Rape seed											
0401000	0,5	0,05	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>				0,1
Soya bean											

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000:  
 Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000:  
 Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: This is the original version (as it was originally adopted).

040	Mustard seed	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,2	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,2
040	Coron seed	0,5	0,5	0,3	0,05	0,02 <sup>b</sup>	1	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	Pumpkin seeds	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	Safflower	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	Borage	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	Goat of pleasure	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	Helops	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	Cashew bean	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	Onions	0,5	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>
040	2000 (ii)	0,05 <sup>b</sup>	0,01 <sup>b</sup>		0,02 <sup>b</sup>			0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>
040	Oilseeds for oil production		2		2		1			
040	Palm nuts (palmoil kernels)		0,05 <sup>b</sup>		0,05 <sup>b</sup>		0,05 <sup>b</sup>			
040	Palm fruit		0,05 <sup>b</sup>		0,05 <sup>b</sup>		0,05 <sup>b</sup>			
040	Maple		0,05 <sup>b</sup>		0,05 <sup>b</sup>		0,05 <sup>b</sup>			

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.



*Status: This is the original version (as it was originally adopted).*

0402000	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>					
0500000		<b>0,02</b>		2 <sup>b</sup>	0,01	0,1 <sup>b</sup>	0,05	0,1 <sup>b</sup>
5.	<b>CEREALS</b>							
0500010	3	0,05 <sup>b</sup>	3	0,05	0,2	0,1	0,3	2
0500020	0,5	0,05 <sup>b</sup>	0,05	0,05	0,02 <sup>b</sup>	0,1	0,02 <sup>b</sup>	0,2
0500030	0,5	0,05 <sup>b</sup>	0,05	0,05	0,02 <sup>b</sup>	0,1	0,02 <sup>b</sup>	0,2
0500040	0,5	0,05 <sup>b</sup>	0,05	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,2
0500050	1	0,05 <sup>b</sup>	2	0,05	0,2	0,1	0,05	2
0500060	0,5	0,5	0,05	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	2
0500070	0,5	0,05 <sup>b</sup>	0,5	0,1	0,1	0,1	0,1	0,2
0500080	0,5	0,05 <sup>b</sup>	0,05	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,2
0500090	0,5	0,05 <sup>b</sup>	0,5	0,1	0,1	0,1	0,1	0,2
0500100	0,5	0,05 <sup>b</sup>	0,05	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,2
0600000	0,02	0,5	0,05	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02	0,2	0,02
6.	<b>TEA, COFFEE, HERBAL INFUSIONS AND COCOA</b>							
0610000	(i)		0,05	0,05 <sup>b</sup>	5 <sup>b</sup>	0,05 <sup>b</sup>		0,05 <sup>b</sup>
	<b>Tea (dried leaves and stalks, fermented</b>							

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congeners  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.











---

*Status: This is the original version (as it was originally adopted).*

---

090000	Other roots		0,02	0,1	0,2	75	0,5						
090000	Others		0,01 <sup>b</sup>	0,05	0,2 <sup>b</sup>		0,05 <sup>b</sup>						
100000	10.	<b>PRODUCTS OF ANIMAL ORIGIN — TERRESTRIAL ANIMALS</b>	0,05	0,1	0,05 <sup>b</sup>			0,02 <sup>b</sup>					
101000	(i)	<b>Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours</b>					0,5 <sup>b</sup>						0,1

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:

Cyprodini — code 1000000: Sum cyprodinil and metabolite CGA 304075

Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole

Boscalid (F) (R) — code 1000000:

Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates

Metazachlor (R) — code 1000000:

Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

---

Status: This is the original version (as it was originally adopted).

		or meals; other processed products such as sausages and food preparations based on these										
101	1000 (a)	Swine										
101	1000		0,02	0,02 <sup>b</sup>	0,1	0,05	0,05	0,2	0,01 <sup>b</sup>			
101	1000	free of lean meat	0,05	0,1	0,05 <sup>b</sup>	0,05	0,05	0,01	0,01 <sup>b</sup>			
101	1000		0,2	0,1	0,3	0,2	0,2	0,01	0,03			
101	1000		0,05	0,5	0,3	0,05	0,2	0,01	0,03			
101	1000	offal	0,1	0,5	0,3	0,05	0,2	0,01	0,03			
101	1000		0,1	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05	0,01	0,01	0,01 <sup>b</sup>			
101	2000 (b)	Bovine										
101	2000		0,02	0,02 <sup>b</sup>	0,1	0,05	0,05	0,2	0,01 <sup>b</sup>			

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R). — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its conjugates  
 Metazachlor (R). — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.



*Status: This is the original version (as it was originally adopted).*

101	Fa10	0,02,3			0,05,1	0,05 <sup>b</sup>	0,05,0,5,0,1	0,01 <sup>b</sup>
101	Lo30	0,02,2			0,2 0,1	0,3	0,3 0,2 0,0	0,03
101	Kl40	e3 0,3			0,05,5	0,3	0,05,2 0,0	0,03
101	Bo50	e10,3			0,1 0,5	0,3	0,05,2 0,0	0,03
	offal							
101	En90	e10,05 <sup>b</sup>			0,1 0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05,0,5,0,1	0,01 <sup>b</sup>
101	3000	(c)	Sheep					
101	Bo40	e10,05 <sup>b</sup>			0,02,0,2 <sup>b</sup>	0,1	0,05,0,5,2	0,01 <sup>b</sup>
101	Fa10	0,02,3			0,05,1	0,05 <sup>b</sup>	0,05,0,5,0,1	0,01 <sup>b</sup>
101	Lo30	0,02,2			0,2 0,1	0,3	0,3 0,2 0,0	0,03
101	Kl40	e3 0,3			0,05,5	0,3	0,05,2 0,0	0,03
101	Bo50	e10,3			0,1 0,5	0,3	0,05,2 0,0	0,03
	offal							
101	En90	e10,05 <sup>b</sup>			0,1 0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05,0,5,0,1	0,01 <sup>b</sup>
101	4000	(d)	Goat					
101	Bo40	e10,05 <sup>b</sup>			0,02,0,2 <sup>b</sup>	0,1	0,05,0,5,2	0,01 <sup>b</sup>
101	Fa10	0,02,3			0,05,1	0,05 <sup>b</sup>	0,05,0,5,0,1	0,01 <sup>b</sup>
101	Lo30	0,02,2			0,2 0,1	0,3	0,3 0,2 0,0	0,03
101	Kl40	e3 0,3			0,05,5	0,3	0,05,2 0,0	0,03
101	Bo50	e10,3			0,1 0,5	0,3	0,05,2 0,0	0,03
	offal							

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

Status: This is the original version (as it was originally adopted).

101 0900	0,1	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01	0,01	0,01 <sup>b</sup>
101 5000 (e)							0,05 <sup>b</sup>
	<i>Horses, asses, mules or hinnies</i>						
101 5040	0,1	0,02 <sup>b</sup>	0,1		0,05	0,01	0,01 <sup>b</sup>
101 5020	0,02	0,1	0,05 <sup>b</sup>		0,05	0,01	0,01 <sup>b</sup>
101 5030	0,2	0,1	0,3		0,2	0,01	0,03
101 5040	0,3		0,3		0,2	0,01	0,03
101 5050	0,3		0,3		0,2	0,01	0,03
101 5060	0,3		0,3		0,2	0,01	0,03
	<i>offal</i>						
101 5900	0,1	0,02 <sup>b</sup>	0,05 <sup>b</sup>		0,01	0,01	0,01 <sup>b</sup>
101 6000 (f)		0,1		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01	0,01 <sup>b</sup>
	<i>Poultry — chicken, geese, duck, turkey and Guinea fowl, ostrich, pigeon</i>						
101 6040	0,1	0,02 <sup>b</sup>			0,05		
101 6020	0,02	0,1			0,05		
101 6030	0,02	0,1			0,05		

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.

*Status: This is the original version (as it was originally adopted).*

101	6140	0,05			0,5			0,05		
101	6510	0,1			0,5			0,01 <sup>b</sup>		
101	6900	0,05 <sup>b</sup>			0,02 <sup>b</sup>			0,01 <sup>b</sup>		
101	7000 (g)		<i>Other farm animals</i>	0,1				0,05 <sup>b</sup>		
101	7040	0,05 <sup>b</sup>			0,02 <sup>b</sup>	<b>0,1</b>		0,05 <sup>b</sup>	<b>0,2</b>	<b>0,01<sup>b</sup></b>
101	7020	0,3			0,1	0,05 <sup>b</sup>		0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	<b>0,01<sup>b</sup></b>
101	7030	0,2			0,1	<b>0,3</b>		<b>0,2</b>	<b>0,01<sup>b</sup></b>	<b>0,03</b>
101	7140	0,3			0,5	<b>0,3</b>		<b>0,2</b>	<b>0,01<sup>b</sup></b>	<b>0,03</b>
101	7510	0,3			0,5	<b>0,3</b>		<b>0,2</b>	<b>0,01<sup>b</sup></b>	<b>0,03</b>
101	7900	0,05 <sup>b</sup>			0,02 <sup>b</sup>	0,05 <sup>b</sup>		0,01 <sup>b</sup>	<b>0,01<sup>b</sup></b>	<b>0,01<sup>b</sup></b>
102	0000 (ii)	0,05 <sup>b</sup>	<b>Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter</b>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,1</b>		0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	<b>0,05<sup>b</sup></b>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodin — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.



			boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter																	
1030000			Chicken																	
1030000			Duck																	
1030000			Goose																	
1030000			Quail																	
1030000			Quails																	
1040000	0,010,5	(iv)	Honey		0,050,050,5 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>
1050000	0,010,05 <sup>b</sup>	(v)	Amphibians and reptiles		0,050,050,5 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>
1060000	0,010,05 <sup>b</sup>	(vi)	Snails		0,050,050,5 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075  
 Flusilazole — code 1000000: Sum of flusilazole and its metabolite IN-F7321 ([bis-(4-fluorophenyl)methyl]silanol) expressed as flusilazole  
 Boscalid (F) (R) — code 1000000: Enforcement residue definition for animal products: Sum of boscalid and M 510F01 including its congenates  
 Metazachlor (R) — code 1000000: Enforcement residue definition: metazachlor including degradation and reaction products, which can be determined as 2,6-dimethylaniline, calculated in total as metazachlor.



*Status: This is the original version (as it was originally adopted).*

(1)	(2)	MRLs for plant origin (F)			R (F)			as methomyl)			(11)	(12)	(13)	(14)
0130040	Apple	0,05 <sup>b</sup>	1	0,05 <sup>b</sup>	0,5	0,3	0,1	0,2	0,05 <sup>b</sup>	0,3	0,3	0,1 <sup>b</sup>	0,5	
0130050	Quince	0,05 <sup>b</sup>	1	0,05 <sup>b</sup>	0,5	0,3	0,1	0,2	0,05 <sup>b</sup>	0,3	0,3	0,1 <sup>b</sup>	0,5	
0154050	Ships	0,05 <sup>b</sup>	5	0,05 <sup>b</sup>	0,5	1	<b>0,2</b>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,5	1	1	0,02 <sup>b</sup>	
0154060	Berries	0,05 <sup>b</sup>	5	0,05 <sup>b</sup>	0,5	1	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	1	1	0,02 <sup>b</sup>	
0154070	Medlar (mediteranean medlar)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	1	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	1	1	0,02 <sup>b</sup>	
0154080	Berries	0,05 <sup>b</sup>	5	0,05 <sup>b</sup>	0,5	1	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	1	1	2	
0161050	Strawberry	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0161060	Persimmon	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0161070	Java (java plum)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0162040	Black pear (cactus fruit)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0162050	Star apple	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0162060	American persimmon (Virginia kaki)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0163060	Cherry	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0163070	Guava	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0163080	Bread fruit	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0163100	Durian	0,05 <sup>b</sup>	1	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: This is the original version (as it was originally adopted).

0163	Soursop (guanabana)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0212	Arrowroot	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0251	Endive cress	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	1	2	0,05 <sup>b</sup>	2	2	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0251	Field mustard	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	2	2	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0252	Plantain	0,7	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	2	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0253	000 (c)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	2	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
	<i>Vine leaves (grape leaves)</i>												
0256	050 Sage	70	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	2	1	2	0,05 <sup>b</sup>	2	5	0,1 <sup>b</sup>	10
0256	060 Rosemary	70	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	2	1	2	0,05 <sup>b</sup>	2	5	0,1 <sup>b</sup>	10
0256	070 Thyme	70	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	2	1	2	0,05 <sup>b</sup>	2	5	0,1 <sup>b</sup>	10
0256	080 Basil	70	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	2	1	2	0,05 <sup>b</sup>	2	5	0,1 <sup>b</sup>	10
0256	090 Bay leaves (laurel)	70	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	2	1	2	0,05 <sup>b</sup>	2	5	0,1 <sup>b</sup>	10
0256	100 Dill	70	2	0,05 <sup>b</sup>	0,01 <sup>b</sup>	2	1	2	0,05 <sup>b</sup>	2	5	0,1 <sup>b</sup>	10
0270	080 Rambro shoots	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0270	090 Palm hearts	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0290	000 (ix)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
	<b>Sea weeds</b>												
0401	050 Safflower	0,05 <sup>b</sup>	0,1	0,1 <sup>b</sup>	0,01 <sup>b</sup>	0,05 <sup>b</sup>	0,2	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0401	060 Borage	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,01 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0401	060 Gold of pleasure	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,01 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).



*Status: This is the original version (as it was originally adopted).*

0401	Castor bean	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,01 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0402	Walnuts (palm oil kernels)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0402	Walnuts	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0402	Walnuts (palm oil kernels)	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0620	Coffee beans	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0630	Herbal infusions (dried)		0,1 <sup>b</sup>	0,1 <sup>b</sup>		10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>		0,2 <sup>b</sup>	0,05 <sup>b</sup>
0631	Flowers	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>		10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0631	Camomille flowers	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,5	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0631	Bibiscus flowers	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0631	Rose petals	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0631	Ami flowers	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0631	Lime (linden)	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0631	Others	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0632	Leaves	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	<b>50</b>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0632	Strawberry leaves	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	<b>50</b>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0632	Ribwort leaves	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	<b>50</b>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
0632	Mint leaves	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	<b>50</b>	0,2 <sup>b</sup>	0,05 <sup>b</sup>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
(R) = The residue definition differs for the following combinations pesticide-code number:  
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: This is the original version (as it was originally adopted).

06329000	Others	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	50	0,2 <sup>b</sup>	0,05 <sup>b</sup>
06330000	(c) Roots	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
06330000	Medicinal root	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
06330000	Other root	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
06339000	Others	50	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
06390000	(d) Other herbal infusions	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02	10	1	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
06400000	(iv) Cocoa (fermented beans)	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,2	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
06500000	(v) Carob (St Johns bread)	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,5	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08000000	8. SPICES	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100000	(i) Seeds	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100000	Aliso	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100000	Black caraway	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100000	Celery seed	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100000	Coriander seed	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100000	Cumin seed	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100000	Fenel seed	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>

a For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

b Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

*Status: This is the original version (as it was originally adopted).*

08100700	Flour, seed	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100800	Flour, cereal	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08100900	Flour, other	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08109900	Flour, other	0,1 <sup>b</sup>	0,1 <sup>b</sup>	7	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200000 (ii)	<b>Fruits and berries</b>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200100	Allspice	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200200	White pepper (Japan pepper)	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200300	Cayenne	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200400	Cardamom	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200500	Juniper berries	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200600	Pepper, black and white	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200700	White pods	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08200800	Sonchard	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08209900	Other	0,1 <sup>b</sup>	0,1 <sup>b</sup>	1	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08300000 (iii)	<b>Bark</b>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08300100	Cinnamon	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08309900	Other	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>
08400000 (iv)	<b>Roots or rhizome</b>	0,1 <sup>b</sup>	0,2 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

Status: This is the original version (as it was originally adopted).

0840	Liquorice	0,2 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0840	Ginger	0,2 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0840	Bohemian (Curcuma)	0,2 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0840	Horseradish	0,2 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0840	Others	0,2 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0850	000 (v)	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0850	Cloves	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0850	Capers	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0850	Others	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0860	000 (vi)	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0860	Saffron	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0860	Others	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0870	000 (vii)	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0870	Mace	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0870	Others	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	0,1 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,2 <sup>b</sup>	0,05 <sup>b</sup>	
0900	000 9.		0,05 <sup>b</sup>				0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>		
<b>SUGAR PLANTS</b>													
0900	Sugar beet (root)	1	0,05 <sup>b</sup>	0,5	<b>0,1</b>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,05	
0900	Sugar cane	0,05 <sup>b</sup>	<b>0,2</b>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	<b>0,05</b>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>
0900	Cicely roots	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	
0900	Others	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,1 <sup>b</sup>	0,02 <sup>b</sup>	

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

*Status: This is the original version (as it was originally adopted).*

1015000 (e)		Horses, asses, mules or hinnies	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>		0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>		
1015010	Meat		0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>		
1015020			0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,3	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>		
1015030	Herb		0,07	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,3	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1015040	Herb		0,07	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,3	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1015050	Offal		0,07	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1015090	Herb		0,05 <sup>b</sup>	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1017000 (g)		Other farm animals	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>		0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>		0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>	
1017010	Meat		0,05 <sup>b</sup>	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1017020			0,05 <sup>b</sup>	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,3	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1017030	Herb		0,07	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,3	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1017040	Herb		0,07	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,3	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1017050	Offal		0,07	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1017090	Herb		0,05 <sup>b</sup>	0,2	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,01 <sup>b</sup>	0,5	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1030010	Duck		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,02	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1030030	Goose		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,02	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1030040	Duck		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,02	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1030090	Herb		0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	<b>0,01<sup>b</sup></b>	0,02	0,02 <sup>b</sup>	0,02 <sup>b</sup>	0,05 <sup>b</sup>	0,05 <sup>b</sup>	0,01 <sup>b</sup>	0,1 <sup>b</sup>	<b>0,01<sup>b</sup></b>
1040000 (iv)		Honey	<b>0,01<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,01<sup>b</sup></b>	0,02	<b>0,02<sup>b</sup></b>	<b>0,02<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	0,2	<b>0,1<sup>b</sup></b>	<b>0,01<sup>b</sup></b>

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

**b** Indicates lower limit of analytical determination

(F)  
(R)

= Fat soluble  
= The residue definition differs for the following combinations pesticide-code number:  
Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

---

*Status: This is the original version (as it was originally adopted).*

---

1050000 (v)	<b>0,01<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,01<sup>b</sup></b>	0,02	<b>0,02<sup>b</sup></b>	<b>0,02<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,01<sup>b</sup></b>	<b>0,1<sup>b</sup></b>	<b>0,01<sup>b</sup></b>
	<b>Amphibians and reptiles</b>											
1060000 (vi)	<b>0,01<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,01<sup>b</sup></b>	0,02	<b>0,02<sup>b</sup></b>	<b>0,02<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,01<sup>b</sup></b>	<b>0,1<sup>b</sup></b>	<b>0,01<sup>b</sup></b>
	<b>Snails</b>											
1070000 (vii)	<b>0,01<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,01<sup>b</sup></b>	0,02	<b>0,02<sup>b</sup></b>	<b>0,02<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,05<sup>b</sup></b>	<b>0,01<sup>b</sup></b>	<b>0,1<sup>b</sup></b>	<b>0,01<sup>b</sup></b>
	<b>Other terrestrial animal products</b>											

**a** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex 1.

**b** Indicates lower limit of analytical determination

(F) = Fat soluble  
 (R) = The residue definition differs for the following combinations pesticide-code number:  
 Lambda-Cyhalothrin — code 1000000: Lambda-cyhalothrin, including other mixed isomeric constituents (sum of isomers).

3. In Annex IV, the entry: 'sulphur' is added, in alphabetical order.

- (1) OJ L 70, 16.3.2005, p. 1.
- (2) OJ L 230, 19.8.1991, p. 1.
- (3) EFSA scientific reports available on <http://www.efsa.europa.eu>  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for aminopyralid in bovine kidney. *EFSA Scientific Report* (2009) 302, 1.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for azoxystrobin in swedes, *EFSA Journal* 2009; 7(9):1308.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for cyprodinil in celeriac. *EFSA Scientific Report* (2009) 325.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for difenoconazole in leafy vegetables. *EFSA Scientific Report* (2009) 337.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for indoxacarb in cherries and sugar beet. *EFSA Scientific Report* (2009) 324.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the residue definition for isoxaflutole. *EFSA Scientific Report* (2009) 323.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for fosetyl-al on radishes. *EFSA Journal* 2009; 7(9):1313.  
Reasoned opinion of EFSA prepared by the Pesticides Unit on the modification of the existing MRLs for lambda-cyhalothrin, *EFSA Scientific Report* (2009) 226 and 330.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for metazachlor on liver. *EFSA Scientific Report* (2009) 320.  
Reasoned opinion of EFSA prepared by the Pesticides Unit on the modification of the existing MRLs for pyraclostrobin in courgettes, gherkins and beetroot. *EFSA Scientific Report* (2009) 342.  
Reasoned opinion of EFSA prepared by the Pesticides Unit on the setting of an import tolerance for spinetoram on peach and apricot. *EFSA Journal* 2009; 7(9):1312.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for spirotetramat. *EFSA Scientific Report* (2009) 306.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for tebuconazole in mandarins and passion fruit. *EFSA Scientific Report* (2009) 1368.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for thiacloprid. *EFSA Scientific Report* (2009) 307.  
Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of the existing MRLs for trifloxystrobin in various crops. *EFSA Scientific Report* (2008) 314.
- (4) Reasoned Opinion Review of existing MRLs for ethephon. *EFSA Journal* 2009; 7(10):1347.
- (5) Conclusion on pesticide peer review regarding the risk assessment of the active substance sulfur. *EFSA Scientific Report* (2008) 221.