Commission Regulation (EU) No 883/2010 of 7 October 2010 concerning the authorisation of a new use of Saccharomyces cerevisiae NCYC Sc 47 as a feed additive for calves for rearing (holder of the authorisation Société industrielle Lesaffre) (Text with EEA relevance)

COMMISSION REGULATION (EU) No 883/2010

of 7 October 2010

concerning the authorisation of a new use of *Saccharomyces cerevisiae* NCYC Sc 47 as a feed additive for calves for rearing (holder of the authorisation Société industrielle Lesaffre)

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition⁽¹⁾, and in particular Article 9(2) thereof,

Whereas:

- (1) Regulation (EC) No 1831/2003 provides for the authorisation of additives for use in animal nutrition and for the grounds and procedures for granting such authorisation.
- (2) In accordance with Article 7 of Regulation (EC) No 1831/2003, an application was submitted for the authorisation of the preparation set out in the Annex to this Regulation. That application was accompanied by the particulars and documents required pursuant to Article 7(3) of Regulation (EC) No 1831/2003.
- (3) The application concerns the authorisation of *Saccharomyces cerevisiae* NCYC Sc 47 as a feed additive for calves for rearing, to be classified in the additive category 'zootechnical additives'.
- (4) The use of that preparation was authorised for dairy cows by Commission Regulation (EC) No 1811/2005⁽²⁾, for cattle for fattening by Commission Regulation (EC) No 316/2003⁽³⁾, for weaned piglets by Commission Regulation (EC) No 2148/2004⁽⁴⁾, for sows by Commission Regulation (EC) No 1288/2004⁽⁵⁾, for rabbits for fattening by Commission Regulation (EC) No 600/2005⁽⁶⁾, for horses by Commission Regulation (EC) No 186/2007⁽⁷⁾, for dairy goats and dairy sheep by Commission Regulation (EC) No 188/2007⁽⁸⁾, for lambs for fattening by Commission Regulation (EC) No 1447/2006⁽⁹⁾, for pigs for fattening by Commission Regulation (EC) No 209/2008⁽¹⁰⁾ and for dairy buffaloes by Commission Regulation (EC) No 232/2009⁽¹¹⁾.
- (5) New data were submitted in support of the application for the authorisation of the preparation for calves for rearing. The European Food Safety Authority (the Authority) concluded in its opinion of 7 April 2010⁽¹²⁾ that *Saccharomyces cerevisiae* NCYC Sc

47, under the proposed conditions of use, does not have an adverse effect on animal health, human health or the environment, and that its use improves the average daily weight gain of the target species. The Authority does not consider that there is a need for specific requirements of post-market monitoring. It also verified the report on the method of analysis of the feed additive in feed submitted by the Community Reference Laboratory set up by Regulation (EC) No 1831/2003.

- (6) The assessment of *Saccharomyces cerevisiae* NCYC Sc 47 shows that the conditions for authorisation, as provided for in Article 5 of Regulation (EC) No 1831/2003, are satisfied. Accordingly, the use of this preparation should be authorised as specified in the Annex to this Regulation.
- (7) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

Article 1

The preparation specified in the Annex, belonging to the additive category 'zootechnical additives' and to the functional group 'gut flora stabilisers', is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 7 October 2010.

For the Commission

The President

José Manuel BARROSO

ANNEX

Identifica licome		Additive Composif		si Sipa çies	isipaçies Maximundinimundaxim		utother End		
number	of the		chemic	alor	age	content	content	provisio	nsf
of the	holder		formula	a, categor	y	CFU/kg	of		period
additive	e of		descrip	ti of i,		complet			of
	authori	sation	analytic	ca a nimal		feeding			authorisation
			method			with a			
						moistur	·e		
						content			
						12 %			
Categor	v of zoote	chnical a	dditives	Functiona	l groun: g		tahilisers		
								Ten Ale o	29 10 2020
4b1702	Société	Sacchare		Additisve		$1,5 \times 10^{9}$	/	In the	28.10.2020
		lberevisia	e	fomposi				direction	S
	Lesaffre			Reacipingat	ion			for use	
		Sc 47		of				of the	
				Sacchare				additive	
				cerevisia	ie			and	
				NCYC				premixtu	re,
				Sc				indicate	
				47				the	
				containii	ng			storage	
				a				temperat	ure,
				minimur	n			storage	
				of				life and	
				5×10^{9} (CFU/			stability	
				g				to	
				Characte	erisation			pelleting	
				of					
				active					
				substanc	e				
				Sacchare					
				cerevisia					
				NCYC					
				Sc					
				47					
				Analytic	al				
				methods					
				Pour					
				plate					
				method					
				using					
				a					
				chloram	phenicol				
				yeast					
				extract					
				agar					
				based					
				on					
				the					

a Details of the analytical methods are available at the following address of the Community Reference Laboratory: www.irmm.jrc.be/crl-feed-additives

	ISO			
	7954			
	method.			
	Polymer	ase		
	chain			
	reaction			
	(PCR)			

a Details of the analytical methods are available at the following address of the Community Reference Laboratory: www.irmm.jrc.be/crl-feed-additives

- (1) OJ L 268, 18.10.2003, p. 29.
- (2) OJ L 291, 5.11.2005, p. 12.
- (**3**) OJ L 46, 20.2.2003, p. 15.
- (4) OJ L 370, 17.12.2004, p. 24.
- (5) OJ L 243, 15.7.2004, p. 10.
- (**6**) OJ L 99, 19.4.2005, p. 5.
- (7) OJ L 63, 1.3.2007, p. 6.
- **(8)** OJ L 57, 24.2.2007, p. 3.
- **(9)** OJ L 271, 30.9.2006, p. 28.
- (10) OJ L 63, 7.3.2008, p. 3.
- (11) OJ L 74, 20.3.2009, p. 14.
- (12) EFSA Journal (2010); 8(4):1576.