

Status: Point in time view as at 07/10/2010.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 883/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

ANNEX **U.K.**

| Identification number of the additive | Name of the holder of authorisation | Additive | Chemical formula, analytical method | Species, category, animal method | Maximum age | Minimum content | Maximum content | Other provisions | End of period of authorisation |
|-----------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| | | | | | | CFU/kg of complete feedingstuff with a moisture content of 12 % | | | |
| Category of zootechnical additives. Functional group: gut flora stabilisers | | | | | | | | | |
| 4b1702 | Société Industrielle Lesaffre | <i>Saccharomyces cerevisiae</i> NCYC Sc 47 | | <i>Active composition</i> <i>Preparation</i> of <i>Saccharomyces cerevisiae</i> NCYC Sc 47 containing a minimum of 5×10^9 CFU/g <i>Characterisation of active substance</i> <i>Saccharomyces cerevisiae</i> NCYC Sc 47 <i>Analytical methods^a</i> Pour plate method using a chloramphenicol yeast extract agar based on the | — | $1,5 \times 10^9$ | — | In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. | 28.10.2020 |

^a Details of the analytical methods are available at the following address of the Community Reference Laboratory: www.irmm.jrc.be/crl-feed-additives

Status: Point in time view as at 07/10/2010.

Changes to legislation: There are outstanding changes not yet made to Commission Regulation (EU) No 883/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

| | | | | | | | |
|--|--|--|--------------------------------------------------------------------|--|--|--|--|
| | | | ISO 7954 method. Polymerase chain reaction (PCR) | | | | |
|--|--|--|--------------------------------------------------------------------|--|--|--|--|

a Details of the analytical methods are available at the following address of the Community Reference Laboratory:
www.irmm.jrc.be/crl-feed-additives

Status:

Point in time view as at 07/10/2010.

Changes to legislation:

There are outstanding changes not yet made to Commission Regulation (EU) No 883/2010. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.