This document is meant purely as a documentation tool and the institutions do not assume any liability for its contents

# COMMISSION REGULATION (EU) No 9/2010

of 23 December 2009

concerning the authorisation of the endo-1,4-beta-xylanase produced by *Trichoderma reesei* (ATCC PTA 5588) as a feed additive for chickens for fattening, laying hens, ducks and turkeys for fattening (holder of authorisation Danisco Animal Nutrition, Finnfeeds International Limited)

(Text with EEA relevance)

(OJ L 3, 7.1.2010, p. 10)

# Amended by:

<u>₿</u>

Official Journal

No page date

►<u>M1</u> Commission Implementing Regulation (EU) No 1196/2012 of 13 L 342 25 14.12.2012

December 2012

### COMMISSION REGULATION (EU) No 9/2010

### of 23 December 2009

concerning the authorisation of the endo-1,4-beta-xylanase produced by *Trichoderma reesei* (ATCC PTA 5588) as a feed additive for chickens for fattening, laying hens, ducks and turkeys for fattening (holder of authorisation Danisco Animal Nutrition, Finnfeeds International Limited)

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition (1), and in particular Article 9(2) thereof,

### Whereas:

- Regulation (EC) No 1831/2003 provides for the authorisation of additives for use in animal nutrition and for the grounds and procedures for granting such authorisation.
- (2) In accordance with Article 7 of Regulation (EC) No 1831/2003, an application was submitted for the authorisation of the preparation set out in the Annex to this Regulation. That application was accompanied by the particulars and documents required under Article 7(3) of Regulation (EC) No 1831/2003.
- (3) The application concerns the authorisation of the enzyme preparation of endo-1,4-beta-xylanase produced by *Trichoderma reesei* (ATCC PTA 5588) as a feed additive for chickens for fattening, laying hens, ducks and turkeys for fattening, to be classified in the additive category 'zootechnical additives'.
- (4) The European Food Safety Authority (the Authority) concluded in its opinions of 12 and 19 September 2007 (²), of 22 November 2007 (³) and of 2 July 2009 (⁴) that the enzyme preparation of endo-1,4-beta-xylanase produced by *Trichoderma reesei* (ATCC PTA 5588) does not have an adverse effect on animal health, human health or the environment and that the use of that preparation improves the performance of the animals. The Authority does not consider that there is a need for specific requirements of post-market monitoring. It also verified the report on the method of analysis of the feed additive in feed submitted by the Community Reference Laboratory set up by Regulation (EC) No 1831/2003.
- (5) The assessment of that preparation shows that the conditions for authorisation, provided for in Article 5 of Regulation (EC) No 1831/2003, are satisfied. Accordingly, the use of that preparation should be authorised, as specified in the Annex to this Regulation.

<sup>(1)</sup> OJ L 268, 18.10.2003, p. 29.

<sup>(2)</sup> The EFSA Journal (2007) 548, p. 1.

<sup>(3)</sup> The EFSA Journal (2007) 586, p. 1.

<sup>(4)</sup> The EFSA Journal (2009) 1183, p. 1.

# **▼**<u>B</u>

(6) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

# Article 1

The preparation specified in the Annex, belonging to the additive category 'zootechnical additives' and to the functional group 'digestibility enhancers', is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

# Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

<sup>(</sup>¹) 1 U is the amount of enzyme which liberates 0,5 μmol of reducing sugar (expressed as xylose equivalents) from a cross-linked oat spelt arabinoxylan substrate at pH 5,3 and 50 °C in one minute. (²) Details of the analytical methods are available at the following address of the Reference Laboratory: http://irmm.jrc.ec.europa.eu/EURLs/EURL feed additives/Pages/index.aspx