Document Generated: 2024-08-18

Status: Point in time view as at 08/11/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) No 1110/2011, ANNEX. (See end of Document for details)

## [F1ANNEX

## **Textual Amendments**

**F1** Substituted by Commission Implementing Regulation (EU) 2018/1569 of 18 October 2018 amending Implementing Regulation (EU) No 1110/2011 concerning the authorisation of an enzyme preparation of endo-1,4-beta-xylanase produced by Trichoderma reesei (CBS 114044) as a feed additive for laying hens, minor poultry species and pigs for fattening (holder of authorisation Roal Oy) (Text with EEA relevance).

Identifi number of the additive	of the holder of authori	sation	chemica formula descrip analytic method	a, categor ti <b>ofi</b> , ca <b>l</b> nimal	age y	Units of activity of completeding with a moisture content 12 % digestibili	content f /kg olete stuff re	provisio	End onsf period of authorisation
4a8	Roal Oy	Endo-1,4 beta-	Additive composition Preparation of endo-1,4 beta- xylanase produced by Trichode reesei (CBS	Minor  iponultry ispecies other -than laying birds Laying hens rma Laying birds of minor poultry	_	8 000 BXU 12 000 BXU 24 000 BXU 20 000 BXU		2.	24 November 2621 directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. For users of

a 1 BXU is the amount of enzyme which liberates 1 nmol reducing sugars as xylose from birch xylan per second at pH 5,3 and 50 °C

**b** Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports]

norisanon... ANNEX

Document Generated: 2024-08-18

Status: Point in time view as at 08/11/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) No 1110/2011, ANNEX. (See end of Document for details)

x 10 <sup>5</sup> BXU/ g operators shall establish operational procedures and organisational measures to be eliminated or reducing sugar yield at pH 5,3 and 50 °C c personal procective shall susses operators shall establish operational procedures and organisational measures to organisational measures to organisational measures to observe to address to to their distribution of the destablish operational procedures and restablish operational procedures and measures to organisational measures to organisational measures to to to the destablish operational procedures and risks (CBS 114044) where those risks cannot be eliminated or reducing sugar assay for the destablish operations of the destablish operation of the destablish operations on the destablish operations of the destablish operations of the destablish operations of the destablish operations operators shall be used with personal protective	liquid form:		the additive
Total Baxu/g   Characterisation of the active substance endo-1,4-beta-xylanase produced by   Trichoderma reesei (CBS   114044)	4		
BXU/ g  Characterisation of the active substance endo-1,4- beta- xylanse produced by  Trichoderma reesei (CBS 114044)  Analytical methodo In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanse by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  BXU/ g  business operators shall establish operators shall bestablish operators shall establish operators shall establish operators shall personal protective			
Characterisation of the active shall establish operational procedures endo-1,4- beta-xylanase produced by Trichoderma reesei (CBS 114044) Analytical method In the additive and the premixture: reducing sugar assay for endo-1,4- beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on measures, the additive and the premixture: reducing sugar assay for endo-1,4- beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C endo-1,4- beta-xylanase shall personal protective	$10^{5}$		
Characterisation of the active substance endo-1,4-beta-xylanase produced by Trichoderma reesei (CBS 114044) Analytical method* In the additive and the premixture: reducing sugar assay for endo-1,4-beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C substance sand procedures and protective sand protect	BXU/		business
Characterisation of the active substance endo-1,4-beta-xylanase produced by Trichoderma reesei (CBS 114044) Analytical method In the additive and the premixture: reducing sugar assay for endo-1,4-beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C reduced procedures and protective rectucing sugar yield at pH 5,3 and 50 °C reduced procedures and protective and protective and protective and protective			operators
of the active substance endo-1,4-beta-xylanase produced by Trichoderma reesei (CBS 114044) Analytical method the premixture: reducing sugar assay for endo-1,4-beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C endo-1,5-beta-stand procedures and prosective and personal protective			sĥall
active substance endo-1,4- beta- xylanase produced by Trichoderma reesei (CBS 114044) Analytical method* In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C   organisational procedures and organisational measures to address potential risks (CBS 114044) Analytical where their use. Where those risks cannot be eliminated or risks organisational with their use. Where those risks cannot be eliminated or reducing sugar assay for to a minimum by such procedures and measures, the additive acid reagent on premixtures shall be used with personal protective			establish
substance endo-1,4- beta- xylanase produced by Trichoderma reesei (CBS 114044) Analytical method* In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 5,0 °C  procedures and organisational measures to to to address potential risks to their use. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			operational
endo-1,4- beta- xylanase produced by Trichoderma reesei (CBS 114044) Analytical method* In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 5,0 °C  anddress to address bto the those risks to their use. Where those risks cannot be eliminated or a a a eliminated or a a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			
beta- xylanase produced by  Trichoderma reesei (CBS 114044)  Analytical method* In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 5,0 °C  solvential risks to the those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			* .
xylanase produced by Trichoderma reesei (CBS (CBS (114044)			organisational
produced by  Trichoderma reesei (CBS 114044)  Analytical method* In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  to address potential risks to to their address potential risks connot the premixture: eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			-
by Trichoderma reesei (CBS 114044) Analytical method In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 5,0 °C  ivo  to  to  to  to  their those those risks cannot be eliminated or reduced to  a  minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			
Trichoderma reesei (CBS 114044) Analytical method In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 5,0 °C  where those to their use. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective	_		address
reesei (CBS 114044) Analytical method In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C risks to the those those risks cannot be eliminated or reduced to to a minimum by such procedures and measures, the additive additive and premixtures be used with personal protective			
(CBS 114044)  Analytical method In the additive and the premixture: reducing sugar assay for endo-1,4-beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C to these those their use. Where those risks cannot be eliminated or reduced to to a minimum by such procedures and measures, the diditive additive additive used with personal protective			
114044)  Analytical  method  In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 5,0 °C  Where those where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			
Analytical  method In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50°C  where those where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			* *
method <sup>b</sup> In the additive and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			
In the additive and the premixture: reducing sugar assay for endo-1,4-beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C the to the eliminated or risks cannot be eliminated or reduced to an inimum by such procedures and measures, the additive and premixtures shall be used with personal protective			
additive and the premixture: reducing sugar assay for endo-1,4-beta-xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C reducing sugar reducing reducing sugar reducing suga			
and the premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C cannot be eliminated or reduced to annot to a minimum by such procedures and measures, the additive are used with personal protective			
premixture: reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective			
reducing sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C eliminated or reduced to a minimum by such procedures and measures, the additive additive and premixtures shall be used with personal protective			
sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reduced to a minimum by such procedures and measures, the additive areagent on reducing sugar yield at pH 5,3 and 50 °C	1		
sugar assay for endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective	reducing		
for endo-1,4-beta-xylanase by such procedures and of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C to minimum to a minimum by such procedures and measures, the additive additive and premixtures shall be used with personal protective	sugar		-
endo-1,4- beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  aminimum by such procedures and measures, the additive additive and premixtures shall be used with personal protective			
beta- xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  minimum by such procedures and measures, the additive additive and premixtures shall be used with personal protective			
xylanase by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  by such procedures and measures, the additive and premixtures shall be used with personal protective	endo-1,4-		1 **
by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C such procedures and measures, the additive and premixtures shall be used with personal protective	beta-		
by colorimetric reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C such procedures and measures, the additive and premixtures shall be used with personal protective	xylanase		
reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C  and measures, the additive additive and premixtures shall be used with personal protective			
reaction of dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C measures, the additive and premixtures shall be used with personal protective	colorimetric		* .
dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C the additive and premixtures shall be used with personal protective	reaction		·· ·
dinitrosalicylic acid reagent on reducing sugar yield at pH 5,3 and 50 °C the additive and premixtures shall be used with personal protective	of		
acid reagent on reducing sugar yield at pH 5,3 and 50 °C	dinitrosalicylic		
reagent on reducing sugar yield at pH 5,3 and 50 °C and premixtures and premixtures shall be used with personal protective			I
on reducing sugar yield at pH 5,3 and 50 °C premixtures shall be used with personal protective			
reducing sugar yield at pH 5,3 and 50 °C shall be used with personal protective			
sugar yield at pH 5,3 and 50 °C be used with personal protective			
yield at pH with personal protective			I
at pH 5,3 and 50 °C  with personal protective			
5,3 and personal protective			
50 °C protective			
equipment.			
<u> </u>			equipment.

a  $\,$  1 BXU is the amount of enzyme which liberates 1 nmol reducing sugars as xylose from birch xylan per second at pH 5,3 and 50 °C.

**b** Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports|

ANNEX

Document Generated: 2024-08-18

Status: Point in time view as at 08/11/2018.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) No 1110/2011, ANNEX. (See end of Document for details)

ı	I I I	1	1	I.	ı
	In the				
	feedingstuffs:				
	colorimetric				
	method				
	measuring				
	water				
	soluble				
	dye				
	released				
	by the				
	enzyme				
	from				
	azurine				
	crosslinked				
	wheat				
	arabinoxylan				
	substrate				
I				l .	I

a  $\,$  1 BXU is the amount of enzyme which liberates 1 nmol reducing sugars as xylose from birch xylan per second at pH 5,3 and 50  $\,^{\circ}$ C.

**b** Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports]

## **Status:**

Point in time view as at 08/11/2018.

## **Changes to legislation:**

There are currently no known outstanding effects for the Commission Implementing Regulation (EU) No 1110/2011, ANNEX.