This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

$ightharpoonup \underline{B}$ COMMISSION IMPLEMENTING REGULATION (EU) No 1021/2012

of 6 November 2012

concerning the authorisation of endo-1,4-beta-xylanase produced by *Trichoderma reesei* (ATCC PTA 5588) as a feed additive for minor poultry species other than ducks (holder of authorisation ► M1 Danisco (UK) Ltd, trading as Danisco Animal Nutrition and represented by Genencor International B.V. ◀)

(Text with EEA relevance)

(OJ L 307, 7.11.2012, p. 68)

Amended by:

Official Journal

		No	page	date
► <u>M1</u>	Commission Implementing Regulation (EU) 2019/221 of 6 February 2019	L 35	28	7.2.2019

COMMISSION IMPLEMENTING REGULATION (EU) No 1021/2012

of 6 November 2012

concerning the authorisation of endo-1,4-beta-xylanase produced by *Trichoderma reesei* (ATCC PTA 5588) as a feed additive for minor poultry species other than ducks (holder of authorisation ► M1 Danisco (UK) Ltd, trading as Danisco Animal Nutrition and represented by Genencor International B.V. ◀)

(Text with EEA relevance)

Article 1

The enzyme as specified in the Annex, belonging to the additive category 'zootechnical additives' and to the functional group 'digestibility enhancers', is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the Official Journal of the European Union.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	complete feed a moisture	Maximum content tivity/kg of dingstuff with content of %	Other provisions	End of period of authorisation
4a11	► MI Danisco (UK) Ltd, trading as Danisco Animal Nutrition and represented by Genencor International B.V. ◀	Endo-1,4- beta- xylanase EC 3.2.1.8	Additive composition Preparation of endo-1,4-beta-xylanase (EC 3.2.1.8) produced by Trichoderma reesei (ATCC PTA 5588) with a minimum activity of 40 000 U/g (¹) Characterisation of the active substance endo-1,4-beta-xylanase (EC 3.2.1.8) produced by Trichoderma reesei (ATCC PTA 5588) Analytical method (²) For quantification of endo-1,4-beta-xylanase activity: colorimetric method based on the quantification of water soluble dyed fragments produced by the action of endo-1,4-beta-xylanase on azurine cross-linked wheat arabinoxylan at pH 4,25 and 50 °C.	Minor poultry species other than ducks		625U		In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. For use in feed rich in starch and non-starch polysaccharides (mainly beta-arabinoxylans).	27 November 2022

⁽¹) 1 U is the amount of enzyme which liberates 0,5 µmol of reducing sugar (expressed as xylose equivalents) from a cross-linked oat spelt arabinoxylan substrate at pH 5,3 and 50 °C in one minute. (²) Details of the analytical methods are available at the following address of the Reference Laboratory: http://irmm.jrc.ec.europa.eu/EURLs/EURL_feed_additives/Pages/index.aspx