

ANNEX

Annex I to Regulation (EU) No 10/2011 is amended as follows:

- (1) in Table 1 for the following substance, the content of column (3) is replaced by the following:

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
257	13550	00001101985	polyethylene glycols			no				
	16660	0025265-71-8								
	51760									

- (2) in Table 1 for the following substance, the content of column (8) is replaced by the following:

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
449	49840	00025001884	disulphide		no	yes	0,05			

- (3) in Table 1 for the following substance, the content of columns (8) and (9) is replaced by the following:

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
180	17160	0000097630	zinc	no	yes	no		(33)		

- (4) in Table 1 for the following substances, the content of column (10) is replaced by the following:

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
807	93485	—	titanium nitride, nanoparticles	yes	no	no			No migration of titanium nitride nanoparticles. Only to be used in polyethylene terephthalate (PET) up to 20 mg/kg. In the PET, the agglomerates have a	

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 1183/2012. (See end of Document for details)

								diameter of 100-500 nm consisting of primary titanium nitride nanoparticles; primary particles have a diameter of approximately 20 nm.
865	40619	0025322	000-0 butyl acrylate, methyl methacrylate, butyl methacrylate) copolymer	yes	no	no		Only to be used in: (a) rigid poly(vinyl chloride) (PVC) at a maximum level of 1 % w/w; (b) polylactic acid (PLA) at a maximum level of 5 % w/w.
868	53245	0009010	000-2 butyl acrylate, methyl methacrylate) copolymer	yes	no	no		Only to be used in: (a) rigid poly(vinyl chloride) (PVC)

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 1183/2012. (See end of Document for details)

											at a maximum level of 2 % w/w; poly(lactic acid) (PLA) at a maximum level of 5 % w/w; poly(ethylene terephthalate) (PET) at a maximum level of 5 % w/w.
--	--	--	--	--	--	--	--	--	--	--	---

(5) in Table 1 the following lines are inserted in numerical order of the FCM Substance numbers:

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
[^{X1} 858	38565	009049	8,90-1 bis[2-(3-(3-tert-butyl-4-hydroxy-5-methylphenyl)propionyloxy)-1,1-dimethylethyl]-2,4,8,10-tetraoxaspiro[5,5]undecane	yes	no	yes	0,05		SML (2)] expressed as the sum of the substance and its oxidation product 3-[(3-(3-tert-butyl-4-hydroxy-5-methylphenyl)prop-2-	

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 1183/2012. (See end of Document for details)

									enoxyloxy)-1,1-dimethylethyl]-9-[(3-(3-tert-butyl-4-hydroxy-5-methylphenyl)propionyloxy)-1,1-dimethylethyl]-2,4,8,10-tetraoxaspiro[5,5]-undecane in equilibrium with its para quinone methid tautomer.
874	16265	0156065-00-8	no	yes	no	0,05	(33)	Only to be used as comonomer in siloxane modified polycarbonate. The oligomeric mixture shall be characterised by the formula $C_{24}H_{38}Si_2O_5(SiOC_2H_6)_n$ ($50 > n \geq 26$).	
902		0000128-24-9	yes	no	no			The substance shall comply with the specific purity criteria as set	

Changes to legislation: There are currently no known outstanding effects for the Commission Regulation (EU) No 1183/2012. (See end of Document for details)

								out in Commission Regulation (EU) No 231/2012 ^a .
979	79987	—	(polyethylene terephthalate, hydroxylated polybutadiene, pyromellitic anhydride) copolymer	no	no			Only to be used in polyethylene terephthalate (PET) at a maximum level of 5 % w/w.

^a OJ L 83, 22.3.2012, p. 1.

- (6) in Table 2 the following line is inserted in numerical order of the group restriction numbers:

(1) Group Restriction No	(2) FCM substance No	(3) SML (T) [mg/kg]	(4) Group restriction specification
33	180 874	ND	expressed as eugenol

- (7) in Table 3 on verification of compliance the content of Note No (4) is replaced by the following:

(1) Note No	(2) Note on verification of compliance
(4)	Compliance testing when there is a fat contact should be performed using saturated fatty food simulants as simulant D2.

Editorial Information

- X1** Substituted by [Corrigendum to Commission Regulation \(EU\) No 1183/2012 of 30 November 2012 amending and correcting Regulation \(EU\) No 10/2011 on plastic materials and articles intended to come into contact with food \(Official Journal of the European Union L 338 of 12 December 2012\)](#).

Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 1183/2012.