Commission Delegated Regulation (EU) No 392/2012 of 1 March 2012 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household tumble driers (Text with EEA relevance)

ANNEX I

Document Generated: 2024-08-09


Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 392/2012. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

ANNEX I


Label

1. LABEL FOR AIR-VENTED HOUSEHOLD TUMBLE DRIER ANNEXI

Document Generated: 2024-08-09




- 1.1. The following information shall be included in the label for air vented household tumble driers:
- I. supplier's name or trade mark;
- II. supplier's model identifier, meaning the code, usually alphanumeric, which distinguishes a specific household tumble drier model from other models with the same trade mark or supplier's name;
- III. the energy efficiency class as defined in point 1 of Annex VI; the head of the arrow containing the energy efficiency class of the household tumble drier shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
- IV. weighted annual energy consumption (AE_C) in kWh/year, rounded up to the nearest integer and calculated in accordance with Annex VII;
- V. information on the type of household tumble drier;
- VI. cycle time corresponding to the standard cotton programme at full load in minutes and rounded to the nearest minute;
- VII. rated capacity, in kg, for the standard cotton programme at full load;
- VIII. the sound power level (weighted average value L_{WA}), during the drying phase, for the standard cotton programme at full load, expressed in dB, rounded to the nearest integer.
- 1.2. The design of the label for air vented household tumble driers shall be in accordance with point 4 of this Annex. Where a model has been granted an 'EU Ecolabel' under Regulation (EC) No 66/2010 of the European Parliament and of the Council⁽¹⁾, a copy of the EU Ecolabel may be added.
- 2. LABEL FOR CONDENSER HOUSEHOLD TUMBLE DRIER



- 2.1. In addition to the information listed in point 1.1, the label for condenser household tumble driers shall include:
- IX. the condensation efficiency class in accordance with point 2 of Annex VI.
- 2.2. The design of the label for condenser household tumble driers shall be in accordance with point 4 of this Annex. Where a model has been awarded an 'EU Ecolabel' under Regulation (EC) No 66/2010, a copy of the EU Ecolabel may be added.
- 3. LABEL FOR GAS-FIRED HOUSEHOLD TUMBLE DRIER

ANNEXI


Document Generated: 2024-08-09



- 3.1. The information listed in point 1.1 shall be included in the label for gas fired household tumble driers.
- 3.2. The design of the label for gas fired household tumble driers shall be in accordance with point 4 of this Annex. Where a model has been awarded an 'EU Ecolabel' under Regulation (EC) No 66/2010, a copy of the EU Ecolabel may be added.
- 4. LABEL DESIGN
- 4.1. For air vented household tumble driers, the design of the label shall be as in the figure below.

ANNEX I

Document Generated: 2024-08-09



Whereby


- (a) The label must be at least 110 mm wide and 220 mm high. Where the label is printed in a larger format, its content must nevertheless remain proportionate to the specifications above.
- (b) The background shall be white.
- (c) Colours shall be CMYK cyan, magenta, yellow and black following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (d) The label shall fulfil all of the following requirements (numbers refer to the figure above).
 - a **Eu label border stroke:** 5 pt colour: Cyan 100 % round corners: 3,5 mm.
 - b **EU logo** colours: X-80-00-00 and 00-00-X-00.
 - c **Energy label:** colour: X-00-00-00. Pictogram as depicted; EU logo and energy logo (combined): width: 92 mm, height: 17 mm.
 - d **Sub-logos border:** 1 pt colour: Cyan 100 % length: 92,5 mm.
 - e A-G scale
 - Arrow: height: 7 mm, gap: 0,75 mm colours:

Highest class: X-00-X-00, Second class: 70-00-X-00, Third class: 30-00-X-00, Fourth class: 00-00-X-00, Fifth class: 00-30-X-00, Sixth class: 00-70-X-00, Last class: 00-X-X-00.

— **Text:** Calibri bold 18 pt, capitals and white; '+' symbols: Calibri bold 12 pt, white aligned on a single row.

- f Energy efficiency class
 - Arrow: width: 26 mm, height: 14 mm, 100 % black;
 - Text: Calibri bold 29 pt, capitals and white; '+' symbols: Calibri bold 18 pt, white aligned on a single row.
- g Energy
 - Text: Calibri regular 11 pt, capitals, 100 % black.
- h Weighted annual energy consumption:
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
 - Value: Calibri bold 30 pt, 100 % black.
 - **Second line:** Calibri regular 14 pt, 100 % black.
- i Type of household tumble drier:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
- j Cycle time:

- Pictogram as depicted
- **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
- Value: Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- k Rated capacity:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100% round corners: 3,5 mm.
 - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- 1 Sound power level:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
 - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- m **Asterisk:** Calibri regular 6 pt, 100 % black.
- n Supplier's name or trade mark
- o Supplier's model identifier
- The supplier's name or trademark and model identifier should fit in a space of 92×15 mm.
- q **Numbering of the Regulation:** Calibri bold 9 pt, 100 % black.
- 4.2. For condenser household tumble driers, the design of the label shall be as in the figure below.



Whereby

ANNEX I Document Generated: 2024-08-09

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 392/2012. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (a) The label must be at least 110 mm wide and 220 mm high. Where the label is printed in a larger format, its content must nevertheless remain proportionate to the specifications above.
- (b) The background shall be white.
- (c) Colours shall be CMYK cyan, magenta, yellow and black following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (d) The label shall fulfil all of the following requirements (numbers refer to the figure above).
 - a **Eu label border stroke:** 5 pt colour: Cyan 100 % round corners: 3.5 mm.
 - b **EU logo** colours: X-80-00-00 and 00-00-X-00.
 - c **Energy label:** colour: X-00-00-00. Pictogram as depicted; EU logo and energy logo (combined): width: 92 mm, height: 17 mm.
 - d **Sub-logos border:** 1 pt colour: Cyan 100 % length: 92,5 mm.
 - e A-G scale
 - **Arrow:** height: 7 mm, gap: 0,75 mm colours:

Highest class: X-00-X-00, Second class: 70-00-X-00, Third class: 30-00-X-00, Fourth class: 00-00-X-00, Fifth class: 00-30-X-00, Sixth class: 00-70-X-00, Last class: 00-X-X-00.

— **Text:** Calibri bold 18 pt, capitals and white; '+' symbols: Calibri bold 12 pt, white aligned on a single row.

- f Energy efficiency class
 - Arrow: width: 26 mm, height: 14 mm, 100 % black;
 - Text: Calibri bold 29 pt, capitals and white; '+' symbols: Calibri bold 18 pt, white aligned on a single row.
- g Energy


— Text: Calibri regular 11 pt, capitals, 100 % black.

- h Weighted annual energy consumption:
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
 - Value: Calibri bold 30 pt, 100 % black.
 - **Second line:** Calibri regular 14 pt, 100 % black.
- i Type of household tumble drier:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
- j Cycle time:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.

- Value: Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- **k** Rated capacity:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
 - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- 1 Sound power level:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
 - **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- m **Asterisk:** Calibri regular 6 pt, 100 % black.
- n Supplier's name or trade mark
- o Supplier's model identifier
- The supplier's name or trademark and model identifier should fit in a space of 92×15 mm.
- q **Numbering of the Regulation:** Calibri bold 9 pt, 100 % black.
- r Condensation efficiency class:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
 - **Value:** Calibri regular 16 pt, horizontal scale 75 %, 100 % black and Calibri bold 22 pt, horizontal scale 75 %, 100 % black.
- 4.3. For gas fired household tumble driers, the design of the label shall be as in the figure below.

ANNEX I

Document Generated: 2024-08-09



Whereby

- (a) The label must be at least 110 mm wide and 220 mm high. Where the label is printed in a larger format, its content must nevertheless remain proportionate to the specifications above.
- (b) The background shall be white.
- (c) Colours shall be CMYK cyan, magenta, yellow and black following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (d) The label shall fulfil all of the following requirements (numbers refer to the figure above).
 - a **Eu label border stroke:** 5 pt colour: Cyan 100 % round corners: 3,5 mm.
 - b **EU logo** colours: X-80-00-00 and 00-00-X-00.
 - c **Energy label:** colour: X-00-00-00. Pictogram as depicted; EU logo and energy logo (combined): width: 92 mm, height: 17 mm.
 - d **Sub-logos border:** 1 pt colour: Cyan 100 % length: 92,5 mm.
 - e A-G scale
 - Arrow: height: 7 mm, gap: 0,75 mm colours:

Highest class: X-00-X-00, Second class: 70-00-X-00, Third class: 30-00-X-00, Fourth class: 00-00-X-00, Fifth class: 00-30-X-00, Sixth class: 00-70-X-00, Last class: 00-X-X-00.

— **Text:** Calibri bold 18 pt, capitals and white; '+' symbols: Calibri bold 12 pt, white aligned on a single row.

- f Energy efficiency class
 - Arrow: width: 26 mm, height: 14 mm, 100 % black;
 - Text: Calibri bold 29 pt, capitals and white; '+' symbols: Calibri bold 18 pt, white aligned on a single row.
- g Energy
 - **Text:** Calibri regular 11 pt, capitals, 100 % black.
- h Weighted annual energy consumption:
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
 - **Value:** Calibri bold 30 pt, 100 % black.
 - **Second line:** Calibri regular 14 pt, 100 % black.
- i Type of household tumble drier:
 - Pictogram as depicted
 - **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
- j Cycle time:

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 392/2012. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

— Pictogram	as	depicted
-------------	----	----------

- **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
- **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.

k Rated capacity:

- Pictogram as depicted
- **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
- **Value:** Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.

1 Sound power level:

- Pictogram as depicted
- **Border:** 2 pt colour: Cyan 100 % round corners: 3,5 mm.
- Value: Calibri bold 24 pt, 100 % black; and Calibri regular 16 pt, 100 % black.
- m **Asterisk:** Calibri regular 6 pt, 100 % black
- n Supplier's name or trade mark
- o Supplier's model identifier
- The supplier's name or trademark and model identifier should fit in a space of 92×15 mm.
- q **Numbering of the Regulation:** Calibri bold 9 pt, 100 % black.

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 392/2012. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(1) OJ L 27, 30.1.2010, p. 1.

Changes to legislation:

There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 392/2012. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

View outstanding changes

Changes and effects yet to be applied to the whole legislation item and associated provisions

- Signature words omitted by S.I. 2019/539 Sch. 5 para. 6(5)
- Annex 1 para. 1 image substituted by S.I. 2020/1528 Sch. 5 para. 7(2)
- Annex 1 para. 2 image substituted by S.I. 2020/1528 Sch. 5 para. 7(3)
- Annex 1 para. 3 image substituted by S.I. 2020/1528 Sch. 5 para. 7(4)
- Annex 1 para. 4.1 image substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(a)
- Annex 1 para. 4.2 image substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(b)
- Annex 1 para. 4.3 image substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(c)
- Annex 1 s. 1para. 1.2 words inserted by S.I. 2019/539 Sch. 5 para. 6(6)(a)
- Annex 1 s. 2para. 2.2 words inserted by S.I. 2019/539 Sch. 5 para. 6(6)(b)
- Annex 1 s. 3para. 3.2 words inserted by S.I. 2019/539 Sch. 5 para. 6(6)(c)
- A notes 1 notes 4.1(4) and 4 notes 1 2020/1520 Get. 5 para. 7(5)(4)(1)
- Annex 1 para. 4.1(d) words omitted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(iii)
- Annex 1 para. 4.2(d) words omitted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(iii)
- Annex 1 para. 4.3(d) words omitted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(iii)
- Annex 1 para. 4.1(d) words substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(i)
- Annex 1 para. 4.2(d) words substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(i)
- Annex 1 para. 4.3(d) words substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(i)
- Annex 1 para. 4.1(d) words substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(ii)
- Annex 1 para. 4.2(d) words substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(ii)
- Annex 1 para. 4.3(d) words substituted by S.I. 2020/1528 Sch. 5 para. 7(5)(d)(ii)
- Annex 1 para. 1.2 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 6(6)(a) by S.I. 2020/1528 reg. 4
- Annex 1 para. 2.2 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 6(6)(b) by S.I. 2020/1528 reg. 4
- Annex 1 para. 3.2 words substituted in earlier amending provision S.I. 2019/539,
 Sch. 5 para. 6(6)(c) by S.I. 2020/1528 reg. 4
- Annex 5(7) omitted by S.I. 2019/539 Sch. 5 para. 6(9)(b)
- Annex 3 para. 1(c) word substituted by S.I. 2019/539 Sch. 5 para. 6(8)
- Annex 2 para. 1(h) words inserted by S.I. 2019/539 Sch. 5 para. 6(7)
- Annex 2 para. 1(h) words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 6(7) by S.I. 2020/1528 reg. 4
- Art. 3(c) words substituted by S.I. 2019/539 Sch. 5 para. 6(2)
- Art. 3(c) words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para.
 6(2) by S.I. 2020/1528 reg. 6(1)reg. 6(2)(c)(vi)