

▼B

**COMMISSION IMPLEMENTING REGULATION (EU)
No 1016/2013**

of 23 October 2013

**concerning the authorisation of a preparation of a micro-organism
strain DSM 11798 of the *Coriobacteriaceae* family as a feed additive
for pigs**

(Text with EEA relevance)

Article 1

The preparation specified in the Annex, belonging to the additive category ‘technological additives’ and to the functional group ‘substances for the reduction of the contamination of feed by mycotoxins’, is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feedingstuff with a moisture content of 12 %			
Category of technological additives. Functional group: substances for the reduction of the contamination of feed by mycotoxins: trichothecenes									
1m01	—	Microorganism strain DSM 11798 of the <i>Coriobacteriaceae</i> family	<p><i>Additive composition</i></p> <p>Preparation of a microorganism strain DSM 11798 of the <i>Coriobacteriaceae</i> family containing a minimum of 5×10^9 CFU/g of additive.</p> <p>Solid form</p> <p><i>Characterisation of the active substance</i></p> <p>Viable cells of: microorganism strain DSM 11798 of the <i>Coriobacteriaceae</i> family</p> <p><i>Analytical method</i> ⁽¹⁾</p> <p>Enumeration of microorganism strain DSM 11798 of the <i>Coriobacteriaceae</i> family: pour plate method using VM agar supplemented with Oxyrase.</p> <p>Identification of microorganism strain DSM 11798 of the <i>Coriobacteriaceae</i> family: Pulsed Field Gel Electrophoresis (PFGE).</p>	Pigs	—	$1,7 \times 10^8$	—	<ol style="list-style-type: none"> 1. In the directions for use of the additive and premixtures, the storage conditions and stability to heat treatment shall be indicated. 2. The use of the additive is allowed in feedingstuffs complying with the European Union legislation on undesirable substances in animal feed. 3. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks resulting from its use. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment including breath protections. 	13 November 2023

⁽¹⁾ Details of the analytical methods are available at the following address of the Reference Laboratory: <https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports>