Commission Delegated Regulation (EU) No 665/2013 of 3 May 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of vacuum cleaners (Text with EEA relevance)

#### ANNEX I

## Energy efficiency, cleaning performance and dust re-emission classes

## 1. Energy efficiency classes

The energy efficiency class of a vacuum cleaner shall be determined in accordance with its annual energy consumption as set out in Table 1. The annual energy consumption of a vacuum cleaner shall be determined in accordance with Annex VI.

## TABLE 1

**Energy efficiency classes** 

<b>Energy Efficiency Class</b>	Annual energy consumption (AE) [kWh/yr]	
	Label 1	Label 2
A+++	n/a	$AE \leq 10,0$
A++	n/a	$10,0 < AE \le 16,0$
A+	n/a	$16,0 < AE \le 22,0$
A	$AE \leq 28,0$	$22,0 < AE \le 28,0$
В	$28,0 < AE \le 34,0$	$28,0 < AE \le 34,0$
С	$34,0 < AE \le 40,0$	$34,0 < AE \le 40,0$
D	$40,0 < AE \le 46,0$	AE > 40,0
Е	$46,0 < AE \le 52,0$	n/a
F	$52,0 < AE \le 58,0$	n/a
G	AE > 58,0	n/a

## 2. Cleaning performance classes

The cleaning performance class of a vacuum cleaner shall be determined in accordance with its dust pick up (dpu) as set out in Table 2. The dust pick up of a vacuum cleaner shall be determined in accordance with Annex VI.

TABLE 2

Cleaning performance classes

Cleaning performance class	Dust pick up on carpet (dpu <sub>c</sub> )	Dust pick up on hard floor (dpuhf)
A	$dpu_c \ge 0.91$	$dpu_{hf} \ge 1,11$
В	$0.87 \le dpu_c < 0.91$	$1.08 \le dpu_{hf} < 1.11$
С	$0.83 \le dpu_c < 0.87$	$1,05 \le dpu_{hf} < 1,08$
D	$0.79 \le dpu_c < 0.83$	$1,02 \le dpu_{hf} < 1,05$
Е	$0.75 \le dpu_c < 0.79$	$0.99 \le dpu_{hf} < 1.02$
F	$0.71 \le dpu_c < 0.75$	$0.96 \le dpu_{hf} < 0.99$

Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

G	$dpu_c < 0.71$	$dpu_{hf}$ < 0,96

## 3. **Dust re-emission**

The dust re-emission class of a vacuum cleaner shall be determined in accordance with its dust re-emission as set out in Table 3. The dust re-emission of a vacuum cleaner shall be determined in accordance with Annex VI.

## TABLE 3

## **Dust re-emission classes**

<b>Dust re-emission class</b>	Dust re-emission (dre)
A	$dre \leq 0.02 \%$
В	$0.02 \% < dre \le 0.08 \%$
С	0,08 % < dre ≤ 0,20 %
D	0,20 % < dre ≤ 0,35 %
E	0,35 % < dre ≤ 0,60 %
F	0,60 % < dre ≤ 1,00 %
G	<i>dre</i> > 1,00 %


#### ANNEX II

## The label

## 1. LABEL 1

## 1.1. General purpose vacuum cleaners

The following information shall be included in the label:



Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes


- I. Supplier's name or trade mark;
- II. Supplier's model identifier, where 'model identifier' means the code, usually alphanumeric, which distinguishes a specific vacuum cleaner model from other models with the same trade mark or supplier's name;
- III. The energy efficiency class as defined in Annex I; the head of the arrow containing the energy efficiency class of the vacuum cleaner shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
- IV. Average annual energy consumption, as defined in Annex VI;
- V. Dust re-emission class, determined in accordance with Annex I;
- VI. Carpet cleaning performance class, determined in accordance with Annex I;
- VII. Hard floor cleaning performance class, determined in accordance with Annex I;
- VIII. Sound power level, as defined in Annex VI.

[XIThe design of the labels shall be in accordance with point 3.1 of this Annex.] By way of derogation, where a model has been awarded an 'EU eco-label' under Regulation (EC) No 66/2010 of the European Parliament and of the Council(I), a copy of the EU eco-label may be added.

#### **Editorial Information**

X1 Substituted by Corrigendum to Commission Delegated Regulation (EU) No 665/2013 of 3 May 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of vacuum cleaners (Official Journal of the European Union L 192 of 13 July 2013).

## 1.2. Hard floor vacuum cleaners



Document Generated: 2024-07-18


Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

The following information shall be included in the label:

- I. Supplier's name or trade mark;
- II. Supplier's model identifier, where 'model identifier' means the code, usually alphanumeric, which distinguishes a specific vacuum cleaner model from other models with the same trade mark or supplier's name;
- III. The energy efficiency class as defined in Annex I; the head of the arrow containing the energy efficiency class of the vacuum cleaner shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
- IV. Average annual energy consumption, as defined in Annex VI;
- V. Dust re-emission class, determined in accordance with Annex I;
- VI. Exclusion sign;
- VII. Hard floor cleaning performance class, determined in accordance with Annex I;
- VIII. Sound power level, as defined in Annex VI.

[XIThe design of the labels shall be in accordance with point 3.2 of this Annex.] By way of derogation, where a model has been awarded an 'EU eco-label' under Regulation (EC) No 66/2010 of the European Parliament and of the Council, a copy of the EU eco-label may be added.

## 1.3. Carpet vacuum cleaners



Document Generated: 2024-07-18


Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

The following information shall be included in the label:

- I. Supplier's name or trade mark;
- II. Supplier's model identifier, where 'model identifier' means the code, usually alphanumeric, which distinguishes a specific vacuum cleaner model from other models with the same trade mark or supplier's name;
- III. The energy efficiency class as defined in Annex I; the head of the arrow containing the energy efficiency class of the vacuum cleaner shall be placed at the same height as the head of the arrow of the relevant energy efficiency class;
- IV. Average annual energy consumption, as defined in Annex VI;
- V. Dust re-emission class, determined in accordance with Annex I;
- VI. Carpet cleaning performance class, determined in accordance with Annex I.
- VII. Exclusion sign;
- VIII. Sound power level, as defined in Annex VI.

[XIThe design of the labels shall be in accordance with point 3.3 of this Annex.] By way of derogation, where a model has been awarded an 'EU eco-label' under Regulation (EC) No 66/2010 of the European Parliament and of the Council, a copy of the EU eco-label may be added.

- 2. LABEL 2
- 2.1. General purpose vacuum cleaners




Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

The information listed in point 1.1 shall be included in this label.

[X1] The design of the labels shall be in accordance with point 3.1 of this Annex.] By way of derogation, where a model has been awarded an 'EU eco-label' under Regulation (EC) No 66/2010 of the European Parliament and of the Council, a copy of the EU eco-label may be added.

## 2.2. Hard floor vacuum cleaners




Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

The information listed in point 1.2 shall be included in this label.

[XIThe design of the labels shall be in accordance with point 3.2 of this Annex.] By way of derogation, where a model has been awarded an 'EU eco-label' under Regulation (EC) No 66/2010 of the European Parliament and of the Council, a copy of the EU eco-label may be added.

## 2.3. Carpet vacuum cleaners




Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

The information listed in point 1.3 shall be included in this label.

[XIThe design of the labels shall be in accordance with point 3.3 of this Annex.] By way of derogation, where a model has been awarded an 'EU eco-label' under Regulation (EC) No 66/2010 of the European Parliament and of the Council, a copy of the EU eco-label may be added.

- 3. LABEL DESIGN
- 3.1. The design of the labels for general purpose vacuum cleaners shall be the following:



Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

## Whereby:


- (a) The label shall be at least 75 mm wide and 150 mm high. Where the label is printed in a larger format, its content shall nevertheless remain proportionate to the specifications above.
- (b) The background shall be white.
- (c) Colours are coded as CMYK cyan, magenta, yellow and black, following this example: 00-70-X-00: 0 % cyan, 70 % magenta, 100 % yellow, 0 % black.
- (d) The label shall fulfil all of the following requirements (numbers refer to the figure above):
  - a **EU label border stroke:** 3,5 pt colour: Cyan 100 % round corners: 2,5 mm.
  - b **EU logo:** Colours: X-80-00-00 and 00-00-X-00.
  - c **Energy logo:** Colour: X-00-00-00. Pictogram as depicted: EU logo + energy logo: width: 62 mm, height: 12 mm.
  - d **Sub-logos border:** 1 pt colour: cyan 100 % length: 62 mm.
  - e A-G and A+++-D scales:
    - Arrow: height: 6 mm, gap: 1 mm colours:

Highest class: X-00-X-00 Second class: 70-00-X-00, Third class: 30-00-X-00, Fourth class: 00-00-X-00, Fifth class: 00-30-X-00, Sixth class: 00-70-X-00, Last class: 00-X-X-00,

— **Text:** Calibri bold 13 pt, capitals, white.

- f Energy efficiency class
  - Arrow: width: 17 mm, height: 9 mm, 100% black;
  - **Text:** Calibri bold 18,5 pt, capitals, white; '+' symbols: Calibri bold 11 pt, white aligned on a single row.
- g Energy
  - **Text:** Calibri regular 6 pt, capitals, black.
- h Annual energy consumption in kWh/annum:
  - Value 'YZ': Calibri bold 20 pt, 100 % black;
  - 'kWh/annum': Calibri bold 12 pt, 100 % black.
- i Cleaning performance on carpet:
  - **Border:** 1,5 pt colour: cyan 100 % round corners: 2,5 mm;
  - Letters: Calibri regular 13,5 pt, 100 % black; and Calibri bold 18 pt, 100 % black.
- j Cleaning performance on hard floor:
  - **Border:** 1,5 pt colour: cyan 100 % round corners: 2,5 mm;

- Letters: Calibri regular 13,5 pt, 100 % black; and Calibri bold 18 pt, 100 % black.
- k **Dust re-emission** 
  - **Border:** 1,5 pt colour: cyan 100 % round corners: 2,5 mm;
  - Letters: Calibri regular 13,5 pt, 100 % black; and Calibri bold 18 pt, 100 % black.
- 1 Sound power level:
  - **Border:** 1,5 pt colour: cyan 100 % round corners: 2,5 mm;
  - Value: Calibri bold 16 pt, 100 % black;
  - 'dB': Calibri regular 11 pt, 100 % black.
- m Supplier's name or trademark
- n Supplier's model identifier
- o The suppliers' name or trade mark and model identifier shall fit in a space of  $62 \times 10 \text{ mm}$
- p Numbering of the Regulation and label:
  - Text: Calibri bold 8.
- 3.2. The design of the labels for hard floor vacuum cleaners shall be the following:



EU... ANNEX II


Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

## Whereby:

[XI] The design description of the label shall be in accordance with point 3.1 of this Annex except for Number 9 where the following applies:]

- a Cleaning performance on carpet:
  - **Exclusion sign:** border 3 pt colour: 00-X-X-00 (100 % red) diameter 16 mm
- 3.3. The design of the labels for carpet floor vacuum cleaners shall be the following:



## Whereby:

[XI] The design description of the label shall be in accordance with point 3.1 of this Annex except for Number 10 where the following applies:]

## a Cleaning performance on hard floor:

Exclusion sign: border 3 pt – colour: 00-X-X-00 (100 % red) – diameter 16 mm

#### ANNEX III

#### **Fiche**

- 1. The information in the product fiche of the vacuum cleaner shall be given in the following order and shall be included in the product brochure or other literature provided with the product:
- (a) supplier's name or trade mark;
- (b) supplier's model identifier which means the code, usually alphanumeric, which distinguishes a specific vacuum cleaner model from other models with the same trade mark or supplier's name;
- (c) the energy efficiency class, determined in accordance with Annex I;
- (d) the annual energy consumption in kWh/year, rounded to one decimal place, as defined in Annex VI; it shall be described as: 'Indicative annual energy consumption (kWh per year), based on 50 cleaning tasks. Actual annual energy consumption will depend on how the appliance is used.';
- (e) for general purpose vacuum cleaners and carpet vacuum cleaners, the carpet cleaning performance class determined in accordance with Annex I. For hard floor vacuum cleaners, the declaration 'not suitable for use on carpets with the delivered nozzle';
- (f) for general purpose vacuum cleaners and hard floor vacuum cleaners, the hard floor cleaning performance class determined in accordance with Annex I. For carpet vacuum cleaners, the declaration 'not suitable for use on hard floors with the delivered nozzle';
- (g) the dust re-emission class, determined in accordance with Annex I;
- (h) the sound power level, as defined in Annex VI;
- (i) the rated input power, as defined in Annex VI;
- (j) where the vacuum cleaner has been granted an 'EU Eco-label award' under Regulation (EC) No 66/2010, this information may be included.
- 2. One fiche may cover a number of vacuum cleaner models supplied by the same supplier.
- 3. The information contained in the fiche may be given in the form of a copy of the label, either in colour or in black and white. Where this is the case, the information listed in point 1 not already displayed on the label shall also be provided.

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

#### ANNEX IV

#### **Technical documentation**

- 1. The technical documentation referred to in Article 3 shall include:
- (a) the name and address of the supplier;
- (b) a general description of the vacuum cleaner type and/or model and/or commercial code, sufficient for it to be unequivocally and easily identified;
- (c) where appropriate, the references of the harmonised standards applied;
- (d) where appropriate, the other technical standards and specifications used;
- (e) identification and signature of the person empowered to bind the supplier;
- (f) technical parameters measured and calculated in accordance with Annex VI:
  - (i) the specific energy consumption during carpet test, where applicable;
  - (ii) the specific energy consumption during hard floor test, where applicable;
  - (iii) the dust pick up on carpet and on hard floor as applicable;
  - (iv) the dust re-emission;
  - (v) the sound power level;
  - (vi) the rated input power;
  - (vii) specific values as indicated in points 3 and 4 of Annex VI as applicable.
- (g) the results of calculations performed in accordance with Annex VI.
- 2. Where the information included in the technical documentation file for a particular vacuum cleaner model has been obtained by calculation on the basis of an equivalent vacuum cleaner, the technical documentation shall include details of such calculations and of tests undertaken by suppliers to verify the accuracy of the calculations undertaken. The technical information shall also include a list of all other equivalent vacuum cleaner models where the information was obtained on the same basis.
- 3. The information contained in this technical documentation may be merged with the technical documentation provided in accordance with measures under Directive 2009/125/EC.

#### ANNEX V

# Information to be provided where end-users cannot be expected to see the product displayed

- 1. The information referred to in Article 4(b) shall be provided in the following order:
- (a) the energy efficiency class, determined in accordance with Annex I;
- (b) the annual energy consumption, as defined in Annex VI;

- (c) for general purpose vacuum cleaners and carpet vacuum cleaners, the carpet cleaning performance class determined in accordance with Annex I. For hard floor vacuum cleaners, the declaration 'not suitable for use on carpets';
- (d) for general purpose vacuum cleaners and hard floor vacuum cleaners, the hard floor cleaning performance class determined in accordance with Annex I. For carpet vacuum cleaners, the declaration 'not suitable for use on hard floors';
- (e) the dust re-emission class, determined in accordance with Annex I;
- (f) the sound power level, as defined in Annex VI.
- 2. Where other information contained in the product information fiche is also provided, it shall be in the form and order specified in Annex III.
- 3. The size and font in which the information referred in this Annex is printed or shown shall be legible.

#### ANNEX VI

#### Measurement and calculation methods

1. For the purposes of compliance and verification of compliance with the requirements of this Regulation, measurements and calculations shall be made using a reliable, accurate and reproducible methods that take into account the generally recognised state-of-the-art measurement and calculation methods, including harmonised standards the reference numbers of which have been published for the purpose in the *Official Journal of the European Union*. They shall meet the technical definitions, conditions, equations and parameters set out this Annex.

#### 2. Technical definitions

- (a) 'hard floor test' means a test of two cleaning cycles where the cleaning head of a vacuum cleaner operating at maximum suction setting passes over a wooden test plate test area with width equal to the cleaning head width and appropriate length, featuring a diagonally (45°) placed test crevice, where the time elapsed, electric power consumption and the relative position of the center of the cleaning head to the test area are continuously measured and recorded at an appropriate sample rate and where at the end of each cleaning cycle the mass decrease of the test crevice is appropriately assessed:
- (b) 'test crevice' means a removable U-shaped insert with appropriate dimensions filled at the beginning of a cleaning cycle with appropriate artificial dust;
- (c) 'carpet test' means a test with an appropriate number of cleaning cycles on a Wilton carpet test rig where the cleaning head of a vacuum cleaner operating at maximum suction setting passes over the test area with width equal to the cleaning head width and appropriate length, soiled with equally distributed and appropriately embedded test dust of appropriate composition, where the time elapsed, electric power consumption and the relative position of the center of the cleaning head to the test area are continuously measured and recorded at an appropriate sample rate and at the end of each cleaning cycle the mass increase of the appliance dust receptacle is appropriately assessed;

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (d) 'cleaning head width' in m, at an accuracy of 3 decimal places, means the external maximum width of the cleaning head;
- (e) 'cleaning cycle' means a sequence of 5 double strokes of the vacuum cleaner on a floor-specific test area ('carpet' or 'hard floor');
- (f) 'double stroke' means one forward and one backward movement of the cleaning head in a parallel pattern, performed at a uniform test stroke speed and with a specified test stroke length;
- (g) 'test stroke speed' in m/h means the appropriate cleaning head speed for testing, preferably realized with an electromechanical operator. Products with self-propelled cleaning heads shall try to come as close as possible to the appropriate speed, but a deviation is permitted when clearly stated in the technical documentation;
- (h) 'test stroke length' in m means the length of the test area plus the cleaning head distance covered by the center of the cleaning head when moving over the appropriate acceleration zones before and after the test area;
- (i) 'dust pick up' (dpu), at an accuracy of 3 decimal places, means the ratio of the mass of the artificial dust removed, determined for carpet through the mass increase of the appliance dust receptacle and for hard floor through the mass decrease of the test crevice, after a number of double strokes of the cleaning head, to the mass of artificial dust initially applied to a test area, for carpet corrected for the specific test conditions and for hard floor corrected for the length and positioning of the test crevice;
- (j) 'reference vacuum cleaner system' means electrically operated laboratory equipment used to measure the calibrated and reference dust pick-up on carpets with given air related parameters to improve the reproducibility of test results;
- (k) 'rated input power' in W means the electric input power declared by the manufacturer, whereby for appliances that are enabled to function also for other purposes than vacuum cleaning only the electric input power relevant to vacuum cleaning applies;
- (l) 'dust re-emission' means the ratio, expressed as a percentage at an accuracy of 2 decimal places, of the number of all dust particles of a size from 0.3 to 10 μm emitted by a vacuum cleaner to the number of all dust particles of the same size range entering the suction inlet when fed with a specific amount of dust of that particle size range. The value includes not only dust measured at the vacuum cleaner outlet but also dust emitted elsewhere either from leaks, or generated by the vacuum cleaner;
- (m) 'sound power level' means airborne acoustical noise emissions, expressed in dB(A) re 1 pW and rounded to the nearest integer.

## 3. Annual energy consumption

The annual energy consumption AE is calculated, in kWh/year and rounded to one decimal place, as follows:

for carpet vacuum cleaners:

$$AE_{\rm c} = 4\times87\times50\times0,\!001\times ASE_{\rm c}\times\left(\frac{1-0,\!20}{{\rm dyn}_{\rm c}\!-\!0,\!20}\right)$$

for hard floor vacuum cleaners:

$$AE_{hf} = 4 \times 87 \times 50 \times 0,001 \times ASE_{hf} \times \left(\frac{1-0,20}{dpu_{hf}-0,20}\right)$$

for general-purpose vacuum cleaners:  $AE_{gp} = 0.5 \times AE_c + 0.5 \times AE_M$ 

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

#### Where:

- ASE<sub>c</sub> is the average specific energy consumption in Wh/m<sup>2</sup> during carpet test, calculated as provided below;
- ASE<sub>hf</sub> is the average specific energy consumption in Wh/m<sup>2</sup> during hard floor test, calculated as provided below;
- $dpu_c$  is the dust pick-up on carpet, determined in accordance with point 4 of this Annex;
- *dpu<sub>hf</sub>* is the dust pick-up on hard floor, determined in accordance with point 4 of this Annex;
- 50 is the standard number of cleaning tasks per year;
- 87 is the standard dwelling surface to be cleaned in m<sup>2</sup>;
- 4 is the standard number of times that a vacuum cleaner passes over each point on the floor (two double strokes);
- 0,001 is the conversion factor from Wh to kWh;
- 1 is the standard dust pick-up;
- 0,20 is the standard difference between dust pick-up after five and after two double strokes.

Average specific energy consumption (ASE)

The average specific energy consumption during carpet test ( $ASE_c$ ) and during hard floor test ( $ASE_{hf}$ ) shall be determined as an average of the specific energy consumption (SE) of the number of cleaning cycles that constitute the carpet and hard floor test respectively. The general equation for the specific energy consumption SE in Wh/m<sup>2</sup> test area, at an accuracy of 3 decimal places, applicable for carpet, hard floor and general purpose vacuum cleaners with the appropriate suffixes, is:

$$SE = \frac{(P+NP)\times t}{A}$$

#### Where:

- P is the average power in W, at an accuracy of 2 decimal places, during the time in a cleaning cycle that the center of the cleaning head is moving over the test area;
- NP is the average power equivalent in W, at an accuracy of 2 decimal places, of battery operated active nozzle, if any, of the vacuum cleaner, calculated as provided below;
- t is the total time in hours, at an accuracy of 4 decimal places, in a cleaning cycle during which the centre of the cleaning head, i.e. a point halfway between the side, front and back edges of the cleaning head, is moving over the test area;
- A is the surface area in m<sup>2</sup>, at an accuracy of 3 decimal places, passed over by the cleaning head in a cleaning cycle, calculated as 10 times the product of the head width and the appropriate length of test area. If a household vacuum cleaner has a head width of over 0,320 m, then the figure of 0,320 m shall be substituted for head width in this calculation.

For the hard floor tests the suffix hf and parameter names  $SE_{hf}$ ,  $P_{hf}$ ,  $NP_{hf}$ ,  $t_{hf}$  and  $A_{hf}$  shall be used in the above equation. For the carpet tests the suffix c and parameter names  $SE_c$ ,  $P_c$ ,  $NP_c$ ,  $t_c$  and  $A_c$  shall be used in the above equation. For each of the cleaning cycles, values of  $SE_{hf}$ ,  $P_{hf}$ ,  $NP_{hf}$ ,  $t_{hf}$ ,  $A_{hf}$  and/or  $SE_c$ ,  $P_c$ ,  $NP_c$ ,  $t_c$ ,  $A_c$ , as applicable, shall be included in the technical documentation. Power equivalent of battery operated active nozzles (NP)

The general equation for the average power equivalent of battery operated active nozzles *NP* in W, applicable for carpet, hard floor and general purpose vacuum cleaners with the appropriate suffixes, is:

ANNEX VI

Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

$$NP = \frac{E}{that}$$

#### Where:

- E is the electricity consumption in Wh at an accuracy of 3 decimal places of the battery operated active nozzle of the vacuum cleaner necessary to return the initially fully charged battery to its originally fully charged state after a cleaning cycle;
- *tbat* is the total time in hours, at an accuracy of 4 decimal places, in a cleaning cycle in which the battery operated active nozzle of the vacuum cleaner is activated, in accordance with manufacturer's instructions;

In case the vacuum cleaner is not equipped with a battery operated active nozzle the value of *NP* equals zero.

For the hard floor tests the suffix hf and parameter names  $NP_{hf}$ ,  $E_{hf}$ ,  $tbat_{hf}$  shall be used in the above equation. For the carpet tests the suffix c and parameter names  $NP_c$ ,  $E_c$ ,  $tbat_c$  shall be used in the above equation. For each of the cleaning cycles, values of  $E_{hf}$ ,  $tbat_{hf}$  and/or  $E_c$ ,  $tbat_c$ , as applicable, shall be included in the technical documentation.

## 4. **Dust pick-up**

The dust pick-up on hard floor  $(dpu_{hf})$  shall be the determined as the average of the results of the two cleaning cycles in a hard floor test.

The dust pick-up on carpet  $(dpu_c)$  shall be the determined as the average of the results of the cleaning cycles in a carpet test. To correct for deviations from a test carpet's original properties, the dust pick-up on carpet  $(dpu_c)$  shall be the calculated as follows:

$$dpu_c = dpu_m \times \left(\frac{dpu_{cal}}{dpu_{ref}}\right)$$

## Where:

- $dpu_m$  is the measured dust pick-up of the vacuum cleaner;
- $dpu_{cal}$  is the dust pick-up of the reference vacuum cleaner system measured when the test carpet was in original condition;
- $dpu_{ref}$  is the measured dust pick-up of the reference vacuum cleaner system.

Values of  $dpu_m$  for each of the cleaning cycles,  $dpu_c$ ,  $dpu_{cal}$  and  $dpu_{ref}$  shall be included in the technical documentation.

#### 5. **Dust re-emission**

The dust re-emission shall be determined while the vacuum cleaner is operating at its maximum air flow.

## 6. **Sound power level**

Sound power level shall be determined on carpet.

## 7. **Hybrid vacuum cleaners**

For hybrid vacuum cleaners all measurements shall be executed with the vacuum cleaner powered by the electric mains and any battery operated active nozzle only.

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

## [F1ANNEX VII

## Product compliance verification by market surveillance authorities

#### **Textual Amendments**

F1 Substituted by Commission Delegated Regulation (EU) 2017/254 of 30 November 2016 amending Delegated Regulations (EU) No 1059/2010, (EU) No 1060/2010, (EU) No 1061/2010, (EU) No 1062/2010, (EU) No 626/2011, (EU) No 392/2012, (EU) No 874/2012, (EU) No 665/2013, (EU) No 811/2013, (EU) No 812/2013, (EU) No 65/2014, (EU) No 1254/2014, (EU) 2015/1094, (EU) 2015/1186 and (EU) 2015/1187 with regard to the use of tolerances in verification procedures (Text with EEA relevance).

The verification tolerances set out in this Annex relate only to the verification of the measured parameters by Member State authorities and shall not be used by the supplier as an allowed tolerance to establish the values in the technical documentation. The values and classes on the label or in the product fiche shall not be more favourable for the supplier than the values reported in the technical documentation.

When verifying the compliance of a product model with the requirements laid down in this Delegated Regulation, for the requirements referred to in this Annex, the authorities of the Member States shall apply the following procedure:

- (1) The Member State authorities shall verify one single unit of the model.
- (2) The model shall be considered to comply with the applicable requirements if:
  - (a) the values given in the technical documentation pursuant to Article 5(b) of Directive 2010/30/EU (declared values), and, where applicable, the values used to calculate these values, are not more favourable for the supplier than the corresponding values given in the test reports pursuant to point (iii) of the abovementioned Article; and
  - (b) the values published on the label and in the product fiche are not more favourable for the supplier than the declared values, and the indicated energy efficiency class is not more favourable for the supplier than the class determined by the declared values; and
  - (c) when the Member State authorities test the unit of the model, the determined values (the values of the relevant parameters as measured in testing and the values calculated from these measurements) comply with the respective verification tolerances as given in Table 4.
- (3) If the results referred to in points 2(a) or (b) are not achieved, the model and all models that have been listed as equivalent vacuum cleaner models in the supplier's technical documentation shall be considered not to comply with this Delegated Regulation.
- (4) If the result referred to in point 2(c) is not achieved, the Member State authorities shall select three additional units of the same model for testing. As an alternative, the three additional units selected may be of one or more different models that have been listed as equivalent vacuum cleaner in the supplier's technical documentation.
- (5) The model shall be considered to comply with the applicable requirements if for these three units, the arithmetical mean of the determined values complies with the respective tolerances given in Table 4.

ANNEX VI

Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (6) If the result referred to in point 5 is not achieved, the model and all models that have been listed as equivalent vacuum cleaner models in the supplier's technical documentation shall be considered not to comply with this Delegated Regulation.
- (7) The Member State authorities shall provide all relevant information to the authorities of the other Member States and to the Commission without delay after a decision being taken on the non-compliance of the model according to points 3 and 6.

The Member State authorities shall use the measurement and calculation methods set out in Annex VI.

The Member State authorities shall only apply the verification tolerances that are set out in Table 4 and shall only use the procedure described in points 1 to 7 for the requirements referred to in this Annex. No other tolerances, such as those set out in harmonised standards or in any other measurement method, shall be applied.

#### TABLE 4

#### **Verification tolerances**

Parameters	Verification tolerances
Annual energy consumption	The determined value shall not exceed the declared value by more than 10 %.
Dust pick-up on carpet	The determined value shall not be lower than the declared value by more than 0,03.
Dust pick-up on hard floor	The determined value shall not be lower than the declared value by more than 0,03.
Dust re-emission	The determined value shall not exceed the declared value by more than 15 %.
Sound power level	The determined value shall not exceed the declared value.]

## [F2 X2 ANNEX VIII

## Information to be provided in the case of sale, hire or hire-purchase through the internet

## **Editorial Information**

X2 Substituted by Corrigendum to Commission Delegated Regulation (EU) No 518/2014 of 5 March 2014 amending Commission Delegated Regulations (EU) No 1059/2010, (EU) No 1060/2010, (EU) No 1061/2010, (EU) No 1062/2010, (EU) No 626/2011, (EU) No 392/2012, (EU) No 874/2012, (EU) No 665/2013, (EU) No 811/2013 and (EU) No 812/2013 with regard to labelling of energy-related products on the internet (Official Journal of the European Union L 147 of 17 May 2014).

#### **Textual Amendments**

F2 Inserted by Commission Delegated Regulation (EU) No 518/2014 of 5 March 2014 amending Commission Delegated Regulations (EU) No 1059/2010, (EU) No 1060/2010, (EU) No 1061/2010, (EU) No 1062/2010, (EU) No 626/2011, (EU) No 392/2012, (EU) No 874/2012, (EU) No 665/2013, (EU)

No 811/2013 and (EU) No 812/2013 with regard to labelling of energy-related products on the internet (Text with EEA relevance).

- (1) For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
- (a) 'display mechanism' means any screen, including tactile screen, or other visual technology used for displaying internet content to users;
- (b) 'nested display' means visual interface where an image or data set is accessed by a mouse click, mouse roll-over or tactile screen expansion of another image or data set;
- (c) 'tactile screen' means a screen responding to touch, such as that of a tablet computer, slate computer or a smartphone;
- (d) 'alternative text' means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
- The appropriate label made available by suppliers in accordance with Article 3(1)(f) shall be shown on the display mechanism in proximity to the price of the product in accordance with the timetable set out in Article 3(2). The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 3 of Annex II. The label may be displayed using a nested display, in which case the image used for accessing the label shall comply with the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall appear on the first mouse click, mouse roll-over or tactile screen expansion on the image.
- (3) The image used for accessing the label in the case of nested display shall:
- (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label;
- (b) indicate on the arrow the energy efficiency class of the product in white in a font size equivalent to that of the price; and
- (c) have one of the following two formats:
- (4) In the case of nested display, the sequence of display of the label shall be as follows:
- (a) the image referred to in point 3 of this Annex shall be shown on the display mechanism in proximity to the price of the product;
- (b) the image shall link to the label;
- (c) the label shall be displayed after a mouse click, mouse roll-over or tactile screen expansion on the image;
- (d) the label shall be displayed by pop up, new tab, new page or inset screen display;
- (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
- (f) the label shall cease to be displayed by means of a close option or other standard closing mechanism;
- (g) the alternative text for the graphic, to be displayed on failure to display the label, shall be the energy efficiency class of the product in a font size equivalent to that of the price.

ANNEX VIII

Document Generated: 2024-07-18

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(5) The appropriate product fiche made available by suppliers in accordance with Article 3(1)(g) shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the product fiche is clearly visible and legible. The product fiche may be displayed using a nested display, in which case the link used for accessing the fiche shall clearly and legibly indicate 'Product fiche'. If nested display is used, the product fiche shall appear on the first mouse click, mouse roll-over or tactile screen expansion on the link.]

Changes to legislation: There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

(1) OJ L 27, 30.1.2010, p. 1.

#### **Changes to legislation:**

There are outstanding changes not yet made to Commission Delegated Regulation (EU) No 665/2013. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.

View outstanding changes

## Changes and effects yet to be applied to:

- Annex 7 word substituted by S.I. 2019/539 Sch. 5 para. 8(11)(c)(i) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 7 word substituted by S.I. 2019/539 Sch. 5 para. 8(11)(c)(ii) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 7 words substituted by S.I. 2019/539 Sch. 5 para. 8(11)(a) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Art. 6 words substituted by S.I. 2019/539 Sch. 5 para. 8(4) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Art. 7 omitted by S.I. 2019/539 Sch. 5 para. 8(5) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))

## Changes and effects yet to be applied to the whole legislation item and associated provisions

- Signature words omitted by S.I. 2019/539 Sch. 5 para. 8(6) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 3 para. 1(j) words inserted by S.I. 2019/539 Sch. 5 para. 8(8) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 3 para. 1(j) words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 8(8) by S.I. 2020/1528 reg. 4
- Annex 7(7) omitted by S.I. 2019/539 Sch. 5 para. 8(11)(b) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 2 s. 1para. 1.1 words inserted by S.I. 2019/539 Sch. 5 para. 8(7)(a) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 2 s. 1para. 1.2 words inserted by S.I. 2019/539 Sch. 5 para. 8(7)(a) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 2 s. 1para. 1.3 words inserted by S.I. 2019/539 Sch. 5 para. 8(7)(a) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 2 s. 2para. 2.1 words inserted by S.I. 2019/539 Sch. 5 para. 8(7)(b) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 2 s. 2para. 2.2 words inserted by S.I. 2019/539 Sch. 5 para. 8(7)(b) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 2 s. 2para. 2.3 words inserted by S.I. 2019/539 Sch. 5 para. 8(7)(b) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))

- Annex 2 s. 1.1 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 8(7)(a) by S.I. 2020/1528 reg. 4
- Annex 2 s. 1.2 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 8(7)(a) by S.I. 2020/1528 reg. 4
- Annex 2 s. 1.3 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 8(7)(a) by S.I. 2020/1528 reg. 4
- Annex 2 s. 2.1 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 8(7)(b) by S.I. 2020/1528 reg. 4
- Annex 2 s. 2.2 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 8(7)(b) by S.I. 2020/1528 reg. 4
- Annex 2 s. 2.3 words substituted in earlier amending provision S.I. 2019/539, Sch. 5 para. 8(7)(b) by S.I. 2020/1528 reg. 4
- Annex 4 para. 1(c) word substituted by S.I. 2019/539 Sch. 5 para. 8(9)(a) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 4 para. 3 words inserted by S.I. 2019/539 Sch. 5 para. 8(9)(b) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Annex 6 para. 1 words substituted by S.I. 2019/539 Sch. 5 para. 8(10) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Art. 2(10) words substituted by S.I. 2019/539 Sch. 5 para. 8(2)(a) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Art. 2(16) words substituted by S.I. 2019/539 Sch. 5 para. 8(2)(b) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))
- Art. 3(1)(c) words substituted by S.I. 2019/539 Sch. 5 para. 8(3) (This amendment not applied to legislation.gov.uk. Sch. 5 para. 8 omitted immediately before IP completion day by virtue of S.I. 2020/1528, regs. 1(2), 10(c))