

Commission Regulation (EU) No 1127/2014 of 20 October 2014 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for amitrole, dinocap, fipronil, flufenacet, pendimethalin, propyzamide, and pyridate in or on certain products (Text with EEA relevance)

COMMISSION REGULATION (EU) No 1127/2014

of 20 October 2014

amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for amitrole, dinocap, fipronil, flufenacet, pendimethalin, propyzamide, and pyridate in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC⁽¹⁾, and in particular Article 14(1)(a) and Articles 18(4) and 49(2) thereof,

Whereas:

- (1) For amitrole, flufenacet, pendimethalin, propyzamide and pyridate, maximum residue levels (MRLs) were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For dinocap and fipronil, MRLs were set in Part A of Annex III to that Regulation.
- (2) For amitrole, the European Food Safety Authority, hereinafter ‘the Authority’, submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽²⁾. The Authority concluded that concerning the MRLs in citrus fruits, almonds, hazelnuts, walnuts, pome fruits, stone fruits, table and wine grapes, currants, gooseberries, table olives and olives for oil production some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (3) For dinocap, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽³⁾. All existing authorisations for plant protection products containing the active substance dinocap have been revoked. It is therefore appropriate

to set the MRLs at the specific limit of determination or the level of Codex MRLs which are safe for consumers in the Union. It is also appropriate to change the residue definition.

- (4) The Authority indicated that the existing MRLs for dinocap in wine grapes and melons may raise concerns of consumer protection. The MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1) (b) of Regulation (EC) No 396/2005.
- (5) For fipronil, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽⁴⁾. It recommended lowering the MRLs for flowering and head brassicas, swine, bovine, sheep and goat fat and liver, swine kidney, poultry liver and eggs. For other products it recommended raising or keeping the existing MRLs.
- (6) In accordance with Article 53 of Regulation (EC) No 1107/2009 of the European Parliament and of the Council⁽⁵⁾, Germany notified on 10 February 2012 to the Commission the temporary authorisation of plant protection products containing the active substance fipronil, due to an outbreak of *Elateridae* species, a danger that could not be contained effectively by any other reasonable means. Consequently, Germany also notified the other Member States, the Commission and the Authority in accordance with Article 18(4) of Regulation (EC) No 396/2005 of its request for an increase of the MRL in poultry fat, as potatoes containing fipronil residues compliant with the existing MRL in potatoes may be fed to chicken, leading to residues above the existing MRL in poultry fat.
- (7) Germany submitted to the Commission an appropriate consumer risk assessment and proposed temporary MRLs on that basis.
- (8) The Authority assessed the data provided and issued a reasoned opinion on the safety of the proposed temporary MRLs in accordance with Article 18(4) of Regulation (EC) No 396/2005⁽⁶⁾. It concluded that a potential long-term consumer health risk could not be excluded.
- (9) As exposure to residues from different products contributed to the potential long-term consumer health risk, the authorisations for the uses on head cabbage and kale were withdrawn at the request of the authorisation holder.
- (10) Commission Regulation (EU) No 212/2013⁽⁷⁾ entered into force on 1 April 2013, thereby amending Annex I to Regulation (EC) No 396/2005.
- (11) The European Commission requested the Authority to recalculate the expected residue levels of fipronil in commodities of animal origin and the consumer exposure resulting from those residue levels, taking into account the withdrawal of authorisations for uses on head cabbage and kale and the amendment of Annex I to Regulation (EC) No 396/2005. The Authority submitted a reasoned opinion on the modification of MRLs following the withdrawal of uses on head cabbage and kale in accordance with Article 43 of Regulation (EC) No 396/2005⁽⁸⁾. It concluded that the proposed MRLs are adequately supported by data and no risk for consumers was identified.

- (12) For flufenacet, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽⁹⁾. It recommended lowering the MRLs for swine, bovine, sheep, goat and poultry liver. For other products it recommended raising or keeping the existing MRLs. The Authority concluded that concerning the MRLs in strawberries, blueberries, cranberries, currants and gooseberries some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (13) For pendimethalin, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽¹⁰⁾. It recommended lowering the MRLs for carrots, legume vegetables (fresh), pulses (dry), peanuts, sunflower seed, soya bean, cotton seed, swine, bovine, sheep, goat and poultry meat and fat, milk and birds' eggs. Taking into account additional information on the good agricultural practice provided by Germany and the Netherlands and as there is no risk for consumers, the MRL for carrots should be set in Annex II to Regulation (EC) No 396/2005 at the existing level. That MRL will be reviewed; the review will take into account the information available within two years from the publication of this Regulation. For other products the Authority recommended raising or keeping the existing MRLs.
- (14) The Authority concluded that concerning the MRLs for pendimethalin in strawberries, garlic, onions, shallots, tomatoes, peppers, aubergines, cucurbits with edible and inedible peel, globe artichokes, leek, swine, bovine, sheep and goat liver and kidney, and poultry liver some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (15) The Authority concluded that concerning the MRLs for pendimethalin in witloof, rape seed, herbal infusions (dried, flowers) and spices (fruits and berries) no information was available and that further consideration by risk managers was required. The MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (16) The Authority concluded that concerning the MRLs for pendimethalin in horseradish, parsnips and parsley root no information was available and that further consideration by risk managers was required. Taking into account additional information on the good agricultural practices provided by Germany, Latvia and the Netherlands and as there is no risk for consumers, the MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level. Those MRLs will be reviewed;

the review will take into account the information available within two years from the publication of this Regulation.

- (17) As regards pendimethalin in salsify, herbal infusions (dried, roots), spices (seeds) and caraway, the Authority submitted an opinion concerning MRLs for those products⁽¹¹⁾.
- (18) For propyzamide, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽¹²⁾. It proposed to change the residue definition. It recommended lowering the MRLs for table and wine grapes, strawberries, cane fruits, blueberries, cranberries, currants, gooseberries, elderberries, salsify, witloof, rhubarb, sunflower seed, rape seed, soya bean, sugar beet (root) and chicory roots. For other products it recommended keeping the existing MRLs.
- (19) The Authority concluded that concerning the MRLs for propyzamide in lamb's lettuce, lettuce, escarole, cress, rocket (rucola), leaves and sprouts of brassica, herbs, beans (dry), lentils, peas (dry), swine, bovine, sheep and goat meat, fat, liver and kidney, and ruminant milk some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (20) The Authority concluded that concerning the MRLs for propyzamide in leek and hops no information was available and that further consideration by risk managers was required. The MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (21) As regards propyzamide in herbal infusions (dried), the Authority submitted an opinion concerning MRLs for those products⁽¹³⁾.
- (22) For pyridate, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽¹⁴⁾. The Authority concluded that concerning the MRLs in salsify, garlic, onions, shallots, spring onions, sweet corn, flowering brassica, Brussels sprouts, head cabbage, kale, kohlrabi, chives, asparagus, leek, lupins, poppy seed, rape seed, maize, herbal infusions (dried, flowers), herbal infusions (dried, leaves), herbal infusions (dried, roots), spices (seeds), spices (fruits and berries), swine, bovine, sheep and goat meat, fat, liver and kidney, poultry meat, fat and liver, ruminant milk and birds' eggs some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (23) The Authority concluded that concerning the MRLs for pyridate in globe artichokes, barley, rice and wheat no information was available and that further consideration by

risk managers was required. The MRLs for those products should be set at the specific limit of or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.

- (24) As regards pyridate in celery leaves (dill leaves), the Authority submitted an opinion concerning the MRL for that product⁽¹⁵⁾.
- (25) As regards products for which neither relevant authorisations or import tolerances were reported at Union level nor Codex MRLs were available, the Authority concluded that further consideration by risk managers was required. Taking into account the current scientific and technical knowledge, MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (26) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Articles 14(2) and 18(4) of Regulation (EC) No 396/2005.
- (27) Through the World Trade Organisation, the trading partners of the Union were consulted on the new MRLs and their comments have been taken into account.
- (28) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (29) In order to allow for the normal marketing, processing and consumption of products, this Regulation should provide for a transitional arrangement for products which have been lawfully produced before the modification of the MRLs and for which information shows that a high level of consumer protection is maintained.
- (30) A reasonable period should be allowed to elapse before the modified MRLs become applicable in order to permit Member States, third countries and food business operators to prepare themselves to meet the new requirements which will result from the modification of the MRLs.
- (31) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II and III to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

As regards the active substances in and on products, as set out in the following list, Regulation (EC) No 396/2005 as it stood before being amended by this Regulation shall continue to apply to products which were lawfully produced before 13 May 2015:

- (1) amitrole: all products;
- (2) dinocap: all products except wine grapes and melons;
- (3) fipronil, flufenacet, pendimethalin, propyzamide and pyridate: all products.

Article 3

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

However, it shall apply from 13 May 2015.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 October 2014.

For the Commission

The President

José Manuel BARROSO

ANNEX

Annexes II and III to Regulation (EC) No 396/2005 are amended as follows:

(1) Annex II is amended as follows:

- (a) the columns for amitrole, flufenacet, pendimethalin, propyzamide and pyridate are replaced by the following:

PESTICIDE RESIDUES AND
MAXIMUM RESIDUE LEVELS (MG/KG)

| Code number | Groups and examples of individual products to which the MRLs apply ^b | Amitrole | Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet) | Pendimethalin (F) | Propyzamide (F) (R) | Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate) |
|-------------|---|-----------------------|--|-------------------|---------------------|--|
| 0100000 | 1. FRUIT FRESH OR FROZEN NUTS | | 0,05 ^a | 0,05 ^a | | 0,05 ^a |
| 0110000 | (i) Citrus fruit | 0,01 ^a (+) | | | 0,01 ^a | |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|--|-------------------|--|--|-------------------|--|
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>)) | | | | | |
| 0110040 | Limes | | | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> × <i>sinensis</i>)) | | | | | |
| 0110990 | Others | | | | | |
| 0120000 | (ii) Tree nuts | 0,02 ^a | | | | |
| 0120010 | Almonds (+) | | | | 0,02 | |
| 0120020 | Brazil nuts | | | | 0,01 ^a | |
| 0120030 | Cashew nuts | | | | 0,01 ^a | |
| 0120040 | Chestnuts | | | | 0,02 | |
| 0120050 | Coconuts | | | | 0,01 ^a | |
| 0120060 | Hazelnuts (+) (Filbert) | | | | 0,02 | |
| 0120070 | Macadamia | | | | 0,01 ^a | |
| 0120080 | Pecans | | | | 0,01 ^a | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|------------------------|-----------------------|--|-------------------|--|
| 0120090 | Pine nuts | | | | 0,01 ^a | |
| 0120100 | Pistachios | | | | 0,01 ^a | |
| 0120110 | Walnuts | (+) | | | 0,02 | |
| 0120990 | Others | | | | 0,01 ^a | |
| 0130000 | (iii) | Pome fruit | 0,01 ^a (+) | | 0,02 | |
| 0130010 | Apples (Crab apple) | | | | | |
| 0130020 | Pears (Oriental pear) | | | | | |
| 0130030 | Quinces | | | | | |
| 0130040 | Medlar | | | | | |
| 0130050 | Loquat | | | | | |
| 0130990 | Others | | | | | |
| 0140000 | (iv) | Stone fruit | 0,01 ^a (+) | | 0,02 | |
| 0140010 | Apricots | | | | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | | | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | | | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/ Chinese date/ Chinese jujube (<i>Ziziphus zizyphus</i>)) | | | | | |
| 0140990 | Others | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|-----|--|-----|-----|-------------------|--|
| 0150000 | (v) | Berries & small fruit | | | 0,01 ^a | |
| 0151000 | (a) | 0,05 (+) <i>Table and wine grapes</i> | | | | |
| 0151010 | | Table grapes | | | | |
| 0151020 | | Wine grapes | | | | |
| 0152000 | (b) | 0,01 ^a <i>Strawberries</i> | (+) | (+) | | |
| 0153000 | (c) | 0,01 ^a <i>Cane fruit</i> | | | | |
| 0153010 | | Blackberries | | | | |
| 0153020 | | Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids) | | | | |
| 0153030 | | Raspberries (Wineberries, arctic bramble/ raspberry, (<i>Rubus</i> <i>arcticus</i>), nectar raspberries (<i>Rubus</i> <i>arcticus</i> × <i>Rubus</i> <i>idaeus</i>)) | | | | |
| 0153990 | | Others | | | | |
| 0154000 | (d) | 0,01 ^a <i>Other small fruit & berries</i> | | | | |

| | | | | | | |
|---------|---|-----|-----|--|--|--|
| 0154010 | Blueberries (Bilberries) | | (+) | | | |
| 0154020 | Cranberries (Cowberries/ red bilberries (<i>V. vitis- idaea</i>)) | | (+) | | | |
| 0154030 | Currants (red, black and white) | (+) | (+) | | | |
| 0154040 | Gooseberries (Including hybrids with other <i>Ribes</i> species) | | (+) | | | |
| 0154050 | Rose hips | | | | | |
| 0154060 | Mulberries (Arbutus berry) | | | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>)) | | | | | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buckthorn/ sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | | | | |
| 0154990 | Others | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|--|--|--|-------------------|--|
| 0160000 | (vi) | Miscellaneous fruit | | | 0,01 ^a | |
| 0161000 | (a) | <i>Edible peel</i> | | | | |
| 0161010 | Dates | 0,01 ^a | | | | |
| 0161020 | Figs | 0,01 ^a | | | | |
| 0161030 | Table olives | 0,05 ^a (+) | | | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.)) | 0,01 ^a | | | | |
| 0161050 | Carambola (Bilimbi) | 0,01 ^a | | | | |
| 0161060 | Persimmon | 0,01 ^a | | | | |
| 0161070 | Jambolan (java plum) (Java apple/ water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/ grumichama (<i>Eugenia uniflora</i>)) | 0,01 ^a | | | | |
| 0161990 | Others | 0,01 ^a | | | | |
| 0162000 | (b) | 0,01 ^a <i>Inédible peel, small</i> | | | | |
| 0162010 | Kiwi | | | | | |

| | | | | | | |
|---------|---|--|--|--|--|--|
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak) | | | | | |
| 0162030 | Passion fruit | | | | | |
| 0162040 | Prickly pear (cactus fruit) | | | | | |
| 0162050 | Star apple | | | | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/ yellow sapote, mammey sapote) | | | | | |
| 0162990 | Others | | | | | |
| 0163000 | (c) | 0,01 ^a <i>Inédible peel, large</i> | | | | |
| 0163010 | Avocados | | | | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | | | |
| 0163030 | Mangoes | | | | | |
| 0163040 | Papaya | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | |
|---------|---|-------------------|-------------------|-------------------|-------------------|
| 0163050 | Pomegranate | | | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized <i>Annonaceae</i> fruits) | | | | |
| 0163070 | Guava (Red pitaya/ dragon fruit (<i>Hylocereus undatus</i>)) | | | | |
| 0163080 | Pineapples | | | | |
| 0163090 | Bread fruit (Jackfruit) | | | | |
| 0163100 | Durian | | | | |
| 0163110 | Soursop (guanabana) | | | | |
| 0163990 | Others | | | | |
| 0200000 | 2. VEGETABLES FRESH OR FROZEN | | | | |
| 0210000 | (i) Root and tuber vegetables | 0,01 ^a | | 0,01 ^a | 0,05 ^a |
| 0211000 | (a) <i>Potatoes</i> | 0,15 | 0,05 ^a | | |
| 0212000 | (b) <i>Tropical root and</i> | 0,05 ^a | 0,05 ^a | | |

| | | | | | | |
|---------|--|--|-------------------|-------------------|--|--|
| | | <i>tuber vegetables</i> | | | | |
| 0212010 | Cassava (Dasheen, eddoe/ Japanese taro, tannia) | | | | | |
| 0212020 | Sweet potatoes | | | | | |
| 0212030 | Yams (Potato bean/ yam bean, Mexican yam bean) | | | | | |
| 0212040 | Arrowroot | | | | | |
| 0212990 | Others | | | | | |
| 0213000 | (c) | <i>Other root and tuber vegetables except sugar beet</i> | 0,05 ^a | | | |
| 0213010 | Beetroot | | | 0,05 ^a | | |
| 0213020 | Carrots | | | 0,2 (+) | | |
| 0213030 | Celeriac | | | 0,1 | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | | 0,2 (+) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | | 0,05 ^a | | |
| 0213060 | Parsnips | | | 0,2 (+) | | |
| 0213070 | Parsley root | | | 0,2 (+) | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|---|-------------------|-------------------|-------------------|-----------------------|
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>)) | | | 0,05 ^a | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | | 0,2 | | (+) |
| 0213100 | Swedes | | | 0,05 ^a | | |
| 0213110 | Turnips | | | 0,05 ^a | | |
| 0213990 | Others | | | 0,05 ^a | | |
| 0220000 | (ii) | 0,01 ^a Bulb vegetables | 0,05 ^a | 0,05 ^a | 0,01 ^a | |
| 0220010 | Garlic | | | (+) | | 0,05 ^a (+) |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | | (+) | | 0,05 ^a (+) |
| 0220030 | Shallots | | | (+) | | 0,05 ^a (+) |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | | | | 1 (+) |
| 0220990 | Others | | | | | 0,05 ^a |

| | | | | | | |
|---------|-------|---|-------------------|-------------------|-------------------|-------------------|
| 0230000 | (iii) | 0,01 ^a Fruiting vegetables | 0,05 ^a | 0,05 ^a | | 0,05 ^a |
| 0231000 | (a) | Solanacea | | | 0,01 ^a | |
| 0231010 | | Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato) | | (+) | | |
| 0231020 | | Peppers (Chilli peppers) | | (+) | | |
| 0231030 | | Aubergines (egg plants) (Pepino, antroewa/ white eggplant (<i>S. macrocarpon</i>)) | | (+) | | |
| 0231040 | | Okra (lady's fingers) | | | | |
| 0231990 | | Others | | | | |
| 0232000 | (b) | <i>Cucurbits edible peel</i> | | (+) | | |
| 0232010 | | Cucumbers | | | 0,01 ^a | |
| 0232020 | | Gherkins | | | 0,01 ^a | |
| 0232030 | | Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), | | | 0,02 | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|-------------------|-------------------|------|-------------------|-----------------------|
| | chayote, sopropo/ bitter melon, snake gourd, angled luffa/ teroi) | | | | | |
| 0232990 | Others | | | | 0,01 ^a | |
| 0233000 | (c) <i>Cucurbits- inedible peel</i> | | | (+) | | |
| 0233010 | Melons (Kiwano) | | | | 0,01 ^a | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | | | | 0,02 | |
| 0233030 | Watermelons | | | | 0,01 ^a | |
| 0233990 | Others | | | | 0,01 ^a | |
| 0234000 | (d) <i>Sweet corn (Baby corn)</i> | | | | 0,01 ^a | (+) |
| 0239000 | (e) <i>Other fruiting vegetables</i> | | | | 0,01 ^a | |
| 0240000 | (iv) 0,01^a Brassica vegetables | 0,05 ^a | | | | |
| 0241000 | (a) <i>Flowering brassica</i> | | 0,05 ^a | 0,02 | | 0,05 ^a (+) |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | | | | |
| 0241020 | Cauliflower | | | | | |
| 0241990 | Others | | | | | |

| | | | | | | |
|---------|---|---------------------------|--|-------------------|-------------------|-----------------------|
| 0242000 | (b) | <i>Head brassica</i> | | 0,05 ^a | 0,01 ^a | |
| 0242010 | Brussels sprouts | | | | | 0,05 ^a (+) |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | | | 1,5 (+) |
| 0242990 | Others | | | | | 0,05 ^a |
| 0243000 | (c) | <i>Leafy brassica</i> | | 0,5 | 0,01 ^a | |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ ai goo choi), choi sum, Peking cabbage/ pe-tsai) | | | | | 0,05 ^a |
| 0243020 | Kale (Borecole/ curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | | | 0,2 (+) |
| 0243990 | Others | | | | | 0,05 ^a |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|-----|--|-------------------|-------------------|-------------------|-----------------------|
| 0244000 | (d) | <i>Kohlrabi</i> | | 0,3 | 0,01 ^a | 0,05 ^a (+) |
| 0250000 | (v) | Leaf vegetables & fresh herbs | 0,05 ^a | | | |
| 0251000 | (a) | 0,01 ^a <i>Lettuce and other salad plants including Brassicacea</i> | | | | 0,05 ^a |
| 0251010 | | Lamb's lettuce (Italian corn salad) | | 0,6 | 0,6 (+) | |
| 0251020 | | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | 0,05 ^a | 0,6 (+) | |
| 0251030 | | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i>)) | | 0,05 ^a | 0,6 (+) | |

| | | | | | | |
|---------|---|--|--|-------------------|-------------------|--|
| | <i>C. intybus</i> var. <i>foliosum</i>), dandelion greens) | | | | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | | 0,6 | 0,2 (+) | |
| 0251050 | Land cress | | | 0,05 ^a | 0,01 ^a | |
| 0251060 | Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.)) | | | 0,6 | 0,2 (+) | |
| 0251070 | Red mustard | | | 0,05 ^a | 0,01 ^a | |
| 0251080 | Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | | 0,6 | 0,2 (+) | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|--|---|--|-------------------|-------------------|-------------------|
| 0251990 | Others | | | 0,05 ^a | 0,01 ^a | |
| 0252000 | (b) | 0,01 ^a <i>Spinach & similar (leaves)</i> | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak- khom, tampara), tajer leaves, bitterblad/ bitawiri) | | | | | |
| 0252020 | Purslane (Winter purslane/ miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (<i>Salsola soda</i>)) | | | | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | | | |
| 0252990 | Others | | | | | |
| 0253000 | (c) | 0,01 ^a <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing</i> | | 0,05 ^a | 0,01 ^a | 0,05 ^a |

| | | | | | | |
|---------|---|--|--|-------------------|-------------------|-----------------------|
| | | wattle (<i>Acacia pennata</i>) | | | | |
| 0254000 | (d) | 0,01 ^a Water cress (<i>Morning glory/ Chinese convolvulus/ water convolvulus/ water spinach/ kangkung (Ipomea aquatica), water clover, water mimosa</i>) | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0255000 | (e) | 0,01 ^a Willow | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0256000 | (f) | 0,02 ^a Herbs | | | 0,2 (+) | |
| 0256010 | Chervil | | | 0,6 | | 0,05 ^a |
| 0256020 | Chives | | | 0,6 | | 0,05 ^a (+) |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/ stinking/ long coriander/ stink | | | 0,6 | | 0,3 |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|--|--|--|-----|--|-------------------|
| | weed (<i>Eryngium foetidum</i>) | | | | | |
| 0256040 | Parsley (leaves of root parsley) | | | 2 | | 0,05 ^a |
| 0256050 | Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves) | | | 2 | | 0,05 ^a |
| 0256060 | Rosemary | | | 0,6 | | 0,05 ^a |
| 0256070 | Thyme (Marjoram, oregano) | | | 0,6 | | 0,05 ^a |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | | 0,6 | | 0,05 ^a |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | | 0,6 | | 0,05 ^a |
| 0256100 | Tarragon (Hyssop) | | | 0,6 | | 0,05 ^a |

| | | | | | | |
|---------|--|---|-------------------|-------------------|-------------------|-------------------|
| 0256990 | Others | | | 0,6 | | 0,05 ^a |
| 0260000 | (vi) | 0,01^a Légume vegetables (fresh) | 0,05 ^a | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0260010 | Beans (with pods) (Green bean/ French beans/ snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | | | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | | | | |
| 0260030 | Peas (with pods) (Mangetout/ sugar peas/ snow peas) | | | | | |
| 0260040 | Peas (without pods) (Garden pea, | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|-------------------|-------------------|-----------------------|-------------------|-----------------------|
| | green pea, chickpea) | | | | | |
| 0260050 | Lentils | | | | | |
| 0260990 | Others | | | | | |
| 0270000 | (vii) Stem vegetables (fresh) | 0,01 ^a | 0,05 ^a | | | |
| 0270010 | Asparagus | | | 0,05 ^a | 0,01 ^a | 0,05 ^a (+) |
| 0270020 | Cardoons (<i>Borago officinalis</i> stems) | | | 0,05 ^a | 0,02 | 0,05 ^a |
| 0270030 | Celery | | | 0,1 | 0,01 ^a | 0,05 ^a |
| 0270040 | Fennel | | | 0,1 | 0,01 ^a | 0,05 ^a |
| 0270050 | Globe artichokes (Banana flower) | | | 0,05 ^a (+) | 0,02 | 0,05 ^a |
| 0270060 | Leek | | | 0,05 ^a (+) | 0,01 ^a | 1 (+) |
| 0270070 | Rhubarb | | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0270080 | Bamboo shoots | | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0270090 | Palm hearts | | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0270990 | Others | | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0280000 | (viii) Fungi | 0,01 ^a | 0,05 ^a | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts)) | | | | | |
| 0280020 | Wild fungi (Chanterelle, truffle, | | | | | |

| | | | | | | |
|---------|---|---|-------------------|-------------------|-------------------|-------------------|
| | morel, cep) | | | | | |
| 0280990 | Others | | | | | |
| 0290000 | (ix) | 0,01 ^a Sea weeds | 0,05 ^a | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0300000 | 3. | 0,01 ^a PULSES, DRY | 0,05 ^a | 0,15 | 0,01 ^a | 0,05 ^a |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | | (+) | |
| 0300020 | Lentils | | | | (+) | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | | (+) | |
| 0300040 | Lupins | | | | | (+) |
| 0300990 | Others | | | | | |
| 0400000 | 4. | OILSEEDS AND OILFRUITS | 0,05 ^a | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0401000 | (i) | 0,02 ^a Oilseeds | | | | |
| 0401010 | Linseed | | | | | |
| 0401020 | Peanuts | | | | | |
| 0401030 | Poppy seed | | | | | (+) |
| 0401040 | Sesame seed | | | | | |
| 0401050 | Sunflower seed | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|-----------------------|--|--|--|-----|
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | | | (+) |
| 0401070 | Soya bean | | | | | |
| 0401080 | Mustard seed | | | | | |
| 0401090 | Cotton seed | | | | | |
| 0401100 | Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i>) | | | | | |
| 0401110 | Safflower | | | | | |
| 0401120 | Borage (Purple viper's bugloss/ Canary flower (<i>Echium plantagineum</i>), Corn Gromwell (<i>Buglossoides arvensis</i>)) | | | | | |
| 0401130 | Gold of pleasure | | | | | |
| 0401140 | Hempseed | | | | | |
| 0401150 | Castor bean | | | | | |
| 0401990 | Others | | | | | |
| 0402000 | (ii) Oilfruits | | | | | |
| 0402010 | Olives for oil production | 0,05 ^a (+) | | | | |
| 0402020 | Palm nuts (palmoil kernels) | 0,02 ^a | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|---|-------------------|-------------------|-------------------|-------------------|
| 0402030 | Palmfruit | 0,02 ^a | | | | |
| 0402040 | Kapok | 0,02 ^a | | | | |
| 0402990 | Others | 0,02 ^a | | | | |
| 0500000 | 5. | 0,01 ^a CEREALS | | 0,05 ^a | 0,01 ^a | 0,05 ^a |
| 0500010 | Barley | | 0,1 | | | |
| 0500020 | Buckwheat (<i>Amaranthus</i> , quinoa) | | 0,05 ^a | | | |
| 0500030 | Maize | | 0,05 ^a | | | (+) |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | 0,05 ^a | | | |
| 0500050 | Oats | | 0,05 ^a | | | |
| 0500060 | Rice (Indian/ wild rice (<i>Zizania aquatica</i>)) | | 0,05 ^a | | | |
| 0500070 | Rye | | 0,05 ^a | | | |
| 0500080 | Sorghum | | 0,05 ^a | | | |
| 0500090 | Wheat (Spelt, triticale) | | 0,1 | | | |
| 0500990 | Others (Canary grass seeds (<i>Phalaris canariensis</i>)) | | 0,05 ^a | | | |
| 0600000 | 6. | 0,05 ^a TEA, COFFEE, HERBAL INFUSIONS AND COCOA | 0,05 ^a | | | |
| 0610000 | (i) | Tea | | 0,05 ^a | 0,05 ^a | 0,05 ^a |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|-------|--|--|-------------------|-------------------|-----------------------|
| 0620000 | (ii) | Coffee beans | | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0630000 | (iii) | Herbal infusions (dried) | | | | |
| 0631000 | (a) | <i>Flowers</i> | | 0,05 ^a | 0,4 | 2 (+) |
| 0631010 | | Camomille flowers | | | | |
| 0631020 | | Hybiscus flowers | | | | |
| 0631030 | | Rose petals | | | | |
| 0631040 | | Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>)) | | | | |
| 0631050 | | Lime (linden) | | | | |
| 0631990 | | Others | | | | |
| 0632000 | (b) | <i>Leaves</i> | | 0,05 ^a | 0,4 | 2 (+) |
| 0632010 | | Strawberry leaves | | | | |
| 0632020 | | Rooibos leaves (Ginkgo leaves) | | | | |
| 0632030 | | Maté | | | | |
| 0632990 | | Others | | | | |
| 0633000 | (c) | <i>Roots</i> | | 0,5 | 0,05 ^a | 0,05 ^a (+) |
| 0633010 | | Valerian root | | | | |
| 0633020 | | Ginseng root | | | | |
| 0633990 | | Others | | | | |
| 0639000 | (d) | <i>Other herbal infusions</i> | | 0,05 ^a | 0,05 ^a | 0,05 ^a |

| | | | | | | |
|---------|--|--|-------------------|-------------------|-------------------|-------------------|
| 0640000 | (iv) | Cocoabeans (fermented or dried) | | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0650000 | (v) | Carob (st johns bread) | | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0700000 | 7. | 0,05^a HOPS (dried) | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0800000 | 8. | SPICES | | | | |
| 0810000 | (i) | 0,05^a Seeds | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,15 (+) |
| 0810010 | Anise | | | | | |
| 0810020 | Black caraway | | | | | |
| 0810030 | Celery seed (Lovage seed) | | | | | |
| 0810040 | Coriander seed | | | | | |
| 0810050 | Cumin seed | | | | | |
| 0810060 | Dill seed | | | | | |
| 0810070 | Fennel seed | | | | | |
| 0810080 | Fenugreek | | | | | |
| 0810090 | Nutmeg | | | | | |
| 0810990 | Others | | | | | |
| 0820000 | (ii) | 0,05^a Fruits and berries | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,15 (+) |
| 0820010 | Allspice | | | | | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|---|-------------------|-------------------|-------------------|-------------------|-------------------|
| 0820030 | Caraway | | | | | |
| 0820040 | Cardamom | | | | | |
| 0820050 | Juniper berries | | | | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | | | | |
| 0820070 | Vanilla pods | | | | | |
| 0820080 | Tamarind | | | | | |
| 0820990 | Others | | | | | |
| 0830000 | (iii) Bark | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0830010 | Cinnamon (Cassia) | | | | | |
| 0830990 | Others | | | | | |
| 0840000 | (iv) Roots or rhizome | | | | | |
| 0840010 | Liquorice | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0840020 | Ginger | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0840030 | Turmeric (Curcuma) | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0840040 | Horseradish ⁽⁺⁾ | (+) | (+) | (+) | (+) | (+) |
| 0840990 | Others | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0850000 | (v) Buds | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0850010 | Cloves | | | | | |
| 0850020 | Capers | | | | | |
| 0850990 | Others | | | | | |
| 0860000 | (vi) Flower stigma | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0860010 | Saffron | | | | | |

| | | | | | | |
|---------|-------------------------|---|-------------------|-------------------|-------------------|-----------------------|
| 0860990 | Others | | | | | |
| 0870000 | (vii) | 0,05 ^a Aril | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 0870010 | Mace | | | | | |
| 0870990 | Others | | | | | |
| 0900000 | 9. | 0,01 ^a SUGAR PLANTS | 0,05 ^a | 0,05 ^a | | 0,05 ^a |
| 0900010 | Sugar beet (root) | | | | 0,08 | |
| 0900020 | Sugar cane | | | | 0,01 ^a | |
| 0900030 | Chicory roots | | | | 0,01 ^a | |
| 0900990 | Others | | | | 0,01 ^a | |
| 1000000 | 10. | PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS | | | | |
| 1010000 | (i) | 0,01 ^a Tissue | | 0,01 ^a | | |
| 1011000 | (a) | <i>Swine</i> | | | (+) | |
| 1011010 | Muscle | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1011020 | Fat | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1011030 | Liver | | 0,02 ^a | (+) | 0,1 ^a | 0,1 (+) |
| 1011040 | Kidney | | 0,05 ^a | (+) | 0,1 ^a | 0,3 (+) |
| 1011050 | Edible offal | | 0,05 ^a | | 0,1 ^a | 0,3 (+) |
| 1011990 | Others | | 0,05 ^a | | 0,1 ^a | 0,3 (+) |
| 1012000 | (b) | <i>Bovine</i> | | | (+) | |
| 1012010 | Muscle | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1012020 | Fat | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1012030 | Liver | | 0,02 ^a | (+) | 0,1 ^a | 0,2 (+) |
| 1012040 | Kidney | | 0,05 ^a | (+) | 0,1 ^a | 2 (+) |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|--------------|--|-------------------|-----|-------------------|-----------------------|
| 1012050 | Edible offal | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1012990 | Others | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1013000 | (c) | <i>Sheep</i> | | | (+) | |
| 1013010 | Muscle | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1013020 | Fat | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1013030 | Liver | | 0,02 ^a | (+) | 0,1 ^a | 0,2 (+) |
| 1013040 | Kidney | | 0,05 ^a | (+) | 0,1 ^a | 2 (+) |
| 1013050 | Edible offal | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1013990 | Others | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1014000 | (d) | <i>Goat</i> | | | (+) | |
| 1014010 | Muscle | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1014020 | Fat | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1014030 | Liver | | 0,02 ^a | (+) | 0,1 ^a | 0,2 (+) |
| 1014040 | Kidney | | 0,05 ^a | (+) | 0,1 ^a | 2 (+) |
| 1014050 | Edible offal | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1014990 | Others | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1015000 | (e) | <i>Horses, asses, mules or hinnies</i> | | | (+) | |
| 1015010 | Muscle | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1015020 | Fat | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1015030 | Liver | | 0,02 ^a | | 0,1 ^a | 0,2 (+) |
| 1015040 | Kidney | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1015050 | Edible offal | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1015990 | Others | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1016000 | (f) | <i>Poultry + chicken, geese, duck,</i> | | | | 0,05 ^a |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|-----------------|--|-------------------|-------------------|-----------------------|-----------------------|
| | | <i>turkey and Guinea fowl-, ostrich, pigeon</i> | | | | |
| 1016010 | Muscle | | 0,05 ^a | | 0,01 ^a | (+) |
| 1016020 | Fat | | 0,05 ^a | | 0,01 ^a | (+) |
| 1016030 | Liver | | 0,02 ^a | (+) | 0,1 ^a | (+) |
| 1016040 | Kidney | | 0,05 ^a | | 0,1 ^a | |
| 1016050 | Edible offal | | 0,05 ^a | | 0,1 ^a | |
| 1016990 | Others | | 0,05 ^a | | 0,1 ^a | |
| 1017000 | (g) | <i>Other farm animals (Rabbit, kangaroo, deer)</i> | | | (+) | |
| 1017010 | Muscle | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1017020 | Fat | | 0,05 ^a | | 0,01 ^a | 0,05 ^a (+) |
| 1017030 | Liver | | 0,02 ^a | | 0,1 ^a | 0,2 (+) |
| 1017040 | Kidney | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1017050 | Edible offal | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1017990 | Others | | 0,05 ^a | | 0,1 ^a | 2 (+) |
| 1020000 | (ii) | 0,01^a Milk | 0,01 ^a | 0,01 ^a | 0,01 ^a (+) | 0,05 ^a (+) |
| 1020010 | Cattle | | | | | |
| 1020020 | Sheep | | | | | |
| 1020030 | Goat | | | | | |
| 1020040 | Horse | | | | | |
| 1020990 | Others | | | | | |
| 1030000 | (iii) | 0,05^a Bird eggs | 0,05 ^a | 0,01 ^a | 0,01 ^a | 0,05 ^a (+) |
| 1030010 | Chicken | | | | | |
| 1030020 | Duck | | | | | |
| 1030030 | Goose | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|--------|---|-------------------|-------------------|-------------------|-------------------|
| 1030040 | Quail | | | | | |
| 1030990 | Others | | | | | |
| 1040000 | (iv) | 0,05 ^a Honey (Royal jelly, pollen, honey comb with honey (comb honey)) | 0,05 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a |
| 1050000 | (v) | 0,01 ^a Amphibians and reptiles (Frog legs, crocodiles) | 0,05 ^a | 0,01 ^a | 0,02 ^a | 0,05 ^a |
| 1060000 | (vi) | 0,01 ^a Snails | 0,05 ^a | 0,01 ^a | 0,02 ^a | 0,05 ^a |
| 1070000 | (vii) | 0,01 ^a Other terrestrial animal products (Wild game) | 0,05 ^a | 0,01 ^a | 0,02 ^a | 0,05 ^a |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

Amitrole

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|---|
| 0110000 | Citrus fruit |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>)) |
| 0110040 | Limes |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> × <i>sinensis</i>)) |
| 0110990 | Others |
| 0120010 | Almonds |
| 0120060 | Hazelnuts (Filbert) |
| 0120110 | Walnuts |
| 0130000 | Pome fruit |

| | |
|----------------|--|
| 0130010 | Apples (Crab apple) |
| 0130020 | Pears (Oriental pear) |
| 0130030 | Quinces |
| 0130040 | Medlar |
| 0130050 | Loquat |
| 0130990 | Others |
| 0140000 | Stone fruit |
| 0140010 | Apricots |
| 0140020 | Cherries (Sweet cherries, sour cherries) |
| 0140030 | Peaches (Nectarines and similar hybrids) |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Zizyphus zizyphus</i>)) |
| 0140990 | Others |
| 0151000 | Table and wine grapes |
| 0151010 | Table grapes |
| 0151020 | Wine grapes |
| 0154030 | Currants (red, black and white) |
| 0154040 | Gooseberries (Including hybrids with other <i>Ribes</i> species) |

(+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|----------------------------------|
| 0161030 | Table olives |
| 0402010 | Olives for oil production |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|---|
| 0152000 | Strawberries |
| 0154010 | Blueberries (Bilberries) |
| 0154020 | Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>)) |
| 0154030 | Currants (red, black and white) |
| 0154040 | Gooseberries (Including hybrids with other <i>Ribes</i> species) |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Pendimethalin (F)

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016+B517, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|---|
| 0152000 | Strawberries |
| 0213020 | Carrots |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) |
| 0213060 | Parsnips |
| 0213070 | Parsley root |
| 0220010 | Garlic |
| 0220020 | Onions (Other bulb onions, silverskin onions) |

Status: This is the original version (as it was originally adopted).

| | |
|---------|---|
| 0220030 | Shallots |
| 0231010 | Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato) |
| 0231020 | Peppers (Chilli peppers) |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>)) |
| 0232000 | Cucurbits — edible peel |
| 0232010 | Cucumbers |
| 0232020 | Gherkins |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi) |
| 0232990 | Others |
| 0233000 | Cucurbits-inedible peel |
| 0233010 | Melons (Kiwano) |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) |
| 0233030 | Watermelons |
| 0233990 | Others |
| 0270050 | Globe artichokes (Banana flower) |
| 0270060 | Leek |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---------|--------|
| 1011030 | Liver |
| 1011040 | Kidney |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1014030 | Liver |
| 1014040 | Kidney |
| 1016030 | Liver |

Propyzamide (F) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:
Propyzamide — code 1000000: Sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid moiety, expressed as propyzamide

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|---------|--|
| 0251010 | Lamb's lettuce (Italian corn salad) |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i>), dandelion greens) |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) |
| 0251060 | Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.)) |
| 0251080 | Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) |
| 0256000 | Herbs |
| 0256010 | Chervil |

| | |
|----------------|---|
| 0256020 | Chives |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other <i>Apiacea</i> leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>)) |
| 0256040 | Parsley (leaves of root parsley) |
| 0256050 | Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves) |
| 0256060 | Rosemary |
| 0256070 | Thyme (Marjoram, oregano) |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) |
| 0256090 | Bay leaves (laurel) (Lemon grass) |
| 0256100 | Tarragon (Hyssop) |
| 0256990 | Others |

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|---|
| 0300010 | Beans (Broad beans, navy beans, flageolet, jack beans, lima beans, field beans, cowpeas) |
| 0300020 | Lentils |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|--|
| 1011000 | Swine |
| 1011010 | Muscle |
| 1011020 | Fat |
| 1011030 | Liver |
| 1011040 | Kidney |
| 1011050 | Edible offal |
| 1011990 | Others |
| 1012000 | Bovine |
| 1012010 | Muscle |
| 1012020 | Fat |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1012050 | Edible offal |
| 1012990 | Others |
| 1013000 | Sheep |
| 1013010 | Muscle |
| 1013020 | Fat |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1013050 | Edible offal |
| 1013990 | Others |
| 1014000 | Goat |
| 1014010 | Muscle |
| 1014020 | Fat |
| 1014030 | Liver |
| 1014040 | Kidney |
| 1014050 | Edible offal |
| 1014990 | Others |
| 1015000 | Horses, asses, mules or hinnies |
| 1015010 | Muscle |
| 1015020 | Fat |
| 1015030 | Liver |

Status: This is the original version (as it was originally adopted).

| | |
|---------|---|
| 1015040 | Kidney |
| 1015050 | Edible offal |
| 1015990 | Others |
| 1017000 | Other farm animals (Rabbit, kangaroo, deer) |
| 1017010 | Muscle |
| 1017020 | Fat |
| 1017030 | Liver |
| 1017040 | Kidney |
| 1017050 | Edible offal |
| 1017990 | Others |
| 1020000 | Milk |
| 1020010 | Cattle |
| 1020020 | Sheep |
| 1020030 | Goat |
| 1020040 | Horse |
| 1020990 | Others |

Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016+B814, or, if that information is not submitted by that date, the lack of it.

| | |
|---------|--|
| 0213090 | Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock) |
| 0220010 | Garlic |
| 0220020 | Onions (Other bulb onions, silverskin onions) |
| 0220030 | Shallots |
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) |
| 0234000 | Sweet corn (Baby corn) |
| 0241000 | Flowering brassica |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) |
| 0241020 | Cauliflower |
| 0241990 | Others |
| 0242010 | Brussels sprouts |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) |
| 0243020 | Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) |
| 0244000 | Kohlrabi |
| 0256020 | Chives |
| 0270010 | Asparagus |
| 0270060 | Leek |
| 0300040 | Lupins |
| 0401030 | Poppy seed |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) |
| 0500030 | Maize |
| 0631000 | Flowers |
| 0631010 | Camomille flowers |
| 0631020 | Hybiscus flowers |
| 0631030 | Rose petals |
| 0631040 | Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>)) |
| 0631050 | Lime (linden) |
| 0631990 | Others |
| 0632000 | Leaves |
| 0632010 | Strawberry leaves |
| 0632020 | Rooibos leaves (Ginkgo leaves) |
| 0632030 | Maté |
| 0632990 | Others |
| 0633000 | Roots |
| 0633010 | Valerian root |
| 0633020 | Ginseng root |
| 0633990 | Others |
| 0810000 | Seeds |
| 0810010 | Anise |
| 0810020 | Black caraway |
| 0810030 | Celery seed (Lovage seed) |

| | |
|----------------|--|
| 0810040 | Coriander seed |
| 0810050 | Cumin seed |
| 0810060 | Dill seed |
| 0810070 | Fennel seed |
| 0810080 | Fenugreek |
| 0810090 | Nutmeg |
| 0810990 | Others |
| 0820000 | Fruits and berries |
| 0820010 | Allspice |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) |
| 0820030 | Caraway |
| 0820040 | Cardamom |
| 0820050 | Juniper berries |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) |
| 0820070 | Vanilla pods |
| 0820080 | Tamarind |
| 0820990 | Others |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|----------------|--------------------|
| 0840040 | Horseradish |
|----------------|--------------------|

(+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|---------------------|
| 1011010 | Muscle |
| 1011020 | Fat |
| 1011030 | Liver |
| 1011040 | Kidney |
| 1011050 | Edible offal |
| 1011990 | Others |
| 1012010 | Muscle |
| 1012020 | Fat |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1012050 | Edible offal |
| 1012990 | Others |
| 1013010 | Muscle |
| 1013020 | Fat |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1013050 | Edible offal |
| 1013990 | Others |
| 1014010 | Muscle |
| 1014020 | Fat |
| 1014030 | Liver |
| 1014040 | Kidney |
| 1014050 | Edible offal |
| 1014990 | Others |
| 1015010 | Muscle |
| 1015020 | Fat |
| 1015030 | Liver |
| 1015040 | Kidney |
| 1015050 | Edible offal |
| 1015990 | Others |
| 1016010 | Muscle |
| 1016020 | Fat |
| 1016030 | Liver |
| 1017010 | Muscle |
| 1017020 | Fat |
| 1017030 | Liver |
| 1017040 | Kidney |
| 1017050 | Edible offal |
| 1017990 | Others |
| 1020000 | Milk |
| 1020010 | Cattle |

Status: This is the original version (as it was originally adopted).

| | |
|----------------|------------------|
| 1020020 | Sheep |
| 1020030 | Goat |
| 1020040 | Horse |
| 1020990 | Others |
| 1030000 | Bird eggs |
| 1030010 | Chicken |
| 1030020 | Duck |
| 1030030 | Goose |
| 1030040 | Quail |
| 1030990 | Others |

(b) the following columns for dinocap and fipronil are added:

**PESTICIDE RESIDUES AND
MAXIMUM RESIDUE LEVELS (MG/KG)**

| Code number | Groups and examples of individual products to which the MRLs apply^b | Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.) | Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F) |
|--------------------|---|---|---|
| 0100000 | 1. FRUIT FRESH OR FROZEN NUTS | | 0,005 ^a |
| 0110000 | (i) Citrus fruit | 0,02 ^a | |

| | | | |
|---------|--|-------------------|--|
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | |
| 0110030 | Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>)) | | |
| 0110040 | Limes | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> × <i>sinensis</i>)) | | |
| 0110990 | Others | | |
| 0120000 | (ii) Tree nuts | 0,05 ^a | |
| 0120010 | Almonds | | |
| 0120020 | Brazil nuts | | |
| 0120030 | Cashew nuts | | |
| 0120040 | Chestnuts | | |
| 0120050 | Coconuts | | |
| 0120060 | Hazelnuts (Filbert) | | |
| 0120070 | Macadamia | | |
| 0120080 | Pecans | | |
| 0120090 | Pine nuts | | |
| 0120100 | Pistachios | | |
| 0120110 | Walnuts | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|--|
| 0120990 | Others | | |
| 0130000 | (iii) Pome fruit | 0,02 ^a | |
| 0130010 | Apples (Crab apple) | | |
| 0130020 | Pears (Oriental pear) | | |
| 0130030 | Quinces | | |
| 0130040 | Medlar | | |
| 0130050 | Loquat | | |
| 0130990 | Others | | |
| 0140000 | (iv) Stone fruit | 0,02 ^a | |
| 0140010 | Apricots | | |
| 0140020 | Cherries (Sweet cherries, sour cherries) | | |
| 0140030 | Peaches (Nectarines and similar hybrids) | | |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>)) | | |
| 0140990 | Others | | |
| 0150000 | (v) Berries & small fruit | 0,02 ^a | |
| 0151000 | (a) <i>Table and wine grapes</i> | | |
| 0151010 | Table grapes | | |
| 0151020 | Wine grapes | | |
| 0152000 | (b) <i>Strawberries</i> | | |

| | | | |
|---------|--|--|--|
| 0153000 | (c) <i>Cane fruit</i> | | |
| 0153010 | Blackberries | | |
| 0153020 | Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids) | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/ raspberry, (<i>Rubus</i> <i>arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>)) | | |
| 0153990 | Others | | |
| 0154000 | (d) <i>Other small fruit & berries</i> | | |
| 0154010 | Blueberries (Bilberries) | | |
| 0154020 | Cranberries (Cowberries/ red bilberries (<i>V.</i> <i>vitis-idaea</i>)) | | |
| 0154030 | Currants (red, black and white) | | |
| 0154040 | Gooseberries (Including hybrids with other <i>Ribes</i> species) | | |
| 0154050 | Rose hips | | |
| 0154060 | Mulberries (Arbutus berry) | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry) | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|--|-------------------|--|
| | (<i>Actinidia arguta</i>) | | |
| 0154080 | Elderberries (Black chokeberry/ appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries) | | |
| 0154990 | Others | | |
| 0160000 | (vi) Miscellaneous fruit | 0.02 ^a | |
| 0161000 | (a) <i>Edible peel</i> | | |
| 0161010 | Dates | | |
| 0161020 | Figs | | |
| 0161030 | Table olives | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.)) | | |
| 0161050 | Carambola (Bilimbi) | | |
| 0161060 | Persimmon | | |
| 0161070 | Jambolan (java plum) (Java apple/water apple, pomegranate, rose apple, Brazilian cherry, Surinam cherry/ grumichama (<i>Eugenia uniflora</i>)) | | |
| 0161990 | Others | | |

| | | | |
|---------|--|--|--|
| 0162000 | (b) <i>Inedible peel, small</i> | | |
| 0162010 | Kiwi | | |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak) | | |
| 0162030 | Passion fruit | | |
| 0162040 | Prickly pear (cactus fruit) | | |
| 0162050 | Star apple | | |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote) | | |
| 0162990 | Others | | |
| 0163000 | (c) <i>Inedible peel, large</i> | | |
| 0163010 | Avocados | | |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | |
| 0163030 | Mangoes | | |
| 0163040 | Papaya | | |
| 0163050 | Pomegranate | | |
| 0163060 | Cherimoya (Custard apple, sugar apple/ sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|--------------------|
| | Annonaceae fruits) | | |
| 0163070 | Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>)) | | |
| 0163080 | Pineapples | | |
| 0163090 | Bread fruit (Jackfruit) | | |
| 0163100 | Durian | | |
| 0163110 | Soursop (guanabana) | | |
| 0163990 | Others | | |
| 0200000 | 2. VEGETABLES FRESH OR FROZEN | | |
| 0210000 | (i) Root and tuber vegetables | 0,02 ^a | |
| 0211000 | (a) <i>Potatoes</i> | | 0,01 (+) |
| 0212000 | (b) <i>Tropical root and tuber vegetables</i> | | 0,005 ^a |
| 0212010 | Cassava (Dasheen, eddoe/ Japanese taro, tannia) | | |
| 0212020 | Sweet potatoes | | |
| 0212030 | Yams (Potato bean/yam bean, Mexican yam bean) | | |
| 0212040 | Arrowroot | | |
| 0212990 | Others | | |
| 0213000 | (c) <i>Other root and</i> | | 0,005 ^a |

| | <i>tuber vegetables except sugar beet</i> | | |
|---------|---|-------------------|--------------------|
| 0213010 | Beetroot | | |
| 0213020 | Carrots | | |
| 0213030 | Celeriac | | |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots) | | |
| 0213050 | Jerusalem artichokes (Crosne) | | |
| 0213060 | Parsnips | | |
| 0213070 | Parsley root | | |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>)) | | |
| 0213090 | Salsify (Scorzonera, Spanish salsify/ Spanish oysterplant, edible burdock) | | |
| 0213100 | Swedes | | |
| 0213110 | Turnips | | |
| 0213990 | Others | | |
| 0220000 | (ii) Bulb vegetables | 0,02 ^a | |
| 0220010 | Garlic | | 0,005 ^a |
| 0220020 | Onions (Other bulb onions, silverskin onions) | | 0,02 |
| 0220030 | Shallots | | 0,02 |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|--------------------|
| 0220040 | Spring onions and welsh onions (Other green onions and similar varieties) | | 0,005 ^a |
| 0220990 | Others | | 0,005 ^a |
| 0230000 | (iii) Fruiting vegetables | | 0,005 ^a |
| 0231000 | (a) Solanacea | 0,02 ^a | |
| 0231010 | Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato) | | |
| 0231020 | Peppers (Chilli peppers) | | |
| 0231030 | Aubergines (egg plants) (Pepino, antroewa/ white eggplant (<i>S. macrocarpon</i>)) | | |
| 0231040 | Okra (lady's fingers) | | |
| 0231990 | Others | | |
| 0232000 | (b) <i>Cucurbits edible peel</i> | 0,05 ^a | |
| 0232010 | Cucumbers | | |
| 0232020 | Gherkins | | |
| 0232030 | Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake | | |

| | | | |
|---------|--|-------------------|--------------------|
| | gourd, angled luffa/teroi) | | |
| 0232990 | Others | | |
| 0233000 | (c) <i>Cucurbits-inedible peel</i> | | |
| 0233010 | Melons (Kiwano) | 0,02 ^a | |
| 0233020 | Pumpkins (Winter squash, marrow (late variety)) | 0,05 ^a | |
| 0233030 | Watermelons | 0,02 ^a | |
| 0233990 | Others | 0,05 ^a | |
| 0234000 | (d) <i>Sweet corn (Baby corn)</i> | 0,02 ^a | |
| 0239000 | (e) <i>Other fruiting vegetables</i> | 0,02 ^a | |
| 0240000 | (iv) Brassica vegetables | 0,02 ^a | |
| 0241000 | (a) <i>Flowering brassica</i> | | 0,01 |
| 0241010 | Broccoli (Calabrese, Broccoli raab, Chinese broccoli) | | |
| 0241020 | Cauliflower | | |
| 0241990 | Others | | |
| 0242000 | (b) <i>Head brassica</i> | | |
| 0242010 | Brussels sprouts | | 0,01 |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy | | 0,005 ^a |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|--------------------|
| | cabbage, white cabbage) | | |
| 0242990 | Others | | 0,005 ^a |
| 0243000 | (c) <i>Leafy brassica</i> | | 0,005 ^a |
| 0243010 | Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai) | | |
| 0243020 | Kale (Borecole/ curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | |
| 0243990 | Others | | |
| 0244000 | (d) <i>Kohlrabi</i> | | 0,005 ^a |
| 0250000 | (v) Leaf vegetables & fresh herbs | | 0,005 ^a |
| 0251000 | (a) <i>Lettuce and other salad plants including Brassicacea</i> | 0,02 ^a | |
| 0251010 | Lamb's lettuce (Italian corn salad) | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | |

| | | | |
|---------|--|-------------------|--|
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i>), dandelion greens) | | |
| 0251040 | Cress (Mung bean sprouts, alfalfa sprouts) | | |
| 0251050 | Land cress | | |
| 0251060 | Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.)) | | |
| 0251070 | Red mustard | | |
| 0251080 | Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves) | | |
| 0251990 | Others | | |
| 0252000 | (b) <i>Spinach & similar (leaves)</i> | 0,02 ^a | |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|--|
| | bitterblad/ bitawiri) | | |
| 0252020 | Purslane (Winter purslane/ miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (<i>Salsola soda</i>)) | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | |
| 0252990 | Others | | |
| 0253000 | (c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i> | 0,02 ^a | |
| 0254000 | (d) <i>Water cress (Morning glory/ Chinese convolvulus/ water convolvulus/ water spinach/ kangkung (Ipomea aquatica), water clover, water mimosa)</i> | 0,02 ^a | |
| 0255000 | (e) <i>Witloof</i> | 0,02 ^a | |
| 0256000 | (f) <i>Herbs</i> | 0,05 ^a | |

| | | | |
|---------|---|-------------------|--------------------|
| 0256010 | Chervil | | |
| 0256020 | Chives | | |
| 0256030 | Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other <i>Apiacea</i> leaves, culantro/ stinking/long coriander/stink weed (<i>Eryngium foetidum</i>)) | | |
| 0256040 | Parsley (leaves of root parsley) | | |
| 0256050 | Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves) | | |
| 0256060 | Rosemary | | |
| 0256070 | Thyme (Marjoram, oregano) | | |
| 0256080 | Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves) | | |
| 0256090 | Bay leaves (laurel) (Lemon grass) | | |
| 0256100 | Tarragon (Hyssop) | | |
| 0256990 | Others | | |
| 0260000 | (vi) Legume vegetables (fresh) | 0,02 ^a | 0,005 ^a |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|--|-------------------|--------------------|
| 0260010 | Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans) | | |
| 0260020 | Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea) | | |
| 0260030 | Peas (with pods) (Mangetout/sugar peas/snow peas) | | |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | |
| 0260050 | Lentils | | |
| 0260990 | Others | | |
| 0270000 | (vii) Stem vegetables (fresh) | 0,02 ^a | |
| 0270010 | Asparagus | | 0,005 ^a |
| 0270020 | Cardoons (<i>Borago officinalis</i> stems) | | 0,005 ^a |
| 0270030 | Celery | | 0,005 ^a |
| 0270040 | Fennel | | 0,005 ^a |
| 0270050 | Globe artichokes (Banana flower) | | 0,005 ^a |
| 0270060 | Leek | | 0,01 |
| 0270070 | Rhubarb | | 0,005 ^a |
| 0270080 | Bamboo shoots | | 0,005 ^a |
| 0270090 | Palm hearts | | 0,005 ^a |
| 0270990 | Others | | 0,005 ^a |

| | | | |
|---------|--|-------------------|--------------------|
| 0280000 | (viii) Fungi | 0,02 ^a | 0,005 ^a |
| 0280010 | Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts)) | | |
| 0280020 | Wild fungi (Chanterelle, truffle, morel, cep) | | |
| 0280990 | Others | | |
| 0290000 | (ix) Sea weeds | 0,02 ^a | 0,005 ^a |
| 0300000 | 3. PULSES, DRY | 0,05 ^a | 0,005 ^a |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | |
| 0300020 | Lentils | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | |
| 0300040 | Lupins | | |
| 0300990 | Others | | |
| 0400000 | 4. OILSEEDS AND OILFRUITS | 0,05 ^a | 0,005 ^a |
| 0401000 | (i) Oilseeds | | |
| 0401010 | Linseed | | |
| 0401020 | Peanuts | | |
| 0401030 | Poppy seed | | |
| 0401040 | Sesame seed | | |
| 0401050 | Sunflower seed | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|--------------------|
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | |
| 0401070 | Soya bean | | |
| 0401080 | Mustard seed | | |
| 0401090 | Cotton seed | | |
| 0401100 | Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i>) | | |
| 0401110 | Safflower | | |
| 0401120 | Borage (Purple viper's bugloss/ Canary flower (<i>Echium plantagineum</i>), Corn Gromwell (<i>Buglossoides arvensis</i>)) | | |
| 0401130 | Gold of pleasure | | |
| 0401140 | Hempseed | | |
| 0401150 | Castor bean | | |
| 0401990 | Others | | |
| 0402000 | (ii) Oilfruits | | |
| 0402010 | Olives for oil production | | |
| 0402020 | Palm nuts (palmoil kernels) | | |
| 0402030 | Palmfruit | | |
| 0402040 | Kapok | | |
| 0402990 | Others | | |
| 0500000 | 5. CEREALS | 0,05 ^a | 0,005 ^a |
| 0500010 | Barley | | |
| 0500020 | Buckwheat (<i>Amaranthus</i> , quinoa) | | |
| 0500030 | Maize | | |
| 0500040 | Millet (Foxtail millet, teff, finger millet, pearl millet) | | |

| | | | |
|---------|---|------------------|--------------------|
| 0500050 | Oats | | |
| 0500060 | Rice (Indian/ wild rice (<i>Zizania aquatica</i>)) | | |
| 0500070 | Rye | | |
| 0500080 | Sorghum | | |
| 0500090 | Wheat (Spelt, triticale) | | |
| 0500990 | Others (Canary grass seeds (<i>Phalaris canariensis</i>)) | | |
| 0600000 | 6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA | 0.1 ^a | 0,005 ^a |
| 0610000 | (i) Tea | | |
| 0620000 | (ii) Coffee beans | | |
| 0630000 | (iii) Herbal infusions (dried) | | |
| 0631000 | (a) <i>Flowers</i> | | |
| 0631010 | Camomille flowers | | |
| 0631020 | Hybiscus flowers | | |
| 0631030 | Rose petals | | |
| 0631040 | Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>)) | | |
| 0631050 | Lime (linden) | | |
| 0631990 | Others | | |
| 0632000 | (b) <i>Leaves</i> | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|------------------|--------------------|
| 0632010 | Strawberry leaves | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | |
| 0632030 | Maté | | |
| 0632990 | Others | | |
| 0633000 | (c) <i>Roots</i> | | |
| 0633010 | Valerian root | | |
| 0633020 | Ginseng root | | |
| 0633990 | Others | | |
| 0639000 | (d) <i>Other herbal infusions</i> | | |
| 0640000 | (iv) Cocoabeans (fermented or dried) | | |
| 0650000 | (v) Carob (st johns bread) | | |
| 0700000 | 7. HOPS (dried) | 0.1 ^a | 0,005 ^a |
| 0800000 | 8. SPICES | | |
| 0810000 | (i) Seeds | 0.1 ^a | 0,005 ^a |
| 0810010 | Anise | | |
| 0810020 | Black caraway | | |
| 0810030 | Celery seed (Lovage seed) | | |
| 0810040 | Coriander seed | | |
| 0810050 | Cumin seed | | |
| 0810060 | Dill seed | | |
| 0810070 | Fennel seed | | |
| 0810080 | Fenugreek | | |
| 0810090 | Nutmeg | | |

| | | | |
|---------|--|------------------|--------------------|
| 0810990 | Others | | |
| 0820000 | (ii) Fruits and berries | 0.1 ^a | 0,005 ^a |
| 0820010 | Allspice | | |
| 0820020 | Sichuan pepper (Anise pepper, Japan pepper) | | |
| 0820030 | Caraway | | |
| 0820040 | Cardamom | | |
| 0820050 | Juniper berries | | |
| 0820060 | Pepper, black, green and white (Long pepper, pink pepper) | | |
| 0820070 | Vanilla pods | | |
| 0820080 | Tamarind | | |
| 0820990 | Others | | |
| 0830000 | (iii) Bark | 0.1 ^a | 0,005 ^a |
| 0830010 | Cinnamon (Cassia) | | |
| 0830990 | Others | | |
| 0840000 | (iv) Roots or rhizome | | |
| 0840010 | Liquorice | 0.1 ^a | 0,005 ^a |
| 0840020 | Ginger | 0.1 ^a | 0,005 ^a |
| 0840030 | Turmeric (Curcuma) | 0.1 ^a | 0,005 ^a |
| 0840040 | Horseradish | (+) | (+) |
| 0840990 | Others | 0.1 ^a | 0,005 ^a |
| 0850000 | (v) Buds | 0.1 ^a | 0,005 ^a |
| 0850010 | Cloves | | |
| 0850020 | Capers | | |
| 0850990 | Others | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|--------------------|
| 0860000 | (vi) Flower stigma | 0.1 ^a | 0,005 ^a |
| 0860010 | Saffron | | |
| 0860990 | Others | | |
| 0870000 | (vii) Aril | 0.1 ^a | 0,005 ^a |
| 0870010 | Mace | | |
| 0870990 | Others | | |
| 0900000 | 9. SUGAR PLANTS | 0,02 ^a | 0,005 ^a |
| 0900010 | Sugar beet (root) | | |
| 0900020 | Sugar cane | | |
| 0900030 | Chicory roots | | |
| 0900990 | Others | | |
| 1000000 | 10. PRODUCTS OF ANIMAL ORIGIN- TERRESTRIAL ANIMALS | | |
| 1010000 | (i) Tissue | | |
| 1011000 | (a) <i>Swine</i> | | |
| 1011010 | Muscle | 0,05 ^a | 0,005 ^a |
| 1011020 | Fat | 0,05 ^a | 0,07 (+) |
| 1011030 | Liver | 0.1 ^a | 0,015 (+) |
| 1011040 | Kidney | 0,05 ^a | 0,015 (+) |
| 1011050 | Edible offal | 0.1 ^a | 0,07 (+) |
| 1011990 | Others | 0.1 ^a | 0,07 (+) |
| 1012000 | (b) <i>Bovine</i> | | |
| 1012010 | Muscle | 0,05 ^a | 0,006 (+) |
| 1012020 | Fat | 0,05 ^a | 0,09 (+) |
| 1012030 | Liver | 0.1 ^a | 0,02 (+) |
| 1012040 | Kidney | 0,05 ^a | 0,015 (+) |
| 1012050 | Edible offal | 0.1 ^a | 0,09 (+) |

| | | | |
|---------|---|-------------------|-----------|
| 1012990 | Others | 0.1 ^a | 0,09 (+) |
| 1013000 | (c) <i>Sheep</i> | | |
| 1013010 | Muscle | 0,05 ^a | 0,006 (+) |
| 1013020 | Fat | 0,05 ^a | 0.9 (+) |
| 1013030 | Liver | 0.1 ^a | 0,02 (+) |
| 1013040 | Kidney | 0,05 ^a | 0,015 (+) |
| 1013050 | Edible offal | 0.1 ^a | 0,09 (+) |
| 1013990 | Others | 0.1 ^a | 0,09 (+) |
| 1014000 | (d) <i>Goat</i> | | |
| 1014010 | Muscle | 0,05 ^a | 0,006 (+) |
| 1014020 | Fat | 0,05 ^a | 0,09 (+) |
| 1014030 | Liver | 0.1 ^a | 0,02 (+) |
| 1014040 | Kidney | 0,05 ^a | 0,015 (+) |
| 1014050 | Edible offal | 0.1 ^a | 0,09 (+) |
| 1014990 | Others | 0.1 ^a | 0,09 (+) |
| 1015000 | (e) <i>Horses, asses, mules or hinnies</i> | | |
| 1015010 | Muscle | 0,05 ^a | 0,006 (+) |
| 1015020 | Fat | 0,05 ^a | 0,09 (+) |
| 1015030 | Liver | 0.1 ^a | 0,02 (+) |
| 1015040 | Kidney | 0,05 ^a | 0,015 (+) |
| 1015050 | Edible offal | 0.1 ^a | 0,09 (+) |
| 1015990 | Others | 0.1 ^a | 0,09 (+) |
| 1016000 | (f) <i>Poultry - chicken, geese, duck, turkey and Guinea fowl-,</i> | | |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|--|-------------------|--------------------|
| | <i>ostrich, pigeon</i> | | |
| 1016010 | Muscle | 0,05 ^a | 0,015 (+) |
| 1016020 | Fat | 0,05 ^a | 0,02 (+) |
| 1016030 | Liver | 0.1 ^a | 0,015 (+) |
| 1016040 | Kidney | 0,05 ^a | 0,005 ^a |
| 1016050 | Edible offal | 0.1 ^a | 0,005 ^a |
| 1016990 | Others | 0.1 ^a | 0,005 ^a |
| 1017000 | (g) <i>Other farm animals (Rabbit, kangaroo, deer)</i> | | |
| 1017010 | Muscle | 0,05 ^a | 0,006 (+) |
| 1017020 | Fat | 0,05 ^a | 0,09 (+) |
| 1017030 | Liver | 0.1 ^a | 0,02 (+) |
| 1017040 | Kidney | 0,05 ^a | 0,015 (+) |
| 1017050 | Edible offal | 0.1 ^a | 0,09 (+) |
| 1017990 | Others | 0.1 ^a | 0,09 (+) |
| 1020000 | (ii) Milk | 0,03 ^a | 0,01 (+) |
| 1020010 | Cattle | | |
| 1020020 | Sheep | | |
| 1020030 | Goat | | |
| 1020040 | Horse | | |
| 1020990 | Others | | |
| 1030000 | (iii) Bird eggs | 0,05 ^a | 0,015 (+) |
| 1030010 | Chicken | | |
| 1030020 | Duck | | |
| 1030030 | Goose | | |
| 1030040 | Quail | | |
| 1030990 | Others | | |
| 1040000 | (iv) Honey (Royal | 0,05 ^a | 0,005 ^a |

| | | | | |
|---------|-------|---|-------------------|--------------------|
| | | jelly, pollen, honey comb with honey (comb honey)) | | |
| 1050000 | (v) | Amphibians and reptiles (Frog legs, crocodiles) | 0,05 ^a | 0,005 ^a |
| 1060000 | (vi) | Snails | 0,05 ^a | 0,005 ^a |
| 1070000 | (vii) | Other terrestrial animal products (Wild game) | 0,05 ^a | 0,005 ^a |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

0211000 Potatoes

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1011020 Fat

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

Status: This is the original version (as it was originally adopted).

1011030 **Liver**
1011040 **Kidney**

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1011050 **Edible offal**
1011990 **Others**

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1012010 **Muscle**

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1012020 **Fat**

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1012030 **Liver**

(+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1012040 **Kidney**

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1012050 **Edible offal**
1012990 **Others**

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1013010 **Muscle**

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1013020 **Fat**

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1013030 **Liver**

(+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1013040 **Kidney**

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1013050 **Edible offal**
1013990 **Others**

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1014010 **Muscle**

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1014020 **Fat**

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1014030 **Liver**

(+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1014040 Kidney

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

**1014050 Edible offal
1014990 Others**

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1015010 Muscle

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1015020 Fat

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1015030 Liver

(+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1015040 Kidney

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

**1015050 Edible offal
1015990 Others**

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1016010 Muscle

(+) MRL applicable until 31 December 2016, after that date 0,006 will be applicable unless modified by a Regulation.

1016020 Fat

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

**1016030 Liver
1017010 Muscle**

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1017020 Fat

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1017030 Liver

(+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1017040 Kidney

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

**1017050 Edible offal
1017990 Others**

(+) MRL applicable until 31 December 2016, after that date 0,008 will be applicable unless modified by a Regulation.

**1020000 Milk
1020010 Cattle
1020020 Sheep
1020030 Goat**

Status: This is the original version (as it was originally adopted).

| | |
|----------------|---------------|
| 1020040 | Horse |
| 1020990 | Others |

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

| | |
|----------------|------------------|
| 1030000 | Bird eggs |
| 1030010 | Chicken |
| 1030020 | Duck |
| 1030030 | Goose |
| 1030040 | Quail |
| 1030990 | Others |

- (2) in Annex III, the columns for amitrole, dinocap, fipronil, flufenacet, pendimethalin, propyzamide and pyridate are deleted.

- (1) [OJ L 70, 16.3.2005, p. 1.](#)
- (2) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for amitrole according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(6):2763. [35 pp.].
- (3) European Food Safety Authority; Review of the existing maximum residue levels (MRLs) for dinocap according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2011;9(8):2340. [33 pp.].
- (4) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for fipronil according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2688. [44 pp.].
- (5) Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC ([OJ L 309, 24.11.2009, p. 1.](#))
- (6) European Food Safety Authority; Reasoned opinion on the modification of the existing MRL for fipronil in poultry fat. EFSA Journal 2012;10(5):2707. [32 pp.].
- (7) Commission Regulation (EU) No 212/2013 of 11 March 2013 replacing Annex I to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards additions and modifications with respect to the products covered by that Annex ([OJ L 68, 12.3.2013, p. 30.](#))
- (8) European Food Safety Authority; Reasoned opinion on the modification of maximum residue levels (MRLs) for fipronil following the withdrawal of the authorised uses on kale and head cabbage. EFSA Journal 2014;12(1):3543. [37 pp.].
- (9) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for flufenacet according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2689. [52 pp.].
- (10) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for pendimethalin according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2683. [57 pp.].
- (11) European Food Safety Authority; Reasoned opinion on the modification of the existing MRLs for pendimethalin in various crops. EFSA Journal 2013;11(5):3217. [27 pp.].
- (12) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for propyzamide according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2690. [54 pp.].
- (13) European Food Safety Authority; Reasoned opinion on the modification of the existing MRLs for propyzamide in leaves, flowers and roots of herbal infusions. EFSA Journal 2013;11(9):3378. [28 pp.].
- (14) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for pyridate according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2687. [47 pp.].
- (15) European Food Safety Authority; Reasoned opinion on the modification of the existing MRL for pyridate in celery leaves (dill leaves). EFSA Journal 2012;10(9):2892. [25 pp.].