Commission Regulation (EU) No 866/2014 of 8 August 2014 amending Annexes III, V and VI to Regulation (EC) No 1223/2009 of the European Parliament and the Council on cosmetic products (Text with EEA relevance)

COMMISSION REGULATION (EU) No 866/2014

of 8 August 2014

amending Annexes III, V and VI to Regulation (EC) No 1223/2009 of the European Parliament and the Council on cosmetic products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products⁽¹⁾, and in particular Article 31(2) thereof,

Whereas:

- (1) The substances identified by the denominations alkyl (C_{12-22}) trimethyl ammonium bromide and chloride are regulated as preservatives under entry 44 of Annex V to Regulation (EC) No 1223/2009 with a maximum concentration of 0,1 %.
- (2) The Scientific Committee on Consumer Products ('SCCP'), subsequently replaced by the Scientific Committee on Consumer Safety ('SCCS') pursuant to Commission Decision $2008/721/\text{EC}^{(2)}$, evaluated the safety of alkyl (C₁₆, C₁₈, C₂₂) trimethylammonium chloride (cetrimonium chloride, steartrimonium chloride and behentrimonium chloride) for other uses than as preservatives in 2005, 2007 and 2009.
- (3) The SCCS concluded in its opinion of 8 December 2009⁽³⁾ that, apart from the fact that quaternary ammonium derivative formulations have the potential to be skin irritants, especially when combinations of the concerned compounds are used, the use of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride does not pose a risk to the health of the consumer in concentrations below certain limits, which are explicitly set out in the SCCS opinion.
- (4) In order to take into account the skin irritation potential of the combinations of the quaternary ammonium derivatives mentioned above, the Commission considers that, while allowing the use of these substances for other uses than as preservatives at higher concentrations, the sums of these substances should be restricted to the maximum concentration indicated by the SCCS for the individual substances.
- (5) The maximum concentrations indicated by the SCCS as safe for leave-on facial cream products should apply to all leave-on face products, as there is no reason to limit authorisation of those substances to leave-on face creams only.

- (6) New entries in Annex III to Regulation (EC) No 1223/2009 should therefore be added to reflect the above-mentioned considerations, and entry 44 in Annex V should crossrefer to the new entries in Annex III, so that those Annexes are adapted to technical and scientific progress.
- (7) The SCCS evaluated the safety of the mixture citric acid (and) silver citrate. In its opinion of 13 October 2009⁽⁴⁾, it stated that, on the basis of the data submitted, the use of that mixture as a preservative in cosmetic products, at a concentration up to 0,2 % (corresponding to a silver concentration of 0,0024 %), does not pose a risk to the health of the consumer. The Committee specified that the substance was safe when used at the same maximum concentration in deodorants and anti-perspirants, as a preservative and/or an active ingredient. Its use in oral and eye products was, however, explicitly excluded given that only dermal exposure was assessed.
- (8) A new entry in Annex V to Regulation (EC) No 1223/2009 should be added to reflect the above-mentioned considerations and to adapt it to technical and scientific progress.
- (9) The SCCS assessed tris-biphenyl triazine, which is a UV-filter and a nanomaterial. In its opinion of 20 September 2011⁽⁵⁾, it concluded that dermal exposure to formulations containing tris-biphenyl triazine with a mean particle size (median primary particle size) of 81 nm results in low absorption of that substance. Also after oral exposure, absorption of tris-biphenyl triazine is low. No systemic effects are observed after oral or dermal exposure up to 500 mg/kg bw/day. The data analysed by the SCCS leads to the conclusion that the use of 10 % tris-biphenyl triazine, including as nanomaterial, as a UV-filter in cosmetic products can be considered safe for dermal application.
- (10) However, the SCCS clarified that, at the time of the risk assessment, there was too much uncertainty to conclude about safe use of 10 % tris-biphenyl triazine in spray applications, because of concerns over possible inhalation exposure. Therefore, the SCCS concluded that spray products containing tris-biphenyl triazine cannot be recommended until additional information on safety after repeated inhalation is provided.
- (11) In light of the SCCS opinion and taking into account that the use of nanomaterials can improve the efficiency of UV-filters, Annex VI to Regulation (EC) No 1223/2009 should be amended for the purpose of adapting it to technical and scientific progress.
- (12) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Cosmetic Products,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes III, V and VI to Regulation (EC) No 1223/2009 are amended in accordance with the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 8 August 2014.

For the Commission The President José Manuel BARROSO

ANNEX

Annexes III, V and VI to Regulation (EC) No 1223/2009 are amended as follows:

(1) In Annex III, the following entries 265 and 266 are added:

	Substance Identification					Conditions		
Referenc ChemicaName			CAS	EC	Produc	Wording		
number	name/	of	numbe	r numbei		concent		of
	INN	Commo			Body	in		condition
	11,11,	Ingredi			parts	ready		of use
		Glossar			parts	for		and
		Giussai	У					
						use	4.000	warnings
0	b	0	d	0	f	prepara	h	i
a acc		c		e		g		
265	C ₁₆ -			203-928-	-6 (a)	(Rai)nse-	For purposes	
		nethlølåde	nonium		(u)	off	purposes	
	chloride					hair	other	
-	C	Staartrin	443.62 0	203-929-	1		than	
	C ₁₈ -			203-929	•1	products		g Di
		ethlylade	nonium				the	al .
	chloride						8898F05F	ations
							8f	
							8f the fficro-	
							organisn	is
							fff the	15
							the product. muvidu	al
							fansentr	ations
								utions
							flas	ium
							cetrimon	
							splaride	
							fion .	
							steartrim	onium
							sheseida	tion
							of the	-
					(b)	(be)ave-	prøduct.	
					(-)	on	%	
						hair	for	
						products		
						products	individu	-1
							concentr	ations
							or	
							the	
							sum	
							of	
							the	
							individu	al
							concentr	
							of	
							cetrimon	ium
	e as a preserv						ceumon	iuiii

Status: Point in time view as at 08/08/2014.
Changes to legislation: There are currently no known outstanding effects for the
Commission Regulation (EU) No 866/2014. (See end of Document for details)

					chloride and steartrimonium chloride
			(c)	(a)ave- on face products	individual concentrations or the sum of the individual concentrations of cetrimonium chloride and steartrimonium chloride
266	C ₂₂ - alkyltrim chloride	Behentri niðiði n ethlølatte noniu	+0 (a)	(Ru)nse- off hair products	For purposes other than thibiting theividual appendixent off hetertrimonium off hetertrimonium off hetertrimonium off hetertrimonium off hetertrimonium off hetertrimonium off off hetertrimonium off off hetertrimonium off off off off off off off of

		(b)	(b)ave- on hair products	individua concentr of behentrin chloride	n ation ium onium al ation
				set out in	
		(b)	on hair	% for	
			products	individu	
				of	
					monium
				or the	
				sum	
				of the	
				individu	
				concentr of	ations
				cetrimon	
				chloride,	
				chloride, steartrim chloride	
				chloride, steartrim chloride and	onium
				chloride, steartrim chloride	onium nonium
				chloride, steartrim chloride and behentrin chloride, while	onium nonium
				chloride, steartrim chloride and behentrin chloride,	onium nonium

For use as a preservative, see Annex V, entry No 44.* Image: Construction of the section of the						
(c) (
Image: set of the set of					respectin	g
Image: second state of the sum of the second state attrimonium chloride set out in entry 265. Image: second state of the second state o						-
Image: second state of the sum of the second state attrimonium chloride set out in entry 265. Image: second state of the second state o					relevant	
concentration for the sum of cetrimonium chloride and and startimonium chloride set out in entry 265. (c) (c)ave- on face joint products the individual concentrations of of the individual concentrations of ethoride, steartimonium chloride, steartimonium chloride, </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>n</td>						n
(c) (concentr	ation
Image: constraint of the sum of certimonium chloride and steartrimonium chloride set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint out in rentry 265. Image: constraint of the set out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265. Image: constraint out in rentry 265.					for	ation
sum of of of of chloride and steartrimonium chloride set out out in entry 265. for face for products for hehentrimonium chloride of the individual concentration of the sum of the individual concentration of the sum of the individual concentrations of the steatrimonium chloride steatrimonium chloride and behentrimonium chloride while at the same time ind same inme respecting						
i of cetrimorium chloride and steartrimonium chloride set out in entry 265. (c) (oàave- on 3,0 y face products the individual concentration of the individual concentration of the sum of the individual concentrations of ethentrimonium chloride steartrimonium chloride and behentrimonium chloride while at the same time respecting individual concentra						
Image: constraint of the second se						
chloride and steartrimonium chloride set out in entry 265. 3,0 (c) (c)ave- on face for products the individual concentration of the individual concentrations of the individual concentrations of the individual concentrations of steartrimonium chloride and behentrimonium chloride and behentrimonium chlori						ium
(c) (c) (c) control (c) contro						lulli
(c) (c)ave- on face products 3,0 % (c) (c)ave- on certimonium chloride and behentrimonium chloride while at the same time respecting						
(c)						
(c) (c) (c) 3,0 (c) (c) (c) 3,0 (c) (c) (c) (c) (c) (onium
(c) (c)ave- on face products 3,0 % (c) (c)ave- on face products 3,0 % for the individual concentration of behentrimonium chloride or the sum of ctrimonium chloride steartrimonium chloride and behentrimonium chloride and behentrimonium chloride steartrimonium chloride and behentrimonium chloride steartrimonium chloride and behentrimonium chloride and behentrimonium chloride steartrimonium chloride and behentrimonium chloride and behentrimonium chloride steartrimonium chloride and behentrimonium chloride steartrimonium chloride steartrimonium chloride steartrimonium chloride steartrimonium chloride						
in entry 265. (c) (c) (c) (c) index for for products for the individual concentration of behentrimonium chloride of the sum of the sum of the sum of the individual concentration of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of sum of the sum the sum of sum sum the sum the sum the sum sum the sum						
(c) (c)ave- on face products 3,0 % (c) (c)ave- on face products 3,0 % (c) (c)ave- on face products 3,0 % (c) (c)ave- on face products 3,0 % (c) (c)ave- on face products 3,0 (c) (c)ave- on face products 3,0 (c) (c)ave- on face products 3,0 (c) (c)ave- for products 3,0 (c) (c)ave- for products 3,0 (c) (c)ave- for products 3,0 (c) (c)ave- for the sum of 3,0 (c) (c)ave- for the sum of 3,0 (c) (c)ave- for the sum of 3,0 (c) (c)ave- for the sum of (c)ave- for the sum of (c) (c)ave- for the sum of (c)ave- for the sum of (c) (c)ave- for the sum of (c)ave- for the sum of						
(c) (
(c) (c) (c) (c) are on % face for products the individual concentration of behentrimonium chloride or the sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride, steartrimonium chloride and behentrimonium chloride and behentrimonium chloride and behentrimonium chloride in the same time respecting						
on % face for products the individual concentration of behentrimonium chloride or the sum of the sum of the individual concentrations of cetrimonium chloride steartrimonium chloride steartrimonium chloride and behentrimonium chloride steartrimonium chloride					265.	
on % face for products the individual concentration of behentrimonium chloride or the sum of the sum of the individual concentrations of cetrimonium chloride steartrimonium chloride steartrimonium chloride and behentrimonium chloride steartrimonium chloride						
on % face for products the individual concentration of behentrimonium chloride or the sum of the sum of the individual concentrations of cetrimonium chloride steartrimonium chloride steartrimonium chloride and behentrimonium chloride steartrimonium chloride			(c)	Iceave-	3.0	
face products the individual concentration of behentrimonium chloride or the sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride, steartrimonium chloride and behentrimonium chloride and behentrimonium chloride it the same time respecting			(-)			
products the individual concentration of behentrimonium chloride or the sum of the individual concentrations of the individual concentrations of cetrimonium chloride, steart choride, steart stear						
individual concentration of behentrimonium chloride or the sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride and behentrimonium chloride steartrimonium chloride steartrimonium chloride steartrimonium chloride steartrimonium chloride and behentrimonium chloride same time respecting						
concentration of behentrimonium chloride or the sum of the individual concentrations of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, steart time time time time				produced	individue	al
of behentrimonium chloride or the sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
behentrimonium chloride or the sum of the individual concentrations of cetrimonium chloride steartrimonium chloride and behentrimonium chloride steartrimonium chloride steartrimonium chloride steartrimonium chloride steartrimonium chloride steartrimonium chloride						ation
chloride or the sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						nonium
or the sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						nomum
the sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
sum of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
of the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
the individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
individual concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
concentrations of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
of cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
cetrimonium chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting						ations
chloride, steartrimonium chloride and behentrimonium chloride, while at the same time respecting					of	
steartrimonium chloride and behentrimonium chloride, while at the same time respecting						
chloride and behentrimonium chloride, while at the same time respecting						ium
and behentrimonium chloride, while at the same time respecting					chloride,	
behentrimonium chloride, while at the same time respecting					chloride, steartrim	
chloride, while at the same time respecting					chloride, steartrim chloride	
while at the same time respecting					chloride, steartrim chloride and	onium
at the same time respecting					chloride, steartrim chloride and behentrin	onium
the same time respecting					chloride, steartrim chloride and behentrin chloride,	onium
the same time respecting					chloride, steartrim chloride and behentrin chloride,	onium
same time respecting					chloride, steartrim chloride and behentrin chloride, while	onium
time respecting					chloride, steartrim chloride and behentrin chloride, while at	onium
respecting					chloride, steartrim chloride and behentrin chloride, while at the	onium
					chloride, steartrim chloride and behentrin chloride, while at the same	onium
					chloride, steartrim chloride and behentrin chloride, while at the same time	onium nonium

a For use as a preservative, see Annex V, entry No 44.'


		the
		relevant
		maximum
		concentration
		for
		the
		sum
		of
		cetrimonium
		chloride
		and
		steartrimonium
		chloride
		set
		out
		in
		entry
		265.
For use as a preservative, se	ee Annex V, entry No 44.'	

(2)

a

- Annex V is amended as follows:
 - entry 44 is replaced by the following: (a)

	Substa	nce Ide	ntificati	on	Condi	tions		
Referen C ehemic A ame numbername/ of			EC ernumbe			nu 01 ther ntration	Wording of	
	INN	Comm Ingred Glossa	ion lients		Body parts	in ready for use prepar		condition of use and warnings
a	b	c	d	e	f	g	h	i
	trimethy ammon bromide and	chloride cetrimo bromide cetrimo chloride	բ ^a , mitin9-0 է, nitin9-02- է ^b , idtlin9+9-	5240,-32),200-31 72,03-92 121,4-290	1-3, 8-6,	0,1 %		
		chloride steartrir	e, nbh2i0+f02	52,03-92 2211,4-294				
		chloride steartrir bromide n as a prese	e, nbh20+02 e, ervative, see		1-5 , No 266.			



b For use other than as a preservative, see Annex III, No 265.'

(b) entry 59 is added:

	Substa	ance Ide	ntificati	on	Condi	tions		
	n C ehemi ername/ INN	Comm Ingred	numbo 10n lients	EC ernumbo		in ready	nuther ntration	Wording of conditions of
a	b	Glossa	d	e	f	for use prepa	ration h	use and warnings i
*59	1,2,3- Propana acid, 2- hydroxy monoby and 1,2,3-	Citric citricdrbo (and) Silver yeitrate ydrate etricarbo y-, +)	xylic	460-890		g 0,2 %, corresp to 0,0024 % of silver	Not otodboeg used	S

(3) In Annex VI entry 29 is added:

	Substar	ice Ident	ification		Conditi	ons		
	c€hemic • name/ INN	aName of Commo Ingredi Glossar	on ents	EC • number		Maxim concent in ready for use prepara	tration	Wording of conditions of use and warnings
a	b	c	d	e	f	g	h	i
[°] 29	Triazine, 2,4,6- tris[1,1'- biphenyl	biphenyl triazine Tris-]b 1p henyl triazine		1-8-		10 %	Not to be used in sprays. Only nanomat having the	erials

as nanomate	rial			followin character	
				are allowed:	
				_	median primary particle size > 80
					nm; Purity ≥98 %;
				—	Uncoate

- (**1**) OJ L 342, 22.12.2009, p. 59.
- (**2**) OJ L 241, 10.9.2008, p. 21.
- (3) SCCS/1246/09, http://ec.europa.eu/health/scientific_committees/consumer_safety/docs/
- (4) SCCS/1274/09, http://ec.europa.eu/health/scientific_committees/consumer_safety/docs/ sccs_o_004.pdf
- (5) SCCS/1429/11, Revision of 13/14 December 2011, http://ec.europa.eu/health/ scientific_committees/consumer_safety/docs/sccs_o_070.pdf

Status:

Point in time view as at 08/08/2014.

Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 866/2014.