ANNEX

Annexes III, V and VI to Regulation (EC) No 1223/2009 are amended as follows:

(1) In Annex III, the following entries 265 and 266 are added:

	Substai	nce Ident	ification		Conditi			
	cChemic · name/ INN	aName of Commo Ingredi Glossar	on ents	EC r numbe		t Maxim concent in ready for use prepara	tration	Wording of conditions of use and warnings
a	b	c	d	e	f	g	h	i
' 265	C ₁₆ -	rethlylade ^a	n ikih2 -02-7	203-928	6 (a)	(Rai)nse- off hair	For purposes other	
	C ₁₈ -alkyltrim chloride	Steartrin cthlyladu	1	3203-929	(b)	(be)ave- on hair products	appendent of the product. The sent of the product.	ations al ations al ations al ations al ations al ations

a For use as a preservative, see Annex V, entry No 44.'

					(c)	(ce)ave- on face products	individual concentrations or the sum of the individual
266	C ₂₂ -	Behentrin	ા હિલ્લા મુક્ત	3 24 1-327-	-0	D)	concentrations of cetrimonium chloride and steartrimonium chloride For
	alkyltrim chloride	cth lylade th	onium		(a)	(a)nse- off hair products	For purposes of ther than this individual appropriation of the purpose that individual apprentations of the purpose that individual apprentation of the purpose that individual apprentations of the purpose that individual apprentation of

For use as a preservative, see Annex V, entry No 44.'

a For use as a preservative, see Annex V, entry No 44.'

					(c)	(co)ave-	time respecting the relevant maximum concentration of cetrimone chloride and steartrime chloride set out in entry 265.	n ation
						on	%	
						face	for	
						products	the	.1
							individua concentra	
							of	ıtıUII
							behentrin	nonium
							chloride	
							or	
							the sum	
							of	
							the	
							individu	
							concentra of	ations
							cetrimon	ium
							chloride,	· v+111
							steartrim	onium
							chloride	
							and behentrin	nonium
							chloride,	
							while	
							at	
							the same	
							time	
							respectin	g
. 110	o oc o procor	vativa saa Ar	may V antmy	No 44 '				

For use as a preservative, see Annex V, entry No 44.'

	1	ı	1		i de	
					the	
					relevant	
					maximu	m
					concentr	ation
					for	
					the	
					sum	
					of	
					cetrimon	ium
					chloride	
					and	
					steartrim	onium
					chloride	
					set	
					out	
					in	
					entry 265.	
					203.	

a For use as a preservative, see Annex V, entry No 44.'

(2) Annex V is amended as follows:

(a) entry 44 is replaced by the following:

	Substa	nce Ide	ntificati	on	Condi	tions			
	n C èhemi rname/ INN		numbe on lients	EC ernumbo	I		ntather itration	Wordin of condition of use and warnin	ons
a	b	c	d	e	f	g	h	i	J
' 44	(C_{12-22})	chloride chrimo bromide cetrimo	ท ์ นี ศ0 9-0 e, ทโฟชิ+02-	7,200-311	1-3, 8-6,	0,1 %			
		bromide laurtrin	e, idnli2н010-	-					
		steartrin bromide	nloln210+102	2211,4-294	1- 5,				

a For use other than as a preservative, see Annex III, No 266.

b For use other than as a preservative, see Annex III, No 265.'

Document Generated: 2023-12-09

Status: This is the original version (as it was originally adopted).

steartrin	nbhile	2 03-929	9 -1	
chloride	b			

- **a** For use other than as a preservative, see Annex III, No 266.
- **b** For use other than as a preservative, see Annex III, No 265.'

(b) entry 59 is added:

	Substa	ance Ide	ntificati	on	Condi	tions			
	n C èhem ername/ INN		numbo on lients	EC ernumbe		ctMaxin concer in ready for use prepar	itration	Word of condit of use and warni	ions
a	b	c	d	e	f	g	h	i	-
' 59	Propandacid, 2-hydroxymonohyand 1,2,3-	ydrate etricarbo y-, +)		460-890)-5	0,2 %, corresp to 0,0024 % of silver	ottodbæg used		

(3) In Annex VI entry 29 is added:

	Substai	ice Ident	ification		Conditi	ons		
	cChemic · name/ INN	aName of Commo Ingredi Glossar	on ents	EC r number		Maxim concent in ready for use prepara	tration	Wording of conditions of use and warnings
a	b	c	d	e	f	g	h	i
' 29	2,4,6- tris[1,1'- biphenyl	biphenyl triazine Tris-]b/lphenyl triazine		1-8		10 %	Not to be used in sprays. Only nanomat having the	erials

Document Generated: 2023-12-09

as nanomat	erial			following character	
				are allowed:	
				_	median primary particle size > 80
				_	nm; Purity ≥ 98 %; Uncoated'