

**Changes to legislation:** There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2015/2305, ANNEX. (See end of Document for details)

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Chemical formula, analytical method	Species, category, animal method	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						Units of activity/kg of complete feedingstuff with a moisture content of 12 %			
Category of zootechnical additives. Functional group: digestibility enhancers.									
4a1616	Huvepharm NV	Endo-1,4-beta-glucanase EC 3.2.1.4	<i>Additive composition:</i> Preparation of endo-1,4-beta-glucanase (EC 3.2.1.4) produced by <i>Trichoderma citrinoviride</i> Bisset (IM SD142) with a minimum activity of 2 000 CU <sup>a</sup> /g (solid and liquid form). <i>Characterisation of the active substance:</i> Endo-1,4-beta-glucanase (EC 3.2.1.4)	Chickens for fattening and minor poultry species for fattening Weaned piglets	—	500 CU	—	1.	31 December 2025
						350 CU		2.	For safety: breathing protection, glasses and gloves shall be used during handling.
								3.	For use in

**a** 1 CU is the amount of enzyme that liberates 0,128 micromoles of reducing sugars (glucose equivalents) from barley beta-glucan per minute at pH 4,5 and 30 °C.

**b** Details of the analytical methods are available at the following address of the Reference Laboratory: <https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports>

---

**Changes to legislation:** There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2015/2305, ANNEX. (See end of Document for details)

---

		<p>produced by <i>Trichoderma citrinoviride</i> Bisset (IM SD142).  <i>Analytical method<sup>b</sup></i>:  For the determination of endo-1,4-beta-glucanase in feed additive, premixtures and feedingstuffs:  — colorimetric method based on the quantification of water soluble dyed fragments (azurine) produced by the action of endo-1,4-beta-glucanase on azurine-crosslinked cellulose.</p>				weaned piglets until approximately 35 kg.
--	--	---	--	--	--	---

**a** 1 CU is the amount of enzyme that liberates 0,128 micromoles of reducing sugars (glucose equivalents) from barley beta-glucan per minute at pH 4,5 and 30 °C.

**b** Details of the analytical methods are available at the following address of the Reference Laboratory: <https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports>

---

**Changes to legislation:**

There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2015/2305, ANNEX.