

**Changes to legislation:** Commission Delegated Regulation (EU) 2015/35, Correlation coefficients for earthquake risk in the Republic of Bulgaria is up to date with all changes known to be in force on or before 19 August 2024.

There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

ANNEX XXIII **U.K.**

**CORRELATION COEFFICIENTS FOR EARTHQUAKE RISK**

**Modifications etc. (not altering text)**

**C1** Annex 23: power to amend and revoke conferred (31.12.2020) by [The Solvency 2 and Insurance \(Amendment, etc.\) \(EU Exit\) Regulations 2019 \(S.I. 2019/407\)](#), regs. 1(2), 4, [Sch. 3](#) (as amended by [S.I. 2020/1301](#), regs. 1, 3, [Sch. para. 27\(a\)](#) and [S.I. 2020/1385](#), regs. 1(2), 54(2))

**Correlation coefficients for earthquake risk in the Republic of Bulgaria**

ANNEX XXIII Table 11: rows 1 - 29

ji	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
1	1,00	0,75	0,50	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,50	0,75	1,00	1,25	
2	0,75	1,00	0,50	0,50	0,50	0,25	0,25	0,00	0,25	0,25	0,00	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,25	0,25	0,50	0,50	0,75	0,75	1,00	1,25
3	0,50	0,50	1,00	0,75	0,25	0,25	0,00	0,25	0,25	0,25	0,00	0,25	0,00	0,25	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,25	0,50	0,25	0,25	0,50	0,50	0,75	1,00
4	0,25	0,50	0,75	1,00	0,75	0,50	0,25	0,00	0,25	0,25	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,50	0,50	0,50	0,50	0,75	1,00
5	0,00	0,50	0,25	0,75	1,00	0,50	0,25	0,00	0,25	0,25	0,00	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,00
6	0,00	0,50	0,25	0,50	0,50	1,00	0,50	0,25	0,25	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,25	0,00
7	0,00	0,25	0,25	0,25	0,25	0,50	1,00	0,25	0,75	0,25	0,25	0,50	0,25	0,25	0,00	0,25	0,25	0,00	0,25	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,00
8	0,00	0,25	0,00	0,25	0,50	0,25	0,00	1,00	0,50	0,50	0,00	0,00	0,00	0,00	0,25	0,00	0,25	0,00	0,00	0,00	0,25	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,00
9	0,00	0,00	0,25	0,25	0,00	0,25	0,75	0,00	1,00	0,50	0,25	0,50	0,25	0,00	0,00	0,00	0,00	0,00	0,25	0,00	0,25	0,50	0,25	0,00	0,25	0,00	0,25	0,25	0,00
10	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,50	1,00	0,50	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,00	0,00	0,25	0,50	0,25	0,00	0,00	0,00	0,00	0,00	0,00
11	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,50	1,00	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,00	0,00	0,25	0,50	0,25	0,00	0,00	0,00	0,00	0,00	0,00
12	0,00	0,00	0,25	0,25	0,00	0,25	0,50	0,00	0,50	0,25	0,25	1,00	0,75	0,25	0,00	0,00	0,00	0,00	0,25	0,25	0,00	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,00
13	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,00	0,25	0,00	0,00	0,75	1,00	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
14	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,25	0,25	0,25	0,25	1,00	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,00
15	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,25	1,00	0,75	0,25	0,50	0,25	0,00	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
16	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,25	0,00	0,50	0,75	0,00	0,25	1,00	0,75	0,25	0,25	0,25	0,25	0,25	0,25	0,00	0,00	0,00	0,00	0,00	0,00
17	0,00	0,00	0,25	0,00	0,00	0,00	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,25	0,25	1,00	0,25	0,50	0,25	0,25	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,00
18	0,00	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,00	0,00	0,25	0,00	0,00	0,25	0,50	0,75	0,25	1,00	0,50	0,25	0,25	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,00
19	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,25	0,25	0,25	0,50	1,00	0,50	0,50	0,25	0,25	0,00	0,00	0,00	0,00	0,00	0,00
20	0,00	0,00	0,00	0,25	0,00	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,50	0,25	0,50	0,50	1,00	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,00
21	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,25	0,25	0,25	0,50	0,50	0,25	1,00	0,50	0,50	0,25	0,50	0,00	0,00	0,00	0,00
22	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,00	0,25	0,25	0,25	0,25	0,25	0,50	0,00	0,75	0,50	0,50	0,25	0,25	0,00	0,00
23	0,00	0,25	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,50	0,50	0,50	0,25	0,25	0,00	0,25	0,25	0,25	0,25	0,50	0,75	0,00	0,75	0,50	0,50	0,50	0,50	0,00	0,00
24	0,25	0,50	0,25	0,50	0,50	0,50	0,25	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,00	0,00	0,00	0,00	0,00	0,25	0,25	0,50	0,75	0,00	0,75	0,75	0,75	0,25	0,25
25	0,25	0,50	0,25	0,50	0,25	0,25	0,00	0,00	0,00	0,00	0,25	0,00	0,25	0,00	0,00	0,00	0,00	0,25	0,50	0,50	0,50	0,75	0,00	0,50	0,50	0,50	0,25	0,25	0,25



**Changes to legislation:**

Commission Delegated Regulation (EU) 2015/35, Correlation coefficients for earthquake risk in the Republic of Bulgaria is up to date with all changes known to be in force on or before 19 August 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations.

View outstanding changes

**Changes and effects yet to be applied to :**

- Recital 53 Sentence 1 replacement by [EUR 2016/2283 Regulation](#)

**Changes and effects yet to be applied to the whole legislation item and associated provisions**

- Art. 1(18a) words substituted by [S.I. 2024/705 Sch. 2 para. 27\(a\)](#)
- Art. 1(18b)(a) substituted by [S.I. 2024/705 Sch. 2 para. 27\(b\)\(i\)](#)
- Art. 1(18b)(a) word omitted by [S.I. 2024/705 Sch. 2 para. 27\(b\)\(ii\)](#)
- Art. 1(18b)(c) and word inserted by [S.I. 2024/705 Sch. 2 para. 27\(b\)\(iii\)](#)
- Art. 1(19) words substituted by [S.I. 2024/705 Sch. 2 para. 27\(c\)](#)
- Art. 1(20) words substituted by [S.I. 2024/705 Sch. 2 para. 27\(d\)](#)
- Art. 1(21) words substituted by [S.I. 2024/705 Sch. 2 para. 27\(e\)](#)
- Art. 1(22) words substituted by [S.I. 2024/705 Sch. 2 para. 27\(f\)](#)
- Art. 1(23) words substituted by [S.I. 2024/705 Sch. 2 para. 27\(g\)](#)
- Art. 177(2)(b) words omitted by [S.I. 2019/407 reg. 11\(25\)\(a\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 177(2)(h)(i) words omitted by [S.I. 2019/407 reg. 11\(25\)\(b\)\(ii\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 177(2)(h)(i) words substituted by [S.I. 2019/407 reg. 11\(25\)\(b\)\(i\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 177(2)(r) words substituted by [S.I. 2019/407 reg. 11\(25\)\(c\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 177(2)(s) words substituted by [S.I. 2019/407 reg. 11\(25\)\(c\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 177(2)(t) words substituted by [S.I. 2019/407 reg. 11\(25\)\(d\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 177(5)(a) words substituted by [S.I. 2019/407 reg. 11\(25\)\(f\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 177(5)(c) words substituted by [S.I. 2019/407 reg. 11\(25\)\(f\)](#) (This amendment not applied to legislation.gov.uk. Reg. 11(25)(39) omitted immediately before IP completion day by virtue of S.I. 2019/710, regs. 1(2), 22)
- Art. 257(1A) inserted by [S.I. 2024/705 Sch. 2 para. 28\(3\)](#)
- Art. 257(6) inserted by [S.I. 2024/705 Sch. 2 para. 28\(7\)](#)