

Commission Regulation (EU) 2016/1 of 3 December 2015 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for bifenazate, boscalid, cyazofamid, cyromazine, dazomet, dithiocarbamates, fluazifop-P, mepanipyrim, metrafenone, picloram, propamocarb, pyridaben, pyriofenone, sulfoxaflor, tebuconazole, tebufenpyrad and thiram in or on certain products (Text with EEA relevance)

COMMISSION REGULATION (EU) 2016/1

of 3 December 2015

amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for bifenazate, boscalid, cyazofamid, cyromazine, dazomet, dithiocarbamates, fluazifop-P, mepanipyrim, metrafenone, picloram, propamocarb, pyridaben, pyriofenone, sulfoxaflor, tebuconazole, tebufenpyrad and thiram in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC⁽¹⁾, and in particular Article 14(1) (a) thereof,

Whereas:

- (1) For bifenazate, cyazofamid, cyromazine, mepanipyrim, metrafenone, propamocarb and tebuconazole maximum residue levels (MRLs) were set in Annex II to Regulation (EC) No 396/2005. For dithiocarbamates and thiram MRLs were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For boscalid, dazomet, fluazifop-P, picloram, pyridaben, pyriofenone and tebufenpyrad MRLs were set in Part A of Annex III to that Regulation. For sulfoxaflor no specific MRLs were set nor was the substance included in Annex IV to that Regulation, so the default value of 0,01 mg/kg laid down in Article 18(1)(b) applies.
- (2) In the context of a procedure for the authorisation of the use of a plant protection product containing the active substance bifenazate on blueberries, cranberries, gooseberries and azaroles, an application was submitted in accordance with Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRLs.
- (3) As regards boscalid, such an application was submitted for beans and peas (with pods). As regards cyazofamid, such an application was submitted for aubergines. As regards cyromazine, such an application was submitted for ‘lettuces and salad plants’, ‘spinaches and similar leaves’ and ‘herbs and edible flowers’. As regards dazomet, such an application was submitted for fruits of code number 0100000, carrots,

radishes, fruiting vegetables (except sweetcorn), leafy brassica, ‘lettuces and salad plants’ and ‘spinaches and similar leaves’. As regards fluazifop-P, such an application was submitted for celeriac, Jerusalem artichokes, peas (without pods), globe artichokes, dry beans, lentils, lupins, linseeds, poppy seeds, safflower seeds, herbal infusion (dried roots) and spices (roots or rhizome). As regards mepanipyrim, such an application was submitted for strawberries, tomatoes, aubergines and cucumbers. As regards metrafenone, such an application was submitted for hops. As regards picloram, such an application was submitted for borage. As regards propamocarb, such an application was submitted for garlic, onions and shallots. As regards pyridaben, such an application was submitted for cucurbits (edible peel). As regards pyriofenone, such an application was submitted for table grapes. As regards tebuconazole, such an application was submitted for cucumbers and courgettes. As regards tebufenpyrad, such an application was submitted for citrus fruits, plums, strawberries, tomatoes, peppers, aubergines, gherkins, melons and watermelons.

- (4) In accordance with Article 6(2) and (4) of Regulation (EC) No 396/2005 an application was submitted for thiram used on avocados. The applicant claims that the authorised uses of that substance on such crop in Australia and New Zealand lead to residues exceeding the MRL contained in Regulation (EC) No 396/2005 and that a higher MRL is necessary to avoid trade barriers for the importation of that crop.
- (5) In accordance with Article 8 of Regulation (EC) No 396/2005 these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.
- (6) The European Food Safety Authority, hereinafter ‘the Authority’, assessed the applications and the evaluation reports, examining in particular the risks to the consumer and, where relevant, to animals and gave reasoned opinions on the proposed MRLs⁽²⁾. It forwarded these opinions to the Commission and the Member States and made them available to the public.
- (7) The Authority concluded in its reasoned opinions that, as regards the use of cyromazine on scarole and the use of tebufenpyrad on peppers, a risk to the consumer cannot be excluded. The existing MRLs should therefore remain unchanged.
- (8) As regards the use of cyromazine on lamb's lettuce and fresh herbs, the use of dazomet on fruits and the use of tebufenpyrad on plums, gherkins, melons and watermelons, the submitted data support lower MRLs than the existing ones. However, since it needs to be verified whether these lower MRLs adequately reflect the critical Good Agricultural Practices (GAP) used in the EU and given that the existing MRLs are safe to the consumer, it is appropriate not to lower the existing MRLs in the framework of the current Regulation, but to use the information derived from the submitted data when reviewing all existing MRLs for those substances.
- (9) For dithiocarbamates, the Authority concluded that a new MRL for avocados needs to be set at the level of 7 mg/kg to adequately address the use of thiram on such a crop. The proposed MRL is considered safe to the consumer.

- (10) As regards all other applications, the Authority concluded that all requirements with respect to data were met and that the modifications to the MRLs requested by the applicants were acceptable with regard to consumer safety on the basis of a consumer exposure assessment for 27 specific European consumer groups. It took into account the most recent information on the toxicological properties of the substances. Neither the lifetime exposure to these substances via consumption of all food products that may contain them, nor the short-term exposure due to high consumption of the relevant crops and products showed that there is a risk that the acceptable daily intake (ADI) or the acute reference dose (ARfD) is exceeded.
- (11) For sulfoxaflor, the Authority submitted a conclusion on the peer review of the pesticide risk assessment of the active substance sulfoxaflor⁽³⁾. In that framework, it recommended to set MRLs covering both the representative uses according to GAPs in the Union and import tolerance requests from several third countries. The Commission consulted the European Union reference laboratories on the appropriate limits of determination (LODs).
- (12) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 14(2) of Regulation (EC) No 396/2005.
- (13) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (14) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II and III to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 3 December 2015.

For the Commission

The President

Jean-Claude JUNCKER

ANNEX

Annexes II and III to Regulation (EC) No 396/2005 are amended as follows:

- (1) In Annex II, the columns for bifenazate, cyazofamid, cyromazine, dithiocarbamates, mepanipyrim, metrafenone, propamocarb, tebuconazole and thiram are replaced by the following:

PESTICIDE RESIDUES AND MAXIMUM RESIDUE LEVELS (MG/KG)

| Code number and example of individual products | Bifenazate (sum of bifenazate to diazene which expressed the MRLs for bifenazate apply) (F) | Cyazofamid | Cyromazine | Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram) | Mepanipyrim | Metrafenone | Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb (R)) | Tebuconazole | Thiram (expressed as thiram) | |
|--|---|-------------------|------------|--|-------------------|-------------------|--|-------------------|------------------------------|------|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| 0100000 FRUITS, FRESH or FROZEN; TREE NUTS | | | | 0,05 ^a | | | | 0,01 ^a | | |
| 0110000 Citrus fruits | 0,9 | 0,01 ^a | | 5 (+) | 0,01 ^a | 0,01 ^a | | | 0,1 ^a | |
| 0110010 Grapefruits | | | | | | | | | 5 | |
| 0110020 Oranges | | | | | | | | | 0,9 | |
| 0110030 Lemons | | | | | | | | | 5 | |
| 0110040 Limes | | | | | | | | | 5 | |
| 0110050 Mandarins | | | | | | | | | 5 | |
| 0110990 Others | | | | | | | | | 5 | |
| 0120000 Tree nuts | 0,2 | 0,02 ^a | | | 0,02 ^a | 0,01 ^a | | 0,05 | 0,1 ^a | |
| 0120010 Almonds | | | | 0,05 ^a | | | | | | |
| 0120020 Brazil nuts | | | | 0,05 ^a | | | | | | |
| 0120030 Cashew nuts | | | | 0,05 ^a | | | | | | |

| | | | | | | | | | |
|--------|---|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|--|
| 012004 | Chestnuts | | | 0,05 ^a | | | | | |
| 012005 | Coconuts | | | 0,05 ^a | | | | | |
| 012006 | Hazelnuts/ cobnuts | | | 0,05 ^a | | | | | |
| 012007 | Macadamias | | | 0,05 ^a | | | | | |
| 012008 | Pecans | | | 0,05 ^a | | | | | |
| 012009 | Pine nut kernels | | | 0,05 ^a | | | | | |
| 012010 | Pistachios | | | 0,05 ^a | | | | | |
| 012011 | Walnuts | | | 0,1 (+) | | | | | |
| 012099 | Others | | | 0,05 ^a | | | | | |
| 013000 | Pome fruits | 0,7 (+) | 0,01 ^a | 5 (+) | 0,01 ^a | 0,01 ^a | | | |
| 013001 | Apples | | | | | | 0,3 | 5 | |
| 013002 | Pears | | | | | | 0,3 | 5 | |
| 013003 | Quinces | | | | | | 0,5 | 0,1 ^a | |
| 013004 | Medlars | | | b | | b | 0,5 | b | |
| 013005 | Loquats/ Japanese medlars | | | b | | b | 0,5 | b | |
| 013099 | Others | | | | | | 0,5 | 0,1 ^a | |
| 014000 | Stone fruits | 2 | 0,01 ^a | | 0,01 ^a | 0,01 ^a | | | |
| 014001 | Apricots | | | 2 (+) | | | 0,6 | 3 | |
| 014002 | Cherries (sweet) | | | 2 (+) | | | 1 (+) | 3 | |
| 014003 | Peaches | | | 2 (+) | | | 0,6 | 3 | |
| 014004 | Plums | | | 2 (+) | | | 1 | 2 | |
| 014099 | Others | | | 0,05 ^a | | | 0,02 ^a | 0,1 ^a | |
| 015000 | Berries and small fruits | | | | | | | | |
| 015100 | (a) | 0,7 <i>grapes</i> | 2 | 5 (+) | 2 | 7 | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | |
|----------------|---|-------------------|--|-------------------|-------------------|-------------------|--|-------------------|------------------|
| 015101 | Table grapes | | | | | | | 0,5 | 0,1 ^a |
| 015102 | Wine grapes | | | | | | | 1 (+) | 3 |
| 0152000 (b) | 3 <i>strawberries</i> | 0,01 ^a | | 10 (+) | 3 | 0,6 | | 0,02 ^a | 10 |
| 0153000 (c) | 7 <i>cane fruits</i> | 0,01 ^a | | 0,05 ^a | 0,01 ^a | 0,01 ^a | | 0,5 | 0,1 ^a |
| 015301 | Blackberries | | | | | | | | |
| 015302 | Dewberries | | | | | | | (+) | |
| 015303 | Raspberries (red and yellow) | | | | | | | | |
| 015399 | Others | | | | | | | (+) | |
| 0154000 (d) | <i>other small fruits and berries</i> | 0,01 ^a | | | 0,01 ^a | 0,01 ^a | | 1,5 | 0,1 ^a |
| 015401 | Blueberries | 0,7 | | 5 (+) | | | | | |
| 015402 | Cranberries | 0,7 | | 5 (+) | | | | | |
| 015403 | Currants (black, red and white) | 0,7 | | 5 (+) | | | | | |
| 015404 | Gooseberries (green, red and yellow) | 0,7 | | 5 (+) | | | | | |
| 015405 | Rose hips | 0,01 ^a | | b | | b | | b | |
| 015406 | Mulberries (black and white) | 0,01 ^a | | b | | b | | b | |
| 015407 | Azarole Mediterranean medlars | 0,7 | | b | | b | | b | |
| 015408 | Elderberries | 0,7 ^a | | b | | b | | b | |

| | | | | | | | | | | | |
|--------|------------------------------------|-------------------|--|-------------------|-------------------|-------------------|-------------------|--|--|-------------------|---|
| 015499 | Others | 0,01 ^a | | | 5 | | | | | | |
| 016000 | Miscellaneous fruits with | 0,01 ^a | | | | 0,01 ^a | 0,01 ^a | | | | |
| 016100 | (a) <i>edible peel</i> | | | | | | | | | 0,1 ^a | |
| 016101 | Dates | | | | 0,05 ^a | | | | | 0,02 ^a | |
| 016102 | Figs | | | | 0,05 ^a | | | | | 0,02 ^a | |
| 016103 | Table olives | | | | 5 (+) | | | | | 0,05 | |
| 016104 | Kumquats | | | | 0,05 ^a | | | | | 0,02 ^a | |
| 016105 | Carambolas | | | b | | b | | | | 0,02 ^a | b |
| 016106 | Kaki/ Japanese persimmons | | | b | | b | | | | 0,02 ^a | b |
| 016107 | Jambuls/ jambolans | | | b | | b | | | | 0,02 ^a | b |
| 016199 | Others | | | 0,05 ^a | | | | | | 0,02 ^a | |
| 016200 | (b) <i>inedible peel, small</i> | | | 0,05 ^a | | | | | | 0,1 ^a | |
| 016201 | Kiwi fruits (green, red, yellow) | | | | | | | | | 0,02 ^a | |
| 016202 | Litchis/ lychees | | | | | | | | | 0,02 ^a | |
| 016203 | Passionfruits/ maracujas | | | | | | | | | 1 | |
| 016204 | Prickly pears/ cactus fruits | | | b | | b | | | | 0,02 ^a | b |
| 016205 | Star apples/ cainitos | | | b | | b | | | | 0,02 ^a | b |
| 016206 | American persimmons/ Virginia kaki | | | b | | b | | | | 0,02 ^a | b |

| | | | | | | | | | |
|--------|--|-------------------|-------------------|-------------------|------------|-------------------|-------------------|-------------------|------------------|
| 021203 | Yams | | | | | | | | |
| 021204 | Arrowroots | | | b | | b | | | b |
| 021299 | Others | | | | | | | | |
| 021300 | (c) <i>other root and tuber vegetables except sugar beets</i> | | | | | | | | |
| 021301 | Beetroots | 0,01 ^a | | 0,5 (+) | | | 0,01 ^a | 0,02 ^a | |
| 021302 | Carrots | 0,01 ^a | | 0,2 (+) | | | 0,01 ^a | 0,4 | |
| 021303 | Celeriacs/ turnip rooted celeries | 0,01 ^a | | 0,3 (+) | | | 0,01 ^a | 0,5 | |
| 021304 | Horseradishes | 0,1 | | 0,2 (+) | | | 0,01 ^a | 0,4 | |
| 021305 | Jerusalem artichokes | 0,01 ^a | | 0,05 ^a | | | 0,01 ^a | 0,02 ^a | |
| 021306 | Parsnips | 0,01 ^a | | 0,2 (+) | | | 0,01 ^a | 0,4 | |
| 021307 | Parsley roots/ Hamburg roots parsley | 0,01 ^a | | 0,2 (+) | | | 0,01 ^a | 0,4 | |
| 021308 | Radishes | 0,01 ^a | | 2 (+) | | | 3 | 0,02 ^a | |
| 021309 | Salsifies | 0,01 ^a | | 0,2 (+) | | | 0,01 ^a | 0,4 (+) | |
| 021310 | Swedes/ rutabagas | 0,01 ^a | | 0,05 ^a | | | 0,01 ^a | 0,3 | |
| 021311 | Turnips | 0,01 ^a | | 0,05 ^a | | | 0,01 ^a | 0,3 | |
| 021399 | Others | 0,01 ^a | | 0,05 ^a | | | 0,01 ^a | 0,02 ^a | |
| 022000 | Bulb vegetables | 0,01 ^a | 0,01 ^a | 0,05 ^a | | 0,01 ^a | 0,01 ^a | | 0,1 ^a |
| 022001 | Garlic | | | | 0,6 (+) | | 2 | 0,1 | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | |
|----------------|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 023303 | Watermelons | | | | | | | 0,15 | |
| 023399 | Others | | | | | | | 0,15 | |
| 0234000 (d) | <i>sweet corn</i> | 0,01 ^a | 0,01 ^a | 0,05 ^a | 0,05 ^a | 0,01 ^a | 0,01 ^a | 0,01 ^a | 0,6 |
| 0239000 (e) | <i>other fruiting vegetables</i> | 0,01 ^a | 0,01 ^a | 0,05 ^a | 0,05 ^a | 0,01 ^a | 0,01 ^a | 0,01 ^a | 0,02 ^a |
| 0240000 | Brassica vegetables (excluding brassica roots and brassica baby leaf crops) | 0,01 ^a | 0,05 ^a | | | 0,01 ^a | 0,01 ^a | | 0,1 ^a |
| 0241000 (a) | <i>flowering brassica</i> | | | 1 (+) | | | | | |
| 024101 | Broccoli | | | | | | 3 | 0,15 | |
| 024102 | Cauliflowers | | | | | | 10 (+) | 0,05 | |
| 024199 | Others | | | | | | 0,01 ^a | 0,02 ^a | |
| 0242000 (b) | <i>head brassica</i> | | | | | | | 0,7 | |
| 024201 | Brussels sprouts | | | 2 (+) | | | 2 | | |
| 024202 | Head cabbages | | | 3 (+) | | | 0,7 | | |
| 024299 | Others | | | 0,05 ^a | | | 0,01 ^a | | |
| 0243000 (c) | <i>leafy brassica</i> | | | 0,5 (+) | | | | 0,02 ^a | |
| 024301 | Chinese cabbages/pe-tsai | | | | | | 20 | | |
| 024302 | Kales | | | | | | 20 | | |
| 024399 | Others | | | | | | 0,01 ^a | | |
| 0244000 (d) | <i>kohlrabies</i> | | | 1 (+) | | | 0,3 | 0,02 ^a | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | |
|--------|--|--|-------------------|-------------------|-------------------|-------------------|-------------------|--------|-------------------|
| 025000 | Leaf vegetables, herbs and edible flowers | | | | | | | | |
| 025100 | (a) | 0,01 ^a <i>lettuces and salad plants</i> | 0,01 ^a | | 5 (+) | 0,01 ^a | 0,01 ^a | | 0,5 |
| 025101 | Lamb's lettuces/ corn salads | | | 15 (+) | | | | 20 (+) | 0,1 ^a |
| 025102 | Lettuces | | 3 | | | | | 40 | 2 |
| 025103 | Escaroles/ broad-leaved endives | | | 0,05 ^a | | | | 20 (+) | 2 |
| 025104 | Cresses and other sprouts and shoots | | 3 | | | | | 20 (+) | 0,1 ^a |
| 025105 | Land cresses | | 3 | b | | b | | 20 (+) | b |
| 025106 | Roman rocket/ rucola | | | 3 (+) | | | | 30 | 0,1 ^a |
| 025107 | Red mustards | | 3 | b | | b | | 20 (+) | b |
| 025108 | Baby leaf crops (including brassica species) | | 3 | | | | | 20 (+) | 0,1 ^a |
| 025199 | Others | | 3 | | | | 0,01 ^a | | 0,1 ^a |
| 025200 | (b) | 0,01 ^a <i>spinaches and similar leaves</i> | 0,01 ^a | 3 | | 0,01 ^a | 0,01 ^a | | 0,02 ^a |
| 025201 | Spinaches | | | | 0,05 ^a | | | 40 | |

| | | | | | | | | | |
|--------|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 025202 | Purslanes | | | b | | b | 0,01 ^a | | b |
| 025203 | Chards/ beet leaves | | | 0,05 ^a | | | 0,01 ^a | | |
| 025299 | Others | | | 0,05 ^a | | | 0,01 ^a | | |
| 025300 | (c) <i>grape leaves and similar species</i> | 0,01 ^a | 0,01 ^a | 0,05 ^a | b | 0,01 ^a | b | 0,01 ^a | 0,02 ^a |
| 025400 | (d) <i>watercresses</i> | 0,01 ^a | 0,01 ^a | 0,05 ^a | 0,3 (+) | 0,01 ^a | 0,01 ^a | 0,01 ^a | 0,02 ^a |
| 025500 | (e) <i>witloofs/ Belgian endives</i> | 0,01 ^a | 0,01 ^a | 0,05 ^a | 0,5 (+) | 0,01 ^a | 0,01 ^a | 15 | 0,15 |
| 025600 | (f) <i>herbs and edible flowers</i> | | 0,02 ^a | 15 (+) | 5 (+) | 0,02 ^a | 0,02 ^a | 30 (+) | 0,1 ^a |
| 025601 | Chervil | 0,02 ^a | | | | | | 0,05 ^a | |
| 025602 | Chives | 0,02 ^a | | | | | | 2 | |
| 025603 | Celery leaves | 0,02 ^a | | | | | | 0,05 ^a | |
| 025604 | Parsley | 0,02 ^a | | | | | | 2 | |
| 025605 | Sage | 0,02 ^a | | b | | b | | 0,05 ^a | b |
| 025606 | Rosemary | 0,02 ^a | | b | | b | | 0,05 ^a | b |
| 025607 | Thyme | 0,02 ^a | | b | | b | | 0,05 ^a | b |
| 025608 | Basil and edible flowers | 40 | | b | | b | | 0,05 ^a | b |
| 025609 | Laurel/ bay leave | 0,02 ^a | | b | | b | | 0,05 ^a | b |
| 025610 | Tarrago | 0,02 ^a | | b | | b | | 0,05 ^a | b |
| 025699 | Others | 0,02 ^a | | | | | | 0,05 ^a | |
| 026000 | Legume vegetables | 0,01 ^a | | | 0,01 ^a | 0,01 ^a | | | 0,1 ^a |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | | |
|--------|----------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| 026001 | Beans (with pods) | 7 | | 5 (+) | 1 (+) | | | 0,1 | 2 (+) | |
| 026002 | Beans (without pods) | 0,4 | | 0,05 ^a | 0,1 (+) | | | 0,01 ^a | 2 (+) | |
| 026003 | Peas (with pods) | 7 | | 5 (+) | 1 (+) | | | 0,01 ^a | 2 (+) | |
| 026004 | Peas (without pods) | 0,4 | | 0,05 ^a | 0,2 (+) | | | 0,01 ^a | 0,02 ^a | |
| 026005 | Lentils | 0,4 | | 0,05 ^a | 0,05 ^a | | | 0,01 ^a | 0,02 ^a | |
| 026099 | Others | 0,01 ^a | | 0,05 ^a | 0,05 ^a | | | 0,01 ^a | 0,02 ^a | |
| 027000 | Stem vegetables | 0,01 ^a | 0,01 ^a | | | 0,01 ^a | 0,01 ^a | 0,01 ^a | | 0,1 ^a |
| 027001 | Asparagus | | | 0,05 ^a | 0,5 (+) | | | | 0,02 ^a | |
| 027002 | Cardoons | | | 0,05 ^a | 0,05 ^a | | | | 0,02 ^a | |
| 027003 | Celeries | | | 3 (+) | 0,05 ^a | | | | 0,5 (+) | |
| 027004 | Florence fennels | | | 0,05 ^a | 0,05 ^a | | | | 0,02 ^a | |
| 027005 | Globe artichokes | | | 0,05 ^a | 0,05 ^a | | | | 0,6 | |
| 027006 | Leeks | | | 0,05 ^a | 3 (+) | | | | 0,6 | |
| 027007 | Rhubarbs | | | 0,05 ^a | 0,5 (+) | | | | 0,02 ^a | |
| 027008 | Bamboo shoots | | | 0,05 ^a | b | | b | | 0,02 ^a | b |
| 027009 | Palm hearts | | | 0,05 ^a | b | | b | | 0,02 ^a | b |
| 027099 | Others | | | 0,05 ^a | 0,05 ^a | | | | 0,02 ^a | |
| 028000 | Fungi, mosses and lichens | 0,01 ^a | 0,01 ^a | | 0,05 ^a | 0,01 ^a | | 0,01 ^a | 0,02 ^a | 0,1 ^a |
| 028001 | Cultivated fungi | | | 10 | | | 0,4 | | | |
| 028002 | Wild fungi | | | 0,05 ^a | | | 0,01 ^a | | | |

| | | | | | | | | | | | |
|--------|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------|------------------|
| 028099 | Mosses and lichens | | | 0,05 ^a | | | 0,01 ^a | | | | |
| 029000 | Algae and prokaryotes organisms | 0,01 ^a | | 0,05 ^a | ^b | 0,01 ^a | ^b | 0,01 ^a | 0,02 ^a | ^b | |
| 030000 | PULSES | | 0,02 ^a | 0,05 ^a | | 0,01 ^a | 0,01 ^a | 0,01 ^a | | | 0,1 ^a |
| 030001 | Beans | 0,3 | | | 0,1 (+) | | | | 0,3 | | |
| 030002 | Lentils | 0,01 ^a | | | 0,05 ^a | | | | 0,2 | | |
| 030003 | Peas | 0,01 ^a | | | 0,1 (+) | | | | 0,2 | | |
| 030004 | Lupins lupini beans | 0,01 ^a | | | 0,05 ^a | | | | 0,2 | | |
| 030099 | Others | 0,01 ^a | | | 0,05 ^a | | | | 0,2 | | |
| 040000 | OILSEEDS AND OIL FRUITS | | 0,02 ^a | 0,05 ^a | | 0,02 ^a | 0,01 ^a | 0,01 ^a | | | 0,1 ^a |
| 040100 | Oilseeds | | | | | | | | | | |
| 040101 | Linseeds | 0,02 ^a | | | 0,1 ^a | | | | 0,6 | | |
| 040102 | Peanuts groundnuts | 0,02 ^a | | | 0,1 ^a | | | | 0,15 | | |
| 040103 | Poppy seeds | 0,02 ^a | | | 0,1 ^a | | | | 0,2 | | |
| 040104 | Sesame seeds | 0,02 ^a | | | 0,1 ^a | | | | 0,02 ^a | | |
| 040105 | Sunflower seeds | 0,02 ^a | | | 0,1 ^a | | | | 0,02 ^a | | |
| 040106 | Rapeseed canola seeds | 0,02 ^a | | | 0,5 (+) | | | | 0,5 | | |
| 040107 | Soyabeans | 0,02 ^a | | | 0,1 ^a | | | | 0,15 | | |
| 040108 | Mustard seeds | 0,02 ^a | | | 0,1 ^a | | | | 0,3 | | |
| 040109 | Cotton seeds | 0,3 | | | 0,1 ^a | | | | 2 | | |
| 040110 | Pumpkin seeds | 0,02 ^a | | | 0,1 ^a | | | | 0,02 ^a | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | |
|--------|---|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| 040111 | Safflower seeds | 0,02 ^a | | b | | b | | 0,02 ^a | b |
| 040112 | Borage seeds | 0,02 ^a | | b | | b | | 0,02 ^a | b |
| 040113 | Gold of pleasure seeds | 0,02 ^a | | b | | b | | 0,3 | b |
| 040114 | Hemp seeds | 0,02 ^a | | 0,1 ^a | | | | 0,02 ^a | |
| 040115 | Castor beans | 0,02 ^a | | b | | b | | 0,02 ^a | b |
| 040199 | Others | 0,02 ^a | | 0,1 ^a | | | | 0,02 ^a | |
| 040200 | Oil fruits | 0,02 ^a | | | | | | | |
| 040201 | Olives for oil production | | | 5 (+) | | | | 0,05 | |
| 040202 | Oil palms kernels | | | b | | b | | 0,02 ^a | b |
| 040203 | Oil palms fruits | | | b | | b | | 0,02 ^a | b |
| 040204 | Kapok | | | b | | b | | 0,02 ^a | b |
| 040299 | Others | | | 0,1 ^a | | | | 0,02 ^a | |
| 050000 | CEREALS | 0,02 ^a | 0,05 ^a | | 0,01 ^a | | 0,01 ^a | | 0,1 ^a |
| 050001 | Barley | | | 2 (+) | | 0,6 | | 2 | |
| 050002 | Buckwheat and other pseudo-cereals | | | 0,05 ^a | | 0,01 ^a | | 0,02 ^a | |
| 050003 | Maize/corn | | | 0,05 ^a | | 0,01 ^a | | 0,02 ^a | |
| 050004 | Common millet/proso millet | | | 0,05 ^a | | 0,01 ^a | | 0,02 ^a | |
| 050005 | Oat | | | 2 (+) | | 0,6 | | 2 | |
| 050006 | Rice | | | 0,05 ^a | | 0,01 ^a | | 1 (+) | |

| | | | | | | | | | | |
|--------|--|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| 050007 | Rye | | | | 1 (+) | | 0,07 | | 0,1 | |
| 050008 | Sorghum | | | | 0,05 ^a | | 0,01 ^a | | 0,02 ^a | |
| 050009 | Wheat | | | | 1 (+) | | 0,07 | | 0,1 | |
| 050099 | Others | | | | 0,05 ^a | | 0,01 ^a | | 0,02 ^a | |
| 060000 | TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS | 0,05 ^a | 0,05 ^a | 0,1 ^a | 0,1 ^a | 0,05 ^a | 0,05 ^a | 0,05 ^a | | 0,2 ^a |
| 061000 | Teas | | | | | | | | 0,05 ^a | |
| 062000 | Coffee beans | | | b | | b | | | 0,1 | b |
| 063000 | Herbal infusions from | | | b | | b | | | 0,05 ^a | b |
| 063100 | (a) <i>flowers</i> | | | b | | b | | | | b |
| 063101 | Chamomile | | | b | | b | | | | b |
| 063102 | Hibiscus/ roselle | | | b | | b | | | | b |
| 063103 | Rose | | | b | | b | | | | b |
| 063104 | Jasmine | | | b | | b | | | | b |
| 063105 | Lime/ linden | | | b | | b | | | | b |
| 063199 | Others | | | b | | b | | | | b |
| 063200 | (b) <i>leaves and herbs</i> | | | b | | b | | | | b |
| 063201 | Strawberry | | | b | | b | | | | b |
| 063202 | Rooibos | | | b | | b | | | | b |
| 063203 | Mate/ maté | | | b | | b | | | | b |
| 063299 | Others | | | b | | b | | | | b |
| 063300 | (c) <i>roots</i> | | | b | | b | | | | b |
| 063301 | Valerian | | | b | | b | | | | b |
| 063302 | Ginseng | | | b | | b | | | | b |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | | |
|---------|----------------------------|-------------------------------------|-------------------|------------------|--------|-------------------|----|-------------------|-------------------|------------------|
| 063399 | Others | | | | b | | b | | | b |
| 0639000 | (d) | <i>any other parts of the plant</i> | | | b | | b | | | b |
| 064000 | Cocoa beans | | | | b | | b | | 0,05 ^a | b |
| 065000 | Carobs/Saint John's breads | | | | b | | b | | 0,05 ^a | b |
| 070000 | HOPS | 20 | 0,05 ^a | 0,1 ^a | 25 (+) | 0,05 ^a | 80 | 0,05 ^a | 40 (+) | 0,2 ^a |
| 080000 | SPICES | | | | b | | b | | | b |
| 081000 | Seed spices | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 1,5 (+) | b |
| 081001 | Anise/aniseed | | | | b | | b | | | b |
| 081002 | Black caraway/black cumin | | | | b | | b | | | b |
| 081003 | Celery | | | | b | | b | | | b |
| 081004 | Coriander | | | | b | | b | | | b |
| 081005 | Cumin | | | | b | | b | | | b |
| 081006 | Dill | | | | b | | b | | | b |
| 081007 | Fennel | | | | b | | b | | | b |
| 081008 | Fenugreek | | | | b | | b | | | b |
| 081009 | Nutmeg | | | | b | | b | | | b |
| 081099 | Others | | | | b | | b | | | b |
| 082000 | Fruit spices | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | | b |
| 082001 | Allspice/pimento | | | | b | | b | | 0,05 ^a | b |
| 082002 | Sichuan pepper | | | | b | | b | | 0,05 ^a | b |
| 082003 | Caraway | | | | b | | b | | 1,5 (+) | b |

| | | | | | | | | | |
|--------|-------------------------------------|-------------------|-------------------|------------------|-----|-------------------|-----|-------------------|-------------------|
| 082004 | Cardamom | | | b | | b | | 0,05 ^a | b |
| 082005 | Juniper berry | | | b | | b | | 0,05 ^a | b |
| 082006 | Peppercorn (black, green and white) | | | b | | b | | 0,05 ^a | b |
| 082007 | Vanilla | | | b | | b | | 0,05 ^a | b |
| 082008 | Tamarind | | | b | | b | | 0,05 ^a | b |
| 082099 | Others | | | b | | b | | 0,05 ^a | b |
| 083000 | Bark spices | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 083001 | Cinnamon | | | b | | b | | | b |
| 083099 | Others | | | b | | b | | | b |
| 084000 | Root and rhizome spices | | | b | | b | | | b |
| 084001 | Liquorice | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 084002 | Ginger | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 084003 | Turmeric | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 084004 | Horseradish | (+) | (+) | b | (+) | b | (+) | (+) | b |
| 084099 | Others | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 085000 | Bud spices | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 085001 | Cloves | | | b | | b | | | b |
| 085002 | Capers | | | b | | b | | | b |
| 085099 | Others | | | b | | b | | | b |
| 086000 | Flower pistil spices | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 086001 | Saffron | | | b | | b | | | b |
| 086099 | Others | | | b | | b | | | b |
| 087000 | Aril spices | 0,05 ^a | 0,05 ^a | 0,1 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a |
| 087001 | Mace | | | b | | b | | | b |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | | |
|--------|---|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---|---|
| 087099 | Others | | | | b | | b | | | b |
| 090000 | SUGAR PLANTS | 0,01 ^a | 0,05 ^a | b | 0,01 ^a | b | 0,01 ^a | 0,02 ^a | b | |
| 090001 | Sugar beet roots | | | b | | b | | | b | |
| 090002 | Sugar canes | | | b | | b | | | b | |
| 090003 | Chicory roots | | | b | | b | | | b | |
| 090099 | Others | | | b | | b | | | b | |
| 100000 | PRODUCTS OF ANIMAL ORIGIN | | | 0,05 ^a | | | | | | |
| | - TERRESTRIAL ANIMALS | | | | | | | | | |
| 101000 | Tissues from | 0,01 ^a | | | 0,01 ^a | 0,01 ^a | | | | |
| 101100 | (a) <i>swine</i> | | 0,01 ^a | | | | | | | |
| 101101 | Muscle | 0,01 ^a | | | | | 0,01 (+) | 0,1 ^a | | |
| 101102 | Fat tissue | 0,05 | | | | | 0,01 (+) | 0,1 ^a | | |
| 101103 | Liver | 0,01 ^a | | | | | 0,1 (+) | 0,2 | | |
| 101104 | Kidney | 0,01 ^a | | | | | 0,02 (+) | 0,2 | | |
| 101105 | Edible offals (other than liver and kidney) | 0,01 ^a | | | | | 0,1 | 0,2 | | |
| 101199 | Others | 0,01 ^a | | | | | 0,01 ^a | 0,1 ^a | | |
| 101200 | (b) <i>bovine</i> | | 0,01 ^a | | | | | | | |
| 101201 | Muscle | 0,01 ^a | | | | | 0,01 (+) | 0,1 ^a | | |

| | | | | | | | | | |
|--------|---|-------------------|-------------------|--|--|--|-------------------|------------------|--|
| 101202 | Fat tissue | 0,05 | | | | | 0,01 (+) | 0,1 ^a | |
| 101203 | Liver | 0,01 ^a | | | | | 0,2 (+) | 0,2 | |
| 101204 | Kidney | 0,01 ^a | | | | | 0,05 (+) | 0,2 | |
| 101205 | Edible offals (other than liver and kidney) | 0,01 ^a | | | | | 0,2 | 0,2 | |
| 101299 | Others | 0,01 ^a | | | | | 0,01 ^a | 0,1 ^a | |
| 101300 | (c) sheep | | 0,3 (+) | | | | | | |
| 101301 | Muscle | 0,01 ^a | | | | | 0,01 (+) | 0,1 ^a | |
| 101302 | Fat tissue | 0,05 | | | | | 0,01 (+) | 0,1 ^a | |
| 101303 | Liver | 0,01 ^a | | | | | 0,2 (+) | 0,2 | |
| 101304 | Kidney | 0,01 ^a | | | | | 0,05 (+) | 0,2 | |
| 101305 | Edible offals (other than liver and kidney) | 0,01 ^a | | | | | 0,2 | 0,2 | |
| 101399 | Others | 0,01 ^a | | | | | 0,01 ^a | 0,1 ^a | |
| 101400 | (d) goat | | 0,01 ^a | | | | | | |
| 101401 | Muscle | 0,01 ^a | | | | | 0,01 (+) | 0,1 ^a | |
| 101402 | Fat tissue | 0,05 | | | | | 0,01 (+) | 0,1 ^a | |
| 101403 | Liver | 0,01 ^a | | | | | 0,2 (+) | 0,2 | |
| 101404 | Kidney | 0,01 ^a | | | | | 0,05 (+) | 0,2 | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | | |
|----------------|---|-------------------|-------------------|---|--|---|-------------------|-------------------|------------------|---|
| 101405 | Edible offals (other than liver and kidney) | 0,01 ^a | | | | | | 0,2 | 0,2 | |
| 101499 | Others | 0,01 ^a | | | | | | 0,01 ^a | 0,1 ^a | |
| 101500 (e) | <i>equine</i> | | 0,01 ^a | b | | b | | | | b |
| 101501 | Muscle | 0,01 ^a | | b | | b | 0,01 | 0,1 ^a | b | |
| 101502 | Fat tissue | 0,05 | | b | | b | 0,01 | 0,1 ^a | b | |
| 101503 | Liver | 0,01 ^a | | b | | b | 0,2 | 0,2 | b | |
| 101504 | Kidney | 0,01 ^a | | b | | b | 0,05 | 0,2 | b | |
| 101505 | Edible offals (other than liver and kidney) | 0,01 ^a | | b | | b | 0,2 | 0,2 | b | |
| 101599 | Others | 0,01 ^a | | b | | b | 0,01 ^a | 0,1 ^a | b | |
| 1016000 (f) | <i>poultry</i> | 0,01 ^a | 0,01 ^a | | | | | 0,1 ^a | | |
| 101601 | Muscle | | | | | | 0,02 (+) | | | |
| 101602 | Fat tissue | | | | | | 0,01 (+) | | | |
| 101603 | Liver | | | | | | 0,05 (+) | | | |
| 101604 | Kidney | | | | | | 0,01 ^a | | | |
| 101605 | Edible offals (other than liver and kidney) | | | | | | 0,05 | | | |
| 101699 | Others | | | | | | 0,01 ^a | | | |
| 1017000 (g) | <i>other farmed</i> | 0,01 ^a | b | | | b | | | b | |

| | | <i>terrestrial animals</i> | | | | | | | | |
|--------|--|----------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---|
| 101701 | Muscle | 0,01 ^a | | | b | | b | 0,01 | 0,1 ^a | b |
| 101702 | Fat tissue | 0,05 | | | b | | b | 0,01 | 0,1 ^a | b |
| 101703 | Liver | 0,01 ^a | | | b | | b | 0,2 | 0,2 | b |
| 101704 | Kidney | 0,01 ^a | | | b | | b | 0,05 | 0,2 | b |
| 101705 | Edible offals (other than liver and kidney) | 0,01 ^a | | | b | | b | 0,2 | 0,2 | b |
| 101799 | Others | 0,01 ^a | | | b | | b | 0,01 ^a | 0,1 ^a | b |
| 102000 | Milk | 0,01 ^a | 0,01 ^a | 0,01 ^a | | 0,01 ^a | 0,01 ^a | 0,01 (+) | 0,02 ^a | |
| 102001 | Cattle | | | | | | | | | |
| 102002 | Sheep | | | | | | | | | |
| 102003 | Goat | | | | | | | | | |
| 102004 | Horse | | | | | | | | | |
| 102099 | Others | | | | | | | | | |
| 103000 | Birds eggs | 0,01 ^a | 0,01 ^a | 0,01 ^a | | 0,01 ^a | 0,01 ^a | 0,05 (+) | 0,1 ^a | |
| 103001 | Chicken | | | | | | | | | |
| 103002 | Duck | | | | b | | b | | | b |
| 103003 | Geese | | | | b | | b | | | b |
| 103004 | Quail | | | | b | | b | | | b |
| 103099 | Others | | | | b | | b | | | b |
| 104000 | Honey and other apiculture products | 0,05 ^a | 0,05 ^a | 0,05 ^a | b | 0,05 ^a | b | 0,05 ^a | 0,05 ^a | b |
| 105000 | Amphibians and Reptiles | 0,01 ^a | 0,01 ^a | b | 0,01 ^a | b | 0,01 ^a | 0,1 ^a | b | |
| 106000 | Terrestrial invertebrate animals | 0,01 ^a | 0,01 ^a | b | 0,01 ^a | b | 0,01 ^a | 0,1 ^a | b | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | | | |
|--------|--|-------------------|-------------------|-------------------|--------------|-------------------|--------------|-------------------|------------------|--------------|
| 107000 | Wild terrestrial vertebrate animals | 0,01 ^a | 0,01 ^a | 0,01 ^a | ^b | 0,01 ^a | ^b | 0,01 ^a | 0,1 ^a | ^b |
|--------|--|-------------------|-------------------|-------------------|--------------|-------------------|--------------|-------------------|------------------|--------------|

a Indicates lower limit of analytical determination**b** Pesticide-code combination for which the MRL as set in Annex III Part B applies.**c** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate) (F)

(+) The European Food Safety Authority identified some information on hydrolysis as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|---------------------------------|
| 0130000 | Pome fruits |
| 0130010 | Apples |
| 0130020 | Pears |
| 0130030 | Quinces |
| 0130040 | Medlars |
| 0130050 | Loquats/Japanese medlars |
| 0130990 | Others |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish**Cyazofamid**

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|-------------------------------------|
| 0211000 | potatoes |
| 0231010 | Tomatoes |
| 0232000 | cucurbits with edible peel |
| 0232010 | Cucumbers |
| 0232020 | Gherkins |
| 0232030 | Courgettes |
| 0232990 | Others |
| 0233000 | cucurbits with inedible peel |
| 0233010 | Melons |
| 0233020 | Pumpkins |
| 0233030 | Watermelons |
| 0233990 | Others |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish**Cyromazine**

(+) The European Food Safety Authority identified some information on residue trials and melamine formation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|------------------------------------|
| 0251010 | Lamb's lettuces/corn salads |
| 0251060 | Roman rocket/rucola |
| 0256000 | herbs and edible flowers |
| 0256010 | Chervil |
| 0256020 | Chives |
| 0256030 | Celery leaves |

| | |
|----------------|---------------------------------|
| 0256040 | Parsley |
| 0256050 | Sage |
| 0256060 | Rosemary |
| 0256070 | Thyme |
| 0256080 | Basil and edible flowers |
| 0256090 | Laurel/bay leave |
| 0256100 | Tarragon |
| 0256990 | Others |

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|--------------------------|
| 0260010 | Beans (with pods) |
| 0260030 | Peas (with pods) |

(+) The European Food Safety Authority identified some information on residue trials and melamine formation as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

0270030 Celeries

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

| | |
|----------------|--------------------|
| 0840040 | Horseradish |
|----------------|--------------------|

(+) veterinary medicinal MRL

| | |
|----------------|--|
| 1013000 | sheep |
| 1013010 | Muscle |
| 1013020 | Fat tissue |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1013050 | Edible offals (other than liver and kidney) |
| 1013990 | Others |

Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)

In brackets the origin of the residue (ma: maneb; mz: mancozeb; me: metiram; pr: propineb; t: thiram; z: ziram).

The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP). It is therefore not appropriate to use these MRLs to check compliance with a GAP.

(+) (mz)

| | |
|----------------|----------------------|
| 0110000 | Citrus fruits |
| 0110010 | Grapefruits |
| 0110020 | Oranges |
| 0110030 | Lemons |
| 0110040 | Limes |
| 0110050 | Mandarins |
| 0110990 | Others |
| 0120110 | Walnuts |

(+) (ma, mz, me, pr, t, z)

| | |
|----------------|--------------------|
| 0130000 | Pome fruits |
| 0130010 | Apples |
| 0130020 | Pears |
| 0130030 | Quinces |
| 0130990 | Others |

(+) (mz, t)

0140010 Apricots

(+) (mz, me, pr, t, z)

0140020 Cherries (sweet)

(+) (mz, t)

| | |
|----------------------------|--|
| 0140030 | Peaches |
| (+) (mz, me, t, z) | |
| 0140040 | Plums |
| (+) (ma, mz, me, pr, t, z) | |
| 0151000 | grapes |
| 0151010 | Table grapes |
| 0151020 | Wine grapes |
| (+) (t) | |
| 0152000 | strawberries |
| (+) (mz) | |
| 0154010 | Blueberries |
| 0154020 | Cranberries |
| 0154030 | Currants (black, red and white) |
| 0154040 | Gooseberries (green, red and yellow) |
| (+) (mz, pr) | |
| 0161030 | Table olives |
| (+) (t) | |
| 0163010 | Avocados |
| (+) (mz, me, t) | |
| 0163020 | Bananas |
| (+) (mz) | |
| 0163030 | Mangoes |
| 0163040 | Papayas |
| (+) (ma, mz, me, pr, z) | |
| 0211000 | potatoes |
| (+) (mz) | |
| 0213010 | Beetroots |
| 0213020 | Carrots |
| (+) (ma, mz, me, pr, t, z) | |
| 0213030 | Celeriacs/turnip rooted celeries |
| (+) (mz) | |
| 0213040 | Horseradishes |
| 0213060 | Parsnips |
| 0213070 | Parsley roots/Hamburg roots parsley |
| 0213080 | Radishes |
| 0213090 | Salsifies |
| (+) (me) | |
| 0220010 | Garlic |
| (+) (ma, me, mz) | |
| 0220020 | Onions |
| 0220030 | Shallots |
| (+) (ma, mz) | |
| 0220040 | Spring onions/green onions and Welsh onions |
| (+) (mz, pr) | |
| 0231010 | Tomatoes |
| 0231020 | Sweet peppers/bell peppers |
| (+) (me, mz) | |

| | |
|------------------|---|
| 0231030 | Aubergines/eggplants |
| (+) (mz) | |
| 0231040 | Okra/lady's fingers |
| (+) (mz, me, pr) | |
| 0232000 | cucurbits with edible peel |
| 0232010 | Cucumbers |
| 0232020 | Gherkins |
| 0232030 | Courgettes |
| 0232990 | Others |
| (+) (me) | |
| 0233000 | cucurbits with inedible peel |
| 0233010 | Melons |
| 0233020 | Pumpkins |
| 0233030 | Watermelons |
| 0233990 | Others |
| (+) (mz) | |
| 0241000 | flowering brassica |
| 0241010 | Broccoli |
| 0241020 | Cauliflowers |
| 0241990 | Others |
| 0242010 | Brussels sprouts |
| 0242020 | Head cabbages |
| 0243000 | leafy brassica |
| 0243010 | Chinese cabbages/pe-tsai |
| 0243020 | Kales |
| 0243990 | Others |
| 0244000 | kohlrabies |
| (+) (mz, me, t) | |
| 0251000 | lettuces and salad plants |
| 0251010 | Lamb's lettuces/corn salads |
| 0251020 | Lettuces |
| 0251030 | Escaroles/broad-leaved endives |
| 0251040 | Cresses and other sprouts and shoots |
| 0251060 | Roman rocket/rucola |
| 0251080 | Baby leaf crops (including brassica species) |
| 0251990 | Others |
| (+) (mz) | |
| 0254000 | watercresses |
| 0255000 | witloofs/Belgian endives |
| (+) (mz, me) | |
| 0256000 | herbs and edible flowers |
| 0256010 | Chervil |
| 0256020 | Chives |
| 0256030 | Celery leaves |
| 0256040 | Parsley |
| 0256990 | Others |
| (+) (mz) | |
| 0260010 | Beans (with pods) |
| 0260020 | Beans (without pods) |
| (+) (ma, mz) | |
| 0260030 | Peas (with pods) |
| (+) (mz) | |
| 0260040 | Peas (without pods) |
| (+) (me, mz) | |

| | |
|--|---|
| 0270010 | Asparagus |
| (+) (ma, mz) | |
| 0270060 | Leeks |
| (+) (mz) | |
| 0270070 | Rhubarbs |
| 0300010 | Beans |
| 0300030 | Peas |
| (+) (ma, mz) | |
| 0401060 | Rapeseeds/canola seeds |
| (+) (mz, pr) | |
| 0402010 | Olives for oil production |
| (+) (ma, mz) | |
| 0500010 | Barley |
| 0500050 | Oat |
| 0500070 | Rye |
| 0500090 | Wheat |
| (+) (pr) | |
| 0700000 | HOPS |
| Mepanipyrim | |
| (+) The applicable maximum residue level for horseradish (<i>Armoracia rusticana</i>) in the spice group (code 0840040) is the one set for horseradish (<i>Armoracia rusticana</i>) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005. | |
| 0840040 | Horseradish |
| Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) (R) | |
| (R) | = The residue definition differs for the following combinations pesticide-code number: code 1000000 except 1016000, 1030000 and 1040000: N-oxide propamocarb; codes 1016000 and 1030000: N-desmethyl propamocarb |
| (+) The European Food Safety Authority identified some information on residue trials as unavailable. When reviewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it. | |
| 0241020 | Cauliflowers |
| 0251010 | Lamb's lettuces/corn salads |
| 0251030 | Escaroles/broad-leaved endives |
| 0251040 | Cresses and other sprouts and shoots |
| 0251050 | Land cresses |
| 0251070 | Red mustards |
| 0251080 | Baby leaf crops (including brassica species) |
| 0256000 | herbs and edible flowers |
| 0256010 | Chervil |
| 0256020 | Chives |
| 0256030 | Celery leaves |
| 0256040 | Parsley |
| 0256050 | Sage |
| 0256060 | Rosemary |
| 0256070 | Thyme |
| 0256080 | Basil and edible flowers |
| 0256090 | Laurel/bay leave |
| 0256100 | Tarragon |
| 0256990 | Others |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040**Horseradish**

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|-------------------|
| 1011010 | Muscle |
| 1011020 | Fat tissue |
| 1011030 | Liver |
| 1011040 | Kidney |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|-------------------|
| 1012010 | Muscle |
| 1012020 | Fat tissue |
| 1012030 | Liver |
| 1012040 | Kidney |
| 1013010 | Muscle |
| 1013020 | Fat tissue |
| 1013030 | Liver |
| 1013040 | Kidney |
| 1014010 | Muscle |
| 1014020 | Fat tissue |
| 1014030 | Liver |
| 1014040 | Kidney |

(+) The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|-------------------|
| 1016010 | Muscle |
| 1016020 | Fat tissue |
| 1016030 | Liver |

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|---------------|
| 1020000 | Milk |
| 1020010 | Cattle |
| 1020020 | Sheep |
| 1020030 | Goat |
| 1020040 | Horse |
| 1020990 | Others |

(+) The European Food Safety Authority identified some information on analytical methods and the hen feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 22 March 2016 or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|-------------------|
| 1030000 | Birds eggs |
| 1030010 | Chicken |
| 1030020 | Duck |
| 1030030 | Geese |
| 1030040 | Quail |
| 1030990 | Others |

Tebuconazole (R)

(R) = The residue definition differs for the following combinations
pesticide-code number:
tebuconazole-code 1000000 except 1040000: sum of
tebuconazole, hydroxy-tebuconazole, and their conjugates,
expressed as tebuconazole

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

Status: This is the original version (as it was originally adopted).

| | |
|----------------|-----------------------------|
| 0140020 | Cherries (sweet) |
| 0151020 | Wine grapes |
| 0153020 | Dewberries |
| 0153990 | Others |
| 0213090 | Salsifies |
| 0231030 | Aubergines/eggplants |
| 0233010 | Melons |
| 0260010 | Beans (with pods) |
| 0260020 | Beans (without pods) |
| 0260030 | Peas (with pods) |
| 0270030 | Celeries |
| 0500060 | Rice |

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

| | |
|----------------|----------------------------------|
| 0700000 | HOPS |
| 0810000 | Seed spices |
| 0810010 | Anise/aniseed |
| 0810020 | Black caraway/black cumin |
| 0810030 | Celery |
| 0810040 | Coriander |
| 0810050 | Cumin |
| 0810060 | Dill |
| 0810070 | Fennel |
| 0810080 | Fenugreek |
| 0810090 | Nutmeg |
| 0810990 | Others |
| 0820030 | Caraway |

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Thiram (expressed as thiram)

As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

(2) Annex III is amended as follows:

- (a) In Part A, the columns for boscalid, dazomet, fluazifop-P, picloram, pyridaben, pyriofenone and tebufenpyrad are replaced by the following:

PESTICIDE RESIDUES AND MAXIMUM RESIDUE LEVELS (MG/KG)

| Code number and example^a | Groups of individual products to which the MRLs apply^b | Boscalid | Dazomet | Fluazifop-P | Picloram | Pyridaben | Pyriofenone | Tebufenpyrad |
|--|--|-----------------|----------------|--------------------|-----------------|------------------|--------------------|---------------------|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |

| | | | | | | | | |
|---------|---|---|-------------------|-----|-------------------|-----|------------|-------------------|
| 0100000 | FRUITS, FRESH or FROZEN; TREE NUTS | | 0,02 ^a | | 0,01 ^a | | | |
| 0110000 | Citrus fruits | 2 | | | 0,5 | | 0,6 | |
| 0110010 | Grapefruits | | 0,2 | | | | | |
| 0110020 | Oranges | | 0,1 | | | | | |
| 0110030 | Lemons | | 0,2 | | | | | |
| 0110040 | Limes | | 0,2 | | | | | |
| 0110050 | Mandarins | | 0,2 | | | | | |
| 0110990 | Others | | 0,2 | | | | | |
| 0120000 | Tree nuts | 1 | | 0,2 | | 0,5 | | 0,05 ^a |
| 0120010 | Almonds | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | |
| 0120040 | Chestnuts | | | | | | | |
| 0120050 | Coconuts | | | | | | | |
| 0120060 | Hazelnuts/ cobnuts | | | | | | | |
| 0120070 | Macadamias | | | | | | | |
| 0120080 | Pecans | | | | | | | |
| 0120090 | Pine nut kernels | | | | | | | |
| 0120100 | Pistachios | | | | | | | |
| 0120110 | Walnuts | | | | | | | |
| 0120990 | Others | | | | | | | |
| 0130000 | Pome fruits | 2 | | | | 0,5 | | 0,2 |
| 0130010 | Apples | | 0,2 | | | | | |
| 0130020 | Pears | | 0,2 | | | | | |
| 0130030 | Quinces | | 0,5 | | | | | |
| 0130040 | Medlars | | 0,5 | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|---|---|--|-----|--|-----|------------|-------------------|
| 0130050 | Loquats/ Japanese medlars | | | 0,5 | | | | |
| 0130990 | Others | | | 0,5 | | | | |
| 0140000 | Stone fruits | | | | | | | |
| 0140010 | Apricots | 3 | | 0,5 | | 0,5 | | 0,5 |
| 0140020 | Cherries | 4 (sweet) | | 0,5 | | 2,5 | | 0,5 |
| 0140030 | Peaches | 3 | | 0,2 | | 0,5 | | 0,3 |
| 0140040 | Plums | 3 | | 0,5 | | 0,5 | | 0,5 |
| 0140990 | Others | 3 | | 0,5 | | 0,5 | | 0,5 |
| 0150000 | Berries and small fruits | | | 0,2 | | | | |
| 0151000 | (a) | 5 <i>grapes</i> | | | | | | 0,5 |
| 0151010 | | Table grapes | | | | 0,5 | 0,9 | |
| 0151020 | Wine grapes | | | | | 1 | 0,2 | |
| 0152000 | (b) | 10 <i>strawberries</i> | | | | 1 | | 1 |
| 0153000 | | 10 <i>cane fruits</i> | | | | | | 0,05 ^a |
| 0153010 | Blackberries | | | | | 0,5 | | |
| 0153020 | Dewberries | | | | | 0,5 | | |
| 0153030 | Raspberries (red and yellow) | | | | | 1 | | |
| 0153990 | Others | | | | | 0,5 | | |
| 0154000 | (d) | 10 <i>other small fruits and berries</i> | | | | 0,5 | | 1 |
| 0154010 | Blueberries | | | | | | | |
| 0154020 | Cranberries | | | | | | | |

| | | | | | | | | |
|----------------|--|--|-----|--|-----|--|--|-------------------|
| 0154030 | Currants (black, red and white) | | | | | | | |
| 0154040 | Gooseberries (green, red and yellow) | | | | | | | |
| 0154050 | Rose hips | | | | | | | |
| 0154060 | Mulberries (black and white) | | | | | | | |
| 0154070 | Azaroles/ Mediterranean medlars | | | | | | | |
| 0154080 | Elderberries | | | | | | | |
| 0154990 | Others | | | | | | | |
| 0160000 | Miscellaneous fruits with | | | | | | | 0,05 ^a |
| 0161000 (a) | 0,05 ^a <i>edible peel</i> | | 0,2 | | 0,5 | | | |
| 0161010 | Dates | | | | | | | |
| 0161020 | Figs | | | | | | | |
| 0161030 | Table olives | | | | | | | |
| 0161040 | Kumquats | | | | | | | |
| 0161050 | Carambolas | | | | | | | |
| 0161060 | Kaki/ Japanese persimmons | | | | | | | |
| 0161070 | Jambuls/ jambolans | | | | | | | |
| 0161990 | Others | | | | | | | |
| 0162000 (b) | <i>inedible peel, small</i> | | 0,2 | | 0,5 | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|------------------------------------|-------------------|--|-----|--|-------------------|--|--|
| 0162010 | Kiwi fruits (green, red, yellow) | 5 | | | | | | |
| 0162020 | Litchis/ lychees | 0,05 ^a | | | | | | |
| 0162030 | Passion fruits/ maracujas | 0,05 ^a | | | | | | |
| 0162040 | Prickly pears/ cactus fruits | 0,05 ^a | | | | | | |
| 0162050 | Star apples/ cainitos | 0,05 ^a | | | | | | |
| 0162060 | American persimmons/ Virginia kaki | 0,05 ^a | | | | | | |
| 0162990 | Others | 0,05 ^a | | | | | | |
| 0163000 | (c) <i>inedible peel, large</i> | | | | | | | |
| 0163010 | Avocados | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163020 | Bananas | 0,6 | | 0,2 | | 0,5 | | |
| 0163030 | Mangoes | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163040 | Papayas | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163050 | Granates/ apples/ pomegranates | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163060 | Cherimoyas | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163070 | Guavas | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163080 | Pineapple | 0,05 ^a | | 0,1 | | 0,05 ^a | | |
| 0163090 | Breadfruit | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163100 | Durians | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163110 | Soursop/ guanabanas | 0,05 ^a | | 0,2 | | 0,5 | | |
| 0163990 | Others | 0,05 ^a | | 0,2 | | 0,5 | | |

| | | | | | | | |
|----------------|---|-------------------|-------------------|-------------------|-------------------|--|-------------------|
| 020000 | VEGETABLES, FRESH or FROZEN | | | 0,01 ^a | | | |
| 021000 | Root and tuber vegetables | | | | 0,05 ^a | | 0,05 ^a |
| 0211000 (a) | 2 <i>potatoes</i> | 0,02 ^a | 0,1 | | | | |
| 0212000 (b) | 2 <i>tropical root and tuber vegetables</i> | 0,02 ^a | 0,3 | | | | |
| 021201 | Cassava roots/ manioc | | | | | | |
| 021202 | Sweet potatoes | | | | | | |
| 021203 | Yams | | | | | | |
| 021204 | Arrowroots | | | | | | |
| 0212990 | Others | | | | | | |
| 0213000 (c) | <i>other root and tuber vegetables except sugar beets</i> | | | | | | |
| 0213010 | Beetroot | 3 | 0,02 ^a | 0,5 | | | |
| 0213020 | Carrots | 2 | 0,02 | 0,3 | | | |
| 0213030 | Celeriac/ turnip rooted celeries | 2 | 0,02 ^a | 0,5 | | | |
| 0213040 | Horseradishes | 2 | 0,02 ^a | 0,5 | | | |
| 0213050 | Jerusalem artichokes | 2 | 0,02 ^a | 0,5 | | | |
| 0213060 | Parsnips | 2 | 0,02 ^a | 0,5 | | | |
| 0213070 | Parsley | 3 | 0,02 ^a | 0,5 | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | |
|---------|--|-------------------|-----|-------------------|--|-------------------|
| | Hamburg roots parsley | | | | | |
| 0213080 | Radishes 2 | 0,05 | 0,5 | | | |
| 0213090 | Salsifies 2 | 0,02 ^a | 0,5 | | | |
| 0213100 | Swedes/2 rutabagas | 0,02 ^a | 0,5 | | | |
| 0213110 | Turnips 2 | 0,02 ^a | 0,5 | | | |
| 0213990 | Others 2 | 0,02 ^a | 0,2 | | | |
| 0220000 | Bulb vegetables | 0,02 ^a | | 0,05 ^a | | 0,05 ^a |
| 0220010 | Garlic 5 | | 2 | | | |
| 0220020 | Onions 5 | | 0,3 | | | |
| 0220030 | Shallots 5 | | 2 | | | |
| 0220040 | Spring onions/ green onions and Welsh onions 6 | | 0,2 | | | |
| 0220990 | Others 5 | | 0,2 | | | |
| 0230000 | Fruiting vegetables | | | | | |
| 0231000 | (a) 3 <i>solanaceae</i> | 0,1 | | | | |
| 0231010 | Tomatoes | | 0,3 | 0,3 | | 0,8 |
| 0231020 | Sweet peppers/ bell peppers | | 0,5 | 0,5 | | 0,5 |
| 0231030 | Aubergines/ eggplants | | 0,5 | 0,2 | | 0,8 |
| 0231040 | Okra/ lady's fingers | | 0,5 | 0,1 | | 0,05 ^a |
| 0231990 | Others | | 0,5 | 0,1 | | 0,05 ^a |
| 0232000 | (b) 3 <i>cucurbits</i> with edible peel | 0,1 | 0,2 | 0,15 | | |

| | | | | | | | |
|----------------|--|-------------------|-----|--|-------------------|--|-------------------|
| 0232010 | Cucumbers | | | | | | 0,3 |
| 0232020 | Gherkins | | | | | | 0,5 |
| 0232030 | Courgettes | | | | | | 0,3 |
| 0232990 | Others | | | | | | 0,1 |
| 0233000 (c) | 3 <i>cucurbits</i> <i>with</i> <i>inedible</i> <i>peel</i> | 0,1 | | | 0,05 ^a | | |
| 0233010 | Melons | | 0,1 | | | | 0,5 |
| 0233020 | Pumpkins | | 0,2 | | | | 0,05 ^a |
| 0233030 | Watermelons | | 0,1 | | | | 0,5 |
| 0233990 | Others | | 0,2 | | | | 0,05 ^a |
| 0234000 (d) | 0,5 <i>sweet</i> <i>corn</i> | 0,02 ^a | 0,2 | | 0,05 ^a | | 0,05 ^a |
| 0239000 (e) | 3 <i>other</i> <i>fruiting</i> <i>vegetables</i> | 0,1 | 0,2 | | 0,05 ^a | | 0,05 ^a |
| 0240000 | Brassica vegetables (excluding brassica roots and brassica baby leaf crops) | | | | 0,05 ^a | | 0,05 ^a |
| 0241000 (a) | 5 <i>flowering</i> <i>brassica</i> | 0,02 ^a | 0,2 | | | | |
| 0241010 | Broccoli | | | | | | |
| 0241020 | Cauliflowers | | | | | | |
| 0241990 | Others | | | | | | |
| 0242000 (b) | 5 <i>head</i> <i>brassica</i> | 0,02 ^a | | | | | |
| 0242010 | Brussels sprouts | | 2 | | | | |
| 0242020 | Head cabbages | | 0,3 | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|--|----------------------------------|-------------------|-----|-------------------|--|-------------------|--|
| 0242990 | Others | | | 0,3 | | | | |
| 0243000 | (c) | 30 <i>leafy brassica</i> | 0,03 | | | | | |
| 0243010 | Chinese cabbages/pe-tsai | | | 0,5 | | | | |
| 0243020 | Kales | | | 0,2 | | | | |
| 0243990 | Others | | | 0,5 | | | | |
| 0244000 | (d) | 5 <i>kohlrabies</i> | 0,02 ^a | 0,2 | | | | |
| 0250000 | Leaf vegetables, herbs and edible flowers | | | | 0,05 ^a | | 0,05 ^a | |
| 0251000 | (a) | <i>lettuces and salad plants</i> | 0,03 | 0,2 | | | | |
| 0251010 | Lamb's lettuces/corn salads | 40 | | | | | | |
| 0251020 | Lettuces | 30 | | | | | | |
| 0251030 | Escarole/broad-leaved endives | 30 | | | | | | |
| 0251040 | Cresses and other sprouts and shoots | 30 | | | | | | |
| 0251050 | Land cresses | 30 | | | | | | |
| 0251060 | Roman rocket/rucola | 30 | | | | | | |
| 0251070 | Red mustards | 30 | | | | | | |

| | | | | | | | | | |
|-------------|--|--|-------------------|-------------------|--|--|--|--|--|
| 0251080 | Baby leaf crops (including brassica species) | 30 | | | | | | | |
| 0251990 | Others | 30 | | | | | | | |
| 0252000 (b) | | 30 <i>spinaches and similar leaves</i> | 0,15 | | | | | | |
| 0252010 | Spinaches | | | 1 | | | | | |
| 0252020 | Purslanes | | | 0,5 | | | | | |
| 0252030 | Chards/beet leaves | | | 1 | | | | | |
| 0252990 | Others | | | 0,5 | | | | | |
| 0253000 (c) | | 0,05 ^a <i>grape leaves and similar species</i> | 0,02 ^a | 0,5 | | | | | |
| 0254000 (d) | | 30 <i>watercresses</i> | 0,02 ^a | 0,5 | | | | | |
| 0255000 (e) | | 0,5 <i>witloofs/ Belgian endives</i> | 0,02 ^a | 0,05 ^a | | | | | |
| 0256000 (f) | | <i>herbs and edible flowers</i> | 0,02 ^a | | | | | | |
| 0256010 | Chervil | 30 | | 1 | | | | | |
| 0256020 | Chives | 10 | | 0,5 | | | | | |
| 0256030 | Celery leaves | 10 | | 1 | | | | | |
| 0256040 | Parsley | 10 | | 1 | | | | | |
| 0256050 | Sage | 10 | | 0,5 | | | | | |
| 0256060 | Rosemary | 10 | | 0,5 | | | | | |
| 0256070 | Thyme | 10 | | 0,5 | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|--------------------------|-------------------|-------------------|-----|--|-------------------|--|-------------------|
| 0256080 | Basil and edible flowers | 50 | | 0,5 | | | | |
| 0256090 | Laurel/bay leave | 10 | | 0,5 | | | | |
| 0256100 | Tarragon | 10 | | 0,5 | | | | |
| 0256990 | Others | 10 | | 0,5 | | | | |
| 0260000 | Legume vegetables | | 0,02 ^a | | | | | |
| 0260010 | Beans (with pods) | 5 | | 1 | | 0,5 | | 1 |
| 0260020 | Beans (without pods) | 3 | | 1 | | 0,05 ^a | | 0,05 ^a |
| 0260030 | Peas (with pods) | 5 | | 1 | | 0,05 ^a | | 0,05 ^a |
| 0260040 | Peas (without pods) | 3 | | 1,5 | | 0,05 ^a | | 0,05 ^a |
| 0260050 | Lentils | 3 | | 1 | | 0,05 ^a | | 0,05 ^a |
| 0260990 | Others | 3 | | 1 | | 0,05 ^a | | 0,05 ^a |
| 0270000 | Stem vegetables | | 0,02 ^a | | | 0,05 ^a | | 0,05 ^a |
| 0270010 | Asparagus | 0,05 ^a | | 0,2 | | | | |
| 0270020 | Cardoon | 0,5 | | 0,2 | | | | |
| 0270030 | Celeries | 30 | | 0,5 | | | | |
| 0270040 | Florence fennels | 30 | | 0,5 | | | | |
| 0270050 | Globe artichokes | 0,5 | | 0,9 | | | | |
| 0270060 | Leeks | 5 | | 0,2 | | | | |
| 0270070 | Rhubarb | 0,5 | | 0,2 | | | | |
| 0270080 | Bamboo shoots | 0,5 | | 0,2 | | | | |
| 0270090 | Palm hearts | 0,5 | | 0,2 | | | | |
| 0270990 | Others | 0,5 | | 0,2 | | | | |

| | | | | | | | | |
|---------|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 0280000 | Fungi, mosses and lichens | 0,5 | 0,02 ^a | 0,2 | | 0,05 ^a | | 0,05 ^a |
| 0280010 | Cultivated fungi | | | | | | | |
| 0280020 | Wild fungi | | | | | | | |
| 0280990 | Mosses and lichens | | | | | | | |
| 0290000 | Algae and prokaryotes organisms | 0,05 ^a | 0,02 ^a | 0,05 ^a | | 0,05 ^a | | 0,05 ^a |
| 0300000 | PULSES | 0,02 ^a | | 0,01 ^a | 0,05 ^a | | 0,05 ^a | |
| 0300010 | Beans | | 4 | | | | | |
| 0300020 | Lentils | | 4 | | | | | |
| 0300030 | Peas | | 5 | | | | | |
| 0300040 | Lupins/lupini beans | | 4 | | | | | |
| 0300990 | Others | | 2 | | | | | |
| 0400000 | OILSEEDS AND OIL FRUITS | 0,02 ^a | | | 0,05 ^a | | 0,05 ^a | |
| 0401000 | Oilseeds | | | | | | | |
| 0401010 | Linseeds | | 9 | 0,01 ^a | | | | |
| 0401020 | Peanuts/1 groundnuts | | 0,5 | 0,01 ^a | | | | |
| 0401030 | Poppy seeds | 1 | 9 | 0,01 ^a | | | | |
| 0401040 | Sesame seeds | 1 | 10 | 0,01 ^a | | | | |
| 0401050 | Sunflower seeds | | 0,2 | 0,01 ^a | | | | |
| 0401060 | Rapeseeds/canola seeds | | 15 | 0,03 | | | | |
| 0401070 | Soyabeans | 3 | 5 | 0,01 ^a | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|---|-------------------|-------------------|-----|-------------------|-------------------|------|-------------------|
| 0401080 | Mustard seeds | 1 | | 15 | 0,03 | | | |
| 0401090 | Cotton seeds | 1 | | 15 | 0,01 ^a | | | |
| 0401100 | Pumpkin seeds | 0,5 | | 10 | 0,01 ^a | | | |
| 0401110 | Safflower seeds | 1 | | 9 | 0,01 ^a | | | |
| 0401120 | Borage seeds | 0,5 | | 15 | 0,03 | | | |
| 0401130 | Gold of pleasure seeds | 0,5 | | 15 | 0,01 ^a | | | |
| 0401140 | Hemp seeds | 0,5 | | 15 | 0,01 ^a | | | |
| 0401150 | Castor beans | 0,5 | | 15 | 0,01 ^a | | | |
| 0401990 | Others | 1 | | 15 | 0,01 ^a | | | |
| 0402000 | Oil fruits | | | | 0,01 ^a | | | |
| 0402010 | Olives for oil production | 0,05 ^a | | 0,2 | | | | |
| 0402020 | Oil palms kernels | 1 | | 0,1 | | | | |
| 0402030 | Oil palms fruits | 0,05 ^a | | 0,1 | | | | |
| 0402040 | Kapok | 1 | | 0,1 | | | | |
| 0402990 | Others | 0,05 ^a | | 0,1 | | | | |
| 0500000 | CEREALS | | 0,02 ^a | 0,1 | | 0,05 ^a | | 0,05 ^a |
| 0500010 | Barley | 3 | | | 0,2 | | 0,03 | |
| 0500020 | Buckwheat and other pseudo-cereals | 0,5 | | | 0,01 ^a | | | |
| 0500030 | Maize/corn | 0,5 | | | 0,2 | | | |

| | | | | | | | | |
|---------|---|-------------------------|-------------------|-----|-------------------|-------------------|-------------------|-----|
| 0500040 | Common millet/ proso millet | 0,5 | | | 0,01 ^a | | | |
| 0500050 | Oat | 3 | | | 0,2 | | 0,03 | |
| 0500060 | Rice | 0,5 | | | 0,01 ^a | | | |
| 0500070 | Rye | 0,5 | | | 0,01 ^a | | 0,01 ^a | |
| 0500080 | Sorghum | 0,5 | | | 0,2 | | | |
| 0500090 | Wheat | 0,5 | | | 0,2 | | 0,01 ^a | |
| 0500990 | Others | 0,5 | | | 0,2 | | | |
| 0600000 | TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS | 0,5 | 0,02 ^a | | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0610000 | Teas | | | 0,1 | | | | |
| 0620000 | Coffee beans | | | 0,1 | | | | |
| 0630000 | Herbal infusions from | | | | | | | |
| 0631000 | (a) | <i>flowers</i> | | 0,1 | | | | |
| 0631010 | Chamomile | | | | | | | |
| 0631020 | Hibiscus/ roselle | | | | | | | |
| 0631030 | Rose | | | | | | | |
| 0631040 | Jasmine | | | | | | | |
| 0631050 | Lime/ linden | | | | | | | |
| 0631990 | Others | | | | | | | |
| 0632000 | (b) | <i>leaves and herbs</i> | | 0,1 | | | | |
| 0632010 | Strawberry | | | | | | | |
| 0632020 | Rooibos | | | | | | | |
| 0632030 | Mate/ maté | | | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | |
|---------|-------------------------------------|-----|-------------------|----------|-------------------|-------------------|-----|
| 0632990 | Others | | | | | | |
| 0633000 | | | | 4 | | | |
| (c) | <i>roots</i> | | | | | | |
| 0633010 | Valerian | | | | | | |
| 0633020 | Ginseng | | | | | | |
| 0633990 | Others | | | | | | |
| 0639000 | | | | 0,1 | | | |
| (d) | <i>any other parts of the plant</i> | | | | | | |
| 0640000 | Cocoa beans | | | 0,1 | | | |
| 0650000 | Carobs/ Saint John's breads | | | 0,1 | | | |
| 0700000 | HOPS | 60 | 0,02 ^a | 0,1 | 0,01 ^a | 10 | 0,5 |
| 0800000 | SPICES | | | | | | |
| 0810000 | Seed spices | 0,5 | 0,02 ^a | | 0,01 ^a | 0,05 ^a | 0,1 |
| 0810010 | Anise/ aniseed | | | 1 | | | |
| 0810020 | Black caraway/ black cumin | | | 0,1 | | | |
| 0810030 | Celery | | | 0,1 | | | |
| 0810040 | Coriander | | | 1 | | | |
| 0810050 | Cumin | | | 1 | | | |
| 0810060 | Dill | | | 0,1 | | | |
| 0810070 | Fennel | | | 1 | | | |
| 0810080 | Fenugreek | | | 0,1 | | | |
| 0810090 | Nutmeg | | | 0,1 | | | |
| 0810990 | Others | | | 0,1 | | | |
| 0820000 | Fruit spices | 0,5 | 0,02 ^a | 0,1 | 0,01 ^a | 0,05 ^a | 0,1 |
| 0820010 | Allspice/ pimento | | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|-------------------------------------|-------------|-------------------|----------|-------------------|-------------------|--|-----|
| 0820020 | Sichuan pepper | | | | | | | |
| 0820030 | Caraway | | | | | | | |
| 0820040 | Cardamom | | | | | | | |
| 0820050 | Juniper berry | | | | | | | |
| 0820060 | Peppercorn (black, green and white) | | | | | | | |
| 0820070 | Vanilla | | | | | | | |
| 0820080 | Tamarind | | | | | | | |
| 0820990 | Others | | | | | | | |
| 0830000 | Bark spices | 0,5 | 0,02 ^a | 0,1 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0830010 | Cinnamon | | | | | | | |
| 0830990 | Others | | | | | | | |
| 0840000 | Root and rhizome spices | | | | | | | |
| 0840010 | Liquorice | 0,5 | 0,02 ^a | 4 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0840020 | Ginger | 0,5 | 0,02 ^a | 4 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0840030 | Turmeric | 0,5 curcuma | 0,02 ^a | 4 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0840040 | Horseradish | (+) | (+) | (+) | (+) | | | (+) |
| 0840990 | Others | 0,5 | 0,02 ^a | 4 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0850000 | Bud spices | 0,5 | 0,02 ^a | 0,1 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0850010 | Cloves | | | | | | | |
| 0850020 | Capers | | | | | | | |
| 0850990 | Others | | | | | | | |
| 0860000 | Flower pistil spices | 0,5 | 0,02 ^a | 0,1 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0860010 | Saffron | | | | | | | |
| 0860990 | Others | | | | | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|---|-------------------|-------------------|-------------------|-------------------|-------------------|--|-------------------|
| 0870000 | Aril spices | 0,5 | 0,02 ^a | 0,1 | 0,01 ^a | 0,05 ^a | | 0,1 |
| 0870010 | Mace | | | | | | | |
| 0870990 | Others | | | | | | | |
| 0900000 | SUGAR PLANTS | | 0,02 ^a | | | 0,05 ^a | | 0,05 ^a |
| 0900010 | Sugar beet roots | 2 | | 0,5 | 0,01 ^a | | | |
| 0900020 | Sugar canes | 0,5 | | 0,05 ^a | 0,05 | | | |
| 0900030 | Chicory roots | 2 | | 0,3 | 0,01 ^a | | | |
| 0900990 | Others | 0,5 | | 0,05 ^a | 0,01 ^a | | | |
| 1000000 | PRODUCTS OF ANIMAL ORIGIN - TERRESTRIAL ANIMALS | | | | | 0,02 ^a | | 0,05 ^a |
| 1010000 | Tissues from | | | 0,05 ^a | | | | |
| 1011000 | (a) <i>swine</i> | | | | | | | |
| 1011010 | Muscle | 0,7 | | | 0,2 | | | |
| 1011020 | Fat tissue | 0,7 | | | 0,01 ^a | | | |
| 1011030 | Liver | 0,2 | | | 0,01 ^a | | | |
| 1011040 | Kidney | 0,2 | | | 5 | | | |
| 1011050 | Edible offals (other than liver and kidney) | 0,2 | | | 0,5 | | | |
| 1011990 | Others | 0,05 ^a | | | 0,01 ^a | | | |
| 1012000 | (b) <i>bovine</i> | | | | | | | |
| 1012010 | Muscle | 0,7 | | | 0,2 | | | |

| | | | | | | | | |
|---------|---|-------------------|--|--|-------------------|--|--|--|
| 1012020 | Fat tissue | 0,7 | | | 0,2 | | | |
| 1012030 | Liver | 0,2 | | | 0,01 ^a | | | |
| 1012040 | Kidney | 0,3 | | | 5 | | | |
| 1012050 | Edible offals (other than liver and kidney) | 0,3 | | | 0,5 | | | |
| 1012990 | Others | 0,05 ^a | | | 0,01 ^a | | | |
| 1013000 | (c) <i>sheep</i> | | | | | | | |
| 1013010 | Muscle | 0,7 | | | 0,2 | | | |
| 1013020 | Fat tissue | 0,7 | | | 0,2 | | | |
| 1013030 | Liver | 0,2 | | | 0,01 ^a | | | |
| 1013040 | Kidney | 0,3 | | | 5 | | | |
| 1013050 | Edible offals (other than liver and kidney) | 0,3 | | | 0,5 | | | |
| 1013990 | Others | 0,05 ^a | | | 0,01 ^a | | | |
| 1014000 | d) <i>goat</i> | | | | | | | |
| 1014010 | Muscle | 0,7 | | | 0,2 | | | |
| 1014020 | Fat tissue | 0,7 | | | 0,2 | | | |
| 1014030 | Liver | 0,2 | | | 0,01 ^a | | | |
| 1014040 | Kidney | 0,3 | | | 5 | | | |
| 1014050 | Edible offals (other than liver and kidney) | 0,3 | | | 0,5 | | | |
| 1014990 | Others | 0,05 ^a | | | 0,01 ^a | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|---|---|--|--|-------------------|--|--|--|
| 1015000 | (e) | <i>equine</i> | | | | | | |
| 1015010 | Muscle | 0,7 | | | 0,2 | | | |
| 1015020 | Fat tissue | 0,7 | | | 0,01 ^a | | | |
| 1015030 | Liver | 0,2 | | | 0,01 ^a | | | |
| 1015040 | Kidney | 0,3 | | | 5 | | | |
| 1015050 | Edible offals (other than liver and kidney) | 0,3 | | | 0,5 | | | |
| 1015990 | Others | 0,05 ^a | | | 0,01 ^a | | | |
| 1016000 | (f) | <i>poultry</i> | | | | | | |
| 1016010 | Muscle | 0,05 ^a | | | 0,2 | | | |
| 1016020 | Fat tissue | 0,1 | | | 0,01 ^a | | | |
| 1016030 | Liver | 0,1 | | | 0,01 ^a | | | |
| 1016040 | Kidney | 0,05 | | | 0,01 ^a | | | |
| 1016050 | Edible offals (other than liver and kidney) | 0,1 | | | 0,01 ^a | | | |
| 1016990 | Others | 0,05 ^a | | | 0,01 ^a | | | |
| 1017000 | (g) | <i>other farmed terrestrial animals</i> | | | | | | |
| 1017010 | Muscle | 0,7 | | | 0,2 | | | |
| 1017020 | Fat tissue | 0,7 | | | 0,01 ^a | | | |
| 1017030 | Liver | 0,2 | | | 0,01 ^a | | | |
| 1017040 | Kidney | 0,3 | | | 5 | | | |
| 1017050 | Edible offals | 0,3 | | | 0,5 | | | |

Status: This is the original version (as it was originally adopted).

| | | | | | | | | |
|---------|--|-------------------|-------------------------|-------------------|-------------------|--|--|--|
| | (other than liver and kidney) | | | | | | | |
| 1017990 | Others | 0,05 ^a | | | 0,01 ^a | | | |
| 1020000 | Milk | 0,1 | | 0,1 | 0,05 ^a | | | |
| 1020010 | Cattle | | | | | | | |
| 1020020 | Sheep | | | | | | | |
| 1020030 | Goat | | | | | | | |
| 1020040 | Horse | | | | | | | |
| 1020990 | Others | | | | | | | |
| 1030000 | Birds eggs | 0,05 ^a | | 0,05 ^a | 0,01 ^a | | | |
| 1030010 | Chicken | | | | | | | |
| 1030020 | Duck | | | | | | | |
| 1030030 | Geese | | | | | | | |
| 1030040 | Quail | | | | | | | |
| 1030990 | Others | | | | | | | |
| 1040000 | Honey and other apiculture products | 0,5 | 0,05^a | 0,05 ^a | 0,05 ^a | | | |
| 1050000 | Amphibians and Reptiles | 0,05 ^a | | 0,05 ^a | 0,01 ^a | | | |
| 1060000 | Terrestrial invertebrate animals | 0,05 ^a | | 0,05 ^a | 0,01 ^a | | | |
| 1070000 | Wild terrestrial vertebrate animals | 0,05 ^a | | 0,05 ^a | 0,01 ^a | | | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Boscalid (F) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:
Boscalid — code 1000000 except 1040000: Sum of boscalid and metabolite 2-chloro-N-(4'-chloro-5-

hydroxybiphenyl-2-yl)nicotinamide (M 510F01)
including its conjugates expressed as boscalid

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Dazomet (Methylisothiocyanate resulting from the use of dazomet and metam)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fluazifop-P-butyl (fluazifop acid (free and conjugate))

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Picloram

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Pyridaben (F)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Tebufenpyrad (F)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (b) In Part A, the following column for sulfoxaflor is added:

**PESTICIDE RESIDUES AND
MAXIMUM RESIDUE LEVELS (MG/KG)**

| Code number | Groups and examples of individual products to which the MRLs apply^b | Sulfoxaflor (sum of isomers) |
|--------------------|---|-------------------------------------|
| (1) | (2) | (3) |
| 0100000 | FRUITS, FRESH or FROZEN; TREE NUTS | |
| 0110000 | Citrus fruits | 0,01^a |
| 0110010 | Grapefruits | |
| 0110020 | Oranges | |
| 0110030 | Lemons | |
| 0110040 | Limes | |
| 0110050 | Mandarins | |
| 0110990 | Others | |
| 0120000 | Tree nuts | 0,02^a |
| 0120010 | Almonds | |
| 0120020 | Brazil nuts | |
| 0120030 | Cashew nuts | |
| 0120040 | Chestnuts | |
| 0120050 | Coconuts | |
| 0120060 | Hazelnuts/cobnuts | |
| 0120070 | Macadamias | |
| 0120080 | Pecans | |
| 0120090 | Pine nut kernels | |
| 0120100 | Pistachios | |
| 0120110 | Walnuts | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040

Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|---------------------------------|-------------------------|
| 0120990 | Others | |
| 0130000 | Pome fruits | |
| 0130010 | Apples | 0,4 |
| 0130020 | Pears | 0,4 |
| 0130030 | Quinces | 0,01^a |
| 0130040 | Medlars | 0,01^a |
| 0130050 | Loquats/Japanese medlars | 0,01^a |
| 0130990 | Others | 0,01^a |
| 0140000 | Stone fruits | |
| 0140010 | Apricots | 0,5 |
| 0140020 | Cherries (sweet) | 0,01^a |
| 0140030 | Peaches | 0,5 |
| 0140040 | Plums | 0,01^a |
| 0140990 | Others | 0,01^a |
| 0150000 | Berries and small fruits | |
| 0151000 | (a) <i>grapes</i> | |
| 0151010 | Table grapes | 2 |
| 0151020 | Wine grapes | 0,01^a |
| 0152000 | (b) <i>strawberries</i> | 0,5 |
| 0153000 | (c) <i>cane fruits</i> | 0,01^a |
| 0153010 | Blackberries | |
| 0153020 | Dewberries | |
| 0153030 | Raspberries (red and yellow) | |
| 0153990 | Others | |

a Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040**Horseradish**

| | | |
|---------|---|-------------------------|
| 0154000 | (d) <i>other small fruits and berries</i> | 0,01^a |
| 0154010 | Blueberries | |
| 0154020 | Cranberries | |
| 0154030 | Currants (black, red and white) | |
| 0154040 | Gooseberries (green, red and yellow) | |
| 0154050 | Rose hips | |
| 0154060 | Mulberries (black and white) | |
| 0154070 | Azaroles/ Mediterranean medlars | |
| 0154080 | Elderberries | |
| 0154990 | Others | |
| 0160000 | Miscellaneous fruits with | 0,01^a |
| 0161000 | (a) <i>edible peel</i> | |
| 0161010 | Dates | |
| 0161020 | Figs | |
| 0161030 | Table olives | |
| 0161040 | Kumquats | |
| 0161050 | Carambolas | |
| 0161060 | Kaki/Japanese persimmons | |
| 0161070 | Jambuls/jambolans | |
| 0161990 | Others | |
| 0162000 | (b) <i>inedible peel, small</i> | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040

Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|--|-------------------------|
| 0162010 | Kiwi fruits (green, red, yellow) | |
| 0162020 | Litchis/lychees | |
| 0162030 | Passionfruits/ maracujas | |
| 0162040 | Prickly pears/cactus fruits | |
| 0162050 | Star apples/cainitos | |
| 0162060 | American persimmons/ Virginia kaki | |
| 0162990 | Others | |
| 0163000 | (c) <i>inedible peel, large</i> | |
| 0163010 | Avocados | |
| 0163020 | Bananas | |
| 0163030 | Mangoes | |
| 0163040 | Papayas | |
| 0163050 | Granate apples/ pomegranates | |
| 0163060 | Cherimoyas | |
| 0163070 | Guavas | |
| 0163080 | Pineapples | |
| 0163090 | Breadfruits | |
| 0163100 | Durians | |
| 0163110 | Soursops/guanabanas | |
| 0163990 | Others | |
| 0200000 | VEGETABLES, FRESH or FROZEN | |
| 0210000 | Root and tuber vegetables | 0,01^a |

a Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040**Horseradish**

| | | |
|---------|---|-------------------------|
| 0211000 | (a) <i>potatoes</i> | |
| 0212000 | (b) <i>tropical root and tuber vegetables</i> | |
| 0212010 | Cassava roots/manioc | |
| 0212020 | Sweet potatoes | |
| 0212030 | Yams | |
| 0212040 | Arrowroots | |
| 0212990 | Others | |
| 0213000 | (c) <i>other root and tuber vegetables except sugar beets</i> | |
| 0213010 | Beetroots | |
| 0213020 | Carrots | |
| 0213030 | Celeriacs/turnip rooted celeries | |
| 0213040 | Horseradishes | |
| 0213050 | Jerusalem artichokes | |
| 0213060 | Parsnips | |
| 0213070 | Parsley roots/Hamburg roots parsley | |
| 0213080 | Radishes | |
| 0213090 | Salsifies | |
| 0213100 | Swedes/rutabagas | |
| 0213110 | Turnips | |
| 0213990 | Others | |
| 0220000 | Bulb vegetables | 0,01^a |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|---|-------------------------|
| 0220010 | Garlic | |
| 0220020 | Onions | |
| 0220030 | Shallots | |
| 0220040 | Spring onions/green onions and Welsh onions | |
| 0220990 | Others | |
| 0230000 | Fruiting vegetables | |
| 0231000 | (a) <i>solanacea</i> | |
| 0231010 | Tomatoes | 0,3 |
| 0231020 | Sweet peppers/bell peppers | 0,4 |
| 0231030 | Aubergines/eggplants | 0,3 |
| 0231040 | Okra/lady's fingers | 0,01^a |
| 0231990 | Others | 0,01^a |
| 0232000 | (b) <i>cucurbits with edible peel</i> | |
| 0232010 | Cucumbers | 0,03 |
| 0232020 | Gherkins | 0,01^a |
| 0232030 | Courgettes | 0,03 |
| 0232990 | Others | 0,01^a |
| 0233000 | (c) <i>cucurbits with inedible peel</i> | |
| 0233010 | Melons | 0,02 |
| 0233020 | Pumpkins | 0,01^a |
| 0233030 | Watermelons | 0,02 |
| 0233990 | Others | 0,01^a |

a Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040**Horseradish**

| | | |
|---------|--|-------------------------|
| 0234000 | (d) <i>sweet corn</i> | 0,01^a |
| 0239000 | (e) <i>other fruiting vegetables</i> | 0,01^a |
| 0240000 | Brassica vegetables (excluding brassica roots and brassica baby leaf crops) | |
| 0241000 | (a) <i>flowering brassica</i> | |
| 0241010 | Broccoli | 0,7 |
| 0241020 | Cauliflowers | 0,01^a |
| 0241990 | Others | 0,01^a |
| 0242000 | (b) <i>head brassica</i> | 0,01^a |
| 0242010 | Brussels sprouts | |
| 0242020 | Head cabbages | |
| 0242990 | Others | |
| 0243000 | (c) <i>leafy brassica</i> | |
| 0243010 | Chinese cabbages/pe-tsai | 2 |
| 0243020 | Kales | 0,01^a |
| 0243990 | Others | 0,01^a |
| 0244000 | (d) <i>kohlrabies</i> | 0,01^a |
| 0250000 | Leaf vegetables, herbs and edible flowers | |
| 0251000 | (a) <i>lettuces and salad plants</i> | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040

Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|--|-------------------------|
| 0251010 | Lamb's lettuces/corn salads | 0,01^a |
| 0251020 | Lettuces | 4 |
| 0251030 | Escaroles/broad-leaved endives | 0,01^a |
| 0251040 | Cresses and other sprouts and shoots | 0,01^a |
| 0251050 | Land cresses | 0,01^a |
| 0251060 | Roman rocket/rucola | 0,01^a |
| 0251070 | Red mustards | 0,01^a |
| 0251080 | Baby leaf crops (including brassica species) | 0,01^a |
| 0251990 | Others | 0,01^a |
| 0252000 | (b) <i>spinaches and similar leaves</i> | |
| 0252010 | Spinaches | 6 |
| 0252020 | Purslanes | 0,01^a |
| 0252030 | Chards/beet leaves | 0,01^a |
| 0252990 | Others | 0,01^a |
| 0253000 | (c) <i>grape leaves and similar species</i> | 0,01^a |
| 0254000 | (d) <i>watercresses</i> | 0,01^a |
| 0255000 | (e) <i>witloofs/ Belgian endives</i> | 0,01^a |

a Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040**Horseradish**

| | | |
|---------|--|-------------------------|
| 0256000 | (f) <i>herbs and edible flowers</i> | |
| 0256010 | Chervil | 0,02^a |
| 0256020 | Chives | 0,02^a |
| 0256030 | Celery leaves | 1,5 |
| 0256040 | Parsley | 0,02^a |
| 0256050 | Sage | 0,02^a |
| 0256060 | Rosemary | 0,02^a |
| 0256070 | Thyme | 0,02^a |
| 0256080 | Basil and edible flowers | 0,02^a |
| 0256090 | Laurel/bay leave | 0,02^a |
| 0256100 | Tarragon | 0,02^a |
| 0256990 | Others | 0,02^a |
| 0260000 | Legume vegetables | 0,01^a |
| 0260010 | Beans (with pods) | |
| 0260020 | Beans (without pods) | |
| 0260030 | Peas (with pods) | |
| 0260040 | Peas (without pods) | |
| 0260050 | Lentils | |
| 0260990 | Others | |
| 0270000 | Stem vegetables | 0,01^a |
| 0270010 | Asparagus | |
| 0270020 | Cardoons | |
| 0270030 | Celeries | |
| 0270040 | Florence fennels | |
| 0270050 | Globe artichokes | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040

Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|--|-------------------------|
| 0270060 | Leeks | |
| 0270070 | Rhubarbs | |
| 0270080 | Bamboo shoots | |
| 0270090 | Palm hearts | |
| 0270990 | Others | |
| 0280000 | Fungi, mosses and lichens | 0,01^a |
| 0280010 | Cultivated fungi | |
| 0280020 | Wild fungi | |
| 0280990 | Mosses and lichens | |
| 0290000 | Algae and prokaryotes organisms | 0,01^a |
| 0300000 | PULSES | 0,01^a |
| 0300010 | Beans | |
| 0300020 | Lentils | |
| 0300030 | Peas | |
| 0300040 | Lupins/lupini beans | |
| 0300990 | Others | |
| 0400000 | OILSEEDS AND OIL FRUITS | |
| 0401000 | Oilseeds | |
| 0401010 | Linseeds | 0,02^a |
| 0401020 | Peanuts/groundnuts | 0,02^a |
| 0401030 | Poppy seeds | 0,02^a |
| 0401040 | Sesame seeds | 0,02^a |
| 0401050 | Sunflower seeds | 0,02^a |
| 0401060 | Rapeseeds/canola seeds | 0,1 |

a Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040**Horseradish**

| | | |
|---------|------------------------------------|-------------------------|
| 0401070 | Soyabean | 0,2 |
| 0401080 | Mustard seeds | 0,02^a |
| 0401090 | Cotton seeds | 0,02^a |
| 0401100 | Pumpkin seeds | 0,02^a |
| 0401110 | Safflower seeds | 0,02^a |
| 0401120 | Borage seeds | 0,02^a |
| 0401130 | Gold of pleasure seeds | 0,02^a |
| 0401140 | Hemp seeds | 0,02^a |
| 0401150 | Castor beans | 0,02^a |
| 0401990 | Others | 0,02^a |
| 0402000 | Oil fruits | 0,02^a |
| 0402010 | Olives for oil production | |
| 0402020 | Oil palms kernels | |
| 0402030 | Oil palms fruits | |
| 0402040 | Kapok | |
| 0402990 | Others | |
| 0500000 | CEREALS | |
| 0500010 | Barley | 0,04 |
| 0500020 | Buckwheat and other pseudo-cereals | 0,01^a |
| 0500030 | Maize/corn | 0,01^a |
| 0500040 | Common millet/proso millet | 0,01^a |
| 0500050 | Oat | 0,04 |
| 0500060 | Rice | 0,01^a |
| 0500070 | Rye | 0,01^a |
| 0500080 | Sorghum | 0,01^a |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040

Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|---|-------------------------|
| 0500090 | Wheat | 0,09 |
| 0500990 | Others | 0,01^a |
| 0600000 | TEAS, COFFEE, HERBAL INFUSIONS, COCOA AND CAROBS | 0,05^a |
| 0610000 | Teas | |
| 0620000 | Coffee beans | |
| 0630000 | Herbal infusions from | |
| 0631000 | (a) <i>flowers</i> | |
| 0631010 | Chamomile | |
| 0631020 | Hibiscus/roselle | |
| 0631030 | Rose | |
| 0631040 | Jasmine | |
| 0631050 | Lime/linden | |
| 0631990 | Others | |
| 0632000 | (b) <i>leaves and herbs</i> | |
| 0632010 | Strawberry | |
| 0632020 | Rooibos | |
| 0632030 | Mate/maté | |
| 0632990 | Others | |
| 0633000 | (c) <i>roots</i> | |
| 0633010 | Valerian | |
| 0633020 | Ginseng | |
| 0633990 | Others | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040

Horseradish

| | | |
|---------|--|-------------------------|
| 0639000 | (d) <i>any other parts of the plant</i> | |
| 0640000 | Cocoa beans | |
| 0650000 | Carobs/Saint John's breads | |
| 0700000 | HOPS | 0,05^a |
| 0800000 | SPICES | |
| 0810000 | Seed spices | 0,05^a |
| 0810010 | Anise/aniseed | |
| 0810020 | Black caraway/black cumin | |
| 0810030 | Celery | |
| 0810040 | Coriander | |
| 0810050 | Cumin | |
| 0810060 | Dill | |
| 0810070 | Fennel | |
| 0810080 | Fenugreek | |
| 0810090 | Nutmeg | |
| 0810990 | Others | |
| 0820000 | Fruit spices | 0,05^a |
| 0820010 | Allspice/pimento | |
| 0820020 | Sichuan pepper | |
| 0820030 | Caraway | |
| 0820040 | Cardamom | |
| 0820050 | Juniper berry | |
| 0820060 | Peppercorn (black, green and white) | |
| 0820070 | Vanilla | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|------------------------------------|-------------------------|
| 0820080 | Tamarind | |
| 0820990 | Others | |
| 0830000 | Bark spices | 0,05^a |
| 0830010 | Cinnamon | |
| 0830990 | Others | |
| 0840000 | Root and rhizome spices | |
| 0840010 | Liquorice | 0,05^a |
| 0840020 | Ginger | 0,05^a |
| 0840030 | Turmeric/curcuma | 0,05^a |
| 0840040 | Horseradish | (+) |
| 0840990 | Others | 0,05^a |
| 0850000 | Bud spices | 0,05^a |
| 0850010 | Cloves | |
| 0850020 | Capers | |
| 0850990 | Others | |
| 0860000 | Flower pistil spices | 0,05^a |
| 0860010 | Saffron | |
| 0860990 | Others | |
| 0870000 | Aril spices | 0,05^a |
| 0870010 | Mace | |
| 0870990 | Others | |
| 0900000 | SUGAR PLANTS | 0,01^a |
| 0900010 | Sugar beet roots | |
| 0900020 | Sugar canes | |
| 0900030 | Chicory roots | |
| 0900990 | Others | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

| | | |
|---------|---|-------------------------|
| 1000000 | PRODUCTS OF ANIMAL ORIGIN -TERRESTRIAL ANIMALS | |
| 1010000 | Tissues from | |
| 1011000 | (a) <i>swine</i> | |
| 1011010 | Muscle | 0,01^a |
| 1011020 | Fat tissue | 0,01^a |
| 1011030 | Liver | 0,015 |
| 1011040 | Kidney | 0,01 |
| 1011050 | Edible offals (other than liver and kidney) | 0,01^a |
| 1011990 | Others | 0,01^a |
| 1012000 | (b) <i>bovine</i> | |
| 1012010 | Muscle | 0,07 |
| 1012020 | Fat tissue | 0,04 |
| 1012030 | Liver | 0,2 |
| 1012040 | Kidney | 0,1 |
| 1012050 | Edible offals (other than liver and kidney) | 0,01^a |
| 1012990 | Others | 0,01^a |
| 1013000 | (c) <i>sheep</i> | |
| 1013010 | Muscle | 0,07 |
| 1013020 | Fat tissue | 0,04 |
| 1013030 | Liver | 0,2 |
| 1013040 | Kidney | 0,1 |
| 1013050 | Edible offals (other than liver and kidney) | 0,01^a |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040

Horseradish

Status: This is the original version (as it was originally adopted).

| | | |
|---------|---|-------------------------|
| 1013990 | Others | 0,01^a |
| 1014000 | d) <i>goat</i> | |
| 1014010 | Muscle | 0,07 |
| 1014020 | Fat tissue | 0,04 |
| 1014030 | Liver | 0,2 |
| 1014040 | Kidney | 0,1 |
| 1014050 | Edible offals (other than liver and kidney) | 0,01^a |
| 1014990 | Others | 0,01^a |
| 1015000 | (e) <i>equine</i> | |
| 1015010 | Muscle | 0,07 |
| 1015020 | Fat tissue | 0,04 |
| 1015030 | Liver | 0,2 |
| 1015040 | Kidney | 0,1 |
| 1015050 | Edible offals (other than liver and kidney) | 0,01^a |
| 1015990 | Others | 0,01^a |
| 1016000 | (f) <i>poultry</i> | 0,01^a |
| 1016010 | Muscle | |
| 1016020 | Fat tissue | |
| 1016030 | Liver | |
| 1016040 | Kidney | |
| 1016050 | Edible offals (other than liver and kidney) | |
| 1016990 | Others | |
| 1017000 | (g) <i>other farmed terrestrial animals</i> | |

a Indicates lower limit of analytical determination**b** For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.**Sulfoxaflor**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040**Horseradish**

| | | |
|---------|---|-------------------------|
| 1017010 | Muscle | 0,07 |
| 1017020 | Fat tissue | 0,04 |
| 1017030 | Liver | 0,2 |
| 1017040 | Kidney | 0,1 |
| 1017050 | Edible offals (other than liver and kidney) | 0,01^a |
| 1017990 | Others | 0,01^a |
| 1020000 | Milk | 0,03 |
| 1020010 | Cattle | |
| 1020020 | Sheep | |
| 1020030 | Goat | |
| 1020040 | Horse | |
| 1020990 | Others | |
| 1030000 | Birds eggs | 0,01^a |
| 1030010 | Chicken | |
| 1030020 | Duck | |
| 1030030 | Geese | |
| 1030040 | Quail | |
| 1030990 | Others | |
| 1040000 | Honey and other apiculture products | 0,05^a |
| 1050000 | Amphibians and Reptiles | 0,01^a |
| 1060000 | Terrestrial invertebrate animals | 0,01^a |
| 1070000 | Wild terrestrial vertebrate animals | 0,01^a |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Sulfoxaflor

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (c) In Part B, the columns for dithiocarbamates and thiram are replaced by the following:

Status: This is the original version (as it was originally adopted).

**PESTICIDE RESIDUES AND
MAXIMUM RESIDUE LEVELS (MG/KG)**

| Code number | Groups and examples of individual products to which the MRLs apply^b | Dithiocarbamates (dithiocarbamate expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram) | Thiram (expressed as thiram) |
|--------------------|---|--|-------------------------------------|
| (1) | (2) | (3) | (4) |
| 0130040 | Medlars | 5(+) | 0,1 ^a |
| 0130050 | Loquats/ Japanese medlars | 5(+) | 0,1 ^a |
| 0154050 | Rose hips | 0,05 ^a | 0,1 ^a |
| 0154060 | Mulberries (black and white) | 0,05 ^a | 0,1 ^a |
| 0154070 | Azaroles/ Mediterranean medlars | 0,05 ^a | 0,1 ^a |
| 0154080 | Elderberries | 0,05 ^a | 0,1 ^a |
| 0161050 | Carambolas | 0,05 ^a | 0,1 ^a |
| 0161060 | Kaki/Japanese persimmons | 0,05 ^a | 0,1 ^a |
| 0161070 | Jambuls/ jambolans | 0,05 ^a | 0,1 ^a |
| 0162040 | Prickly pears/ cactus fruits | 0,05 ^a | 0,1 ^a |
| 0162050 | Star apples/ cainitos | 0,05 ^a | 0,1 ^a |
| 0162060 | American persimmons/ Virginia kaki | 0,05 ^a | 0,1 ^a |
| 0163060 | Cherimoyas | 0,05 ^a | 0,1 ^a |
| 0163070 | Guavas | 0,05 ^a | 0,1 ^a |
| 0163090 | Breadfruits | 0,05 ^a | 0,1 ^a |
| 0163100 | Durians | 0,05 ^a | 0,1 ^a |

| | | | |
|---------|---|-------------------|------------------|
| 0163110 | Soursops/ guanabanas | 0,05 ^a | 0,1 ^a |
| 0212040 | Arrowroots | 0,05 ^a | 0,1 ^a |
| 0251050 | Land cresses | 5(+) | 0,1 ^a |
| 0251070 | Red mustards | 5(+) | 0,1 ^a |
| 0252020 | Purslanes | 5(+) | 0,1 ^a |
| 0253000 | (c) <i>grape leaves and similar species</i> | 0,05 ^a | 0,1 ^a |
| 0256050 | Sage | 5(+) | 0,1 ^a |
| 0256060 | Rosemary | 5(+) | 0,1 ^a |
| 0256070 | Thyme | 5(+) | 0,1 ^a |
| 0256080 | Basil and edible flowers | 5(+) | 0,1 ^a |
| 0256090 | Laurel/bay leave | 5(+) | 0,1 ^a |
| 0256100 | Tarragon | 5(+) | 0,1 ^a |
| 0270080 | Bamboo shoots | 0,05 ^a | 0,1 ^a |
| 0270090 | Palm hearts | 0,05 ^a | 0,1 ^a |
| 0290000 | Algae and prokaryotes organisms | 0,05 ^a | 0,1 ^a |
| 0401110 | Safflower seeds | 0,1 ^a | 0,1 ^a |
| 0401120 | Borage seeds | 0,1 ^a | 0,1 ^a |
| 0401130 | Gold of pleasure seeds | 0,1 ^a | 0,1 ^a |
| 0401150 | Castor beans | 0,1 ^a | 0,1 ^a |
| 0402020 | Oil palms kernels | 0,1 ^a | 0,1 ^a |
| 0402030 | Oil palms fruits | 0,1 ^a | 0,1 ^a |
| 0402040 | Kapok | 0,1 ^a | 0,1 ^a |
| 0620000 | Coffee beans | 0,1 ^a | 0,2 ^a |
| 0630000 | Herbal infusions from | 0,1 ^a | 0,2 ^a |
| 0631000 | (a) <i>flowers</i> | 0,1 ^a | 0,2 ^a |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|------------------|------------------|
| 0631010 | Chamomile | 0,1 ^a | 0,2 ^a |
| 0631020 | Hibiscus/roselle | 0,1 ^a | 0,2 ^a |
| 0631030 | Rose | 0,1 ^a | 0,2 ^a |
| 0631040 | Jasmine | 0,1 ^a | 0,2 ^a |
| 0631050 | Lime/linden | 0,1 ^a | 0,2 ^a |
| 0631990 | Others | 0,1 ^a | 0,2 ^a |
| 0632000 | (b) <i>leaves and herbs</i> | 0,1 ^a | 0,2 ^a |
| 0632010 | Strawberry | 0,1 ^a | 0,2 ^a |
| 0632020 | Rooibos | 0,1 ^a | 0,2 ^a |
| 0632030 | Mate/maté | 0,1 ^a | 0,2 ^a |
| 0632990 | Others | 0,1 ^a | 0,2 ^a |
| 0633000 | (c) <i>roots</i> | 0,1 ^a | 0,2 ^a |
| 0633010 | Valerian | 0,1 ^a | 0,2 ^a |
| 0633020 | Ginseng | 0,1 ^a | 0,2 ^a |
| 0633990 | Others | 0,1 ^a | 0,2 ^a |
| 0639000 | (d) <i>any other parts of the plant</i> | 0,1 ^a | 0,2 ^a |
| 0640000 | Cocoa beans | 0,1 ^a | 0,2 ^a |
| 0650000 | Carobs/Saint John's breads | 0,1 ^a | 0,2 ^a |
| 0800000 | SPICES | | |
| 0810000 | Seed spices | 0,1 ^a | 0,2 ^a |
| 0810010 | Anise/aniseed | 0,1 ^a | 0,2 ^a |
| 0810020 | Black caraway/ black cumin | 0,1 ^a | 0,2 ^a |
| 0810030 | Celery | 0,1 ^a | 0,2 ^a |
| 0810040 | Coriander | 0,1 ^a | 0,2 ^a |
| 0810050 | Cumin | 0,1 ^a | 0,2 ^a |
| 0810060 | Dill | 0,1 ^a | 0,2 ^a |

| | | | |
|---------|--|------------------|------------------|
| 0810070 | Fennel | 0,1 ^a | 0,2 ^a |
| 0810080 | Fenugreek | 0,1 ^a | 0,2 ^a |
| 0810090 | Nutmeg | 0,1 ^a | 0,2 ^a |
| 0810990 | Others | 0,1 ^a | 0,2 ^a |
| 0820000 | Fruit spices | 0,1 ^a | 0,2 ^a |
| 0820010 | Allspice/pimento | 0,1 ^a | 0,2 ^a |
| 0820020 | Sichuan pepper | 0,1 ^a | 0,2 ^a |
| 0820030 | Caraway | 0,1 ^a | 0,2 ^a |
| 0820040 | Cardamom | 0,1 ^a | 0,2 ^a |
| 0820050 | Juniper berry | 0,1 ^a | 0,2 ^a |
| 0820060 | Peppercorn (black, green and white) | 0,1 ^a | 0,2 ^a |
| 0820070 | Vanilla | 0,1 ^a | 0,2 ^a |
| 0820080 | Tamarind | 0,1 ^a | 0,2 ^a |
| 0820990 | Others | 0,1 ^a | 0,2 ^a |
| 0830000 | Bark spices | 0,1 ^a | 0,2 ^a |
| 0830010 | Cinnamon | 0,1 ^a | 0,2 ^a |
| 0830990 | Others | 0,1 ^a | 0,2 ^a |
| 0840000 | Root and rhizome spices | | |
| 0840010 | Liquorice | 0,1 ^a | 0,2 ^a |
| 0840020 | Ginger | 0,1 ^a | 0,2 ^a |
| 0840030 | Turmeric/ curcuma | 0,1 ^a | 0,2 ^a |
| 0840040 | Horseradish | (+) | (+) |
| 0840990 | Others | 0,1 ^a | 0,2 ^a |
| 0850000 | Bud spices | | 0,2 ^a |
| 0850010 | Cloves | 0,1 ^a | 0,2 ^a |
| 0850020 | Capers | 25 | 0,2 ^a |
| 0850990 | Others | 0,1 ^a | 0,2 ^a |
| 0860000 | Flower pistil spices | 0,1 ^a | 0,2 ^a |
| 0860010 | Saffron | 0,1 ^a | 0,2 ^a |

Status: This is the original version (as it was originally adopted).

| | | | |
|---------|---|-------------------|------------------|
| 0860990 | Others | 0,1 ^a | 0,2 ^a |
| 0870000 | Aril spices | 0,1 ^a | 0,2 ^a |
| 0870010 | Mace | 0,1 ^a | 0,2 ^a |
| 0870990 | Others | 0,1 ^a | 0,2 ^a |
| 0900000 | SUGAR PLANTS | | 0,1 ^a |
| 0900010 | Sugar beet roots | 2 | 0,1 ^a |
| 0900020 | Sugar canes | 0,05 ^a | 0,1 ^a |
| 0900030 | Chicory roots | 0,05 ^a | 0,1 ^a |
| 0900990 | Others | 0,05 ^a | 0,1 ^a |
| 1015000 | (e) <i>equine</i> | 0,05 ^a | |
| 1015010 | Muscle | 0,05 ^a | |
| 1015020 | Fat tissue | 0,05 ^a | |
| 1015030 | Liver | 0,05 ^a | |
| 1015040 | Kidney | 0,05 ^a | |
| 1015050 | Edible offals (other than liver and kidney) | 0,05 ^a | |
| 1015990 | Others | 0,05 ^a | |
| 1017000 | (g) <i>other farmed terrestrial animals</i> | 0,05 ^a | |
| 1017010 | Muscle | 0,05 ^a | |
| 1017020 | Fat tissue | 0,05 ^a | |
| 1017030 | Liver | 0,05 ^a | |
| 1017040 | Kidney | 0,05 ^a | |
| 1017050 | Edible offals (other than liver and kidney) | 0,05 ^a | |
| 1017990 | Others | 0,05 ^a | |
| 1030020 | Duck | 0,05 ^a | |
| 1030030 | Geese | 0,05 ^a | |
| 1030040 | Quail | 0,05 ^a | |

| | | | |
|---------|--|-------------------|--|
| 1030990 | Others | 0,05 ^a | |
| 1040000 | Honey and other apiculture products | 0,05 ^a | |
| 1050000 | Amphibians and Reptiles | 0,05 ^a | |
| 1060000 | Terrestrial invertebrate animals | 0,05 ^a | |
| 1070000 | Wild terrestrial vertebrate animals | 0,05 ^a | |

a Indicates lower limit of analytical determination

b For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Dithiocarbamates (dithiocarbamates expressed as CS2, including maneb, mancozeb, metiram, propineb, thiram and ziram)

In brackets the origin of the residue (ma: maneb; mz: mancozeb; me: metiram; pr: propineb; t: thiram; z: ziram).

The MRLs expressed as CS2 can arise from different dithiocarbamates and therefore they do not reflect a single Good Agricultural Practice (GAP). It is therefore not appropriate to use these MRLs to check compliance with a GAP.

(+) (ma, mz, me, pr, t, z)

0130040 Medlars
0130050 Loquats/Japanese medlars

(+) (mz, me, t)

0251050 Land cresses
0251070 Red mustards
0252020 Purslanes

(+) (mz, me)

0256050 Sage
0256060 Rosemary
0256070 Thyme
0256080 Basil and edible flowers
0256090 Laurel/bay leave
0256100 Tarragon

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Thiram (expressed as thiram)

As all dithiocarbamates result in the final CS2 residue, discrimination among them is generally not possible. However single residue methods are available for propineb, ziram and thiram. These methods should be implemented on a case by case basis when the specific quantification of propineb, ziram and/or thiram is required.

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Status: This is the original version (as it was originally adopted).

- (1) [OJ L 70, 16.3.2005, p. 1.](#)
- (2) EFSA scientific reports available online: <http://www.efsa.europa.eu>
Reasoned opinion on the modification of the existing maximum residue levels (MRLs) for bifentiazate in blueberries, cranberries, gooseberries and azaroles (kiwiberies). *EFSA Journal* 2015;13(3):4047 [20 pp.].
Reasoned opinion on the modification of the existing maximum residue levels (MRLs) for boscalid in beans and peas with pods. *EFSA Journal* 2015;13(3):4045 [19 pp.].
Reasoned opinion on the modification of the existing MRL for cyazofamid in aubergines. *EFSA Journal* 2015;13(1):3993 [19 pp.].
Reasoned opinion on the modification of the existing MRLs for cyromazine in various leaf vegetables and fresh herbs. *EFSA Journal* 2015;13(1):4004[22 pp.].
EFSA Journal 2015;13(3):4049 [23 pp.].
EFSA Journal 2015;13(3):4059 [28 pp.].
Reasoned opinion on the modification of the existing maximum residue levels (MRLs) for mepanipyrim in tomato, aubergine, strawberry and cucumber. *EFSA Journal* 2015;13(3):4037 [24 pp.].
Reasoned opinion on the setting of a new maximum residues level (MRL) for metrafenone in hop cones. *EFSA Journal* 2015;13(4):4078 [19 pp.].
Reasoned opinion on the modification of the existing maximum residue level (MRL) for picloram in borage and corn gromwell seeds. *EFSA Journal* 2015;13(3):4062 [20 pp.].
Reasoned opinion on the modification of the existing maximum residue levels for propamocarb in onions, garlic, shallots and leeks. *EFSA Journal* 2015;13(4):4084 [20 pp.].
Reasoned opinion on the modification of the existing maximum residue level maximum residue level (MRL) for pyridaben in cucurbits — edible peel. *EFSA Journal* 2015;13(3):4041 [21 pp.].
Reasoned opinion on the modification of the existing maximum residue level (MRL) for pyriofenone in table grapes. *EFSA Journal* 2015;13(3):4071 [16 pp.].
Reasoned opinion on the modification of the existing MRLs for tebuconazole in cucumbers and courgettes. *EFSA Journal* 2015;13(1):4000 [24 pp.].
Reasoned opinion on the modification of the existing MRLs for tebufenpyrad in various crops. *EFSA Journal* 2015;13(4):4091 [29 pp.].
Reasoned opinion on the modification of the existing MRL for thiram in avocados. *EFSA Journal* 2015;13(1):4003 [21 pp.].
- (3) Conclusion on the peer review of the pesticide risk assessment of the active substance sulfoxaflor. *EFSA Journal* 2014;12(5):3692[170 pp.].