

Regulation (EU) 2016/424 of the European Parliament and of
the Council of 9 March 2016 on cableway installations and
repealing Directive 2000/9/EC (Text with EEA relevance)

CHAPTER I

GENERAL PROVISIONS

Article 1	Subject matter
Article 2	Scope
Article 3	Definitions
Article 4	Making available on the market of subsystems and safety components
Article 5	Entry into service of cableway installations
Article 6	Essential requirements
Article 7	Free movement of subsystems and safety components
Article 8	Safety analysis and safety report for planned cableway installations
Article 9	Authorisation of cableway installations
Article 10	Operation of cableway installations

CHAPTER II

OBLIGATIONS OF ECONOMIC OPERATORS

Article 11	Obligations of manufacturers
Article 12	Authorised representatives
Article 13	Obligations of importers
Article 14	Obligations of distributors
Article 15	Cases in which obligations of manufacturers apply to importers and distributors
Article 16	Identification of economic operators

CHAPTER III

CONFORMITY OF SUBSYSTEMS AND SAFETY COMPONENTS

Article 17	Presumption of conformity of subsystems and safety components
Article 18	Conformity assessment procedures
Article 19	EU declaration of conformity
Article 20	General principles of the CE marking
Article 21	Rules and conditions for affixing the CE marking

CHAPTER IV

NOTIFICATION OF CONFORMITY ASSESSMENT BODIES

Article 22	Notification
Article 23	Notifying authorities

Article 24	Requirements relating to notifying authorities
Article 25	Information obligation on notifying authorities
Article 26	Requirements relating to notified bodies
Article 27	Presumption of conformity of notified bodies
Article 28	Subsidiaries of and subcontracting by notified bodies
Article 29	Application for notification
Article 30	Notification procedure
Article 31	Identification numbers and lists of notified bodies
Article 32	Changes to notifications
Article 33	Challenge of the competence of notified bodies
Article 34	Operational obligations of notified bodies
Article 35	Appeal against decisions of notified bodies
Article 36	Information obligation on notified bodies
Article 37	Exchange of experience
Article 38	Coordination of notified bodies

CHAPTER V

UNION MARKET SURVEILLANCE, CONTROL OF SUBSYSTEMS AND SAFETY COMPONENTS ENTERING THE UNION MARKET AND UNION SAFEGUARD PROCEDURE

Article 39	Union market surveillance and control of subsystems and safety components entering the Union market
Article 40	Procedure at national level for dealing with subsystems or safety components presenting a risk
Article 41	Union safeguard procedure
Article 42	Compliant subsystems or safety components which present a risk
Article 43	Formal non-compliance

CHAPTER VI

COMMITTEE PROCEDURE, TRANSITIONAL AND FINAL PROVISIONS

Article 44	Committee procedure
Article 45	Penalties
Article 46	Transitional provisions
Article 47	Repeal
Article 48	Entry into force and application Signature

ANNEX I

SUBSYSTEMS

A cableway installation is divided up into infrastructure and the...
Cables and cable connections. Drives and brakes. Mechanical
equipment: Cable...

ANNEX II

ESSENTIAL REQUIREMENTS

1. Purpose
2. General requirements
 - 2.1. Safety of persons
 - 2.2. Principles of safety
 - 2.3. Consideration of external factors
 - 2.4. Dimensions
 - 2.5. Assembly
 - 2.5.1. The cableway installation, the subsystems and all the safety components...
 - 2.5.2. The safety components shall be so designed as to make...
 - 2.6. Integrity of the cableway installation
 - 2.6.1. The safety components shall be designed and constructed and be...
 - 2.6.2. The cableway installation shall be designed and constructed in such...
 - 2.6.3. The safeguards referred to in points 2.6.1 and 2.6.2 shall...
 - 2.6.4. Safety components which are incorporated into cableway installations as spare...
 - 2.6.5. Measures shall be taken to ensure that the effects of...
 - 2.6.6. Special measures shall be taken to protect cableway installations and...
 - 2.7. Safety devices
 - 2.7.1. Any defect in the cableway installation which could result in...
 - 2.7.2. It shall be possible at all times to shut down...
 - 2.7.3. After the cableway installation has been shut down by a...
 - 2.8. Maintainability
 - 2.9. Nuisance
3. Infrastructure requirements
 - 3.1. Layout, speed, distance between vehicles
 - 3.1.1. The cableway installation shall be designed to operate safely taking...
 - 3.1.2. Sufficient distance shall be maintained laterally and vertically between vehicles,...
 - 3.1.3. The maximum distance between vehicles and ground shall take account...
 - 3.1.4. The maximum speed of the vehicles or towing devices, the...
 - 3.2. Stations and structures along the line
 - 3.2.1. Stations and structures along the line shall be designed, installed...
 - 3.2.2. The entry and exit areas of the cableway installation shall...
4. Requirements relating to cables, drives and brakes and to mechanical...
 - 4.1. Cables and their supports
 - 4.1.1. All measures shall be taken in line with the latest...
 - 4.1.2. It is not possible to prevent all risk of cable...
 - 4.2. Mechanical installations
 - 4.2.1. Drives
 - 4.2.2. Standby drive
 - 4.2.3. Braking
 - 4.2.3.1. In an emergency, it shall be possible to shut down...
 - 4.2.3.2. Deceleration values shall be within adequate limits fixed in such...

- 4.2.3.3. In all cableway installations there shall be two or more...
- 4.2.3.4. The cableway installation shall be fitted with an effective clamp...
- 4.3. Control devices
- 4.4. Communication devices
- 5. Vehicles and towing devices
 - 5.1. Vehicles and/or towing devices shall be designed and fitted out...
 - 5.2. The fittings of vehicles and towing devices shall be dimensioned...
 - 5.3. Vehicle doors (on cars, cabins) shall be designed and constructed...
 - 5.4. If, for reasons of operational safety, an operator is required...
 - 5.5. Vehicles and/or towing devices and, in particular, their suspension mechanisms...
 - 5.6. In the case of vehicles equipped with disconnectable fittings, all...
 - 5.7. The installations which have their vehicles running on a fixed...
 - 5.8. Where all risk of derailment of the vehicle cannot be...
- 6. Equipment for passengers and operating personnel
- 7. Operability
 - 7.1. Safety
 - 7.1.1. All technical provisions and measures shall be taken to ensure...
 - 7.1.2. The persons responsible for operating the cableway installation shall be...
 - 7.2. Safety in the event of immobilisation of the cableway installation...
 - 7.3. Other special provisions concerning safety
 - 7.3.1. Operators' stands and workplaces
 - 7.3.2. Risk of falling

ANNEX III

CONFORMITY ASSESSMENT PROCEDURES FOR SUBSYSTEMS AND SAFETY COMPONENTS: MODULE B: EU-TYPE EXAMINATION — PRODUCTION TYPE

1. EU-type examination is the part of a conformity assessment procedure...
2. EU-type examination shall be carried out by assessment of the...
3. The manufacturer shall lodge an application for EU-type examination with...
4. The notified body shall:
5. The notified body shall draw up an evaluation report that...
6. Where the type meets the requirements of this Regulation, the...
7. The notified body shall keep itself apprised of any changes...
8. Each notified body shall inform its notifying authority concerning the...
9. The manufacturer shall keep a copy of the EU-type examination...

10. The manufacturer's obligations set out in points 7 and 9,...

ANNEX IV

CONFORMITY ASSESSMENT PROCEDURES FOR SUBSYSTEMS AND SAFETY COMPONENTS: MODULE D: CONFORMITY TO TYPE BASED ON QUALITY ASSURANCE OF THE PRODUCTION PROCESS

1. Conformity to type based on quality assurance of the production...
2. Manufacturing
3. Quality system
 - 3.1. The manufacturer shall lodge an application for assessment of his...
 - 3.2. The quality system shall ensure that the subsystems or safety...
 - 3.3. The notified body shall assess the quality system to determine...
 - 3.4. The manufacturer shall undertake to fulfil the obligations arising out...
 - 3.5. The manufacturer shall keep the notified body that has approved...
4. Surveillance under the responsibility of the notified body
 - 4.1. The purpose of surveillance is to make sure that the...
 - 4.2. The manufacturer shall, for assessment purposes, allow the notified body...
 - 4.3. The notified body shall carry out periodic audits of at...
 - 4.4. In addition, the notified body may pay unexpected visits to...
5. CE marking and EU declaration of conformity
 - 5.1. The manufacturer shall affix the CE marking and, under the...
 - 5.2. The manufacturer shall draw up a written EU declaration of...
6. The manufacturer shall, for a period of 30 years after...
7. Each notified body shall inform its notifying authority of quality...
8. Authorised representative

ANNEX V

CONFORMITY ASSESSMENT PROCEDURES FOR SUBSYSTEMS AND SAFETY COMPONENTS: MODULE F: CONFORMITY TO TYPE BASED ON SUBSYSTEM OR SAFETY COMPONENT VERIFICATION

1. Conformity to type based on subsystem or safety component verification...
2. Manufacturing
3. Verification
 - 3.1. The manufacturer shall lodge an application for subsystem or safety...
 - 3.2. The notified body shall carry out appropriate examinations and tests,...
4. Verification of conformity by examination and testing of every subsystem...
 - 4.1. All subsystems or safety components shall be individually examined and...
 - 4.2. The notified body shall issue a certificate of conformity in...

5. Statistical verification of conformity
 - 5.1. The manufacturer shall take all measures necessary so that the...
 - 5.2. A random sample shall be taken from each lot. All...
 - 5.3. If a lot is accepted, all the subsystems or safety...
 - 5.4. If a lot is rejected, the notified body or the...
6. CE marking and EU declaration of conformity
 - 6.1. The manufacturer shall affix the CE marking and, under the...
 - 6.2. The manufacturer shall draw up a written EU declaration of...
7. If the notified body agrees and under its responsibility, the...
8. Authorised representative

ANNEX VI

CONFORMITY ASSESSMENT PROCEDURES FOR SUBSYSTEMS AND SAFETY COMPONENTS: MODULE G: CONFORMITY BASED ON UNIT VERIFICATION

1. Conformity based on unit verification is the conformity assessment procedure...
2. Manufacturing
3. Verification
 - 3.1. The manufacturer shall lodge an application for unit verification of...
 - 3.2. The notified body shall examine the technical documentation for the...
4. CE marking and EU declaration of conformity
 - 4.1. The manufacturer shall affix the CE marking and, under the...
 - 4.2. The manufacturer shall draw up a written EU declaration of...
5. Authorised representative

ANNEX VII

CONFORMITY ASSESSMENT PROCEDURES FOR SUBSYSTEMS AND SAFETY COMPONENTS: MODULE H 1: CONFORMITY BASED ON FULL QUALITY ASSURANCE PLUS DESIGN EXAMINATION

1. Conformity based on full quality assurance plus design examination is...
2. Manufacturing
3. Quality system
 - 3.1. The manufacturer shall lodge an application for assessment of his...
 - 3.2. The quality system shall ensure compliance of the subsystems or...
 - 3.3. The notified body shall assess the quality system to determine...
 - 3.4. The manufacturer shall undertake to fulfil the obligations arising out...
 - 3.5. The manufacturer shall keep the notified body that has approved...
 - 3.6. Design examination
 - 3.6.1. The manufacturer shall lodge an application for examination of the...
 - 3.6.2. The application shall make it possible to understand the design,...

- 3.6.3. The notified body shall examine the application and, where the...
 - 3.6.4. The notified body shall keep itself apprised of any changes...
 - 3.6.5. Each notified body shall inform its notifying authority of the...
 - 3.6.6. The manufacturer shall keep a copy of the EU design...
4. Surveillance under the responsibility of the notified body
 - 4.1. The purpose of surveillance is to make sure that the...
 - 4.2. The manufacturer shall, for assessment purposes, allow the notified body...
 - 4.3. The notified body shall carry out periodic audits to make...
 - 4.4. In addition, the notified body may pay unexpected visits to...
5. CE marking and EU declaration of conformity.
 - 5.1. The manufacturer shall affix the CE marking and, under the...
 - 5.2. The manufacturer shall draw up a written EU declaration of...
6. The manufacturer shall, for a period of 30 years after...
7. Each notified body shall inform its notifying authority of quality...
8. Authorised representative

ANNEX VIII

TECHNICAL DOCUMENTATION FOR SUBSYSTEMS AND SAFETY COMPONENTS

1. The technical documentation shall make it possible to assess the...
2. The technical documentation shall contain, at least the following elements:...

ANNEX IX

EU DECLARATION OF CONFORMITY FOR SUBSYSTEMS AND SAFETY COMPONENTS No ...

1. Subsystem/safety component or subsystem/safety component model (product, type, batch, or...
2. Name and address of the manufacturer and, where applicable, his...
3. This declaration of conformity is issued under the sole responsibility...
4. Object of the declaration (identification of the subsystem or safety...
5. The object of the declaration described in point 4 is...
6. References to the relevant harmonised standards used or references to...
7. The notified body ... (name, address, number) ... performed
8. Additional information:
 - Signed for and on behalf of: ...
 - (place and date of issue):

(name, function) (signature):

ANNEX X
CORRELATION TABLE

- (1) [OJ C 451, 16.12.2014, p. 81.](#)
- (2) Position of the European Parliament of 20 January 2016 (not yet published in the Official Journal) and decision of the Council of 12 February 2016.
- (3) Directive 2000/9/EC of the European Parliament and of the Council of 20 March 2000 relating to cableway installations designed to carry persons ([OJ L 106, 3.5.2000, p. 21](#)).
- (4) [OJ C 136, 4.6.1985, p. 1.](#)
- (5) Regulation (EU) No 1025/2012 of the European Parliament and of the Council of 25 October 2012 on European Standardisation, amending Council Directives 89/686/EEC and 93/15/EEC and Directives 94/9/EC, 94/25/EC, 95/16/EC, 97/23/EC, 98/34/EC, 2004/22/EC, 2007/23/EC, 2009/23/EC and 2009/105/EC of the European Parliament and of the Council and repealing Council Decision 87/95/EEC and Decision No 1673/2006/EC of the European Parliament and of the Council ([OJ L 316, 14.11.2012, p. 12](#)).
- (6) Decision No 768/2008/EC of the European Parliament and of the Council of 9 July 2008 on a common framework for the marketing of products and repealing Council Decision 93/465/EEC ([OJ L 218, 13.8.2008, p. 82](#)).
- (7) Regulation (EC) No 765/2008 of the European Parliament and of the Council of 9 July 2008 setting out the requirements for accreditation and market surveillance relating to the marketing of products and repealing Regulation (EEC) No 339/93 ([OJ L 218, 13.8.2008, p. 30](#)).
- (8) Directive 2014/33/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to lifts and safety components for lifts ([OJ L 96, 29.3.2014, p. 251](#)).
- (9) Regulation (EU) No 182/2011 of the European Parliament and of the Council of 16 February 2011 laying down the rules and general principles concerning mechanisms for control by Member States of the Commission's exercise of implementing powers ([OJ L 55, 28.2.2011, p. 13](#)).