

ANNEX

Summary of product characteristics for a biocidal product family

PART II

SECOND INFORMATION LEVEL — META SPC(S)

META SPC 5

1. META SPC 5 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 5 identifier

Identifier	meta SPC 5
------------	------------

1.2. Suffix to the authorisation number

Number	1-5
--------	-----

1.3. Product type(s)

Product type(s)	PT03 — Veterinary hygiene (Disinfectants)
-----------------	---

2. META SPC 5 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
					Min	Max
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		1	1
Iodine		Active substance	7553-56-2	231-442-4	0,11	0,11

2.2. Type(s) of formulation of the meta SPC 5

Formulation	AL — Any other liquid
-------------	-----------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 5

Hazard statements	
Precautionary statements	

Changes to legislation: There are currently no known outstanding effects for the Commission
Implementing Regulation (EU) 2018/1258, META SPC 5. (See end of Document for details)

4. AUTHORISED USE(S) OF THE META SPC 5

4.1. Use description

TABLE 6. USE # 1 – TEAT DIPS FOR POST-MILKING DISINFECTION

Product Type	PT03 — Veterinary hygiene (Disinfectants)
Where relevant, an exact description of the authorised use	—
Target organism(s) (including development stage)	Bacteria Yeasts Enveloped viruses
Field(s) of use	Indoor Post-milking disinfection of teats of milk-producing animals (cows, buffaloes, goats, sheep)
Application method(s)	Dipping Manual dipping using a dip cup.
Application rate(s) and frequency	Post-milking application 1x – 3x per day Per milking event 3-10 ml of product are needed (animals with four teats).
Category(ies) of users	Professional
Pack sizes and packaging material	0,5 l – 1 000 l HDPE container

4.1.1. *Use-specific instructions for use*

See general directions for use of meta SPC 5

4.1.2. *Use-specific risk mitigation measures*

See general directions for use of meta SPC 5

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use of meta SPC 5

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use of meta SPC 5

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use of meta SPC 5

5. GENERAL DIRECTIONS FOR USE⁽¹⁾ OF THE META SPC 5

5.1. Instructions for use

Always read the label or leaflet before use and follow all the instructions provided.

The products must be brought to temperatures above 20 °C before use.

Product to be applied post-milking by use of a dipping cup.

Apply product on the whole teat and do not wipe it. Keep the animals standing for 5 min. Before the next milking, carefully clean the teats.

The use of a dosing pump for filling the product into the application equipment is recommended.

5.2. Risk mitigation measures

In case a combination of pre- and post-milking disinfection is necessary, using another biocidal product not containing iodine has to be considered for pre-milking disinfection.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Potential Health Effects

Eyes: Health injuries are not known or expected under normal use.

Skin: Health injuries are not known or expected under normal use.

Ingestion: Health injuries are not known or expected under normal use.

Inhalation: Health injuries are not known or expected under normal use.

Chronic Exposure: Health injuries are not known or expected under normal use.

First Aid Measures:

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. Get medical attention if symptoms occur.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Environmental emergency measures: Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). To prevent malfunctioning of an individual wastewater treatment plant, possible residues containing the product must be discharged to the manure storage (for spreading on agricultural soils or fermentation into biogas installation) or to the municipal sewer if legally allowed.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

Changes to legislation: There are currently no known outstanding effects for the Commission
Implementing Regulation (EU) 2018/1258, META SPC 5. (See end of Document for details)

European Waste Catalogue: 200130-detergents other than those mentioned in 20 01 29.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store between 5 °C and 25 °C and away from direct sunlight. Keep out of reach of children. Keep container tightly closed. Store in the original containers.

Shelf life: 18 months

6. OTHER INFORMATION

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 5

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Veloucid D VelouCid MEPA Care D Cremadip MS Cow Udder SEPIA				
Authorisation number	EU-0018398-0007 1-5				
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		1
Iodine		Active substance	7553-56-2	231-442-4	0,11

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1258, META SPC 5. (See end of Document for details)

- (1) Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses within the meta SPC5.

Changes to legislation:

There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1258, META SPC 5.