

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

ANNEX

TABLE REFERRED TO IN ARTICLE 2

Name of listed disease	Category of listed disease	Listed species	
		Species and group of species	Vector species
Foot and mouth disease	A+D+E	Artiodactyla, Proboscidea	
Infection with rinderpest virus	A+D+E	Artiodactyla	
Infection with Rift Valley fever virus	A+D+E	Perissodactyla, Antilocapridae, Bovidae, Camelidae, Cervidae, Giraffidae, Hippopotamidae, Moschidae, Proboscidea	Culicidae
Infection with <i>Brucella abortus</i> , <i>B. melitensis</i> , <i>B. suis</i>	B+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp.	
	D+E	<i>Artiodactyla</i> others than <i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp.	
	E	Perissodactyla, Carnivora, Lagomorpha	
Infection with <i>Mycobacterium tuberculosis</i> complex (<i>M. bovis</i> , <i>M. caprae</i> , <i>M. tuberculosis</i>)	B+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
	D+E	<i>Artiodactyla</i> others than <i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
	E	<i>Mammalia</i> (terrestrial)	
Infection with rabies virus	B+D+E	Carnivora, Bovidae, Suidae, Equidae, Cervidae, Camelidae	
	E	Chiroptera	
Infestation with <i>Echinococcus multilocularis</i>	C+D+E	Canidae	
Infection with bluetongue virus (serotypes 1-24)	C+D+E	Antilocapridae, Bovidae, Camelidae, Cervidae,	<i>Culicoides</i> spp.

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

		Giraffidae, Moschidae, Tragulidae	
Infection with epizootic haemorrhagic disease virus	D+E	Antilocapridae, Bovidae, Camelidae, Cervidae, Giraffidae, Moschidae, Tragulidae	<i>Culicoides</i> spp.
Anthrax	D+E	Perissodactyla, Artiodactyla, Proboscidea	
Surra (<i>Trypanosoma evansi</i>)	D+E	Equidae, Artiodactyla	Tabanidae
Ebola virus disease	D+E	Non-human primates (apes)	
Paratuberculosis	E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp., Camelidae, Cervidae	
Japanese encephalitis	E	Equidae	Culicidae
West Nile fever	E	Equidae, Aves	Culicidae
Q fever	E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp.	
Infection with lumpy skin disease virus	A+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	Haematophagous arthropods
Infection with <i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> SC (Contagious bovine pleuropneumonia)	A+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Syncerus cafer</i>	
Infectious bovine rhinotracheitis/ infectious pustular vulvovaginitis	C+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
	D+E	Camelidae, Cervidae	
Bovine viral diarrhoea	C+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
Bovine genital campylobacteriosis	D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
Trichomonosis	D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
Enzootic bovine leukosis	C+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

Sheep pox and goat pox	A+D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp.	
Infection with peste des petits ruminants virus	A+D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp., <i>Camelidae</i> , <i>Cervidae</i>	
Contagious caprine pleuropneumonia	A+D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp., <i>Gazella</i> ssp.	
Ovine epididymitis (<i>Brucella ovis</i>)	D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp.	
African horse sickness	A+D+E	Equidae	<i>Culicoides</i> spp.
Infection with <i>Burkholderia mallei</i> (Glanders)	A+D+E	Equidae, <i>Capra</i> ssp., <i>Camelidae</i>	
Infection with equine arteritis virus	D+E	Equidae	
Equine infectious anaemia	D+E	Equidae	Tabanidae
Dourine	D+E	Equidae	
Venezuelan equine encephalomyelitis	D+E	Equidae	Culicidae
Contagious equine metritis	D+E	Equidae	
Equine encephalomyelitis (Eastern and Western)	E	Equidae	Culicidae
Classical swine fever	A+D+E	Suidae, Tayassuidae	
African swine fever	A+D+E	Suidae	Ornithodoros
Infection with Aujeszky's disease virus	C+D+E	Suidae	
Infection with porcine reproductive and respiratory syndrome virus	D+E	Suidae	
Highly pathogenic avian influenza	A+D+E	Aves	
Infection with Newcastle disease virus	A+D+E	Aves	
Avian mycoplasmosis (<i>Mycoplasma</i>)	D+E	<i>Gallus gallus</i> , <i>Meleagris gallopavo</i>	

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

<i>gallisepticum</i> and <i>M. meleagridis</i>)			
Infection with <i>Salmonella Pullorum</i> , <i>S. Gallinarum</i> , <i>S. arizonae</i>	D+E	<i>Gallus gallus</i> , <i>Meleagris gallopavo</i> , <i>Numida meleagris</i> , <i>Coturnix coturnix</i> , <i>Phasianus colchicus</i> , <i>Perdix perdix</i> , <i>Anas</i> spp.	
Infection with low pathogenic avian influenza viruses	D+E	Aves	
Avian chlamydiosis	D+E	Psittaciformes	
Infestation with <i>Varroa</i> spp. (Varroosis)	C+D+E	Apis	
Infestation with <i>Aethina tumida</i> (Small hive beetle)	D+E	<i>Apis</i> , <i>Bombus</i> ssp.	
American foulbrood	D+E	Apis	
Infestation with <i>Tropilaelaps</i> spp.	D+E	Apis	
Infection with <i>Batrachochytrium salamandrivorans</i>	D+E	Caudata	
Epizootic haematopoietic necrosis	A+D+E	Rainbow trout (<i>Oncorhynchus mykiss</i>), redbfin perch (<i>Perca fluviatilis</i>)	Bighead carp (<i>Aristichthys nobilis</i>), goldfish (<i>Carassius auratus</i>), crucian carp (<i>Carassius carassius</i>), common carp and koi carp (<i>Cyprinus carpio</i>), silver carp (<i>Hypophthalmichthys molitrix</i>), chub (<i>Leuciscus</i> spp.), roach (<i>Rutilus rutilus</i>), rudd (<i>Scardinius erythrophthalmus</i>), tench (<i>Tinca tinca</i>)
Viral haemorrhagic septicaemia	C+D+E	Herring (<i>Clupea</i> spp.), whitefish (<i>Coregonus</i> spp.), pike (<i>Esox lucius</i>), haddock	Beluga (<i>Huso huso</i>), Danube sturgeon (<i>Acipenser gueldenstaedtii</i>), sterlet sturgeon

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

	<p>(<i>Melanogrammus aeglefinus</i>), Pacific cod (<i>Gadus macrocephalus</i>) Atlantic cod (<i>Gadus morhua</i>), Pacific salmon (<i>Oncorhynchus</i> spp.) rainbow trout (<i>Oncorhynchus mykiss</i>), rockling (<i>Onos mustelus</i>), brown trout (<i>Salmo trutta</i>), turbot (<i>Scophthalmus maximus</i>), sprat (<i>Sprattus sprattus</i>), grayling (<i>Thymallus thymallus</i>), olive flounder (<i>Paralichthys olivaceus</i>), marble trout (<i>Salmo marmoratus</i>), lake trout (<i>Salvelinus namaycush</i>), wrasse (Labridae spp.), lumpfish (Cyclopteridae spp.)</p>	<p>(<i>Acipenser ruthenus</i>), starry sturgeon (<i>Acipenser stellatus</i>), sturgeon (<i>Acipenser sturio</i>), Siberian sturgeon (<i>Acipenser baerii</i>), bighead carp (<i>Aristichthys nobilis</i>), goldfish (<i>Carassius auratus</i>), crucian carp (<i>Carassius carassius</i>), common carp and koi carp (<i>Cyprinus carpio</i>), silver carp (<i>Hypophthalmichthys molitrix</i>), chub (<i>Leuciscus</i> spp.), roach (<i>Rutilus rutilus</i>), rudd (<i>Scardinius erythrophthalmus</i>), tench (<i>Tinca tinca</i>), North African catfish (<i>Clarias gariepinus</i>), pike (<i>Esox lucius</i>), catfish (<i>Ictalurus</i> spp.), black bullhead (<i>Ameiurus melas</i>), channel catfish (<i>Ictalurus punctatus</i>), pangas catfish (<i>Pangasius pangasius</i>), pike perch (<i>Sander lucioperca</i>), wels catfish (<i>Silurus glanis</i>), European seabass (<i>Dicentrarchus labrax</i>), striped bass (<i>Morone chrysops</i> x <i>Morone saxatilis</i>), flathead grey mullet (<i>Mugil cephalus</i>), red drum (<i>Sciaenops ocellatus</i>), meagre (<i>Argyrosomus regius</i>), shi drum (<i>Umbrina cirrosa</i>), true tuna (<i>Thunnus</i> spp.), Atlantic bluefin tuna (<i>Thunnus</i>)</p>
--	---	--

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

			<p><i>thynnus</i>), white grouper (<i>Epinephelus aeneus</i>), dusky grouper (<i>Epinephelus marginatus</i>), Senegalese solea (<i>Solea senegalensis</i>), common sole (<i>Solea solea</i>), common pandora (<i>Pagellus erythrinus</i>), common dentex (<i>Dentex dentex</i>), gilthead seabream (<i>Sparus aurata</i>), white seabream (<i>Diplodus sargus</i>), black spot seabream (<i>Pagellus bogaraveo</i>), red sea bream (<i>Pagrus major</i>), sharpsnout seabream (<i>Diplodus puntazzo</i>), common two-banded seabream (<i>Diplodus vulgaris</i>), red porgy (<i>Pagrus pagrus</i>), tilapia spp. (<i>Oreochromis</i>), brook trout (<i>Salvelinus fontinalis</i>), arctic charr (<i>Salvelinus alpinus</i>)</p>
Infectious haematopoietic necrosis	C+D+E	<p>Chum salmon (<i>Oncorhynchus keta</i>), coho salmon (<i>Oncorhynchus kisutch</i>), Masou salmon (<i>Oncorhynchus masou</i>), rainbow trout (<i>Oncorhynchus mykiss</i>), sockeye salmon (<i>Oncorhynchus nerka</i>), pink salmon (<i>Oncorhynchus rhodurus</i>), chinook salmon (<i>Oncorhynchus tshawytscha</i>), Atlantic salmon (<i>Salmo salar</i>), lake</p>	<p>Beluga (<i>Huso huso</i>), Danube sturgeon (<i>Acipenser gueldenstaedtii</i>), sterlet sturgeon (<i>Acipenser ruthenus</i>), starry sturgeon (<i>Acipenser stellatus</i>), sturgeon (<i>Acipenser sturio</i>), Siberian sturgeon (<i>Acipenser Baerii</i>), bighead carp (<i>Aristichthys nobilis</i>), goldfish (<i>Carassius auratus</i>), crucian carp (<i>Carassius carassius</i>), common carp and koi carp (<i>Cyprinus</i></p>

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

		trout (<i>Salvelinus namaycush</i>), marble trout (<i>Salmo marmoratus</i>), brook trout (<i>Salvelinus fontinalis</i>), arctic charr (<i>Salvelinus alpinus</i>), whitespotted charr (<i>Salvelinus leucomaenis</i>)	<i>carpio</i>), silver carp (<i>Hypophthalmichthys molitrix</i>), chub (<i>Leuciscus</i> spp.), roach (<i>Rutilus rutilus</i>), rudd (<i>Scardinius erythrophthalmus</i>), tench (<i>Tinca tinca</i>), North African catfish (<i>Clarias gariepinus</i>), catfish (<i>Ictalurus</i> spp.), black bullhead (<i>Ameiurus melas</i>), channel catfish (<i>Ictalurus punctatus</i>), pangas catfish (<i>Pangasius pangasius</i>), pike perch (<i>Sander lucioperca</i>), wels catfish (<i>Silurus glanis</i>), Atlantic halibut (<i>Hippoglossus hippoglossus</i>), flounder (<i>Platichthys flesus</i>), Atlantic cod (<i>Gadus morhua</i>), haddock (<i>Melanogrammus aeglefinus</i>), noble crayfish (<i>Astacus astacus</i>), signal crayfish (<i>Pacifastacus leniusculus</i>), redswamp crayfish (<i>Procambarus clarkii</i>)
Infection with HPR-deleted infectious salmon anaemia virus	C+D+E	Rainbow trout (<i>Oncorhynchus mykiss</i>), Atlantic salmon (<i>Salmo salar</i>), brown and sea trout (<i>Salmo trutta</i>)	
Koi herpes virus disease	E	Common carp and koi carp (<i>Cyprinus carpio</i>)	Goldfish (<i>Carassius auratus</i>), grass carp (<i>Ctenopharyngodon idella</i>)
Infection with Mikrocystos mackini	A+D+E	Pacific oyster (<i>Crassostrea</i>	

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

		<i>gigas</i>), eastern oyster (<i>Crassostrea virginica</i>), Olympia flat oyster (<i>Ostrea conchaphila</i>), European flat oyster (<i>Ostrea edulis</i>)	
Infection with <i>Perkinsus marinus</i>	A+D+E	Pacific oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>)	European lobster (<i>Homarus gammarus</i>), marine crabs (<i>Brachyura</i> spp.), Yabi crayfish (<i>Cherax destructor</i>), giant river prawn (<i>Macrobrachium rosenbergii</i>), spiny lobsters (<i>Palinurus</i> spp.), swimming crab (<i>Portunus puber</i>), Indopacific swamp crab (<i>Scylla serrata</i>), Indian white prawn (<i>Penaeus indicus</i>), kuruma prawn (<i>Penaeus japonicus</i>), caramote prawn (<i>Penaeus kerathurus</i>), blue shrimp (<i>Penaeus stylirostris</i>), whiteleg shrimp (<i>Penaeus vannamei</i>)
Infection with <i>Bonamia exitiosa</i>	C+D+E	Australian mud oyster (<i>Ostrea angasi</i>), Chilean flat oyster (<i>Ostrea chilensis</i>), European flat oyster (<i>Ostrea edulis</i>)	Portuguese oyster (<i>Crassostrea angulata</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>)
Infection with <i>Bonamia ostreae</i>	C+D+E	Australian mud oyster (<i>Ostrea angasi</i>), Chilean flat oyster (<i>Ostrea chilensis</i>), Olympia flat oyster (<i>Ostrea conchaphila</i>), Asian oyster (<i>Ostrea denselammellosa</i>), European flat oyster (<i>Ostrea edulis</i>),	Common edible cockle (<i>Cerastoderma edule</i>), wedge shell (<i>Donax trunculus</i>), sand gaper (<i>Mya arenaria</i>), northern quahog (<i>Mercenaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>),

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

		Argentinian oyster (<i>Ostrea puelchana</i>)	grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>), Great Atlantic scallop (<i>Pecten maximus</i>)
Infection with <i>Marteilia refringens</i>	C+D+E	Australian mud oyster (<i>Ostrea angasi</i>), Chilean flat oyster (<i>Ostrea chilensis</i>), European flat oyster (<i>Ostrea edulis</i>), Argentinian oyster (<i>Ostrea puelchana</i>)	Common edible cockle (<i>Cerastoderma edule</i>), wedge shell (<i>Donax trunculus</i>), sand gaper (<i>Mya arenaria</i>), northern quahog (<i>Mercenaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>)
Infection with Taura syndrome virus	A+D+E	Gulf white shrimp (<i>Penaeus setiferus</i>), Pacific blue shrimp (<i>Penaeus stylirostris</i>), Pacific white shrimp (<i>Penaeus vannamei</i>)	Penshells (<i>Atrina</i> spp.), common whelk (<i>Buccinum undatum</i>), Portuguese oyster (<i>Crassostrea angulata</i>), common edible cockle (<i>Cerastoderma edule</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea</i>

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the
Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

virginica), wedge shell (*Donax trunculus*), Ezo abalone (*Haliotis discus hannai*), tuberculate abalone (*Haliotis tuberculata*), periwinkles (*Littorina littorea*), northern quahog (*Mercenaria mercenaria*), Japanese hard clam (*Meretrix lusoria*), sand gaper (*Mya arenaria*), blue mussel (*Mytilus edulis*), Mediterranean mussel (*Mytilus galloprovincialis*), octopus (*Octopus vulgaris*), European flat oyster (*Ostrea edulis*), Great Atlantic scallop (*Pecten maximus*), grooved carpet shell (*Ruditapes decussatus*), Japanese carpet shell (*Ruditapes philippinarum*), common cuttlefish (*Sepia officinalis*), stromboid conchs (*Strombus* spp.), European aurora venus clam (*Venerupis aurea*), pullet carpet shell (*Venerupis pullastra*), warty venus (*Venus verrucosa*), European lobster (*Homarus gammarus*), marine crabs (*Brachyura* spp.), Yabi crayfish (*Cherax destructor*), giant river prawn (*Macrobrachium rosenbergii*), spiny lobsters (*Palinurus*

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

			spp), swimming crab (<i>Portunus puber</i>), Indopacific swamp crab (<i>Scylla serrata</i>), Indian white prawn (<i>Penaeus indicus</i>), kuruma prawn (<i>Penaeus japonicus</i>), caramote prawn (<i>Penaeus kerathurus</i>)
Infection with yellow head virus	A+D+E	Gulf brown shrimp (<i>Penaeus aztecus</i>), Gulf pink shrimp (<i>Penaeus duorarum</i>), kuruma prawn (<i>Penaeus japonicus</i>), black tiger shrimp (<i>Penaeus monodon</i>), Gulf white shrimp (<i>Penaeus setiferus</i>), Pacific blue shrimp (<i>Penaeus stylirostris</i>), Pacific white shrimp (<i>Penaeus vannamei</i>)	Penshells (<i>Atrina</i> spp.), common whelk (<i>Buccinum undatum</i>), Portuguese oyster (<i>Crassostrea angulata</i>), common edible cockle (<i>Cerastoderma edule</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>), wedge shell (<i>Donax trunculus</i>), Ezo abalone (<i>Haliotis discus hannai</i>), tuberculate abalone (<i>Haliotis tuberculata</i>), periwinkles (<i>Littorina littorea</i>), northern quahog (<i>Mercenaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), sand gaper (<i>Mya arenaria</i>), blue mussel (<i>Mytilus edulis</i>), Mediterranean mussel (<i>Mytilus galloprovincialis</i>), octopus (<i>Octopus vulgaris</i>), European flat oyster (<i>Ostrea edulis</i>), Great Atlantic scallop (<i>Pecten maximus</i>), grooved carpet shell (<i>Ruditapes</i>

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

			<p><i>decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), common cuttlefish (<i>Sepia officinalis</i>), stromboid conchs (<i>Strombus</i> spp.), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>)</p>
Infection with white spot syndrome virus	C+D+E	All decapod crustaceans (order Decapoda)	<p>Penshells (<i>Atrina</i> spp.), common whelk (<i>Buccinum undatum</i>), Portuguese oyster (<i>Crassostrea angulata</i>), common edible cockle (<i>Cerastoderma edule</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>), wedge shell (<i>Donax trunculus</i>), Ezo abalone (<i>Haliotis discus hannai</i>), tuberculate abalone (<i>Haliotis tuberculata</i>), periwinkles (<i>Littorina littorea</i>), northern quahog (<i>Mercenaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), sand gaper (<i>Mya arenaria</i>), blue mussel (<i>Mytilus edulis</i>), Mediterranean mussel (<i>Mytilus galloprovincialis</i>), octopus (<i>Octopus vulgaris</i>), European flat oyster (<i>Ostrea</i></p>

Status: Point in time view as at 31/01/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882. (See end of Document for details)

		<p><i>edulis</i>), Great Atlantic scallop (<i>Pecten maximus</i>), grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), common cuttlefish (<i>Sepia officinalis</i>), stromboid conchs (<i>Strombus</i> spp.), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>)</p>
--	--	---

Status:

Point in time view as at 31/01/2020.

Changes to legislation:

There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2018/1882.