Commission Delegated Regulation (EU) 2018/45 of 20 October 2017 establishing a discard plan for certain demersal fisheries in the North Sea and in Union waters of ICES Division IIa for the year 2018

COMMISSION DELEGATED REGULATION (EU) 2018/45

of 20 October 2017

establishing a discard plan for certain demersal fisheries in the North Sea and in Union waters of ICES Division IIa for the year 2018

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) No 1380/2013 of the European Parliament and of the Council of 11 December 2013 on the Common Fisheries Policy, amending Council Regulations (EC) No 1954/2003 and (EC) No 1224/2009 and repealing Council Regulations (EC) No 2371/2002 and (EC) No 639/2004 and Council Decision 2004/585/EC⁽¹⁾, and in particular Article 15(6) thereof,

Having regard to Council Regulation (EC) No 850/98 of 30 March 1998 for the conservation of fishery resources through technical measures for the protection of juveniles of marine organisms⁽²⁾ and in particular Article 18a thereof,

Whereas:

- (1) Regulation (EU) No 1380/2013 aims to progressively eliminate discards in all Union fisheries through the introduction of a landing obligation for catches of species subject to catch limits.
- (2) In order to implement the landing obligation, Article 15(6) of that Regulation empowers the Commission to adopt discard plans by means of delegated acts for a period of no more than 3 years on the basis of joint recommendations developed by Member States in consultation with the relevant Advisory Councils.
- (3) Belgium, Denmark, Germany, France, the Netherlands, Sweden and the United Kingdom have a direct fisheries management interest in the North Sea. After consulting the North Sea Advisory Council, those Member States submitted on 3 June 2016 a joint recommendation to the Commission concerning a discard plan for demersal fisheries in the North Sea. Based on that joint recommendation, Commission Delegated Regulation (EU) 2016/2250⁽³⁾ established a discard plan applicable to those fisheries
- (4) After consulting the North Sea Advisory Council, Belgium, Denmark, Germany, France, the Netherlands, Sweden and the United Kingdom submitted on 31 May 2017 a new joint recommendation to the Commission concerning a new discard plan for demersal fisheries in the North Sea. Scientific contributions were obtained from relevant scientific bodies and reviewed by the Scientific, Technical and Economic Committee for Fisheries (STECF). On 8 September an expert group meeting attended

by representatives of 28 Member States, the Commission as well as the European Parliament as an observer took place and the measures concerned were discussed.

- (5) Following a new joint recommendation, it is appropriate to repeal Delegated Regulation (EU) 2016/2250.
- (6) The measures suggested in the new joint recommendation comply with Article 18(3) of Regulation (EU) No 1380/2013.
- (7) For the purposes of that Regulation, the North Sea comprises ICES zones IIIa and IV. As some demersal stocks relevant to the proposed discard plan are also to be found in Union waters of ICES Division IIa, the Member States concerned recommend that ICES Division IIa be also covered by the discard plan.
- (8) The new discard plan for the year 2018 should include the provisions laid down in Delegated Regulation (EU) 2016/2250 regarding the species to be landed and should specify additional species and fisheries to which the landing obligation should apply in 2018.
- (9) Delegated Regulation (EU) 2016/2250 introduced survivability exemptions, as provided for by Article 15(4)(b) of Regulation (EU) No 1380/2013⁽⁴⁾, for catches of Norway lobster made with pots and with trawls when using certain selectivity devices in ICES Division IIIa. The Member States provided for the scientific evidence which demonstrated the high survival rates for catches of Norway lobster with the bottom trawls. That information has been submitted and STECF has concluded that the information is sufficient. The new joint recommendation suggests the continued application of those exemptions. They should therefore be included in the new discard plan for the year 2018.
- (10) Delegated Regulation (EU) 2016/2250 introduced a survivability exemption for catches of Norway lobster in ICES Subarea IV for certain gears on the condition that a netgrid selectivity device is used. That Delegated Regulation required Member States having a direct management interest in the North Sea to submit to the Commission additional scientific information supporting the exemptions for the bottom trawls specified. The information has been submitted and STECF has concluded that it only substantiates an exemption in winter months and in certain areas (ICES functional units). Therefore, that exemption should be included in the new discard plan for the year 2018 but limited to winter months and certain ICES functional units.
- (11) The new joint recommendation includes a survivability exemption for fish by-catch in the fishery carried out with pots and fyke nets as well as for catches of common sole with otter trawls.
- (12) Based on the scientific evidence provided in the new joint recommendation and reviewed by STECF and taking into account the characteristics of the gear, of the fishing practices and of the ecosystem, those survivability exemptions should be included in the new discard plan for the year 2018.
- (13) Delegated Regulation (EU) 2016/2250 established *de minimis* exemptions for:

- common sole caught with trammel nets and gillnets in ICES Division IIIa, ICES Subarea IV and Union waters of ICES Subarea IIa,
- common sole caught with certain beam trawls equipped with a Flemish panel in ICES Subarea IV,
- Norway lobster caught with certain bottom trawls in ICES Subarea IV and Union waters of ICES Division IIa.

The new joint recommendation suggests the continued application of those *de minimis* exemptions. It is therefore appropriate included those exemptions in the new discard plan.

- (14) The new joint recommendation suggests a *de minimis* exemption for common sole, haddock, whiting, cod and saithe combined for catches with certain bottom trawls in ICES Division IIIa, a *de minimis* exemption for sole, haddock, whiting, cod and saithe combined for catches with creels in ICES Division IIIa, a *de minimis* exemption for whiting and cod caught with bottom trawls in ICES Division IVc and a *de minimis* exemption for whiting for catches with certain bottom trawls in ICES Division IIIa.
- (15) On the basis of compelling evidence provided by Member States for those de minimis exemptions as reviewed by the STECF, which concluded that those exemptions contained reasoned arguments that further improvements in selectivity are difficult to achieve or imply disproportionate costs in handling unwanted catches, it is appropriate to establish the *de minimis* exemptions in accordance with the percentage level proposed in the new joint recommendation, within the limits set out in Article 15(5)(c) of Regulation (EU) No 1380/2013.
- (16) Article 18a of Regulation (EC) No 850/98 empowers the Commission to establish, for the purpose of adopting discard plans and for the species subject to the landing obligation, minimum conservation reference size with the aim of ensuring the protection of juveniles of marine organisms. Those minimum conservation reference sizes may derogate, where appropriate, from the sizes established in Annex XII to Regulation (EC) No 850/98. For Norway lobster in ICES Division IIIa it is appropriate to maintain the minimum conservation reference sizes set out in Delegated Regulation (EU) 2015/2440⁽⁵⁾, i.e. a total length of 105 mm and a carapace length of 32 mm. A minimum tail length of 59 mm should be added, based on the new joint recommendation and STECF's assessment which states that such tail length corresponds to the existing values for total length and carapace length.
- (17) Discard plans may also include technical measures for fisheries or species covered by the landing obligation. To increase gear selectivity and reduce unwanted catches in the Skagerrak, it is appropriate to maintain a number of technical measures, which were agreed between the Union and Norway in 2011⁽⁶⁾, and 2012⁽⁷⁾ and to authorise the use of the SepNep selectivity device.
- (18) To ensure appropriate control, specific requirements for the Member States to establish lists of vessels covered by this Regulation should be laid down.
- (19) As the measures provided for in this Regulation have a direct impact on the planning of the fishing season of Union vessels and on related economic activities, this Regulation

should enter into force immediately after its publication. It should apply from 1 January until 31 December 2018 in order to comply with the time frame set out in Article 15 of Regulation (EU) No 1380/2013,

HAS ADOPTED THIS REGULATION:

Article 1

Implementation of the landing obligation

In ICES Subarea IV (North Sea), ICES Division IIIa (Kattegat and Skagerrak) and Union waters of ICES Division IIa (Norwegian Sea) the landing obligation provided for in Article 15(1) of Regulation (EU) No 1380/2013 shall apply to demersal fisheries in accordance with this Regulation.

Article 2

Definitions

For the purpose of this Regulation the following definitions shall apply:

- (1) 'Seltra panel' means a selectivity device which:
 - consists of a top panel of at least 270 mm mesh size (diamond mesh) placed in a four-panel section and mounted with a joining ratio of three meshes of 90 mm to one mesh of 270 mm, or of a top panel of at least 140 mm mesh size (square mesh),
 - is at least 3 metres long,
 - is positioned no more than 4 metres from the cod line, and
 - is the full width of the top sheet of the trawl (i.e. from selvedge to selvedge).
- (2) 'Netgrid selectivity device' means a selectivity device consisting of a four-panel section inserted into a two-panel trawl with an inclined sheet of diamond mesh netting with a mesh size of at least 200 mm, leading to an escape hole in the top of the trawl.
- (3) 'Flemish Panel' means the last tapered netting section of a beam trawl whose:
 - anterior is directly attached to the cod-end,
 - upper and lower netting sections are constructed of at least 120 mm mesh as measured between the knots,
 - stretched length is at least 3 m.
- (4) 'SepNep' means an otter trawl which:
 - is constructed within the mesh size range of 80 to 99 ± 100 mm,
 - is fitted with multiple cod-ends of mesh sizes ranging from at least 80 to 120 mm attached to a single extension piece, the uppermost cod-end being constructed with a mesh size of at least 120 mm and fitted with a separation panel with a maximum mesh size of 105 mm, and
 - may also be fitted with an optional selection grid with a bar spacing of at least 17 mm provided it is constructed in such a way so as to allow the escape of small *Nephrops*.

Article 3

Species subject to the landing obligation

The landing obligation shall apply to the species referred to in the Annex to this Regulation, subject to the exemptions set out in Articles 4 to 7.

Article 4

Survivability exemptions for Norway lobster

1 The survivability exemption referred to in Article 15(4)(b) of Regulation (EU) No 1380/2013 shall apply to the following catches of Norway lobster:

- a catches with pots (FPO⁽⁸⁾);
- b catches in ICES Division IIIa with bottom trawls (OTB, TBN) with a mesh size of at least 70 mm equipped with a species selective grid with bar spacing of maximum 35 mm;
- c catches in ICES Division IIIa with bottom trawls (OTB, TBN) with a mesh size of at least 90 mm equipped with a seltra panel;
- d in winter months (October to March), catches in the functional units Farn Deeps (FU6), Firth of Forth (FU8) and Moray Firth (FU9) with bottom trawls (OTB, TBN) with a mesh size of at least 80 mm equipped with a netgrid selectivity device.

2 When discarding Norway lobster caught in cases referred to in paragraph 1, the Norway lobster shall be released whole, immediately and in the area where it has been caught.

Article 5

Survivability exemption for common sole

1 The survivability exemption referred to in Article 15(4)(b) of Regulation (EU) No 1380/2013 shall apply to catches of common sole below minimum conservation reference size made within 6 nautical miles of the coast in ICES area IVc and outside identified nursery areas, with otter trawls (OTB) with cod end mesh size of 80-99 mm.

2 The exemption referred to in paragraph 1 shall only apply to vessels with a maximum length of 10 metres, a maximum engine power of 221 kW, when fishing in waters with a depth of 30 metres or less and with limited tow durations of no more than 1.30 hours.

3 When discarding common sole caught in cases referred to in paragraph 1, the common sole shall be released immediately.

Article 6

Survivability exemption fish by-catch in pots and fyke nets

1 The survivability exemption referred to in Article 15(4)(b) of Regulation (EU) No 1380/2013 shall apply to catches of cod, haddock, whiting, plaice, sole, hake and saithe with pots and fyke nets (FPO, FYK).

2 When discarding fish caught in cases referred to in paragraph 1, the fish shall be released immediately and below the sea surface.

Article 7

De minimis exemptions

By way of derogation from Article 15(1) of Regulation (EU) No 1380/2013, the following quantities may be discarded pursuant to Article 15(4)(c) of that Regulation:

(a) in the fisheries by vessels using trammel nets and gill nets (GN, GNS, GND, GNC, GTN, GTR, GEN, GNF) in ICES Division IIIa, ICES Subarea IV and Union waters of ICES Division IIa:

a quantity of common sole which shall not exceed 3 % of the total annual catches of that species;

(b) in the fisheries by vessels using beam trawl (TBB) of mesh size 80-119 mm with increased mesh size in the extension of the beam trawl, Flemish panel, in ICES Subarea IV:

a quantity of common sole below minimum conservation reference sizes, which shall not exceed 6 % of the total annual catches of that species;

(c) in the fisheries by vessels using bottom trawls (OTB, OTT, TB, TBN,) of mesh size 80-99 mm in ICES Subarea IV and Union waters of ICES Division IIa:

a quantity of Norway lobster below minimum conservation reference sizes, which shall not exceed 2 % of the total annual catches of that species;

(d) in the fishery for Norway lobster by vessels using bottom trawls (OTB, TBN) of mesh size equal to or larger than 70 mm equipped with a species-selective grid with bar spacing of maximum 35 mm in ICES Division IIIa:

a combined quantity of common sole, haddock, whiting, cod and saithe below minimum conservation reference sizes, which shall not exceed 4 % of the total annual catches of Norway lobster, common sole, haddock, whiting and Northern prawn, cod and saithe;

(e) in the fishery for Northern prawn by vessels using bottom trawls (OTB) with a mesh size equal to or larger than 35 mm equipped with a species selective grid with bar spacing of maximum 19 mm, with unblocked fish outlet, in ICES Division IIIa:

a combined quantity of common sole, haddock, whiting, cod, plaice and saithe below minimum conservation reference sizes, which shall not exceed 1 % of the total annual catches of Norway lobster, common sole, haddock, whiting, cod, saithe and plaice and Northern prawn;

(f) in the mixed fishery for sole, whiting, plaice and species without catch limits by vessels using bottom trawls (OTB, OTT, SDN, SSC) of mesh size 70-99 mm in ICES Division IVc:

a combined quantity of whiting and cod below minimum conservation reference sizes, which shall not exceed 6 % of the total annual catches of Norway lobster, haddock, sole, Northern prawn, whiting, plaice, saithe and cod; the maximum amount of cod that may be discarded shall be limited to 2 % of those total annual catches;

(g) in the fisheries by vessels using bottom trawls (OTB, OTT, TBN) with a mesh size of 90-119 mm, equipped with Seltra panel, or with a mesh size of 120 mm and above in ICES Division IIIa:

a quantity of whiting below minimum conservation reference sizes, up to a maximum of 2% of the total annual catches of Nephrops, cod, haddock, whiting, saithe, common sole, plaice and hake.

Article 8

Minimum conservation reference sizes

By way of derogation from the minimum conservation reference size established in Annex XII to Regulation (EC) No 850/98, the minimum conservation reference size of Norway lobster in ICES Division IIIa shall be as follows:

- (a) total length of 105 mm;
- (b) tail length of 59 mm;
- (c) carapace length of 32 mm.

Article 9

Specific technical measures in the Skagerrak

1 The carrying on board or the use of any trawl, Danish seine, beam trawl or similar towed net having a mesh size of less than 120 mm shall be prohibited in the Skagerrak.

- 2 By way of derogation from paragraph 1, the following trawls may be used:
 - a trawls with a cod end of a mesh size of at least 90 mm, provided they are equipped with a seltra panel or a sorting grid with no more than 35 mm bar spacing;
 - b trawls with a cod end of at least 70 mm mesh size (square mesh) equipped with a sorting grid with no more than 35 mm bar spacing;
 - c trawls of minimum mesh sizes of less than 70 mm when fishing for pelagic or industrial species, provided the catch contains more than 80 % of one or more pelagic or industrial species;
 - d trawls with a cod end of at least 35 mm mesh size when fishing for Northern prawn, provided the trawl is equipped with a sorting grid with a maximum bar spacing of 19 mm.

3 A fish retention device may be used when fishing for Northern prawn in accordance with paragraph 2(d), provided there are adequate fishing opportunities to cover by-catch and that the retention device is:

- a constructed with a top panel of a minimum mesh size of 120 mm square mesh;
- b at least 3 metres long; and
- c at least as wide as the width of the sorting grid.

Article 10

SepNep

By derogation from Article 4 of Regulation (EC) No 850/98, it shall be permitted to use the SepNep nets.

Article 11

Repeal

Regulation (EU) 2016/2250 is repealed.

Article 12

Entry into force and application

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2018 until 31 December 2018.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 October 2017.

For the Commission

The President

Jean-Claude JUNCKER

ANNEX

Fishing gear ^{ab}	Mesh size	Species subject to the landing obligation
Trawls: OTB, OTT, OT, PTB, PT, TBN, TBS, OTM, PTM, TMS, TM, TX, SDN, SSC, SPR, TB, SX, SV	≥ 100 mm	All catches of cod, common sole, haddock, plaice, saithe, Northern prawn, and Norway lobster and whiting.
Trawls: OTB, OTT, OT, PTB, PT, TBN, TBS, OTM, PTM, TMS, TM, TX, SDN, SSC, SPR, TB, SX, SV	70-99 mm	All catches of cod ^e , common sole, haddock, saithe, Northern prawn, and Norway lobster and whiting.
Trawls: OTB, OTT, OT, PTB, PT, TBN, TBS, OTM, PTM, TMS, TM, TX, SDN, SSC, SPR, TB, SX, SV	32-69 mm	All catches of cod, common sole, haddock, plaice, saithe, Northern prawn, and Norway lobster and whiting.
Beam trawls: TBB	≥ 120 mm	All catches of cod, common sole, haddock, plaice, saithe, Northern prawn, and Norway lobster and whiting.
Beam trawls: TBB	80-119 mm	All catches of cod, common sole, haddock, saithe, Northern prawn, and Norway lobster and whiting.
Gillnets, trammel nets and entangling nets: GN, GNS, GND, GNC, GTN, GTR, GEN, GNF		All catches of cod ^e , common sole, haddock, saithe, Northern prawn, and Norway lobster and whiting.
Hooks and lines: LLS, LLD, LL, LTL, LX, LHP, LHM		All catches of cod, common sole, haddock, hake, plaice, saithe, Northern prawn, and Norway lobster and whiting.
Traps: FPO, FIX, FYK, FPN		All catches of cod, common sole, haddock, plaice, saithe, Northern prawn, and Norway lobster and whiting.

a Gear codes used in this Table refer to those codes in Annex XI to Commission Implementing Regulation (EU) No 404/2011 laying down detailed rules for the implementation of Council Regulation (EC) No 1224/2009 establishing a Community control system for ensuring compliance with the rules of the common fisheries policy (OJ L 112, 30.4.2011, p. 1).

b For the vessels whose LOA is less than 10 metres, gear codes used in this table refer to the codes from the FAO gear classification.

c The landing obligation for cod shall not apply in ICES subdivision IIIaS.

- (1) OJ L 354, 28.12.2013, p. 22.
- (2) OJ L 125, 27.4.1998, p. 1.
- (3) Commission Delegated Regulation (EU) 2016/2250 of 4 October 2016 establishing a discard plan for certain demersal fisheries in the North Sea and in Union waters of ICES Division IIa (OJ L 340, 15.12.2016, p. 2).
- (4) Regulation (EU) No 1380/2013 of the European Parliament and of the Council of 11 December 2013 on the Common Fisheries Policy, amending Council Regulations (EC) No 1954/2003 and (EC) No 1224/2009 and repealing Council Regulations (EC) No 2371/2002 and (EC) No 639/2004 and Council Decision 2004/585/EC (OJ L 354, 28.12.2013, p. 22).
- (5) Commission Delegated Regulation (EU) 2015/2440 of 22 October 2015 establishing a discard plan for certain demersal fisheries in the North Sea and in Union waters of ICES Division IIa (OJ L 336, 23.12.2015, p. 42).
- (6) Agreed record of fisheries consultations between Norway and the European Union on the regulation of fisheries in the Skagerrak and the Kattegat for 2012.
- (7) Agreed record of fisheries consultations between the European Union and Norway on measures for the implementation of a discard ban and control measures in the Skagerrak area, 4 July 2012.
- (8) Gear codes used in this Regulation refer to those codes in Annex XI to Commission Implementing Regulation (EU) No 404/2011 laying down detailed rules for the implementation of Council Regulation (EC) No 1224/2009 establishing a Community control system for ensuring compliance with the rules of the common fisheries policy. For the vessels whose LOA is less than 10 metres, gear codes used in this table refer to the codes from the FAO gear classification.

Status:

Point in time view as at 20/10/2017.

Changes to legislation:

There are currently no known outstanding effects for the Commission Delegated Regulation (EU) 2018/45.