## **CORRIGENDA**

Corrigendum to Commission Implementing Regulation (EU) 2018/659 of 12 April 2018 on the conditions for the entry into the Union of live equidae and of semen, ova and embryos of equidae

(Official Journal of the European Union L 110 of 30 April 2018)

In Annex III to the Regulation, Part 1, Sections A, B and D are replaced with the following:

## Section A

COUN	TRY:					Veterinary certifica	te to EU
	l.1.	Consignor Name	1.2.	Certificate reference	No	I.2.a.	
		Address	1.3.	Central competent a	uthority		
ent		Tel.	1.4.	Local competent aut	hority		
Part I : Details of dispatched consignment	1.5.	Consignee Name Address	1.6.	Person responsible name Address	for the load	in EU	
atched o		Postal code Tel.		Postal code Tel.			
s of disp	1.7.	Country of ISO code I.8. Region of code origin congin	1.9.	Country of destination	ISO code	I.10. Region of destination	Code
: Detail	l.11.	Place of origin Semen centre □	1.12	Place of destination Semen centre		Holding	
Part		Name Approval number Address		Name Address		Approval number	
		Postal code		Postal code			
	I.13.	Place of loading	1.14	Date of departure			
	I.15.	Means of transport	1.16	Entry BIP in EU			
		Aeroplane ☐ Ship ☐ Railway wagon ☐					
		Road vehicle Other I	1.17				
		Documentary references					
	I.18.	Description of commodity		I.1	19. Commo	dity code (HS code) 05 11 99 85	
						I.20. Quantity	
	I.21.					I.22. Number of packs	ages
	1.23.	Seal/Container No				1.24.	
	1.25.	Commodities certified for: Artificial reproduction					
	1.26.	For transit through EU to third country		I.27. For import or ac	lmission int	o EU	
		Third country ISO code					
	1.28.	Identification of the commodities		I			
	s	species (Scientific name) Donor identity		Date of collec	tion	Quantity	

Part II: Certification

II.3.

#### COUNTRY

### Equine semen - Section A

II. Health information II.a. Certificate reference No II.b. (name of exporting country) certify that: The semen collection centre (3), in which the semen described above was collected, processed and stored for II.1. export to the Union is approved and supervised by the competent authority in accordance with the conditions of Chapters I(I)(1) and I(II)(1) of Annex D to Directive 92/65/EEC (4); During the period commencing 30 days prior to the date of first collection of the semen described above until the 11.2. date the fresh or chilled semen was dispatched or until the 30 days storage period for frozen semen elapsed, the semen collection centre: II.2.1. was situated in the exporting country or, in the case of regionalisation according to Article 13 of Directive 2009/156/EC (5), in that part of the territory of the exporting country which was: not considered to be infected with African horse sickness in accordance with Article 5(2)(a) and (b) of Directive 2009/156/EC, free from Venezuelan equine encephalomyelitis for a period of at least 2 years, free from glanders and dourine for a period of at least 6 months; 11.2.2. fulfilled the conditions for a holding laid down in Article 4(5) of Directive 2009/156/EC and in particular: (1) either following a case of a disease mentioned below not all the animals of species susceptible to [II.2.2.1. that disease located in the holding were slaughtered or killed and the holding has been free: from any type of equine encephalomyelitis for a period of at least 6 months, beginning on the day on which the equidae suffering from the disease are slaughtered, from equine infectious anaemia (EIA) for at least the period required to obtain a negative result in an agar gel immunodiffusion test (AGID or Coggins test) carried out on samples taken after the infected animals were slaughtered on two occasions 3 months apart from each of the remaining animals, from vesicular stomatitis (VS) for a period of at least 6 months from the last recorded case from rabies for a period of at least one month from the last recorded case, from anthrax for a period of at least 15 days from the last recorded case,] (1) or III.2.2.1. following a case of a disease mentioned below all the animals of species susceptible to that disease located in the holding have been slaughtered or killed and the premises disinfected, and the holding was free for a period of at least 30 days from any type of equine encephalomyelitis, equine infectious anaemia, vesicular stomatitis and rabies or 15 days in the case of anthrax, beginning on the day on which following the destruction of the animals the disinfection of the premises was satisfactorily completed;] 11.2.3. contained only equidae which were free of clinical signs of equine viral arteritis and contagious equine metritis.

Prior to entering the semen collection centre the donor stallions and any other equidae located in the centre:

## COUNTRY Equine semen – Section A

COUNTRY				Equille Semen – Section A
II. Health	n information	1	II.a. Certificate reference No	II.b.
	II.3.1.	a Member Sta regionalisation	isly resident for a period of 3 months (or since entry if the of the Union during the 3 months period) in the expoin accordance with Article 13 of Directive 2009/156/EC buntry which was during that period:	rting country or, in the case of
			dered to be infected with African horse sickness in a Directive 2009/156/EC,	ccordance with Article 5(2)(a)
		— free from	Venezuelan equine encephalomyelitis for a period of at l	east 2 years,
		— free from	glanders and dourine for a period of at least 6 months;	
(1) either	[II.3.2.		the country of export which was on the day of admissibilities (VS) for a period of at least 6 months,]	ssion into the centre free from
( <sup>1</sup> ) or	[II.3.2.	result at a ser with the releva	I to a virus neutralisation test for vesicular stomatitis (\underline) um dilution of 1 in 32 or a VS ELISA carried out with a nt Chapter of the Manual of Diagnostic Tests and Vaco ood sample taken (6) within 14 days prior to entering the	negative result in accordance cines for Terrestrial Animals of
	II.3.3.	originated fror point II.2.2;	holdings which on the day of admission onto the cent	tre fulfilled the requirements of
II.4.	The seme	en described abo	re was collected from donor stallions which:	
	II.4.1.		ny clinical sign of an infectious or contagious disease at on centre and on the day the semen was collected;	the time of admission onto the
	II.4.2.		period of at least 30 days prior to the date of semen on the sement of semen on the sement of se	
	II.4.3.	collection and	for natural mating during a period of at least 30 days petween the dates of the first sample referred to in points d of the collection period;	
	11.4.4.	Manual of Diag which is recog	following tests, which meet at least the requirements nostic Tests and Vaccines for Terrestrial Animals of the nised by the competent authority and has the tests referr quivalent to that provided for in Article 12 of Regulat	OIE, carried out in a laboratory ed to hereinafter included in its
		test	equine infectious anaemia (EIA), an agar-gel immuno-d or an enzyme-linked immunosorbent assay (ELISA) for gative result;]	
		II.4.4.2. for e	quine viral arteritis (EVA),	
		(¹) either [II.4	4.2.1. a serum neutralisation test with a negative res in four;]	sult at a serum dilution of one
		( <sup>1</sup> ) and/or [II.4	4.2.2. a virus isolation test, polymerase chain reaction negative result on an aliquot of the entire semen	
		thre	contagious equine metritis (CEM), an agent ident e specimens (swabs) taken from the donor stallion on tw ess than 7 days at least from the penile sheath (prepu dis;	o occasions with an interval of

## C

cou	NTRY				Equine semen – Section A
II.	Health information	n		II.a. Certificate reference No	II.b.
			(local tre	aples were in no case taken earlier than 7 days (systemather) after antimicrobial treatment of the donor sometimes medium with activated charcoal, such as Amies med by where they were subjected with a negative result to a	tallion and were placed in ium, before dispatch to the
		(¹) either	[11.4.4.3.1	<ol> <li>the isolation of Taylorella equigenitalis after cultive conditions for a period of at least 7 days, set up with specimens from the donor animal, or 48 hours who cool during transport;]</li> </ol>	nin 24 hours after taking the
		( <sup>1</sup> ) and/or	[11.4.4.3.2	<ol> <li>the detection of genome of Taylorella equigenitalis carried out within 48 hours after taking the specimer</li> </ol>	
	II.4.5.	programn		th the results specified in point II.4.4 in each case ed respectively in points 1.6(a), (b) and (c) of Chapterws:	
		( <sup>9</sup> ) [II.4.5.1.	at least 3 the seme	or stallion was continuously resident on the semen college days prior to the date of the first collection and during the described above, and no equidae on the semen collinto direct contact with equidae of lower health status the	g the period of collection of lection centre came during
			stallion a collection and not l	s described in point II.4.4 were carried out on sample at least once a year at the beginning of the breeding of semen intended for imports into the Union of free ess than 14 days following the date of the commencement 30 days prior to the first semen collection.]	season or prior to the first sh, chilled or frozen semen
		( <sup>9</sup> ) [II.4.5.2.	30 days semen d centre ve	or stallion was resident on the semen collection cen prior to the date of the first collection and during the escribed above, but left the semen collection centre ur eterinarian for a continuous period of less than 14 day on collection centre came into direct contact with equida	period of collection of the oder the responsibility of the os, and/or other equidae on
			stallion a the first of semen a	s described in point II.4.4 were carried out on sample at least once a year at the beginning of the breeding secollection of semen intended for imports into the Union not less than 14 days following the date of the commercial least 30 days prior to the first semen collection,	eason or prior to the date of n of fresh, chilled or frozen
		and	chilled c	ne period of collection of the semen intended for import frozen semen the donor stallion was subjected .4, as follows:	
			(a)	for equine infectious anaemia, one of the tests des last carried out on a sample of blood taken (6) not the collection of the semen described above;	
			(b)	for equine viral arteritis, one of the tests described	
			(¹) either	[in point II.4.4.2 was last carried out on a sampl 30 days prior to the date of the collection of the sem	
			( <sup>1</sup> ) or	[in point II.4.4.2.2 was carried out on an aliquot donor stallion taken (6) not more than 6 months collection of the semen described above and a blood donor stallion during the 6 months period reacted serum neutralisation test for equine viral arteritis a than one in four;]	s prior to the date of the d sample taken (6) from the with a positive result in a

#### COUNTRY Equine semen – Section A

II.	Health information		II.a. Certificate reference No	II.b.					
		(c)	for contagious equine metritis, the test described carried out on three specimens (swabs) taken (6) not the date of the collection of semen described above						
		(¹) eithei	[on two occasions;]						
		( <sup>1</sup> ) or	[on a single occasion and subjected to a PCR or real	-time PCR.]]					
	(°) [II.4.5.3.		or stallion does not meet the conditions set out in points to Directive 92/65/EEC and the semen is collected for emen.	• • • • • • • • • • • • • • • • • • • •					
				described in points II.4.4.1, II.4.4.2 and II.4.4.3 were carried out on samples from the donor stallion at least once a year at the beginning of the breeding					
	and	the done from the semen	described in points II.4.4.1 and II.4.4.3 were carried out or stallion during the storage period of the semen of a net date of the collection of the semen and before the secollection centre, not less than 14 days and not morn of the semen described above,	ninimum period of 30 days emen is removed from the					
	and	(¹) eithei	[the tests for equine viral arteritis described in point samples taken ( <sup>6</sup> ) during the storage period of the so of 30 days from the date of the collection of the seme removed from the semen collection centre or used, not more than 90 days after the date of the collection above.]	emen of a minimum period en and before the semen is not less than 14 days and					
		( <sup>1</sup> ) or	[the non-shedder state of a donor stallion seropositi was confirmed by virus isolation test, PCR or real-tinegative result on samples of an aliquot of the estallion taken (6) twice a year at an interval of at leastallion has reacted with a positive result at a serun four in a serum neutralisation test for equine viral arter	me PCR carried out with a entire semen of the donor st 4 months and the donor of dilution of at least one in					
	II.4.6. underwei	nt the tes	ting provided for in points II.3.2 (1) and II.4.5 on samp	les taken on the following					

dates:

of		Start o	date ( <sup>6</sup> )	Date of sampling for health tests ( <sup>6</sup> )								
Identification of semen	Test programme	Donor	Semen	VS (¹)	EIA	EV.		CE II.4.	EM 4.3.			
Identi	pro	residence	collection	II.3.2	II.3.2	II.3.2	II.4.4.1.	Blood sample	Semen sample	1. sample	2. sample	

COUNTRY					1	Equine semen – Section /
II. Health	information		II.a. Certificate refe	rence No		II.b.
(¹) either	[II.5.	No antibiotics wer	e added to the semen	]		
( <sup>1</sup> ) or	[II.5.	The following antil diluted semen of r		of antibiotics was ad	ded to produce	a concentration in the final
						;]
II.6.	The seme	en described above v	vas:			
	II.6.1.		ed, stored and transp nd III(I) of Annex D to			ly with the requirements of
	II.6.2.		of loading in a seale ve 92/65/EEC and be			oint 1.4 of Chapter III(I) of 23.
Notes						
Part I:						
Box I.11.:	The place	of origin shall corre	spond to the semen co	ollection centre of th	e semen origin.	
Box I.22.:	The numb	per of packages shal	correspond to the nu	mber of containers.		
Box I.23.:	The identi	fication of container	and seal number shal	l be indicated.		
Box I.28.:	The dono	r identity shall corres	pond to the official ide	entification of the an	imal.	
	The date	of collection shall be	indicated in the follow	ring format: dd/mm/	уууу.	
Part II:						
Guidance fo	or the compl	etion of the table in p	point II.4.6.			
Abbreviatio	ns:					
VS	Vesic	ular stomatitis (VS) t	esting if required in ac	cordance with point	II.3.2	
EIA-1	Equin	e infectious anaemia	a (EIA) testing first occ	asion		

VS	vesiculai stomatius (vo) testing ii required iii accordance with point ii.5.2
EIA-1	Equine infectious anaemia (EIA) testing first occasion
EIA-2	EIA testing second occasion
EVA-B1	Equine viral arteritis (EVA) testing on blood sample first occasion
EVA-B2	EVA testing on blood sample second occasion
EVA-S1	EVA testing on semen sample first occasion
EVA-S2	EVA testing on semen sample second occasion
CEM-11	Contagious equine metritis (CEM) testing first occasion first sample
CEM-12	CEM testing first occasion second sample taken 7 days after CEM-11
CEM-21	CEM testing second occasion first sample
CEM-22	CEM testing second occasion second sample taken 7 days after CEM-21
Instructions:	

For each semen identified in column A in correspondence with Box I.28, the test programme (points II.4.5.1, II.4.5.2 and/or II.4.5.3) shall be specified in column B, and columns C and D shall be completed with the dates required.

## COUNTRY Equine semen – Section A

II.	Health information	II.a. Certificate reference No	II.b.

The dates when samples were taken for laboratory testing prior to the first collection of the semen described above as required in points II.4.5.1, II.4.5.2 and II.4.5.3, shall be entered in the upper line of columns 5 to 9 of the table, this being the boxes marked with EIA-1, EVA-B1 or EVA-S1 and CEM-11 and CEM-12 in the example below.

The dates when samples were taken for repeat laboratory testing as required in accordance with point II.4.5.2. or II.4.5.3. shall be entered in the lower line of columns 5 to 9 in table, this being the boxes EIA-2, EVA-B2 or EVA-S2 and CEM-21 and CEM-22 in the example below.

identification of semen		0	Start	date	Date of sampling for health tests						
		Test programme	Donor	Semen	VS	EIA	EVA II.4.4.2.		CEM II.4.4.3.		
Identi		pro	residence	collection	II.3.2.	II.4.4.1.	Blood sample	Semen sample	1. sample	2. sample	
۸		В	C	D	VS	EIA-1	EVA-B1	EVA-S1	CEM-11	CEM-12	
A		В	С	U	VS	EIA-2	EVA-B2	EVA-S2	CEM-21	CEM-22	

- (1) Delete as necessary.
- (2) Imports of equine semen are authorised from a third country listed in column 2 of Annex I to Commission Implementing Regulation (EU) 2018/657 provided that the semen was collected in the part of the territory of the third country detailed in column 4 of that Annex from a donor stallion of the category of equidae indicated in columns 11, 12 or 13 of that Annex.
- (3) Only approved semen collection centres listed in accordance with Article 17(3)(b) of Directive 92/65/EEC on the Commission website: http://ec.europa.eu/food/animal/semen\_ova/equine/index\_en.htm
- (4) Council Directive 92/65/EEC of 13 July 1992 laying down animal health requirements governing trade in and imports into the Community of animals, semen, ova and embryos not subject to animal health requirements laid down in specific Community rules referred to in Annex A(I) to Directive 90/425/EEC (OJ L 268, 14.9.1992, p. 54).
- (5) Council Directive 2009/156/EC of 30 November 2009 on animal health conditions governing the movement and importation from third countries of equidae (OJ L 192, 23.7.2010, p. 1).
- (6) Insert date in table in point II.4.6 (follow Guidance in Part II of the Notes).
- (7) Regulation (EC) No 882/2004 of the European Parliament and of the Council of 29 April 2004 on official controls performed to ensure the verification of compliance with feed and food law, animal health and animal welfare rules (OJ L 165, 30.4.2004, p. 1).
- (8) The agar gel immunodiffusion test (AGID or Coggins test) or the ELISA for equine infectious anaemia are not required for donor equidae which have continuously resided in Iceland since birth, provided that Iceland has remained officially free of equine infectious anaemia and no equidae and their semen, ova and embryos have been introduced into Iceland from outside prior to and during the period the semen was collected.
- (9) Cross out the programmes that do not apply to the consignment.
- (10) Insert names and concentrations.
- The signature and the stamp must be in a different colour to that of the printing.

Official veterinarian								
Name (in capital letters):	Qualification and title:							
Date:	Signature:							
Stamp:								

## Section B

OUN.	NTRY: Veterinary certificate to EU												
	l.1.	Consignor Name					1.2.	Certificate reference		I.2.a.			
		Address					1.3.	Central competent	authority				
		Tel.					I.4. Local competent authority						
gnment	1.5.	Consignee Name Address					1.6.	Person responsible Name Address	e for the load	l in EU			
thed consi		Postal code						Postal code Tel.					
of dispate	1.7.	Country of origin	ISO code		Region of origin	Code	1.9.	Country of destination	ISO code	I.10. Region of destination	Code		
Part I : Details of dispatched consignment	l.11.	1. Place of origin Semen centre □						Place of destinatio		Holding			
Par		Name Approval number Address						Name Address	Approv	al number			
		Postal code						Postal code					
	I.13.	Place of load	ding				I.14. Date of departure						
	l.15.	Means of tra		]	Railway wagor	n □	I.16.	Entry BIP in EU					
		Road vehicle Identification Documentar	e 🗖	Other			l.17.						
	I.18.	Description of	of commodity	y					I.19. Commo	odity code (HS code) 05 11 99 85			
										I.20. Quantity			
	I.21.									I.22. Number of pac	kages		
	1.23.	Seal/Contair	ner No							1.24.			
	I.25. Commodities certified for:  Artificial reproduction												
	1.26.	For transit th			country [	]		I.27. For import or a	admission int	to EU 🔲			
		Arma Country	, 130										
		Identification pecies (Scien		noditie	s Donor ide	ntity		Date of colle	ection	Quantity			

11.3.

## COUNTRY Equine semen - Section B II. Health information II.a. Certificate reference No II.b (name of exporting country) certify that : II.1. The semen collection centre (3), in which the semen described above was collected, processed and stored for export to the European Union is approved and supervised by the competent authority in accordance with the conditions of Chapter I(I)(1) and Chapter I(II)(1) of Annex D to Directive 92/65/EEC, Part II: Certification 11.2. during the period commencing 30 days prior to the date of first collection of the semen described above until the 30 days storage period for frozen semen elapsed, the semen collection centre: was situated in the exporting country or, in the case of regionalisation according to Article 13 of II.2.1. Directive 2009/156/EC (8), in that part of the territory of the exporting country which was: not considered to be infected with African horse sickness in accordance with Article 5(2)(a) and (b) of Directive 2009/156/EC (8), free from Venezuelan equine encephalomyelitis for 2 years, free from glanders and dourine for 6 months; 11.2.2. fulfilled the conditions for a holding laid down in Article 4(5) of Directive 2009/156/EC (8) and in particular: (1) either [II.2.2.1. following a case of a disease mentioned below not all the animals of species susceptible to the disease located on the holding were slaughtered or killed and the holding has been free: from any type of equine encephalomyelitis for at least 6 months, beginning on the day on which the equidae suffering from the disease are slaughtered. from equine infectious anaemia for at least the period required to obtain a negative result in an agar gel immunodiffusion test (Coggins test) carried out on samples taken after the infected animals were slaughtered on two occasions 3 months apart from each of the remaining animals, from vesicular stomatitis for at least 6 months from the last recorded case, from rabies for at least one month from the last recorded case, from anthrax for at least 15 days from the last recorded case,] (1) or [II.2.2.1. following a case of a disease mentioned below all the animals of species susceptible to the disease located on the holding have been slaughtered or killed and the premises disinfected, the holding has been free for at least 30 days from any type of equine encephalomyelitis, equine infectious anaemia, vesicular stomatitis and rabies or 15 days in the case of anthrax, beginning on the day on which following the destruction of the animals the disinfection of the premises was satisfactorily completed;] 11.2.3. contained only equidae which were free of clinical signs of equine viral arteritis and contagious equine metritis.

Prior to entering the semen collection centre the donor stallions and any other equidae located in the centre:

# COUNTRY Equine semen – Section B

II. Hea	alth information		II.a. Certificate reference No	II.b.
	II.3.1.	State of the Europ regionalisation acc	resident for 3 months (or since entry if they were directed Union during the 3 months period) in the exporting the Article 13 of Directive 2009/156/EC (8), in the was during that period	g country or, in the case of
			d to be infected with African horse sickness in acceptive 2009/156/EC ( <sup>8</sup> ),	ordance with Article 5(2)(a)
		— free from Ven	ezuelan equine encephalomyelitis for at least 2 years,	
		— free from glar	ders and dourine for at least 6 months;	
(¹) either	[II.3.2.		e country of export which was on the day of admis (VS) for at least 6 months,]	sion into the centre free of
(¹) or	[II.3.2.		a virus neutralisation test for vesicular stomatitis (VS ilution of 1 in 12 on a blood sample taken (4) within 1	
	II.3.3.	originated from ho point II.2.2;	dings which on the day of admission onto the centre	fulfilled the requirements of
II.4.	The semen	described above w	as collected from donor stallions, which:	
	II.4.1.		y clinical sign of an infectious or contagious disease a ne day the semen was collected;	t the time of admission onto
	II.4.2.		30 days prior to the date of semen collection on holdinical sign of equine viral arteritis or contagious equine m	
	II.4.3.		If for natural mating during at least 30 days prior to the lates of the first sample referred to in points II.4.5.1, II.4 ction period;	
	II.4.4.	the Manual of Dia samples taken in	e following tests, which meet at least the requirement gnostic Tests and Vaccines for Terrestrial Animals accordance with one of the programmes specified in competent authority:	of the OIE, carried out on
(	( <sup>1</sup> ) ( <sup>5</sup> ) either	[II.4.4.1. an agar- negative	gel immuno-diffusion test (Coggins test) for equine in result; ]	fectious anaemia (EIA) with
	(¹) (⁵) or	[II.4.4.1. an ELIS	A for equine infectious anaemia (EIA) with negative res	ult;]
and	(¹) either		neutralisation test for equine viral arteritis (EVA) with fone in four;]	negative result at a serum
	(¹) or		solation test for equine viral arteritis (EVA) carried ou f the entire semen of the donor stallion;	t with negative result on an

and

B/12 EN		Official Journal of the European Union	11.9.2018
COUNTRY			Equine semen – Section B
II. Health information		II.a. Certificate reference No	II.b.
and	II.4.4.3.	an agent identification test for contagious equine metri occasions on samples collected with an interval of 7 of equigenitalis after a cultivation of 7 to 14 days from pre-ejac and from genital swabs taken at least from the penile she with negative result in each case;	days by isolation of <i>Taylorella</i> culatory fluid or a semen sample
II.4.5.		en subjected with the results specified in II.4.4. in each cannes (6) detailed in points II.4.5.1, II.4.5.2 and II.4.5.3 as follow	
	II.4.5.1.	The donor stallion was continuously resident on the seme 30 days prior to the date of the first collection and during semen described above, and no equidae on the semen collime into direct contact with equidae of lower health status the	the period of collection of the llection centre came during that
		The tests described in point II.4.4 have been carried out of first semen collection and at least 14 days following the darresidence period of at least 30 days.	
	II.4.5.2.	The donor stallion was resident on the semen collection ce the date of the first collection and during the period of col above, but has left the centre under the responsibility of continuous period of less than 14 days, or other equidae on direct contact with equidae of lower health status.	lection of the semen described f the centre veterinarian for a
		The tests described in point II.4.4 have been carried out of date of the first semen collection of the breeding season or semen described above was collected and at least 14 commencement of the residence period of at least 30 days,	collection period in the year the
and		the test described in point II.4.4.1 for equine infectious and sample of blood taken (4) not more than 90 days before the collected;	
and	(¹) either	[one of the tests described in point II.4.4.2 for equine viral a sample taken (4) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (5) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (6) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (6) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (6) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (6) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (6) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (6) not more than 30 days before the semen described in point II.4.4.2 for equine viral and sample taken (7) not more than 30 days before the semen described in the semen desc	
	( <sup>1</sup> ) or	[a virus isolation test for equine viral arteritis was carried aliquot of the entire semen of the donor stallion taken (4) not semen described above was collected and a blood samp reacted positive in a serum neutralisation test for equine vir more than one in four,]	t more than 6 months before the ble taken on the same date (4)
and		the test described in point II.4.4.3 for contagious equine is samples taken (4), not more than 60 days before the semen	
	II.4.5.3.	The tests described in point II.4.4 have been carried out o date of the first semen collection of the breeding season or semen described above was collected,	

the tests described in point II.4.4 have been carried out on samples taken (4) between

14 and 90 days after the collection of the semen described above.

# COUNTRY Equine semen – Section B

II. Health	alth information			Certificate re	eference No	II.b.			
	II.4.6.	have undergone the testing provided for in points II.3.2 $(^1)$ and II.4 following dates:						on samples to	aken on the
of	0)	Start d	late (4)		[	Date of samplir	ng for health te	sts (4)	
Identification of semen	Test	Donor	Semen	VS (1)	EIA		'A II. 4.2.		EM .4.3.
	pro	residence	collection	II.3.2	II.4.4.1.	Blood sample	Semen sample	1. sample	2. sample
(1) either	[II.5.	No antibiotic	s were added	to the seme	en;]				
(¹) or	[11.5.	The following diluted seme	g antibiotic or en of not less t	combinatio han ( <sup>7</sup> ):	n of antibiotio	cs was added	d to produce	a concentratio	n in the final
				••••					;]
II.6.	The seme	n described ab	oove was:						
	II.6.1.	II.6.1. collected, processed, stored and transported under conditions which comply with the requirements of Chapters II(I)(1) and III(I) of Annex D to Directive 92/65/EEC;							
	II.6.2.	II.6.2. sent to the place of loading in a sealed container in accordance with point 1.4 of Chapter III(I) of Annex D to Directive 92/65/EEC and bearing the number indicated in Box I.23.							
Notes									
Part I:									
Box I.11.:	The place of origin shall correspond to the semen collection centre of the semen origin.								
Box I.22.:	The number of packages shall correspond to the number of containers.								
Box I.23.:	The identification of container and seal number shall be indicated.								
Box I.28.:	The donor	identity shall o	correspond to	the official	identification	of the anima	ıl.		
	The date of collection shall be indicated in the following format: dd/mm/yyyy.								

### COUNTRY Equine semen – Section B

H.	Health information	II.a. Certificate reference No	II.b.
----	--------------------	--------------------------------	-------

#### Part II:

Guidance for the completion of the table in point II.4.6.

#### Abbreviations:

۷S ۱	/esicular stomatitis	(VS) testino	if required in	accordance with	point II.3.2
------	----------------------	--------------	----------------	-----------------	--------------

EIA-1 Equine infectious anaemia (EIA) testing first occasion

EIA-2 EIA testing second occasion

EVA-B1 Equine viral arteritis (EVA) testing on blood sample first occasion

EVA-B2 EVA testing on blood sample second occasion

EVA-S1 EVA testing on semen sample first occasion

EVA-S2 EVA testing on semen sample second occasion

CEM-11 Contagious equine metritis (CEM) testing first occasion first sample

CEM-12 CEM testing first occasion second sample taken 7 days after CEM-11

CEM-21 CEM testing second occasion first sample

CEM-22 CEM testing second occasion second sample taken 7 days after CEM-21

#### Instructions:

For each semen identified in column A in correspondence with Box I.28, the test programme (II.4.5.1., II.4.5.2. and/or II.4.5.3.) must be specified in column B, and columns C and D must be completed with the dates required.

The dates when samples were taken for laboratory testing prior to the first collection of the semen described above as required in II.4.5.1., II.4.5.2. and II.4.5.3., are entered in the upper line of columns 5 to 9 of the table, this being the boxes marked with EIA-1, EVA-B1 or EVA-S1 and CEM-11 and CEM-12 in the example below.

The dates when samples were taken for repeat laboratory testing as required in accordance with II.4.5.2. or II.4.5.3. are entered in the lower line of columns 5 to 9 in table, this being the boxes EIA-2, EVA-B2 or EVA-S2 and CEM-21 and CEM-22 in the example below.

of	a)	Start	date	Date of sampling for health tests						
Identification	Test	Donor	Semen	VS EIA II.4.4.1.	EIA		EVA II.4.4.2.		CEM II.4.4.3.	
Identi	pro	residence	collection		II.3.2. II.4.4.1.	II.3.2.   II.	Blood sample	Semen sample	1. sample	2. sample
^	В	С	D	1/6	EIA-1	EVA-B1	EVA-S1	CEM-11	CEM-12	
A		EIA-2	EVA-B2	EVA-S2	CEM-21	CEM-22				

<sup>(1)</sup> Delete as necessary.

<sup>(2)</sup> Imports of equine semen are authorised from a third country listed in column 2 of Annex I to Commission Implementing Regulation (EU) 2018/657 provided the semen was collected in the part of the territory of the third country detailed in column 4 of that Annex from a donor stallion of the category of equidae indicated in columns 11, 12 or 13 of that Annex.

EN

# COUNTRY Equine semen – Section B

II.	Health information	II.a. Certificate reference No	II.b.						
(3)	Only approved semen collection centres listed in accordance with Article 17(3)(b) of Council Directive 92/65/EEC on the Commission website: http://ec.europa.eu/food/animal/semen_ova/equine/index_en.htm								
(4)	Insert date in table in point II.4.6 (follow	Guidance in Part II of the Notes)							
(5)	The agar gel immunodiffusion test (Coggins test) or the ELISA for equine infectious anaemia are not required for donor equidae which have continuously resided in Iceland since birth, provided that Iceland has remained officially free of equine infectious anaemia and no equidae and their semen, ova and embryos have been introduced into Iceland from outside prior to and during the period the semen was collected.								
( <sup>6</sup> )	Cross out the programmes that do not	apply to the consignment.							
( <sup>7</sup> )	Insert names and concentrations.								
(8)	OJ L 192, 23.7.2010, p. 1.								
_	The signature and the stamp must be in a different colour to that of the printing.								
Offic	Official veterinarian								
	Name (in capital letters): Qualification and title:								
	Date: Signature:								
	Stamp:								

## Section D

COUN	TRY:									V	eterinary certifi	cate to El
	l.1.	<ol> <li>Consignor         Name         Address     </li> </ol>						Certificate reference		1.2	2.a.	
								I.3. Central competent authority				
		Tel.					I.4. Local competent authority					
Part I : Details of dispatched consignment	1.5.	Consignee Name Address						I.6. Person responsible for the load in EU  Name  Address				
ched co		Postal code Tel.						Postal code Tel.				
of dispat	1.7.	Country of origin	ISO code	I.8.	Region of origin	Code	1.9.	Country of destination	ISO code	I.10.	Region of destination	Code
Details o	l.11.	Place of origin					1.12.	Place of destinatio		lolding	<u></u>	
=======================================		Semen centre □						Semen centre 🗖	Г	ioidiri	уш	
Pa		Name Approval number Address					Name Address	Appr	oval n	number		
		Postal code						Postal code				
	I.13.	3. Place of loading					I.14. Date of departure					
	I.15.	.15. Means of transport					I.16.	Entry BIP in EU				
		Aeroplane [	-		Railway wa	gon 🗖						
		Road vehicl		ner 🗖			I.17. No(s) of CITES					
		Documenta	ry references									
	I.18.	Description	of commodity	/					l.19. Commo	-	code (HS code) 5 11 99 85	
										1.20	. Quantity	
	I.21.									1.22	. Number of pac	ckages
	I.23. Seal/Container No I.25. Commodities certified for:								1.24			
		Artificial reproduction										
	1.26.	For transit t	hrough EU to	third	country <b>I</b>			I.27. For import or	admission in	o EU		
	Third country ISO code											
	1.28.	Identification	n of the comn	noditie	es							
	Species (Scientific name) Donor identity							Date of colle	ection		Quantity	

## COUNTRY Equine semen - Section D Ш Health information II.a. Certificate reference No II.b. I, the undersigned official veterinarian of the exporting country (2) ......, hereby (name of exporting country) certify that: II.1. The centre (3) described in Box I.11 at which the semen to be exported to the Union was stored: Part II: Certification (1) either meets the conditions laid down in Chapter I(I)(1) and is operated and supervised in accordance with [II.1.1. the conditions laid down in Chapter I(II)(1) of Annex D to Directive 92/65/EEC (4);] (1) or [11.1.1. meets the conditions laid down in Chapter I(I)(2) and is operated and supervised in accordance with the conditions laid down in Chapter I(II)(2) of Annex D to Directive 92/65/EEC;] 11.2. The semen to be exported to the Union: has been collected, processed and stored for a minimum period of 30 days immediately following collection in an II.2.1. approved semen collection centre (5) operated and supervised in accordance with Chapters I(I)(1) and I(II)(1) of Annex D to Directive 92/65/EEC, which is (1) either [located in the exporting country;] (1) or [located in ......(²), and has been imported to the exporting country under conditions at least as strict as for imports of semen of animals of the equine species into the Union in accordance with Directive 92/65/EEC:1 11.2.2. was moved to the centre described in Box I.11 under conditions at least as strict as described in: (1) either [Model 1 in Section A of Part 1 of Annex III to Regulation (EU) 2018/657 (6);] (1) or [Model 2 in Section B of Part 1 of Annex III to Regulation (EU) 2018/657 (6);] (1) or [Model 3 in Section C of Part 1 of Annex III to Regulation (EU) 2018/657 (6);] (1) or [Model 1 in Section A of Part 2 of Annex II to Decision 2010/471/EU (6);] [Model 2 in Section B of Part 2 of Annex II to Decision 2010/471/EU (6);] (1) or (1) or [Model 3 in Section C of Part 2 of Annex II to Decision 2010/471/EU (6);] (1) or [Commission Decision 96/539/EC (6);] 11.2.3. was stored under conditions which satisfy the terms of Annex D to Directive 92/65/EEC; 11.2.4. sent to the place of loading in a sealed container in accordance with point 1.4 of Chapter III(I) of Annex D to Directive 92/65/EEC and bearing the number indicated in Box I.23. **Notes** Part I: Box I.11.: The place of origin shall correspond to the semen storage centre of semen dispatch. The serial number of the individual official document(s) or health certificate(s) that accompanied the semen Box I.17.: described above from the approved semen collection centre of its origin to the described above semen storage centre shall be indicated. The original(s) of this/these document(s) or certificate(s) or the officially endorsed copy/copies of thereof must be attached to this certificate.

EN

cour	NTRY		Equine semen – Section D							
II.	Health information	II.a. Certificate reference No	II.b.							
Вох	I.22.: The number of packages shall c	orrespond to the number of containers.								
Вох	I.23.: The identification of container and seal number shall be indicated.									
Box	x I.28.: The donor identity shall correspond to the official identification of the animal.									
	The date of collection shall be in	dicated in the following format: dd/mm/yyyy.								
Par	t II:									
( <sup>1</sup> )	Delete as necessary.									
(2)	Regulation (EU) 2018/657 provided that	d from a third country listed in column 2 of Ai the semen was collected in the part of the te illion of the category of equidae indicated in co	rritory of the third country detailed in							
(3)	Only approved semen collection or storthe Commission website:	rage centres listed in accordance with Article	17(3)(b) of Directive 92/65/EEC on							
	http://ec.europa.eu/food/animal/semen_	ova/equine/index_en.htm								
(4)	Council Directive 92/65/EEC of 13 July 1992 laying down animal health requirements governing trade in and imports into the Community of animals, semen, ova and embryos not subject to animal health requirements laid down in specific Community rules referred to in Annex A(I) to Directive 90/425/EEC (OJ L 268, 14.9.1992, p. 54).									
(5)	Only approved semen collection centres listed in accordance with Article 11(4) and Article 17(3)(b) of Directive 92/65/EEC on the Commission websites:									
	https://ec.europa.eu/food/animals/live_a http://ec.europa.eu/food/animal/semen_									
( <sup>6</sup> )	The original(s) of the document(s) or the health certificate(s) or the officially endorsed copy/copies thereof that accompanied the semen described above from the approved semen collection centre of the semen origin to the centre of the semen dispatch described in Box I.11 must be attached to this certificate.									
_	The signature and the stamp must be in a different colour to that of the printing.									
Offic	cial veterinarian									
	Name (in capital letters):		Qualification and title:							
	Date:		Signature:							
	Stamp:									