ANNEX I

Rules on data to be monitored and reported

PART A: DATA TO BE MONITORED AND REPORTED BY MEMBER STATES

- (a) vehicle identification numbers of all new heavy-duty vehicles as referred to in points (a) and (b) of the second paragraph of Article 2 that are registered in the Member State territory;
- (b) manufacturer name;
- (c) make (trade name of manufacturer);
- (d) the code for the bodywork as specified in entry 38 of the certificate of conformity, where available;
- (e) in the case of the heavy-duty vehicles referred to in point (a) of the second paragraph of Article 2, the information on the powerplant specified in entries 23, 23.1 and 26 of the certificate of conformity.

PART B: DATA TO BE MONITORED AND REPORTED BY MANUFACTURERS OF HEAVY-DUTY VEHICLES

1. Starting years for the monitoring and reporting of data for the heavy-duty vehicle categories set out in points (a) and (b) of the second paragraph of Article 2:

Category of heavy- duty vehicles	Vehicle group in vehicle category (as referred to in Annex I to Regulation (EU) 2017/2400)	Starting yearMonitoring	Starting yearReporting
N ₁	—	_	_
N ₂	1 and 2	2020	2021
N ₃	3	2020	2021
	4, 5, 9 and 10	2019	2020
	11, 12 and 16	2020	2021
M ₁	—	—	—
M ₂	—	—	_
M ₃	—	—	—
O ₃	—	—	—
O ₄	—	—	—

2. Data to be monitored and reported:

N)	Monitoring parameters	Source Part I of Annex IV to Regulation (EU) 2017/2400, unless otherwise specified	Description	
1		Vehicle identification number (VIN)	1.1.3	Vehicle and component	
2		Engine certification number	1.2.2	identification	
3		CdxA ^a certification number (if applicable)	1.8.3		
4		Transmission certification number	1.3.2		
5		Axle certification number	1.6.2		
6		Tyre certification number, axle 1	1.9.2	-	
7		Tyre certification number, axle 2	1.9.6		
8		Tyre certification number, axle 3	1.9.10		
9		Tyre certification number, axle 4	1.9.14		
10		Vehicle category $(N_1, N_2, N_3, M_1, M_2, M_3)$	1.1.4	Vehicle classification	
11		Axle configuration	1.1.5		
12		Maximum gross vehicle weight (t)	1.1.6	-	
13		Vehicle group	1.1.7		
a	Air drag.	1	1	1	
b	Synchronised Manual Tra	ansmission.			
c	Automated Manual Trans	smission or Automatic Mechanic	ally-engaged Transmission.		
d	Automatic Powershifting Transmission.				
e	'Case S' means the serial	arrangement of a torque convert	er and the connected mechanica	l parts of the transmission.	
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
g	certain road vehicles circ	m (EMS) in accordance with Cou ulating within the Community th authorized weights in internation	e maximum authorized dimension	ons in national and international	
h	World Harmonized Trans	sient Driving Cycle.			
i	Worldwide Harmonised Steady state Cycle				

14		Name and address of manufacturer	1.1.1	Vehicle and chassis specification		
15		Make (trade name of manufacturer)	1.1.7 Part II of Annex IV to Regulation (EU) 2017/2400			
16		Corrected actual curb mass (kg)	1.1.8			
17		Engine rated power (kW)	1.2.3	Main engine specifications		
18		Engine idling speed (1/min)	1.2.4			
19		Engine rated speed (1/min)	1.2.5			
20		Engine capacity (ltr)	1.2.6			
21		Engine reference fuel type (diesel/LPG/ CNG)	1.2.7			
22		Certification option used for generation of CdxA (standard values/measurement)	1.8.2	Aerodynamics		
23		CdxA value (air drag value)	1.8.4			
24		Name and address of transmission manufacturer		Main transmission specifications		
25		Make (trade name of transmission manufacturer)				
26		Certification option used for the generation of	1.3.3			
a	Air drag.					
b	Synchronised Manual Transmission.					
c	Automated Manual Transmission or Automatic Mechanically-engaged Transmission.					
d	Automatic Powershifting Transmission.					
e		0 1	er and the connected mechanical	1		
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).					
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).					
h	World Harmonized Trans	ient Driving Cycle.				
i	Worldwide Harmonised Steady state Cycle.					

		simulation tool loss maps (Option 1/ Option 2/Option 3/ Standard values)			
27		Transmission type (SMT ^b , AMT ^c , APT ^d -S ^e , APT-P ^f)	1.3.4		
28		Number of gears	1.3.5		
29		Transmission ratio final gear	1.3.6		
30		Retarder type	1.3.7		
31		Power take off (yes/ no)	1.3.8	-	
32		Name and address of axle manufacturer	—	Main axle specifications	
33		Make (trade name of axle manufacturer)	—		
34		Certification option used for the generation of a simulation tool loss map (standard values/ measurement)	1.7.3		
35		Axle type (e.g. standard single driven axle)	1.7.4		
36		Axle ratio	1.7.5	-	
37		Certification option used for the generation of a simulation tool loss	1.6.3	Angle drive specifications	
a	Air drag.	I	I	1	
b	Synchronised Manual Tra	insmission.			
c	Automated Manual Trans	mission or Automatic Mechanica	ally-engaged Transmission.		
d	Automatic Powershifting	Transmission.			
e		arrangement of a torque convert		1	
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).				
	traffic and the maximum	authorized weights in internation	al traffic (OJ L 235, 17.9.1996,	p. 59).	

		map (standard values/				
• -		measurement)		_		
38		Angle drive ratio	1.6.4			
39		Name and address of tyre manufacturer		Main tyre specifications		
40		Make (trade name of tyre manufacturer)	—			
41		Tyre dimension axle 1	1.9.1	-		
42		Specific rolling resistance coefficient (RRC) of all tyres on axle 1	1.9.3			
43		Tyre dimension axle 2	1.9.4	-		
44		Twin axle (yes/no) axle 2	1.9.5	-		
45		Specific RRC of all tyres on axle 2	1.9.7	_		
46		Tyre dimension axle 3	1.9.8	-		
47		Twin axle (yes/no) axle 3	1.9.9	_		
48		Specific RRC of all tyres on axle 3	1.9.11	_		
49		Tyre dimension axle 4	1.9.12	-		
50		Twin axle (yes/no) axle 4	1.9.13	_		
51		Specific RRC of all tyres on axle 4	1.9.15	_		
a	Air drag.	1	1			
b	Synchronised Manual Tra	ansmission.				
c	Automated Manual Trans	mission or Automatic Mechanic	ally-engaged Transmission.			
d	Automatic Powershifting	Automatic Powershifting Transmission.				
e	'Case S' means the serial	'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.				
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).					
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).					
h	World Harmonized Trans	ient Driving Cycle.				

52	Engine cooling fan technology	1.10.1	Main auxiliary specifications
53	Steering pump technology	1.10.2	
54	Electric system technology	1.10.3	
55	Pneumatic system technology	1.10.4	
56	Mission profile (long haul, long haul (EMS ^g), regional, regional (EMS), urban, municipal, construction)	2.1.1	Simulation parameters (for each mission profile/load/ fuel combination)
57	Load (as defined in the simulation tool) (kg)	2.1.2	
58	Fuel type (diesel/ petrol/LPG/CNG/)	2.1.3	
59	Total vehicle mass in simulation (kg)	2.1.4	
60	Average speed (km/h)	2.2.1	Vehicle driving
61	Minimum instantaneous speed (km/h)	2.2.2	performance (for each mission profile/load/fuel combination)
62	Maximum instantaneous speed (km/h)	2.2.3	
63	Maximum deceleration (m/s ²)	2.2.4	
a Air drag.	1	1	1
b Synchronised Manu	al Transmission.		

c	Automated Manual Transmission or Automatic Mechanically-engaged Transmission.
d	Automatic Powershifting Transmission.
e	'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).
h	World Harmonized Transient Driving Cycle.

64	Maximum acceleration (m/s ²)	2.2.5	
65	Full load percentage on driving time	2.2.6	
66	Total number of gear shifts	2.2.7	
67	Total driven distance (km)	2.2.8	
68	CO ₂ emissions (expressed in g/km, g/t-km, g/p-km, g/m ³ - km)	2.3.13-2.3.16	CO ₂ emissions and fuel consumption (for each mission profile/load/fuel combination)
69	Fuel consumption (expressed in g/km, g/t-km, g/p-km, g/m ³ - km, l/100km, l/t-km, l/p-km, l/m ³ -km, MJ/ km, MJ/t-km, MJ/p- km, MJ/m ³ -km)	2.3.1-2.3.12	comoniation)
70	Simulation tool version (X.X.X.)	3.1.1	Software and user information
71	Date and time of the simulation	3.1.2	
72	Number of licence to operate the simulation tool		
73	Cryptographic hash of simulation tool result	3.1.4	
74	Advanced CO ₂ reducing technologies		Vehicle CO ₂ reducing technologies
a Air drag.			
b Synchronised Ma	nual Transmission.		

c Automated Manual Transmission or Automatic Mechanically-engaged Transmission.

d Automatic Powershifting Transmission.

e 'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.

f 'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).

g European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).

h World Harmonized Transient Driving Cycle.

75		CO ₂ mass emission of the engine over WHTC ^h (g/kWh)	Point 1.4.2 of the addendum to Appendix 5, or point 1.4.2 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable	Engine CO ₂ emission and specific fuel consumption		
76		Fuel consumption of the engine over WHTC (g/kWh)	Point 1.4.2 of the addendum to Appendix 5, or point 1.4.2 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable			
77		CO ₂ mass emission of the engine over WHSC ⁱ (g/kWh)	Point 1.4.1 of the addendum to Appendix 5, or point 1.4.1 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable			
78		Fuel consumption of the engine over WHSC (g/kWh)	Point 1.4.1 of the addendum to Appendix 5, or point 1.4.1 of the addendum to Appendix 7, to Annex I to			
a	Air drag.			1		
b	Synchronised Manual Tr	ransmission.				
c	Automated Manual Trar	Automated Manual Transmission or Automatic Mechanically-engaged Transmission.				
d	Automatic Powershifting	Automatic Powershifting Transmission.				
e	'Case S' means the seria	al arrangement of a torque conve	rter and the connected mechanica	l parts of the transmission.		
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).					
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international terms of the maximum authorized terms of					

traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).

h World Harmonized Transient Driving Cycle.

			Regulation (EU) No 582/2011, whichever is applicable	
a	Air drag.			
b	Synchronised Manual Tra	insmission.		
c	Automated Manual Transmission or Automatic Mechanically-engaged Transmission.			
d	Automatic Powershifting Transmission.			
e	'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.			l parts of the transmission.
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).			cal parts of the transmission
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).			
h	World Harmonized Trans	ient Driving Cycle.		
i	Worldwide Harmonised Steady state Cycle.			

PART C: AIR DRAG VALUE (CDXA) RANGES FOR THE PURPOSE OF PUBLICATION IN ACCORDANCE WITH ARTICLE 6

For the purpose of making publicly available the CdxA value specified in data entry 23 in accordance with Article 6, the Commission shall use the ranges defined in the following table containing the corresponding range for each CdxA value:

Range	CdxA value [m ²]		
	Min CdxA (CdxA ≥ min CdxA)	Max CdxA (CdxA < MaxCdxA)	
A1	0,0	3,0	
A2	3,0	3,15	
A3	3,15	3,31	
A4	3,31	3,48	
A5	3,48	3,65	
A6	3,65	3,83	
A7	3,83	4,02	
A8	4,02	4,22	
A9	4,22	4,43	
A10	4,43	4,65	
A11	4,65	4,88	
A12	4,88	5,12	
A13	5,12	5,38	
A14	5,38	5,65	
A15	5,65	5,93	

A165,936,23A176,236,54A186,546,87A196,877,21A207,217,57A217,577,95A227,958,35A238,358,77A248,779,21			
A186,546,87A196,877,21A207,217,57A217,577,95A227,958,35A238,358,77	A16	5,93	6,23
A196,877,21A207,217,57A217,577,95A227,958,35A238,358,77	A17	6,23	6,54
A20 7,21 7,57 A21 7,57 7,95 A22 7,95 8,35 A23 8,35 8,77	A18	6,54	6,87
A21 7,57 7,95 A22 7,95 8,35 A23 8,35 8,77	A19	6,87	7,21
A22 7,95 8,35 A23 8,35 8,77	A20	7,21	7,57
A23 8,35 8,77	A21	7,57	7,95
	A22	7,95	8,35
A24 8,77 9,21	A23	8,35	8,77
	A24	8,77	9,21

Status:

Point in time view as at 28/06/2018.

Changes to legislation:

There are outstanding changes not yet made to Regulation (EU) 2018/956 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.