## ANNEX I U.K.

## **Rules on data to be monitored and reported** PART A: DATA TO BE MONITORED AND REPORTED BY MEMBER STATES

- (a) vehicle identification numbers of all new heavy-duty vehicles as referred to in points
  (a) and (b) of the second paragraph of Article 2 that are registered in the Member State territory;
- (b) manufacturer name;
- (c) make (trade name of manufacturer);
- (d) [<sup>F1</sup>for vehicles registered until 31 December 2019 where available, and for vehicles registered from 1 January 2020 in all cases, the code for the bodywork as specified in entry 38 of the certificate of conformity, including, where applicable, the supplementing digits referred to in Appendix 2 to Annex II to Directive 2007/46/EC;]
- (e) in the case of the heavy-duty vehicles referred to in point (a) of the second paragraph of Article 2, the information on the powerplant specified in entries 23, 23.1 and 26 of the certificate of conformity[<sup>F1</sup>;]
- (f) [<sup>F2</sup>for vehicles registered from 1 January 2020, the maximum speed of the vehicle as specified in entry 29 of the certificate of conformity[<sup>F3</sup>;]]
- (g) [<sup>F4</sup>for vehicles registereduntil 30 June 2021 where available and for vehicles registered from 1 July 2021 in all cases, the stage of completion, as indicated in the chosen model of the certificate of conformity in accordance with point 2 of Annex IX to Directive 2007/46/EC;
- (h) the vehicle category as specified in entry 0.4 of the certificate of conformity;
- (i) for vehicles registered until 31 December 2020 where available and for vehicles registered from 1 January 2021 in all cases, the number of axles, as specified in entry 1 of the certificate of conformity;
- (j) the technically permissible maximum laden mass, as specified in entry 16.1 of the certificate of conformity;
- (k) for vehicles registered until 31 December 2021 where available and for vehicles registered from 1 January 2022 in all cases, the imprint of the cryptographic hash of the manufacturer's records file as specified in entry 49.1 of the certificate of conformity; for vehicles registered until 30 June 2025 Member States may report only the first 8 characters of the cryptographic hash;
- (l) for vehicles registered until 30 June 2021 where available and for vehicles registered from 1 July 2021 in all cases, the specific CO<sub>2</sub> emissions as specified in entry 49.5 of the certificate of conformity;
- (m) for vehicles registered until 30 June 2021 where available and for vehicles registered from 1 July 2021 in all cases, the average payload value as specified in entry 49.6 of the certificate of conformity;
- (n) the date of registration.]

## **Textual Amendments**

- **F1** Substituted by Commission Delegated Regulation (EU) 2019/888 of 13 March 2019 amending Annex I to Regulation (EU) 2018/956 of the European Parliament and of the Council as regards the data on new heavy-duty vehicles to be monitored and reported by Member States and by manufacturers (Text with EEA relevance).
- F2 Inserted by Commission Delegated Regulation (EU) 2019/888 of 13 March 2019 amending Annex I to Regulation (EU) 2018/956 of the European Parliament and of the Council as regards the data on new heavy-duty vehicles to be monitored and reported by Member States and by manufacturers (Text with EEA relevance).
- **F3** Substituted by Commission Delegated Regulation (EU) 2020/1589 of 22 July 2020 amending Annex I to Regulation (EU) 2018/956 of the European Parliament and of the Council as regards the data on new heavy-duty vehicles to be monitored and reported by Member States and by manufacturers (Text with EEA relevance).
- F4 Inserted by Commission Delegated Regulation (EU) 2020/1589 of 22 July 2020 amending Annex I to Regulation (EU) 2018/956 of the European Parliament and of the Council as regards the data on new heavy-duty vehicles to be monitored and reported by Member States and by manufacturers (Text with EEA relevance).

PART 1.Starting years for the monitoring and reporting of data for the heavy-duty vehicle B: categories set out in points (a) and (b) of the second paragraph of Article 2:

TO BE <b>Category of</b> MONITOR <b>Feavy-duty</b> AND <b>vehicles</b> REPORTED BY MANUFACTURERS	Vehicle group in vehicle category (as referred to in Annex I to Regulation (EU) 2017/2400)	Starting yearMonitoring	Starting yearReporting
OF HEAVY- N <sub>1</sub>	—		
DUTY $N_2$	1 and 2	2020	2021
VEHICLES N <sub>3</sub>	3	2020	2021
	4, 5, 9 and 10	2019	2020
	11, 12 and 16	2020	2021
M <sub>1</sub>	—		
M <sub>2</sub>	—	—	<u> </u>
M <sub>3</sub>	—		
O <sub>3</sub>	—		—
O <sub>4</sub>			1

2. Data to be monitored and reported: U.K.

No	)	Monitoring parameters	Source Part I of Annex IV to Regulation (EU) 2017/2400, unless otherwise specified	Description
1		Vehicle identification number (VIN)	1.1.3	Vehicle and component
2		Engine certification number	1.2.2	- identification
3		CdxA <sup>a</sup> certification number (if applicable)	1.8.3	_
4		Transmission certification number	1.3.2	
[ <sup>F1</sup> 5	5	Axle certification number	1.7.2	Axle specifications]
6		Tyre certification number, axle 1	1.9.2	Vehicle and component identification
7		Tyre certification number, axle 2	1.9.6	
8		Tyre certification number, axle 3	1.9.10	
9		Tyre certification number, axle 4	1.9.14	
10		Vehicle category $(N_1, N_2, N_3, M_1, M_2, M_3)$	1.1.4	Vehicle classification
11		Axle configuration	1.1.5	_
12		Maximum gross vehicle weight (t)	1.1.6	-
a	Air drag.	1	1	
b	Synchronised Manual Tr	ansmission.		
c	Automated Manual Tran	smission or Automatic Mechanic	ally-engaged Transmission.	
d	Automatic Powershifting Transmission.			
e	'Case S' means the seria	l arrangement of a torque convert	ter and the connected mechanica	al parts of the transmission.
f	'Case P' means the paral (e.g. in power split instal	llel arrangement of a torque convollations).	erter and the connected mechani	ical parts of the transmission
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international			

certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).

h World Harmonized Transient Driving Cycle.

i Worldwide Harmonised Steady state Cycle.

13		Vehicle group	1.1.7		
14		Name and address of manufacturer	1.1.1	Vehicle and chassis specification	
[ <sup>F1</sup> .	15	Make (trade name of manufacturer)	—	Vehicle specifications]	
16		Corrected actual curb mass (kg)	1.1.8		
17		Engine rated power (kW)	1.2.3	Main engine specifications	
18		Engine idling speed (1/min)	1.2.4		
19		Engine rated speed (1/min)	1.2.5		
20		Engine capacity (ltr)	1.2.6		
[ <sup>F1</sup> 2	21	Fuel type (Diesel CI/ CNG PI/LNG PI)	1.2.7	Engine specifications]	
22		Certification option used for generation of CdxA (standard values/measurement)	1.8.2	Aerodynamics	
23		CdxA value (air drag value)	1.8.4		
[ <sup>F3</sup>	24	Name and address of transmission manufacturer	Point 0.4 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex VI to Regulation (EU) 2017/2400	Main transmission specifications	
a	Air drag.	I	I	1	
b	Synchronised Manual Tra	insmission.			
c	Automated Manual Trans	mission or Automatic Mechanic	ally-engaged Transmission.		
d	Automatic Powershifting				
e	'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.				
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).				
h	World Harmonized Trans	ient Driving Cycle.			
i	Worldwide Harmonised S	steady state Cycle			

25		Make (trade name of transmission manufacturer)	Point 0.1 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex VI to Regulation (EU) 2017/2400]		
26		Certification option used for the generation of simulation tool loss maps (Option 1/ Option 2/Option 3/ Standard values)	1.3.3		
27		Transmission type (SMT <sup>b</sup> , AMT <sup>c</sup> , APT <sup>d</sup> -S <sup>e</sup> , APT-P <sup>f</sup> )	1.3.4		
28		Number of gears	1.3.5		
29		Transmission ratio final gear	1.3.6		
30		Retarder type	1.3.7		
31		Power take off (yes/ no)	1.3.8		
[ <sup>F3</sup> 3	2	Name and address of axle manufacturer	Point 0.4 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex VII to Regulation (EU) 2017/2400	Main axle specifications	
a	Air drag.		1		
b	Synchronised Manual Tra	nsmission.			
c	Automated Manual Trans	mission or Automatic Mechanic	ally-engaged Transmission.		
d	Automatic Powershifting Transmission.				
e		- ·	er and the connected mechanical	•	
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17,9,1996, p. 59).				

h World Harmonized Transient Driving Cycle.

i Worldwide Harmonised Steady state Cycle.

33	Make (trade name of	Point 0.1 of the	
	axle manufacturer)	model of a certificate	
		of a component,	
		separate technical	
		unit or system of	
		Appendix 1 to Annex VII to Regulation	
		(EU) 2017/2400]	
34	Certification	1.7.3	
	option used for		
	the generation of a		
	simulation tool loss		
	map (standard values/		
25	measurement)	1.7.4	-
35	Axle type (e.g. standard single driven	1.7.4	
	axle)		
36	Axle ratio	1.7.5	_
			Angle drive
37	Certification option used for	1.6.3	Angle drive specifications
	the generation of a		specifications
	simulation tool loss		
	map (standard values/		
	measurement)		
38	Angle drive ratio	1.6.4	
[ <sup>F3</sup> 39	Name and address of	Point 1 of the model	Main tyre
-	tyre manufacturer	of a certificate of a	specifications
		component, separate	
		technical unit or	
		system of Appendix 1 to Annex X to	
		Regulation (EU)	
		2017/2400	
<b>a</b> Air drag.			1
<b>b</b> Synchronised Mar	Synchronised Manual Transmission.		
c Automated Manua	Automated Manual Transmission or Automatic Mechanically-engaged Transmission.		
	Automatic Powershifting Transmission.		
d Automatic Powers			

- (e.g. in power split installations).
- **g** European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).

h World Harmonized Transient Driving Cycle.

i Worldwide Harmonised Steady state Cycle.

40	Make (trade name of tyre manufacturer)	Point 3 of the model of a certificate of a component, separate technical unit or system of Appendix 1 to Annex X to Regulation (EU) 2017/2400]
41	Tyre dimension axle	1.9.1
42	Specific rolling resistance coefficient (RRC) of all tyres on axle 1	1.9.3
43	Tyre dimension axle 2	1.9.4
44	Twin axle (yes/no) axle 2	1.9.5
45	Specific RRC of all tyres on axle 2	1.9.7
46	Tyre dimension axle 3	1.9.8
47	Twin axle (yes/no) axle 3	1.9.9
48	Specific RRC of all tyres on axle 3	1.9.11
49	Tyre dimension axle 4	1.9.12
50	Twin axle (yes/no) axle 4	1.9.13
<b>a</b> Air drag.	1	1
<b>b</b> Synchronised Manua	l Transmission.	

c Automated Manual Transmission or Automatic Mechanically-engaged Transmission.

d Automatic Powershifting Transmission.

e 'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.

- **f** 'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).
- **g** European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).
- h World Harmonized Transient Driving Cycle.
- i Worldwide Harmonised Steady state Cycle.
- j [<sup>F2</sup>Data entries 85, 86, 87, 90, 93, 95 and 96 shall not be made publicly available in the Central Register on heavy-duty vehicles.]

51		Specific RRC of all tyres on axle 4	1.9.15		
52		Engine cooling fan technology	1.10.1	Main auxiliary specifications	
53		Steering pump technology	1.10.2		
54		Electric system technology	1.10.3		
55		Pneumatic system technology	1.10.4		
56		Mission profile (long haul, long haul (EMS <sup>g</sup> ), regional, regional (EMS), urban, municipal, construction)	2.1.1	Simulation parameters (for each mission profile/load/ fuel combination)	
57		Load (as defined in the simulation tool) (kg)	2.1.2		
58		Fuel type (diesel/ petrol/LPG/CNG/)	2.1.3		
59		Total vehicle mass in simulation (kg)	2.1.4		
60		Average speed (km/h)	2.2.1	Vehicle driving	
61		Minimum instantaneous speed (km/h)	2.2.2	performance (for each mission profile/load/fuel combination)	
62		Maximum instantaneous speed (km/h)	2.2.3		
a	Air drag.				
b	Synchronised Manual Tra	ansmission.			
c	Automated Manual Trans	mission or Automatic Mechanica	ally-engaged Transmission.		
d	Automatic Powershifting	Transmission.			
e	'Case S' means the serial	arrangement of a torque convert	er and the connected mechanica	l parts of the transmission.	
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).				
h	World Harmonized Trans	ient Driving Cycle.			
i	Worldwide Harmonised S	Steady state Cycle.			
j	[ <sup>F2</sup> Data entries 85, 86, 87, vehicles.]	, 90, 93, 95 and 96 shall not be m	nade publicly available in the Ce	entral Register on heavy-duty	

vehicles.]

63	Maximum deceleration (m/s <sup>2</sup> )	2.2.4	
64	Maximum acceleration (m/s <sup>2</sup> )	2.2.5	
65	Full load percentage on driving time	2.2.6	
66	Total number of gear shifts	2.2.7	
67	Total driven distance (km)	2.2.8	
68	CO <sub>2</sub> emissions (expressed in g/km, g/t-km, g/p-km, g/m <sup>3</sup> - km)	2.3.13-2.3.16	CO <sub>2</sub> emissions and fuel consumption (for each mission profile/load/fuel
69	Fuel consumption (expressed in g/km, g/t-km, g/p-km, g/m <sup>3</sup> - km, l/100km, l/t-km, l/p-km, l/m <sup>3</sup> -km, MJ/ km, MJ/t-km, MJ/p- km, MJ/m <sup>3</sup> -km)	2.3.1-2.3.12	combination)
70	Simulation tool version (X.X.X.)	3.1.1	Software and user information
71	Date and time of the simulation	3.1.2	
72	Number of licence to operate the simulation tool		
<b>a</b> Air drag.	1	1	I
<b>b</b> Synchronised Man	ual Transmission.		

- ${\bf c} \qquad {\rm Automated \ Manual \ Transmission \ or \ Automatic \ Mechanically-engaged \ Transmission.}$
- d Automatic Powershifting Transmission.
- e 'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.
- f 'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).
- **g** European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).

h World Harmonized Transient Driving Cycle.

i Worldwide Harmonised Steady state Cycle.

[ <sup>F1</sup> 73	3	Cryptographic hash of the manufacturer's records file	3.1.4	Software information]	
74		Advanced CO <sub>2</sub> reducing technologies		Vehicle CO <sub>2</sub> reducing technologies	
75		CO <sub>2</sub> mass emission of the engine over WHTC <sup>h</sup> (g/kWh)	Point 1.4.2 of the addendum to Appendix 5, or point 1.4.2 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable	Engine CO <sub>2</sub> emission and specific fuel consumption	
76		Fuel consumption of the engine over WHTC (g/kWh)	Point 1.4.2 of the addendum to Appendix 5, or point 1.4.2 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable		
77		CO <sub>2</sub> mass emission of the engine over WHSC <sup>i</sup> (g/kWh)	Point 1.4.1 of the addendum to Appendix 5, or point 1.4.1 of the addendum to Appendix 7, to Annex I to Regulation (EU) No		
a	Air drag.			1	
b S	Synchronised Manual Tra	nsmission.			
c .	Automated Manual Trans	mission or Automatic Mechanica	ally-engaged Transmission.		
d 4	Automatic Powershifting	Transmission.			
e '	'Case S' means the serial	arrangement of a torque converte	er and the connected mechanical	parts of the transmission.	
	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
(	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).				
h '	World Harmonized Transi	ent Driving Cycle.			
i '		teady state Cycle.			

			582/2011, whichever is applicable		
78		Fuel consumption of the engine over WHSC (g/kWh)	Point 1.4.1 of the addendum to Appendix 5, or point 1.4.1 of the addendum to Appendix 7, to Annex I to Regulation (EU) No 582/2011, whichever is applicable		
[ <sup>F2</sup> 7	79	Vehicle model	1.1.2	Vehicle specifications	
80		Vocational vehicle (yes/no)	1.1.9		
81		Zero emission heavy- duty vehicle (yes/no)	1.1.10		
82		Hybrid electric heavy-duty vehicle (yes/no)	1.1.11		
83		Dual-fuel vehicle (yes/no)	1.1.12		
84		Sleeper cab (yes/no)	1.11.13		
85		Engine model <sup>i</sup>	1.2.1	Engine specifications	
86		Transmission model <sup>i</sup>	1.3.1	Transmission specifications	
87		Retarder model <sup>i</sup>	1.4.1	Retarder	
88		Retarder certification number	1.4.2	specifications	
a	Air drag.	·		·	
b	Synchronised Manual Tra	ansmission.			
c	Automated Manual Trans	mission or Automatic Mechanic	ally-engaged Transmission.		
d	Automatic Powershifting Transmission.				
e		arrangement of a torque convert		1	
f	'Case P' means the parall (e.g. in power split install	el arrangement of a torque conve ations).	erter and the connected mechanic	cal parts of the transmission	
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).				
h	World Harmonized Trans	ient Driving Cycle.			

i Worldwide Harmonised Steady state Cycle.

89		Certification option used for generation of a loss map (standard	1.4.3		
90		values/measurement) Torque converter model <sup>i</sup>	1.5.1	Torque converter specifications	
91		Torque converter certification number	1.5.2		
92		Certification option used for generation of a loss map (standard values/measurement)	1.5.3		
93		Angle drive model <sup>j</sup>	1.6.1	Angle drive	
94		Angle drive certification number	1.6.2	- specifications	
95		Axle model <sup>i</sup>	1.7.1	Axle specifications	
96		Air drag model <sup>i</sup>	1.8.1	Aerodynamics	
97		Engine stop-start during vehicle stops (yes/no)	1.12.1	Advanced driver assistance systems (ADAS)	
98		Eco-roll without engine stop-start (yes/ no)	1.12.2		
99		Eco-roll with engine stop-start (yes/no)	1.12.3	_	
10	0	Predictive cruise control (yes/no)	1.12.4]		
[ <sup>F4</sup>	101	For vehicles with a date of simulation as of 1 July 2020,	Point 1.2.1. of addendum to Appendix 5, 6 or	Engine specifications]	
a	Air drag.	-			
b	Synchronised Manual Tr	ansmission.			
c	Automated Manual Tran	smission or Automatic Mechanic	ally-engaged Transmission.		
d	Automatic Powershifting Transmission.				
e	'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.				
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).				
h	World Harmonized Trans	sient Driving Cycle.			
i	Worldwide Harmonised	Steady state Cycle.			
:	1F2D				

		the type-approval number of the engine	7 to Annex I to Regulation (EU) No 582/2011, whichever is applicable		
a	Air drag.				
b	Synchronised Manual Tra	insmission.			
c	Automated Manual Trans	mission or Automatic Mechanic	ally-engaged Transmission.		
d	Automatic Powershifting	Transmission.			
e	'Case S' means the serial arrangement of a torque converter and the connected mechanical parts of the transmission.				
f	'Case P' means the parallel arrangement of a torque converter and the connected mechanical parts of the transmission (e.g. in power split installations).				
g	European Modular System (EMS) in accordance with Council Directive 96/53/EC of 25 July 1996 laying down for certain road vehicles circulating within the Community the maximum authorized dimensions in national and international traffic and the maximum authorized weights in international traffic (OJ L 235, 17.9.1996, p. 59).				
h	World Harmonized Transient Driving Cycle.				
i	Worldwide Harmonised Steady state Cycle.				
j	[ <sup>F2</sup> Data entries 85, 86, 87, 90, 93, 95 and 96 shall not be made publicly available in the Central Register on heavy-duty vehicles.]				

For the purpose of making publicly available the CdxA value specified in data entry PART 23 in accordance with Article 6, the Commission shall use the ranges defined in the C: AIR following table containing the corresponding range for each CdxA value: DRAG VALUE (CDXA) RANGES FOR THE PURPOSE OF PUBLICATION IN ACCORDANCE WITH ARTICLE

6

Range	CdxA value [m <sup>2</sup> ]		
	Min CdxA (CdxA ≥ min CdxA)	Max CdxA (CdxA < MaxCdxA)	
A1	0,0	3,0	
A2	3,0	3,15	
A3	3,15	3,31	
A4	3,31	3,48	
A5	3,48	3,65	
A6	3,65	3,83	
A7	3,83	4,02	

A8	4,02	4,22
A9	4,22	4,43
A10	4,43	4,65
A11	4,65	4,88
A12	4,88	5,12
A13	5,12	5,38
A14	5,38	5,65
A15	5,65	5,93
A16	5,93	6,23
A17	6,23	6,54
A18	6,54	6,87
A19	6,87	7,21
A20	7,21	7,57
A21	7,57	7,95
A22	7,95	8,35
A23	8,35	8,77
A24	8,77	9,21

## **Changes to legislation:**

There are outstanding changes not yet made to Regulation (EU) 2018/956 of the European Parliament and of the Council. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. View outstanding changes

Changes and effects yet to be applied to the whole legislation item and associated provisions

- Signature words omitted by S.I. 2019/846 reg. 20
- Annex 1 Pt. B footnote g words inserted by S.I. 2022/1361 reg. 15(7)(b)(vi)
- Annex 1 Pt. A point (k) words omitted by S.I. 2023/1257 reg. 8
- Annex 1 Pt. A heading words substituted by S.I. 2019/846 reg. 21(2)(a)
- Annex 1 Pt. A point (a) words substituted by S.I. 2019/846 reg. 21(2)(b)
- Annex 1 Pt. C words substituted by S.I. 2019/846 reg. 21(3)
- Annex 1 Pt. A point (d) words substituted by S.I. 2022/1361 reg. 15(6)(a)
- Annex 1 Pt. A point (g) words substituted by S.I. 2022/1361 reg. 15(6)(b)
- Annex 1 Pt. A point (k) words substituted by S.I. 2022/1361 reg. 15(6)(c)
- Annex 1 Pt. B Table 1 words inserted by S.I. 2022/1361 reg. 15(7)(a)
- Annex 1 Pt. B Table 2 words inserted by S.I. 2022/1361 reg. 15(7)(b)(i)
- Annex 1 Pt. B Table 2 words inserted by S.I. 2022/1361 reg. 15(7)(b)(ii)
- Annex 1 Pt. B Table 2 words inserted by S.I. 2022/1361 reg. 15(7)(b)(iii)
- Annex 1 Pt. B Table 2 words inserted by S.I. 2022/1361 reg. 15(7)(b)(iv)
- Annex 1 Pt. B Table 2 words inserted by S.I. 2022/1361 reg. 15(7)(b)(v)
- Art. 2(a) words inserted by S.I. 2022/1361 reg. 15(2)
- Art. 3(a) words inserted by S.I. 2022/1361 reg. 15(3)(a)
- Art. 3(c) inserted by S.I. 2022/1361 reg. 15(3)(b)
- Art. 5(3)(4) inserted by S.I. 2019/846 reg. 8(3) (This amendment not applied to legislation.gov.uk. Reg. 8 substituted on (2.12.2020) by S.I. 2020/1402, regs. 1(2), 22)
- Art. 6A inserted by S.I. 2019/846 reg. 10
- Art. 6A(2) words substituted in earlier amending provision S.I. 2019/846, reg. 10 by S.I. 2020/1402 reg. 23(2)(a)
- Art. 6A(3) words omitted in earlier amending provision S.I. 2019/846, reg. 10 by S.I. 2020/1402 reg. 23(2)(b)
- Art. 7(2)(3) substituted for Art. 7(2) by S.I. 2019/846 reg. 11(3)
- Art. 9(1)(a) words inserted by S.I. 2022/1361 reg. 15(5)
- Art. 9(1)(a) words substituted by S.I. 2019/846 reg. 13(2)(a)(ii)
- Art. 9(3)(a) words omitted by S.I. 2019/846 reg. 13(4)(b)
- Art. 9(3)(b) word substituted by S.I. 2019/846 reg. 13(4)(c)(iii)
- Art. 9(3)(b) words omitted by S.I. 2019/846 reg. 13(4)(c)(ii)
- Art. 9(3)(b) words substituted by S.I. 2019/846 reg. 13(4)(c)(i)
- Art. 11(1)(d) omitted by S.I. 2019/846 reg. 15(3)(b)
- Art. 11A inserted by S.I. 2019/846 reg. 16