

ANNEX

1. Life-saving appliances

Column 2: IMO MSC/Circular 980 shall apply except when superseded by the specific instruments referred to in Column 2.

Number and item designation	Regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO, as applicable	Testing standards	Modules for conformity assessment	First placing on the market	Last placing on board
1	2	3	4	5	6
MED/1.1 — Lifebuoys	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3. Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA	—	IMO B+D Res. B+E MSC.81(70), as amended.		

Status: This is the original version (as it was originally adopted).

		Code) I, IMO Res.MSC.48(66)- (LSA Code) II, IMO Res.MSC.97(73)- (2000 HSC Code) 8.			
MED/1.2a	Type	—	IMO	B+D	
—	Position approval indicating requirements lights for life-saving appliances: (a)	—	Res. MSC.81(70), as amended.	B+E	13.9.2022 (II)
	for survival craft and rescue boats Carriage and performance requirements	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.			
	—	SOLAS 74 Reg. III/34, IMO Res.MSC.36(63)- (1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)- (LSA Code)			
	—	II, IMO Res.MSC.48(66)- (LSA Code)			
	—	IV, IMO Res.MSC.97(73)- (2000 HSC			

	Code)				
	8.				
MED/1.2a	Type	—	IMO B+D		13.9.2019
—	Position approval	—	Res.MSC.81(70),		
	indicating requirements	—	as B+F		
	lights	SOLAS	amended,		
	for	74	EN		
	life-saving	Reg.	60945:2002		
	appliances:	III/4,	incl.		
	(a)	SOLAS	IEC		
	for	74	60945		
	survival	Reg.	Corr.		
	craft	X/3.	1		
	and		(2008).		
(NEW ROW)	Carriage and	Or	IMO		
	rescue	—	Res.MSC.81(70),		
	performance	—	as		
	requirements	SOLAS	amended,		
		74	IEC		
		Reg.	60945:2002		
		III/34,	incl.		
		IMO	IEC		
		Res.MSC.36(63)	60945		
		(1994	Corr.		
		HSC	1		
		Code)	(2008).		
		8,			
		IMO			
		Res.MSC.48(66)-			
		(LSA			
		Code)			
		I,			
		IMO			
		Res.MSC.48(66)-			
		(LSA			
		Code)			
		IV,			
		IMO			
		Res.MSC.97(73)-			
		(2000			
		HSC			
		Code)			
		8.			
MED/1.2b	Type	—	IMO B+D		13.9.2022
—	Position approval	—	Res. B+E		(II)
	indicating requirements	—	MSC.81(70),		
	lights	SOLAS	as		
	for	74	amended.		
	life-saving	Reg.			
	appliances:	III/4,			
		SOLAS			
		74			

Status: This is the original version (as it was originally adopted).

	<p>(b) for Reg. lifebuoys.</p> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/7,</p> <p>— SOLAS 74 Reg. III/22,</p> <p>— SOLAS 74 Reg. III/32,</p> <p>— SOLAS 74 Reg. III/34,</p> <p>— IMO Res.MSC.36(63)-(1994 HSC Code) 8,</p> <p>— IMO Res.MSC.48(66)-(LSA Code) I,</p> <p>— IMO Res.MSC.48(66)-(LSA Code) II,</p> <p>— IMO Res.MSC.97(73)-(2000 HSC Code) 8.</p>				
<p>MED/1.2b</p> <p>—</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. III/4, SOLAS 74</p> <p>appliances:</p>	<p>—</p> <p>—</p>	<p>IMO B+D Res.MSC.81(70), as amended, EN 60945:2002 incl. IEC 60945</p>	<p>13.9.2019</p>	

(NEW ROW)	(b) for Reg. lifebuoys.	Corr. 1			
	Carriage and performance requirements	Or —	IMO Res.MSC.81(70),		
	— SOLAS 74		as amended,		
	— Reg. III/7, SOLAS 74		IEC 60945:2002		
	— Reg. III/22, SOLAS 74		incl. IEC 60945		
	— Reg. III/32, SOLAS 74		Corr. 1		
	— Reg. III/34, IMO Res.MSC.36(63)-(1994		(2008).		
	HSC Code) 8,				
	— IMO Res.MSC.48(66)-(LSA				
	Code) I,				
	— IMO Res.MSC.48(66)-(LSA				
	Code) II,				
	— IMO Res.MSC.97(73)-(2000				
	HSC Code) 8.				
MED/1.2c Position-indicating lights for life-saving appliances: (c) for lifejackets.	Type approval requirements	—	IMO Res. MSC.81(70),	B+D B+E	13.9.2022 (II)
	— SOLAS 74		as amended.		
	— Reg. III/4, SOLAS 74				

Status: This is the original version (as it was originally adopted).

	Reg. X/3.				
	Carriage and performance requirements				
	— SOLAS 74				
	— Reg. III/7, SOLAS 74				
	— Reg. III/22, SOLAS 74				
	— Reg. III/26, SOLAS 74				
	— Reg. III/32, SOLAS 74				
	— Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8,				
	— IMO Res.MSC.48(66)-(LSA Code) I,				
	— IMO Res.MSC.48(66)-(LSA Code) II,				
	— IMO Res.MSC.97(73)-(2000 HSC Code) 8.				
MED/1.2c Position-indicating lights for	Type approval requirements — SOLAS 74	—	IMO Res. MSC.81(70), as amended,	B+D B+E B+F),	13.9.2019

life-saving appliances: (c) for lifejackets. (NEW ROW)	—	Reg. III/4, SOLAS 74	—	EN 60945:2002 incl. IEC 60945		
		Reg. X/3.		Corr. 1 (2008).		
		Carriage and performance requirements	Or			
	—	SOLAS 74		IMO Res.MSC.81(70), as amended,		
	—	Reg. III/7, SOLAS 74		IEC 60945:2002 incl. IEC 60945		
	—	Reg. III/22, SOLAS 74		Corr. 1 (2008).		
	—	Reg. III/26, SOLAS 74				
	—	Reg. III/32, SOLAS 74				
	—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code)				
	—	IMO Res.MSC.48(66)-(LSA Code) I,				
—	IMO Res.MSC.48(66)-(LSA Code) II,					
—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.					

Status: This is the original version (as it was originally adopted).

MED/1.3 —	Type Lifebuoys approval self-activating smoke signals requirements SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	—	IMO B+D Res. B+E MSC.81(70), as amended.		
	Carriage and performance requirements — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)- (1994 HSC Code) 8, — IMO Res.MSC.48(66)- (LSA Code) I, — IMO Res.MSC.48(66)- (LSA Code) II, — IMO Res.MSC.97(73)- (2000 HSC Code) 8.				
MED/1.4 —	Type Lifebuoys approval requirements — SOLAS 74 Reg. III/4,	—	IMO B+D Res. B+E MSC.81(70), as amended.		

—	SOLAS 74 Reg. X/3.			
	Carriage and performance requirements			
—	SOLAS 74 Reg. III/7,			
—	SOLAS 74 Reg. III/22,			
—	SOLAS 74 Reg. III/34,			
—	IMO Res.MSC.36(63)- (1994 HSC Code) 8,			
—	IMO Res.MSC.48(66)- (LSA Code) I,			
—	IMO Res.MSC.48(66)- (LSA Code) II,			
—	IMO Res.MSC.97(73)- (2000 HSC Code) 8,			
—	IMO MSC/ Circ.922,			
—	IMO MSC.1/ Circ.1304,			
—	IMO MSC.1/ Circ.1470.			

Status: This is the original version (as it was originally adopted).

<p>MED/1.5a —</p> <p>Immersation suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket</p> <p>a)</p>	<p>Type —</p> <p>removal requirements —</p> <p>SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.</p> <p>Carriage and performance requirements —</p> <p>SOLAS 74 immersion suit without inherent insulation, —</p> <p>SOLAS 74 Reg. III/22, —</p> <p>SOLAS 74 Reg. III/32, —</p> <p>SOLAS 74 Reg. III/34, —</p> <p>IMO Res.MSC.36(63)-(1994 HSC Code) 8, —</p> <p>IMO Res.MSC.48(66)-(LSA Code) I, —</p> <p>IMO Res.MSC.48(66)-(LSA Code) II, —</p> <p>IMO Res.MSC.97(73)-(2000 HSC Code) 8,</p>	<p>—</p> <p>IMO Res. MSC.81(70), as amended.</p>	<p>B+D B+E B+F)</p>		
---	---	--	-----------------------------	--	--

	—	IMO MSC/ Circ.1046.			
MED/1.5b	Type	—	IMO	B+D	
—	Immersion approval requirements	—	Res.	B+E	
	suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.	MSC.81(70), as amended.		
	b)	Carriage and performance requirements			
		SOLAS 74 Reg. III/7, SOLAS 74 Reg. III/22, SOLAS 74 Reg. III/32, SOLAS 74 Reg. III/34,			
		— inherent insulation,			
		—			
		—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		
		—	IMO Res.MSC.48(66)-(LSA Code) II,		
		—	IMO Res.MSC.97(73)-(2000		

Status: This is the original version (as it was originally adopted).

		HSC Code) 8, IMO MSC/Circ.1046.			
MED/1.5c	Type	—	IMO Res. MSC.81(70), as amended.	B+D B+E B+F),	
—	Immediate removal suits and anti-exposure suits designed to be worn in conjunction WITH a lifejacket c)	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3. Carriage and performance requirements SOLAS 74 Reg. III/7, SOLAS 74 Reg. III/22, SOLAS 74 Reg. III/32, SOLAS 74 Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8, IMO Res.MSC.48(66)-(LSA Code) I, IMO Res.MSC.48(66)-(LSA Code) II,			

	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8,			
	—	IMO MSC/Circ.1046.			
MED/1.6a	Type	—	IMO Res. MSC.81(70), as amended.	B+D B+E B+F),	
—	Immersion approval suits and anti-exposure suits designed to be worn WITHOUT a lifejacket a)	—	IMO Res. MSC.81(70), as amended.	B+D B+E B+F),	
	—	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.			
	—	Carriage and performance requirements immersion suit without inherent insulation			
	—	SOLAS 74 Reg. III/7, SOLAS 74 Reg. III/22, SOLAS 74 Reg. III/32, SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-			

Status: This is the original version (as it was originally adopted).

		(LSA Code)			
		— II, IMO Res.MSC.97(73)-(2000 HSC Code)			
		— 8, IMO MSC/Circ.1046.			
MED/1.6b	Type	—	IMO Res. MSC.81(70), as amended.	B+D B+E B+F),	
—	Immersion suits and anti-exposure suits designed to be worn WITHOUT a lifejacket b)	— approval requirements			
		— SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.			
		— Carriage and performance requirements immersion suit with inherent insulation			
		— SOLAS 74 Reg. III/7, SOLAS 74 Reg. III/22, SOLAS 74 Reg. III/32, SOLAS 74 Reg. III/34,			
		— IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
		— IMO Res.MSC.48(66)-(LSA			

		Code) I, — IMO Res.MSC.48(66)- (LSA Code) II, — IMO Res.MSC.97(73)- (2000 HSC Code) 8, — IMO MSC/ Circ.1046.			
MED/1.6c —	Type — Immediate removal suits and anti- exposure suits designed to be worn WITHOUT a lifejacket c)	— SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3. Carriage and performance requirements and — SOLAS 74 Reg. III/7, — SOLAS 74 Reg. III/22, — SOLAS 74 Reg. III/32, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)- (1994 HSC Code) 8,	— IMO Res. MSC.81(70), as amended.	B+D B+E B+F),	

Status: This is the original version (as it was originally adopted).

	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) II,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8,			
	—	IMO MSC/Circ.1046.			
MED/1.7	Type	—	IMO Res. MSC.81(70), as amended.	B+D B+E B+F	
—	Thermal protection aids	— SOLAS 74 Reg. III/4,			
		— SOLAS 74 Reg. X/3.			
	Carriage and performance requirements	— SOLAS 74 Reg. III/22,			
		— SOLAS 74 Reg. III/32,			
		— SOLAS 74 Reg. III/34,			
		— IMO Res.MSC.36(63)-(1994 HSC Code) 8,			

	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) II,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8,			
	—	IMO MSC/Circ.1046.			
MED/1.8	Type approval requirements	—	IMO Res. MSC.81(70), as amended.	B+D B+E B+F)	
—	Rocket parachute flares (pyrotechnics)	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.			
	Carriage and performance requirements	—			
	—	SOLAS 74 Reg. III/6,			
	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			

Status: This is the original version (as it was originally adopted).

		—	IMO Res.MSC.48(66)-(LSA Code) III,			
		—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.			
MED/1.9	Type approval requirements (pyrotechnics)	—	IMO Res.MSC.31(70), as amended.	B+D B+E		
—	Hand flares	—	SOLAS 74 Reg. III/4,			
		—	SOLAS 74 Reg. X/3.			
	Carriage and performance requirements	—	SOLAS 74 Reg. III/34,			
		—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
		—	IMO Res.MSC.48(66)-(LSA Code) I,			
		—	IMO Res.MSC.48(66)-(LSA Code) III,			
		—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.			

<p>MED/1.10 —</p>	<p>Type approval requirements Buoyant smoke signals (pyrotechnics)</p> <p>— SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.</p> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/34, IMO Res.MSC.48(66)-(LSA Code) I, IMO Res.MSC.48(66)-(LSA Code) III.</p>	<p>—</p>	<p>IMO Res. MSC.81(70), as amended.</p>	<p>B+D B+E B+F)</p>	
<p>MED/1.11 —</p>	<p>Type approval requirements Line-throwing appliances</p> <p>— SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.</p> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/18, SOLAS 74 Reg. III/34,</p>	<p>—</p>	<p>IMO Res. MSC.81(70), as amended.</p>	<p>B+D B+E B+F)</p>	

Status: This is the original version (as it was originally adopted).

	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) VII,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.			
MED/1.12	Type approval requirements	—	IMO Res.MSC.1(70), as amended.	B+D B+F	
—	Inflatable liferafts	—	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.	And for extended service intervals: —	
	Carriage and performance requirements	—	IMO MSC.1/Circ.1328.		
	—	SOLAS 74 Reg. III/13,			
	—	SOLAS 74 Reg. III/21,			
	—	SOLAS 74 Reg. III/26,			
	—	SOLAS 74 Reg. III/31,			

	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) IV,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8,			
	—	IMO MSC/Circ.811,			
	—	IMO MSC.1/Circ.1328.			
MED/1.13	Type approval requirements	—	IMO Res. MSC.81(70), as amended,	B+D B+E B+F)	
—	Rigid liferafts	—			
	—	SOLAS 74 Reg. III/4,			
	—	SOLAS 74 Reg. X/3.			
	Carriage and performance requirements	—			
	—	SOLAS 74 Reg. III/21,			
	—	SOLAS 74			

Status: This is the original version (as it was originally adopted).

		—	Reg. III/26, SOLAS 74		
		—	Reg. III/31, SOLAS 74		
		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		
		—	IMO Res.MSC.48(66)-(LSA Code) IV,		
		—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.		
MED/1.14	Type	—	IMO Res. MSC.81(70), as amended.	B+D B+E B+F)	
—	Automatically self-righting life rafts	—	And for extended service intervals: IMO MSC.1/Circ.1328.		
	Carriage and performance requirements	—			
	—	—	SOLAS 74		
	—	—	Reg. III/26, SOLAS 74		

		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8, IMO Res.MSC.48(66)-(LSA Code) I, IMO Res.MSC.48(66)-(LSA Code) IV, IMO Res.MSC.97(73)-(2000 HSC Code) 8, IMO MSC/Circ.809, IMO MSC/Circ.811, IMO MSC.1/Circ.1328.			
MED/1.15	Type approval requirements for reversible canopies and liferafts	—	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.	IMO B+D Res.MSC.81(70), as amended.		
	Carriage and performance requirements	—	SOLAS 74 Reg. III/26,	IMO MSC.1/Circ.1328.		

Status: This is the original version (as it was originally adopted).

	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) IV,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8,			
	—	IMO MSC/Circ.809,			
	—	IMO MSC/Circ.811,			
	—	IMO MSC.1/Circ.1328.			
MED/1.16	Type	—	IMO B+D		
—	Float-free arrangements for liferafts (hydrostatic release units)	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.	Res.MSC.81(70), as amended.	B+F	
	Carriage and performance requirements	— SOLAS 74			

		—	Reg. III/13, SOLAS 74		
		—	Reg. III/26, SOLAS 74		
		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code)		
		—	8, IMO Res.MSC.48(66)-(LSA Code)		
		—	I, IMO Res.MSC.48(66)-(LSA Code)		
		—	IV, IMO Res.MSC.97(73)-(2000 HSC Code)		
		—	8, IMO MSC/Circ.811.		
MED/1.17a	Type	—	IMO B+D		
—	Lifeboat approval requirements (a)	—	IMO Res.MSC.81(70), as amended,		
	— launch SOLAS 74	—	IMO MSC/Circ.1006.		
	— Reg. III/4, SOLAS 74 enclosed.				
	— SOLAS 74 enclosed.				
	Reg. X/3.				
	Carriage and performance requirements	—			
	— SOLAS 74				

Status: This is the original version (as it was originally adopted).

	—	Reg. III/21, SOLAS 74			
	—	Reg. III/31, SOLAS 74			
	—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) IV,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8,			
	—	IMO MSC.1/Circ.1423.			
MED/1.17b	Type	—	IMO B+D		
—	Lifeboat approval requirements (b)	—	Res.MSC.81(70), as amended,		
	— fall lifeboats	— SOLAS 74	IMO MSC/		
	—	Reg. III/4, SOLAS 74	Circ.1006.		
	—	Reg. X/3.			
	Carriage and performance requirements	—			
	—	SOLAS 74			

		—	Reg. III/21, SOLAS 74		
		—	Reg. III/31, SOLAS 74		
		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code)		
		—	8, IMO Res.MSC.48(66)-(LSA Code)		
		—	I, IMO Res.MSC.48(66)-(LSA Code)		
		—	IV, IMO Res.MSC.97(73)-(2000 HSC Code)		
		—	8, IMO MSC.1/Circ.1423.		
MED/1.18	Type	—	IMO B+D		
—	Rigid approval	—	Res.MSC.81(70),		
	rescuerequirements	—	as G amended,		
	boats	—	IMO MSC/Circ.1006.		
		—	SOLAS 74		
		—	Reg. III/4, SOLAS 74		
		—	Reg. X/3.		
	Carriage and performance requirements	—	SOLAS 74		

Status: This is the original version (as it was originally adopted).

		—	Reg. III/21, SOLAS 74		
		—	Reg. III/31, SOLAS 74		
		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		
		—	IMO Res.MSC.48(66)-(LSA Code) V,		
		—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.		
MED/1.19	Type approval requirements	—	IMO Res.MSC.81(70), as amended, ISO 15372:2000.	B+D G	
—	Inflatable rescue boats	—	SOLAS 74		
		—	Reg. III/4, SOLAS 74		
		—	Reg. X/3.		
	Carriage and performance requirements	—	SOLAS 74		
		—	Reg. III/21, SOLAS 74		

		—	Reg. III/31, SOLAS 74		
		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		
		—	IMO Res.MSC.48(66)-(LSA Code) V,		
		—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.		
MED/1.20a	Type approval requirements	—	IMO Res.MSC.81(70), as amended, ISO 15372:2000.	B+D	
—	Fast rescue boats (a)	—	SOLAS 74 Reg. III/4.	B+D	
	Carriage and performance requirements	—	SOLAS 74 Reg. III/26,		
		—	SOLAS 74 Reg. III/34,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		

Status: This is the original version (as it was originally adopted).

	—	IMO Res.MSC.48(66)-(LSA Code) V,			
	—	IMO MSC/Circ.1016,			
	—	IMO MSC/Circ.1094.			
MED/1.20b	Type approval requirements	—	IMO Res.MSC.48(66)-(LSA Code) V,	B+D	
—	Fast rescue boats (b)	—	IMO Res.MSC.48(66)-(LSA Code) V,	MSC.81(70),	
	rigid,	—	IMO MSC/Circ.1006.	as amended,	
	74 Reg. III/4.			G	
	Carriage and performance requirements				
	—	SOLAS 74 Reg. III/26,			
	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) V,			
	—	IMO MSC/Circ.1016,			
	—	IMO MSC/Circ.1094.			
MED/1.20c	Type approval requirements	—	IMO Res.MSC.48(66)-(LSA Code) V,	B+D	
—	Fast rescue boats (c)	—	IMO Res.MSC.48(66)-(LSA Code) V,	MSC.81(70),	
	rigid-inflated.		IMO MSC/Circ.1006.	as amended,	
	74 Reg. III/4.			G	

		Reg. III/4.	—	IMO MSC/Circ.1006, ISO 15372:2000.		
		Carriage and performance requirements	—			
		— SOLAS 74				
		— Reg. III/26, SOLAS 74				
		— Reg. III/34, IMO Res.MSC.48(66)-(LSA Code)				
		— I, IMO Res.MSC.48(66)-(LSA Code)				
		— V, IMO MSC/Circ.1016,				
		— IMO MSC/Circ.1094.				
MED/1.21	Type approval requirements using falls (davits)	— SOLAS 74	—	IMO Res.MSC.81(70), as amended.	B+D B+F C.	
		— Reg. III/4, SOLAS 74				
		— Reg. X/3.				
		Carriage and performance requirements				
		— SOLAS 74				
		— Reg. III/23, SOLAS 74				
		— Reg. III/33,				

Status: This is the original version (as it was originally adopted).

	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)- (1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)- (LSA Code) I,			
	—	IMO Res.MSC.48(66)- (LSA Code) VI,			
	—	IMO Res.MSC.97(73)- (2000 HSC Code) 8.			
Item MED/1.22, Float-free launching appliances for survival craft, - moved to MED/9/1.3.					
MED/1.23	Type	—	IMO	B+D	
—	Launch approval appliances for free- fall lifeboats	— SOLAS 74 Reg. III/4,	Res.MSC.101 as amended.	MSC.101(70), B+F Cd.	
	—	SOLAS 74 Reg. X/3.			
	Carriage and performance requirements	—			
	—	SOLAS 74 Reg. III/16,			
	—	SOLAS 74 Reg. III/23,			
	—	SOLAS 74			

		—	Reg. III/33, SOLAS 74		
		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		
		—	IMO Res.MSC.48(66)-(LSA Code) VI,		
		—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.		
MED/1.24	Type	—	IMO B+D		
—	Lifera approval launching appliances	—	Res.MSC.81(70), as amended.	B+F	
(Davits)	requirements SOLAS 74			Gd.	
	—		Reg. III/4, SOLAS 74		
	—		Reg. X/3.		
	Carriage and performance requirements				
	—		SOLAS 74		
	—		Reg. III/12, SOLAS 74		
	—		Reg. III/16, SOLAS 74		

Status: This is the original version (as it was originally adopted).

		—	Reg. III/34, IMO Res.MSC.36(63)-(1994 HSC Code) 8,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		
		—	IMO Res.MSC.48(66)-(LSA Code) VI,		
		—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.		
MED/1.25	Type approval requirements	—	IMO Res.MSC.48(66)-(LSA Code) I,	B+D	
—	Fast rescue boat launching appliances (Davits)	—	SOLAS 74 Reg. III/4.	MSC.81(70), as amended.	
	Carriage and performance requirements	—	SOLAS 74 Reg. III/26,		
		—	SOLAS 74 Reg. III/34,		
		—	IMO Res.MSC.48(66)-(LSA Code) I,		
		—	IMO Res.MSC.48(66)-(LSA		

	Code)			
	VI.			
MED/1.26a	Type	—	IMO B+D	
—	Release approval		Res.MSC.81(70),	
	mechanical requirements		as B+F	
	for SOLAS		amended.	
(a)	— Lifeboats and Reg. III/4,			
	— boats SOLAS			
	(Launched by a fall			
	of Carriage and performance requirements			
	— SOLAS 74 Reg. III/16,			
	— SOLAS 74 Reg. III/34,			
	— IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	— IMO Res.MSC.48(66)-(LSA Code) I,			
	— IMO Res.MSC.48(66)-(LSA Code) IV,			
	— IMO Res.MSC.97(73)-(2000 HSC Code) 8,			
	— IMO MSC.1/Circ.1419.			

Status: This is the original version (as it was originally adopted).

<p>MED/1.26b — Release approval mechanism for (b)</p>	<p>Type approval requirements — SOLAS Liferails (Launched by a fall or falls), X/3.</p>	<p>—</p>	<p>IMO B+D Res.MSC.81(70), as amended.</p>	<p>B+D MSC.81(70), B+F</p>		
	<p>Carriage and performance requirements — SOLAS 74 Reg. III/16, — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)-(1994 HSC Code) 8, — IMO Res.MSC.48(66)-(LSA Code) I, — IMO Res.MSC.48(66)-(LSA Code) IV, — IMO Res.MSC.97(73)-(2000 HSC Code) 8,</p>	<p>—</p>	<p>IMO B+D Res.MSC.81(70), as amended.</p>	<p>B+D MSC.81(70), B+F</p>		
<p>MED/1.26c — Release approval mechanism for (c)</p>	<p>Type approval requirements — SOLAS Free fall lifeboats</p>	<p>—</p>	<p>IMO B+D Res.MSC.81(70), as amended.</p>	<p>B+D MSC.81(70), B+F</p>		

	—	SOLAS 74 Reg. X/3.			
		Carriage and performance requirements			
	—	SOLAS 74 Reg. III/16,			
	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)- (1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)- (LSA Code) I,			
	—	IMO Res.MSC.48(66)- (LSA Code) IV,			
	—	IMO Res.MSC.97(73)- (2000 HSC Code) 8.			
MED/1.27	Type	—	IMO	B+D	
—	Marine approval evacuation systems	—	Res.MSC.81(70), as amended.	B+D G	
	—	SOLAS 74 Reg. III/4,			
	—	SOLAS 74 Reg. X/3.			
		Carriage and performance requirements			

Status: This is the original version (as it was originally adopted).

	—	SOLAS 74 Reg. III/15,			
	—	SOLAS 74 Reg. III/26,			
	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) VI,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.			
MED/1.28	Type approval of rescue	—	IMO Res.MSC.81(70), as amended, IMO MSC/Circ.810.	B+D	
—	Carriage and performance requirements	—			
	—	SOLAS 74 Reg. III/26,			
	—	SOLAS 74 Reg. III/34,			

	—	IMO Res.MSC.48(66)-(LSA Code)			
	—	IMO Res.MSC.48(66)-(LSA Code) VI.			
MED/1.29	Type	—	IMO B+D		
—	Embarkation ladders	—	Res.MSC.81(70), as amended, ISO 5489:2008.		
	approval requirements	—			
	—	SOLAS 74 Reg. III/4,			
	—	SOLAS 74 Reg. III/11,			
	—	SOLAS 74 Reg. X/3.			
	Carriage and performance requirements	—			
	—	SOLAS 74 Reg. III/11,			
	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code),			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) VI,			

Status: This is the original version (as it was originally adopted).

	—	IMO Res.MSC.97(73)-(2000 HSC Code),				
	—	IMO MSC.1/Circ.1285.				
MED/1.30	Type	—	IMO B+D			
—	Retro-approval requirements		Res. A.658(16),	B+E		
	reflective materials	SOLAS 74 Reg. III/4,	as amended.			
		— SOLAS 74 Reg. X/3.				
	Carriage and performance requirements					
	—	SOLAS 74 Reg. III/34,				
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,				
	—	IMO Res.MSC.48(66)-(LSA Code) I,				
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.				

Item MED/1.31, Survival craft two-way VHF radio telephone apparatus, — moved to MED/5.17 and MED/5.18.

Item MED/1.32, 9 GHz SAR transponder (SART), — moved to MED/4.18.

MED/1.33	Type	—	EN B+D			
—	Radar approval requirements		ISO 8729:1998,	B+E		
	for					

(passive)	lifeboats and rescue boats	SOLAS 74 Reg. III/4,	EN 60945:2002	
	—	SOLAS 74 Reg. X/3.	incl. IEC 60945 Corr. 1 (2008),	
	—	Or, Carriage and performance requirements	EN ISO 8729:1998,	
	—	SOLAS 74 Reg. III/34,	IEC 60945:2002	
	—	IMO Res.A.384(X),	incl. IEC 60945	
	—	IMO Res.MSC.36(63) (1994	Corr. 1 (2008),	
	—	Or, HSC Code) 8,	ISO 8729-1:2010,	
	—	IMO Res.MSC.48(66) (LSA Code) I,	EN 60945:2002	
	—	IMO Res.MSC.48(66) (LSA Code) Or,	incl. IEC 60945	
	—	IMO Res.MSC.48(66) (LSA Code) IV,	Corr. 1 (2008),	
—	IMO Res.MSC.48(66) (LSA Code) V,	ISO 8729-1:2010,		
—	IMO Res.MSC.97(73) (2000	IEC 60945:2002		
—	HSC Code) 8,	incl. IEC 60945		
—	IMO Res.MSC.164(78).	Corr. 1 (2008).		

Item MED/1.34, Magnetic compass Class B for lifeboats and rescue boats, - moved to MED/4.23.

Item MED/1.35, Portable fire-extinguishing equipment for lifeboats and rescue boats — moved to MED/3.38.

Status: This is the original version (as it was originally adopted).

<p>MED/1.36 —</p> <p>Lifeboat rescue boat propulsion engine</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. III/4,</p> <p>— SOLAS 74 Reg. X/3.</p> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/34,</p> <p>— IMO Res.MSC.48(66)-(LSA Code) IV,</p> <p>— IMO Res.MSC.48(66)-(LSA Code) V.</p>	<p>—</p>	<p>IMO Res.MSC.81(70), as amended.</p>	<p>B+D B+F</p>		
<p>MED/1.37 —</p> <p>Rescue boat propulsion engine outboard motor</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. III/4,</p> <p>— SOLAS 74 Reg. X/3.</p> <p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/34,</p> <p>— IMO Res.MSC.48(66)-(LSA Code) V.</p>	<p>—</p>	<p>IMO Res.MSC.81(70), as amended.</p>	<p>B+D B+F</p>		

MED/1.38	Type	—	IMO	B+D	13.9.2022
— Searchlights for use in lifeboats and rescue boats	Type approval requirements — SOLAS 74 Reg. III/4, — SOLAS 74 Reg. X/3.	—	Res.MSC.81 as amended.	BCE1(70), B+F	
	Carriage and performance requirements — SOLAS 74 Reg. III/34, — IMO Res.MSC.36(63)- (1994 HSC Code) 8, — IMO Res.MSC.48(66)- (LSA Code) I, — IMO Res.MSC.48(66)- (LSA Code) IV, — IMO Res.MSC.48(66)- (LSA Code) V, — IMO Res.MSC.97(73)- (2000 HSC Code) 8.	—			
MED/1.38	Type	—	IMO	B+D	13.9.2019
— Searchlights for use in lifeboats	Type approval requirements — SOLAS 74	—	Res.MSC.81 as amended, EN 60945:2002	BCE1(70), B+F	

Status: This is the original version (as it was originally adopted).

<p>and rescue boats (NEW ROW)</p>	<p>— Reg. III/4, SOLAS 74 Reg. X/3.</p>	<p>incl. IEC 60945 Corr. 1 (2008).</p>		
	<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/34, IMO Res.MSC.36(63) (1994 HSC Code) 8, IMO Res.MSC.48(66)-(LSA Code) I, IMO Res.MSC.48(66)-(LSA Code) IV, IMO Res.MSC.48(66)-(LSA Code) V, IMO Res.MSC.97(73)-(2000 HSC Code) 8.</p>	<p>Or</p> <p>— IMO Res.MSC.81(70), as amended, IEC 60945:2002 incl. IEC 60945 Corr. 1 (2008).</p>		
<p>MED/1.39</p> <p>— Open approval reversible life rafts</p>	<p>Type approval requirements</p> <p>— SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.</p>	<p>—</p>	<p>IMO B+D Res.MSC.36(63)-(1994 HSC Code) Annex 10, IMO Res.MSC.97(73)-(2000 HSC Code)</p>	

	Carriage and performance requirements	—	IMO Res.MSC.36(63)- (1994 HSC Code) 8,	Annex 11, And for extended service intervals: IMO MSC.1/ Circ.1328.		
		—	IMO Res.MSC.36(63)- (1994 HSC Code) Annex 10,			
		—	IMO Res.MSC.48(66)- (LSA Code) I,			
		—	IMO Res.MSC.97(73)- (2000 HSC Code) 8,			
		—	IMO Res.MSC.97(73)- (2000 HSC Code) Annex 11,			
		—	IMO MSC.1/ Circ.1328.			
Item MED/1.40, Mechanical pilot hoist, — moved to MED/4.48.						
MED/1.41a	Type approval for requirements survival-craft and rescue boats:	—	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.	IMO Res.MSC.1(70), as amended.	B+D B+F D.	
(a)	davit launch lifeboats					

Status: This is the original version (as it was originally adopted).

	Carriage and performance requirements			
	— SOLAS 74 Reg. III/16,			
	— SOLAS 74 Reg. III/23,			
	— SOLAS 74 Reg. III/24,			
	— SOLAS 74 Reg. III/34,			
	— IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	— IMO Res.MSC.48(66)-(LSA Code) I,			
	— IMO Res.MSC.48(66)-(LSA Code) VI,			
	— IMO Res.MSC.97(73)-(2000 HSC Code) 8.			
MED/1.41b	Type	—	IMO B+D	
—	Winch approval requirements for survival-craft and rescue boats:		Res.MSC.1(70), as amended.	
(b)	free-fall lifeboats	— SOLAS 74 Reg. III/4,	B+F	
		SOLAS 74 Reg. X/3.		

		<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/16,</p> <p>— SOLAS 74 Reg. III/23,</p> <p>— SOLAS 74 Reg. III/24,</p> <p>— SOLAS 74 Reg. III/34,</p> <p>— IMO Res.MSC.48(66)-(LSA Code) I,</p> <p>— IMO Res.MSC.48(66)-(LSA Code) VI.</p>				
MED/1.41c	Type approval requirements for survival-craft and rescue boats: (c)	<p>— SOLAS 74 Reg. III/4,</p> <p>— SOLAS 74 Reg. X/3.</p>	—	IMO B+D Res.MSC.81(70), as amended.		
		<p>Carriage and performance requirements</p> <p>— SOLAS 74 Reg. III/16,</p> <p>— SOLAS 74 Reg. III/17,</p>				

Status: This is the original version (as it was originally adopted).

	—	SOLAS 74 Reg. III/23,			
	—	SOLAS 74 Reg. III/24,			
	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) VI,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.			
MED/1.41d	Type	—	IMO B+D	B+D	
—	Winch approval for survival craft and rescue boats: (d)	SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.	Res.MSC.81(70), as amended.	B+F Gd.	
	Carriage and performance requirements	—			
		SOLAS 74 Reg. III/16,			

	—	SOLAS 74 Reg. III/17,			
	—	SOLAS 74 Reg. III/23,			
	—	SOLAS 74 Reg. III/34,			
	—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
	—	IMO Res.MSC.48(66)-(LSA Code) I,			
	—	IMO Res.MSC.48(66)-(LSA Code) VI,			
	—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.			
MED/1.41e	Type	—	IMO B+D		
—	Winch approval for survival craft and rescue boats: (e)	— SOLAS 74 Reg. III/4, SOLAS 74 Reg. X/3.	Res.MSC.81(70), as amended.	B+C B+F Gd.	
	Carriage and performance requirements	— SOLAS 74 Reg. III/16,			

Status: This is the original version (as it was originally adopted).

—	SOLAS 74 Reg. III/17,			
—	SOLAS 74 Reg. III/23,			
—	SOLAS 74 Reg. III/34,			
—	IMO Res.MSC.36(63)-(1994 HSC Code) 8,			
—	IMO Res.MSC.48(66)-(LSA Code) I,			
—	IMO Res.MSC.48(66)-(LSA Code) VI,			
—	IMO Res.MSC.97(73)-(2000 HSC Code) 8.			

Item MED/1.42, Pilot ladder, — moved to MED/4.49.

MED/1.43	Type	—	IMO B+D		
—	Rigid/inflatable rescue boats	—	Res.MSC.81(70), as amended, IMO MSC/Circ.1006, ISO 15372:2000.		
	approval requirements	—			
	requirements	—			
	SOLAS 74 Reg. III/4,	—			
	SOLAS 74 Reg. X/3.	—			
	Carriage and performance requirements	—			
	SOLAS 74	—			

Status: This is the original version (as it was originally adopted).

—	Reg. III/21, SOLAS 74			
—	Reg. III/31, SOLAS 74			
—	Reg. III/34, IMO Res.MSC.36(63)- (1994 HSC Code) 8,			
—	IMO Res.MSC.48(66)- (LSA Code)			
—	IMO Res.MSC.48(66)- (LSA Code)			
—	V, IMO Res.MSC.97(73)- (2000 HSC Code) 8.			