Commission Implementing Regulation (EU) 2019/2072 of 28 November 2019 establishing uniform conditions for the implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protective measures against pests of plants, and repealing Commission Regulation (EC) No 690/2008 and amending Commission Implementing Regulation (EU) 2018/2019

#### COMMISSION IMPLEMENTING REGULATION (EU) 2019/2072

#### of 28 November 2019

establishing uniform conditions for the implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protective measures against pests of plants, and repealing Commission Regulation (EC) No 690/2008 and amending Commission Implementing Regulation (EU) 2018/2019

#### THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) 2016/2031 of the European Parliament and the Council of 26 October 2016 on protective measures against pests of plants, amending Regulations (EU) No 228/2013, (EU) No 652/2014 and (EU) No 1143/2014 of the European Parliament and of the Council and repealing Council Directives 69/464/EEC, 74/647/EEC, 93/85/EEC, 98/57/ EC, 2000/29/EC, 2006/91/EC and 2007/33/EC<sup>(1)</sup>, and in particular Article 5(2), Article 32(2), Article 37(2), Article 37(4), Article 40(2), Article 41(2), Article 53(2), Article 54(2), Article 72(1), Article 73, Article 79(2) and Article 80(2) thereof,

Whereas:

- (1) Regulation (EU) 2016/2031 is to apply from 14 December 2019. In order for its provisions to become fully effective, implementing rules are to be adopted regulating the pests, plants, plant products and other objects, as well as respective requirements needed to protect the Union territory from phytosanitary risks.
- (2) In view of this, specific rules should be set out in order to list the Union quarantine pests, the protected zone quarantine pests and the Union regulated non-quarantine pests, as well as measures to prevent their presence in the respective territories of the Union or on plants for planting.
- (3) The pests listed in Part A of Annex I to Council Directive 2000/29/EC<sup>(2)</sup> and Section I of Part A of Annex II to that Directive have been reassessed by the European Food Safety Authority (EFSA) in order to set up the list of Union quarantine pests pursuant to Article 5 of Regulation (EU) 2016/2031. The reassessment was necessary to update the phytosanitary status of those pests in accordance with the most recent technical and scientific developments, and also to assess their compliance with the criteria of Article 3 of that Regulation in respect of the Union territory and Section 1 of Annex I thereto.
- (4) As a result of that reassessment, some pests listed in Annexes I and II to Directive 2000/29/EC should not be included in the list of Union quarantine pests because they

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

do not fulfil the conditions provided for in Article 3 of Regulation (EU) 2016/2031 in respect of the Union territory.

- (5) Certain other pests, some of which are listed in Annexes I and II to Directive 2000/29/ EC, have been found to fulfil the conditions provided for in Article 3 of Regulation (EU) 2016/2031 in respect of the Union territory, therefore they should be included in the list of Union quarantine pests.
- (6) As a result of the reassessment, some of the pests listed in Annexes I and II to Directive 2000/29/EC as pests not known to occur in the Union territory, should be included in the list of Union quarantine pests as pests known to occur in the Union territory, due to their established presence in certain parts of it.
- (7) The names of certain pests should be updated to reflect the latest developments of the international nomenclature. Those pests are to be listed together with the respective codes assigned by the European and Mediterranean Plant Protection Organisation ('EPPO'). This is necessary to ensure the identification of those pests, even in case of potential change of their names in the future.
- (8) The protected zones recognised in accordance with Commission Regulation (EC) No 690/2008<sup>(3)</sup> and the respective pests listed in Part B of Annex I and Part B of Annex II to Directive 2000/29/EC have been reassessed by the Commission. The purpose of that reassessment was to conclude whether the respective pests correspond to the description of protected zone quarantine pest in Article 32(1) of Regulation (EU) 2016/2031.
- (9) That reassessment has been based on the respective applications by Member States to recognise, amend or revoke protected zones, regular survey reports submitted by the Member States, Commission inspections and several other scientific and technical data.
- (10) Certain pests, some of which are listed in Annexes I and II to Directive 2000/29/EC, have been found to fulfil the conditions provided for in Article 32(1) of Regulation (EU) 2016/2031, therefore they should be included in the list of protected zone quarantine pests. Those pests should be listed together with the respective codes assigned by EPPO, in order to ensure the identification of those pests, even in case of potential change of their names in the future.
- (11) Regulation (EC) No 690/2008 should be repealed to avoid overlaps with the listing of protected zones in this Regulation.
- (12) EPPO has made a reassessment of the pests listed in Section II of Part A of Annex II to Directive 2000/29/EC, the crops under point 3 and the pests under point 6 of Annex I to Directive 66/401/EEC<sup>(4)</sup>, as well as the pests under point 3 of Annex II to Council Directive 66/402/EEC<sup>(5)</sup>, Annex I to Council Directive 68/193/EEC<sup>(6)</sup>, as well as the pests listed in the acts adopted pursuant to Article 5(5) of Council Directive 98/56/EC<sup>(7)</sup>, Annex II to Council Directive 2002/55/EC<sup>(8)</sup>, Annex I and point B of Annex II to Council Directive 2002/56/EC<sup>(9)</sup>, and the acts adopted pursuant to point (c) of Article 18 of that Directive, point 4 of Annex I and point 5 of Part I of Annex II to Council Directive 2008/72/EC<sup>(10)</sup>, the acts adopted pursuant to Article 4 of Council Directive 2008/72/EC<sup>(11)</sup> and the acts adopted pursuant to Article 4 of Council Directive 2008/90/EC<sup>(12)</sup>.

- (13) That reassessment was necessary to update the phytosanitary status of those pests in accordance with the most recent technical and scientific developments, and also to assess their compliance with the respective criteria of Article 36 of Regulation (EU) 2016/2031, in respect of the Union territory, and Section 4 of Annex I thereto.
- (14) Certain pests, some of which are listed in those Directives, have been found to fulfil the conditions provided for in Article 36 of Regulation (EU) 2016/2031 in respect of the Union territory, and should therefore be included in the list of Union regulated nonquarantine pests ('RNQPs'). In accordance with Article 37(7) of that Regulation, that list is to provide for specific categories of relevant plants for planting referred to in Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 2002/55/EC, 2002/56/EC, 2002/57/ EC, 2008/72/EC and 2008/90/EC.
- (15) In certain cases, the respective plants for planting should not be introduced into, or moved within, the Union territory if the presence of the RNQPs or symptoms caused by RNQPs on them is above a certain threshold, as set out in Article 37(8) of Regulation (EU) 2016/2031. As set out further by that Article, that threshold is only to be set where it is possible for professional operators to ensure that the incidence of that RNQP on those plants for planting does not exceed that threshold and it is possible to verify whether that threshold is not exceeded in lots of those plants for planting.
- (16) In accordance with Article 37(4) of Regulation (EU) 2016/2031, measures to prevent the presence of RNQPs on the plants for planting concerned, are to apply without prejudice to the measures adopted pursuant to Directives 66/401/EEC, 66/402/ EEC, 98/56/EC, 1999/105/EC, 2002/54/EC, 2002/55/EC, 2002/56/EC, 2002/57/EC, 2008/72/EC and 2008/90/EC. Therefore, this Regulation should not affect the measures, adopted pursuant to those Directives, concerning inspections, sampling and testing of the plants for planting concerned, or the plants from which they originate, the origin of the plants for planting concerned from areas or sites free from, or with physical protection from, the RNQPs concerned, treatments of the plants for planting concerned, or the plants for planting.
- (17) Moreover, the provisions of this Regulation concerning RNQPs should not affect the exceptions for plants for planting, adopted pursuant to those Directives, from marketing requirements set out by those Directives concerning the supply of seed to official testing and inspection bodies, the supply of plants to providers of certain services, the movement of plants intended for scientific purposes, selection work, other tests or trial purposes, seed not finally certified, seeds subject to the exceptions of the provisions of Implementing Decision (EU) 2017/478<sup>(13)</sup> and plants shown to be intended for export.
- (18) The introduction into the Union of the plants, plant products and other objects, from all or certain third countries, as listed in Part A of Annex III to Directive 2000/29/EC is prohibited.
- (19) Those plants, plants products and other objects have been reviewed on the basis of any new evidence, their pest risk for the Union territory and the update of the list of Union quarantine pests.

- (20) On the basis of that review, certain of those plants, plant products and other objects are therefore to be listed pursuant to Article 40(2) of Regulation (EU) 2016/2031, together with the third countries, groups of third countries or specific areas of third countries to which that prohibition applies. Such prohibition is necessary because the phytosanitary protection of the Union cannot be guaranteed by applying less stringent measures in this regard.
- (21) In view of the reassessment of Union quarantine pests, new provisions for the introduction into the Union of certain plants, plant products and other objects, and the respective special requirements, and provisions for the movement within the Union of certain plants, plant products and other objects, and the respective special requirements should be adopted pursuant to Article 41(2) of Regulation (EU) 2016/2031.
- (22) The indication of CN codes should not be obligatory for the listing of the plants, plant products and other objects subject to special requirements for movement within the Union territory. This would be a proportionate approach because the CN codes are only necessary for the identification of those plants, plant products or other objects when they are introduced into the Union from a third country. Such approach would be also be in line with Article 80 of Regulation (EU) 2016/2031 pursuant to which no such codes are provided for the listing of those plants, plant products and other objects, for which a plant passport is required.
- (23) The introduction of plants, plant products and other objects is prohibited in their respective protected zones and, where applicable, with regard to their third country of origin, as listed in Part B of Annex III to Directive 2000/29/EC. Moreover, the plants, plant products and other objects, as listed in Part B of Annex IV to Directive 2000/29/EC, may only be introduced into the respective protected zones if they fulfil the respective special requirements.
- (24) Those plants, plant products and other objects have been reviewed on the basis of any new evidence, their pest risk for the respective protected zones and the update of the list of the protected zones quarantine pests and the protected zones.
- (25) On the basis of that review, certain of those plants, plant products and other objects, and the respective protected zones, should be listed in this Regulation as provided for in Article 53(2) of Regulation (EU) 2016/2031, together with the third countries and groups of third countries of origin to which that prohibition applies.
- (26) Moreover, certain of those plants, plant products and other objects, and the respective protected zones and special requirements, should be listed in this Regulation as provided for in Article 54(2) of Regulation (EU) 2016/2031.
- (27) A list of plants, plant products and other objects for which a phytosanitary certificate is required for introduction into the Union territory, and the respective third countries of origin or dispatch, is to be established pursuant to Article 72(1) of Regulation (EU) 2016/2031.
- (28) Implementing Regulation (EU) 2018/2019 requires a phytosanitary certificate for the introduction into the Union territory of plants, other than the plants included in the

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

list referred to in Article 72(1), pursuant to the first subparagraph of Article 73 of Regulation (EU) 2016/2031. However, certain fruits have been found to fulfil the criteria set out in Annex VI to Regulation (EU) 2016/2031 and identified as plants which do not require a phytosanitary certificate. A phytosanitary certificate should therefore not be required for the introduction into the Union of the fruits listed in Annex II of Implementing Regulation (EU) 2018/2019.

- (29) For reasons of clarity, Article 2 and Annex II of that Regulation should be deleted, in order to avoid overlaps with this Regulation.
- (30) A list of plants, plant products and other objects for which a phytosanitary certificate is required for introduction into the respective protected zones and the respective third countries of origin or dispatch, is to be established pursuant to Article 74(1) of Regulation (EU) 2016/2031 Such a list will help to ensure clarity for the professional operators, competent authorities and all of other users of those plants, plant products and other objects.
- (31) A list of plants, plant products and other objects for which a plant passport is required for movement within the Union territory is to be established pursuant to Article 79(1) of Regulation (EU) 2016/2031. Such a list will help to ensure clarity for the professional operators, competent authorities and all other users of those plants, plant products and other objects.
- (32) In order to refrain from imposing requirements on professional operators, those plant passports should not be required for the movement of seeds which are subject to derogations from the requirements of the respective Directives on the marketing of seeds. This is appropriate as this Regulation applies without prejudice to the measures adopted pursuant to those Directives and should not introduce for the professional operators additional certification burdens than the ones currently laid down in those Directives obligations.
- (33) A list of plants, plant products and other objects for which a plant passport is required for being introduced into, or moved within, certain protected zones is to be established pursuant to Article 80(1) of Regulation (EU) 2016/2031. Those plant passports should bear the designation 'PZ' to be distinguished from the plant passports required for the movement within the entire Union territory. Such a list will help to ensure clarity for the professional operators, competent authorities and all other users of those plants, plant products and other objects.
- (34) In order to avoid the disruption of trade by changes in the requirements regarding RNQPs, a limited transitional period should be granted for seeds and other plants for planting that have already been produced in the Union, introduced into the Union or moved within the Union in accordance with the requirements concerning the presence of RNQPs applicable before 14 December 2019, the date of application of this Regulation. Those seeds and other plants for planting may continue to be introduced into, or moved within, the Union in accordance with those requirements for a limited period of time. It would also be proportionate to require that plant passports would only attest the compliance of those seeds and other plants for planting with the applicable requirements on Union quarantine pests, protected zone quarantine pests and measures adopted

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

pursuant to Article 30 of Regulation (EU) 2016/2031. Such an approach would be necessary given the big amounts of seeds and other plants for planting which are in the course of production, or have been produced, before 14 December 2019, under the rules of the Directives on the marketing of seeds and other propagating material applicable before that date and when no plant passports were required concerning the presence of RNQPs. Those plants for planting have already been certified and it would be disproportionate to require their further certification under the new rules. A transitional period of one year would thus be necessary to ensure the smooth uptake of those plants for planting by the market and to facilitate the competent authorities and the professional operators to adapt to the new rules.

- (35) This Regulation should enter into force on the third day following that of its publication in the *Official Journal of the European Union*, to allow for the competent authorities and the professional operators the longest possible time to prepare for its application.
- (36) For reasons of legal certainty, this Regulation should apply from the same date as Regulation (EU) 2016/2031, which is 14 December 2019.
- (37) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

#### HAS ADOPTED THIS REGULATION:

<sup>F1</sup>Article 1 U.K.

#### Subject matter

- 1 This Regulation makes provision for the purposes of Regulation (EU) 2016/2031.
- 1A It makes provision about:
  - a GB quarantine pests, provisional GB quarantine pests, PFA quarantine pests and GB regulated non-quarantine pests; and
  - b measures in relation to the introduction of plants, plant products and other objects into Great Britain and the movement of plants, plant products and other objects within Great Britain to reduce the risks in connection with those pests to an acceptable level.]

#### **Textual Amendments**

1

F1 Art. 1(1)(1A) substituted for words (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(2) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



#### Definitions

For the purposes of this Regulation, the definitions provided for in Annex I shall apply.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

 $[^{F2}1A]$  Unless the context otherwise requires, words and expressions which are not defined in this Regulation and appear in Regulation (EU) 2016/2031 of the European Parliament and of the Council have the same meaning in this Regulation as they have in Regulation (EU) 2016/2031.]

- 2 In addition, the following definitions shall apply:
  - a 'practically free from pests' means the extent of presence of pests, other than [<sup>F3</sup>GB] quarantine pests or [<sup>F4</sup>PFA] quarantine pests, on the plants for planting or fruit plants, which is sufficiently low to ensure acceptable quality and usefulness of those plants;
  - b 'official statement' means a phytosanitary certificate, as provided for in Article 71 of Regulation (EU) 2016/2031, a [<sup>F5</sup>UK] plant passport, as provided for in Article 78 of that Regulation, the mark on wood packaging material, wood or other objects, as referred to in Article 96 of that Regulation, or the official attestations as referred to in Article 99 of that Regulation;
  - c 'systems approach' means the integration of different risk management measures, at least two of which act independently, and which, when applied together, achieve the appropriate level of protection against [<sup>F6</sup>GB quarantine pests, provisional GB quarantine pests and PFA quarantine pests];
  - [<sup>F7</sup>d 'EPPO code', in relation to a pest, means the code for that pest in the EPPO code database maintained by the European and Meditteranean Plant Protection Organization;
    - e 'wood packaging material' means wood in the form of packing cases, boxes, crates, drums or similar packings, pallets, box pallets or other load boards, pallet collars or dunnage, whether or not actually in use in the transport of objects of any kind.]

#### **Textual Amendments**

- F2 Art. 2(1A) inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(3)(a) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F3 Word in Art. 2(2)(a) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(3)(b)(i)(aa) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F4 Word in Art. 2(2)(a) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(3)(b)(i)(bb) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F5 Word in Art. 2(2)(b) inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(3)(b)(ii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F6 Words in Art. 2(2)(c) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(3)(b)(iii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F7 Art. 2(2)(d)(e) inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(3)(b)(iv) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

Article 3 U.K.


#### List of [<sup>F8</sup>GB] quarantine pests

[<sup>F9</sup>Annex 2 makes provision about GB quarantine pests.]

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### Textual Amendments


- **F8** Word in Art. 3 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **2(4)(a)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)
- F9 Words in Art. 3 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(4)(b) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F10 Words in Art. 3 omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(4)(c) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



List of provisional GB quarantine pests

Annex 2A makes provision about provisional GB quarantine pests.]

Textual Amendments
F11 Art. 3a inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(5) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



#### [<sup>F12</sup>List of PFA quarantine pests and GB pest-free areas]

Annex 3 makes provision about PFA quarantine pests and their respective GB pest-free areas.]





#### [<sup>F14</sup>List of GB regulated non-quarantine pests and their respective plants for planting]

[<sup>F15</sup>Annex 4 makes provision about GB regulated non-quarantine pests ('RNQPs') and the thresholds relating to the presence of those pests on specific plants for planting.] F16

F16

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### **Textual Amendments**

- F14 Art. 5 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(7)(a) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F15 Words in Art. 5 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(7)(b) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F16 Words in Art. 5 omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(7)(c) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



#### Measures to prevent the presence of RNQPs on specific plants for planting

[<sup>F17</sup>] Annex 5 makes provision about the measures to prevent the presence of RNQPs on specific plants for planting which are moved within, or introduced into, Great Britain.]

2 [<sup>F18</sup>Nothing in Annex 4 or 5 shall affect the application of the requirements specified in retained EU law which transposed the provisions in] Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 98/56/EC, 1999/105/EC, 2002/54/EC, 2002/55/EC, 2002/56/EC, 2002/57/EC, 2008/72/EC and 2008/90/EC concerning:

- a inspections, sampling and testing of the plants for planting concerned or the plants from which they originate;
- b the origin of the respective plants for planting from the areas or sites, which are free from, or with physical protection from, the RNQPs concerned;
- c treatments of the plants for planting concerned, or the plants from which they originate;
- d the production of the plants for planting.

3 In addition, [<sup>F19</sup>nothing in Annex 4 or 5 shall affect the application of the exceptions from the requirements on marketing, specified in retained EU law which transposed the provisions in] Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 98/56/EC, 1999/105/EC, 2002/54/EC, 2002/55/EC, 2002/56/EC, 2002/57/EC, 2008/72/EC and 2008/90/EC <sup>F20</sup>..., including:

- a exceptions concerning the supply of plants for planting to official testing and inspection bodies;
- b exceptions concerning the supply of plants for planting as grown to providers of services for processing or packaging, under the condition that the provider of services does not acquire title to the plants thus supplied and the identity of the plants is ensured;
- c exceptions concerning the supply of plants for planting under certain conditions to providers of services for the production of certain agricultural raw materials, intended for industrial purposes, or seed propagation for that purpose;
- d exceptions for plants for planting intended for scientific purposes, selection work, other test or trial purposes;
- e exceptions from marketing requirements concerning plants for planting not finally certified;
- <sup>F21</sup>f


f .....

g exceptions from marketing requirements for plants for planting shown to be intended for export to third countries.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### **Textual Amendments**


- F17 Art. 6(1) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(8)(a) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F18 Words in Art. 6(2) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(8)(b) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F19 Words in Art. 6(3) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(8)(c)(i)(aa) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F20 Words in Art. 6(3) omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(8)(c)(i)(bb) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F21 Art. 6(3)(f) omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(8)(c)(ii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



## List of plants, plant products and other objects [<sup>F22</sup>which may not be introduced into Great Britain if originating or dispatched from certain third countries]

Annex 6 makes provision about plants, plant products and other objects which may not be introduced into Great Britain if originating or dispatched from certain third countries.]

# Textual Amendments F22 Words in Art. 7 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(9)(a) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a)) F23 Words in Art. 7 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(9)(b) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a)(3)(b))



# List of plants, plant products and other objects originating from third countries, or in [<sup>F24</sup>a CD territory or Great Britain] and the corresponding special requirements for their introduction into or movement within [<sup>F25</sup>Great Britain]


1 Annex 7 makes provision about plants, plant products and other objects originating from third countries and the corresponding special requirements for their introduction into Great Britain.]

 $[^{F27}2$  Annex 8 makes provision about plants, plant products and other objects originating in a CD territory or Great Britain and the corresponding special requirements for their introduction into Great Britain from a CD territory or their movement within Great Britain.]

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### **Textual Amendments**

- F24 Words in Art. 8 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(10)(a)(i) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F25 Words in Art. 8 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(10)(a)(ii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- **F26** Art. 8(1) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **2(10)(b)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)
- **F27** Art. 8(2) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **2(10)(c)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)




#### List of plants, plant products and other objects [<sup>F28</sup>which may not be introduced into GB pest-free areas]

Annex 9 makes provision about plants, plant products and other objects originating from third countries or CD territories or within Great Britain which may not be introduced into GB pest-free areas.]

#### Textual Amendments

- F28 Words in Art. 9 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(11)(a) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F29 Words in Art. 9 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(11)(b) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



List of plants, plant products and other objects to be introduced into, or moved within [<sup>F30</sup>GB pest-free areas] and corresponding special requirements <sup>F31</sup>...


Annex 10 makes provision about plants, plant products and other objects which are to be introduced into or moved within GB pest-free areas and the corresponding special requirements for their introduction into or for their movement within those GB pest-free areas.]

#### **Textual Amendments**

**F30** Words in Art. 10 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **2(12)(a)(i)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- **F31** Words in Art. 10 heading omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **2(12)(a)(ii)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)
- F32 Words in Art. 10 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(12)(b) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



## List of plants, plant products and other objects, as well as the respective third countries of origin or dispatch, for which phytosanitary certificates are required

1 Annex 11 makes provision about plants, plant products and other objects originating or dispatched from third countries which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate.


2 Part A of that Annex makes provision for the purposes of Article 72 of Regulation (EU) 2016/2031 about the plants, plant products and other objects originating or dispatched from third countries which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate.

3 Part B of that Annex makes provision about plants, other than plants listed in Parts A and C of that Annex, which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate.

4 Part C of that Annex makes provision about plants which are subject to the exception referred to in Article 73 of Regulation (EU) 2016/2031.]

#### **Textual Amendments**

**F33** Art. 11(1)-(4) substituted for Art. 11(1)-(3) (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **2(13)(a)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)




List of plants, plant products and other objects for which a phytosanitary certificate is required for their introduction into a [<sup>F34</sup>GB pest-free area] from certain third countries of origin or dispatch


Annex 12 makes provision about plants, plant products and other objects originating or dispatched from third countries which may not be introduced into GB pest-free areas unless they are accompanied by a phytosanitary certificate.]

#### **Textual Amendments**

**F34** Words in Art. 12 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **2(14)(a)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)





# List of plants, plant products and other objects for which a [<sup>F36</sup>UK] plant passport is required for their movement within [<sup>F37</sup>Great Britain, or their introduction into Great Britain from a CD territory]

[<sup>F38</sup>1 Annex 13 makes provision about plants, plant products and other objects in respect of which a UK plant passport is required for their movement within Great Britain, or their introduction into Great Britain from a CD territory.]

<sup>F39</sup>2 .....

Textu	al Amendments
F36	Word in Art. 13 heading inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions)
	(Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(15)(a)(i) (as amended by S.I.
	2020/1631, regs. 1(2), <b>9(2)(a))</b>
F37	Words in Art. 13 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions)
	(Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(15)(a)(ii) (as amended by
	S.I. 2020/1631, regs. 1(2), <b>9(2)(a))</b>
F38	Art. 13(1) substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU
	Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(15)(b) (as amended by S.I. 2020/1631, regs.
	1(2), <b>9(2)(a))</b>
F39	Art. 13(2) omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions)
	(Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(15)(b)(i) (as amended by S.I.
	2020/1631, regs. 1(2), <b>9(2)(a))</b>

Article 14 U.K.

# List of plants, plant products and other objects for which a [<sup>F40</sup>UK] plant passport with the designation '[<sup>F41</sup>PFA]' is required for introduction into, and movement within certain [<sup>F42</sup>GB pest free areas]

[<sup>F43</sup>Annex 14 makes provision about plants, plant products and other objects in respect of which a UK plant passport is required for their introduction into or their movement within GB pest-free areas.]


 $[^{F44}\text{UK}$  plant passports] referred to in the first paragraph shall bear the designation  $`[^{F45}\text{PFA}]`.$ 

**Textual Amendments** 

F40 Word in Art. 14 heading inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(16)(a)(i) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))


**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- F41 Word in Art. 14 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(16)(a)(ii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F42 Words in Art. 14 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(16)(a)(iii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F43 Words in Art. 14 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(16)(b) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F44 Words in Art. 14 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(16)(c)(i) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F45 Word in Art. 14 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(16)(c)(ii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



#### Repeal of Regulation (EC) No 690/2008

Regulation (EC) No 690/2008 is repealed.



#### Amendment of Implementing Regulation (EU) 2018/2019

Implementing Regulation (EU) 2018/2019 is amended as follows:

- (1) Article 2 is deleted;
- (2) Annex II is deleted.


Article 17 U.K.

#### **Transitional measures**

Seeds and other plants for planting introduced into the Union territory, moved within the Union territory or produced, before 14 December 2019, pursuant to the applicable requirements of Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 98/56/EC, 2002/55/EC, 2002/56/EC, 2002/57/EC, 2008/72/EC, 2008/90/EC concerning the presence of RNQPs before that date, may, until 14 December 2020, be introduced into, or moved within, the Union territory if they comply with those requirements. As of 14 December 2020. Articles 5 and 6 shall apply to all plants for planting covered by this Regulation.

Plant passports, required by this Regulation for the movement of seeds and other plants for planting within the Union territory benefitting from the transitional period laid down in paragraph 1 of this Article, shall until 14 December 2020 only be required to attest their compliance with the rules concerning Union quarantine pests, protected zone quarantine pests or measures adopted pursuant to Article 30 of Regulation (EU) 2016/2031.

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



#### Entry into force and application

This Regulation shall enter into force on the third day following that of its publication in the *Official Journal of the European Union*.


It shall apply from 14 December 2019.

F46

#### **Textual Amendments**

F46 Words in Signature omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 2(17) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



#### **Definitions as referred to in Article 2(1)**

For the purposes of this Regulation, the terms listed in Part A [<sup>F47</sup>have the same meaning in the Annexes listed in the first column of the table in Part B as they have in the retained EU law transposing the Directives listed in the corresponding entries in the second column of that table].

#### **Textual Amendments**

F47 Words in Annex 1 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 3 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



#### List of terms

- Pre-basic seed,
- Basic seed,
- Certified seed,
- Standard seed,
- Vine, \_\_\_\_
- \_\_\_\_ Initial propagating material,
- \_\_\_\_ Basic propagating material,
- Pre-basic material,
- \_\_\_\_ Basic material,
- Certified material,
- \_\_\_\_ Standard material,
- \_\_\_\_ Propagating material of ornamental plants,
- \_\_\_\_ Forest reproductive material,
- \_\_\_\_ Vegetable propagating and planting material,
- Fruit plant propagating material and fruit plants intended for fruit production,
- \_\_\_\_ Candidate pre-basic mother plant,
- \_\_\_\_ Pre-basic mother plant,
- \_\_\_\_ Basic mother plant,
- \_\_\_\_ Certified mother plant,
- Conformitas Agraria Communitatis (CAC) material,
- Fodder plant seed,
- Cereal seed,
- \_\_\_\_\_ Vegetable seed,
- Seed potatoes,
- Oil and fibre plants seed.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



#### List of Directives and Annexes

1. ANNEXES TO THIS REGULATION	2. DIRECTIVES
ANNEX IV, Part A (RNQPs concerning fodder plant seed) ANNEX V, Part A (Measures concerning fodder plant seed)	Directive 66/401/EEC
ANNEX IV, Part B (RNQPs concerning cereal seed) ANNEX V, Part B (Measures concerning cereal seed)	Directive 66/402/EEC
ANNEX IV, Part C (RNQPs concerning vine propagating material)	Directive 68/193/EEC
ANNEX IV, Part D (RNQPs concerning propagating material of ornamental plants) ANNEX V, Part C (Measures concerning ornamental plants)	Directive 98/56/EC
ANNEX IV, Part E (RNQPs concerning forest reproductive material, other than seeds) ANNEX V, Part D (Measures concerning forest reproductive material, other than seeds)	Directive 1999/105/EC
ANNEX IV, Part F (RNQPs concerning vegetable seed) ANNEX V, Part E (Measures concerning vegetable seed)	Directive 2002/55/EC
ANNEX IV, Part G (RNQPs concerning seed potatoes) ANNEX V, Part F (Measures concerning seed potatoes)	Directive 2002/56/EC
ANNEX IV, Part H (RNQPs concerning seed of oil and fibre plants) ANNEX V, Part G (Measures concerning seed of oil and fibre plants)	Directive 2002/57/EC
ANNEX IV, Part I RNQPs concerning vegetable propagating and planting material ANNEX V, Part H (Measures concerning vegetable propagating and planting material)	Directive 2008/72/EC
ANNEX IV, Part J	Directive 2008/90/EC

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(RNQPs concerning fruit propagating material and fruit plants intended for fruit production)	
ANNEX XIII, point 4 Cereal seed	Directive 66/402/EEC
Annex XIII, point 5 Vegetable seed	Directive 2002/55/EC
ANNEX XIII, point 6 Oil and fibre plants seed	Directive 2002/57/EC



List of GB quarantine pests

#### **Textual Amendments**

F48 Annex 2 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), Sch. 1 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

#### Modifications etc. (not altering text)

C1 Annex 2: power to modify conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 5(3) (as inserted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2) (b), 27(4)(d))

#### Table of Contents

Part A: Po	Part A: Pests not known to occur in Great Britain	
А.	Bacteria	
B.	Fungi and oomycetes	
C.	Insects and mites	
D.	Nematodes	
E.	Parasitic plants	
F.	Viruses, viroids and phytoplasmas	
Part B: Pe	ests known to occur in Great Britain	
А.	Bacteria	
B.	Fungi and oomycetes	
C.	Nematodes	
D.	Viruses, viroids and phytoplasmas	

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



Pests not known to occur in Great Britain

#### GB QUARANTINE PESTS AND THEIR EPPO CODES

A. B	A. Bacteria		
1.	Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al. [CORBSE]		
2.	Curtobacterium flaccumfaciens pv. flaccumfaciens (Hedges) Collins and Jones [CORBFL]		
3.	Pantoea stewartii subsp. stewartii (Smith) Mergaert, Verdonck & Kersters [ERWIST]		
4.	<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto [PSDMAK]		
5.	Pseudomonas syringae pv. persicae (Prunier, Luisetti &. Gardan) Young, Dye & Wilkie [PSDMPE]		
6.	Ralstonia pseudosolanacearum Safni et al. [RALSPS]		
7.	Ralstonia syzygii subsp. celebesensis Safni et al. [RALSSC]		
8.	Ralstonia syzygii subsp. indonesiensis Safni et al.[RALSSI]		
9.	Xanthomonas arboricola pv. pruni (Smith) Vauterin et al. [XANTPR]		
10.	Xylella fastidiosa (Wells et al.) [XYLEFA]		
11.	<i>Xylophilus ampelinus</i> (Panagopoulos) Willems, Gillis, Kersters, van den Broeke & De Ley [XANTAM]		

#### **B.** Fungi and oomycetes

1.Anisogramma anomala (Peck) E. Müller [CRSPAN]2.Apiosporina morbosa (Schweinitz) von Arx [DIBOMO]	
3 <i>Atropellis apiculata</i> M.L. Lohman, E.K. Cash & R.W. Davidsor	I[AIKPAP]
4. <i>Atropellis pinicola</i> Zeller & Goodding [ATRPPC]	
5. <i>Atropellis piniphila</i> (Weir) Lohmann & Cash [ATRPPP]	
6. <i>Atropellis tingens</i> Lohman & Cash [ATRPTI]	
7. <i>Botryosphaeria laricina</i> (Sawada) Shang [GUIGLA]	
8. <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka [PH	YOPI]
9. <i>Bretziella fagacearum</i> Z.W. de Beer, Marincowitz, T.A. Duor [CERAFA]	ng & M.J. Wingfield
10. Ceratocystis platani (J. M. Walter) Engelbr. & T. C. Harr [CER.	AFP]
11.   Chrysomyxa arctostaphyli Dietel [CHMYAR]	
12. Coniferiporia sulphurascens (Pilát) L.W. Zhou & Y.C. Dai [PH	ELSU]
13. <i>Coniferiporia weirii</i> (Murrill) L.W. Zhou & Y.C. Dai [INONWH	E]

14.	<i>Cronartium</i> spp. Fries [1CRONG], except <i>Cronartium gentianeum</i> Thümen [CRONGE], <i>Cronartium pini</i> (Willdenow) Jørstad [ENDCPI] and <i>Cronartium ribicola</i> Fischer [CRONRI].
15.	Cryphonectria parasitica (Murrill) Barr [ENDOPA]
16.	Davidsoniella virescens (R.W. Davidson) Z.W. de Beer, T.A. Duong & M.J. Wingfield [CERAVI]
17.	Diaporthe vaccinii Shear [DIAPVA]
18.	Dothistroma pini Hulbary [DOTSPI]
19.	Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]
20.	Geosmithia morbida Kolarík, Freeland, Utley & Tisserat [GEOHMO]
21.	Gymnosporangium spp. [1GYMNG], except: Gymnosporangium amelanchieris E. Fisch. ex F. Kern [GYMNAM], Gymnosporangium atlanticum Guyot & Malençon [GYMNAT], Gymnosporangium clavariiforme (Wulfen) DC [GYMNCF], Gymnosporangium confusum Plowright [GYMNCO], Gymnosporangium cornutum Arthur ex F. Kern [GYMNCR], Gymnosporangium fusisporum E. Fisch. [GYMNFS], Gymnosporangium gaeumannii H. Zogg [GYMNGA], Gymnosporangium gracile Pat. [GYMNGR], Gymnosporangium minus Crowell [GYMNMI], Gymnosporangium orientale P. Syd. & Syd. [GYMNOR], Gymnosporangium sabinae (Dickson) G. Winter [GYMNFU], Gymnosporangium torminali-juniperini E. Fisch. [GYMNTJ], Gymnosporangium tremelloides R. Hartig [GYMNTR]
22.	Lecanosticta acicola (von Thümen) Sydow [SCIRAC]
23.	Melampsora farlowii (Arthur) Davis [MELMFA]
24.	Melampsora medusae f. sp. tremuloidis Shain [MELMMT]
25.	Mycodiella laricis-leptolepidis (Kaz. Itô, K. Satô & M. Ota) Crous [MYCOLL]
26.	Phoma andina Turkensteen [PHOMAN]
27.	Phyllosticta solitaria Ellis & Everhart [PHYSSL]
28.	Phymatotrichopsis omnivora (Duggar) Hennebert [PHMPOM]
29.	<i>Phytophthora ramorum</i> (non-European isolates) Werres, De Cock & Man in 't Veld [PHYTRA]
30.	Pseudocercospora pini-densiflorae (Hori & Nambu) Deighton [CERSPD]
31.	Puccinia pittieriana Hennings [PUCCPT]
32.	Septoria malagutii E.T. Cline [SEPTLM]
33.	Sphaerulina musiva (Peck) Quaedvl, Verkley & Crous. [MYCOPP]
34.	Stegophora ulmea (Fr.) Syd. & P. Syd [GNOMUL]
35.	Thecaphora solani (Thirumulachar & O'Brien) Mordue [THPHSO]
35A.	F49
36.	Tilletia indica Mitra [NEOVIN]
C. Ins	sects and mites

1.	Acleris gloverana (Walsingham) [ACLRGL]
2.	Acleris issikii Oku [ACLRIS]
3.	Acleris minuta (Robinson) [ACLRMI]
4.	Acleris nishidai Brown [ACLRNI]
5.	Acleris nivisellana (Walsingham) [ACLRNV]
6.	Acleris robinsoniana (Forbes) [ACLRRO]
7.	Acleris semipurpurana (Kearfott) [CROISE]
8.	Acleris senescens (Zeller) [ACLRSE]
9.	Acleris variana (Fernald) [ACLRVA]
10.	Acrobasis pyrivorella (Matsumura) [NUMOPI]
11.	Agrilus anxius Gory [AGRLAX]
[ <sup>F50</sup> 11A	Agrilus bilineatus (Weber) [AGRLBL]]
[ <sup>F51</sup> 11]	Agrilus fleischeri Obenberger [AGRLFL]]
12.	Agrilus planipennis Fairmaire [AGRLPL]
13.	Aleurocanthus spiniferus (Quaintance) [ALECSN]
14.	Anoplophora chinensis (Forster) [ANOLCN]
15.	Anoplophora glabripennis (Motschulsky) [ANOLGL]
16.	Anthonomus bisignifer Schenkling [ANTHBI]
17.	Anthonomus eugenii Cano [ANTHEU]
18.	Anthonomus quadrigibbus Say [TACYQU]
19.	Anthonomus signatus Say [ANTHSI]
20.	Aromia bungii (Faldermann) [AROMBU]
21.	Arrhenodes minutus Drury [ARRHMI]
22.	Aschistonyx eppoi Inouye [ASCXEP]
23.	Bactericera cockerelli (Sulc.) [PARZCO]
24.	Bactrocera latifrons (Hendal) [DACULA]
25.	Bactrocera tau (Walker) [BCTRTA]
26.	Bactrocera tryoni (Froggatt) [DACUTR]
27.	Bemisia tabaci (Gennadius). [BEMITA]
28.	Carposina sasakii Matsumara [CARSSA]
29.	Choristoneura biennis Freeman [CHONBI]
30.	Choristoneura carnana (Barnes & Busck) [CHONCA]
31.	Choristoneura conflictana (Walker) [ARCHCO]
32.	Choristoneura fumiferana (Clemens) [CHONFU]

33.	Choristoneura lambertiana (Busck) [TORTLA]
34.	Choristoneura occidentalis (Walsingham) [CHONOC]
35.	Choristoneura orae Freeman [CHONOR]
36.	Choristoneura parallela (Robinson) [CHONPA]
37.	Choristoneura pinus pinus Freeman [CHONPI]
38.	Choristoneura retiniana (Walsingham) [CHONRE]
39.	Choristoneura rosaceana (Harris) [CHONRO]
40.	<i>Cicadellidae</i> (non-European) [1CICDF] known to be vector of <i>Xylella fastidiosa</i> , such as:
	<ul> <li><i>Carneocephala fulgida</i> (Nottingham) [CARNFU],</li> <li><i>Draeculacephala minerva</i> Ball [DRAEMI],</li> <li><i>Graphocephala atropunctata</i> (Signoret) [GRCPAT],</li> <li><i>Homalodisca vitripennis</i> (Germar) [HOMLTR]</li> </ul>
41.	Circulifer tenellus (Baker) [CICTA]
42.	Conotrachelus nenuphar (Herbst) [CONHNE]
43.	Dacus ciliatus Loew [DACUCI]
44.	Dacus frontalis Becker [DACUFR]
45.	Dacus punctatifrons Karsch [DACUPU]
46.	Dendrolimus sibiricus Chetverikov [DENDSI]
47.	Diabrotica barberi Smith and Lawrence [DIABLO]
48.	Diabrotica undecimpunctata howardi Barber [DIABUH]
49.	Diabrotica undecimpunctata undecimpunctata Mannerheim [DIABUN]
50.	Diabrotica virgifera zeae Krysan & Smith [DIABVZ]
51.	Eotetranychus lewisi (McGregor) [EOTELE]
[ <sup>F52</sup> 5]	A Eotetranychus sexmaculatus (Riley) [TETRSM]]
52.	Epitrix cucumeris (Harris) [EPIXCU]
53.	Epitrix papa (Orlova-Bienkowskaja) [EPIXPP]
54.	Epitrix subcrinita (Leconte) [EPIXSU]
55.	<i>Epitrix tuberis</i> Gentner [EPIXTU]
56.	Euphranta canadensis (Loew) [EPOCCA]
57.	Euphranta japonica (Ito) [RHACJA ]
58.	Exomala orientalis (Waterhouse) [ANMLOR]
59.	Grapholita inopinata (Heinrich) [CYDIIN]
60.	Grapholita packardi Zeller [LASPPA]
61.	Grapholita prunivora (Walsh) [LASPPR]
F53	F53

<ul> <li>63. Helicoverpa armigera (Hübner) [HELIAR]</li> <li>64. Helicoverpa assulta (Guenée) [HELIAR]</li> <li>65. Helicoverpa zea (Boddie)[HELIZE]</li> <li>66. Ips amitinus (Eichhoff) [IPSXAM]</li> <li>67. Ips duplicatus (Sahlberg) [IPSXDU]</li> <li>68. Ips typographus (L.) [IPSXTY]</li> <li>69. Keiferia hycopersicella (Walsingham) [GNORLY]</li> <li>70. Leptinotarsa decemlineata Say [LPTNDE]</li> <li>71. Lopholeucaspis japonica (Cockerell) [LOPLJA]</li> <li>72. Liriomyza huidobrensis (Blanchard) [LIRIHU]</li> <li>73. Liriomyza sativae Blanchard [LIRISA]</li> <li>74. Liriomyza trifolii (Burgess) [LIRITR]</li> <li>75. Listronotus bonariensis (Kuschel) [HYROBO]</li> <li>76. Margarodes, non-European species [IMARGG], such as: —Margarodes vitis (Philipp) [MARGVI], —Margarodes vitis (Philipp) [MARGVI], —Margarodes vitis (Philipp) [MARGVI],</li> <li>77. Monochamus spp. Dejean [IMONCG]</li> <li>78. Myiopardalis pardalina (Bigot) [CARYPA]</li> <li>79. Naupactus leucoloma Boheman [GRAGLE]</li> <li>[F<sup>84</sup>79A.Neoceramitys raddei (Blessig) [MALLRA]]</li> <li>80. Neoceratitis cyanescens (Bezzi) [CERTCY]</li> <li>81. Nemorinyza maculosa (Malloch) [AMAZMA]</li> <li>82. Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>83. Oemona hirta (Fabricius) [OEMOHI]</li> <li>84. Oligonychus perditus Pricthard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes nitidus Roelofs [PISONI]</li> <li>92. Pissodes nitidus Roelofs [PISONI]</li> <li>93. Pissodes nitidus Roelofs [PISONI]</li> <li>94. Pissodes nitidus Roelofs [PISONI]</li> <li>95. Pissodes nitidus Roelofs [PISONI]</li> <li>96. Pissodes nitidus Roelofs [PISONI]</li> <li>97. Pissodes nitidus Roelofs [PISONI]</li> <li>98. Pissodes nitidus Roelofs [PISONI]</li> <li>99. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes strobi (Peck) [PISOS</li></ul>		
65.       Helicoverpa zea (Boddie)[HELIZE]         66.       Ips amitimus (Eichhoff) [IPSXAM]         67.       Ips duplicatus (Sahlberg) [IPSXDU]         68.       Ips typographus (L.) [IPSXTY]         69.       Keiferia lycopersicella (Walsingham) [GNORLY]         70.       Leptinotarsa decemlineata Say [LPTNDE]         71.       Lopholeucaspis japonica (Cockerell) [LOPLJA]         72.       Liriomyza huidobrensis (Blanchard) [LIRIHU]         73.       Liriomyza sativae Blanchard [LIRISA]         74.       Liriomyza trifolii (Burgess) [LIRITR]         75.       Listonotus bonariensis (Kuschel) [HYROBO]         76.       Margarodes, non-European species [IMARGG], such as:	63.	Helicoverpa armigera (Hübner) [HELIAR]
66.       Ips amitimus (Eichhoff) [IPSXAM]         67.       Ips duplicatus (Sahlberg) [IPSXDU]         68.       Ips typographus (L.) [IPSXTY]         69.       Keiferia lycopersicella (Walsingham) [GNORLY]         70.       Leptinotarsa decemlineata Say [LPTNDE]         71.       Lopholeucaspis japonica (Cockerell) [LOPLJA]         72.       Liriomyza duidobrensis (Blanchard) [LIRIHU]         73.       Liriomyza sativae Blanchard [LIRISA]         74.       Liriomyza trifolii (Burgess) [LIRITR]         75.       Listonotus bonariensis (Kuschel) [HYROBO]         76.       Margarodes, non-European species [IMARGG], such as:	64.	Helicoverpa assulta (Guenée) [HELIAS]
<ul> <li><i>Ips duplicatus</i> (Sahlberg) [IPSXDU]</li> <li><i>Ips typographus</i> (L.) [IPSXTY]</li> <li><i>Keiferia lycopersicella</i> (Walsingham) [GNORLY]</li> <li><i>Leptinotarsa decemlineata</i> Say [LPTNDE]</li> <li><i>Lopholeucaspis japonica</i> (Cockerell) [LOPLJA]</li> <li><i>Liriomyza huidobrensis</i> (Blanchard) [LIRIHU]</li> <li><i>Liriomyza sativae</i> Blanchard [LIRISA]</li> <li><i>Liriomyza trifolii</i> (Burgess) [LIRITR]</li> <li><i>Listronotus bonariensis</i> (Kuschel) [HYROBO]</li> <li><i>Margarodes</i>, non-European species [IMARGG], such as:         <ul> <li><i>Margarodes</i>, non-European species [IMARGG], such as:</li></ul></li></ul>	65.	Helicoverpa zea (Boddie)[HELIZE]
68.       Ips typographus (L.) [IPSXTY]         69.       Keiferia lycopersicella (Walsingham) [GNORLY]         70.       Leptinotarsa decemlineata Say [LPTNDE]         71.       Lopholeucaspis japonica (Cockerell) [LOPLJA]         72.       Liriomyza huidobrensis (Blanchard) [LIRIHU]         73.       Liriomyza huidobrensis (Blanchard) [LIRISA]         74.       Liriomyza trifolii (Burgess) [LIRITR]         75.       Listronotus bonariensis (Kuschel) [HYROBO]         76.       Margarodes, non-European species [IMARGG], such as:	66.	Ips amitinus (Eichhoff) [IPSXAM]
<ul> <li>69. Keiferia lycopersicella (Walsingham) [GNORLY]</li> <li>69. Leptinotarsa decemlineata Say [LPTNDE]</li> <li>71. Lopholeucaspis japonica (Cockerell) [LOPLJA]</li> <li>72. Liriomyza huidobrensis (Blanchard) [LIRIHU]</li> <li>73. Liriomyza sativae Blanchard [LIRISA]</li> <li>74. Liriomyza trifolii (Burgess) [LIRITR]</li> <li>75. Listronotus bonariensis (Kuschel) [HYROBO]</li> <li>76. Margarodes, non-European species [IMARGG], such as:</li></ul>	67.	Ips duplicatus (Sahlberg) [IPSXDU]
<ul> <li>70. Leptinotarsa decemlineata Say [LPTNDE]</li> <li>71. Lopholeucaspis japonica (Cockerell) [LOPLJA]</li> <li>72. Liriomyza huidobrensis (Blanchard) [LIRIHU]</li> <li>73. Liriomyza sativae Blanchard [LIRISA]</li> <li>74. Liriomyza trifolii (Burgess) [LIRITR]</li> <li>75. Listronotus bonariensis (Kuschel) [HYROBO]</li> <li>76. Margarodes, non-European species [IMARGG], such as:</li></ul>	68.	Ips typographus (L.) [IPSXTY]
71.       Lopholeucaspis japonica (Cockerell) [LOPLJA]         72.       Liriomyza huidobrensis (Blanchard) [LIRIHU]         73.       Liriomyza sativae Blanchard [LIRISA]         74.       Liriomyza trifolii (Burgess) [LIRITR]         75.       Listronotus bonariensis (Kuschel) [HYROBO]         76.       Margarodes, non-European species [IMARGG], such as: 	69.	Keiferia lycopersicella (Walsingham) [GNORLY]
72.       Liriomyza huidobrensis (Blanchard) [LIRIHU]         73.       Liriomyza sativae Blanchard [LIRISA]         74.       Liriomyza trifolii (Burgess) [LIRITR]         75.       Listronotus bonariensis (Kuschel) [HYROBO]         76.       Margarodes, non-European species [IMARGG], such as: Margarodes prieskaensis (Jakubski) [MARGPR], Margarodes vitis (Philippi) [MARGVI], Margarodes vedendalensis de Klerk [MARGVR]         77.       Monochamus spp. Dejean [IMONCG]         78.       Myiopardalis pardalina (Bigot) [CARYPA]         79.       Naupactus leucoloma Boheman [GRAGLE]         [P <sup>84</sup> 79A]Neocerambyx raddei (Blessig) [MALLRA]]         80.       Neoceratitis cyanescens (Bezzi) [CERTCY]         81.       Nemorimyza maculosa (Malloch) [AMAZMA]         82.       Neoleucinodes elegantalis (Guenée) [NEOLEL]         83.       Oemona hirta (Fabricius) [OEMOHI]         84.       Oligonychus perditus Pritchard and Baker [OLIGPD]         85.       Paysandisia archon (Burmeister) [PAYSAR]         86.       Phyllocoptes fructiphilus Keifer [PHYCFR]         87.       Pissodes cibriani O'Brien [PISOCI]         88.       Pissodes nemorensis Germar [PISONE]         90.       Pissodes netorensis Germar [PISONE]         91.       Pissodes punctatus Langor & Zhang [PISOPU] <td>70.</td> <td>Leptinotarsa decemlineata Say [LPTNDE]</td>	70.	Leptinotarsa decemlineata Say [LPTNDE]
73.       Liriomyza sativae Blanchard [LIRISA]         74.       Liriomyza trifolii (Burgess) [LIRITR]         75.       Listronotus bonariensis (Kuschel) [HYROBO]         76.       Margarodes, non-European species [IMARGG], such as: 	71.	Lopholeucaspis japonica (Cockerell) [LOPLJA]
74.       Liriomyza trifolii (Burgess) [LIRITR]         75.       Listronotus bonariensis (Kuschel) [HYROBO]         76.       Margarodes, non-European species [IMARGG], such as: — Margarodes prieskaensis (Jakubski) [MARGPR], — Margarodes vitis (Philippi) [MARGVI], — Margarodes vitis (Philippi) [CARYPA]         77.       Monochamus spp. Dejean [IMONCG]         78.       Myiopardalis pardalina (Bigot) [CARYPA]         79.       Naupactus leucoloma Boheman [GRAGLE]         [F <sup>54</sup> 79A Neocerambyx raddei (Blessig) [MALLRA]]         80.       Neoceratitis cyanescens (Bezzi) [CERTCY]         81.       Nemorimyza maculosa (Malloch) [AMAZMA]         82.       Neoleucinodes elegantalis (Guenée) [NEOLEL]         83.       Oemona hirta (Fabricius) [OEMOHI]         84.       Oligonychus perditus Pritchard and Baker [OLIGPD]         85.       Paysandisia archon (Burmeister) [PAYSAR]         86.       Phyllocoptes fructiphilus Keifer [PHYCFR]         87.       Pissodes cibriani O'Brien [PISOCI]         88.       Pissodes fasciatus Leconte [PISOFA]         89.       Pissodes nitidus R	72.	Liriomyza huidobrensis (Blanchard) [LIRIHU]
<ul> <li>75. Listronotus bonariensis (Kuschel) [HYROBO]</li> <li>76. Margarodes, non-European species [IMARGG], such as: <ul> <li>Margarodes vitis (Philippi) [MARGVI],</li> <li>Monochamus spp. Dejean [IMONCG]</li> </ul> </li> <li>77. Monochamus spp. Dejean [IMONCG]</li> <li>78. Myiopardalis pardalina (Bigot) [CARYPA]</li> <li>79. Naupactus leucoloma Boheman [GRAGLE]</li> <li>[F<sup>54</sup>79A.Neocerambyx raddei (Blessig) [MALLRA]]</li> <li>80. Neoceratitis cyanescens (Bezzi) [CERTCY]</li> <li>81. Nemorimyza maculosa (Malloch) [AMAZMA]</li> <li>82. Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>83. Oemona hirta (Fabricius) [OEMOHI]</li> <li>84. Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	73.	Liriomyza sativae Blanchard [LIRISA]
76.       Margarodes, non-European species [IMARGG], such as: — Margarodes prieskaensis (Jakubski) [MARGPR], — Margarodes vitis (Philippi) [MARGVI], — Margarodes vredendalensis de Klerk [MARGVR]         77.       Monochamus spp. Dejean [IMONCG]         78.       Myiopardalis pardalina (Bigot) [CARYPA]         79.       Naupactus leucoloma Boheman [GRAGLE]         [F <sup>84</sup> 79A]Neocerambyx raddei (Blessig) [MALLRA]]         80.       Neoceratitis cyanescens (Bezzi) [CERTCY]         81.       Nemorimyza maculosa (Malloch) [AMAZMA]         82.       Neoleucinodes elegantalis (Guenée) [NEOLEL]         83.       Oemona hirta (Fabricius) [OEMOHI]         84.       Oligonychus perditus Pritchard and Baker [OLIGPD]         85.       Paysandisia archon (Burmeister) [PAYSAR]         86.       Phyllocoptes fructiphilus Keifer [PHYCFR]         87.       Pissodes cibriani O'Brien [PISOCI]         88.       Pissodes nemorensis Germar [PISONE]         90.       Pissodes nitidus Roelofs [PISONI]         91.       Pissodes punctatus Langor & Zhang [PISOPU]	74.	Liriomyza trifolii (Burgess) [LIRITR]
<ul> <li>Margarodes prieškaensis (Jakubski) [MARGPR], — Margarodes vitis (Philippi) [MARGVI], — Margarodes vredendalensis de Klerk [MARGVR]</li> <li>77. Monochamus spp. Dejean [1MONCG]</li> <li>78. Myiopardalis pardalina (Bigot) [CARYPA]</li> <li>79. Naupactus leucoloma Boheman [GRAGLE]</li> <li>[F<sup>54</sup>79A,Neocerambyx raddei (Blessig) [MALLRA]]</li> <li>80. Neoceratitis cyanescens (Bezzi) [CERTCY]</li> <li>81. Nemorimyza maculosa (Malloch) [AMAZMA]</li> <li>82. Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>83. Oemona hirta (Fabricius) [OEMOHI]</li> <li>84. Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	75.	Listronotus bonariensis (Kuschel) [HYROBO]
<ul> <li>78. Myiopardalis pardalina (Bigot) [CARYPA]</li> <li>79. Naupactus leucoloma Boheman [GRAGLE]</li> <li>[F<sup>54</sup>79A Neocerambyx raddei (Blessig) [MALLRA]]</li> <li>80. Neoceratitis cyanescens (Bezzi) [CERTCY]</li> <li>81. Nemorimyza maculosa (Malloch) [AMAZMA]</li> <li>82. Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>83. Oemona hirta (Fabricius) [OEMOHI]</li> <li>84. Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	76.	<ul> <li>Margarodes prieskaensis (Jakubski) [MARGPR],</li> <li>Margarodes vitis (Philippi) [MARGVI],</li> </ul>
<ul> <li>79. Naupactus leucoloma Boheman [GRAGLE]</li> <li>[F<sup>54</sup>79A Neocerambyx raddei (Blessig) [MALLRA]]</li> <li>80. Neoceratitis cyanescens (Bezzi) [CERTCY]</li> <li>81. Nemorimyza maculosa (Malloch) [AMAZMA]</li> <li>82. Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>83. Oemona hirta (Fabricius) [OEMOHI]</li> <li>84. Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	77.	Monochamus spp. Dejean [1MONCG]
[F5479]Neocerambyx raddei (Blessig) [MALLRA]]80.Neoceratitis cyanescens (Bezzi) [CERTCY]81.Nemorimyza maculosa (Malloch) [AMAZMA]82.Neoleucinodes elegantalis (Guenée) [NEOLEL]83.Oemona hirta (Fabricius) [OEMOHI]84.Oligonychus perditus Pritchard and Baker [OLIGPD]85.Paysandisia archon (Burmeister) [PAYSAR]86.Phyllocoptes fructiphilus Keifer [PHYCFR]87.Pissodes cibriani O'Brien [PISOCI]88.Pissodes fasciatus Leconte [PISOFA]89.Pissodes nemorensis Germar [PISONE]90.Pissodes nitidus Roelofs [PISONI]91.Pissodes punctatus Langor & Zhang [PISOPU]	78.	Myiopardalis pardalina (Bigot) [CARYPA]
<ul> <li>Neoceratitis cyanescens (Bezzi) [CERTCY]</li> <li>Nemorimyza maculosa (Malloch) [AMAZMA]</li> <li>Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>Oemona hirta (Fabricius) [OEMOHI]</li> <li>Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>Paysandisia archon (Burmeister) [PAYSAR]</li> <li>Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>Pissodes cibriani O'Brien [PISOCI]</li> <li>Pissodes fasciatus Leconte [PISOFA]</li> <li>Pissodes nemorensis Germar [PISONE]</li> <li>Pissodes nitidus Roelofs [PISONI]</li> <li>Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	79.	Naupactus leucoloma Boheman [GRAGLE]
<ul> <li>81. Nemorimyza maculosa (Malloch) [AMAZMA]</li> <li>82. Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>83. Oemona hirta (Fabricius) [OEMOHI]</li> <li>84. Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	[ <sup>F54</sup> 79.	ANeocerambyx raddei (Blessig) [MALLRA]]
<ul> <li>82. Neoleucinodes elegantalis (Guenée) [NEOLEL]</li> <li>83. Oemona hirta (Fabricius) [OEMOHI]</li> <li>84. Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	80.	Neoceratitis cyanescens (Bezzi) [CERTCY]
83.Oemona hirta (Fabricius) [OEMOHI]84.Oligonychus perditus Pritchard and Baker [OLIGPD]85.Paysandisia archon (Burmeister) [PAYSAR]86.Phyllocoptes fructiphilus Keifer [PHYCFR]87.Pissodes cibriani O'Brien [PISOCI]88.Pissodes fasciatus Leconte [PISOFA]89.Pissodes nemorensis Germar [PISONE]90.Pissodes nitidus Roelofs [PISONI]91.Pissodes punctatus Langor & Zhang [PISOPU]	81.	Nemorimyza maculosa (Malloch) [AMAZMA]
<ul> <li>84. Oligonychus perditus Pritchard and Baker [OLIGPD]</li> <li>85. Paysandisia archon (Burmeister) [PAYSAR]</li> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	82.	Neoleucinodes elegantalis (Guenée) [NEOLEL]
85.Paysandisia archon (Burmeister) [PAYSAR]86.Phyllocoptes fructiphilus Keifer [PHYCFR]87.Pissodes cibriani O'Brien [PISOCI]88.Pissodes fasciatus Leconte [PISOFA]89.Pissodes nemorensis Germar [PISONE]90.Pissodes nitidus Roelofs [PISONI]91.Pissodes punctatus Langor & Zhang [PISOPU]	83.	Oemona hirta (Fabricius) [OEMOHI]
<ul> <li>86. Phyllocoptes fructiphilus Keifer [PHYCFR]</li> <li>87. Pissodes cibriani O'Brien [PISOCI]</li> <li>88. Pissodes fasciatus Leconte [PISOFA]</li> <li>89. Pissodes nemorensis Germar [PISONE]</li> <li>90. Pissodes nitidus Roelofs [PISONI]</li> <li>91. Pissodes punctatus Langor &amp; Zhang [PISOPU]</li> </ul>	84.	Oligonychus perditus Pritchard and Baker [OLIGPD]
87.Pissodes cibriani O'Brien [PISOCI]88.Pissodes fasciatus Leconte [PISOFA]89.Pissodes nemorensis Germar [PISONE]90.Pissodes nitidus Roelofs [PISONI]91.Pissodes punctatus Langor & Zhang [PISOPU]	85.	Paysandisia archon (Burmeister) [PAYSAR]
88.       Pissodes fasciatus Leconte [PISOFA]         89.       Pissodes nemorensis Germar [PISONE]         90.       Pissodes nitidus Roelofs [PISONI]         91.       Pissodes punctatus Langor & Zhang [PISOPU]	86.	Phyllocoptes fructiphilus Keifer [PHYCFR]
89.       Pissodes nemorensis Germar [PISONE]         90.       Pissodes nitidus Roelofs [PISONI]         91.       Pissodes punctatus Langor & Zhang [PISOPU]	87.	Pissodes cibriani O'Brien [PISOCI]
90.       Pissodes nitidus Roelofs [PISONI]         91.       Pissodes punctatus Langor & Zhang [PISOPU]	88.	Pissodes fasciatus Leconte [PISOFA]
91.   Pissodes punctatus Langor & Zhang [PISOPU]	89.	Pissodes nemorensis Germar [PISONE]
	90.	Pissodes nitidus Roelofs [PISONI]
92. Pissodes strobi (Peck) [PISOST]	91.	Pissodes punctatus Langor & Zhang [PISOPU]
	92.	Pissodes strobi (Peck) [PISOST]

93.	Pissodes terminalis Hopping [PISOTE]
94.	Pissodes yunnanensis Langor & Zhang [PISOYU]
95.	Pissodes zitacuarense Sleeper [PISOZI]
96.	Pityophthorus juglandis Blackman [PITOJU]
[ <sup>F55</sup> 96/	Platypus apicalis (White) [PLTPAP]]
97.	Polygraphus proximus Blandford [POLGPR]
98.	Popillia japonica Newman [POPIJA]
99.	Premnotrypes spp. Pierce (non-European) [1PREMG]
[ <sup>F56</sup> 99/	Prodiplosis longifila Gagné [PRDILO]]
100.	Pseudopityophthorus minutissimus (Zimmermann) [PSDPMI]
101.	Pseudopityophthorus pruinosus (Eichhoff) [PSDPPR]
102.	Rhagoletis fausta (Osten-Sacken) [RHAGFA];
103.	Rhagoletis indifferens Curran [RHAGIN];
104.	Rhagoletis mendax Curran [RHAGME];
105.	Rhagoletis pomonella (Walsh) [RHAGPO];
106.	Rhagoletis ribicola Doane [RHAGRI];
107.	Rhagoletis suavis (Loew) [RHAGSU];
108.	Rhizoecus hibisci Kawai and Takagi [RHIOHI]
109.	Rhynchophorus palmarum (L.) [RHYCPA]
110.	Rhynchophorus ferrugineus (Olivier) [RHYCFE]
111.	Saperda candida Fabricius [SAPECN]
112.	Scirtothrips aurantii Faure [SCITAU]
113.	Scirtothrips citri (Moulton) [SCITCI]
114.	Scirtothrips dorsalis Hood [SCITDO]
115.	Scolytidae spp. (non-European) [1SCOLF]
[ <sup>F57</sup> 115	Secolytus morawitzi Semenov [SCOLMO]]
116.	Spodoptera eridania (Cramer) [PRODER]
117.	Spodoptera frugiperda (Smith) [LAPHFR]
118.	Spodoptera littoralis (Boisduval) [SPODLI]
119.	Spodoptera litura (Fabricus) [PRODLI]
120.	Strauzia longipennis (Wiedemann) [STRALO]
121.	Tecia solanivora (Povolný) [TECASO]
122.	Thaumatotibia leucotreta (Meyrick) [ARGPLE]
123.	Thaumetopoea pityocampa Denis & Schiffermüller [THAUPI]
	· · · · · · · · · · · · · · · · · · ·

124.	Thrips palmi Karny [THRIPL]
125.	Zeugodacus cucumis (French) [DACUCM]
126.	Zeugodacus cucurbitae (Coquillett) [DACUCU]
D. N	ematodes
1.	Aphelenchoides besseyi Christie [APLOBE]
2.	Bursaphelenchus xylophilus (Steiner and Bührer) Nickle [BURSXY]
3.	Globodera pallida (Stone) Behrens [HETDPA] (Non-European Strains)
4.	Globodera rostochiensis (Wollenweber) Behrens [HETDRO] (Non-European Strains)
5.	<ul> <li>Hirschmanniella spp., Luc &amp; Goodey [1HIRSG], except:</li> <li>— Hirschmanniella behningi Micoletzky [HIRSBE],</li> <li>— Hirschmanniella gracilis (de Man) Luc &amp; Goodey [HIRSGR],</li> <li>— Hirschmanniella halophila Sturhan &amp; Hallman [HIRSHA],</li> <li>— Hirschmanniella loofi Sher [HIRSLO] and</li> <li>— Hirschmanniella zostericola Allgén [HIRSZO]</li> </ul>
6.	Longidorus diadecturus Eveleigh and Allen [LONGDI]
7.	Meloidogyne chitwoodi Golden et al. [MELGCH]
8.	Nacobbus aberrans (Thorne) Thorne and Allen [NACOBA]
9.	Xiphinema americanum sensu stricto Cobb [XIPHAA]
10.	Xiphinema bricolense Ebsary, Vrain & Graham [XIPHBC]
11.	Xiphinema californicum Lamberti & Bleve-Zacheo [XIPHCA]
12.	Xiphinema neoamericanum Saxena, Chhabra & Joshi [XIPHNA]
13.	Xiphinema intermedium Lamberti & Bleve-Zacheo [XIPHIM]
14.	Xiphinema rivesi (non-European populations) Dalmasso [XIPHRI]
15.	Xiphinema tarjanense Lamberti & Bleve-Zacheo [XIPHTA]
E. Pa	arasitic plants
1.	Arceuthobium spp. [1AREG], except:         — Arceuthobium azoricum Wiens & Hawksworth [AREAZ],         — Arceuthobium gambyi Fridl [AREGA] and         — Arceuthobium oxycedri (de Candolle) Marschall von Bieberstein         [AREOX]
F. Vi	ruses, viroids and phytoplasmas
1.	Beet curly top virus [BCTV00]
2.	Begomoviruses [1BEGOG]
3.	Blueberry scorch virus [BLSCV0]
4.	Blueberry shoestring virus [BSSV00]
5.	Candidatus Phytoplasma 'aurantifolia' Zreik, Bové & Garnier [PHYPAF]
6.	Candidatus Phytoplasma 'mali' Seemüller & Schneider [PHYPMA]

7.	Candidatus Phytoplasma 'pruni' Davis, Zhao, Dally, Lee, Jomantiene & Douglas [PHYPPN]			
8.	<i>Candidatus</i> Phytoplasma 'solani' Quaglino, Zhao, Casati, Bulgari, Bianco, Wei & Davis [PHYPSO]			
9.	Candidatus Phytoplasma 'ulmi' Lee, Martini, Marcone & Zhu [PHYPUL]			
10.	Chrysanthemum stem necrosis virus [CSNV00]			
[ <sup>F58</sup> 10.	Citrus exocortis viroid [CEVD00]]			
F59	F59			
[ <sup>F60</sup> 11.	Columnea latent viroid [CLVD00]]			
F59	F59			
13.	Cucumber vein yellowing virus [CVYV00]			
14.	Cucurbit yellow stunting disorder virus [CYSDV0]			
15.	Grapevine flavescence dorée phytoplasma [PHYP64]			
16.	Lettuce infectious yellows virus [LIYV00]			
17.	Melon yellowing-associated virus [MYAV00]			
[ <sup>F61</sup> 17.	Pepper chat fruit viroid [PCFVD0]]			
18.	Potato viruses, viroids and phytoplasmas, such as:— Andean potato latent virus [APLV00],— Andean potato mild mosaic virus [APMMV0],— Andean potato mottle virus [APMOV0],— Andean potato mottle virus [APMOV0],— Arracacha virus B, oca strain [AVBO00],— Potato black ringspot virus [PBRSV0],— Potato yellowing virus [PYV000],— Potato yellow vein virus [PYVV00],— Potato virus T [PVT000],— Non-European isolates of potato viruses A, M, S, V, X and Y (including Yo, Yn and Yc) and Potato leafroll virus [PVX000, PVX000, PVY000, PVY000, PVY000]and [PLRV00]			
19.	Rose Rosette virus [RRV000]			
20.	Strawberry vein banding virus [SVBV00]			
21.	Squash vein yellowing virus [SQVYVX]			
22.	Sweet potato chlorotic stunt virus [SPCSV0]			
23.	Sweet potato mild mottle virus [SPMMV0]			
24.	Tobacco ringspot virus [TRSV00]			
25.	Tobacco streak virus black raspberry latent strain [TSVBL0]			
26.	Tomato brown rugose fruit virus [TOBRFV]			
	1			

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

27.	Tomato chocolate virus [TOCHV0]				
28.	Tomato leaf curl New Delhi virus [TOLCND]				
29.	Tomato marchitez virus [TOANV0]				
30.	Tomato mild mottle virus [TOMMOV]				
[ <sup>F62</sup> 30A	Tomato planta macho viroid [TPMVD0]]				
31.	<ul> <li>Viruses, viroids and phytoplasmas of Cydonia Mill., Fragaria L., Malus Mill., Prunus</li> <li>L., Pyrus L., Ribes L., Rubus L. and Vitis L., such as: <ul> <li>Blueberry leaf mottle virus [BLMOV0],</li> <li>Candidatus Phytoplasma australiense Davis, Gillaspie, Vidaver &amp; Harris [PHYPAU],</li> <li>Candidatus Phytoplasma phoenicium Verdin, Salar, Danet, Choueiri, Jreijiri, El Zammar, Gélie, Bové &amp; Garnier [PHYPPH],</li> <li>Cherry rasp leaf virus [CRLV00],</li> <li>Grapevine ajinashika virus [GAV000],</li> <li>Peach mosaic virus [PCMV00],</li> <li>Peach rosette mosaic virus [PRMV00],</li> <li>American plum line pattern virus [APLPV0],</li> <li>Strawberry witches' broom phytoplasma [SYWB00],</li> <li>Non-European viruses, viroids and phytoplasmas of Cydonia Mill., Fragaria L., Malus Mill., Prunus L., Pyrus L., Ribes L., Rubus L. and Vitis L.</li> </ul> </li> </ul>				

#### **Textual Amendments**

- F49 Words in Annex 2 Pt. A omitted (25.11.2022) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 3(2)
- **F50** Words in Annex 2 Pt. A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **2(2)(a)(i)**
- F51 Words in Annex 2 Pt. A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(2)(b)(i)
- **F52** Words in Annex 2 Pt. A inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(1)(a)
- F53 Words in Annex 2 Pt. A omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 3(2)
- **F54** Words in Annex 2 Pt. A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **2(2)(a)(ii)**
- **F55** Words in Annex 2 Pt. A inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), **4(1)(b)**
- **F56** Words in Annex 2 Pt. A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(2)(b)(ii)**
- **F57** Words in Annex 2 Pt. A inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(1)(a)**
- **F58** Words in Annex 2 Pt. A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **3(3)(a)**
- F59 Words in Annex 2 Pt. A omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 3(3)(b)

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- **F60** Words in Annex 2 Pt. A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **3(3)(c)**
- F61 Words in Annex 2 Pt. A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), 3(3)(d)
  F62 Words in Annex 2 Pt. A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification)
- **F62** Words in Annex 2 Pt. A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **3(3)(e)**



Pests known to occur in Great Britain

#### GB QUARANTINE PESTS AND THEIR EPPO CODES

A. Ba	cteria			
1.	Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. [RALSSL]			
B. Fu	ngi and oomycetes			
1.	Synchytrium endobioticum (Schilbersky) Percival [SYNCEN]			
C. Ne	matodes			
1.	Globodera pallida (Stone) Behrens [HETDPA] (European Strains)			
2.	Globodera rostochiensis (Wollenweber) Behrens [HETDRO] (European Strains)			
D. Viruses, viroids and phytoplasmas				
1.	Candidatus Phytoplasma 'prunorum' Seemüller & Schneider [PHYPPR]			
[ <sup>F63</sup> E.	Insects and mites			
1.	Thaumetopoea processionea L. [THAUPR]]]			

#### **Textual Amendments**

**F63** Words in Annex 2 Pt. B inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(1)(b)** 

#### [<sup>F64</sup>ANNEX 2A U.K.

#### List of provisional GB quarantine pests

#### **Textual Amendments**

**F64** Annex 2A inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), **Sch. 2** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

#### Modifications etc. (not altering text)

C2 Annex 2A: power to modify conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 30(1) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 27(29)(c))

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### PROVISIONAL GB QUARANTINE PESTS AND THEIR EPPO CODES

A. Fu	ngi and oomycetes		
1.	Alternaria mali Roberts [ALTEMA]		
[ <sup>F65</sup> 1A	Coleosporium asterum (Dietel) Sydow & P.Sydow [COLSAS]		
1B.	Coleosporium eupatorii Arthur [COLSEU]		
[ <sup>F66</sup> 1BA	<i>Coleosporium paederiae</i> Dietal ex Hirats. f. [COLSPA]]		
1C.	Coleosporium phellodendri Komarov [COLSPH]]		
2.	Heterobasidion irregulare Garbelotto & Otrosina [HETEIR]		
[ <sup>F67</sup> 2A.	Heterobasidion occidentaleOtrosina & Garbelotto [HETEOC]]		
3.	Neocosmospora euwallaceae (S. Freeman, Z. Mendel, T. Aoki & O'Donnell) Sandoval-Denis, L. Lombard & Crous [FUSAEW]		
4.	Phytophthora kernoviae Brasier, Beales & S.A. Kirk [PHYTKE]		
5.	Phytophthora ramorum (European isolates) Werres, De Cock & Man in 't Veld [PHYTRA]		
[ <sup>F68</sup> 5A.	Raffaelea lauricola Harrington, Fraedrich & Aghayeva [RAFFLA]		
5B.	Raffaelea quercivora Kubono & Ito [RAFFQU]]		
6.	F69		
[ <sup>F70</sup> <b>B</b> .	Insects and mites]		
1.	F71		
E73			
[ <sup>F72</sup> 1A.			
[ <sup>F73</sup> 1B.	Anisandrus maiche Stark [ANIDMA]]		
2.	F74		
2A.	F75		
2	Constanting i dae herren eus Desenell [CDTZDD]		
3.	Ceratothripoides brunneus Bagnall [CRTZBR]		
4.	Ceratothripoides claratris (Shumsher) [CRTZCL		
4A	F76		
[ <sup>F77</sup> 4B.	Chrysobothris femorata (Olivier) [CHRBFE]]		
L ·			
L	AChrysodeixis includens (Walker) [PSEPIN]		
4BB.	Chrysophtharta bimaculata (Olivier) [CPTHBI]]		
[ <sup>F79</sup> 4B0	Crisicoccus pini (Kuwana) [DACLPI]]		

[ <sup>F80</sup> [ <sup>F81</sup> 4Dendrolimus spectabilis (Butler) [DENDSC]]				
[F824CADendrolimus superans Butler [DENDSU]]				
[ <sup>F83</sup> 4D.	Endoclita excrescens Butler [PHAUEX]			
4E.	Ennomos subsignarius [ENNOSU]]			
5.	Euwallacea fornicatus senso lato (Eichhoff) [XYLBFO]			
[ <sup>F84</sup> 5ZA	Euzophera semifuneralis (Walker) [EUZOSE]			
5ZB.	Hyalesthes obsoletus Signoret [HYAEOB]			
5ZC.	Lambdina fiscellaria [LAMBFI]			
5ZD.	Lepidosaphes ussuriensis Borkhsenius [LEPSUS]]			
[ <sup>F85</sup> 5A.	Lycorma delicatula (White) [LYCMDE]]			
[ <sup>F86</sup> 5B.	Lymantria mathura Fabricius [LYMAMA]			
5C.	Malacosoma americanum Fabricius [MALAAM]			
5D.	Malacosoma disstria Hübner [MALADI]			
5E.	Naupactus xanthographus (Germar) [NAUPXA]]			
6.	F74			
[ <sup>F86</sup> 6A.	Neodiprion abietis (Harris) [NEODAB]			
6B.	Orchidophilus spp. Buchanan [ORCHSP]]			
7.	Platynota stultana Walsingham [PLAAST]			
7A	F87			
-F88	Distance successivery (Murgarenes) [DI TDOU]]			
L	Platypus quercivorus (Murayama) [PLTPQU]]			
8.	F71			
9.	Scaphoideus luteolus van Duzee [SCAPLU]			
10.	Scaphoideus titanus Ball [SCAPLI]			
	<sup>9</sup> 10A <i>Sirex nitobei</i> Mats. [SIRXNI]]			
$\frac{1}{11.}$	F75			
12.	Tetranychus evansi Baker & Pritchard [TETREV]			
13.	Thaumetopoea pinivora (Treitschke)[THAUPV]			
[ <sup>F90</sup> 13A	<sup>F90</sup> 13A. <i>Thecodiplosis japonensis</i> Uchida and Inouye [THEOJA]]			
14.	Trialeurodes abutiloneus Haldeman [TRIAAB]			
[ <sup>F91</sup> ]4A. <i>Trirachys sartus</i> (Solsky) [AELSSA]]				
	L			

15.	Toumeyella parvicornis (Cockerell)[TOUMPA]				
	<i>Urocerus japonicus</i> (F. Sm.) [URCEJA]]				
L					
16.	Xyleborus glabratus Eichhoff [XYLBGR]				
17.	Xylotrechus spp. Chevrolat [1XYLOG]				
<u> </u>	ruses, viroids and phytoplasmas Apple dimple fruit viroid [ADFVD0]				
	<i>Candidatus</i> Phytoplasma fraxini Griffiths, Sinclair, Smart & Davis [PHYPFR]]				
•					
[ <sup>F94</sup> 1A.	Chilli veinal mottle virus [CHIVMV]]				
F95	F95				
•••					
F95	F95				
· · ·					
[ <sup>F96</sup> 3A.	Groundnut bud necrosis virus [GBNV00]				
3B.	Groundnut ringspot virus [GRSV00]]				
F95	F95				
•••					
5.	Tomato chlorosis virus [TOCV00]				
6.	Tomato infectious chlorosis virus [TICV00]				
F95	F95				
•••					
8.	Tomato torrado virus [TOTV00]				
9.	F97				
10.	F97				
rF98	····				
-	Bacteria				
1.	Diaporthe phaseolorum var. sojae Lehman [DIAPPS]				
2.	Pseudomonas avellanae Janse et al. [PSDMAL]				
<b>E. Ne</b> 1.	matodes Meloidogyne arenaria (Neal) Chitwood [MELGAR]				
2.	Meloidogyne enterolobii Yang & Eisenback [MELGMY]				
3.	Meloidogyne javanica (Treub) Chitwood [MELGJA]				
4.	Xiphinema index Thorne & Allen [XIPHIN]]]				

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### **Textual Amendments**

- **F65** Words in Annex 2A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **3(2)(a)**
- **F66** Words in Annex 2A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **4(2)**
- F67 Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(2)
- **F68** Words in Annex 2A inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(c), 7(2)
- **F69** Words in Annex 2A omitted (2.12.2021) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(3)(a)**
- **F70** Words in Annex 2A substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(2)(a)**
- **F71** Words in Annex 2A omitted (2.12.2021) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(3)(b)**
- **F72** Words in Annex 2A inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(2)(a)(i)
- F73 Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(3)(a)
- **F74** Words in Annex 2A omitted (22.6.2021) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **2(3)**
- **F75** Words in Annex 2A omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(2)**
- **F76** Words in Annex 2A omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(2)(a)(iv)
- F77 Words in Annex 2A inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(2)(a)(ii)
- F78 Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(3)(b)
- **F79** Words in Annex 2A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **4(3)(a)**
- **F80** Words in Annex 2A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **3(2)(b)(i)**
- **F81** Word in Annex 2A substituted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), **4(2)(a)(iii)**
- **F82** Words in Annex 2A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **4(3)(b)**
- **F83** Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), **4(3)(c)**
- **F84** Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(3)(d)
- **F85** Words in Annex 2A inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(2)(a)(v)
- **F86** Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(3)(e)
- **F87** Words in Annex 2A omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(2)(a)(vi)
- **F88** Words in Annex 2A inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(c), **7(3)**
- **F89** Words in Annex 2A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **4(3)(c)**

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- **F90** Words in Annex 2A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **3(2)(b)(ii)**
- **F91** Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(3)(f)
- **F92** Words in Annex 2A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **4(3)(d)**
- **F93** Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(4)(a)
- **F94** Words in Annex 2A inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), **4(2)(b)**
- F95 Words in Annex 2A omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 4(4)
- **F96** Words in Annex 2A inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 4(4)(b)
- **F97** Words in Annex 2A omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(2)(b)**
- **F98** Words in Annex 2A inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), **4(2)(c)**



#### List of PFA quarantine pests and GB pest-free areas

#### **Textual Amendments**

F99 Annex 3 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), Sch. 3 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

#### Modifications etc. (not altering text)

C3 Annex 3: power to modify conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 32(3) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 27(32)(d)(ii))


	(1) PFA quarantine pest (with EPPO code)	(2) Description of GB pest-free area	
1.	Dendroctonus micans Kugelan [DENCMI]	The eastern boundary for the pest-free area runs from Dumbarton along the A82 to Crianlarich. From Crianlarich the boundary continues along the A82 to Loch Tulla and then it follows the railway line from Loch Tulla to Rannoch Station, to Tulloch Station to Roybridge Station. It then follows the C road by the river Roy up to Brae Roy Lodge, following the River Turret then cutting across the watershed following the Allt an t-Sidhean stream to the A82 at Laggan and then to Invergarry where it follows the A87 to the Kyle of Lochalsh and the islands of Skye, Mull,	

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		Jura, Arran, Scarba, Seil, Luing, Shuna, Torsa, Ulva, Gometra, Kerrera, Lismore and Eilean Shona
2.	<i>Ips cembrae</i> Heer [IPSXCE]	The eastern boundary for the pest-free area runs from Dumbarton along the A82 to Crianlarich. From Crianlarich the boundary continues along the A82 to Loch Tulla and then it follows the railway line from Loch Tulla to Rannoch Station, to Tulloch Station to Roybridge Station. It then follows the C road by the river Roy up to Brae Roy Lodge, following the River Turret then cutting across the watershed following the Allt an t-Sidhean stream to the A82 at Laggan and then to Invergarry where it follows the A87 to the Kyle of Lochalsh and the islands of Skye, Mull, Jura, Arran, Scarba, Seil, Luing, Shuna, Torsa, Ulva, Gometra, Kerrera, Lismore and Eilean Shona
3.	<i>Ips sexdentatus</i> Börner [IPSXSE]	The eastern boundary for the pest-free area runs from Dumbarton along the A82 to Crianlarich. From Crianlarich the boundary continues along the A82 to Loch Tulla and then it follows the railway line from Loch Tulla to Rannoch Station, to Tulloch Station to Roybridge Station. It then follows the C road by the river Roy up to Brae Roy Lodge, following the River Turret then cutting across the watershed following the Allt an t-Sidhean stream to the A82 at Laggan and then to Invergarry where it follows the A87 to the Kyle of Lochalsh and the islands of Skye, Mull, Jura, Arran, Scarba, Seil, Luing, Shuna, Torsa, Ulva, Gometra, Kerrera, Lismore and Eilean Shona
4.	F100	F100
		]

#### **Textual Amendments**

**F100** Words in Annex 3 omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(3)**  Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



[<sup>F101</sup>List of GB regulated non-quarantine pests and their respective plants for planting

#### **Textual Amendments**

F101 Annex 4 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), Sch. 4 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

#### Modifications etc. (not altering text)

C4 Annex 4: power to modify conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 37(5) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **28(4)(e)**)

In this Annex, 'RNQPs' means GB regulated non-quarantine pests.

#### **Table of Contents**

Part A: RNQPs concerning fodder plant seed

Part B: RNQPs concerning vine propagating material

Part C: RNQPs concerning propagating material of ornamental plants and other plants for planting intended for ornamental purposes

Part D: RNQPs concerning forest reproductive material, other than seeds

Part E: RNQPs concerning vegetable seed

Part F: RNQPs concerning seed potatoes

Part G: RNQPs concerning seed of oil and fibre plants

Part H: RNQPs concerning vegetable propagating and planting material, other than seeds

Part I: RNQPs concerning fruit propagating material and fruit plants intended for fruit production

Part J: RNQPs concerning seeds of Solanum tuberosum

Part K: RNQPs concerning plants for planting of Humulus lupulus, other than seeds

### PART A U.K.

RNQPs concerning fodder plant seed

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for pre-basic seed	(4) Thresholds for basic seed	(5) Thresholds certified seed
Clavibacter michiganensis	<i>Medicago sativa</i> L.	0%	0%	0%

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

ssp. <i>insidiosus</i> (McCulloch 1925) Davis et al. [CORBIN]				
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	<i>Medicago sativa</i> L.	0%	0%	0%

## PART B U.K.

#### RNQPs concerning vine propagating material

Insects and mites				
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting other than seeds (genus or species)	(3) Thresholds for initial propagating material, basic propagating material and certified material	(4) Thresholds for standard material	
Daktulosphaira vitifoliae Fitch [VITEVI]	Non-grafted Vitis vinifera L.	0%	0%	
Daktulosphaira vitifoliae Fitch [VITEVI]	<i>Vitis</i> L. other than non- grafted <i>Vitis vinifera</i> L.	Practically free	Practically free	
Viruses, viroids, virus-	like diseases and phytopl	asmas		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting other than seeds (genus or species)	(3) Thresholds for initial propagating material, basic propagating material and certified material	(4) Thresholds for standard material	
Arabis mosaic virus [ARMV00]	Vitis L.	0%	0%	
Grapevine fanleaf virus [GFLV00]	Vitis L.	0%	0%	
Grapevine fleck virus [GFKV00]	Rootstocks of <i>Vitis</i> spp. and their hybrids, except <i>Vitis vinifera</i> L.	0% for initial propagating material. Not applicable for basic propagating material and certified material.	Not applicable	
Grapevine leafroll associated virus 1 [GLRAV1]	Vitis L.	0%	0%	

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Grapevine	leafroll	Vitis L.	0%	0%
associated	virus 3			
[GLRAV3]				



RNQPs concerning propagating material of ornamental plants and other plants for planting intended for ornamental purposes

Bacteria		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Plants for planting, other than seeds, of Amelanchier Medik., Chaenomeles Lindl., Cotoneaster Medik., Crataegus Tourn. ex L., Cydonia Mill., Eriobtrya Lindl., Malus Mill., Mespilus Bosc ex Spach, Photinia davidiana Decne., Pyracantha M. Roem., Pyrus L. and Sorbus L.	0%
Xanthomonas euvesicatoria Jones et al. [XANTEU]	Capsicum annuum L.	0%
<i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L.	0%
XanthomonasperforansJones et al. [XANTPF]	Capsicum annuum L.	0%
Xanthomonas vesicatoria (ex Doidge) Vauterin <i>et al.</i> [XANTVE]	Capsicum annuum L.	0%
Fungi and oomycetes	1	
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes

Dothistroma septosporum (Dorogin) Morelet [SCIRPI]	Plants for planting, other than seeds, of <i>Pinus</i> L.	0%
<i>Phytophthora austrocedri</i> Greslebin & Hansen [PHYTAU]	Plants for planting, other than seeds, of <i>Chamaecyparis</i> <i>lawsoniana</i> (Murr.) Parl., <i>Chamaecyparis nootkatensis</i> (D.Don) Sudw./(Lamb.) Spach, <i>Cupressus sempervirens</i> var. <i>sempervirens</i> L., <i>Juniperus</i> <i>communis</i> ssp. <i>communis</i> L. and <i>Libocedrus chilensis</i> (D.Don) Endl.	0%
<i>Phytophthora lateralis</i> T. Jung, M.J.C. Stukely & T.I. Burgess [PHYTLI]	Plants for planting, other than seeds, of <i>Chamaecyparis</i> formosensis Matsum., <i>Chamaecyparis lawsoniana</i> (Murr.) Parl., <i>Chamaecyparis</i> obtusa Sieb. & Zucc. ex Endl., <i>Chamaecyparis pisifera</i> Sieb. & Zucc. ex Endl., <i>Taxus brevifolia</i> Nutt. and <i>Thuja occidentalis</i> L.	0%
Plasmoparahalstedii(Farlow)Berlese & de Toni[PLASHA]	Seeds of Helianthus annuus L.	0%
Puccinia horiana P. Hennings [PUCCHN]	Plants for planting, other than seeds, of <i>Chrysanthemum</i> L.	0%
Insects and mites	·	·
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Opogona sacchari</i> Bo [OPOGSC]	Plants for planting, other than seeds, of <i>Beaucarnea</i> Lem., <i>Bougainvillea</i> Comm. ex Juss., <i>Crassula</i> L., <i>Crinum</i> L., <i>Dracaena</i> Vand. ex L., <i>Ficus</i> L., <i>Musa</i> L., <i>Pachira</i> Aubl., <i>Palmae</i> , <i>Sansevieria</i> Thunb. and <i>Yucca</i> L.	0%
Nematodes		·
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the propagating material of ornamental plants concerned and other plants

		for planting intended for ornamental purposes
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	Plants for planting, other than seeds, of <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus</i> <i>flavus</i> Weston, <i>Galanthus</i> L., <i>Hyacinthus</i> Tourn. ex L, <i>Hymenocallis</i> Salisb., <i>Muscari</i> Mill., <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Scilla</i> L., <i>Sternbergia</i> Waldst. & Kit. and <i>Tulipa</i> L.	0%
Viruses, viroids, virus-like dis	seases and phytoplasmas	
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Candidatus</i> Phytoplasma 'pyri' Seemüller & Schneider [PHYPPY]	Plants for planting, other than seeds, of <i>Pyrus</i> L.	0%
Chrysanthemum stunt viroid [CSVD00]	Plants for planting, other than seeds, of <i>Argyranthemum</i> Webb ex Sch.Bip. and <i>Chrysanthemum</i> L.	0%
Impatiens necrotic spot tospovirus [INSV00]	Plants for planting, other than seeds, of <i>Begonia x hiemalis</i> Fotsch, <i>Impatiens</i> L. and New Guinea Hybrids	0%
Potato spindle tuber viroid [PSTVD0]	Capsicum annuum L.	0%
Plum pox virus [PPV000]	Plants for planting, other than seeds, of the following species of <i>Prunus</i> L.: <i>Prunus armeniaca</i> L., <i>Prunus</i> <i>blireiana</i> Andre, <i>Prunus</i> <i>brigantina</i> Vill., <i>Prunus</i> <i>cerasifera</i> Ehrh., <i>Prunus</i> <i>cistena</i> Hansen, <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus</i> <i>domestica</i> ssp. <i>domestica</i> L., <i>Prunus domestica</i> ssp. <i>insititia</i> (L.) C.K. Schneid, <i>Prunus</i> <i>domestica</i> ssp. <i>italica</i> (Borkh.) Hegi., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i>	0%

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	Batal., Prunus hortulana Bailey, Prunus japonica Thunb., Prunus mandshurica (Maxim.) Koehne, Prunus maritima Marsh., Prunus mume Sieb. and Zucc., Prunus nigra Ait., Prunus persica (L.) Batsch, Prunus salicina L., Prunus sibirica L., Prunus simonii Carr., Prunus spinosa L., Prunus tomentosa Thunb., Prunus triloba Lindl. and other species of Prunus L. susceptible to Plum pox virus	
Tomato ringspot virus [TORSV0]	Plants for planting, other than seeds, of <i>Pelargonium x</i> <i>hortorum</i> , <i>Prunus</i> L. and <i>Rubus</i> L.	0%
Tomato spotted wilt tospovirus [TSWV00]	Plants for planting other than seeds, of <i>Begonia x hiemalis</i> Fotsch, <i>Capsicum annuum</i> L., <i>Chrysanthemum</i> L., <i>Gerbera</i> L., <i>Impatiens</i> L., New Guinea Hybrids and <i>Pelargonium</i> L.	0%

# PART D U.K.

RNQPs concerning forest reproductive material, other than seeds

Fungi and oomycetes					
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the forest reproductive material concerned			
Dothistroma septosporum (Dorogin) Morelet [SCIRPI]	Pinus L.	0%			

# PART E U.K.

RNQPs concerning vegetable seed

[ <sup>F102</sup> Bacteria]						
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (seeds) (genus or species)	(3) Thresholds for the vegetable seed concerned				
F103	F103	F103				

Clavibacter michiganensis ssp. michiganensis (Smith) Davis et al. [CORBMI]	Solanum lycopersicum L.	0%
Xanthomonas axonopodis pv. phaseoli (Smith) Vauterin et al. [XANTPH]	<i>Phaseolus vulgaris</i> L.	0%
Xanthomonas fuscans subsp. fuscans Schaad et al. [XANTFF]	Phaseolus vulgaris L.	0%
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU]	Capsicum annuum L. and Solanum lycopersicum L.	0%
<i>Xanthomonas gardneri</i> (ex Šutič 1957) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L. and <i>Solanum lycopersicum</i> L.	0%
Xanthomonas perforans Jones et al. [XANTPF]	Capsicum annuum L. and Solanum lycopersicum L.	0%
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE]		0%
Insects and mites	I	I
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (seeds) (genus or species)	(3) Thresholds for the vegetable seed concerned
Acanthoscelides obtectus (Say) [ACANOB]	<i>Phaseolus coccineus</i> L. and <i>Phaseolus vulgaris</i> L.	0%
Bruchus pisorum (Linnaeus) [BRCHPI]	Pisum sativum L.	0%
Bruchus rufimanus Boheman [BRCHRU]	Vicia faba L.	0%
Nematodes		1
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (seeds) (genus or species)	(3) Thresholds for the vegetable seed concerned
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	Allium cepa L., Allium porrum L.	0%
Viruses, viroids, virus-like di	seases and phytoplasmas	· · · · · · · · · · · · · · · · · · ·
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (seeds) (genus or species)	(3) Thresholds for the vegetable seed concerned
Pepino mosaic virus [PEPMV0]	Solanum lycopersicum L.	0%
Potato spindle tuber viroid [PSTVD0]	Capsicum annuum L. and Solanum lycopersicum L.	0%
	× 1	

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Tomato apical stunt viroid [TASVD0]	Solanum lycopersicum L.	0%
Tomato chlorotic dwarf viroid [TCDVD0]	Solanum lycopersicum L.	0%

#### **Textual Amendments**

**F102** Words in Annex 4 Pt. E substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 7

**F103** Words in Annex 4 Pt. E table omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(4)** 



## RNQPs concerning seed potatoes

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	the direct progeny for of pre-basic seed din		( <b>I</b> )hresholds for the direct progeny of	(5) Thresholds for the direct progeny of certified seed
		PBTC	РВ	basic seed potatoes	potatoes
Symptoms of virus infection	Solanum tuberosum L.	0%	0.5%	4%	10%
Blackleg ( <i>Dickeya</i> Samson <i>et al.</i> spp. [1DICKG]; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp. [1PECBG])	Solanum tuberosum L.	0%	Practically free	Practically free	Practically free
Candidatus Liberibacter 'solanacearum' Liefting <i>et al.</i> [LIBEPS]	Solanum tuberosum L.	0%	0%	0%	0%
Ditylenchukestructor Thorne [DITYDE]	Solanum tuberosum L.	0%	0%	0%	0%
Black scurf as caused by <i>Thanatephorus</i> <i>cucumeris</i> (A.B. Frank) Donk [RHIZSO]	Solanum tuberosum L.	0%	1% affecting tubers over more than 10% of their surface	more than	tubers over more than 10% of
2	Solanum tuberosum L.	0%	1% affecting tubers over	3% affecting tubers over	3% affecting tubers over more

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

<i>Spongospora</i> <i>subterranea</i> (Wallr.) Lagerh. [SPONSU]				more than 10% of their surface	
Mosaic symptoms caused by viruses and symptoms caused by Potato leaf roll virus [PLRV00]		0%	0.1%	0.8%	6%
<i>Meloidogyne fallax</i> Karssen [MELGFA]		0%	0%	0%	0%
Potato spindle tuber viroid [PSTVD0]	Solanum tuberosum L.	0%	0%	0%	0%



## RNQPs concerning seed of oil and fibre plants

In this Part, 'specified size', in relation to a seed lot, means-

- a) in the case of seed of Brassica rapa L. var. silvestris (Lam.) Briggs, 70g;
- b) in the case of seed of Brassica napus L. (partim), 100g;
- c) in the case of seed of *Sinapis alba* L., 200g.

Fungi and oor	Fungi and oomycetes				
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for pre-basic seed	(4) Thresholds for basic seed	(5) Thresholds for certified seed	
Alternaria linicola Groves & Skolko [ALTELI]	Linum usitatissimum L.	5% 5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. linicola, <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> spp.	5% 5% affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium spp.	5% 5% affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium spp.	
Boeremia exigua var. linicola (Naumov & Vassiljevsky) Aveskamp, Gruyter &	Linum usitatissimum L flax	1% 5% affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum	1% 5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia</i> <i>exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i>	1% 5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia</i> <i>exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i>	

Verkley [PHOMEL]		<i>lini</i> and <i>Fusarium</i> spp.	<i>lini</i> and <i>Fusarium</i> spp.	<i>lini</i> and <i>Fusarium</i> spp.
Boeremia exigua var. linicola (Naumov & Vassiljevsky) Aveskamp, Gruyter & Verkley [PHOMEL]	Linum usitatissimum L linseed	5% 5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> spp.	5% 5% affected with <i>Alternaria</i> <i>linicola</i> , <i>Boeremia</i> <i>exigua</i> var. <i>linicola</i> , <i>Colletotrichum</i> <i>lini</i> and <i>Fusarium</i> spp.	5% 5% affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium spp.
<i>Botrytis</i> <i>cinerea</i> de Bary [BOTRCI]	Helianthus annuus L. and Linum usitatissimum L.	5%	5%	5%
<i>Colletotrichum</i> <i>lini</i> Westerdijk [COLLLI]	Linum usitatissimum L.	5% affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium spp.	with Alternaria	5% affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium spp.
F104	F105	F105	F105	F105
F105	•••	• • •		
Fusarium (anamorphic genus) Link [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]	Linum usitatissimum L.	5 % affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium (anamorphic genus) Link other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon and Fusarium circinatum Nirenberg & O'Donnell	5 % affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium (anamorphic genus) Link other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon and Fusarium circinatum Nirenberg & O'Donnell	5 % affected with Alternaria linicola, Boeremia exigua var. linicola, Colletotrichum lini and Fusarium (anamorphic genus) Link other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon and Fusarium circinatum Nirenberg & O'Donnell

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Plasmopara halstedii (Farlow) Berlese & de Toni [PLASHA]	<i>Helianthus</i> annuus L.	0%	0%	0%
Sclerotinia sclerotiorum (Libert) de Bary [SCLESC]	Brassica rapa L. var. silvestris (Lam.) Briggs,	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)	5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the	5 sclerotia or fragments of sclerotia found in a laboratory examination of
Sclerotinia sclerotiorum (Libert) de Bary [SCLESC]	Brassica napus L. (partim) and Helianthus annuus L.	Not more than 10 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of the specified size (if any)	fragments of sclerotia found in a laboratory examination of a representative	a representative sample of each
Sclerotinia sclerotiorum (Libert) de Bary [SCLESC]	Sinapis alba L.	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot of a the specified size (if any)	5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative	a representative

#### **Textual Amendments**

F104 Words in Annex 4 Pt. G omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(4)** 

F105 Words in Annex 4 Pt. G omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(3)(a)

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



RNQPs concerning vegetable propagating and planting material other than seeds

RNQPs or symptoms caused       Plants for planting       Thresholds for the vegetable propagating and planting material concerned         Candidatus       Liberibacter       Solanum lycopersicum L.       0%         Solanacearum' Liefting et al.       Solanum lycopersicum L.       0%         Clavibacter       michiganensis       Solanum lycopersicum L.       0%         Solanum lycopersicum L.       0%       0%         Solanum lycopersicum L.       0%       0%         Vanthomonas       euvesicatoria       Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas gardneri       (ex       Capsicum annuum L. and Solanum lycopersicum L.       0%         YANTGA]       Solanum lycopersicum L.       0%         Yanthomonas perforans Jones       Capsicum annuum L. and Solanum lycopersicum L.       0%         YANTGA]       Solanum lycopersicum L.       0%         YANTGA]       Solanum lycopersicum L.       0%         YANTKOA       Solanum lycopersicum L.       0%         YANTGA]       Solanum lycopersicum L.       0%         YANTKA       Solanum lycopersicum L.       0%         YANTGA]       Solanum lycopersicum L.       0%         YANTVE]       Fungi and oomycetes       0%         (1)       RYOPs	Bacteria		
isolanacearum' Liefting et al. [LIBEPS]       Solanum lycopersicum L.       0%         Clavibacter michiganensis ssp. michiganensis (Smith)       Solanum lycopersicum L.       0%         Nanthomonas euvesicatoria lones et al. [CORBMI]       Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas gardneri (ex Sutič 1957) Jones et al. (XANTGA]       Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas perforans Jones et al. [XANTFF]       Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Vanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Vanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Vanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Vanthomonas vesicatoria (ex Vanthomonas vesicatoria (ex Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Vanthomonas vesicatoria (ex Vantry)       Capsicum annuum L. and Solanum lycopersicum L.       0%         Fungi and oomycetes       (1)       Plants for planting       (3)         fungi and oomycetes       Plants for planting       0%         Fusarium Link (anamorphic genus) [IFUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire)       Asparagus officinalis L.       0%         Wit. Gordon [	(1) RNQPs or symptoms caused by RNQPs		Thresholds for the vegetable propagating and planting
ssp. michiganensis (Smith)       Image: Comparison of the second se	<i>Candidatus Liberibacter</i> 'solanacearum' Liefting <i>et al.</i> [LIBEPS]	Solanum lycopersicum L.	0%
Jones et al. [XANTEU]Solanum lycopersicum L.Xanthomonas gardneri (ex Sutič 1957) Jones et al. [XANTGA]Capsicum annuum L. and Solanum lycopersicum L.0%Xanthomonas perforans Jones et al. [XANTPF]Capsicum annuum L. and Solanum lycopersicum L.0%Xanthomonas vesicatoria (ex Doidge) Vauterin et al. [XANTVE]Capsicum annuum L. and Solanum lycopersicum L.0%Fungi and oomycetesCapsicum annuum L. and Solanum lycopersicum L.0%(1) RNQPs or symptoms caused by RNQPs(2) Plants for planting(3) Thresholds for the vegetabli propagating and planting material concernedFusarium Link (anamorphic genus) [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) WL. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'DonnellAsparagus officinalis L. O%0%Helicobasidium brebissonii [GIBBCI]Asparagus officinalis L. (Desm.) Donk [HLCBBR]0%Stromatinia cepivora Berk. [SCLOCE]Allium cepa L., Allium fistulosum L., Allium porrum L. and Allium sativum L.0%	<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i> [CORBMI]	Solanum lycopersicum L.	0%
Šutič 1957) Jones et al.       Solanum lycopersicum L.         [XANTGA]       Capsicum annuum L. and Solanum lycopersicum L.         Vanthomonas perforans Jones et al. [XANTPF]       Capsicum annuum L. and Solanum lycopersicum L.         Vanthomonas vesicatoria (ex Capsicum annuum L. and Dow Solanum lycopersicum L.       0%         Xanthver       Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Yanthomonas vesicatoria (ex Capsicum annuum L. and Solanum lycopersicum L.       0%         Plants for planting by RNQPs       (3)         Fusarium Link (anamorphic genus) [IFUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire)       Asparagus officinalis L.       0%         WL. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell       Asparagus officinalis L.       0%         (BBBCI]       Helicobasidium brebissonii       Asparagus officinalis L.       0%         (SCLOCE]       Allium cepa L., Allium forrum L. and Allium sativum L.       0% <td>Xanthomonas euvesicatoria Jones et al. [XANTEU]</td> <td></td> <td>0%</td>	Xanthomonas euvesicatoria Jones et al. [XANTEU]		0%
et al. [XANTPF]Solanum lycopersicum L.Xanthomonas vesicatoria (ex Doidge) Vauterin et al. [XANTVE]Capsicum annuum L. and Solanum lycopersicum L.0%Fungi and oomycetes(1) RNQPs or symptoms caused by RNQPs(2) Plants for planting(3) Thresholds for the vegetable propagating and planting material concernedFusarium Link (anamorphic genus) [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]Asparagus officinalis L. o%0%Helicobasidium brebissonii (Desm.) Donk [HLCBBR]Asparagus officinalis L. studentia cepivora Berk. L. and Allium cepa L., Allium fistulosum L., Allium porrum 	v e v		0%
Doidge)Vauterinetal.Solanum lycopersicum L.[XANTVE]Fungi and oomycetes(1)Fungi and oomycetes(2)Plants for planting(3)[RNQPs or symptoms caused by RNQPs(2)Plants for plantingThresholds for the vegetable propagating and planting material concernedFusariumLink (anamorphic genus) [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire)Asparagus officinalis L.0%W.L.Gordon[FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]Asparagus officinalis L.0%Helicobasidiumbrebissonii fistulosum L., Allium porrum L. and Allium sativum L.0%	<i>Xanthomonas perforans</i> Jones et al. [XANTPF]		0%
(1) RNQPs or symptoms caused by RNQPs(2) Plants for planting(3) Thresholds for the vegetable propagating and planting material concernedFusarium Link (anamorphic genus) [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]Asparagus officinalis L.0%Helicobasidium brebissonii (Desm.) Donk [HLCBBR]Asparagus officinalis L.0%Stromatinia cepivora Berk. [SCLOCE]Allium cepa L., Allium fistulosum L., Allium porrum L. and Allium sativum L.0%	Xanthomonas vesicatoria (ex Doidge) Vauterin <i>et al.</i> [XANTVE]		0%
RNQPs or symptoms caused by RNQPsPlants for plantingThresholds for the vegetable propagating and planting material concernedFusarium Link (anamorphic genus) [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) 	Fungi and oomycetes		
genus) [1FUSAG] other than Fusarium oxysporum f. sp. albedinis (Kill. & Maire) W.L. Gordon [FUSAAL] and Fusarium circinatum Nirenberg & O'Donnell [GIBBCI]Image: Constant of the second	(1) RNQPs or symptoms caused by RNQPs		<i>Thresholds for the vegetable propagating and planting</i>
(Desm.) Donk [HLCBBR]I and allium cepa L., Allium 0%Stromatinia cepivora Berk.Allium cepa L., Allium porrum fistulosum L., Allium porrum L. and Allium sativum L.Verticillium dahliae Kleb.Cynara cardunculus L.0%	L .	Asparagus officinalis L.	0%
[SCLOCE]fistulosum L., Allium porrum L. and Allium sativum L.Verticillium dahliae Kleb.Cynara cardunculus L.0%	Helicobasidium brebissonii (Desm.) Donk [HLCBBR]	Asparagus officinalis L.	0%
	Stromatinia cepivora Berk. [SCLOCE]	fistulosum L., Allium porrum	0%
	<i>Verticillium dahliae</i> Kleb. [VERTDA]	<i>Cynara cardunculus</i> L.	0%
Nematodes	Nematodes		

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting	(3) Thresholds for the vegetable propagating and planting material concerned
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	<i>Allium cepa</i> L., <i>Allium sativum</i> L.	0%
Viruses, viroids, virus-like dis	eases and phytoplasmas	·
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting	(3) Thresholds for the vegetable propagating and planting material concerned
Leek yellow stripe virus [LYSV00]	Allium sativum L.	1%
Onion yellow dwarf virus [OYDV00]	<i>Allium cepa</i> L. and <i>Allium sativum</i> L.	1%
Potato spindle tuber viroid [PSTVD0]	Capsicum annuum L. and Solanum lycopersicum L.	0%
Tobacco mild green mosaic virus [TMGMV0]	Capsicum annuum L. and Solanum lycopersicum L.	0%
Tomato apical stunt viroid [TASVD0]	Solanum lycopersicum L.	0%
Tomato chlorotic dwarf viroid [TCDVD0]	Solanum lycopersicum L.	0%
Tomato spotted wilt tospovirus [TSWV00]	Capsicum annuum L., Lactuca sativa L., Solanum lycopersicum L. and Solanum melongena L.	0%

# PART I U.K.

RNQPs concerning fruit propagating material and fruit plants intended for fruit production

Bacteria		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Agrobacterium tumefaciens (Smith & Townsend) Conn [AGRBTU]		0%

	(L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L. and <i>Vaccinium</i> L.	
Agrobacterium spp. Conn [1AGRBG]	Rubus L.	0%
<i>Candidatus Phlomobacter</i> 'fragariae' Zreik, Bové & Garnier [PHMBFR]	Fragaria L.	0%
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Plants for planting, other than seeds, of <i>Cydonia</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
F106	F106	F106
F107	F107	F107
Pseudomonas syringae pv. morsprunorum (Wormald) Young, Dye & Wilkie [PSDMMP]		0%
<i>Pseudomonas syringae</i> pv. Syringae van Hall [PSDMSY]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L. and <i>Prunus armeniaca</i> L.	0%
Pseudomonasviridiflava(Burkholder)Dowson[PSDMVF]	Prunus armeniaca L.	0%
<i>Rhodococcus fascians</i> Tilford [CORBFA]	Rubus L.	0%
Xanthomonas arboricola pv. Corylina (Miller, Bollen, Simmons, Gross & Barss) Vauterin, Hoste, Kersters & Swings [XANTCY]	Corylus avellana L.	0%
Xanthomonas arboricola pv. Juglandi (Pierce) Vauterin et al. [XANTJU]	Jugland regia L.	0%
Xanthomonas campestris pv. fici (Cavara) Dye [XANTFI]	Ficus carica L.	0%
XanthomonasfragariaeKennedy & King [XANTFR]	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Fungi and oomycetes		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3)

		Thresholds for the fruit propagating and fruit plants concerned
<i>Armillariella mellea</i> (Vahl) Kummer [ARMIME]	Corylus avellana L., Cydonia oblonga Mill., Ficus carica L., Juglans regia L., Malus Mill. and Pyrus L	0%
Chondrostereum purpureum Pouzar [STERPU]	Cydonia oblonga Mill., Juglans regia L., Malus Mill. and Pyrus L.	0%
Colletotrichum acutatum Simmonds [COLLAC]	Fragaria L.	0%
<i>Diaporthe strumella</i> (Fries) Fuckel [DIAPST]	Ribes L.	0%
<i>Exobasidium vaccinii</i> (Fuckel) Woronin [EXOBVA]	Vaccinium L.	0%
Glomerella cingulata (Stoneman) Spaulding & von Schrenk [GLOMCI]		0%
Godroniacassandrae(anamorphToposporamyrtilli)Peck [GODRCA]	Vaccinium L.	0%
Microsphaeragrossulariae(Wallroth)Léveillé[MCRSGR]	Ribes L.	0%
<i>Mycosphaerella punctiformis</i> Verkley & U. Braun [RAMUEN]	Castanea sativa Mill.	0%
<i>Neofabraea alba</i> Desmazières [PEZIAL]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
Neofabraea malicorticis Jackson [PEZIMA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
Neonectria ditissima (Tulasne & C. Tulasne) Samuels & Rossman [NECTGA]		0%
Peronospora rubi Rabenhorst [PERORU]	Rubus L.	0%
<i>Phytophthora cactorum</i> (Lebert & Cohn) J.Schröter [PHYTCC]		0%

	persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.	
<i>Phytophthora cambivora</i> (Petri) Buisman [PHYTCM]	<i>Castanea sativa</i> Mill. and <i>Pistacia ver</i> a L.	0%
Phytophthora cinnamomi Rands [PHYTCN]	Castanea sativa Mill.	0%
<i>Phytophthora citrophthora</i> (R.E. Smith & E.H. Smith) Leonian [PHYTCO ]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
PhytophthoracryptogeaPethybridge& Lafferty[PHYTCR]	Pistacia vera L.	0%
<i>Phytophthora fragariae</i> C.J. Hickman [PHYTFR]	Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
<i>Phytophthora nicotianae</i> var. <i>parasitica</i> (Dastur) Waterhouse [PHYTNP]	<i>Citrus L., Fortunella Swingle</i> and <i>Poncirus</i> Raf.	0%
<i>Phytophthora</i> spp. de Bary [1PHYTG]	Rubus L.	0%
Podosphaeraaphanis(Wallroth)Braun&Takamatsu[PODOAP]	Fragaria L.	0%
Podosphaeramors-uvae(Schweinitz)BraunTakamatsu[SPHRMU]	Ribes L.	0%
<i>Rhizoctonia fragariae</i> Hussain & W.E. McKeen [RHIZFR]	Fragaria L.	0%
Rosellinia necatrix Prillieux [ROSLNE]	Pistacia vera L.	0%
Sclerophora pallida Yao & Spooner [SKLPPA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
[ <sup>F108</sup> Thekopsora minima(Arthur) Sydow & P. Sydow [THEKMI]	Vaccinium L.	0%]
Verticilliumalbo-atrumReinke&[VERTAA]	Corylus avellana L., Cydonia oblonga Mill., Fragaria L., Malus Mill. and Pyrus L.	0%
Verticillium dahliae Kleb [VERTDA]	Corylus avellana L., Cydonia oblonga Mill., Fragaria L., Malus Mill., Olea europaea L., Pistacia vera L., Prunus armeniaca L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus dulcis	0%

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to

be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(Mill.) D. A. Webb, Prun	us
persica (L.) Batsch, Prun	us
salicina Lindley and Pyrus	L.

Insects and mites		l
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Cecidophyopsis ribis Westwood [ERPHRI]	Ribes L.	0%
Chaetosiphon fragaefolii Cockerell [CHTSFR]	Fragaria L.	0%
Dasineura tetensi Rübsaamen [DASYTE]	Ribes L.	0%
F109	F109	F109
<i>Eriosoma lanigerum</i> Hausmann [ERISLA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
Phytoptus avellanae Nalepa [ERPHAV]	Corylus avellana L.	0%
Phytonemus pallidus Banks [TARSPA]	Fragaria L.	0%
Pseudaulacaspis pentagona Targioni-Tozzetti [PSEAPE]	Juglans regia L., Prunus armeniaca L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Ribes L.	0%
Psylla spp. Geoffroy [1PSYLG]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
Resseliella theobaldi Barnes [THOMTE]	Rubus L.	0%
<i>Tetranychus urticae</i> Koch [TETRUR]	Ribes L.	0%
Nematodes		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Aphelenchoides blastophthorus [APLOBL]	Fragaria L.	0%

Aphelenchoidesfragariae(Ritzema Bos)Christie[APLOFR]	Fragaria L.	0%
Aphelenchoides ritzemabosi (Schwartz) Steiner & Buhrer [APLORI]	<i>Fragaria</i> L. and <i>Ribes</i> L.	0%
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	<i>Fragaria</i> L. and <i>Ribes</i> L.	0%
F110	F110	F110
<i>Longidorus attenuatus</i> Hooper [LONGAT]	Fragaria L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus persica (L.) Batsch, Prunus salicina Lindley and Rubus L.	0%
<i>Longidorus elongatus</i> (de Man) Thorne & Swanger [LONGEL]	Fragaria L. Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus persica (L.) Batsch, Prunus salicina Lindley, Ribes L. and Rubus L.	0%
Longidorus macrosoma Hooper [LONGMA]	Fragaria L. Prunus avium L., Prunus cerasus L., Ribes L. and Rubus L.	0%
F111	F111	F111
<i>Meloidogyne hapla</i> Chitwood [MELGHA]	Cydonia oblonga Mill., Fragaria L., Malus Mill. and Pyrus L.	0%
F111	F111	F111
Pratylenchuspenetrans(Cobb)Filipjev&Schuurmans-Stekhoven[PRATPE]		0%
Pratylenchus vulnus Allen & Jensen [PRATVU]	Citrus L., Cydonia oblonga Mill., Ficus carica L., Fortunella Swingle, Fragaria L., Malus Mill., Olea europaea L., Pistacia vera L., Poncirus Raf., Prunus	0%

	avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.	
Xiphinema diversicaudatum (Mikoletzky) Thorne [XIPHDI]	Fragaria L., Juglans regia L., Olea europaea L., Prunus avium L., Prunus cerasus L., Prunus domestica L., Prunus persica (L.) Batsch, Prunus salicina Lindley, Ribes L. and Rubus L.	0%
F111	F111	F111
····		
Viruses, viroids, virus-like d		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Thresholds for the fruit propagating and fruit plants concerned
Apple chlorotic leaf spot virus [ACLSV0]	Cydonia oblonga Mill., Malus Mill., Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Pyrus L.	0%
Apple flat limb agent [AFL000]	Malus Mill.	0%
Apple mosaic virus [APMV00]	Corylus avellana L., Malus Mill., Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch, Prunus salicina Lindley and Rubus L.	0%
Apple star crack agent [APHW00]	Malus Mill.	0%
Apple rubbery wood agent [ARW000]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
Apple scar skin viroid [ASSVD0]	Malus Mill.	0%
Apple stem-grooving virus [ASGV00]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%

Apple stem-pitting virus [ASPV00]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0%
F112	F112	F112
Arabis mosaic virus [ARMV00]	Fragaria L., Olea europaea L., Prunus avium L., Prunus cerasus L., Ribes L. and Rubus L.	0%
F112	F112	F112
Black raspberry necrosis virus [BRNV00]	Rubus L.	0%
Blackcurrant reversion virus [BRAV00]	Ribes L.	0%
Blueberry mosaic associated virus [BLMAV0]	Vaccinium L.	0%
Blueberry red ringspot virus [BRRV00]	Vaccinium L.	0%
Blueberry shock virus [BLSHV0]	Vaccinium L.	0%
Candidatus Phytoplasma 'asteris' Lee et al. [PHYPAS]	<i>Fragaria</i> L. and <i>Vaccinium</i> L.	0%
<i>Candidatus</i> Phytoplasma 'fragariae' Valiunas, Staniulis & Davis [PHYPFG]	Fragaria L.	0%
Candidatus Phytoplasma 'pyri' [PHYPPY]	Plants for planting, other than seeds, of <i>Pyrus</i> L.	0%
<i>Candidatus</i> Phytoplasma 'rubi' Malembic-Maher <i>et al.</i> [PHYPRU]	Rubus L.	0%
Cherry green ring mottle virus [CGRMV0]	<i>Prunus avium</i> L. and <i>Prunus cerasus</i> L.	0%
Cherry leaf roll virus [CLRV00]	Juglans regia L., Olea europaea L., Prunus avium L. and Prunus cerasus L.	0%
Cherry mottle leaf virus [CMLV00]	<i>Prunus avium</i> L. and <i>Prunus cerasus</i> L.	0%
Cherry necrotic rusty mottle virus [CRNRM0]	Prunus avium L. and Prunus cerasus L.	0%
Chestnut mosaic agent	Castanea sativa Mill.	0%
Citrus cristacortis agent [CSCC00]	Citrus L., Fortunella Swingle and Poncirus Raf.	0%

Citrus impietratura agent [CSI000]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
Citrus leaf Blotch virus [CLBV00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
Citrus variegation virus [CVV000]	<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf.	0%
Clover phyllody phytoplasma [PHYP03]	Fragaria L.	0%
Cranberry false blossom phytoplasma [PHYPFB]	Vaccinium L.	0%
Cucumber mosaic virus [CMV000]	<i>Ribes</i> L. and <i>Rubus</i> L.	0%
Fruit disorders: chat fruit <i>Malus</i> Mill. [APCF00], green crinkle [APGC00], bumpy fruit of Ben Davis, rough skin [APRSK0], star crack, russet ring [APLP00], russet wart		0%
Gooseberry vein banding associated virus [GOVB00]	Ribes L.	0%
Little cherry virus 1 and 2 [LCHV10], [LCHV20])	Prunus avium L. and Prunus cerasus L.	0%
MyrobalanlatentringspotPrunusdomesticaL.andvirus [MLRSV0]PrunussalicinaLindley		0%
Olive leaf yellowing associated virus [OLYAV0]	Olea europaea L.	0%
Olive yellow mottling and decline associated virus [OYMDAV]	Olea europaea L.	0%
Peach latent mosaic viroid [PLMVD0]	Prunus persica (L.) Batsch	0%
Pear bark necrosis agent [PRBN00]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Pear bark split agent [PRBS00]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Pear blister canker viroid [PBCVD0]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Pear rough bark agent [PRRB00]	<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Plum pox virus [PPV000]	Prunus armeniaca L., Prunus avium L., Prunus cerasifera, Prunus cerasus L., Prunus domestica L., Prunus dulcis	0%

(Mill.) D.A. Webb, <i>Prunus</i> <i>persica</i> (L.) Batsch and <i>Prunus salicina</i> Lindley. In the case of Prunus hybrids where material is grafted onto rootstocks, other species of <i>Prunus</i> L. rootstocks susceptible to Plum pox virus.	
Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina Lindley	0%
Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina Lindley	0%
<i>Cydonia oblonga</i> Mill. and <i>Pyrus</i> L.	0%
Rubus L.	0%
Rubus L.	0%
<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L. and <i>Rubus</i> L.	0%
Rubus L.	0%
Rubus L.	0%
Rubus L.	0%
Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
Fragaria L., Prunus avium L., Prunus cerasus L., Prunus persica (L.) Batsch, Ribes L. and Rubus L.	0%
Plants for planting, other than seeds, of <i>Fragaria</i> L.	0%
	persica (L.) Batsch and Prunus salicina Lindley.In the case of Prunus hybrids where material is grafted onto rootstocks, other species of Prunus L. rootstocks susceptible to Plum pox virus.Prunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina LindleyPrunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina LindleyPrunus avium L., Prunus armeniaca L., Prunus cerasus L., Prunus domestica L., Prunus dulcis (Mill.) D. A. Webb, Prunus persica (L.) Batsch and Prunus salicina LindleyCydonia oblonga Mill. and Pyrus L.Rubus L.Rubus L.Rubus L.Rubus L.Rubus L.Plants for planting, other than seeds, of Fragaria L., Prunus avium L., Prunus cerasus L., Prunus persica (L.) Batsch, Ribes L.Plants for planting, other than seeds, of Fragaria L.Prunus cerasus L., Prunus persica (L.)Plants for planting, other than seeds, of Fragaria L.Plants for planting, other than seeds, of planting, other than seeds L.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Strawberry mottle virus [SMOV00]	Fragaria L.	0%
Strawberry multiplier disease phytoplasma [PHYP75]	Fragaria L.	0%
Tomato black ring virus [TBRV00]	Plants for planting, other than seeds, of <i>Fragaria</i> L., <i>Prunus</i> <i>avium</i> L., <i>Prunus cerasus</i> L. and <i>Rubus</i> L.	0%
Tomato ringspot virus [TORSV0]	Prunus L. and Malus L.	0%

#### **Textual Amendments**

- F106 Words in Annex 4 Pt. I omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(3)(b)(i)
- F107 Words in Annex 4 Pt. 1 Table omitted (2.12.2021) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(4)(a)
- F108 Words in Annex 4 Pt. 1 inserted (25.11.2022) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 5
- F109 Words in Annex 4 Pt. 1 Table omitted (2.12.2021) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(4)(b)
- F110 Words in Annex 4 Pt. 1 Table omitted (2.12.2021) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(4)(c)
- F111 Words in Annex 4 Pt. I omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(3)(b)(ii)
- F112 Words in Annex 4 Pt. 1 Table omitted (2.12.2021) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(4)(d)

## PART J U.K.

RNQPs concerning seed of Solanum tuberosum L.

Viruses, viroids, virus-like diseases and phytoplasmas			
(1) RNQP(2) Plants for planting(3) Threshold for seed			
Potato spindle tuber viroid [PSTVD0]	Solanum tuberosum L.	0%	

# PART K U.K.

RNQPs concerning plants for planting of Humulus lupulus, other than seeds

Fungi and oomycetes		
(1)	(2)	(3)
RNQP	Plants for planting	Threshold for seed

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Verticillium a [VERTDA]	lahliae Kleb.	Humulus lupulus L.	0%
<i>Verticillium</i> Inderbitzin, Bostock, R.M. Subbarao [VEF	H.W. Platt, Davis & K.V.		0%]

## ANNEX 5 U.K.

[<sup>F113</sup>Measures to prevent the presence of RNQPs on specific plants for planting

#### **Textual Amendments**

F113 Annex 5 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), Sch. 5 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

#### Modifications etc. (not altering text)

C5 Annex 5: power to modify conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 37(5)-(5C) (as amended by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **28(4)(e)(f)**)

Table of	Contents
Part A:	Measures to prevent the presence of RNQPs on fodder plant seed
Part B:	Measures to prevent the presence of RNQPs on propagating material of <i>Vitis</i> sp.
Part C:	Measures to prevent the presence of RNQPs on propagating material of ornamental plants and plants for planting intended for ornamental purposes
Part D:	Measures to prevent the presence of RNQPs on forest reproductive material, other than seeds
Part E:	Measures to prevent the presence of the RNQPs on vegetable seed
Part F:	Measures to prevent the presence of the RNQPs on seed potatoes
Part G:	Measures to prevent the presence of RNQPs on seed of oil and fibre plants
Part H:	Measures to prevent the presence of RNQPs on vegetable propagating and planting material, other than seeds
Part I:	Measures to prevent the presence of the RNQPs on seed of <i>Solanum tuberosum</i> L.
Part J:	Measures to prevent the presence of the RNQPs on plants for planting of <i>Humulus lupulus</i> , other than seeds

#### Interpretation

In this Annex:

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

'competent authority', in relation to plants for planting originating in a third country, means the national plant protection organisation of the country of origin or any official authority or body acting under the supervision of the national plant protection organisation;

'RNQPs' means GB regulated non-quarantine pests.

# PART A U.K.

Measures to prevent the presence of RNQPs on fodder plant seed



## 1. Inspection of the crop

1 The competent authority, or the professional operator under the official supervision of the competent authority, must carry out field inspections on the crop from which the seed of *Helianthus annuus* L. is produced concerning the presence of *Plasmopara halstedii* (Farlow) Berlese & de Toni in the crop to ensure that the presence of that pest does not exceed the thresholds set out in the table in Part G of Annex 4.

2 For the purposes of point (1), the competent authority may authorise inspectors, other than the professional operators, to carry out the field inspections on its behalf and under its official supervision.

3 Those field inspections must be carried out when the condition and the stage of development of the crop allow for an adequate inspection. At least one field inspection must be carried out each year, at the most appropriate time for the detection of the respective RNQPs.

4 The competent authority must determine the size, the number and the distribution of the portions of the field to be inspected in accordance with appropriate methods.

5 The proportion of the crops for the production of seed to be officially inspected by the competent authority must be at least 5%.

## U.K.

### 2. Sampling and testing of oil and fibre plants

1 The competent authority must:

2 The competent authority or the professional operator under official supervision must sample and test oil and fibre plants in accordance with up-to-date international methods.

3 Except for automatic sampling, the competent authority must check a proportion of at least 5 % of the seed lots entered for official certification.

4 That proportion must be spread as evenly as possible over natural and legal persons entering seed for certification and the species entered, but may also be aimed at eliminating specific doubts.

5 In the case of automatic sampling, appropriate procedures must be applied and the sampling must be officially supervised.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

6 For the examination of seed for certification, samples must be drawn from homogeneous lots and, as regards the lot and sample weights, in accordance with the table in Annex 3 to Directive 66/401/EEC.

#### **Textual Amendments**

F114 Annex 5 Pt. G para. 2(1)(d): Annex 5 Pt. G para. 2(1)(c) renumbered (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(5)

## U.K. 3.

# The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

RNQPs or symptoms caused by RNQPs	Plants for planti (genus or species)	ing	Requir	rements
Clavibacter michiganensis ssp. insidiosus	Pre-basic, basic certified seeds Medicago sativa L.	and of	a	the seeds originate in areas known to be free from <i>Clavibacter michiganensis</i> spp. <i>insidiosus</i> ,
			b	the crop has been grown on land on which no previous <i>Medicago sativa</i> L. crop was present during the last three years prior to sowing, and no symptoms of <i>Clavibacter</i> <i>michiganensis</i> ssp. <i>insidiosus</i> have been observed during any field inspection at the site of production or no symptoms of <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> have been observed on any <i>Medicago</i> <i>sativa</i> L. crop adjacent to it, during the previous cropping, or the crop belongs to a variety recognised as being highly resistant to <i>Clavibacter</i> <i>michiganensis</i> ssp. <i>insidiosus</i> and the content of inert matter does not exceed 0.1% by weight

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Ditylenchus dipsaci	Pre-basic, basic and certified seeds of <i>Medicago sativa</i> L.	а	no symptoms of <i>Ditylenchus</i> <i>dipsaci</i> have been observed at the site of production
	Meuicago saliva L.		during the previous cropping, no main host crops have
			been grown during the two preceding years on the site of production and appropriate
			hygiene measures have been taken to prevent infestation of the place of production,
		b	no symptoms of <i>Ditylenchus</i> <i>dipsaci</i> have been observed at the site of production during the previous cropping and no <i>Ditylenchus dipsaci</i> has been found by laboratory tests on a representative sample, or
		с	the seeds have been subjected to an appropriate physical or chemical treatment against <i>Ditylenchus dipsaci</i> and have been found to be free of this pest after laboratory tests on a representative sample.

# PART B U.K.

Measures to prevent the presence of RNQPs on propagating material of Vitis sp.

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

Insects and mites			
RNQPs or sympton caused by RNQPs	ns Plants for planting (genus or species)	Requirements	
Daktulosphaira vitifoli Fitch [VITEVI]	ae Vitis vinifera L.	a the plants have been produced in areas known to be free from <i>Daktulosphaira vitifoliae</i> Fitch,	
		b the plants have been grafted on rootstocks resistant to <i>Daktulosphaira vitifoliae</i> Fitch, or	
		c in the case where propagating material which is intended for marketing showed signs or	

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

symptoms of *Daktulosphaira vitifoliae* Fitch, the entire lot of that material has been subjected to fumigation, hot water treatment or another appropriate treatment in accordance with protocols of the European and Mediterranean Plant Protection Organization, or other protocols which are internationally recognised to ensure freedom from *Daktulosphaira vitifoliae* Fitch.

Viruses, viroids, virus-like diseases and phytoplasmas

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
<i>Arabis</i> mosaic virus [ARMV00], Grapevine fanleaf virus [GFLV00], Grapevine fleck virus [GFKV00], Grapevine leafroll associated virus 1 [GLRAV1] and Grapevine leafroll associated virus 3 [GLRAV3]		Symptoms of all viruses listed in column 1 have been observed on no more than 10% of vines in the stock nurseries and those vines have been eliminated from propagation.



## Measures to prevent the presence of RNQPs on propagating material of ornamental plants and other plants for planting intended for ornamental purposes

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

Bacteria		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM	Plants for planting, other than seeds, of <i>Amelanchier</i> Medik., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Medik.,	in areas known to be free from <i>Erwinia amylovora</i> (Burrill)

	Crataegus Tourn. ex L., Cydonia Mill., Eriobtrya Lindl., Malus Mill., Mespilus Bosc ex Spach, Photinia davidiana Decne., Pyracantha M. Roem., Pyrus L. and Sorbus L.	b the plants have been grown in a production site that has been visually inspected at an appropriate time during the last growing season for the detection of that pest and plants showing symptoms of that pest, and any surrounding host plants, have been immediately rogued out and destroyed.
Xanthomonas euvesicatoria Jones et al. [XANTEU]	Capsicum annuum L.	In the case of seeds: a the seeds originate in areas known to be free from Xanthomonas euvesicatoria Jones et al., b no symptoms of disease caused by Xanthomonas euvesicatoria Jones et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or c the seeds have been subjected to official testing for Xanthomonas euvesicatoria Jones et al. on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from Xanthomonas euvesicatoria Jones et al. In the case of plants other than seeds: a the seedlings have been grown from seeds that meet the above requirements, and b the plants have been maintained in appropriate hygiene conditions to prevent infection.
Xanthomonas gardneri (ex Šutič) Jones et al. [XANTGA]	<i>Capsicum annuum</i> L.	In the case of seeds: a the seeds originate in areas known to be free from Xanthomonas gardneri (ex Šutič) Jones et al., b no symptoms of disease caused by Xanthomonas

		gardneri (ex Šutič) Jones et al. have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, orcthe seeds have been subjected to official testing for Xanthomonas gardneri (ex Šutič) Jones et al. on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from Xanthomonas gardneri (ex Šutič) Jones et al.In the case of plants other than seeds: aathe seedlings have been grown from seeds that meet the above requirements, andbthe plants have been maintained in appropriate hygiene conditions to prevent infection.
Xanthomonas perforans Jones et al. [XANTPF]	Capsicum annuum L.	In the case of seeds: a the seeds originate in areas known to be free from Xanthomonas perforans Jones et al., b no symptoms of disease caused by Xanthomonas perforans Jones et al. have been observed on visual inspections at the site of production at appropriate times during the complete cycle of vegetation of the plants, or c the seeds have been subjected to official testing for Xanthomonas perforans Jones et al. on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest. In the case of plants other than seeds:

		a b	the seedlings have been grown from seeds that meet the above requirements, and the plants have been maintained in appropriate hygiene conditions to prevent infection.
I <sup>F115</sup> Xanthomonas	Capsicum annuum L	In the ca	se of seeds:
[ <sup>FII5</sup> Xanthomonas vesicatoria (ex Doidge) Vauterin et al	Capsicum annuum L	a b c	se of seeds: the seeds originate in areas known to be free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin et al, no symptoms of disease caused by <i>Xanthomonas</i> <i>vesicatoria</i> (ex Doidge) Vauterin et al have been observed on visual inspections at the site of production at appropriate times during the complete cycle of vegetation of the plants, or the seeds have been subjected to official testing for <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin et al on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest. se of plants other than seeds: the seedlings have been grown from seeds that meet the above requirements, and the plants have been maintained in appropriate
Fungi and oomycetes			hygiene conditions to prevent infection.]

Fungi and comycetes			
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements	
Dothistroma septosporum (Dorogin) Morelet [SCIRPI]		<ul> <li>a the plants originate in areas known to be free from <i>Dothistroma septosporum</i> (Dorogin) Morelet,</li> <li>b no symptoms of needle blight, caused by <i>Dothistroma</i> <i>septosporum</i> (Dorogin)</li> </ul>	

		c	Morelet, have been observed at the site of production or its immediate vicinity since the beginning of the last complete cycle of vegetation, or appropriate treatments have been carried out against needle blight, caused by <i>Dothistroma septosporum</i> (Dorogin) Morelet and the plants have been inspected before movement and found free from symptoms of needle blight.
<i>Phytophthora austrocedri</i> Greslebin & Hansen [PHYTAU]		a b	the plants originate in areas known to be free from <i>Phytophthora austrocedri</i> Greslebin & Hansen, or no symptoms of <i>Phytophthora</i> <i>austrocedri</i> Greslebin & Hansen have been observed on plants at the site of production since the beginning of the last complete cycle of vegetation.
Phytophthora lateralis T. Jung, M.J.C. Stukely & T.I. Burgess [PHYTLI]	Plants for planting, other than seeds, of <i>Chamaecyparis</i> formosensis Matsum., <i>Chamaecyparis</i> lawsoniana (Murr.) Parl., <i>Chamaecyparis</i> obtusa Sieb. & Zucc. ex Endl., <i>Chamaecyparis</i> pisifera Sieb. & Zucc. ex Endl., <i>Taxus</i> brevifolia Nutt. and <i>Thuja occidentalis</i> L.	a	the plants originate in areas known to be free from <i>Phytophthora lateralis</i> T. Jung, M.J.C. Stukely & T.I. Burgess, or no symptoms of <i>Phytophthora</i> <i>lateralis</i> T. Jung, M.J.C. Stukely & T.I. Burgess have been observed on plants at the site of production since the beginning of the last complete cycle of vegetation.
<i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni [PLASHA]	Seeds of <i>Helianthus</i> annuus L.	a	the seeds originate in areas known to be free from <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni, no symptoms of <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berlese & de Toni have been observed at the seed production site in at least two inspections at appropriate times to detect

	the pest during the growing season,
c	i the seed production site has been subject to at least two inspections at appropriate times to detect the pest, during the growing season,
	ii no more than 5% of plants have shown symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni during those inspections, and all plants showing symptoms of <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berlese & de Toni have been removed and destroyed immediately after inspection, and iii at the final inspection no plants have been
	found showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni,
d	<ul> <li>i the seed production site has been subject to at least two inspections at appropriate times to detect the pest during the growing season,</li> <li>ii all plants showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese &amp; de Toni have been removed and destroyed immediately after inspection, and</li> <li>iii at the final inspection, no plants have been found showing symptoms of</li> </ul>

		e	Plasmopara halstedii (Farlow) Berlese & de Toni, and a representative sample from each lot has been tested and found free from <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berlese & de Toni, or the seeds have been subjected to an appropriate treatment which has been demonstrated to be effective against all known strains of <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berlese & de Toni.
Puccinia horiana P. Hennings [PUCCHN]	Chrysanthemum L.	a	the plants derive from mother plants which have been inspected at least monthly during the previous three months and no symptoms have been seen at the site of production, or mother plants showing symptoms have been removed and destroyed, along with plants within a 1 m radius, and an appropriate physical or chemical treatment has been applied to the plants which have been inspected before movement and found free from symptoms.
Insects and mites	1		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Require	ements
<i>Opogona sacchari</i> Bojer [OPOGSC]	Beaucarnea Lem., Bougainvillea Comm. ex Juss., Crassula L., Crinum L., Dracaena Vand. ex L., Ficus L., Musa L., Pachira Aubl., Palmae, Sansevieria Thunb. and Yucca L.	a b	the plants have been produced in areas known to be free from <i>Opogona sacchari</i> Bojer, the plants have been grown at a production site at which no symptoms or signs of <i>Opogona sacchari</i> Bojer have been observed on visual inspections carried out at least every three months during a period of at least six months prior to movement, or

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

c a regime is applied on the site of production aimed at monitoring and suppressing the population of *Opogona sacchari* Bojer and at removing infested plants and each lot has been visually inspected, at the most appropriate time to detect the pest, before movement and found free from symptoms of *Opogona sacchari* Bojer.

			Opogona sacchart Bojet.
Nematodes			
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Require	ements
Ditylenchus dipsaci (Kuehn) Filipjev [DITYDI]	Plants for planting, other than seeds, of <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus</i> flavus Weston, <i>Galanthus</i> L., <i>Hyacinthus</i> Tourn. ex L., <i>Hymenocallis</i> Salisb., <i>Muscari</i> Mill., <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, Sternbergia Waldst. & Kit., <i>Scilla</i> L., and <i>Tulipa</i> L.	ab	the plants have been inspected and no symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev have been observed on the lot since the beginning of the last complete cycle of vegetation, or the bulbs have been found free from symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev on the basis of visual inspections carried out at the most appropriate time to detect the pest, and have been packed for sale to the final consumer.
Viruses, viroids, virus-like	diseases and phytoplasma	as	
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Require	ements
<i>Candidatus</i> Phytoplasma 'pyri' Seemüller & Schneider [PHYPPY]	Plants for planting, other than seeds, of <i>Pyrus</i> L.	a	the plants: i derive from mother plants which have been visually inspected and found free from symptoms of <i>Candidatus</i> Phytoplasma 'pyri' Seemüller & Schneider, and ii aa have been produced in areas known to

		<ul> <li>be free from <i>Candidatus</i> Phytoplasma 'pyri' Seemüller &amp; Schneider, or</li> <li>bb the plants have been grown in a site of production found free from the pest over the last complete growing season by visual inspection, and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately, or</li> <li>b no more than 2% of plants in the site of production have shown symptoms during visual inspections at appropriate times during the last growing season, and those symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately, or</li> </ul>
Chrysanthemum stunt viroid [CSVD00]	Plants for planting, other than seeds, of <i>Argyranthemum</i> Webb ex Sch.Bip. and <i>Chrysanthemum</i> L.	The plants derive within three generations of propagation from stock which has been found to be free from Chrysanthemum stunt viroid by testing.
<i>Impatiens</i> necrotic spot tospovirus [INSV00]	Plants for planting, other than seeds, of <i>Begonia x hiemalis</i> , Fotsch, <i>Impatiens</i> L. and New Guinea Hybrids	[ <sup>F116</sup> The plants have been grown in a site of production that has been subjected to monitoring for the relevant thrips vectors ( <i>Frankliniella</i> <i>occidentalis</i> Pergande) and, upon their detection, to appropriate treatments to

			effective suppression of their tions, and: no symptoms of <i>Impatiens</i> necrotic spot tospovirus have been observed on plants at the site of production during the current growing period, or any plants at the production site showing symptoms of <i>Impatiens</i> necrotic spot tospovirus during the current growing period have been rogued out and a representative sample of the plants to be moved has been tested and found free from <i>Impatiens</i> necrotic spot tospovirus.]
Potato spindle tuber viroid [PSTVD0]	<i>Capiscum annuum</i> L.	a	no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or the plants have been subjected to official testing for Potato spindle tuber viroid, on a representative sample and using appropriate methods, and have been found in those tests to be free from that pest.
Plum pox virus [PPV000]	Plants for planting, other than seeds, of following species of <i>Prunus</i> L.: <i>Prunus armeniaca</i> L., <i>Prunus blireiana</i> Andre, <i>Prunus</i> <i>brigantina</i> Vill., <i>Prunus</i> <i>cerasifera</i> Ehrh., <i>Prunus cistena</i> Hansen, <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> ssp. <i>domestica</i> L., <i>Prunus</i> <i>domestica</i> L., <i>Prunus</i> <i>domestica</i> ssp. <i>insititia</i> (L.) K. Schneid, <i>Prunus domestica</i> ssp. <i>italica</i> (Borkh.) Hegi., <i>Prunus dulcis</i>	a	<ul> <li>in the case of vegetatively propagated rootstocks of <i>Prunus</i> L., they are derived from mother plants which have been sampled and tested within the previous five years and found free from Plum pox virus, and <ul> <li>i the plants have been produced in areas known to be free from Plum pox virus,</li> <li>ii no symptoms of Plum pox virus have been observed on the plants at the site of production over the last complete growing season and in the most</li> </ul> </li> </ul>

Tomato ringspot virus	(Mill.) D. A. Webb, Prunus glandulosa Thunb., Prunus holosericea Batal., Prunus hortulana Bailey, Prunus japonica Thunb., Prunus mandshurica (Maxim.) Koehne, Prunus maritima Marsh., Prunus mume Sieb. and Zucc., Prunus nigra Ait., Prunus persica (L.) Batsch, Prunus salicina L., Prunus sibirica L., Prunus sibirica L., Prunus simonii Carr., Prunus spinosa L., Prunus tomentosa Thunb., Prunus triloba Lindl. and all other Prunus L. susceptible to Plum pox virus Fotsch		appropriate period of the year, taking into account the climatic conditions and the growing conditions of the plant and the biology of Plum pox virus, and any symptomatic plants in the immediate vicinity have been rogued out and immediately destroyed, or iii where symptoms of Plum pox virus have been observed on no more than 1% of plants at the site of production over the last complete growing season and in the most appropriate period of the year, taking into account the climatic conditions and the growing conditions of the plant and the biology of Plum pox virus, any symptomatic plants in the immediate vicinity have been rogued out and immediately destroyed, and a representative sample of the remaining asymptomatic plants in the lots in which symptomatic plants were found has been tested and found free from the pest.
Tomato ringspot virus [TORSV0]	<i>Pelargonium</i> L'Herit. ex Ait.	ab	the plants originate from places of production known to be free from Tomato ringspot virus, or the plants are no more than fourth generation stock, derived from mother plants found to be free from Tomato ringspot virus by testing.

Tomato ringspot virus [TORSV0]	Plants for planting, other than seeds, of Malus L. and <i>Prunus</i> L.	a	[ <sup>F117</sup> the plants originate in areas known to be free from Tomato ringspot virus, or] [ <sup>F118</sup> the plants are derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for <sup>F119</sup> Tomato ringspot virus, using appropriate indicators or equivalent methods, and has been found free from the [ <sup>F120</sup> pest], and] no symptoms of diseases caused by Tomato ringspot virus <sup>F121</sup> have been observed on plants at the place of production, or on susceptible plants in its
			immediate vicinity, since the beginning of the last complete cycle of vegetation.
Tomato spotted wilt tospovirus [TSWV00]	Plants for planting, other than seeds, of <i>Begonia x hiemalis</i> Fotsch, <i>Capsicum</i> <i>annuum</i> L., <i>Chrysanthemum</i> L., Gerbera L., <i>Impatiens</i> L., New Guinea Hybrids and <i>Pelargonium</i> L.	a	the plants have grown in a site of production that has been subjected to a monitoring of relevant thrips vectors ( <i>Frankliniella occidentalis</i> and <i>Thrips tabaci</i> ) and, upon their detection, to appropriate treatments to ensure effective suppression of their populations, and no symptoms of Tomato spotted wilt tospovirus have been observed on plants at the site of production during the current growing period, or any plants at the production site showing symptoms of Tomato spotted wilt tospovirus during the current growing period have been rogued out and a representative sample of the plants to be moved has been tested and found free from Tomato spotted wilt tospovirus.

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes

that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### **Textual Amendments**

- F115 Words in Annex 5 Pt. C inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(3)(a)
- F116 Words in Annex 5 Pt. C substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(3)(b)(i)
- F117 Words in Annex 5 Pt. C substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(a)(i)
- F118 Words in Annex 5 Pt. C inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(a)(ii)
- F119 Words in Annex 5 Pt. C omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(3)(b)(ii)(aa)
- F120 Word in Annex 5 Pt. C substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(3)(b)(ii)(bb)
- F121 Word in Annex 5 Pt. C omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(3)(b)(ii)(cc)

# PART D U.K.

Measures to prevent the presence of RNQPs on forest reproductive material, other than seeds

## U.K.

## 1. Visual inspections

1 The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements in point (2) are satisfied in respect of forest reproductive material, other than seeds, of *Pinus* spp.

2 The requirements are that the forest reproductive material is found free from *Dothistroma septosporum* upon visual inspection at the production site or place.

3 The visual inspections must take place once a year, in the most appropriate period to detect those pests, taking into account the climatic conditions and the growing conditions of the plant, and the biology of the pest.

# *U.K.*

## 2. Other requirements

1 The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that, the requirements in point (2) are satisfied in respect of forest reproductive material of *Pinus* spp.

2 The requirements are that:



Measures to prevent the presence of RNQPs on vegetable seed

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

Bacteria		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
caused by RNQPs Clavibacter michiganensis subsp. michiganensis (Smith) Davis et al. [CORBMI]	Solanum lycopersicum	<ul> <li>a the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method, and</li> <li>b i the seeds originate in areas known to be free from <i>Clavibacter</i> <i>michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i>,</li> <li>ii no symptoms of disease caused by <i>Clavibacter</i> <i>michiganensis</i> ssp. michiganensis (Smith) Davis <i>et al.</i> have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or</li> <li>iii the seeds have been subjected to official testing for <i>Clavibacter</i> <i>michiganensis</i> (Smith) Davis <i>et al.</i> on a representative sample using appropriate methods and have been found in those tests to be free from that pest.</li> </ul>

Xanthomonas axonopodis pv. phaseoli (Smith) Vauterin et al. [XANTPH]	Phaseolus vulgaris L.	<ul> <li>a the seeds originate in areas known to be free from <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i>,</li> <li>b the crop from which the seed was harvested has been visually inspected at appropriate times during the growing season and found free from <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i>, or</li> <li>c a representative sample of the seeds has been tested and found in those tests to be free from <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i>,</li> </ul>
Xanthomonas fuscans subsp. fuscans Schaad et al. [XANTFF]	Phaseolus vulgaris L.	<ul> <li>a the seeds originate in areas known to be free from <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i>,</li> <li>b the crop from which the seed was harvested has been visually inspected at appropriate times during the growing season and found free from <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i>, or</li> <li>c a representative sample of the seeds has been tested and found in those tests to be free from <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i></li> </ul>
Xanthomonas euvesicatoria Jones et al. [XANTEU]	Capsicum annuum L.	<ul> <li>a the seeds originate in areas known to free from <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i>,</li> <li>b no symptoms of disease caused by <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or</li> </ul>

			С	the seeds have been subjected to official testing for <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
Xanthomonas euvesicatoria Jones et al. [XANTEU]	Solanum L.	lycopersicum	a	the seeds have been obtained by an appropriate acid extraction [ $^{F122}$ method], and originate in areas known to free from <i>Xanthomonas</i> euvesicatoria Jones et al., [ $^{F123}$ or] [ $^{F124}$ the seeds have been obtained by an appropriate acid extraction method, and] either: i no symptoms of disease caused by <i>Xanthomonas</i> euvesicatoria Jones et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or ii the seeds have been subjected to official testing for <i>Xanthomonas</i> euvesicatoria Jones et al. on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
Xanthomonas gardneri (ex Šutič) Jones <i>et al.</i> [XANTGA]	Capsicum	annuum L.	а	the seeds originate in areas known to be free from

		c	Xanthomonas gardneri (ex Šutič) Jones et al., no symptoms of disease caused by Xanthomonas gardneri (ex Šutič) Jones et al. have been observed on visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production, or the seeds have been subjected to official testing for Xanthomonas gardneri (ex Šutič) Jones et al. on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
Xanthomonas gardneri (ex Šutič) Jones et al. [XANTGA]	lycopersicum	a	the seeds have been obtained by an appropriate acid extraction [ <sup>F125</sup> method] and originate in areas known to be free from Xanthomonas gardneri (ex Šutič) Jones et al., [ <sup>F126</sup> or] [ <sup>F127</sup> the seeds have been obtained by an appropriate acid extraction method, and] either: i no symptoms of disease caused by Xanthomonas gardneri (ex Šutič) Jones et al. have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or ii the seeds have been subjected to official testing for Xanthomonas gardneri (ex Šutič) Jones et al. on a representative sample

		and using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
Xanthomonas perforans Jones et al. [XANTPF]	<i>Capsicum annuum</i> L	<ul> <li>a the seeds originate in areas known to be free from <i>Xanthomonas perforans</i> Jones <i>et al.</i>,</li> <li>b no symptoms of disease caused by <i>Xanthomonas perforans</i> Jones <i>et al.</i> have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or</li> <li>c the seeds have been subjected to official testing for <i>Xanthomonas perforans</i> Jones <i>et al.</i> on a representative sample using appropriate methods (whether or not following an appropriate</li> </ul>
		following an appropriate treatment) and have been found in those tests to be free from that pest.
Xanthomonas perforans Jones et al. [XANTPF]	Solanum lycopersicum L.	a the seeds have been obtained by an appropriate acid extraction [ <sup>F128</sup> method] and originate in areas known to be free from <i>Xanthomonas</i> <i>perforans Jones et al.</i> , or
		b [ <sup>F129</sup> the seeds have been obtained by an appropriate acid extraction method, and] i no symptoms of disease caused by <i>Xanthomonas</i> <i>perforans</i> Jones <i>et al</i> have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or

		ii the seeds have been subjected to official testing for <i>Xanthomonas</i> <i>perforans</i> Jones <i>et al.</i> on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
Xanthomonas vesicatoria (ex Doidge) Vauterin et al. [XANTVE]	Capsicum annuum L	a the seeds originate in areas known to be free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> ,
		<ul> <li>b no symptoms of disease caused by <i>Xanthomonas</i> <i>vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or</li> </ul>
		c the seeds have been subjected to official testing for <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> on a representative sample using appropriate methods (whether or not following an appropriate treatment) and have been found in those tests to be free from that pest.
Xanthomonas vesicatoria (ex Doidge) Vauterin et al. [XANTVE]	2 1	<ul> <li>a the seeds have been obtained by an appropriate acid extraction [<sup>F130</sup>method] and originate in areas known to be free from <i>Xanthomonas</i> <i>vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i>, [<sup>F131</sup>or]</li> <li>b [<sup>F132</sup>the seeds have been obtained by an appropriate acid extraction method, and <ol> <li>no symptoms of disease caused by <i>Xanthomonas</i></li> </ol> </li> </ul>

vesicatoria (ex Doidge) Vauterin et al. have been observed on visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production, or ii) the seeds have been subjected to official testing for Xanthomonas vesicatoria (ex Doidgo) Venterin at
Doidge) Vauterin <i>et</i> <i>al.</i> on a representative sample using
appropriate methods
(whether or not following an
appropriate treatment)
and have been found
in those tests to be
free from that pest.]
<sup>F133</sup> C

Insects and mites	l	·
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
Acanthoscelides obtectus (Say) [ACANOB]	<i>Phaseolus coccineus</i> L. and <i>Phaseolus vulgaris</i> L.	A representative sample of the seed has been subject to visual inspection at the most appropriate time to detect <i>Acanthoscelides obtectus</i> (Say), which may be following an appropriate treatment, and the seed has been found to be free from that pest.
Bruchus pisorum (L.) [BRCHPI]	Pisum sativum L.	A representative sample of the seed has been subject to visual inspection at the most appropriate time to detect <i>Bruchus</i> <i>pisorum</i> (L.), which may be following an appropriate treatment, and the seed has been found to be free from that pest.
Bruchus rufimanus L. [BRCHRU]	Vicia faba L.	A representative sample of the seed has been subject to visual inspection at the most appropriate time to detect <i>Bruchus</i> <i>rufimanus</i> L., which may be following an appropriate treatment, and the seed has been found to be free from that pest.
Nematodes	1	I

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(1) RNQPs or sympt caused by RNQF	(2) Plants for planting (genus or species)		(3) Requirements
Ditylenchus (Kuehn) [DITYDI]	<i>Allium cepa</i> L. <i>Allium porrum</i> L.	and	<ul> <li>a the crop has been visually inspected at least once at an appropriate time to detect <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev since the beginning of the last complete cycle of vegetation and no symptoms of that pest have been observed,</li> <li>b the harvested seeds have been found to be free of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev after laboratory tests on a representative sample, or</li> <li>c the planting material has been subjected to an appropriate chemical or physical treatment against <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev and the seeds have been found to be free of not that pest after laboratory tests on a representative sample.</li> </ul>

Viruses, viroids, virus-like diseases and phytoplasmas

(1) RNQPs or symptoms caused by RNQPs		(2) Plants for (genus or		(3) Require	ements
Pepino mosaic [PEPMV0]	virus	<i>Solanum</i> L.	lycopersicum	a	the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method, and
				b	<ul> <li>i the seeds originate in areas where Pepino mosaic virus is known not to occur,</li> <li>ii no symptoms of diseases caused by Pepino mosaic virus have been observed on the plants at the place of production during their complete cycle of vegetation, or</li> <li>iii the seeds have been subjected to official testing for Pepino mosaic virus, on a representative sample</li> </ul>

		using appropriate methods, and have been found in those tests to be free from that pest.
Potato spindle tuber viroid [PSTVD0]	Capsicum annuum L., and Solanum lycopersicum L.	6
		b no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
		c the seeds have been subjected to official testing for Potato spindle tuber viroid, on a representative sample using appropriate methods and have been found in those tests to be free from that pest.
Tomato apical stunt viroid [TASVD0]	Solanum lycopersicum L.	a the seeds originate in areas where Tomato apical stunt viroid is not known to occur,
		<ul> <li>b no symptoms of diseases</li> <li>caused by Tomato apical stunt</li> <li>viroid have been observed</li> <li>on the plants at the place</li> <li>of production during their</li> <li>complete cycle of vegetation,</li> <li>or</li> </ul>
		c the seeds have been subjected to official testing for Tomato apical stunt viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.
Tomato chlorotic dwarf viroid [CSVS0]	Solanum lycopersicum L.	a the seeds originate in areas where Tomato chlorotic dwarf viroid is not known to occur,
		<ul> <li>b no symptoms of diseases caused by Tomato chlorotic dwarf viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or</li> </ul>

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

c the seeds have been subjected to official testing for Tomato chlorotic dwarf viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.

<ul> <li>F122 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(aa)</li> <li>F123 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(bb</li> <li>F124 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(cc)</li> <li>F125 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa</li> <li>F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa</li> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ec</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ec</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ac</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ac</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(ac</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132</li></ul>	
<ul> <li>F123 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(bb F124 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(cc) F125 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(b) F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc) F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ac F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ac F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(ac F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(ac F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(ac F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health,</li></ul>	Seeds and See
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(bb</li> <li>F124 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(cc)</li> <li>F125 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa</li> <li>F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt</li> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc)</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc)</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(ac</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(ac</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(ac</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health,</li></ul>	)
<ul> <li>F124 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(cc)</li> <li>F125 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa</li> <li>F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bit)</li> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt</li> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc)</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(ac</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(ac</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b</li> <li>F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <!--</td--><td></td></ul>	
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(i)(cc)</li> <li>F125 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa</li> <li>F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt</li> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ac</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ac</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(ac</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health,</li></ul>	)
<ul> <li>F125 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa</li> <li>F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt</li> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(at</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(at</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(bt</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(at</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(bt</li> <li>F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(bt</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(bt</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(bt</li></ul>	, Seeds and See
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(aa</li> <li>F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt</li> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(az</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(az</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(az</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b</li> <li>F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b</li> </ul>	)
<ul> <li>F126 Word in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bt F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(ac F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(ac F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Pota</li></ul>	Seeds and See
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(bit F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(a: F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b) F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(a: F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b) F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b) F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b) F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c) F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c) F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c) F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)</li></ul>	a)
<ul> <li>F127 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(a;</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b;</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(a;</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b;</li> <li>F132 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b;</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b;</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b;</li> </ul>	, Seeds and See
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(ii)(cc</li> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(a:</li> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(a:</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> </ul>	b)
<ul> <li>F128 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(a; F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b; F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(a; F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(a; F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b; F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b; F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c; functional controls), Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c; functional controls), Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c; functional controls), Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c; functional controls), Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c; functional controls), Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c; functional controls), Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(c; functional controls), Plant Health, Potatoes (Amendment etc.) R</li></ul>	, Seeds and See
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(at F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b)</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(at F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> </ul>	:)
<ul> <li>F129 Words in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b)</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(ar</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> </ul>	Seeds and Se
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iii)(b</li> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(as</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(controls))</li> </ul>	a)
<ul> <li>F130 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(article for the second s</li></ul>	, Seeds and See
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(as</li> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(control)</li> </ul>	b)
<ul> <li>F131 Word in Annex 5 Pt. E inserted (20.4.2021) by The Official Controls, Plant Health, Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(control)</li> </ul>	Seeds and Se
<ul> <li>Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(b)</li> <li>F132 Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(control)</li> </ul>	a)
<b>F132</b> Words in Annex 5 Pt. E substituted (20.4.2021) by The Official Controls, Plant Health Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), <b>3(5)(b)(iv)(cd</b> )	Seeds and See
Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(5)(b)(iv)(co	b)
	, Seeds and See
F133 Words in Annex 5 Pt. E omitted (26.11.2021) by virtue of The Animal Health, Plant H	c)
	Health, Seeds an
Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs.	1, <b>8(4)</b>

# PART F U.K.

Measures to prevent the presence of RNQPs on seed potatoes

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
Blackleg (Dickeya Samson		In the case of pre-basic seed potatoes,
et al. spp. [1DICKG];		official inspections show that they
Pectobacterium Waldee		derive from mother plants which are

emend. Hauben <i>et al.</i> spp. [1PECBG])		free from <i>Dickeya</i> Samson <i>et al.</i> spp. and <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp. In the case of all categories, the growing plants have been subjected to official field inspections by the competent authority.
Candidatus Liberibacter 'solanacearum' Liefting et al. [LIBEPS]	Solanum tuberosum L.	In the case of pre-basic seed potatoes, official inspections show that they derive from mother plants which are free from <i>Candidatus</i> Liberibacter 'solanacearum' Liefting <i>et al.</i> In the case of all categories: a the plants have been produced in areas known to be free from <i>Candidatus</i> Liberibacter 'solanacearum' Liefting <i>et al.</i> , taking into account the possible presence of the vectors, or b no symptoms of <i>Candidatus</i> Liberibacter 'solanacearum' Liefting <i>et al.</i> , have been seen during official inspections by the competent authority of growing plants at the site of production since the start of the last complete cycle of vegetation.
Mosaic symptoms caused by viruses and symptoms caused by Potato leaf roll virus	Solanum tuberosum L.	In the case of pre-basic seed potatoes, they derive from mother plants which are free from Potato virus A, Potato virus M, Potato virus S, Potato virus X, Potato virus Y and Potato leaf roll virus. Where methods of micro-propagation are used, compliance with this requirement must be established by official testing, or testing under official supervision, of the mother plant. Where methods of clonal selection are used, compliance with this requirement must be established by official testing, or testing under official supervision, of the clonal selection are used, compliance with this requirement must be established by official testing, or testing under official supervision, of the clonal stock. In the case of all categories, the growing plants have been subjected to official inspection by the competent authority.
<i>Meloidogyne fallax</i> Karssen [MELGFA]	Solanum tuberosum L.	a the tubers originate in an area in which <i>Meloidogyne fallax</i>

		Karssen is known not to occur,
		b where they originate in an area in which <i>Meloidogyne fallax</i> Karssen is known to occur: i that the tubers originate from a place of production which has been found free from <i>Meloidogyne</i> <i>fallax</i> Karssen based on an annual survey of host crops, by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production, or ii that after harvest the tubers have been randomly sampled and checked for the presence of symptoms after an appropriate method to induce symptoms or laboratory tested, as well as inspected visually, both externally and by cutting the tubers, at appropriate times, and no symptoms of <i>Meloidogyne fallax</i> Karssen have been found.
Potato spindle tuber viroid [PSTVD0]	Solanum tuberosum L.	In the case of clonal stock, official testing, or testing under official supervision, has shown that they derive from mother plants which are free from Potato spindle tuber viroid. In the case of pre-basic and basic seed potatoes, no symptoms of Potato spindle tuber viroid have been found, or for each lot, official post-harvest testing of tubers have been performed and those tubers have been found free from Potato spindle tuber viroid.

		In the case of certified seed potatoes, official visual inspection has shown that they are free from Potato spindle tuber viroid, and if any symptoms of the pest were seen, testing was carried out.
Symptoms of virus infection	Solanum tuberosum L.	During official inspection of the direct progeny, the number of symptomatic plants did not exceed the threshold specified in Part F of Annex 4.
<i>Candidatus</i> Liberibacter 'solanacearum' Liefting <i>et</i> <i>al.</i> [LIBEPS]	Solanum tuberosum L.	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.
<i>Ditylenchus destructor</i> Thorne [DITYDE]	Solanum tuberosum L.	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.
Black scurf affecting tubers over more than 10% of their surface, as caused by <i>Thanatephorus</i> <i>cucumeris</i> (A.B. Frank) Donk [RHIZSO]	Solanum tuberosum L.	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.
Powdery scab affecting tubers over more than 10% of their surface as caused by <i>Spongospora subterranea</i> (Wallr.) Lagerh. [SPONSU].	Solanum tuberosum L.	The competent authority has subjected the lots to official inspection and confirms that they do not exceed the threshold specified in Part F of Annex 4.

In addition, the competent authority must carry out official inspections to ensure that the presence of the RNQPS on the growing plants specified in any entry of the table below do not exceed the thresholds in the corresponding entries of the table:

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

[ <sup>F134</sup> (1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)		r the growing re-basic seed PB	(4) Thresholds for the growing plants for basic seed potatoes <sup>0</sup>	(5) Thresholds for the growing plants for certified seed potatoes <sup>0</sup>
Blackleg ( <i>Dickeya</i> Samson <i>et al.</i> spp. [1DICKG]; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp. [1PECBG])	Solanum tuberosum L.	0%	0%	1%	4%
Candidatus Liberibacter solanacearum Liefting et al. [LIBEPS]	Solanum tuberosum L.	0%	0%	0%	0%
Mosaic symptoms caused by viruses and symptoms caused by Potato leaf roll virus [PLRV00]	Solanum tuberosum L.	0%	0.1%	0.8%	6%
Potato spindle tuber viroid [PSTVD0]	<i>tuberosum</i> L.	0%	0%	0%	0%
(1) Additional rest	rictions concerning th	e planting of seed po	tatoes are provided for	r in S.S.I. 2006/319. 2	015/395 SI

(1) Additional restrictions concerning the planting of seed potatoes are provided for in S.S.I. 2006/319, 2015/395, S.I. 2015/1953, 2016/106 (W. 52), 2019/1517, S.S.I. 2019/421, S.I. 2020/206 (W. 48).]

#### **Textual Amendments**

**F134** Annex 5 Pt. F table substituted (24.5.2023) by The Plant Health and Phytosanitary Conditions (Oak Processionary Moth and Plant Pests) (Amendment) Regulations 2023 (S.I. 2023/497), regs. 1(2), **3(2**)

**Status:** Point in time view as at 02/05/2024. **Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to

be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



Measures to prevent the presence of RNQPS on seed of oil and fibre plants



# 1. Inspection of the crop

1 The competent authority, or the professional operator under the official supervision of the competent authority, must carry out field inspections on the crop from which the seed of *Helianthus annuus* L. is produced concerning the presence of *Plasmopara halstedii* (Farlow) Berlese & de Toni in the crop to ensure that the presence of that pest does not exceed the thresholds set out in the table in Part G of Annex 4.

2 For the purposes of point (1), the competent authority may authorise inspectors, other than the professional operators, to carry out the field inspections on its behalf and under its official supervision.

3 Those field inspections must be carried out when the condition and the stage of development of the crop allow for an adequate inspection. At least one field inspection must be carried out each year, at the most appropriate time for the detection of the respective RNQPs.

4 The competent authority must determine the size, the number and the distribution of the portions of the field to be inspected in accordance with appropriate methods.

5 The proportion of the crops for the production of seed to be officially inspected by the competent authority must be at least 5%.

# *U.K.*

## 2. Sampling and testing of oil and fibre plants

1 The competent authority must:

2 The competent authority or the professional operator under official supervision must sample and test oil and fibre plants in accordance with up-to-date international methods.


3 Except for automatic sampling, the competent authority must check a proportion of at least 5 % of the seed lots entered for official certification.

4 That proportion must be spread as evenly as possible over natural and legal persons entering seed for certification and the species entered, but may also be aimed at eliminating specific doubts.

5 In the case of automatic sampling, appropriate procedures must be applied and the sampling must be officially supervised.

6 For the examination of seed for certification, samples must be drawn from homogeneous lots and, as regards the lot and sample weights, in accordance with the table in Annex 3 to Directive 66/401/EEC.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



# *U.K.* **3.**

The competent authority, or the professional operators under the official supervision of the competent authority, must carry out additional inspections and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
<i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni	Seeds of <i>Helianthus</i> annuus L	a the seeds of <i>Helianthus</i> <i>annuus</i> L. originate in areas known to be free from <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni,
		b no symptoms of <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berlese & de Toni have been observed at the production site in at least two inspections at appropriate times during the growing season, or
		<ul> <li>c i the production site has been subject to at least two field inspections at appropriate times to detect <i>Plasmopara halstedii</i> Farlow) Berlese &amp; de Toni during the growing season,</li> <li>ii no more than 5 % of plants have shown symptons of <i>Plasmopara halstedii</i> (Farlow) Berlese &amp; de Toni during field inspection and all plants showing symptoms of that pest have been removed and destroyed</li> </ul>

Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

			immediately after inspection, and iii at the final inspection no plants have been found showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni,
		d	i the production site has been subject to at least two field inspections at appropriate times during the growing season
		e	season, ii all plants showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni have been removed and destroyed immediately after inspection, and iii at the final inspection, no plants have been found showing symptoms of <i>Plasmopara. Halstedii</i> (Farlow) Berlese & de Toni, and a representative sample from each lot has been tested and found free from that plant pest, or the seeds have been subjected
		e	to an appropriate treatment which has been demonstrated to be effective against all known strains of <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berlese & de Toni.
Botrytis cinerea	Seeds of <i>Helianthus</i> annuus L. and Linum usitatissimum L	а	seed treatment authorised for use against <i>Botrytis cinerea</i> has been applied, or
		b	the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.
F135	F135	F135	

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes

that have been made appear in the content and are referenced with annotations. (See end of Document for details)

F136	F136	F136
Alternaria linicola	Seeds of <i>Linum</i> usitatissimum L.	a seed treatment authorised for use against <i>Alternaria linicola</i> has been applied, or
		b the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.
Boeremia exigua var. linicola	Seeds of <i>Linum</i> usitatissimum L.	a seed treatment authorised for use against <i>Boeremia exigua</i> var. <i>linicola</i> has been applied, or
		b the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.
Colletotrichum lini	Seeds of <i>Linum usitatissimum</i> L.	a seed treatment authorised for use against <i>Colletotrichum lini</i> has been applied, or
		b the set tolerance on the seed is not exceeded on the basis of a laboratory test of a representative sample.
<i>Fusarium</i> (anamorphic genus), other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell	Seeds of <i>Linum</i> usitatissimum L.	a seed treatment authorised for use against <i>Fusarium</i> (anamorphic genus), other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon and <i>Fusarium</i> <i>circinatum</i> Nirenberg & O'Donnell, has been applied, or
		b the set tolerance on the seed is not exceeded based on laboratory test of a representative sample.

#### **Textual Amendments**

- F135 Words in Annex 5 Pt. G para. 3 Table omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(5)**
- F136 Words in Annex 5 Pt. G para. 3 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(4)



Measures to prevent the presence of RNQPs on vegetable propagating and planting material, other than seeds



The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that:

- a the plants appear at least, on visual inspection, to be practically free from pests listed in the table below, in respect of the genera or species concerned;
- b any plants showing visible signs or symptoms of the pests listed in the table below, at the stage of the growing crop, have been treated properly immediately upon their appearance or, where appropriate, have been eliminated;
- c in the case of bulbs of shallots and garlic, the plants derive directly from material which, at the stage of the growing crop, has been checked and found to be practically free from any pest listed in the table below.



In addition, the competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting, are satisfied:

Bacteria				
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)		(3) Requirements	
<i>Candidatus</i> Liberibacter 'solanacearum' Liefting <i>et</i> <i>al</i> . [LIBEPS]		lycopersicum	a)	the plants have been produced in areas known to be free from <i>Candidatus</i> Liberibacter 'solanacearum' Liefting <i>et</i> <i>al.</i> , taking into account the possible presence of the vectors, or
			b)	no symptoms of <i>Candidatus</i> Liberibacter 'solanacearum' Liefting <i>et al.</i> , have been seen during official inspections by the competent authority of growing plants at the site of production since the start of the last complete cycle of vegetation.
Clavibacter michiganensis subsp. michiganensis (Smith) Davis et al. [CORBMI]		lycopersicum	The plants have been grown from seed which comply with the requirement specified in Part E of Annex 5 and hav been maintained free from infection b appropriate hygiene measures.	

Xanthomonas euvesicatoria Jones et al. [XANTEU]	Capsicum annuum L. and Solanum lycopersicum L.	The seedlings have been grown from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.
Xanthomonas gardneri (ex Šutič) Jones <i>et al.</i> [XANTGA]	-	The seedlings have been grown from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.
<i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF]	Capsicum annuum L. and Solanum lycopersicum L.	The seedlings have been grown from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.
[ <sup>F137</sup> Xanthomonas vesicatoria (ex Doidge) Vauterin <i>et al.</i> [XANTVE]]		The seedlings have been grown from seeds which comply with the requirements specified in Part E of Annex 5 and the plants have been maintained free from infection by appropriate hygiene measures.
Fungi and oomycetes	I	
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
<i>Fusarium</i> Link (anamorphic genus), other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell ("the pest")	Asparagus officinalis L.	<ul> <li>a the crop has been visually inspected as follows:</li> <li>i it has been inspected at an appropriate time for the detection of the pest during the growing season, a representative sample of the plants have been uprooted and no symptoms of the pest have been observed, or</li> <li>ii it has been inspected at least twice at appropriate times for the detection</li> </ul>

for the detection of the pest during the growing season and plants showing symptoms of the pest

		b	have been rogued out immediately with no symptoms seen at a final inspection of the growing crop, and the crowns have been visually inspected before movement and no symptoms of the pest have been seen.
Helicobasidium brebissonii (Desm.) Donk [HLCBBR]		a	the crop has been visually inspected as follows: i it has been inspected at an appropriate time for the detection of <i>Helicobasidium</i> <i>brebissonii</i> ( <i>Desm.</i> ) <i>Donk</i> during the growing season, a representative sample of the plants have been uprooted and no symptoms of that pest have been observed, or ii it has been inspected at least twice at appropriate times for the detection of <i>Helicobasidium</i> <i>brebissonii</i> ( <i>Desm.</i> ) <i>Donk</i> during the growing season and plants showing symptoms of that pest have been rogued out immediately with no symptoms seen at a final inspection of the growing crop, and the crowns have been visually inspected before movement and no symptoms of <i>Helicobasidium brebissonii</i> (Desm.) Donk have been seen.
<i>Stromatinia cepivora</i> Berk. [SCLOCE]	Allium cepa L., Allium fistulosum L. and Allium porrum L.	a b	the plants are module- raised transplants grown in medium free from <i>Stromatinia</i> <i>cepivora</i> Berk., or the crop has been visually inspected at an appropriate time for the detection of

			Stromatinia cepivora Berk. during the growing season, and: i no symptoms of that pest have been observed, or ii plants showing symptoms of <i>Stromatinia</i> <i>cepivora</i> Berk. have been rogued out immediately with no symptoms seen at an additional final inspection of the growing crop, and the plants have been visually
		c	inspected before movement and no symptoms of <i>Stromatinia cepivora</i> Berk. have been seen.
Stromatinia cepivora Berk. [SCLOCE]	Allium sativum L.	a	the crop has been visually inspected as follows: i it has been inspected at an appropriate time for the detection of <i>Stromatinia cepivora</i> Berk. during the growing season and no symptoms of that pest have been observed, or ii it has been inspected at an appropriate time for the detection of <i>Stromatinia cepivora</i> Berk. during the growing season and plants showing symptoms of that pest have been rogued out immediately with no symptoms seen at an additional final inspection of the growing crop, and the plants [ <sup>F138</sup> or sets] have been visually inspected before movement and no symptoms of <i>Stromatinia cepivora</i> Berk. have been seen.

<i>Verticillium</i> [VERTDA]	dahlia	Kleb.	Cynara cardunculus L.	a	mother plants derive from pathogen-tested material,
				b	the plants have been grown in a site of production of which the cropping history is known, with no records of the occurrence of <i>Verticillium</i> <i>dahliae</i> Kleb., and
				с	the plants have been visually inspected at appropriate times since the beginning of the last complete cycle of vegetation and found to be free from symptoms of <i>Verticillium</i> <i>dahliae</i> Kleb.

Nematodes	1		
(1) RNQPs or sympto caused by RNQP	(2) Plants for planting (genus or species)		(3) Requirements
Ditylenchus (Kuehn) [DITYDI]	Allium cepa L. Allium sativum L.	and	In the case of plants, other than plants for the production of a commercial crop: a the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and no symptoms of <i>Ditylenchus</i> <i>dipsaci</i> (Kuehn) Filipjev have been observed, b i the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and not more than 2% of plants have shown symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev infestation, ii the plants found to be infected by that pest have been rogued out immediately, and

	su fo th lal re	e plants have bsequently been und to be free from at pest through boratory tests on a presentative sample,
te C	o an appro	have been subjected opriate chemical l treatment against
F te a	Filipjev ar o be free fter labor	<i>us dipsaci</i> (Kuehn) ad have been found from that pest atory tests on a
		tive sample.
		ts for production of
a comme	rcial crop	has been visually
u		at least once at
		priate time for
		tion of the pest
		beginning of
	the last c	omplete cycle of
		on and no symptoms
		nchus dipsaci
		Filipjev have been
1	observed	-
b	1	the crop has
		been inspected at least once at an
		appropriate time
		for the detection of
		the pest since the
		beginning of the
		last complete cycle
		of vegetation,
	ii	plants showing
		symptoms of
		Ditylenchus dipsaci
		(Kuehn) Filipjev
		have been rogued
		out immediately,
	iii	and the plants have
	111	subsequently been
		found to be free
		from that pest after
		laboratory tests on
		a representative
		sample, or
c		s have been subject
	to an app	ropriate physical

> or chemical treatment and have been found to be free of *Ditylenchus dipsaci* (Kuehn) Filipjev after laboratory tests on a representative sample.

Viruses, viroids, virus-like	diseases and phytoplasma	as a second seco
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
Leek yellow stripe virus [LYSV00]	Allium sativum L.	a the crop has been visually inspected at least once at an appropriate time for the detection of Leek yellow stripe virus since the beginning of the last complete cycle of vegetation and no symptoms of that pest have been seen, or
		<ul> <li>b i the crop has been visually inspected at least once at an appropriate time for the detection of Leek yellow stripe virus since the beginning of the last complete cycle of vegetation on which inspection not more than 10% of the plants showed symptoms of that pest,</li> <li>ii the plants found infected by that pest were rogued out immediately, and</li> <li>iii not more than 1% of plants showed symptoms of that pest on a final inspection.</li> </ul>
Onion yellow dwarf virus [OYDV00]	<i>Allium cepa</i> L. and <i>Allium sativum</i> L.	<ul> <li>a the crop has been visually inspected at least once at an appropriate time since the beginning of the last complete cycle of vegetation and no symptoms of Onion yellow dwarf virus have been seen, or</li> <li>b i the crop has been visually inspected at least once at an appropriate time for</li> </ul>

		<ul> <li>the detection of Onion yellow dwarf virus since the beginning of the last complete cycle of vegetation on which inspection not more than 10% of the plants showed symptoms of that pest, and</li> <li>ii the plants found infected by that pest were rogued out immediately, and</li> <li>iii not more than 1% of plants showed symptoms of that pest on a final inspection.</li> </ul>
Potato spindle tuber viroid [PSTVD0]	Capsicum annuum L. and Solanum lycopersicum L.	<ul> <li>a no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or</li> <li>b the plants have been subjected to official testing for Potato</li> </ul>
		spindle tuber viroid on a representative sample using appropriate methods and have been found to be in those tests, free from that pest.
Tomato apical stunt viroid [TASVD0]	Solanum lycopersicum L.	a no symptoms of diseases caused by Tomato apical stunt viroid have been observed on the plants at the place of production during their complete cycle of vegetation, or
		b the plants have been subjected to official testing for Tomato apical stunt viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.
Tomato chlorotic dwarf viroid [TCDVD0]	Solanum lycopersicum L.	a no symptoms of diseases caused by Tomato chlorotic dwarf viroid have been observed on the plants at the place of production during

		b	their complete cycle of vegetation, or the plants have been subjected to official testing for Tomato chlorotic dwarf viroid on a representative sample using appropriate methods and have been found in those tests to be free from that pest.
Tobacco mild green mosaic virus [TMGMV0]	Solanum lycopersicum L. and Capsicum annuum L.	a	no symptoms of diseases caused by Tobacco mild green mosaic virus have been observed on the plants at the place of production during their complete cycle of vegetation, or the plants have been subjected to official testing for Tobacco mild green mosaic virus on a representative sample using appropriate methods and have been found in those tests to be free from that pest.
Tomato spotted wilt tospovirus [TSWV00]	Capsicum annuum L., Lactuca sativa L., Solanum lycopersicum L. and Solanum melongena L.	a	the plants have been grown in a site of production that has been subjected to a monitoring regime of relevant thrips vectors ( <i>Frankliniella</i> <i>occidentalis</i> Pergande and <i>Thrips tabaci</i> Lindeman), and upon detection of those vectors appropriate treatments have been carried out to ensure effective suppression of populations, and i no symptoms of Tomato spotted wilt tospovirus have been observed on plants at the site of production during the current growing period, or ii any plants at the production site showing symptoms of Tomato spotted wilt tospovirus during the current growing period have been rogued out and a representative sample

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	of the plants has been tested and found to be free from that pest.
--	--

#### **Textual Amendments**

F137 Words in Annex 5 Pt. H substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(6)(a)

**F138** Words in Annex 5 Pt. H inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 8(6)(b)

# PART I U.K.

Measures to prevent the presence of RNQPs on seed of Solanum tuberosum L.

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the following requirements are satisfied in relation to seed of *Solanum tuberosum*:

- a) the seeds originate in areas where Potato spindle tuber viroid is not known to occur;
- b) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation; or
- c) the plants have been subjected to official testing for Potato spindle tuber viroid, on a representative sample using appropriate methods and have been found in those tests to be free from that pest.

# PART J U.K.

Measures to prevent the presence of RNQPs on plants for planting of *Humulus lupulus* L., other than seeds

The competent authority, or the professional operator under the official supervision of the competent authority, must carry out checks and take any other action which is necessary or appropriate to ensure that the requirements specified in the following table in relation to the respective RNQPs and plants for planting are satisfied:

Fungi		
(1) RNQPs or symptoms caused by RNQPs	(2) Plants for planting (genus or species)	(3) Requirements
Verticillium dahliae Kleb. [VERTDA]	Plants for planting, other than seeds, of <i>Humulus lupulus</i> L.	a the plants for planting derive from mother plants which have been visually inspected at the most appropriate time and found to be free from

			symptoms of Verticillium
		b	<i>dahlia</i> , and the plants for planting have
			lite plants for planting have been: i produced in a place of production known to be free from Verticilium dahlia, or ii isolated from production crops of Humulus lupulus, and: aa the production site has been found to be free from Verticillium dahliae over the last complete growing season at appropriate times by visual inspection of the foliage at the most appropriate time, and bb the cropping and soil- borne disease history of fields has been a rest
			period from host plants of
			at least four years between findings of <i>Verticillium</i> <i>dahliae</i> and the next planting.
Verticillium nonalfalfae Inderbitzin, H.W. Platt, Bostock, R.M. Davis & K.V. Subbarao [VERTNO]	Humulus lupulus L.	a	the plants for planting derive from mother plants which have been visually inspected at the most appropriate time and found to be free from

	b	symptoms of Ve nonalfalfae, and the plants for pla been: i produce	anting have
		known	Foroduction to be free <i>rticillium</i> <i>lfae</i> , or
		ii isolated product <i>Humulu</i>	from ion crops of <i>s lupulus</i> , and
		aa	the production site has been found to be free from
			<i>Verticillium</i> <i>nonalfalfae</i> over the last complete
			growing season at appropriate times by
			visual inspection of the foliage, and
		bb	the cropping and soil- borne disease history of fields have
			been recorded and there has been a rest period from host plants of
			at least four years between findings of <i>Verticillium</i>
			nonalfalfae and the next planting. ]

**Status:** Point in time view as at 02/05/2024. **Janges to legislation:** Commission Implementing Regulation (EU) 2019/2072 is

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



List of plants, plant products and other objects which may not be introduced into Great Britain if originating or dispatched from certain third countries

### **Textual Amendments**

F139 Annex 6 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), Sch. 6 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))



List of plants, plant products and other objects from third countries, other than high-risk plants, plant products and other objects, which may not be introduced into Great Britain

#### **Modifications etc. (not altering text)**

- C6 Annex 6 Pt. A: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 40(3)-(3B) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(3)(d**))
- C7 Annex 6 Pt. A: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(4) (4A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 29(5)(e))

	(1) Description of plants, plant products or other objects	(2) Third country, group of third countries or specific area of third country
1.	Mill., Cedrus Trew, Chamaecyparis	

	<i>thunbergia</i> Parl. grafted on a rootstock of a <i>Pinus</i> species other than <i>Pinus</i> <i>thunbergia</i> Parl., originating in Japan]	
2.	Plants, other than fruit and seeds, of <i>Castanea</i> Mill. and <i>Quercus</i> L., with leaves	
3.	Plants, other than fruit and seeds, of <i>Populus</i> L., with leaves	Canada, Mexico and the USA
4.	Isolated bark of <i>Castanea</i> Mill.	Any third country other than EU Member States, Liechtenstein and Switzerland
5.	Isolated bark of <i>Quercus</i> L., other than <i>Quercus suber</i> L.	Canada, Mexico and the USA
6.	Isolated bark of Acer saccharum Marsh.	Canada, Mexico and the USA
7.	Isolated bark of Populus L.	The Americas
8.	Plants for planting, other than dormant plants free from leaves, flowers and fruits, of <i>Chaenomeles</i> Ldl., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Rosa</i> L.	Any third country other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine
9.	Plants for planting, other than seeds, of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L.,	Any third country other than: Albania, Algeria, Andorra, Armenia, Australia, Azerbaijan, Belarus, Bosnia

	<i>Pyrus</i> L. and their hybrids, and <i>Fragaria</i> L.	and Herzegovina, Canada, Canary Islands, Egypt, EU Member States, Faroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, New Zealand, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo- Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the USA, other than Hawaii
10.	Plants, other than fruits, of Vitis L.	Any third country other than EU Member States, Liechtenstein and Switzerland
11.	Plants for planting, other than seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids	Any third country other than EU Member States, Liechtenstein and Switzerland
12.	Plants for planting, other than dormant plants free from leaves, flowers and fruits, of <i>Photinia</i> Ldl.	China, Democratic People's Republic of Korea, Japan, Republic of Korea and the USA
13.	Plants, other than fruit and seeds, of <i>Phoenix</i> spp.	Algeria and Morocco
14.		Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, EU Member States, Faroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein,
15.	Tubers of <i>Solanum tuberosum</i> L., seed potatoes	Any third country other than EU Member States, Liechtenstein and Switzerland
16.	Plants for planting of stolon- or tuber- forming species of <i>Solanum</i> L. and their	Any third country other than EU Member States, Liechtenstein and Switzerland

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	hybrids, other than tubers of <i>Solanum</i> <i>tuberosum</i> L. specified in entry 15	
17.	Tubers of species of <i>Solanum</i> L., and their hybrids, other than those specified in entries 15 and 16	
18.	Plants for planting of <i>Solanaceae</i> other than seeds and the plants specified in entries 15, 16 and 17	Any third country other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, EU Member States, Faroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo- Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey and Ukraine
19.	Soil consisting in part of solid organic substances	Any third country other than EU Member States, Liechtenstein and Switzerland
20.	Growing medium, other than soil, consisting in whole or in part of solid organic substances, other than any composed entirely of peat or fibre of <i>Cocos nucifera</i> L., previously not used for growing of plants or for any agricultural purposes	Any third country other than EU Member States, Liechtenstein and Switzerland
[ <sup>F142</sup> 21	Plants, other than fruit and seeds, of Fraxinus L.	Any third country where <i>Agrilus planipennis</i> Fairmaire is known to occur]

#### **Textual Amendments**

- F140 Words in Annex 6 Pt. A table inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 3(3)
- F141 Words in Annex 6 Pt. A Table inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 5(2)
- F142 Annex 6 Pt. A Table Entry 21 inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(5)(a)

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes

that have been made appear in the content and are referenced with annotations. (See end of Document for details)



List of high-risk plants, plant products and other objects from third countries which may not be introduced into Great Britain pending a risk assessment

### Modifications etc. (not altering text)

- C8 Annex 6 Pt. B: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(3) (as amended by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 29(5)(d)(i))
- C9 Annex 6 Pt. B: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(4) (4A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(5)(e)**)

# *U.K.*

1. Plants for planting, other than seeds, *in vitro* material and naturally or artificially dwarfed woody plants for planting, originating from any third country, other than EU Member States, Liechtenstein and Switzerland, and belonging to the following genera or species:

## *— Acacia* Mill.

-*I<sup>F143</sup>Acer* L., other than: one- to three-year old bare-rooted, dormant, free-of-leaves, grafted or budded plants for planting of *Acer japonicum* Thunberg, *Acer palmatum* Thunberg, and *Acer shirasawanum* Koidzumi, originating in New Zealand]

- *[<sup>F144</sup>Albizia* Durazz, other than: bare-rooted, dormant grafted plants for planting of *Albizia julibrissin* Durazzini originating in Israel, with a maximum diameter of 2.5cm] - *Alnus* Mill.

- *Annona* L.
- *Bauhinia* L.
- *Berberis* L.
- *Betula* L.
- *Caesalpinia* L.
- *Cassia* L.
- Castanea Mill.
- Cornus L.
- Corvlus L.
- Crataegus L.
- Diospyros L.
- -Fagus L.
- *Ficus carica* L
- *Fraxinus* L.
- -Hamamelis L.
- *Jasminum* L.
- -Juglans L.
- -Ligustrum L.
- *Lonicera* L.

 $- I^{F145}$  Malus Mill., other than: one- to two-year old bare-rooted, dormant, grafted plants for planting of Malus domestica (Borkhausen) originating in Serbia] - Nerium L.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- Persea Mill.
- Populus L.
- Prunus L.
- Quercus L.

—  $I^{F146}Robinia$  L. other than: bare-rooted, dormant grafted plants for planting of *Robinia pseudoacacia* L. originating in Israel, with a maximum diameter of 2.5cm] — *Salix* L.

- sun L.
- Sorbus L.
- Taxus L.
- *Tilia* L.
- Ulmus L.

#### **Textual Amendments**

- F143 Words in Annex 6 Pt. B para. 1 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(6)(a)(i)
- F144 Words in Annex 6 Pt. B para. 1 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(6)(a)(ii)**
- F145 Words in Annex 6 Pt. B para. 1 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(6)(a)(iii)
- F146 Words in Annex 6 Pt. B para. 1 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(6)(a)(iv)

## *U.K.*

2. Plants of *Ullucus tuberosus* Loz., originating from any third country, other than EU Member States, Liechtenstein and Switzerland.

## U.K.

3. Fruits of *Momordica* L. originating from any third country or area of a third country where *Thrips palmi* Karny is known to occur and where effective mitigation measures for that pest are lacking.

## U.K.

[<sup>F147</sup>3A. Plants of *Polymnia sonchifolia* Pöppig & Endlicher, originating from any third country.]

<ul> <li>Textual Amendments</li> <li>F147 Annex 6 Pt. B para. 3A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2 Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(5)(b)</li> </ul>	 !)
<i>U.K.</i>	

#### **Textual Amendments**

F148 Annex 6 Pt. B para. 4 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(6)(b)** 

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



[<sup>F149</sup>5. Plants of *Abies* Mill., *Pinus* L., *Picea* Mill., *Larix* Mill., and *Tsuga* Carr., originating from Russia.]

### **Textual Amendments**

F149 Annex 6 Pt. B para. 5 inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(6)



Other plants, plant products and other objects from third countries which are subject to emergency control measures and may not be introduced into Great Britain

Modifications etc.	(not altering text)
--------------------	---------------------

- C10 Annex 6 Pt. C: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 40(3)-(3B) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 29(3)(d))
- C11 Annex 6 Pt. C: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(4) (4A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(5)(e)**)

	(1) Description of plants, plant products or other objects	(2) Third country, group of third countries or specific area of third country
1.	Plants for planting, other than seeds, of <i>Coffea</i>	Costa Rica and Honduras
2.	Isolated bark of <i>Acer macrophyllum</i> Pursh, <i>Aesculus californica</i> (Spach) Nutt., <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd., <i>Quercus</i> spp. L. and <i>Taxus</i> <i>brevifolia</i> Nutt.	-

## ANNEX 7 U.K.

[<sup>F150</sup>List of plants, plant products and other objects originating from third countries and the corresponding special requirements for their introduction into Great Britain

## **Textual Amendments**

F150 Annex 7 substituted (31.12.2020 except so far as it relates to Annex 7 Pt. A Table, entries 3, 61, 135(a) and 1.1.2021 in so far as not already in force) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), Sch. 7 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(4))

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### Modifications etc. (not altering text)

C12 Annex 7: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 41(3)-(3B) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(4)(c)**)



Plants, plant products and other objects originating in third countries which may only be introduced into Great Britain if special requirements are met

## Modifications etc. (not altering text)

- C13 Annex 7 Pt. A: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(4) (4A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(5)(e)**)
- C14 Annex 7 Pt. A: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 44(1A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(7)(a)**)

## Interpretation

In this Annex:

'associated controlled dunnage', in entry [<sup>F151</sup>109, 111, 112, 113, [<sup>F152</sup>115A, 115B,] 116, 117, 120, 122, 123, 125, 128, [<sup>F153</sup>128A, 128C,] 130, 132, 135, 136, [<sup>F154</sup>136A,] 138, 140 or 142] of Part A, means wood which supports a consignment of wood of a genus or species specified in that entry and which—

i is constructed from wood of the same type and quality as the wood in the consignment; and

ii meets the requirements specified in column (3) of that entry;

'EPPO PM 9/2' means the standard describing a national regulatory control system for *Clavibacter michiganensis* subsp. *sepedonicus* that provides guidance on surveillance for the pathogen and its containment and eradication if found, approved by the European and Mediterranean Plant Protection Organization ;

'EPPO PM 9/5' means the standard describing the procedures for official control of *Synchytrium endobioticum*, approved by the European and Mediterranean Plant Protection Organization ;

'EPPO PM 9/26' means the standard describing a national regulatory control system for *Globodera pallida* and *Globodera rostochiensis*, approved by the European and Mediterranean Plant Protection Organization ;

[<sup>F155</sup>·ISPM4' means International Standard for Phytosanitary Measures No 4 of April 2017 on requirements for the establishment of pest free areas, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;]

[<sup>F156</sup>··ISPM10" means International Standard for Phytosanitary Measures No 10 of December 2015 on requirements for the establishment of pest-free places of production and pest-free production sites, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

"ISPM14" means International Standard for Phytosanitary Measures No 14 of April 2019 on the use of integrated measures in a systems approach for pest risk management, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;

"ISPM31" means International Standard for Phytosanitary Measures No 31 of December 2015 on methodologies for sampling of consignments, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;]

[<sup>F157</sup>"ISPM41" means International Standard for Phytosanitary Measures No 41 of April 2017 on international movement of used vehicles, machinery and equipment, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations];

'list of Xylella host plants' means the list, published by the national plant protection organisation of the United Kingdom from time to time, of plants that may host *Xylella fastidiosa* (Wells et al.).

	(1) Description of plants, plant products or other objects	(2) Origin	(3) Special requirements
products or other objects     products       1.     Growing medium, Any     third The plan	attached to or associated with plants, intended to sustain the vitality of the plants, with the exception of sterile medium of	country other than EU Member States, Liechtenstein and	an official statement: a that the growing medium at the time of their planting: i was free from soil and organic matter and had not been previously used for growing plants or for any other agricultural purposes, ii was composed entirely of peat or fibre of <i>Cocos</i> <i>nucifera</i> L. and had not been previously used for growing plants or for any other agricultural purposes,
	<ul> <li>iii was subjected to effective fumigation or heat treatment* to ensure freedom from pests, or</li> <li>iv was subjected to an effective systems approach* to ensure freedom</li> </ul>		

		from pess in all the mentioner points (i) (iv) was and main under apj condition it free fro quarantir and	cases ed in to stored ntained propriate ns to keep om GB
b	that since	e planting	:
0	i	appropria measures been take ensure th growing has been free from quarantir including aa	ate s have en to to the medium kept n GB ne pests, g at least: physical isolation of the growing medium from soil and other possible sources
			of
		bb	contamination, hygiene
		сс	measures, using water
	ii	in the two prior to e growing including appropria was com removed washing water fre GB quara pests, and replantin occurred	free from GB quarantine pests, or o weeks export, the medium g, where ate, soil pletely by using e from antine d where g

			growing medium used met the requirements specified in point (a) and the measures described in point (b)(i) were taken to ensure that it remains free from GB quarantine pests. * Details of the treatment or the use of a systems approach must also be included on the phytosanitary certificate under the heading "Additional declaration".
2.	Machinery and vehicles which have been operated for agricultural or forestry purposes	Any third country other than EU Member States, Liechtenstein and Switzerland	The machinery or vehicles must be accompanied by an official statement that the machinery or vehicles have been cleaned and are free from soil and plant debris [ <sup>F159</sup> in accordance with ISPM41].
3.	Machinery and vehicles which have been operated for agricultural or forestry purposes	States,	The machinery or vehicles must be accompanied by an official statement that the machinery or vehicles have been: a moved from an area established by the national plant protection organisation of the country of export in accordance with ISPM4 as an area that is free from <i>Ceratocystis platani</i> (Walter) Engelbrecht & Harrington, or b in the case of machinery or vehicles moved from an area infected with <i>Ceratocystis</i> <i>platani</i> (Walter) Engelbrecht & Harrington, they have been cleaned and made free from soil and plant debris prior to their movement out of the infected area [ <sup>F160</sup> in accordance with ISPM41].
4.	Plants for planting with roots, grown in open air		The plants must be accompanied by an official statement that the place of production has been established by the national plant protection organisation in accordance with

			ISPM10 as a place of production that is free from <i>Clavibacter sepedonicus</i> (Spieckermann & Kotthoff) Li <i>et</i> <i>al.</i> and <i>Synchytrium endobioticum</i> (Schilbersky) Percival.
5.	Plants for planting with roots, grown in open air	Any third country other than EU Member States, Liechtenstein and Switzerland	The plants must be accompanied by an official statement that the plants originate from a field known to be free from <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens.
6.	Plants for planting, other than bulbs, corms, rhizomes, seeds, tubers, and plants in tissue culture	Any third country FI61 	The plants must be accompanied by an official statement that they have been grown in a nursery and: a that they originate in: i an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Thrips</i> <i>palmi</i> Karny, or ii a place of production** established by the national plant protection organisation in accordance with ISPM10 as an area that is free from <i>Thrips palmi</i> Karny, on the basis of official inspections carried out at least monthly during the three months prior to export, or b that immediately prior to export, or b that immediately prior to export, they have been subjected to an appropriate treatment <sup>†</sup> against <i>Thrips</i> <i>palmi</i> Karny and have been officially inspected and found free from <i>Thrips palmi</i> Karny. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

			<ul> <li>** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>† Details of the treatment must also be included on the phytosanitary certificate.</li> </ul>
7.	Plants for planting, other than seeds	Any third country other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, EU Member States, Faroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug), Southern	The plants must be accompanied by an official statement: a that they have been grown in a nursery, b that they are free from plant debris, flowers and fruits, and c that they have been inspected at appropriate times and have been found prior to their export to be: i free from symptoms of harmful bacteria, viruses and virus-like organisms, and ii free from signs or symptoms of harmful nematodes, insects, mites and fungi or have been subjected to appropriate treatment to eliminate such organisms.

		Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo- Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, and Ukraine.	
8.	Plants for planting, other than dormant plants, plants in tissue culture, seeds, bulbs, tubers, corms and rhizomes	Any third country where any of the following GB quarantine pests are known to occur ("the relevant pests"): — Begomoviruses, FI62 … —Cucumber vein yellowing virus, —Cucurbit yellow stunting disorder virus, —Lettuce infectious yellows virus, —Melon yellowing- associated virus, —Squash vein yellowing virus,	<ul> <li>The plants must be accompanied by an official statement:</li> <li>a in all cases, that no symptoms of the relevant pests have been observed on the plants during their complete cycle of vegetation, and</li> <li>b in the case of plants originating in any third country where <i>Bemisia</i> tabaci (Gennadius) or other vectors of the relevant pests are known to occur, that no symptoms of the relevant pests have been observed on the plants during their complete cycle of vegetation and:</li> <li>i that the plants originate in areas which, in accordance with the measures specified in ISPM4, are known to be free from <i>Bemisia tabaci</i> (Gennadius) and other vectors of the relevant pests,</li> </ul>

		Sweet potato chlorotic stunt virus, Sweet potato mild mottle virus, Tomato mild mottle virus, Tomato leaf curl New Delhi virus	<ul> <li>ii that the site of production has been found free from <i>Bemisia tabaci</i> (Gennadius) and other vectors of the relevant plant pests on official inspections carried out at appropriate times to detect those pests, or</li> <li>iii that the plants have been subjected to an effective treatment ensuring the eradication of <i>Bemisia tabaci</i> (Gennadius) and the other vectors of the relevant pests and have been found free from those pests prior to export.</li> </ul>
9.	Plants for planting, other than seeds, of Cucurbitaceae and Solanaceae [ <sup>F163</sup> other than tubers of Solanum tuberosum]	Any third country	The plants must be accompanied by an official statement: a in all cases: i that the plants originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from Tomato leaf curl New Delhi Virus, or ii that no symptoms of Tomato leaf curl New Delhi Virus have been observed on the plants during their complete cycle of vegetation, and b in the case of any plants originating in an area where <i>Bemisia tabaci</i> (Gennadius) or other vectors of Tomato leaf curl New Delhi Virus are known to occur: i that their site of production has been found free from

			<i>Bemisia tabaci</i> (Gennadius) and other vectors of Tomato leaf curl New Delhi Virus on official inspections carried out at appropriate times to detect the pest, or ii that the plants have been subjected to an effective treatment ensuring the eradication of <i>Bemisia tabaci</i> (Gennadius) and other vectors of Tomato leaf curl New Delhi Virus.
10.	Unrooted cuttings for planting of <i>Euphorbia</i> <i>pulcherrima</i> Klotzsch	Any thi	The plants must be accompanied by an official statement: a that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Bemisia tabaci</i> (Gennadius), b that no signs of <i>Bemisia</i> <i>tabaci</i> (Gennadius) have been observed on the cuttings, or on plants from which the cuttings were derived and held or produced, at the place of production on official inspections carried out at least once every three weeks during the whole production period of the plants at that place of production, or c in cases where <i>Bemisia tabaci</i> (Gennadius) has been found at the place of production: i that the cuttings were derived and held and produced at the place of production have undergone an appropriate treatment to ensure freedom

		from <i>Bemisia tabaci</i> (Gennadius), and ii that subsequently the place of production has been found free from <i>Bemisia tabaci</i> (Gennadius) as a consequence of the implementation of appropriate procedures aimed at eradicating <i>Bemisia</i> <i>tabaci</i> (Gennadius), in both official inspections carried out weekly during the three weeks prior to the movement from that place of production, the last of which was carried out immediately prior to their movement, and in monitoring procedures throughout the period.
11.	Plants for planting, other than seeds, of <i>Euphorbia</i> <i>pulcherrima</i> Klotzsch and unrooted cuttings for planting of <i>Euphorbia</i> <i>pulcherrima</i> Klotzsch.	[ <sup>F164</sup> In the case of plants for which there is evidence from their packaging or their flower (or bract) development or by other means that they are intended for direct sale to final consumers not involved in professional plant production, the plants must be accompanied by an official statement that they have been officially inspected and found free from <i>Bemisia tabaci</i> (Gennadius) prior to their movement. In any other case, the plants must be accompanied by— a an official statement that the plants comply with one of the following requirements— i they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Bemisia tabaci</i> (Gennadius),

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

ii they originate in a place of production where no signs of Bemisia tabaci (Gennadius) have been observed during official inspections carried out at least every three weeks during a period of nine weeks prior to export, or iii in cases where Bemisia tabaci (Gennadius) has been found at the place of production: aa they have undergone an appropriate treatment to ensure freedom from *Bemisia* tabaci (Gennadius), and bb subsequently, official inspections carried out weekly during a period of three weeks prior to export have found the place of production to be free from Bemisia tabaci (Gennadius) as a consequence of the implementation of appropriate procedures aimed at

	1	I		
				eradicating <i>Bemisia</i> tabaci (Gennadius), and
				b an official statement that the cuttings from which those plants originate comply with one of the requirements in point (a).]
12.	Plants for planting of <i>Begonia</i> L., other than seeds, tubers and corms, and plants for planting, other than seeds, of <i>Ajuga</i> L., <i>Crossandra</i> Salisbury, <i>Dipladenia</i> A.DC., <i>Ficus</i> L., <i>Hibiscus</i> L., <i>Mandevilla</i> Lindl. and <i>Nerium</i> <i>oleander</i> L.	Any country	third	The plants must be accompanied by: a an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Bemisia</i> <i>tabaci</i> (Gennadius), b an official statement that no signs of <i>Bemisia tabaci</i> (Gennadius) have been observed on plants at the place of production on official inspections carried out at least once every three weeks during the nine weeks prior to marketing, c where <i>Bemisia tabaci</i> (Gennadius) has been found at the place of production, an official statement that the plants, held or produced at the place of production, have undergone an appropriate treatment to ensure freedom from <i>Bemisia</i> <i>tabaci</i> (Gennadius) and subsequently the place of production has been found free from <i>Bemisia tabaci</i> (Gennadius) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia</i> <i>tabaci</i> (Gennadius), in both official inspections carried out weekly during the three weeks prior to the movement from the place of production, the last of which was carried out immediately prior to their movement from the place of production, and in monitoring

<b>Changes to legislation:</b> Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to
be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes
that have been made appear in the content and are referenced with annotations. (See end of Document for details)

			procedures throughout the period, or d in the case of plants for which there is evidence from their packing or their flower development or from other means that they are intended for direct sale to final consumers not involved in professional plant production, an official statement that they have been officially inspected and found free from <i>Bemisia tabaci</i> (Gennadius) immediately prior to their movement.
13.	Plants for planting of herbaceous species, other than bulbs, corms, plants of the family Poaceae, rhizomes, seeds, tubers, and plants in tissue culture	Any third country where <i>Liriomyza</i> sativae Blanchard and <i>Nemorimyza</i> maculosa (Malloch) are known to occur	<ul> <li>The plants must be accompanied by an official statement that they have been grown in a nursery, and that F165:</li> <li>a [<sup>F166</sup>they originate] in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Liriomyza sativae</i> Blanchard and <i>Nemorimyza maculosa</i> (Malloch),</li> <li>b [<sup>F166</sup>they originate] in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Liriomyza sativae</i> Blanchard and <i>Nemorimyza sativae</i> Blanchard and <i>Nemorimyza sativae</i> Blanchard and <i>Nemorimyza sativae</i> Blanchard and <i>Nemorimyza maculosa</i> (Malloch), on the basis of official inspections carried out at least monthly during the three months prior to export, [<sup>F167</sup>or]</li> <li>c F<sup>168</sup> immediately prior to export, they have been subjected to an appropriate treatment<sup>‡</sup> against <i>Liriomyza sativae</i> Blanchard and <i>Nemorimyza maculosa</i> (Malloch) and have been officially inspected and found free from <i>Liriomyza sativae</i></li> </ul>

			Blanchard and <i>Nemorimyza</i> <i>maculosa</i> (Malloch). * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration". † Details of the treatment must be mentioned on the phytosanitary certificate.
14.	Trees and shrubs for planting, other than seeds and plants in tissue culture	country other than:	The plants must be accompanied by an official statement: a that have been grown in a nursery, b that they are free from plant debris, flowers and fruits, and c that they have been inspected at appropriate times and prior to export and have been found to be free from: i symptoms of harmful bacteria, viruses and virus-like organisms, and ii signs or symptoms of harmful nematodes, insects, mites and fungi or have been subjected to appropriate treatment to eliminate such organisms.

		District (Severo- Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo- Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, and Ukraine.	
15.	Deciduous trees and shrubs for planting, other than seeds and plants in tissue culture	country other than:	The trees and shrubs must be accompanied by an official statement that they are dormant and free from leaves.

16	Poot and tuborala	Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo- Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, and Ukraine.	The versately as must be accompanied
16.	Root and tubercle vegetables, other than tubers of <i>Solanum tuberosum</i> L.	Any third country other than EU Member States, Liechtenstein and Switzerland	The vegetables must be accompanied by an official statement that the consignment or lot does not contain more than 1% by net weight of soil and growing medium.

17.	Bulbs, corms, rhizomes and tubers, intended for planting, other than tubers of <i>Solanum</i> <i>tuberosum</i> L.		The bulbs, corms, rhizomes or tubers, must be accompanied by an official statement that the consignment or lot does not contain more than 1% by net weight of soil and growing medium.
18.	Tubers of Solanum tuberosum L.		The tubers must be accompanied by an official statement that the consignment or lot does not contain more than 1% by net weight of soil and growing medium.
19.	Tubers of Solanum tuberosum L.	Any third country	The tubers must be accompanied by: a an official statement that they originate in a country where <i>Tecia solanivora</i> (Povolný) is not known to occur, or b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Tecia</i> <i>solanivora</i> (Povolný). * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
20.	[ <sup>F169</sup> Plants for planting, other than seeds, of <i>Solanum</i> <i>tuberosum</i> L.]	EU Member States, Liechtenstein and Switzerland	The [ <sup>F170</sup> plants] must be accompanied by an official statement: a that: i they originate in an area, which in accordance with the measures specified in ISPM4, is known to be free from <i>Clavibacter</i> <i>sepedonicus</i> (Spieckermann & Kotthoff) Li <i>et al.</i> , or ii they originate in a place of production established by the national plant protection organisation in accordance with

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes

he in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Chang that have been made appear in the content and are referenced with annotations. (See end of Document for details)

> ISPM10 as a place of production that is free from *Clavibacter* sepedonicus (Spieckermann & Kotthoff) Li *et al.* or is considered to be free from *Clavibacter* sepedonicus (Spieckermann & Kotthoff) Li *et al.* as a consequence of the implementation of the procedures set out in EPPO PM 9/2. b that they originate in a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Synchytrium endobioticum (Schilbersky) Percival or is considered to be free from Synchytrium endobioticum (Schilbersky) Percival as a consequence of the implementation of the procedures set out in EPPO PM 9/5, that they originate in an с area in which Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. i is known not to occur, or ii is known to occur, and the [F170 plants] originate from a place of production found free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. or considered to be free from Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. as a consequence of the implementation

Meloidogyne chitwoodi Golden et al. (all populations) i known not to occur, ii they originate from a place of production which has been found free from Meloidogyne chitwoodi Golden et al. (all populations) based on an annual survey of host crops by visual inspection of host plants at appropriate times and [ <sup>F172</sup> , in the case of tubers,] by visual inspection both externally and by cutting of tubers afte harvest from potato crops grown at the place of production, oriii[ <sup>F173</sup> in the case of tubers,] after harvest they have been randomly sampled and checked for the presence of symptoms after an appropriate method to induce symptoms has been applied or laboratory tested, as well as inspected visually both externally and by cutting tubers at
appropriate times to detect the presence

			<ul> <li>of <i>Meloidogyne</i> <i>chitwoodi</i> Golden <i>et</i> <i>al.</i>, and in all cases at the time of closing of the packages or containers before movement, and found to be free from symptoms of that pest, and]</li> <li>[<sup>F174</sup>e they originate in a site of production where the procedures to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera</i> <i>rostochiensis</i> (Wollenweber) Behrens set out in EPPO PM 9/26 have been implemented.]</li> </ul>
21.	[ <sup>F175</sup> Plants for planting, other than seeds, of <i>Solanum tuberosum</i> L.], other than tubers of those varieties officially accepted on to the GB Variety List pursuant to the Seeds (National Lists of Varieties) Regulations 2001	EU Member States, Liechtenstein and Switzerland	The [ <sup>F176</sup> plants] must be accompanied by an official statement that : a they belong to advanced selections, b they have been produced in an EU Member State [ <sup>F177</sup> , Liechtenstein] or Switzerland, and c they have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected in an EU Member State [ <sup>F177</sup> , Liechtenstein] or Switzerland to official quarantine testing and has been found in those tests to be free from GB quarantine pests.
22.	Tubers of <i>Solanum</i> <i>tuberosum</i> L., other than those mentioned in column (1) of entry 20 [ <sup>F178</sup> or 21]	EU Member States, Liechtenstein and Switzerland	There must be a registration number on the packaging, or in the case of loose-loaded tubers transported in bulk, on the accompanying documents, demonstrating that the tubers have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating that: a the tubers are free from <i>Ralstonia solanacearum</i>

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

1				(Smith) Values 1: 4
				(Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> ,
			[ <sup>F179</sup> b	they originate in a place of production which:
				i) has been found
				to be free from
				Synchytrium
				<i>endobioticum</i> (Schilbersky)
				Percival, or
				ii) is considered
				to be free from
				Synchytrium endobioticum
				(Schilbersky)
				Percival as a
				consequence of the
				implementation of the procedures set out in
				EPPO PM 9/5,
			с	they originate in a place of
				production which:
				i) has been found to be free from <i>Clavibacter</i>
				sepedonicus
				(Spieckermann &
				Kotthoff) Li <i>et al.</i> , or
				ii) is considered to be free from <i>Clavibacter</i>
				sepedonicus
				(Spieckermann &
				Kotthoff) Li et al. as
				a consequence of the
				implementation of the procedures set out in
				EPPO $PM9/2(2)$ , and
			d	they originate in a site
				of production where the
				procedures to combat Globodera pallida (Stone)
				Behrens and <i>Globodera</i>
				rostochiensis (Wollenweber)
				Behrens set out in EPPO PM
				9/26 have been implemented.]
•	Tubers of <i>Solanum</i> <i>tuberosum</i> L.	Third countries		pers must be accompanied by
	uderosum L.	where <i>Epitrix</i> cucumeris		est listed in column (2) of this
		(Harris),	-	hat is known to be present in
		Epitrix papa	the thir	d country concerned ("the
		Orlova- Bienkowskaja,		t plant pests"):
		ыспкоwsкаја,	а	that:

23.

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to

be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		Epitrix subcrinita (Leconte) or Epitrix tuberis Gentner is known to be present	<ul> <li>i they have been grown in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from the relevant plant pests, or</li> <li>ii they have been washed or brushed so that there is no more than 0.1% of soil remaining, or have undergone an equivalent method specifically applied in order to achieve the same outcome and remove the relevant plant pests and to ensure that there is no risk of the relevant plant pests spreading,</li> <li>b that they have been found in an official examination carried out immediately prior to export to be free from the relevant plant pests and from the signs of infestation by those plant pests on potato tubers, and do not contain more than 0.1% of soil, and</li> <li>c that the packaging material in which the potato tubers are exported is clean.</li> </ul>
24.	Tubers of Solanum tuberosum L.	Spain other than the Balearic Islands	
25.	Tubers of Solanum tuberosum L.	Poland	The tubers must be accompanied by an official statement that they have been found to be free from <i>Clavibacter sepedonicus</i> (Spieckermann & Kotthoff) Li <i>et al.</i>

26.	Tubers of Solanum tuberosum L.	Egypt	The tubers must be accompanied by an official statement: a that the tubers have been subjected to an intensive control regime to ensure the absence of <i>Ralstonia</i> <i>solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , covering growing conditions, field inspections, transport, packing, pre-export inspections and testing, b that each lot* is made up of tubers of <i>Solanum tuberosum</i> L. which have been harvested in a single pest free area**, and c that each bag of tubers was sealed under the control of the competent Egyptian authorities. In addition, each bag of tubers in the consignment must be clearly labelled with an indelible indication of the relevant individual official code number of the area from which they have been harvested and the relevant lot number, and each consignment must indicate the name or trademark of the officially registered exporter. * The lot number(s) must be included in the phytosanitary certificate under the heading "Distinguishing marks". ** The official code number for the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of Egypt has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
27.	Tubers of <i>Solanum</i> <i>tuberosum</i> L.	Any third country [ <sup>F181</sup> other than EU Member States, Liechtenstein	The tubers must be accompanied by an official statement: [ <sup>F182</sup> a that they originate in: i) a country which, in accordance with the measures

and Switzerland]	specified in ISPM4, is known to be free from <i>Clavibacter</i> sepedonicus (Spieckermann & Kotthoff) Li et al., ii) a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Clavibacter</i> sepedonicus (Spieckermann & Kotthoff) Li et al., or iii) a place of production which is considered to be free from <i>Clavibacter</i> sepedonicus (Spieckermann & Kotthoff) Li et al. as a consequence of the implementation of the procedures set out in EPPO PM 9/2, b that they originate in: i) an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Synchytrium</i> endobioticum (Schilbersky) Percival (all races other than Race 1, the common European race), and no symptoms of <i>Synchytrium</i> endobioticum (Schilbersky) Percival have been observed at the place of production or in its immediate vicinity for an adequate period,
---------------------	--

			c	<ul> <li>ii) a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Synchytrium endobioticum (Schilbersky) Percival, or</li> <li>iii) a place of production which is considered to be free from Synchytrium endobioticum (Schilbersky) Percival as a consequence of the implementation of the procedures set out in EPPO PM 9/5, and]</li> <li>that they originate in an area in which Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al., Ralstonia pseudosolanacearum Safni et al., Ralstonia syziygii subsp. celebensis Safni et al. and Ralstonia syziygii subsp. indonesiensis Safni et al. are known not to occur.</li> </ul>
28.	Plants for planting, other than seeds, of <i>Fragaria</i> L., <i>Lavandula</i> L., Solanaceae, <i>Vitis</i> L. and <i>Vaccinium</i> L.	Any this country	d The p a b	lants must be accompanied by: an official statement that they originate in an area established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>I</i> <sup>F183</sup> <i>CandidatusJ</i> Phytoplasma 'solani' Quaglino <i>et al.</i> , or an official statement that no symptoms of <i>Candidatus</i> Phytoplasma 'solani' Quaglino <i>et al.</i> have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.

<i>tuberosum</i> L., ('true potato seed')	EU Member States, Liechtenstein and Switzerland	The seeds must be accompanied by an official statement that the seeds derive from plants complying, as applicable, with the requirements set out in entry 20 [ <sup>F184</sup> or 21], and
		a that the seeds:
		i originate in areas known to be free from <i>Synchytrium</i> endobioticum
		(Schilbersky) Percival, <i>Clavibacter</i> sepedonicus
		(Spieckermann & Kotthoff) Li <i>et</i> <i>al.</i> , and <i>Ralstonia</i>
		solanacearum (Smith) Yabuuchi et al. emend. Safni et
		<i>al.</i> , or ii have been produced
		in a site where, since the beginning
		of the last cycle of vegetation, no symptoms of disease
		caused by the GB quarantine pests referred to in point (i)
		have been observed and where the following actions have been taken:
		aa staff and other
		items, such as tools, machinery, vehicles, vessels and packaging
		material, from other sites producing solanaceous plants
		and other host plants of Potato spindle tuber viroid have been prevented
		from coming into contact with the site or other appropriate
		hygiene measures have been taken to prevent infection by staff working,
		potato seed') Liechtenstein and

			or items used, at other sites producing solanaceous plants and other host plants of Potato spindle tuber viroid, and bb only water free from those pests has been used.
30.	Plants for planting, other than seeds, of <i>Capsicum annuum</i> L., <i>Solanum</i> <i>lycopersicum</i> L., <i>Musa</i> L., <i>Nicotiana</i> L. and <i>Solanum</i> <i>melongena</i> L.	Ralstonia solanacearum	The plants must be accompanied by: a an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, has been found to be free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> <i>ar-</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzygii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzygii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> , or b an official statement that no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzygii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzygii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> , have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.
[ <sup>F185</sup> 3(	Relants for planting, other than bulbs, corms, rhizomes, seeds and tubers, of <i>Asparagus</i> Tournier ex Linnaeus, <i>Cucurbitaceae</i> , <i>Solanaceae</i> , <i>Cynara scolymus</i> L., <i>Persea</i> <i>americana</i> Miller and <i>Tagetes</i> L.	The Americas	The plants must be accompanied by an official statement that: (a) they originate in a country which, in accordance with the measures specified in ISPM No. 4, is known to be free from <i>Prodiplosis longifila</i> Gagné; (b) they originate in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Prodiplosis longifila</i> Gagné; or

			<ul> <li>(c) they originate in a site of production**: (i) established by the national plant protection organisation in accordance with ISPM No. 10 as a site of production that is free from <i>Prodiplosis longifila</i> Gagné; and</li> <li>(ii) which provides complete physical protection against the introduction of <i>Prodiplosis longifila</i> Gagné.</li> <li>* The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>** The name(s) of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".]</li> </ul>
31.	Plants for planting with roots, of <i>Capsicum</i> spp., <i>Solanum</i> <i>lycopersicum</i> L. and <i>Solanum</i> <i>melongena</i> L.	States, Liechtenstein and	The plants must be accompanied by an official statement that they [ <sup>F186</sup> originate in a site of production where the procedures to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens set out in EPPO PM 9/26 have been implemented].
32.	Plants for planting with roots, grown in the open air, of Allium porrum L., Asparagus officinalis L., Beta vulgaris L., Brassica spp. L., and Fragaria L.	States, Liechtenstein	The plants must be accompanied by an official statement that they [ <sup>F187</sup> originate in a site of production where the procedures to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens set out in EPPO PM 9/26 have been implemented].
33.	Plants for planting of bulbs, tubers and rhizomes, grown in the open air, of <i>Allium ascalonicum</i> L., <i>Allium cepa</i> L., <i>Dahlia</i> spp., <i>Gladiolus</i> Tourn. ex L., <i>Hyacinthus spp.</i> Ex L, <i>Iris</i> spp. L, <i>Lilium</i> spp. Ex L, <i>Narcissus</i> L. and <i>Tulipa</i> L.	States, Liechtenstein	The plants must be accompanied by an official statement that they [ <sup>F188</sup> originate in a site of production where the procedures to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens set out in EPPO PM 9/26 have been implemented].

	1			
[ <sup>F189</sup> 32	<b>R</b> lants for planting, other than seeds, of <i>Capsicum</i> spp.	Any country	third	The plants must be accompanied by: (a) an official statement that the plants have been derived from seed complying with the requirements set out in entry 105B, and (b) an official statement that: (i) the plants originate in an area established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from Pepper chat fruit viroid, or (ii) the plants have been produced in a site of production where, since the beginning of the last cycle of vegetation, no symptoms of disease caused by Pepper chat fruit viroid have been observed and where the following actions have been taken: (aa) staff and items such as tools, machinery, vehicles, vessels and packaging material from other sites producing solanaceous plants and other host plants of Pepper chat fruit viroid have been taken to prevent infection by staff working, or items used, at other sites producing solanaceous plants and other host plants of Pepper chat fruit viroid.
33B.	Plants for planting, other than seed, of <i>Solanum</i> <i>lycopersicum</i> L. and its hybrids	Any country	third	The plants must be accompanied by: (a) an official statement that the plants have been derived from seed complying with the requirements set out in entry 105C, and (b) an official statement that: (i) the plants originate in an area established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from Citrus exocortis viroid, Columnea latent viroid, Pepper chat fruit viroid and Tomato planta macho viroid, or (ii) the plants have been produced in a site of production where, since the beginning of the last cycle of vegetation, no symptoms of disease caused by Citrus exocortis viroid, Columnea latent viroid, Pepper chat

			fruit viroid or Tomato planta macho viroid have been observed and where the following actions have been taken: (aa) staff and items such as tools, machinery, vehicles, vessels and packaging material from other sites producing solanaceous plants and other host plants of Citrus exocortis viroid, Columnea latent viroid, Pepper chat fruit viroid or Tomato planta macho viroid have been prevented from coming into contact with the site, or (bb) other appropriate hygiene measures have been taken to prevent infection by staff working, or items used, at other sites producing solanaceous plants and other host plants of Citrus exocortis viroid, Columnea latent viroid, Pepper chat fruit viroid or Tomato planta macho viroid.]
34.	Plants, other than fruits and seeds, of <i>Solanum</i> <i>lycopersicum</i> L. and <i>Solanum</i> <i>melongena</i> L.	Any third country F161 	The plants must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Keiferia lycopersicella</i> (Walsingham), or b an official statement they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Keiferia lycopersicella</i> (Walsingham). * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
35.	Plants for planting, other than seeds, of <i>Beta vulgaris</i> L.	Any third country where Beet curly top virus is known to occur	an official statement that no symptoms of Beet curly top virus have been
36.	Plants, other than seeds, of	Any third country	The plants must be accompanied by:

	Chrysanthemum L., Dianthus L. and Pelargonium l'Hérit. ex Ait.	F161	<ul> <li>a an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera</i> <i>frugiperda</i> (Smith) and <i>Spodoptera litura</i> (Fabricius),</li> <li>b an official statement that no signs of <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera</i> <i>frugiperda</i> (Smith) or <i>Spodoptera litura</i> (Fabricius) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or</li> <li>c an official statement that the plants have undergone appropriate treatment** to protect them from those pests.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>** The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment".</li> </ul>
37.	Plants for planting, other than seeds, of <i>Chrysanthemum</i> L. and <i>Solanum</i> <i>lycopersicum</i> L.	Any third country F161 	<ul> <li>The plants must be accompanied by:</li> <li>a an official statement that they have been grown throughout their life in a country which, in accordance with the measures specified in ISPM4, is known to be free from Chrysanthemum stem necrosis virus,</li> <li>b an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Chrysanthemum stem necrosis virus, or</li> </ul>

				<ul> <li>c an official statement that they have been grown throughout their life in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Chrysanthemum stem necrosis virus and verified through official inspections and, where appropriate, testing.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> </ul>
38.	Plants for planting, other than seeds, of <i>Chrysanthemum</i> L. <i>Dianthus</i> L. and <i>Pelargonium</i> l'Hérit. ex Ait.	Any country	third	The plants must be accompanied by: a an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Helicoverpa armigera</i> (Hübner) and <i>Spodoptera</i> <i>littoralis</i> (Boisduval), b an official statement that no signs of <i>Helicoverpa</i> <i>armigera</i> (Hübner) or <i>Spodoptera littoralis</i> (Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or c an official statement that the plants have undergone appropriate treatment** to protect them from those pests. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading

				"disinfestation and/or disinfection treatment".
39.	Cut flowers of Chrysanthemum L., Dianthus L., Gypsophila L. and Solidago L., and leafy vegetables of Apium graveolens L. and Ocimum L.	Any country F161 	third	The cut flowers and leafy vegetables must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Liriomyza sativae</i> Blanchard and <i>Nemorimyza maculosa</i> (Malloch), or b an official statement that immediately prior to their export, they have been officially inspected and found free from <i>Liriomyza sativae</i> Blanchard and <i>Nemorimyza</i> <i>maculosa</i> (Malloch).
40.	Plants of herbaceous species for planting, other than bulbs, corms, plants of the family Gramineae, rhizomes, seeds, tubers	Any country	third	<ul> <li>The plants must be accompanied by:</li> <li>a an official statement that they originate in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza</i> <i>trifolii</i> (Burgess),</li> <li>b an official statement that no signs of <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard) or <i>Liriomyza trifolii</i> (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting,</li> <li>c an official statement that immediately prior to their export, they have been officially inspected and found free from <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) and have been subjected to an appropriate treatment** against those pests, <sup>F190</sup></li> <li>d an official statement that they originate from plant material (explant) which</li> </ul>

				<ul> <li>is free from <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), are grown <i>in vitro</i> in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Liriomyza huidobrensis</i> (Blanchard) or <i>Liriomyza</i> <i>trifolii</i> (Burgess) and are exported in transparent containers under [<sup>F191</sup>sterile conditions, or]</li> <li>[ in the case of plants for F<sup>192</sup>e which there is evidence from their packaging, their flower development, or from other means that they are intended for direct sale to final consumers not involved in professional plant production, an official statement that they have been officially inspected immediately prior to export and found free from <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza</i> <i>trifolii</i> (Burges).]</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>** The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment".</li> </ul>
41.	Cut flowers of Orchidaceae	Any country F161	third	The cut flowers must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Thrips palmi</i> Karny, or b an official statement that immediately prior to their export, they have been

			officially inspected and found free from <i>Thrips palmi</i> Karny.
42.	Naturally or artificially dwarfed plants for planting other than seeds	Any third country other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug),	free from <i>Thrips palmi</i> Karny. The plants must be accompanied by an official statement: a that the plants, including those collected directly from natural habitats, have been grown, held and trained for at least two consecutive years prior to dispatch in officially registered nurseries, which are subject to an officially supervised control regime, b that the plants have at least during the period referred to in point (a): i been potted, in pots which are placed on shelves at least 50 cm above ground, ii have been subjected to appropriate treatments* to ensure freedom from non- European rusts, iii have been officially inspected at least six times a year at appropriate intervals for the presence of GB quarantine pests of concern and these inspections have also been carried out on plants in the immediate vicinity of the nurseries referred to in point (a), at least by visual examination of each
		Zapadny federalny	(a), at least by visual
		Federal District (Yuzhny federalny okrug), North	nursery and by visual examination of all parts of the plant above the growing medium, using a
		Caucasian Federal District (Severo- Kavkazsky	random sample of at least 300 plants from a given genus where the number of plants of that genus

federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine	<ul> <li>is not more than 3000 plants, or 10 % of the plants if there are more than 3000 plants from that genus,</li> <li>iv have been found to be free, in those inspections, from the relevant GB quarantine pests of concern, infested plants have been removed and the remaining plants, where appropriate, have been effectively treated, and have been held for an appropriate period and inspected to ensure freedom from those pests,</li> <li>v have been planted either in an unused artificial growing medium or in a natural growing medium, which has been treated by fumigation or by appropriate heat treatment and has been found free of any GB quarantine pests, and</li> <li>vi have been kept under conditions which ensure that the growing medium has been maintained free from GB quarantine pests and within two weeks prior to dispatch, have been:</li> <li>aa shaken and washed with clean water to remove the original growing medium and kept bare rooted,</li> <li>bb shaken and washed with clean water to</li> </ul>
--	--

	remove the original growing medium and replanted in growing medium which meets the conditions in point (v), or cc subjected to appropriate treatments* to ensure that the growing medium is free from plant pests, and c that the plants have been packed in closed containers which have been officially sealed and bear the registered nursery. * The active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate under the heading "disinfestation and/or disinfection treatment". ** The registration number must be indicated on the phytosanitary certificate under the heading "Additional declaration".
[ <sup>F193</sup> 42 Naturally or artificially dwarfed plants of <i>Chamaecyparis</i> Spach., <i>Juniperus</i> L., or <i>Pinus</i> L., either entirely of the species <i>Pinus parviflora</i> Sieb. & Zucc. ( <i>Pinus</i> <i>pentaphylla</i> Mayr), or of <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc. grafted on a rootstock of a Pinus species other than <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc.	The plants must be accompanied by an official statement that: (a) they are naturally or artificially dwarfed plants: (i) of <i>Chamaecyparis</i> Spach, (ii) of <i>Juniperus</i> L., or (iii) in the case of <i>Pinus</i> L., either: (aa) entirely of the species <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc. ( <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc., grafted on a rootstock of a <i>Pinus</i> L. species other than <i>Pinus parviflora</i> Sieb. & Zucc. which has borne no shoots, (b) prior to export they have been grown, held and trained for at least two consecutive years in officially registered nurseries* which are subject to an officially supervised control regime, (c) in the case of <i>Juniperus</i> L. plants, (i) the plants of <i>Chaenomeles</i> Lindl., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i>

Mill., Photinia Ldl. and Pyrus L.
grown in the two years prior to export
in the abovementioned naturally or
artificially dwarfed plant nurseries,
and
(ii) the immediate vicinity of the
plants referred to in sub-paragraph (i),
have been officially inspected at
least six times a year at appropriate
intervals and found free** from the
following: Aschistonyx eppoi Inouye,
<i>Gymnosporangium asiaticum</i> Miyabe
ex Yamada and G. yamadae Miyabe
ex Yamada, Oligonychus perditus
Pritchard et Baker, <i>Popillia japonica</i>
Newman, and any other harmful
organism which is not known to occur
in GB,
(d) in the case of <i>Chamaecyparis</i>
Spach plants, (i) the plants of
Chamaecyparis Spach, and of Pinus
L. grown in the abovementioned
naturally or artificially dwarfed plant
nurseries, and
(ii) the immediate vicinity of the
plants referred to in sub-paragraph (i),
have been officially inspected, at
least six times a year at appropriate
intervals and found free** from
the following: Popillia japonica
Newman, and any other harmful
organism which is not known to occur
in GB,
(e) in the case of <i>Pinus</i> L. plants,
(i) the plants of <i>Pinus</i> L. and of
Chamaecyparis Spach grown in
the abovementioned naturally or
artificially dwarfed plant nurseries,
and
(ii) the immediate vicinity of the
plants referred to in sub-paragraph (i),
have been officially inspected, at
least six times a year at appropriate
intervals and found free** from
the following: Bursaphelenchus
xylophilus (Steiner & Buehrer)
Nickle et al., Pseudocercospora
<i>pini-densiflorae</i> (Hori & Nambu)
Deighton, Coleosporium phellodendri
Komarov, Coleosporium asterum
(Dietel) Sydow & P.Sydow,
Coleosporium eupatorii Arthur,
Cronartium quercuum (Berk.) Miyabe
c. c. and num quereaum (Berk.) milyabe

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

ex Shirai, Dendrolimus spectabilis (Butler), Monochamus spp., Popillia japonica Newman, Thecodiplosis *iaponensis* Uchida & Inouve, and any other harmful organism which is not known to occur in GB, (f) the plants intended for GB have at least during the period referred to in paragraph (b), (i) been potted, in pots which are placed either on shelves at least 50 cm above ground or onto flooring which is impenetrable for nematodes and which is well maintained and free from debris, (ii) been found free, in the inspections referred to in paragraph (c) to (e), from the harmful organisms of concern specified in paragraph (c) to (e), (iii) in the case of plants of Pinus parviflora Sieb & Zucc. that have been grafted on to a rootstock of a Pinus L. species other than Pinus parviflora Sieb. & Zucc., have been grafted onto a rootstock which is derived from sources officially approved as healthy material, and (iv) been made recognisable with a marking, exclusive for each individual plant and notified to the NPPO of the Republic of Korea, enabling the identification of the registered nursery and the year of potting, and (g) the NPPO of the Republic of Korea has ensured the identifiability of the plants from the time of their removal from the nursery until the time of loading for export, through sealing of transport vehicles or appropriate alternatives. \*The name of the nursery must be included in the phytosanitary certificate under the heading "Additional declaration". \*\*Any infested plants must have been removed and the remaining plants effectively treated. The annual lists of the registered nurseries must be made available to the NPPO of the UK at the latest by 1st March each year. They must include the number of plants grown

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

in each of these nurseries, which are deemed suitable for dispatch to GB, under the conditions laid down. [<sup>F194</sup>The total number of plants dispatched to Great Britain must not exceed quantities which have been approved by the UK NPPO in advance, having regard to the availability of quarantine facilities. In the case of plants of Juniperus L., the plants may only be imported into Great Britain during the period beginning on 1st November each year and ending on 31st March the following year.] Any detection of harmful organisms of concern specified in paragraphs (c) to (e) in the inspections carried out pursuant to those paragraphs must be officially recorded, and the records must be kept available to the NPPO of the UK, upon its request. The detection of any of the harmful organisms which are specified in paragraphs (c) to (e) disqualifies the nursery from exporting the plants specified in column 1 to GB. The NPPO of the UK must be informed immediately thereof. In such case, the registration can be renewed only in the following year. Following their import into GB, the plants must be subject, before their release, to official post-entry quarantine for a period of not less than three months of active growth in the case of Pinus L. and Chamaecyparis Spach plants, and for a period including the active growth season from 1st April until 30th June in the case of Juniperus L. plants, and must have been found free, during this quarantine period, from any harmful organisms of concern. Particular attention must be given to preserve for each plant the marking referred to in paragraph (f)(iv). The post-entry quarantine must: (a) be supervised by the NPPO of the UK and executed by officially approved and trained staff, (b) be performed at an officially approved site provided with

		appropriate facilities sufficient to contain harmful organisms and maintain the material in such a way as to eliminate any risk of spreading harmful organisms. During post-entry quarantine each individual plant must be subject to: (a) visual inspection upon arrival and at regular intervals thereafter, having regard to the type of material and its state of development during the quarantine period, for harmful organisms or symptoms caused by any harmful organism, (b) appropriate testing of any symptoms observed in the visual inspection in order to identify the harmful organisms having caused such symptoms. Any lot in which plants have not been found free, during the post-entry quarantine, from harmful organisms of concern must be immediately destroyed under official supervision.]
[ <sup>F195</sup> 42] Naturally or artificially dwarfed plants of <i>Chamaecyparis</i> Spach., <i>Juniperus</i> L., or <i>Pinus</i> L., but in the case of <i>Pinus</i> L., either entirely of the species <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc. ( <i>Pinus</i> <i>pentaphylla</i> Mayr) or <i>Pinus thunbergii</i> Parl., or of— (a) <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc. grafted on a rootstock of a <i>Pinus</i> species other than <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc., or (b) <i>Pinus</i> <i>thunbergii</i> Parl., grafted on a rootstock of a <i>Pinus</i> L. species	Japan	The plants must be accompanied by an official statement that: (a) they are naturally or artificially dwarfed plants: (i) of <i>Chamaecyparis</i> Spach., (ii) of <i>Juniperus</i> L., or (iii) of <i>Pinus</i> L., but in the case of <i>Pinus</i> L., they are one of the following: (aa) entirely of the species <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc. ( <i>Pinus</i> <i>pentaphylla</i> Mayr), (bb) entirely of the species <i>Pinus</i> <i>thunbergii</i> Parl., (cc) of <i>Pinus parviflora</i> Sieb. & Zucc. grafted on a rootstock of a <i>Pinus</i> L. species other than <i>Pinus</i> <i>parviflora</i> Sieb. & Zucc. which has borne no shoots and originated in Japan, or (dd) of <i>Pinus thunbergii</i> Parl., grafted on a rootstock of a <i>Pinus</i> L. species other than <i>Pinus</i> thunbergii Parl. which has borne no shoots and originated in Japan, (b) prior to export they have been grown, held and trained for at least two consecutive years in officially

Status: Point in time view as at 02/05/2024.

other than <i>Pinus</i> thunbergii Parl.	registered nurseries which are subject to an officially supervised control regime,
	<ul> <li>(c) in the case of <i>Juniperus</i> L. plants:</li> <li>(i) the plants of <i>Juniperus</i> L. and any plants of <i>Chaenomeles</i> Lindl., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i></li> </ul>
	Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.
	grown in the two years prior to export
	in the plant nurseries mentioned in point (b) for naturally or artificially
	dwarfed plants, and
	(ii) the immediate vicinity of the
	plants referred to in sub-paragraph (i), have been officially inspected at
	least six times a year at appropriate
	intervals and found to be free from
	the following: Aschistonyx eppoi
	Inouye, <i>Gymnosporangium asiaticum</i>
	Miyabe ex Yamada and G. yamadae Miyabe ex Yamada, <i>Oligonychus</i>
	perditus Pritchard et Baker, Popillia
	<i>japonica</i> Newman, and any other GB
	quarantine pest or provisional GB
	quarantine pest,
	(d) in the case of <i>Chamaecyparis</i> Spach. plants:
	(i) the plants of <i>Chamaecyparis</i>
	Spach. and of <i>Pinus</i> L. grown in
	the nurseries mentioned in point (b)
	for naturally or artificially dwarfed
	plants, and
	(ii) the immediate vicinity of the plants referred to in sub-paragraph (i),
	have been officially inspected at
	least six times a year at appropriate
	intervals and found to be free from
	Popillia japonica Newman and
	any other GB quarantine pest or
	provisional GB quarantine pest, (e) in the case of <i>Pinus parviflora</i>
	Sieb. & Zucc. plants:
	(i) the plants of <i>Pinus</i> L. and of
	Chamaecyparis Spach. grown in
	the nurseries mentioned in point (b)
	for naturally or artificially dwarfed plants, and
	(ii) the immediate vicinity of the
	plants referred to in sub-paragraph (i),
	have been officially inspected, at
	least six times a year at appropriate
	intervals and found to be free from
	the following: Bursaphelenchus

xylophilus (Steiner and Bührer)
Nickle et al., <i>Coleosporium paederiae</i>
Dietel ex Hirats. f., Crisicoccus pini
(Kuwana), Cronartium kurilense
(Dietel) Y. Ono, <i>Cronartium</i>
<i>quercuum</i> (Berk.) Miyabe ex
Shirai, Dendrolimus sibiricus
Chetverikov, Dendrolimus spectabilis
(Butler), <i>Dendrolimus superans</i>
Butler, Monochamus spp., Pissodes
nitidus Roelofs, Popillia japonica
Newman, <i>Pseudocercospora</i>
<i>pini-densiflorae</i> (Hori & Nambu)
Di la The line (Holl & Nallou)
Deighton, Thecodiplosis japonensis
Uchida & Inouye, and any other GB
quarantine pest or provisional GB
quarantine pest,
(f) in the case of <i>Pinus thunbergii</i> Parl
plants:
(i) the plants of <i>Pinus</i> L. and of
<i>Chamaecyparis</i> Spach. grown in
the nurseries mentioned in point (b)
for naturally or artificially dwarfed
plants, and
(ii) the immediate vicinity of the
plants referred to in sub-paragraph (i),
have been officially inspected at
least six times a year at appropriate
intervals and found to be free from
the following: Bursaphelenchus
xylophilus (Steiner and Bührer)
Nickle et al., Coleosporium
asterum (Dietel) Sydow & P.
Sydow, Coleosporium phellodendri
Komarov, Crisicoccus pini
(Kuwana), Cronartium orientale
Kaneko, Dendrolimus sibiricus
Chetverikov, <i>Dendrolimus spectabilis</i>
(Butler), Dendrolimus superans
Butler, Dothistroma septosporum
(Dorogin) Morelet, Fusarium
circinatum Nirenberg & O'Donnell,
Monochamus spp. (non-European
populations), Pissodes nitidus
Roelofs, Popillia japonica Newman,
Pseudocercospora pini-densiflorae
(Hori & Nambu) Deighton, Sirex
nitobei Mats., Thecodiplosis
japonensis Uchida & Inouye,
Urocerus japonicus (F. Sm), and
any other GB quarantine pest or
provisional GB quarantine pest,

(g) the plants intended for Great
Britain have at least during the period
referred to in point (b):
(i) been potted in pots which are
placed either on shelves at least 50cm
above ground or on concrete flooring
which is well maintained and free
from debris,
(ii) been found to be free, in the
inspections referred to in point (c) to
(f), from the pests specified in point
(c) to (f),
(iii) in the case of plants of <i>Pinus</i>
parviflora Sieb. & Zucc. or Pinus
<i>thunbergii</i> Parl. grafted on a rootstock
of another <i>Pinus</i> L. species, been
grafted on a rootstock derived from
sources officially approved as healthy
material, and
(iv) been made recognisable with
a marking or a traceability code,
exclusive for each individual plant
and notified to the national plant
protection organisation of Japan,
enabling the identification of the
officially registered nursery and the
year of potting, and
(h) the plants have been traceable
from the time of their removal from
the nursery until the time of loading
for export, the tracing assured by
sealing of transport vehicles or
appropriate alternatives.
The following additional
requirements must be complied with.
(1) The annual lists of the registered
nurseries must be made available
to the national plant protection
organisation of the United Kingdom
by 1st March each year. Those lists
must include the number of plants
grown in each of these nurseries
which are deemed suitable for
dispatch to Great Britain under the
conditions laid down.
(2) The total number of plants
dispatched to Great Britain must not
exceed the quantities which have
been approved by the national plant
protection organisation of the United
Kingdom in advance, having regard
to the availability of quarantine
facilities.

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(3) In the case of plants of *Juniperus* L., the plants may only be imported into Great Britain during the period beginning on 1st November each year and ending on 31st March the following year. (4) Any detection of the pests specified in points (c) to (f) in the inspections carried out pursuant to those points must be officially recorded, and the records must be kept available to the national plant protection organisation of the United Kingdom, upon its request. (5) The detection of any pests which are specified in points (c) to (f) disgualifies the nursery from the status of officially registered nursery and from exporting the plants specified in column 1 to Great Britain. The national plant protection organisation of the United Kingdom must be informed immediately of such detection. In such case, the registration can be renewed only in the following year. (6) Following their import into Great Britain, the plants must be subject, before their release, to official postentry detention in a confinement facility or quarantine station of not less than three months of active growth in the case of Pinus L. and Chamaecyparis Spach. plants, and for a period including the active growth season from 1st April until 30th June in the case of Juniperus L. plants, and must have been found to be free, during this post-entry detention, from any pests listed in points (c) to (f). Particular attention must be given by the competent authority or the professional operators to preserve for each plant the marking or traceability code referred to in point (g)(iv). (7) Any lot in which plants have not been found to be free, during the post-entry detention, from the pests of concern must be immediately destroyed under official supervision. (8) If any contamination by the pests of concern is confirmed during the post-entry detention period,

			<ul> <li>the relevant nursery in Japan must be treated as disqualified from its status as an officially registered nursery. The national plant protection organisation of the United Kingdom must immediately inform the national plant protection organisation of Japan of the contamination and the disqualification.</li> <li>(9) The phytosanitary certificate under the heading "Additional declaration" must indicate:</li> <li>the name or names of the officially registered nursery or nurseries;</li> <li>the markings or traceability codes referred to in point (g)(iv), as far as they enable identification of the registered nursery and the year of potting;</li> <li>the specification of the last treatment applied, prior to dispatch.]</li> </ul>
43.	Plants, other than fruit and seeds, of Pinales	Any third country F161 	The plants must be accompanied by an official statement that the plants have been produced in a nursery and that they originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Pissodes cibriani</i> O'Brien, <i>Pissodes fasciatus</i> Leconte, <i>Pissodes nemorensis</i> Germar, <i>Pissodes nitidus</i> Roelofs, <i>Pissodes punctatus</i> Langor & Zhang, <i>Pissodes strobi</i> (Peck), <i>Pissodes terminalis</i> Hopping, <i>Pissodes zitacuarense</i> Sleeper.
44.	Plants of Pinales, other than fruit and seeds, over 3 m in height	Any third country other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU	The plants must be accompanied by an official statement that they have been produced in a nursery and that they originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Scolytidae</i> spp. (non-European).

		Member States, Faroe	
		Islands,	
		Georgia,	
		Iceland,	
		Liechtenstein,	
		Moldova,	
		Monaco,	
		Montenegro,	
		North	
		Macedonia,	
		Norway,	
		Russia (only	
		the following	
		parts: Central	
		Federal	
		District	
		(Tsentralny	
		federalny	
		okrug),	
		Northwestern	
		Federal	
		District	
		(Severo-	
		Zapadny	
		federalny	
		okrug),	
		Southern	
		Federal	
		District	
		(Yuzhny	
		federalny	
		okrug), North	
		Caucasian	
		Federal	
		District	
		(Severo-	
		Kavkazsky	
		federalny	
		okrug) and	
		Volga Federal	
		District	
		(Privolzhsky	
		federalny	
		okrug)).,	
		San Marino,	
		Serbia,	
		Switzerland,	
		Turkey, and	
		Ukraine	
45.	Plants, other than fruit and seeds, of		The plants must be accompanied by an official statement that no symptoms

**Status:** Point in time view as at 02/05/2024. **Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to

be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	<i>Castanea</i> Mill. and <i>Quercus</i> L.	[ <sup>F196</sup> where <i>Cronartium</i> spp., with the exception of <i>Cronartium</i> <i>gentianeum</i> Thümen, <i>Cronartium</i> <i>pini</i> (Willdenow) Jørstad and <i>Cronartium</i> <i>ribicola</i> Fischer, is known to occur]	of <i>Cronartium</i> spp., with the exception of Cronartium gentianeum Thümen, <i>Cronartium pini</i> (Willdenow) Jørstad and <i>Cronartium ribicola</i> Fischer, have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
[ <sup>F197</sup> 45	<b>R</b> lants, other than plants in tissue culture, pollen or seeds, including cut branches with or without foliage of <i>Castanea</i> Mill. and <i>Quercus</i> L.	Canada, Turkey or the USA	The plants must be accompanied by an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Agrilus bilineatus</i> Weber and not within 100 km of a known outbreak of <i>Agrilus bilineatus</i> Weber. *The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
45B	Plants, other than scions, cuttings, plants in tissue culture, pollen or seeds of <i>Castanea</i> Mill, <i>Castanopsis</i> (D. Don) Spach and <i>Quercus</i> L., intended for planting	Democratic People's Republic of Korea, Japan, Republic of	The plants must be accompanied by an official statement: (a) that they have a main stem base of less than 1 cm just above the root collar, (b) that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM No. 4 as an area that is free from <i>Neocerambyx raddei</i> Blessig, and where appropriate packed in such a manner as to prevent infestation during transport, or (c) that the following conditions are met: (i) they have been grown during a period of at least four years prior to export, or, in the case of plants which are younger than four years, have been grown throughout their life in a place of production established as free

				from <i>Neocerambyx raddei</i> Blessig, in accordance with ISPM No. 10: (aa) that is registered and supervised by the national plant protection organisation in the country of origin and has been subjected annually to two official inspections for any signs of <i>Neocerambyx raddei</i> Blessig carried out at appropriate times, and (bb) within which they have been grown in a site of production with complete physical protection against the introduction of <i>Neocerambyx raddei</i> Blessig, (ii) immediately prior to export, the plants, and in particular their stems, have been subjected to a meticulous inspection for the presence of <i>Neocerambyx raddei</i> Blessig, which has included destructive sampling, where appropriate, and (iii) they have been packed in such a manner as to prevent infestation during transport. *The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]
46.	Plants for planting of <i>Castanea</i> Mill.	Any country	third	The plants must be accompanied by: a an official statement that they have been grown throughout their life in places of production in countries where <i>Cryphonectria parasitica</i> (Murrill) Barr is not known to occur, or
				b an official statement that they have been grown throughout their life in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Cryphonectria</i> <i>parasitica</i> (Murrill) Barr.
47.	Plants for planting, other than seeds, of <i>Quercus</i> L.	Any country	third	The plants must be accompanied by: a an official statement that they have been grown throughout their life in places of production in countries where <i>Cryphonectria parasitica</i> (Murrill) Barr is not known to occur,

			b an official statement that they have been grown throughout their life in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Cryphonectria</i> <i>parasitica</i> (Murrill) Barr, or c an official statement that no symptoms of <i>Cryphonectria</i> <i>parasitica</i> (Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.
48.	Plants for planting, other than fruit and seeds, of <i>Quercus</i> L.	North America	The plants must be accompanied by an official statement that the plants originate in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Bretziella fagacearum</i> ((Bretz) Z.W. de Beer, Marincowitz, T.A. Duong & M.J. Wingfield. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
[ <sup>F199</sup> 48	Relants for planting, other than fruits and seeds, of <i>Quercus</i> L., of a girth of at least 8cm measured at a height of 1.2m from the root collar	All third countries	The plants must be accompanied by an official statement that: (a) they have been grown throughout their life in places of production in countries where <i>Thaumetopoea</i> <i>processionea</i> L. is not known to occur, (b) they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Thaumetopoea</i> <i>processionea</i> L., or (c) they have been grown throughout their life in a site of production with complete physical protection against the introduction of <i>Thaumetopoea</i> <i>processionea</i> L. and they have been inspected at appropriate times and found to be free from <i>Thaumetopoea</i> <i>processionea</i> L. * The name(s) of the area(s) must be included in the phytosanitary

			certificate under the heading "Additional declaration".]
49.	Plants for planting, other than seeds, of <i>Corylus</i> L.	Canada and the USA	The plants must be accompanied by: a an official statement that the plants have been grown in a nursery and that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Anisogramma anomala</i> (Peck) E. Müller, or b an official statement that the plants have been grown in a nursery and that they originate in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Anisogramma anomala</i> (Peck) E. Müller on the basis of official inspections carried out at the place of production and in its immediate vicinity since the beginning of the last three complete cycles of vegetation. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The name of the place of production(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
50.	Plants, other than fruit and seeds, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carrière., <i>Juglans</i> <i>mandshurica</i> Maximowicz., <i>Ulmus davidiana</i> Planchon. and <i>Pterocarya</i> <i>rhoifolia</i> Siebold & Zuccarini.		The plants must be accompanied by an official statement that the $[^{F201}$ plants have been grown during a period of at least two years prior to export, or in the case of plants which are younger than two years, have been grown throughout their life,] in an area $[^{F202}*]$ established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire and that no part of the area lies within 100 km of a known

			outbreak of <i>Agrilus planipennis</i> Fairmaire. [ <sup>F203</sup> *The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".] A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
51.	Plants for planting, other than seeds, of <i>Ulmus</i> L.	Any third country	The plants must be accompanied by an official statement that no symptoms of <i>Candidatus</i> Phytoplasma 'ulmi' Lee, Martini, Marcone & Zhu have been observed at the place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation.
52.	Plants, other than fruit and seeds, of <i>Abies</i> Mill. <i>Larix</i> Mill., <i>Picea</i> Mill. and <i>Pinus</i> L., over 3 m in height	Any third country	The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Ips</i> <i>duplicatus</i> (Sahlberg).
53.	Plants, other than fruit and seeds, of <i>Abies</i> Mill. <i>Larix</i> Mill., <i>Picea</i> Mill. and <i>Pinus</i> L. and <i>Pseudotsuga</i> Carrière., over 3 m in height	Any third country	The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Ips</i> <i>typographus</i> L.
54.	Plants, other than fruit and seeds, of <i>Abies</i> Mill. <i>Larix</i> Mill., <i>Picea</i> Mill. and <i>Pinus</i> L. over 3 m in height	Any third country	The plants must be accompanied by an official statement that the plants originate in a place of production which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Ips</i> <i>amitinus</i> (Eichhoff).
55.	Plants, other than fruit or seeds, of <i>Abies</i> Mill., Cedrus Trew, <i>Larix</i> Mill.,	country where Bursaphelenchu	a must be accompanied by an

	Picea Mill, Pinus L., Pseudotsuga Carr. and Tsuga Carr.	Bührer) Nickle	<ul> <li>i that they have been grown in places of production where Bursaphelenchus xylophilus (Steiner &amp; Bührer) Nickle and its symptoms have not been observed since the beginning of the last complete growing cycle,</li> <li>ii that they have been grown throughout their life under complete physical protection to prevent Monochanus spp. reaching the plants,</li> <li>iii that they have been officially inspected, tested and found free from any Bursaphelenchus xylophilus (Steiner &amp; Bührer) Nickle and Monochanus spp., and</li> <li>b must only be transported from those places of production and through areas in which the pest is known to occur outside the flight season of Monochanus spp. or in closed containers or packaging to prevent infestation with Bursaphelenchus xylophilus (Steiner &amp; Bührer) Nickle or Monochanus spp.</li> </ul>
56.	Plants of <i>Pinus</i> L. or <i>Pseudotsuga</i> <i>menziesii</i> (Mirbel) Franco	Any third country F204 	The plants must be accompanied by an official statement: a that the plants originate in a place of production which is registered and supervised by the national plant protection organisation and, b that they: i have been grown throughout their life in a country where <i>Fusarium</i>

				<i>circinatum</i> Nirenberg & O'Donnell is known not to occur, ii have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Fusarium</i> <i>circinatum</i> Nirenberg & O'Donnell, or iii originate in a place of production where no signs of <i>Fusarium</i> <i>circinatum</i> Nirenberg & O'Donnell, including its vicinity of at least 1 km radius, have been observed during official inspections carried out within a period of two years prior to export and that they were tested immediately prior to export for <i>Fusarium</i> <i>circinatum</i> Nirenberg & O'Donnell. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
57.	Plants F205 , other than seeds, of <i>Cedrus</i> Trew and <i>Pinus</i> L.	Any country	third	<ul> <li>The plants must be accompanied by:</li> <li>a an official statement that the plants have been grown throughout their life in a place of production in a country in which <i>Thaumetopoea pityocampa</i> (Denis &amp; Schiffermüller) is not known to occur,</li> <li>b an official statement that the plants have been grown throughout their life in an area* established by the national plant protection organisation in accordance</li> </ul>

			<ul> <li>with ISPM4 as an area that is free from <i>Thaumetopoea</i> <i>pityocampa</i> (Denis &amp; Schiffermüller),</li> <li>c F<sup>206</sup> or</li> <li>d an official statement that they have been grown throughout their life in a site with complete physical protection against the introduction of <i>Thaumetopoea pityocampa</i> (Denis &amp; Schiffermüller) and have been inspected at appropriate times and found to be free from <i>Thaumetopoea pityocampa</i> (Denis &amp; Schiffermüller).</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional Declaration".</li> </ul>
58.	Plants for planting, other than seeds, of <i>Pinus</i> L.	Any third country	The plants must be accompanied by: a an official statement that they originate in areas known to be free from <i>Dothistroma pini</i> Hulbary and <i>Lecanosticta</i> <i>acicola</i> (von Thümen) Sydow, or b an official statement that no symptoms of needle blight, caused by <i>Dothistroma pini</i> Hulbary or <i>Lecanosticta</i> <i>acicola</i> (von Thümen) Sydow have been observed at the site of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
59.	Plants for planting, other than seeds, of <i>Juglans</i> L. and <i>Pterocarya</i> Kunth	EU Member States and the USA	The plants must be accompanied by: a an official statement that the plants have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Geosmithia</i> <i>morbida</i> Kolarík, Freeland, Utley & Tisserat and its vector, <i>Pityophthorus</i> <i>juglandis</i> Blackman,

			<ul> <li>b an official statement: <ul> <li>i that the plants</li> <li>originate in a place of</li> <li>production, including</li> <li>its vicinity of at least</li> <li>5 km radius, where</li> <li>neither symptoms of</li> <li>Geosmithia morbida</li> <li>Kolarík, Freeland,</li> <li>Utley &amp; Tisserat nor</li> <li>the presence of its</li> <li>vector, Pityophthorus</li> <li>juglandis Blackman</li> <li>have been observed</li> <li>during official</li> <li>inspections within a</li> <li>period of two years</li> <li>prior to export, and</li> <li>ii that the plants have</li> <li>been inspected</li> <li>immediately prior to</li> <li>export and handled</li> <li>and packaged in ways</li> <li>to prevent infestation</li> <li>after leaving the</li> <li>place of production, with</li> <li>complete physical isolation</li> <li>and handled and packaged in</li> <li>ways to prevent infestation</li> <li>after leaving the place of</li> <li>production.</li> </ul> </li> <li>* The name of the area(s) must</li> <li>be included in the phytosanitary</li> <li>certificate under the heading</li> <li>"Additional declaration".</li> </ul>
60.	Plants, other than fruit and seeds, of <i>Betula</i> L.	Any third country F161 	The plants must be accompanied by an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Agrilus anxius</i> Gory.
61.	Plants for planting, other than seeds, of <i>Platanus</i> L.	Albania, Armenia, EU Member States, Switzerland,	The plants must be accompanied by an official statement that the plants have been grown throughout their life in an area* established by the

		Turkey and the USA	national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Ceratocystis platani</i> (J.M. Walter) Engelbr. & T.C. Harr. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
62.	Plants for planting, other than seeds, of <i>Populus</i> L.	Any third country F161 	The plants must be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> f.sp. <i>tremuloidis</i> Shain have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation.
63.	Plants, other than fruit and seeds, of <i>Populus</i> L.	Americas	The plants must be accompanied by an official statement that no symptoms of <i>Sphaerulina musiva</i> (Peck) Quaedvlieg, Verkley & Crous have been observed at their place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation.
[ <sup>F207</sup> 6:	<b>R</b> lants, including cut branches with or without foliage, other than plants in tissue culture, pollen or seeds, of <i>Populus</i> L. and <i>Salix</i> L.	Mongolia, the	an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with the measures specified in ISPM No. 4 as an area that is free from <i>Agrilus fleischeri</i> Obenberger, and not
64.	Plants for planting, other than scions, cuttings, plants in tissue culture, pollen and seeds, of <i>Amelanchier</i> Medikus., <i>Aronia</i> Medikus., <i>Cotoneaster</i> Medikus., <i>Crataegus</i> L.,	Canada and the USA	The plants must be accompanied by: a an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Saperda candida</i> Fabricius, or

III., L., M. L.	b an official statement that they have been grown during a period of at least two years prior to export, or in the case of plants which are younger than two years, have been grown throughout their life: i in a place of production established as a place of production that is free from <i>Saperda</i> <i>candida</i> Fabricius in accordance with ISPM10: aa which is registered and supervised by the national plant protection
	organisation in the country of origin and has been subjected annually to two official inspections for any signs of <i>Saperda candida</i> Fabricius carried out at appropriate times, and
	bb where they have been grown in a site with complete physical protection against the introduction of <i>Saperda candida</i> Fabricius or a site with the application of appropriate preventive treatments which was surrounded by a buffer zone with a width of at least 500 m in which the absence of <i>Saperda</i> <i>candida</i> Fabricius has been confirmed by official surveys carried out annually at appropriate times, and

			<ul> <li>ii immediately prior to export, the plants, and in particular their stems, have been subjected to a meticulous inspection for the presence of <i>Saperda candida</i> Fabricius, which included destructive sampling, where appropriate.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> </ul>
65.	Plants, other than fruit and seeds, of Acer macrophyllum Pursh, Acer pseudoplatanus L., Adiantum aleuticum (Ruprecht) C.A. Paris, Adiantum jordanii Muell., Aesculus californica (Spach) Nuttall, Aesculus hippocastanum L., Arbutus menziesii Pursh., Arbutus unedo L., Arctostaphylos spp. Calluna vulgaris (L.) Hull, Camellia spp., Castanea sativa Mill., Fagus sylvatica L., Frangula californica (Eschscholtz) A. Gray Frangula purshiana (DC.) Cooper, Fraxinus excelsior L., Griselinia littoralis (Raoul), Hamamelis virginiana L., Heteromeles arbutifolia (Lindl)	The USA	The plants must be accompanied by: a an official statement: i that the plants originate in an area* in which non- European isolates of <i>Phytophthora</i> <i>ramorum</i> Werres, De Cock & Man in 't Veld are known not to occur, and ii that prior to export, they were inspected and found free from non- European isolates of <i>Phytophthora</i> <i>ramorum</i> Werres, De Cock & Man in 't Veld, or b an official statement: i that no signs of non- European isolates of <i>Phytophthora</i> <i>ramorum</i> Werres, De Cock & Man in 't Veld have been observed on any plants listed in column (1) at the place of production during official inspections, which included laboratory testing of any

	Roemer, Kalmia latifolia L., Laurus nobilis L., Leucothoe spp., Lithocarpus densiflorus (Hooker & Arnott) Rehder, Lonicera hispidula Dougl. ex Torr. & Gray, Magnolia doltsopa (de Candolle) Figlar, Nothofagus obliqua (Mirbel) Ørsted Oerst., Osmanthus heterophyllus (G. Don) P. S. Green, Parrotia persica (de Candolle) von Meyer, Photinia x fraseri Dress, Pieris spp., Pseudotsuga menziesii (Mirbel) Franco, Quercus spp., Rhododendron spp., other than Rhododendron spp., other than Rhododendron spp., other than Rhododendron simsii Planchon., Rosa gymnocarpa Nuttall., Salix caprea L., Sequoia sempervirens (D. Don) Endl., Syringa vulgaris L., Taxus spp., Trientalis latifolia Hooker., Umbellularia californica (Hooker & Arnott) Nuttall Vaccinium ovatum Pursh and Viburnum spp.		suspicious symptoms carried out since the beginning of the last complete cycle of vegetation, and ii that prior to export, they were inspected and found free from non- European isolates of <i>Phytophthora</i> <i>ramorum</i> Werres, De Cock & Man in 't Veld. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
66.	Plants for planting, other than seeds, that have a stem or root collar diameter of 1 cm or more at their thickest	China	The plants must be accompanied by: a an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised

Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

point, of Acer spp. L., Aesculus hippocastanum L., Alnus spp. Miller, Betula spp. L., Carpinus spp., Citrus spp.L., Cornus spp., Cotoneaster spp., Crataegus spp. L., Fagus spp., Lagerstroemia spp., Malus spp., Platanus spp.L., Populus spp.L., Pyrus spp., Rosa spp. L., Salix spp. L., and Ulmus spp. L.	by national plant protection organisation in China and which is situated in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Anoplophora chinensis</i> (Forster), b an official statement that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two years, have been grown throughout their life, in a place of production established as free from <i>Anoplophora chinensis</i> (Forster) in accordance with ISPM10: i which is registered and supervised by the national plant protection organisation of China, ii which has been subjected annually to at least two official meticulous inspections for any signs of <i>Anoplophora chinensis</i> (Forster) carried out at appropriate times and no sign sof the pest have been grown in a site with complete physical protection against the introduction of <i>Anoplophora chinensis</i> (Forster) or in a site with the application of appropriate preventive treatments which was surrounded by a
---	---

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora chinensis (Forster) are carried out annually at appropriate times; and where signs of Anoplophora chinensis (Forster) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and iv where immediately prior to export, the plants, and in particular their roots and stems, were subjected to an official meticulous inspection for the presence of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%, or c an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (b), grafted with scions which at the time of export were no more than 1 cm in diameter at their thickest point and have been subject to an official meticulous inspection for the presence

			of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%. A phytosanitary certificate may not include any of the official statements referred to in points (a) to (c) unless the national plant protection organisation of China has previously provided the national plant protection organisation of the United Kingdom with written details of the unique registration number of the place(s) of production. The phytosanitary certificate must also include the registration number of the place of production under the heading "Additional declaration". * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
67.	Plants for planting, other than seeds, that have a stem or root collar diameter of 1 cm or more at their thickest point, of Acer spp. L., Aesculus hippocastanum L., Alnus spp. Miller, Betula spp. L., Carpinus spp., Citrus spp. L., Cornus spp., Cotoneaster spp., Crataegus spp. L., Fagus spp., Lagerstroemia spp., Malus spp., Platanus spp. L., Prunus laurocerasus L., Pyrus spp., Rosa spp. L., Salix spp.	Anoplophora	The plants must be accompanied by: a an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by the national plant protection organisation in the country of origin and which is situated in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Anoplophora</i> <i>chinensis</i> (Forster), b an official statement: i that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two years, have been grown throughout their life, in a place of production

L., and <i>Ulmus</i> spp. L.	aa bb	established as free from <i>Anoplophora</i> <i>chinensis</i> (Forster) in accordance with ISPM No. 10: which is registered and supervised by the national plant protection organisation in the country of origin, which has been subject annually to at least two official meticulous inspections for any signs of <i>Anoplophora</i> <i>chinensis</i> (Forster) carried out at appropriate times and no signs of the plant pest have been found,
		<i>chinensis</i> (Forster) or in a site with the application of appropriate preventative treatments which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of <i>Anoplophora</i> <i>chinensis</i> (Forster) are carried out annually at appropriate times; and where signs of <i>Anoplophora</i> <i>chinensis</i> (Forster) have been found, eradication measures were

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		<ul> <li>taken immediately to restore the pest freedom of the buffer zone, and</li> <li>ii that immediately prior to export, the plants, and in particular their roots and stems, were subjected to an official meticulous inspection for the presence of <i>Anoplophora</i> <i>chinensis</i> (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%, or</li> <li>c an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (b), grafted with scions which at the time of export were no more than 1 cm in diameter at their thickest point and which have been subject to an official meticulous inspection for the presence of <i>Anoplophora</i> <i>chinensis</i> (Forster), which included targeted destructive sampling using samples to enable at least the detection</li> </ul>
		included targeted destructive
Plants for planting, other than seeds, that have a stem diameter of 1 cm or more	EU Member States other than any EU Member State where	The plants must be accompanied by: a an official statement that the plants have been grown throughout their life in a place of production which

68.

at their thickest point, of <i>Acer</i> spp. L., <i>Aesculus</i> spp., <i>Alnus</i> spp. L., <i>Carpinus</i> spp., <i>Cercidiphyllum</i> spp. L., <i>Corylus</i> spp., <i>Fagus</i> spp. L., <i>Koelreuteria</i> spp. Medikus, <i>Platanus</i> spp. L., <i>Populus</i> spp. L., <i>Salix</i> spp. L., <i>Tilia</i> spp. and <i>Ulmus</i> spp. L.	glabripennis (Motschulsky) is known not to occur and any other third country where Anoplophora glabripennis (Motschulsky)	is registered and supervised by national plant protection organisation in the country of origin and is situated in an area* established by that organisation in accordance with ISPM4 as an area that is free from <i>Anoplophora</i> glabripennis (Motschulsky), b an official statement that the plants have been grown during a period of at least two years prior to export, or in the case of plants, which are younger than two years, have been grown throughout their life, in a place of production established as free from <i>Anoplophora glabripennis</i> (Motschulsky) in accordance with ISPM10: i which is registered and supervised by the national plant protection organisation in the country of origin, ii which has been subject annually to at least two official meticulous inspections for any signs of <i>Anoplophora</i> glabripennis (Motschulsky) carried out at appropriate times and no signs of the pest have been found, iii where the plants have been grown in a site: aa with complete physical protection against the introduction of <i>Anoplophora</i> glabripennis (Motschulsky), or bb with the application of appropriate preventative treatments and which
---	---	---

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora glabripennis (Motschulsky) are carried out annually at appropriate times and where signs of Anoplophora glabripennis (Motschulsky) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and iv that immediately prior to export, the plants, and in particular their branches and stems, were subjected to a meticulous official inspection for the presence of Anoplophora glabripennis (Motschulsky), which included targeted destructive sampling and, in the case of plants originating in sites which at the time of their production were located in a buffer zone where the presence or signs of Anoplophora glabripennis (Motschulsky) have been found, targeted destructive sampling at the appropriate level, or

		c an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (b), grafted with scions which at the time of export were no more than 1 cm in diameter at their thickest point and which have been subject to a meticulous official inspection for the presence of <i>Anoplophora</i> <i>glabripennis</i> (Motschulsky), in the manner specified in point (b)(iv). * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". For the purpose of point (b)(iv), the appropriate level is 10% of the plants where the number of plants is 4,500 or less, and 450 plants where the number of plants is more than 4,500 plants.
[ <sup>F208</sup> 68 <b>R</b> are-rooted, dormant, free-of- leaves, grafted or budded, one- to three-year old plants for planting of <i>Acer japonicum</i> Thunberg, <i>Acer</i> <i>palmatum</i> Thunberg and <i>Acer shirasawanum</i> Koidzumi	New Zealand	The plants must be accompanied by an official statement:         a       that they are free from <i>Eotetranychus sexmaculatus</i> (Riley);         b       that they have been grown throughout their life in a place of production, which, together with the sites of production* that form part of it, is registered and supervised by the national plant protection organisation of the country of origin;         c       that the site of production has been found free from
		has been found free from <i>Eotetranychus sexmaculatus</i> (Riley) during official inspections carried out at appropriate times since the beginning of the complete production cycle; in the case of suspicion of the presence of <i>Eotetranychus</i> <i>sexmaculatus</i> (Riley) at the site of production,

appropriate treatments have been carried out to ensure the absence of the pest; a surrounding zone of 100m has been established, which is subject to specific surveys at appropriate times to detect <i>Eotetranychus</i> <i>sexmaculatus</i> (Riley); and where the pest has been found on any host plants, those plants have been rogued out and destroyed
immediately; d that a system has been put in place to ensure that tools and machinery have been cleaned to be free from soil and plant debris and disinfected to be free from <i>Eotetranychus sexmaculatus</i>
<ul> <li>(Riley), before they have been introduced into each site of production;</li> <li>that at harvest they have been cleaned and trimmed and have undergone an official phytosanitary inspection, consisting at</li> </ul>
least of a detailed visual examination, in particular of stems and branches of the plants to confirm the absence of <i>Eotetranychus</i> <i>sexmaculatus</i> (Riley); and immediately prior to export, the consignments have been subjected to an official inspection** for the presence of <i>Eotetranychus</i> <i>sexmaculatus</i> (Riley), in particular of stems and hence of the prest
branches of the plants. *The name(s) of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration.". **The size of the sample for inspection has been such as to enable at least the detection of a 1 % level of infestation with a level of confidence of 99 %.

68B	Bare-rooted, dormant, free-of-	New Zealand	The plants must be accompanied by an official statement:
	leaves, grafted or budded one- to three- year old plants for planting		a that they are free from Oemona hirta (Fabricius) and Platypus apicalis
	of Acer japonicum Thunberg, Acer palmatum Thunberg and Acer shirasawanum Koidzumi		<ul> <li>(White);</li> <li>b that they have been grown throughout their life in a place of production, which, together with the sites of production* that form part of it is registered and supervised by the national plant protection organisation of the country of origin;</li> </ul>
			c that the site of production has been found free from <i>Oemona hirta</i> (Fabricius) and <i>Platypus apicalis</i> (White) during official inspections carried out at appropriate times since the beginning of the complete production cycle; and in the case of suspicion of the presence of <i>Oemona hirta</i> (Fabricius) and <i>Platypus</i> <i>apicalis</i> (White) at the site of production, appropriate treatments have been carried out to ensure the absence of the pests;
			d that at harvest, they have been cleaned and have undergone an official inspection to confirm the absence of <i>Oemona hirta</i> (Fabricius) and <i>Platypus</i> <i>apicalis</i> (White); and
			e that immediately before export consignments have been subjected to an official inspection** for the presence of <i>Oemona hirta</i> (Fabricius) and <i>Platypus</i> <i>apicalis</i> (White).
			*The name(s) of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration.". **The size of the sample for inspection has been such as to enable at least the detection of a 1 % level of

			infestation with a level of confidence of 99 %;]
59.	Plants for planting , other than plants in tissue culture and seeds, of <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L.	Canada, Mexico and the USA	The plants must be accompanied by: a an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Grapholita</i> <i>packardi</i> Zeller, b an official statement that the have been grown throughout their life in a place of production established as a place of production that is free from <i>Grapholita</i> <i>packardi</i> Zeller in accordance with ISPM10: i which is registered and supervised by the national plant protection organisation of the country of origin, ii which has been subjected to annual inspections for any signs of <i>Grapholita</i> <i>packardi</i> Zeller carried out at appropriate times of the year to detect the presence of the pest, iii where the plants hav been grown in a site with the application of appropriate preventive treatments and where the absence o <i>Grapholita packardi</i> Zeller was confirme by official surveys carried out annually at appropriate times of the year to detect the presence of the pest, and

			<ul> <li>iv immediately prior to export the plants have been subjected to a meticulous inspection for the presence of <i>Grapholita packardi</i> Zeller, or</li> <li>c an official statement that they originate in an insect proof site of production to prevent the introduction of <i>Grapholita packardi</i> Zeller.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>A phytosanitary certificate may not include the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing.</li> </ul>
70.	Plants for planting, other than seeds, of <i>Crataegus</i> L.	Any third country where <i>Phyllosticta</i> <i>solitaria</i> Ellis & Everhart is known to occur	The plants must be accompanied by an official statement that no symptoms of <i>Phyllosticta solitaria</i> Ell. & Ev. have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.
71.	Live pollen of <i>Actinidia</i> Lindl. or plants for planting, other than seeds, of <i>Actinidia</i> Lindl. F209	Any third country	<ul> <li>The plants must be accompanied by:</li> <li>a an official statement that the plants have been grown throughout their life in a country where <i>Pseudomonas</i> <i>syringae</i> pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu &amp; Goto is known not to occur,</li> <li>b an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by the national plant protection organisation in the country of origin and is situated in an area* established by that organisation in accordance with ISPM4 as an area that is free from</li> </ul>

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

*Pseudomonas syringae* pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto,

- c an official statement that the plants have been produced in a place or site of production which is registered and supervised by the national plant protection organisation in the country of origin and established in accordance with the ISPM10 as a place of production that is free from *Pseudomonas syringae* pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto where:
  - i they have been grown in a structure with a degree of isolation and protection from the outside environment that effectively excluded Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto and have been officially inspected twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement and found free from that pest, and
  - ii the place or site of production was surrounded by a zone with a radius of at least 100 m, where:
  - aa official inspections were carried out twice at the place or site and in the zone at the most appropriate times for detecting

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

symptoms of infection during the last complete cycle of vegetation prior to their movement, and bb where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed, an official statement that d the F210 ... plants have been produced in a place of production established in accordance with ISPM10 as a place of production that is free from Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto and which is surrounded: i by a zone with a radius of 500 m where: aa official inspections, sampling and testing have been carried out at that place of production and throughout that zone twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement,

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

bb where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed and all F210 ... plants in the zone were immediately destroyed or have been regularly tested at the most appropriate times and found free from that pest, and ii by a further zone lying between 500 m and 4,500 m of that place of production where: aa official inspections, sampling and testing have been carried out twice at the most appropriate times throughout the area for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement, and

Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

> bb where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed and all F210 plants in the further zone were immediately destroyed or have been tested according to a sampling scheme that is able to confirm with 99% reliability that the level of presence of pest in the F210 ... plants is below 0.1%. Where point (b) or (c) applies, the official statement must also confirm

-the F210... plants have been derived directly from mother plants under conditions which comply with the requirements <sup>F210</sup>... in points (a) or (b), -the <sup>F210</sup>... plants have been directly derived from mother plants, which were subject to prior individual testing confirming their freedom from Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, or —the <sup>F210</sup>... plants have been tested according to a sampling scheme that is able to confirm with 99%

reliability that the level of presence of Pseudomonas syringae pv. actinidiae

that:

			Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto in the <sup>F210</sup> plants is below 0.1%.
72.	Plants for planting, other than seeds, of <i>Cydonia</i> Mill., Fragaria L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L. and Rubus L.	Any third country where non-European viruses, viroids and phytoplasmas or <i>Phyllosticta</i> <i>solitaria</i> Ell. & Ev. are known to occur on the genera listed in column (1)	an official statement that no symptoms of diseases caused by the pests listed
73.	Plants for planting, other than seeds, of <i>Malus</i> Mill.	Any third country where Cherry rasp leaf virus is known to occur	The plants must be accompanied by an official statement: a that they have been: i officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Cherry rasp leaf virus using appropriate indicators or equivalent methods and has been found free from the pests tested, or ii derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least Cherry rasp leaf virus using appropriate indicators or equivalent methods and has been

			found free from the pests tested, and b that no symptoms of diseases caused by Cherry rasp leaf virus have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
74.	Plants for planting, other than seeds, of <i>Malus</i> Mill.	Any third country where <i>Candidatus</i> Phytoplasma 'mali' Seemüller & Schneider is known to occur	The plants must be accompanied by: a an official statement that they originate in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Candidatus</i> Phytoplasma 'mali' Seemüller & Schneider, <sup>F211</sup> b an official statement that the plants, other than plants raised from seeds: i have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least <i>Candidatus</i> Phytoplasma 'mali' Seemüller & Schneider using appropriate indicators or equivalent methods and has been found free from that pest, or ii have been derived in direct line from material which has been subjected, at least once within

			<ul> <li>the last six complete cycles of vegetation, to official testing for at least <i>Candidatus</i> Phytoplasma 'mali' Seemüller &amp; Schneider using appropriate indicators or equivalent methods and has been found free in those tests from that pest, [<sup>F212</sup>or]</li> <li>[ no symptoms of diseases</li> <li><sup>F213</sup>c) caused by Candidatus Phytoplasma 'mali' Seemüller &amp; Schneider have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.]</li> <li>* The name of the area(s) must be included in the phytopiasmi 'mali'.</li> </ul>
75.	Plants for planting, other than seeds, of <i>Prunus</i> L.	Any third country where American plum line pattern virus, Cherry rasp leaf virus, Peach mosaic virus, North American Grapevine Yellows (16SrIII-A) and Peach rosette mosaic virus are known to occur	The plants must be accompanied by an official statement: a that they have been: i officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the pests listed in column (2) of this entry using appropriate indicators or equivalent methods and has been found free from those pests, or

			Ŀ	ii derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the pests listed in column (2) of this entry using appropriate indicators or equivalent methods and has been found free from those pests, and that in either case, no symptoms of diseases caused by the pests listed in column (2) have been observed on the plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.
76.	Plants for planting, other than seeds, of <i>Prunus</i> L.	Any the country th		ants must be accompanied by cial statement: that they originate in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Candidatus</i> Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene & Douglas,] that they have been: i officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for <i>Candidatus</i>

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Plants for planting,	Any t	hird	<ul> <li>Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene &amp; Douglas. using appropriate indicators or equivalent methods and has been found free from that pest, or</li> <li>ii derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for <i>Candidatus</i> Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene &amp; Douglas. using appropriate indicators or equivalent methods and has been found free from that pest, [<sup>F215</sup>or]</li> <li>that <sup>F216</sup>, no symptoms of diseases caused by <i>Candidatus</i> Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene &amp; Douglas have been observed on the plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.</li> <li>[<sup>F217</sup>*The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]</li> </ul>
other than seeds, of <i>Prunus</i> L.			a an official statement that they originate in areas known

77.

				to be free from <i>Candidatus</i> Phytoplasma 'prunorum' Seemüller & Schneider, or b an official statement that no symptoms of diseases caused by <i>Candidatus</i> Phytoplasma 'prunorum' Seemüller & Schneider have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.
78.	Plants for planting, other than seeds, of <i>Prunus persica</i> (L.) Batsch and <i>Prunus</i> <i>salicina</i> Lindley	Any country	third	The plants must be accompanied by: a an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti &. Gardan) Young, Dye & Wilkie, or b an official statement no symptoms of diseases caused by the <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti &. Gardan) Young, Dye & Wilkie have been observed on plants at the place of production, since the beginning of the last complete cycle of vegetation and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately.
79.	Plants for planting, other than seeds, of <i>Prunus</i> L.	Any country	third	<ul> <li>The plants must be accompanied by:</li> <li>a an official statement that they have been grown throughout their life in a place of production in a country where <i>Xanthomonas</i> <i>arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> is not known to occur,</li> <li>b an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance</li> </ul>

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

			<ul> <li>with ISPM4 as an area that is free from Xanthomonas arboricola pv. pruni (Smith) Vauterin et al.,</li> <li>c an official statement that they have been derived in direct line from mother plants which have shown no symptoms of Xanthomonas arboricola pv. pruni (Smith) Vauterin et al. during the last complete cycle of vegetation and no symptoms of that pest have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, or</li> <li>d in the case of plants of Prunus laurocerasus L. or Prunus lusitanica L. for which there is evidence from their packing or from other means that they are intended for sale to final consumers not involved in professional plant production, an official statement that no symptoms of Xanthomonas arboricola pv. pruni (Smith) Vauterin et al. have been observed on plants at the place of production since the beginning of the last complete growing season.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> </ul>
80.	Plants for planting, other than seeds, of <i>Prunus</i> L.	EU Member States other than any EU Member State where <i>Aromia</i> <i>bungii</i> (Faldermann) is known not to occur and any other third country where <i>Aromia bungii</i> (Faldermann)	The plants must be accompanied by: a an official statement that the plants have been grown throughout their life in a place of production which is registered and supervised by the national plant protection organisation in the country of origin and is situated in an area* established in accordance with ISPM4 as an area that is free from <i>Aromia</i> <i>bungii</i> (Faldermann),

\_

is known to occur	<ul> <li>b an official statement: <ul> <li>i that the plants have been grown during a period of at least two years prior to export or, in the case of plants which are younger than two years, have been grown throughout their life, in a place of production established as free from <i>Aromia bungii</i> (Faldermann) in accordance with ISPM10:</li> <li>aa which is registered and supervised by the national plant protection organisation in the country of origin,</li> <li>bb which has been subjected annually to at least two official meticulous inspections for any signs of <i>Aromia bungii</i> (Faldermann) carried out at appropriate times which, in the case of any increased level of suspicion of infestation by that pest, included targeted destructive sampling of the stems and branches of the plants, and no signs of infestation by that pest were found on those inspections, cc which has complete physical protection against the introduction of <i>Aromia bungii</i></li> </ul></li></ul>
----------------------	---

<ul> <li>preventive treatments, and</li> <li>ii that immediately prior to export, the plants were subjected to a meticulous official inspection for the presence of <i>Aromia bungii</i> (Faldermann) which included targeted destructive sampling at the appropriate level, or</li> <li>c in the case of plants which have been grafted with scions that have not been grown in accordance with the requirements specified in point (a), an official statement that: <ul> <li>i the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (a), an official statement that:</li> <li>i the plants have been grown in accordance with the requirements specified in point (a), if at the time of export, the scions were no more than 1 cm in diameter at their thickest point, and iii the plants have been subjected</li> </ul> </li> </ul>
ii at the time of export, the scions were no
thickest point, and iii the plants have
been subjected to a meticulous official inspection for the presence of <i>Aromia bungii</i>
(Faldermann, in the manner specified in point (a)(i)(bb). For the purpose of point (a)(ii), the
appropriate level is 10% of the plants where the number of plants is 4,500 or less, and 450 plants where the
number of plants is more than 4,500. * The name of the area(s) must be included in the phytosanitary certificate under the heading

81	Plants for planting	Any third	The plants must
	Plants for planting of <i>Rubus</i> L., other than seeds originating in third countries where Raspberry leaf curl virus and Cherry rasp leaf virus are known to occur.	country where Tobacco streak virus black raspberry latent strain,	The plants must: a be free from aphids, including their eggs, and b be accompanied by an official statement: i that the plants have been: aa officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing at least for the pests referred to in column (2), using appropriate indicators for the presence of those pests or equivalent methods and has been found to be free in those tests, from those pests, or bb derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing at least for the pests referred to in column (2), using appropriate indicators for the presence of those pests or equivalent methods and has been found to be free in those tests from those pests, and ii that no symptoms of diseases caused by

			been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
82.	Plants for planting, other than seeds, of <i>Fragaria</i> L.	Any third country where Strawberry vein banding virus or Strawberry witches' broom phytoplasma is known to occur	The plants must be accompanied by an official statement: a that the plants, other than those raised from seed, have been: i officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Strawberry vein banding virus and Strawberry witches' broom phytoplasma, using appropriate indicators or equivalent methods, and has been found to be free from those pests, or ii derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for Strawberry witches' broom phytoplasma, using appropriate indicators or equivalent methods,

			and has been found to be free from those pests, and b that no symptoms of diseases caused by Strawberry vein banding virus and Strawberry witches' broom phytoplasma have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
83.	Plants for planting, other than seeds, of <i>Fragaria</i> L., <i>Rosa</i> spp. and <i>Rubus</i> spp.	Any third country F161 	The plants must be accompanied by an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Anthonomus</i> <i>bisignifer</i> Schenkling.
[ <sup>F218</sup> 83	<b>R</b> lants for planting of Fragaria L. other than seeds	[ <sup>F219</sup> Any third country]	Official statement that the plants originate in an area known to be free from <i>Anthonomus signatus</i> Say.]
84.	Plants for planting, other than seeds, of <i>Fragaria</i> L.	Any third country where <i>Aphelenchoides</i> <i>besseyi</i> Christie is known to occur	The plants must be accompanied by: a an official statement that no symptoms of <i>Aphelenchoides</i> <i>besseyi</i> Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation, b in the case of plants in tissue culture, an official statement that the plants have been derived from plants which complied with point (a) or have been officially tested by appropriate nematological methods and have been found free from <i>Aphelenchoides</i> <i>besseyi</i> Christie, or c in the case of plants originating in any EU Member State, an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from from <i>Aphelenchoides besseyi</i> Christie.

85.	Plants for planting, other than seeds, of <i>Vaccinium</i> L.	Any third country	The plants must be accompanied by: a an official statement that the plants originate in an area, which in accordance with the measures specified in ISPM4, is known to be free from <i>Diaporthe vaccinii</i> Shear, or b an official statement that no symptoms of <i>Diaporthe</i> <i>vaccinii</i> Shear have been observed at the production site over the last complete growing season.
85A.	F220	F220	F220
86.	Plants for planting, other than seeds, of <i>Vitis</i> L.	EU Member States, Liechtenstein and Switzerland	The plants must be accompanied by an official statement that no symptoms of <i>Xylophilus ampelinus</i> (Panagopoulos) Willems, Gillis, Kersters, van den Broeke & De Ley have been observed on the mother stock plants at the place of production since the beginning of the last two complete cycles of vegetation.
87.	Plants for planting, other than seeds, of <i>Vitis</i> L.	EU Member States, Liechtenstein and Switzerland	The plants must be accompanied by: a an official statement that the plants originate in an area, which in accordance with the measures specified in ISPM4, is known to be free from Grapevine flavescence dorée phytoplasma, b an official statement that the plants originate in a site of production where: i no symptoms of Grapevine flavescence dorée phytoplasma on <i>Vitis</i> spp. have been observed at the site of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation and, in the case of plants used for the propagation of <i>Vitis</i> spp., no symptoms

		of Grapevine flavescence dorée phytoplasma on <i>Vitis</i> spp. have been observed at the site of production and in its immediate vicinity since the beginning of the last two complete cycles of vegetation, ii monitoring of the vectors is conducted and appropriate treatments are carried out to control the vectors of Grapevine flavescence dorée phytoplasma, and iii abandoned <i>Vitis</i> L. from the immediate vicinity of the site of production have been monitored during the growing season for symptoms of Grapevine flavescence dorée phytoplasma and, in case of symptoms, have been rogued out or tested and found free of Grapevine flavescence dorée phytoplasma, or c an official statement that they have undergone hot water treatment according to international standards.
88.	Plants, other than seeds and plants in tissue culture, of <i>Rosa</i> spp., L.	 The plants must be accompanied by an official statement: a that they have been grown throughout entire their life in an area* established by the national plant protection organisation in the country of origin in accordance with ISPM4 as free from Rose Rosette Virus and <i>Phyllocoptes fructiphilus</i> Keifer, and

89.	Plants, of <i>Rosa</i> spp. L. in tissue culture	Canada, India, Mexico and the USA	b that they have been packed to prevent infestation by <i>Phyllocoptes fructiphilus</i> Keifer during transport. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". The plants must be accompanied by an official statement that they have been produced from mother plants tested and found free from Rose Rosette Virus.
90.	Plants for planting of Arecaceae (Palmae) having a diameter of the stem at the base of over 5 cm	Any third country	The plants must be accompanied by: a an official statement that they have been grown throughout their life in a place of production in a country where <i>Paysandisia</i> <i>archon</i> (Burmeister) is not known to occur, b an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Paysandisia archon</i> (Burmeister), or c an official statement that they have, during a period of at least two years prior to export, been grown in a place of production: i which is registered and supervised by the national plant protection organisation in the country of origin, ii where the plants were placed in a site with complete physical protection against the introduction of <i>Paysandisia archon</i> (Burmeister), and iii where, during three official inspections per year carried

				out at appropriate times, including immediately prior to export, no signs of <i>Paysandisia archon</i> (Burmeister) have been observed. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
91.	Plants for planting of <i>Aeraceae</i> ( <i>Palmae</i> ) having a diameter of the stem at the base of over 5 cm	Any country	third	The plants must be accompanied by: a an official statement they have been grown throughout their life in a place of production in a country where <i>Rhynchophorus ferrugineus</i> (Olivier) is known not to occur, b an official statement that they have been grown throughout their life in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Rhynchophorus</i> <i>ferrugineus</i> (Olivier), or c an official statement that they have, during a period of at least two years prior to export, been grown in a place of production: i which is registered and supervised by the national plant protection organisation in the country of origin, ii where the plants were placed in a site with complete physical protection against the introduction of <i>Rhynchophorus</i> <i>ferrugineus</i> (Olivier), and iii where, during three official inspections per year carried out at appropriate

			times, including immediately prior to export, no signs of <i>Rhynchophorus</i> <i>ferrugineus</i> (Olivier) have been observed. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
F221	F221	F221	F221
93.	Plants of <i>Cryptocoryne</i> sp. Fischer ex Wydler spp., <i>Hygrophila</i> sp. R. Brown spp. and <i>Vallisneria</i> spp.	Any third country F161 	The plants must be accompanied by an official statement that the roots have been subjected to testing for at least nematode pests, of a representative sample, using appropriate methods for the detection of the pests and have been found on those tests to be free from the nematode pests.
[ <sup>F222</sup> 9:	Are-rooted, dormant grafted plants for planting of <i>Albizia</i> <i>julibrissin</i> Durazzini, with a maximum diameter of 2.5 cm;	Israel	The plants must be accompanied by an official statement: a that they are free from <i>Euwallacea fornicatus</i> <i>sensu lato</i> and <i>Fusarium</i> <i>euwallaceae</i> , b that they have been grown throughout their life in a place of production which is registered and supervised by the national plant protection organisation of the country of origin, and that registration has included the respective production sites* within the place of production, c that they fulfil one of the following requirements: i the plants have a diameter of less than 2 cm at the base of the stem, ii the plants have been grown in a site with complete physical protection against the introduction of <i>Euwallacea</i> <i>fornicatus sensu</i>

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

lato at least during the period of six months before export. which is subject to official inspections at appropriate times and has been found free from the pest, confirmed as a minimum with traps which are checked at least every four weeks, including immediately before export, or that they have been grown in a site of production which has been found free from Euwallacea fornicatus sensu lato and Fusarium euwallaceae since the beginning of the last complete cycle of vegetation, and confirmed free from *Euwallacea* fornicatus sensu *lato*, (pest freedom confirmed as a minimum with traps) during official inspections carried out at least every four weeks and in the case of suspicion of the presence of either of the two pests at the site of production, appropriate treatments against the pests have been carried out to ensure the absence of the pests, a

iii

			surrounding zone of 1 km has been established, which is monitored at appropriate times for <i>Euwallacea</i> <i>fornicatus sensu</i> <i>lato</i> and <i>Fusarium</i> <i>euwallaceae</i> and where either of these two pests are found on any host plants, those plants have been immediately rogued out and destroyed, and d that immediately before export, consignments of plants with a diameter of 2 cm or wider at the base of the stem have been subjected to an official inspection** for the presence of the pest, in particular in stems and branches of the plants, including destructive sampling. The phytosanitary certificate must specify which requirement of point (c) above in this entry has been fulfilled. *The name(s) of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration". **The size of the sample for inspection must be such as to enable at least the detection of a 1 % level of infestation with a level of confidence of 99 %.
93B	F223	F223	F223
93C	Bare-rooted, dormant grafted plants for planting of <i>Robinia</i> <i>pseudoacacia</i> L. with a maximum diameter of 2.5 cm;	Israel	The plants must be accompanied byan official statement:athat they are free from <i>Euwallacea fornicatussensu lato</i> and <i>Fusariumeuwallaceae</i> ,bthat they have been grownthroughout their life in

<i>Euwallacea</i> <i>fornicatus sensu lato</i> and <i>Fusarium</i> <i>euwallaceae</i> since the beginning of the last complete cycle		c	which is supervise plant pro of the co and that a included production place of p that they	fornicatus sensu lato and Fusarium euwallaceae since the beginning of the last
--	--	---	--	--

d

Status: Point in time view as at 02/05/2024.

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

of vegetation, and found free from *Euwallacea* fornicatus sensu *lato*, with pest freedom confirmed as a minimum with traps, during official inspections carried out at least every four weeks; in the case of suspicion of the presence of either of the two pests at the site of production, appropriate treatments against the pests have been carried out to ensure the absence of the pests; a surrounding zone of 1 km has been established, which is monitored at appropriate times for *Euwallacea* fornicatus sensu lato and Fusarium euwallaceae and where either of the two pests are found on any host plants. those plants have been immediately rogued out and destroyed, and that immediately before export, consignments of plants with a diameter of 2 cm or wider at the base of the stem have been subjected to an official inspection\*\* for the presence of the pest, in particular in stems and branches of the plants, including destructive sampling.

			The phytosanitary certificate must specify which requirement of point (c) above in this entry has been fulfilled. *The name(s) of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration". **The size of the sample for inspection must be such as to enable at least the detection of a 1 % level of infestation with a level of confidence of 99 %.]
94.	Fruits of <i>Capsicum</i> (L.)	Any country of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius, Israel	The fruits must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Thaumatotibia leucotreta</i> (Meyrick), b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Thaumatotibia leucotreta</i> (Meyrick), c an official statement: i that they originate in a place of production[ <sup>F224</sup> *] established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Thaumatotibia leucotreta</i> (Meyrick), and ii that they are free from that pest as shown from official inspections carried out in the place of production at appropriate times during the growing

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

season [<sup>F225</sup> and prior to export, including a visual examination with an intensity to enable at least the detection of a 2% level of infestation, with a level of confidence of 95% in accordance with the measures specified in ISPM31 and including destructive sampling in case of symptoms], [<sup>F226</sup>or] F227 . . . . . . . . . . . . . . . . [<sup>F228</sup>d an official statement: i that they have been produced in a site(s) of production\* approved by the national plant protection organisation of the country of origin, ii that they have been subjected to an effective systems approach\*\* in accordance with the measures specified in ISPM14 or an effective standalone post-harvest treatment\*\* to ensure freedom from *Thaumatotibia* leucotreta (Meyrick), and iii) that, prior to export, they have been subjected to official inspections for the presence of Thaumatotibia leucotreta (Meyrick), with an intensity to enable at least the detection of a 2% level of infestation. with a level of confidence of 95% in

95.

Status: Point in time view as at 02/05/2024.

			accordance with the measures specified in ISPM31 and including destructive sampling in case of symptoms.] * The name of the area(s) [ <sup>F229</sup> , place(s) of production or site(s) of production] must be included in the phytosanitary certificate under the heading "Additional declaration". ** The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate. A phytosanitary certificate may not include: —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom of the United Kingdom with written details of area or areas, [ <sup>F230</sup> —the official statement referred to in point (c) unless the national plant protection organisation of the place(s) of production,] —the official statement referred to in point (d) unless the national plant protection organisation of the united Kingdom with written details of the place(s) of production,] —the official statement referred to in point (d) unless the national plant protection organisation of the united Kingdom with written details of the place(s) of production,] —the official statement referred to in point (d) unless the national plant protection organisation of the united Kingdom with written details of the place(s) of production of the United Kingdom with written details of the place(s) of production of the United Kingdom with written details of the place(s) of production of the United Kingdom with written details of the place(s) of production of the United Kingdom with written details of the place(s) of production of the United Kingdom with written de
Fruits of <i>Capsicum</i> L., <i>Momordica</i> L., <i>Solanum</i> <i>aethiopicum</i> L.,	country F161	third	The fruits must be accompanied by: a an official statement that they originate in a country where <i>Spodoptera frugiperda</i>

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

(Smith) is not known to be Solanum L. macrocarpon present, Solanum and b an official statement that melongena L.. they originate in an area\* [<sup>F232</sup>plants of established by the national Asparagus plant protection organisation officinalis L., other in accordance with ISPM4 than stems covered as an area that is free from during their entire Spodoptera frugiperda life by (Smith), F233... soil, live pollen, plant an official statement that they с tissue cultures and originate in areas other than seeds] and plants, those referred to in point (b), than live other and they comply with the pollen, plant tissue following conditions: cultures, seeds and i the plants have grains, of Zea mays been produced in L. a production site which is registered and supervised by the national plant protection organisation in the country of origin, ii official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera *frugiperda* (Smith) has been detected on the plants, F234 ... iii prior to their export, the plants have been subject to an official inspection, [ the production site  $F^{235}$  is identified in the official statement for traceability purposes, and v the production site is provided with complete physical protection against the introduction of Spodoptera frugiperda (Smith),]

			<ul> <li>an official statement that the plants originate in areas other than those referred to in points (a) and (b), comply with point (c)(i) – (iv) and have been subjected to an effective treatment to ensure freedom from <i>Spodoptera</i> <i>frugiperda</i> (Smith), or</li> <li>an official statement that they originate in areas other than those referred to in points (a) and (b), they have been subjected to an effective post- harvest treatment to ensure freedom from <i>Spodoptera</i> <i>frugiperda</i> (Smith) and the treatment is indicated in the official statement.</li> <li>* The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]</li> </ul>
96.	Fruits of <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L.	,	The fruits must be accompanied by: a an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Grapholita packardi</i> Zeller, b an official statement that they originate in a place of production where official inspections and surveys for the presence of <i>Grapholita</i> <i>packardi</i> Zeller have been carried out at appropriate times during the growing season, including an inspection of a representative sample of fruits, which have shown the fruits to be free of that pest, and which includes information on traceability is included in the phytosanitary certificate, or c an official statement that they have been subjected to an effective systems approach or an effective post-

				harvest treatment** to ensure freedom from <i>Grapholita</i> <i>packardi</i> Zeller. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate. A phytosanitary certificate may not include: —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas, —the official statement referred to in point (c) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas,
97.	Fruits of <i>Malus</i> Mill. and <i>Pyrus</i> L	Any country F161 	third	<ul> <li>The fruits must be accompanied by:</li> <li>a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka,</li> <li>b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka,</li> <li>c an official statement that they originate in a place of production where official inspections and surveys for the presence of <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E.</li> </ul>

98.	Fruits of <i>Malus</i>	Any thi	Tanaka, have been carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of that pest, and which includes information on traceability, or d an official statement that they have been subjected to an effective systems approach or an effective post- harvest treatment** to ensure freedom from <i>Botryosphaeria</i> <i>kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate. A phytosanitary certificate may not include: — the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, — the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas, — the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas, — the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the approach or treatment.
20.	Mill. and Pyrus L.	country F161	a an official statement that they originate in a country which, in accordance with the

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

measures specified in ISPM4, is known to be free from from Anthonomus quadrigibbus Sav. b an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Anthonomus quadrigibbus Say. c an official statement that they originate in a place of production where official inspections and surveys for the presence of Anthonomus quadrigibbus Say, are carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of the pest and which includes information on traceability, or d an official statement that they have been subjected to an effective systems approach or an effective postharvest treatment\*\* to ensure freedom from Anthonomus quadrigibbus Say. \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". \*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate. A phytosanitary certificate may not include: -the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, -the official statement referred to in point (b) unless the national plant

					protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas, —the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the approach or treatment.
99.	Fruits of Mill.	Malus	Any country F161 	third	The fruits must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Grapholita prunivora</i> (Walsh), <i>Grapholita</i> <i>inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh), b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Grapholita prunivora</i> (Walsh), <i>Grapholita</i> <i>inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh), <i>Grapholita</i> <i>inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh), c an official statement that they originate in a place of production where official inspections and surveys for the presence of <i>Grapholita</i> <i>prunivora</i> (Walsh), <i>Grapholita inopinata</i> (Heinrich) and <i>Rhagoletis</i> <i>pomonella</i> (Walsh) have been carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of that pest, and which includes information on traceability, or

			d an official statement that they have been subjected to an effective systems approach or an effective post-harvest treatment** to ensure freedom from <i>Grapholita prunivora</i> (Walsh), <i>Grapholita</i> <i>inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh). * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate. A phytosanitary certificate may not include: —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas, —the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas, —the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas,
100.	Fruits of Solanaceae	Australia, the Americas and New Zealand	The fruits must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from from <i>Bactericera cockerelli</i> (Šulc.), b an official statement that they originate in an area* established by the national

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

plant protection organisation in accordance with ISPM4 as an area that is free from Bactericera cockerelli (Šulc.). c an official statement [F237, which includes information on traceability,] that: i they originate in a place of production where official inspections and surveys for the presence of Bactericera *cockerelli* (Šulc.) have been carried out during the last three months prior to export at the place of production and [F238its immediate vicinity, and they have been subjected to effective treatments to ensure freedom from the pest and an inspection of a representative sample of fruits prior to export which has shown the fruits to be free of that pest], and ii in the case of fruit of Solanum *lycopersicum* L. that all green parts have been removed, or d an official statement that they originate in an insect proof site of production, established by the national plant protection organisation in the country of origin, as being free from Bactericera *cockerelli* (Šulc.), on the basis of official inspections and surveys carried out during the three months prior to export, and which includes information on traceability. \* The name of the area(s) must be included in the phytosanitary

			certificate under the heading "Additional declaration". A phytosanitary certificate may not include: —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas.
101.	Fruits of Capsicum annuum L., Solanum aethiopicum L., Solanum lycopersicum L. and Solanum melongena L.	-	<ul> <li>The fruits must be accompanied by:</li> <li>a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from from <i>Neoleucinodes elegantalis</i> (Guenée),</li> <li>b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Neoleucinodes elegantalis</i> (Guenée), or</li> <li>c an official statement: <ul> <li>i that they originate in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Neoleucinodes</i> <i>elegantalis</i> (Guenée), and</li> <li>ii that they are free from that pest as shown from</li> </ul> </li> </ul>

102.

Status: Point in time view as at 02/05/2024.

official inspections carried out in the place of production at appropriate times during the
---

and Solanum melongena L.	F161	<ul> <li>a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Keiferia lycopersicella</i> (Walsingham),</li> <li>b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Keiferia lycopersicella</i> (Walsingham), or</li> <li>c an official statement that they originate in a place of</li> </ul>
		<ul> <li>production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Keiferia lycopersicella</i> (Walsingham) on the basis of official inspections and surveys carried out during the last three months prior to export.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>** The name of the place(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".</li> </ul>
[ <sup>F239</sup> 10 <b>£A</b> uits of <i>Cucurbitaceae</i> and <i>Solanaceae</i>		The fruits must be accompanied by an official statement that they originate in: (a) a country which in accordance with the measures specified in ISPM No. 4 is known to be free from <i>Prodiplosis longifila</i> Gagné; (b) an area* established by the national plant protection organisation in accordance with the measures specified in ISPM No. 4 as an area that is free from <i>Prodiplosis longifila</i> Gagné; (c) a place of production (identified in the official statement for traceability purposes) where official inspections

			and surveys for the presence of <i>Prodiplosis longifila</i> Gagné carried out at the place of production and its immediate vicinity during a period of two months prior to export, including a visual inspection of a representative sample of fruits, have shown the fruits to be free of that pest, provided that, in the case of the fruits of <i>Solanum lycopersicum</i> L., all green parts have been removed; or (d) an insect-proof site of production (identified in the official statement for traceability purposes) established by the national plant protection organisation in the country of origin as being free from <i>Prodiplosis longifila</i> Gagné, on the basis of official inspections and surveys carried out during a period of two months prior to export. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".] [ <sup>F240</sup> A phytosanitary certificate may not include the official statement referred to in point (b) unless the national plant protection organisation of the united Kingdom with written details of the area or areas.]
[ <sup>F241</sup> 1(	Pouits of <i>Capsicum</i> <i>L</i> . and <i>Solanum L</i> .	Algeria, Angola, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Congo, Côte d'Ivoire, Djibouti, Egypt, Equatorial Guinea,	The fruits must be accompanied by: (a) an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is recognised as being free from <i>Bactrocera latifrons</i> (Hendel) or (b) an official statement that they originate in an area* established, in accordance with the measures specified in ISPM4, by the national plant protection organisation in the country of origin as being free from <i>Bactrocera latifrons</i> (Hendel) or (c) an official statement that no signs of <i>Bactrocera latifrons</i> (Hendel)

Eritrea,	have been observed at the place of
Eswatini,	production and in its immediate
Ethiopia,	vicinity since the beginning of the
Gabon,	last complete cycle of vegetation, on
Gambia,	official inspections carried out at least
Ghana,	monthly during the three months prior
Guinea,	to harvesting, and none of the fruits
Guinea-	harvested at the place of production
Bissau, Kenya,	has shown, in appropriate official
Lesotho,	examinations, signs of <i>Bactrocera</i>
Liberia, Libya,	<i>latifrons</i> (Hendel), and information
Madagascar,	on traceability is included in the
Malawi, Mali,	phytosanitary certificate,
Mauritania,	or
Mauritius,	(d) an official statement that the fruits
Mayotte,	have been subjected to an effective
Morocco,	systems approach or an effective post-
Mozambique,	harvest treatment** to ensure freedom
Namibia,	from <i>Bactrocera latifrons</i> (Hendel)
Niger, Nigeria,	* The name of the area(s) must
Réunion,	be included in the phytosanitary
Rwanda, Sao	certificate under the heading
Tome and	"Additional declaration".
Principe,	** The use of a systems approach
Senegal,	or details of the treatment method
Seychelles,	must be included in the phytosanitary
Sierra Leone,	certificate.
Somalia, South	A phytosanitary certificate may not
Africa, South	include:
Sudan, Sudan,	—the official statement referred
Tanzania, The	to in point (a) unless the national
Democratic	plant protection organisation of the
Republic of	country of origin has previously
the Congo,	notified the national plant protection
Togo, Tunisia,	organisation of the United Kingdom
Uganda,	of this information in writing,
Zambia,	—the official statement referred to
Zimbabwe,	in point (b) unless the national plant
Afghanistan,	protection organisation of the country
Bahrain,	of origin has previously provided the
Bangladesh,	national plant protection organisation
Bhutan, Brunei	of the United Kingdom with written
Darussalam,	details of the area or areas,
Cambodia,	- the official statement referred to
China, India,	in point (d) unless the national plant
Indonesia,	protection organisation of the country
Iran, Iraq,	of origin has previously provided the
Japan, Jordan,	national plant protection organisation
Kazakhstan,	of the United Kingdom with written
Kuwait,	details of the treatment or approach]
Kyrgyzstan,	
Laos, Lebanon,	
Malaysia,	

		Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	
10:	3. Fruits of Solanum melongena L.	Any third country F161 	The fruits must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Thrips palmi</i> Karny, b an official statement that they originate in an area* established by the national

			<ul> <li>plant protection organisation in accordance with ISPM4 as an area that is free from <i>Thrips palmi</i> Karny, or</li> <li>c an official statement that immediately prior to their export, they have been officially inspected and found free from <i>Thrips palmi</i> Karny.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> </ul>
104.	Fruits of <i>Momordica</i> L.	Any third country F161 	The fruits must be accompanied by: a an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Thrips palmi</i> Karny, or b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Thrips palmi</i> Karny. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration"
105.	Fruits of <i>Capsicum</i> L.	Belize, Costa Rica, Dominican Republic, El Salvador, French Polynesia, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico and the USA	The fruits must be accompanied by: a an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Anthonomus eugenii</i> Cano, or b an official statement that they originate in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Anthonomus eugenii</i> Cano, on the basis of official inspections carried out at least monthly during the two months prior to export at the

		place of production and its immediate vicinity. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The name of the place(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".
[ <sup>F242</sup> 10 <b>P</b> Aants, other than plants for planting, of <i>Asparagus</i> Tournier ex Linnaeus	The Americas	The plants must be accompanied by an official statement that: (a) they originate in a country which in accordance with the measures specified in ISPM No. 4 is known to be free from <i>Prodiplosis longifila</i> Gagné; (b) they originate in an area* established by the national plant protection organisation in accordance with the measures specified in ISPM No. 4 as an area that is free from <i>Prodiplosis longifila</i> Gagné; or (c) immediately prior to their export, they have been officially inspected and found free from <i>Prodiplosis</i> <i>longifila</i> Gagné. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]
[ <sup>F243</sup> 10 Steeds of <i>Capsicum</i> spp.	Any third country	The seeds must be accompanied by an official statement that they: (a) originate in an area* established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from Pepper chat fruit viroid, (b) are derived from plants grown throughout their life in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Pepper chat fruit viroid and verified through official inspections and, where appropriate, testing, or (c) have been subjected to official testing for Pepper chat fruit viroid on a statistically based sample in accordance with ISPM31 and using

				an appropriate method and have been found, in this test, to be free from this pest. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". ** The name(s) of the place(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".
105C	Seeds of <i>Solanum</i> <i>lycopersicum</i> L. and its hybrids	Any country	third	The seeds must be accompanied by an official statement that they: (a) originate in an area* established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from Citrus exocortis viroid, Columnea latent viroid, Pepper chat fruit viroid and Tomato planta macho viroid, (b) are derived from plants grown throughout their life in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Citrus exocortis viroid, Columnea latent viroid, Pepper chat fruit viroid and Tomato planta macho viroid, (c) have been subjected to official testing for Citrus exocortis viroid, Columnea latent viroid, Pepper chat fruit viroid and verified through official inspections and, where appropriate, testing, or (c) have been subjected to official testing for Citrus exocortis viroid, Columnea latent viroid, Pepper chat fruit viroid and Tomato planta macho viroid on a statistically based sample in accordance with ISPM31 and using an appropriate method and have been found, in these tests, to be free from these pests. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
106.	Seeds of Zea mays L.	Any country Pantoea	third where	The seeds must be accompanied by: a an official statement that they originate in an area which, in

		stewartii subsp. stewartii (Smith) Mergaert, Verdonck & Kersters is known to occur	accordance with the measures specified in ISPM4, is known to be free from <i>Pantoea</i> <i>stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert, Verdonck & Kersters, or b an official statement that a representative sample of the seeds has been tested and found free from <i>Pantoea</i> <i>stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert, Verdonck & Kersters.
107.	Seeds of the genera <i>Triticum</i> L., <i>Secale</i> L. and <i>x Triticosecale</i>	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and the USA	in an area* where <i>Tilletia indica</i> Mitra is known not to occur. * The name of the area(s) must
108.	Grain of the genera <i>Triticum</i> L., <i>Secale</i> L. and <i>x</i> <i>Triticosecale</i>	India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and the USA	The grain must be accompanied by: a an official statement that it originates in an area* where <i>Tilletia indica</i> Mitra is known not to occur, or b an official statement that no symptoms of <i>Tilletia indica</i> Mitra have been observed on the plants at the place of production during their last complete cycle of vegetation and representative samples of the grain have been taken both at the time of harvest and before export and have been tested and found free from <i>Tilletia indica</i> Mitra. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement mentioned in point (b), the statement "tested and found free from <i>Tilletia</i> <i>indica</i> Mitra" must be included under the heading "name of produce".
109.	Wood of conifers (Pinales), other than wood of <i>Thuja</i>	Canada, China, Japan, Republic of	The wood must be accompanied by: a an official statement:

La and <i>Taxus</i> L. Korea, Mexico, and wood in the form of: 	L. and <i>Taxus</i> L.	Koran Marian	i that it has underscare
form of:USA and EU Member States other than any EU Memberheat treatment to achieve a minimum temperature of 36modelBursaphelenchus xylophilus Bursaphelenchus xylophilus is known not to 			
—-chips, particles, sawdust, shavings, State where wood bursaphelenchus waste xylophilusachieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), and it is that subsequent to its treatment, it was transported, until its confirs, —wood packaging material, except sassociated controlled dunnage, — wood of Libocedrus decurrens Torr. where there is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a achieve a seven to eight-day period,Member States other than any Euton the controlled duration of 30 continuous minutes there is evidence that the wood for for seven to eight-day period,Achieve a the expected the entire treatment to achieve a achieve a infinuum		· · · · ·	
particles, sawdust, shavings, Wood wood waste and scrap obtained bitared in whole or part from these confiers, —wood packaging material, except associated controlled dunnage, — wood of Libocadrus decurrens Torr. where there is evidence that the wood or manufactured for pencils using heat treatment to cortemperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), and it that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective that the wood for pencils using heat treatment to achieve a minimum temperature of \$2 °C for a seven to eight-day period,temperature of 56 °C for a minimum temperature of a minimum duration of 30 continuous minutes there is eight-day period,ban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and it kin-drying to below			
sawdust, shavings, wood waste waste and scrap obtained in whole or part from these conifers, wood packaging material, except dunnage, 			
shavings, woodState Bursaphelenchus survlophilusduration of 30 continuous minutes throughout the entire profile of the wood (including at its core), andand scrap obtainedBührer) Nickle is known not to occurii that subsequent to its treatment, it was transported, until its export from the contry issuing the statement, outside the flight season of its vectors, Monochamus spp, taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight Torr. wood of Libocedrus decurrens there is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,State where that has been processed or there is evidence that the wood has been processed or treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,State where where that the wood the at reatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,State where where the at reatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,State where where that the subsequent to achieve a minimum temperature of 82 °C for a seven to eight-day period,State where thoughout the entire profile of the wood continuous minutes throughout the entire profile of the wood and it kiln-drying to below			
woodBursaphelenchus xylophiluscontinuous minutes throughout the entire profile of the wood (including at its core), and its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus sepp, taking into account a safety margin of four additional weeks at the beginning Libocedrus decurrens Torr. where there is evidence that the wood or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,Bursaphelenchus the entire profile of the wood (including at its core), and it that subsequent to its treatment, it was treasported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus sevento eight-day period,wood fflight sevento eight-day period,flight sevento eight-day period,wood fflight sevento eight-day period,flight sevento eight-day period,	sawdust,		
waste and scrap obtained in whole in whole in whole is known not to or part from these conifers, —wood packaging material, except dunnage, —wood of Libocedrus decurrens Torr. where there is there is <b< td=""><td>shavings,</td><td>State where</td><td>duration of 30</td></b<>	shavings,	State where	duration of 30
and scrap obtained in whole in whole or part from these conifers,Steiner Bührer) Nickle is known not to occurprofile of the wood (including at its core), andor part occuroccurit that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus sylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., **4or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,band streat treatment to achieve a minimum temperature of s2 °C for a seven to eight-day period,profile of the wood (including at its core), and it hat subsequent to its treatment to achieve a minimum temperature of 56°C for a minimum temperature of 56°Cof s2 revise, for a seven to eight-day period,profile of the wood (including at its core), andand streament to achieve a minimum temperature of s2profile of the wood (including at its core), andand core transported, matched the sectors, for a seven to eight-day period,profile of the wood (including at its core), andand core transported, matched transported, matched transported, matched transported, matched	wood	Bursaphelenchu	s continuous minutes
and scrap obtained in whole in whole or part from these conifers,Steiner Bührer) Nickle is known not to occurprofile of the wood (including at its core), andor part occuroccurit that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus sylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., **4or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,band streat treatment to achieve a minimum temperature of s2 °C for a seven to eight-day period,profile of the wood (including at its core), and it hat subsequent to its treatment to achieve a minimum temperature of 56°C for a minimum temperature of 56°Cof s2 revise, for a seven to eight-day period,profile of the wood (including at its core), andand streament to achieve a minimum temperature of s2profile of the wood (including at its core), andand core transported, matched the sectors, for a seven to eight-day period,profile of the wood (including at its core), andand core transported, matched transported, matched transported, matched transported, matched	waste	xylophilus	throughout the entire
obtained in whole in whole or part from these conifers, —wood packaging material, except associated controlled dunnage, — wood of Libocedrus dunnage, — wood of Libocedrus wood of Libocedrus decurrens Torr. where that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,Bührer) Nickle is known not to occur is known not to is known not to is known not to is known not to occur is known not to occur is known not to occur is known not to is known not to the second of the second no second	and scrap		profile of the wood
in whole or part from these conifers, —wood packaging material, except associated controlled dunnage, — material, except associated controlled dunnage, — material, except associated controlled dunnage, — material, except associated controlled dunnage, — margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus spp., rest and the end of 30 continuous minutes treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,is known not to occur is known not to occurin whole in whole in the expected flight season or, in the case of wood which is not free from bark, wood has been processed or manufactured for seven to eight-day period,andin whole in the expected flight season or, in the case of wood which is not free from bark, wood b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 53C C for a sinthroughout the entire profile of the wood, and ii kiln-drying to below			
or part from these conifers, —wood packaging material, exceptoccurii that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochanuss aspp., taking into account a safety margin of four additional weeks at the beginning Libocedrus decurrens Torr. wood of Libocedrus decurrens there is there is evidence that the wood has been processed or manufactured for pencils teatment to achieve a minimum of 82 °C for a seven to eight-day period,it that subsequent to its treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,it at at subsequent to its treatment it it kin-drying to belowor to achieve a minimumoccur the eight-day period,it dual the eight-day period,it dual the eight-day period,or time time to achieve a minimumit kin-drying to below	in whole	/	
from these conifers, —wood packaging material, exceptits treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochanus associated controlled dunnage, — wood of Libocedrus decurrens Torr. where there is there is<			ii that subsequent to
these conifers, wood packaging material, excepttransported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four unage, margin of four there is where that the wood has been processed or for pencils to a cortinuug for pencils to a cortinuug for season of the at treatment to achieve a minimum of 82 °C for a seven to eight-day period,there is transported, until its export from the country issuing the statement, using to achieve a minimum temperature of 82 °C for a seven to eight-day period,number transported, until its export from the country issuing the statement, its export for margin of four achieve a minimum temperature of 82 °C for a seven to eight-day period,number transported, until its export from the country issuing the statement, its export from the country issuing the statement, its export from the country issuing the attement is the except statementthe at transport distribution temperature of 82 °C for a seven to eight-day period,number transport distribution temperature of a the entire profile of the wood, and it kiln-drying to below	-		
conifers, —woodits export from the country issuing the statement, outside the flight season of its vectors, Monochamus account a safety margin of four additional weeks at the beginning Libocedrus decurrenswood of Libocedrus decurrens			
woodcountry issuing the statement, outside the flight season of its vectors, Monochamus app., taking into account a safety margin of four additional weeks at the beginning and at the end of decurrens Torr. wood of Libocedrus decurrens There is where that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum of 82 °C for a seven to eight-day period,country issuing the statement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective to achieve a minimum temperature of 82 cor for a seven to eight-day period,			
packaging material, exceptstatement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of decurrens Torr. wood of Libocedrus decurrens Torr. where there is where there is where there is evidence that the wood has been processed or for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,statement, outside the flight season of its vectors, Monochamus softward the end of account a safety margin of four account a safety margin of four active a softward the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus spp., F24  bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below	-		
material, except associated controlled dunnage,flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight Torr.Wood of Libocedrus wood of Libocedrus where there is evidence that the wood has been processed orand at the end of the expected flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season of its vectors, Monochamus sprocessed oror manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,flight season of its vectors, Monochamus spp., F24 b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
exceptvectors, Monochamusassociatedssp., taking intocontrolledaccount a safetydunnage,margin of fouradditional weekswood ofat the beginningLibocedrusand at the end ofdecurrensthe expected flightTorr.season or, in the casewhereof wood which isthere isof wood which iswoodhas beenprocessedororb< an official statement:			
associated controlled dunnage,spp., taking into account a safety margin of four additional weeks at the beginning and at the end of decurrens Torr. where there is evidence that the wood has been processed or for pencils using heat treatment to achieve a minimum erid,spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., <sup>F244</sup> ban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,baachieve a minimum temperature of s2 recommendationspp., <sup>F244</sup> covering to prevent inficial statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum temperature of 56°C for a minimum duration of 30 continuous minutes			
controlled dunnage, — — wood of <i>Libocedrus</i> <i>decurrens</i> Torr. where there is evidence that the wood has been processed for pencils using heat treatment to achieve a minimum to f 82 °C for a seven to eight-day period,controlled account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with <i>Bursaphelenchus</i> <i>xylophilus</i> (Steiner & Bührer) Nickle or its vectors, <i>Monochamus</i> spp., <sup>F24</sup> bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,bcontrolled uunnage, margin of four achieve a minimum temperature of 82 °C for a seven to eight-day period,bcontrolled eight-day period,acontrolled i kiln-drying to below			· · · · · · · · · · · · · · · · · · ·
dunnage, — — wood of Libocedrus decurrens Torr. where there is where is there is where that the wood wood has been processed or margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., F244  bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum of 82 °C for a seven to eight-day period,bdunnage, margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus spp., F244  bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minutescontinuous eight-day period,and ii kiln-drying to below			
Image: Constraint of the section of			
wood of Libocedrus decurrensat the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of $82$ °C for a seven to eight-day period,at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., F244  bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of $56^{\circ}$ C for a seven to eight-day period,	duillage,		
Libocedrusand at the order of and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus sylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., $F^{244}$ borBührer) Nickle or its vectors, Monochamus spp., $F^{244}$ bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of $82$ °C for a seven to eight-day period,			
decurrensTorr.wherewherethere iswherethere isevidencethat thewoodhas beenprocessedormanufacturedforpencilsusingheattreatmenttoachieve aminimumtemperatureof 82°C for aseven toeight-dayperiod,it kiln-drying to below			
Torr.season or, in the casewhereof wood which isthere isof wood which isevidenceinfestation withwoodinfestation withhas beenBursaphelenchusprocessedxylophilus (Steiner &orBührer) Nickle or itsvectors, Monochamusforpencilsusingbheatit hat it has undergonetreatmentit hat it has undergonetoachieve aminimumtemperatureof 82°C for aseven toeight-dayperiod,it kiln-drying to below			
where there is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum emperature of 82 °C for a seven to eight-day period,statis of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus suita a protective sylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., F244  bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,bban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
there is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum effect achieve a minimum temperature of 82 °C for a seven to eight-day period,of wood which is not free from bark, with a protective covering to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., F244 ban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,bthere is eight-day period,athere is i kiln-drying to below			
evidence that the wood has been processed orwith a protective covering to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., F244 or manufactured for pencils using heat treatment to achieve a minimum of 82 °C for a seven to eight-day period,ban official statement: to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and it kiln-drying to below			
that the wood has been processed orwith a protective covering to prevent infestation with Bursaphelenchus xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., F244orBührer) Nickle or its vectors, Monochamus spp., F244ban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum of 82 °C for a seven to eight-day period,that the i that it has undergone an appropriate for a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			· · · · · · · · · · · · · · · · · · ·
wood has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,Bursaphelenchus sursaphelenchus vectors, Monochamus spp., F244  b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period, has been processed or manufactured b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
processed or manufactured for pencils using heat treatment to achieve a minimum of 82 or C for a seven to eight-day period,processed xylophilus (Steiner & Bührer) Nickle or its vectors, Monochamus spp., F244 ban official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
or manufactured for pencils using heat treatment to achieve a minimum of 82 °C for a seven to eight-day period,			
<ul> <li>manufactured</li> <li>for</li> <li>pencils</li> <li>heat</li> <li>treatment</li> <li>to</li> <li>achieve a</li> <li>minimum</li> <li>of 82</li> <li>°C for a</li> <li>seven to</li> <li>eight-day</li> <li>period,</li> </ul>	-		
for pencils using heat treatment to achieve a minimum of 82 °C for a seven to eight-day period,	-	,	,
b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period, b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below		red	vectors, Monochamus
b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period, b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			spp., <sup>F244</sup>
i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,	Â		
an appropriate heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period, interference treatment to achieve a minimum temperature of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below	e e		
to achieve a minimum temperature of 82 °C for a seven to eight-day period, heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
achieve a minimum temperature of 82 °C for a seven to eight-day period,achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
temperature of 56°C for a minimum of 82 °C for a seven to eight-day period, temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
for a minimum temperature of 82 °C for a seven to eight-day period, ii kiln-drying to below			
duration of 30 of 82 oC for a seven to eight-day period, duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below			
°C for acontinuous minutesseven tothroughout the entireeight-dayperiod,ii kiln-drying to below		e	
seven to eight-day period,			
eight-day period,			
period, and ii kiln-drying to below			
ii kiln-drying to below			
	period,		
			20% moisture

	but including wood which has not kept its natural round surface		content expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule [ <sup>F245</sup> , or] [ an official statement that <sup>F246</sup> c the wood has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m3) and the exposure time of which are indicated on the phytosanitary certificate; but a phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.] [ <sup>F247</sup> For the purposes of points (a) and (b), there] must also be evidence of the heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate and, in the case of point (b), evidence of the kiln-drying by a mark "kiln-dried" or "KD" or another internationally
			or "KD" or another internationally
110.	Wood of conifers (Pinales) in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers	Japan, Republic of Korea, Mexico, Taiwan, the USA and EU Member States	recognised mark. The wood must be accompanied by: a an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), and ii that subsequent to its treatment, it was

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

transported, until its export from the country issuing the statement, outside the flight season of its vectors, Monochamus spp., taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season or, in the case of wood which is not free from bark, with a protective covering to prevent infestation with **Bursaphelenchus** xylophilus (Steiner & Bührer) Nickle et al. or its vectors, Monochamus spp., F248 b an official statement: i that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and ii kiln-drying to below 20% moisture content expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule [<sup>F249</sup>, or] an official statement that L F250 the wood has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m3) and the exposure time

			of which are indicated on the phytosanitary certificate; but a phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.] [ <sup>F251</sup> For the purposes of points (a) and (b), there] must also be evidence of the heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate and, in the case of point (b), evidence of the kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark.
111.	Wood of <i>Thuja</i> L. and <i>Taxus</i> L., other than in the form of: — chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers, — wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface	Canada, China, Japan, Republic of Korea, Mexico, Taiwan and the USA (where <i>Bursaphelenchu</i> <i>xylophilus</i> (Steiner & Bührer) Nickle is known to occur) and EU Member States other than those EU Member States where <i>Bursaphelenchu</i> <i>xylophilus</i> (Steiner & Bührer) Nickle is known not to occur	<ul> <li>c an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes</li> </ul>

			official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.] Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage. Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.
112.	Wood of conifers (Pinales), other than in the form of: — chips,	Kazakhstan, Russia and Turkey	The wood must be accompanied by: a an official statement that it originates in an area* known
	particles, sawdust,		to be free from: i <i>Monochamus</i> spp.
	shavings, wood		ii Pissodes cibriani O'Brien, Pissodes
	waste and scrap		fasciatus Leconte, Pissodes nemorensis
	obtained in whole		Germar, <i>Pissodes</i> <i>nitidus</i> Roelofs,
	or part from		<i>Pissodes punctatus</i> Langor & Zhang, <i>Pissodes strobi</i>
	these conifers,		(Peck), Pissodes terminalis Hopping,
	— wood packaging		Pissodes yunnanensis Langor & Zhang and
	material, except		Pissodes zitacuarense Sleeper, and
	associated controlled		iii <i>Scolytidae</i> spp. (non- European),
	dunnage, but including wood		b an official statement that it is
	which has not kept its natural round		bark-free and free from grub holes, caused by its vectors,
	surface		

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

*Monochamus* spp., which are larger than 3 mm across,

- c an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, <sup>F255</sup>...
- d an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core) [<sup>F256</sup>, or]
- an official statement that F257e the wood has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m3) and the exposure time of which are indicated on the phytosanitary certificate; but a phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.]

\* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

Where the phytosanitary certificate includes the official statement referred to in point (d), there must

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

			also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.
113.	Wood of conifers (Pinales), other than in the form of: — chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers, — wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface.	Any third country other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canada, Canary Islands, China, EU Member States, Faroe Islands, Georgia, Iceland, Japan, Liechtenstein, Kazakhstan, Mexico, Moldova, Monaco, Montenegro, North Macedonia, Norway, Republic of Korea, Russia, San Marino, Serbia, Switzerland, Taiwan, Turkey, Ukraine and the USA	The wood must be accompanied by: a an official statement that it is bark-free and free from grub holes, caused by its vectors, <i>Monochamus</i> spp., which are larger than 3 mm across, b an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, <sup>F258</sup> c an official statement that has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core) [ <sup>F259</sup> , or] [ an official statement that F260d the wood has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m3) and the exposure time of which are indicated on the phytosanitary certificate; but a phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.] Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised

\_

			mark, put on the wood or on any wrapping in accordance with current usage. Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.
114.	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from conifers (Pinales)	Any third country other than: <sup>F261</sup> Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canada, Canary Islands, China, EU Member States, Faroe Islands, Georgia, Iceland, Japan, Liechtenstein, <sup>F261</sup> Mexico, Moldova, Monaco, Montenegro, North Macedonia, Norway, Republic of Korea, <sup>F261</sup> San Marino, Serbia, Switzerland, Taiwan, <sup>F261</sup> Ukraine and the USA	<ul> <li>The wood must be accompanied by:</li> <li>a an official statement that the wood originates in areas* which, in accordance with the measures specified in ISPM4, are known to be free from: <ul> <li>i Monochamus spp.</li> <li>ii Pissodes cibriani</li> <li>O'Brien, Pissodes</li> <li>fasciatus Leconte,</li> <li>Pissodes nemorensis</li> <li>Germar, Pissodes</li> <li>nitidus Roelofs,</li> <li>Pissodes punctatus</li> <li>Langor &amp; Zhang,</li> <li>Pissodes zitacuarense</li> <li>Sleeper, and</li> <li>iii Scolytidae spp. (non-European),</li> </ul> </li> <li>b an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, <sup>F262</sup></li> <li>d an official statement that it has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minutes</li> </ul>

			<ul> <li>throughout the entire profile of the wood (including at its core) [<sup>F263</sup>, or]</li> <li>[ an official statement that</li> <li><sup>F264</sup>e the wood has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m3) and the exposure time of which are indicated on the phytosanitary certificate; but a phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection of the United Kingdom with written details of fumigation.]</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> </ul>
115.	Isolated bark of	5	The bark must be accompanied by an official statement:
	conifers (Pinales)	country other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District	official statement: [ that the bark has been subject F265 <sub>Za</sub> to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m3) and the exposure time of which are indicated on the phytosanitary certificate*,] a that it has undergone an appropriate heat treatment [F266**] to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the bark, and b that subsequent to its treatment, it was transported, until its export from the country issuing the statement, outside the flight season of its vectors, <i>Monochamus</i> spp., taking into account a safety margin of four additional weeks at the

	(Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo- Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug), San Marino, Serbia, Switzerland, Turkey and Ukraine; and EU Member States where <i>Bursaphelenchu</i> <i>xylophilus</i> (Steiner & Bührer) Nickle is known not to occur	beginning and at the end of the expected flight season or with a protective covering ensuring that infestation with <i>Bursaphelenchus</i> <i>xylophilus</i> (Steiner & Bührer) Nickle et al. or its vectors, <i>Monochamus</i> spp. cannot occur. [ <sup>F267</sup> *A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation. ** There must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate.]
[ <sup>F268</sup> 11 500 of <i>Abies</i> Mill., <i>Pinus</i> L., <i>Picea</i> Mill., <i>Larix</i> Mill., and <i>Tsuga</i> Carr., other than in the form of: —chips, particles, sawdust, shavings, wood waste and scrap obtained in	Russia	The wood must be accompanied by an official statement that: (a) it originates in an area* established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Polygraphus proximus</i> Blandford, (b) it is bark-free, (c) it has undergone kiln-drying to below 20% moisture content

	whole or part from these conifers, or —wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface		expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, (d) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, (e) it has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m <sup>3</sup> ) and the exposure time of which are indicated on the phytosanitary certificate, or (f) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage. Where the phytosanitary certificate includes the official statement referred to in point (d), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate. For the purposes of the official statement referred to in point (e), the national plant protection organisation of the country of origin must have previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.
115B.	Wood of <i>Larix</i> Mill. other than in the form of:	Russia	The wood must be accompanied by an official statement that:

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

-chips, particles, (a) it originates in an area\* which sawdust, shavings, is established by the national plant wood waste and protection organisation in accordance scrap obtained in with the measures specified in ISPM4 whole or part from as an area that is free from Scolytus these conifers, or morawitzi Semenov, (b) it is bark-free, —wood packaging material, except (c) it has undergone kiln-drying associated to below 20% moisture content controlled expressed as a percentage of dunnage, dry matter, achieved through an but including wood appropriate time/temperature which has not kept schedule, its natural round (d) it has undergone an appropriate surface heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood. (e) it has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate  $(g/m^3)$ and the exposure time of which are indicated on the phytosanitary certificate, or (f) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. \* The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage. Where the phytosanitary certificate includes the official statement referred to in point (d), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate. For the purposes of the official statement referred to in point (e), the national plant protection organisation

			of the country of origin must have previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.
115C.	Wood of conifer (Pinales) in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from conifers	Russia	The wood must be accompanied by an official statement that: (a) it originates in an area* which is established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Polygraphus proximus</i> Blandford and <i>Scolytus morawitzi</i> Semenov, (b) it has been produced from wood which is bark-free, (c) it has undergone kiln-drying to below 20% moisture content expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, (d) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or (e) it has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m <sup>3</sup> ) and the exposure time of which are indicated on the phytosanitary certificate. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

		or on any wrapping in accordance with current usage and on the phytosanitary certificate. For the purposes of the official statement referred to in point (e), the national plant protection organisation of the country of origin must have previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.
115D. Isolated bark of conifer (Pinales)	Russia	The bark must be accompanied by an official statement that: (a) it originates in an area* which is established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Polygraphus proximus</i> Blandford and <i>Scolytus morawitzi</i> Semenov, (b) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or (c) it has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m <sup>3</sup> ) and the exposure time of which are indicated on the phytosanitary certificate. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate. For the purposes of the official statement referred to in point (c), the national plant protection organisation of the country of origin must have previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.]

	1	1	
116.	[ <sup>F269</sup> Wood of Pinus and Pseudotsuga menziesii (Mirbel) Franco, other than: — — — — — — — — — — — — — — — — — — —	[ <sup>F270</sup> Any third country, other than European countries where <i>Fusarium</i> <i>circinatum</i> Nirenberg & O'Donnell is known not to occur]	The wood must be accompanied by: a an official statement that it originates in a country* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Fusarium circinatum</i> Nirenberg & O'Donnell, b an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Fusarium circinatum</i> Nirenberg & O'Donnell, or c an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core). * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.
117.	Wood of conifers (Pinales) [ <sup>F271</sup> , other than wood packaging material, (except associated controlled dunnage)]	Any third country	<ul> <li>The wood must:         <ul> <li>a be bark-free,</li> <li>b be accompanied by an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Ips amitinus</i> (Eichhoff), <i>Ips duplicatus</i> (Sahlberg) and <i>Ips typographus</i> (L.), or</li> </ul> </li> <li>[<sup>F272</sup>c be accompanied by an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage</li> </ul>

			of dry matter, achieved through an appropriate time/ temperature schedule and have evidence by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.] * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
118.	Isolated bark of conifers (Pinales)	Any third country	The bark must be accompanied by: a an official statement that it has been subjected to [ <sup>F273</sup> fumigation*] or other appropriate treatments against bark beetles, or b an official statement that it originates in an [ <sup>F274</sup> area**] which, in accordance with the measures specified in ISPM4, is known to be free from <i>Ips amitinus</i> (Eichhoff), <i>Ips duplicatus</i> (Sahlberg) and <i>Ips typographus</i> (L.). [ <sup>F275</sup> * A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.] [ <sup>F276</sup> ** The name] of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
119.	[ <sup>F277</sup> Wood of conifers (Pinales) in the form of chips, particles, sawdust, shavings, wood waste and scrap, and isolated bark]	countries where <i>Fusarium</i>	<ul> <li>The bark must be accompanied by:</li> <li>a an official statement that it originates in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Fusarium circinatum</i> Nirenberg &amp; O'Donnell,</li> <li>b an official statement that it originates in an area*</li> </ul>

			<ul> <li>which, in accordance with the measures specified in ISPM4, is known to be free from <i>Fusarium circinatum</i> Nirenberg &amp; O'Donnell, or</li> <li>c an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core).</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>A phytosanitary certificate may not include the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing.</li> <li>Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.</li> </ul>
120.	Wood of Juglans L. and Pterocarya Kunth, other than in the form of: — chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these plants,	EU Member States and the USA	The wood must be accompanied by: a an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Geosmithia morbida</i> Kolarík, Freeland, Utley & Tisserat and its vector <i>Pityophthorus</i> <i>juglandis</i> Blackman, b an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile

	wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface		of the wood (including at its core), or c an official statement that it has been squared to entirely remove the natural rounded surface. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.
121.	Isolated bark and wood of <i>Juglans</i> L. and <i>Pterocarya</i> Kunth, in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these plants	EU Member States and the USA	The wood or the isolated bark must be accompanied by: a an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Geosmithia morbida</i> Kolarík, Freeland, Utley & Tisserat and its vector <i>Pityophthorus</i> <i>juglandis</i> Blackman, or b an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile of the bark or the wood. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
122.	Wood of Acer macrophyllum Pursh, Aesculus californica (Spach) Nutt., Lithocarpus densiflorus (Hook & Arn.) Rehd., Quercus spp. L. and Taxus brevifolia Nutt.	The USA	The wood must be accompanied by: a an official statement that it originates in an area* in which non- European isolates of <i>Phytophthora ramorum</i> Werres, De Cock & Man in 't Veld are known not to occur, b an official statement that the wood has been stripped of its bark and:

	[ <sup>F279</sup> , [ <sup>F280</sup> other than: — in the form of wood packaging material, (except associated controlled dunnage), — in the case of <i>Quercus</i> L., in the form of casks, barrels, vats, tubs and other coopers' products and parts thereof, including staves, where there is documented evidence that the wood has been produced or manufactured using heat treatment to achieve a minimum temperature of 176 °C for 20 minutes].]		<ul> <li>i that it has been squared so as to entirely remove the rounded surface,</li> <li>ii that the water content of the wood does not exceed 20% expressed as a percentage of the dry matter, or</li> <li>iii that the wood has been disinfected by an appropriate hot- air or hot water-water treatment, or</li> <li>c in the case of sawn wood with or without residual bark attached, an official statement that it has undergone kiln drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that kiln- drying by a mark "kiln-dried" or "KD" or another internationally recognised mark, put on the wood or its packaging in accordance with current usage.</li> </ul>
123.	Wood of <i>Acer</i> saccharum Marsh., other than in the form of: — wood intended for the production of veneer sheets, — chips, particles, sawdust, shavings,	Canada and the USA	The wood must be accompanied by an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, and there must be evidence of that kiln drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.

	wood waste and scrap, — wood packaging material, except associated controlled dunnage, including wood which has not kept its natural round surface		
124.	Wood of <i>Acer</i> saccharum Marsh., intended for the production of veneer sheets	Canada and the USA	The wood must be accompanied by an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Davidsoniella</i> <i>virescens</i> (R.W. Davidson) Z.W. de Beer, T.A. Duong & M.J. Wingf Moreau and is intended for the production of veneer sheets. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
125.	Wood of Fraxinus L., Juglans ailantifolia Carr., Juglans mandshurica Maxim., Ulmus davidiana Planch. and Pterocarya rhoifolia Siebold & Zucc., other than in the form of — chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees,	[ <sup>F281</sup> Any third country][ <sup>F282</sup> othe than Canada and the USA]	The wood must be accompanied by: a an official statement that it has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood, or b an official statement that the wood originates in an area* established by the national plant protection organisation in accordance with ISPM4 an area that is free from <i>Agrilus planipennis</i> Fairmaire and that no part of the area lies within 100 km of a known outbreak of <i>Agrilus</i> <i>planipennis</i> Fairmaire. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". A phytosanitary certificate may not include any such official statement unless the national plant protection

wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, and furniture and other objects made of untreated wood		organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
<ul> <li>Mood of Fraxinus</li> <li>L., Juglans ailantifolia</li> <li>Carr., Juglans mandshurica</li> <li>Maxim., Ulmus davidiana Planch. and Pterocarya rhoifolia Siebold &amp; Zucc., other than in the form of:</li> <li>chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees,</li> <li>wood packaging material, except associated controlled dunnage,</li> <li>but including wood which has not kept its natural round surface, and furniture and other objects made of</li> </ul>	Canada and the USA	The wood must be accompanied by an official statement that it: (a) originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire and that no part of the area lies within 100 km of a known outbreak of <i>Agrilus planipennis</i> Fairmaire, (b) has undergone ionizing irradiation to achieve a minimum absorbed dose of 1kGy throughout the wood, or (c) has been— (i) debarked, all sawn wood being produced from such debarked wood**, (ii) heated through its profile to at least 71°C for 1200 minutes in a heat chamber approved by the relevant national plant protection organisation's inspection service***, and (iii) dried following industrial drying schedules of a duration of at least two weeks, recognised by the relevant national plant protection organisation's inspection service*** and the final moisture content of the wood must not exceed 10% expressed as a percentage of dry matter. * The names(s) of the area(s) must be included in the phytosanitary certificate may not include any such official statement
untreated wood		unless the national plant protection

organization of the country of arisin
organisation of the country of origin
has previously provided the national
plant protection organisation of the
United Kingdom with written details
of the area or areas.
** The maximum tolerance level for
residual pieces of bark is 50 cm <sup>2</sup> in
area. *** The inspection services as
officially approved by the national
plant protection organisation in the
country of origin or the country of
processing, namely Canada or the
USA.
In the case of wood declared to
comply with the requirements listed
in point (c):
(1) the wood must be produced,
handled or stored in a facility****
which fulfils all the following
requirements:
(i) it is officially approved by the
relevant national plant protection
organisation's inspection service
pursuant to its certification
programme for the pest Agrilus
planipennis Fairmaire,
(ii) it is registered in a database
published by the relevant inspection
service,
(iii) it is audited *****at least once
per month by the relevant national
plant protection organisation's
inspection service, or an agency
approved by that inspection service,
which concludes in each audit that the
facility has treated wood as per the
requirements listed in point (c),
(iv) it uses equipment for the
treatment of the wood which has
been calibrated consistently with the
equipment's manual of operation,
(v) it keeps records of its
procedures for verification by the
relevant national plant protection
organisation's inspection service, or
an agency approved by that inspection
service, including the duration of
treatment, temperatures during
treatment and, for each specific
bundle to be exported, the compliance
check and final moisture content.

				<ul> <li>****The name of the facility or facilities must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>*****Where these audits are performed by an agency approved by the relevant national plant protection organisation's inspection service, the relevant national plant protection organisation's inspection service must carry out six-monthly audits of this work. The six-monthly audits must include the verification of the procedures and documentation of the agency and audits at approved facilities.</li> <li>(2) Each bundle of wood must visibly display both the unique bundle number and a label with the words "HTKD" or "Heat Treated-Kiln Dried". That label must be issued by, or under the supervision of, a designated officer of the approved facility after verifying that the processing requirements set out in point (c) and the requirements for facilities set out in point (1) have been complied with. The bundle number(s) corresponding to each specific bundle being exported must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>(3) The wood must have been inspected before export by the relevant national plant protection organisation's inspection service, or an agency approved by that inspection service, to ensure that the requirements laid down in point (c) and point (2) are met.]</li> </ul>
126.	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans</i> <i>mandshurica</i> Maxim., <i>Ulmus</i> <i>davidiana</i> Planch.	[ <sup>F284</sup> Any country]	third	The official statement must confirm that the wood originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire and that no part of the area lies within 100 km of a known outbreak of <i>Agrilus planipennis</i> Fairmaire. * The name of the area(s) must be included in the phytosanitary

	and <i>Pterocarya</i> <i>rhoifolia</i> Siebold & Zucc.		certificate under the heading "Additional declaration". A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
127.	Isolated bark and objects made of bark of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus</i> <i>davidiana</i> Planch. and <i>Pterocarya</i> <i>rhoifolia</i> Siebold & Zucc.	 third	The official statement must confirm that the bark originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire and that no part of the area lies within 100 km of a known outbreak of <i>Agrilus planipennis</i> Fairmaire. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". A phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas.
128.	Wood of <i>Castanea</i> Mill. [ <sup>F286</sup> , other than wood packaging material, (except associated controlled dunnage).]	third	The wood must: a be bark-free, or b be accompanied by an official statement: i that it originates in areas known to be free from <i>Cryphonectria</i> <i>parasitica</i> (Murrill.) Barr., or ii that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule.

[ <sup>F287</sup> 12	Mood of <i>Castanea</i> Mill, and <i>Quercus</i> L. [ <sup>F288</sup> other than: — in the form of chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or in part from these trees, — in the form of wood packaging material (except associated controlled dunnage), — in the case of <i>Quercus</i> L., in the form casks, barrels, vats, tubs and other coopers' products and parts thereof, including staves, originating in Canada or the USA, where there is documented evidence that the wood has been produced or manufactured using heat	Canada, Turkey or th USA	<ul> <li>The wood must be accompanied by an official statement that:</li> <li>(a) it originates in an area* which, in accordance with ISPM No. 4 is known to be free from <i>Agrilus bilineatus</i> Weber and not within 100 km of a known outbreak of <i>Agrilus bilineatus</i> Weber,</li> <li>(b) it is bark-free, and has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or</li> <li>(c) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.</li> <li>*The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> </ul>
	been produced		
128B	Wood in the form of chips particles, sawdust, shavings, wood waste and scrap, obtained in whole or in part from <i>Castanea</i> Mill and <i>Quercus</i> L.	Canada, Turkey or th USA	The wood must be accompanied by an official statement that it originates in an area* which, in accordance with ISPM No. 4, is known to be free from <i>Agrilus bilineatus</i> Weber and is not within 100 km of a known outbreak of <i>Agrilus bilineatus</i> Weber. *The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".

128C	Wood of <i>Castanea</i> Mill, <i>Castanopsis</i> (D. Don) Spach and <i>Quercus</i> L. other than in the form of: - chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or in part from these trees, - wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface	China, Democratic People's Republic of Korea, Japan, Republic of Korea, Russia F289 and Vietnam	The wood must be accompanied by an official statement that: (a) it originates in an area* which, in accordance with ISPM No. 4, is known to be free from <i>Neocerambyx raddei</i> Blessig, (b) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or (c) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate. *The name of the area(s) must be included in the phytosanitary certificate. *The name of the area(s) must be included in the phytosanitary certificate.
128D	Wood in the form of chips, particles, sawdust, wood waste or scrap obtained in whole or part from <i>Castanea</i> Mill, <i>Castanopsis</i> (D. Don) Spach and <i>Quercus</i> L.	Democratic People's Republic of Korea, Japan,	The wood must be accompanied by an official statement, that: (a) it originates in an area* which, in accordance with ISPM No. 4, is known to be free from <i>Neocerambyx raddei</i> Blessig, (b) it has been processed into pieces of not more than 2.5 cm thickness and width, or (c) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the chips, particles, wood waste or scrap. Where the phytosanitary certificate includes the official statement referred to in paragraph (c), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate. *The name of the area(s) must be included in the phytosanitary

			certificate under the heading "Additional declaration".]
129.	Isolated bark of <i>Castanea</i> Mill.	Any third country	The isolated bark must be accompanied by an official statement that it originates in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr.
130.	Wood of <i>Quercus</i> L., other than in the form of: — chips, particles, sawdust, shavings, wood waste and scrap, — casks, barrels, vats, tubs and other coopers' products and parts thereof, including staves, where there is documente evidence that the wood has been produced or manufactur using heat treatment to achieve a minimum temperatur of 176 °C for 20 minutes — wood packaging material, except associated	red	The wood must be accompanied by: [ an official statement that the <sup>F291</sup> za wood originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Bretziella fagacearum</i> Z.W. de Beer, Marincowitz, T.A. Duong & M.J. Wingfield,] a an official statement that it is squared so as to remove entirely the rounded surface, b an official statement that it is bark-free and the water content is less than 20% expressed as a percentage of the dry matter, c an official statement that it is bark-free and has been disinfected by an appropriate hot air or hot water treatment, or d in the case of sawn wood, with or without residual bark attached, an official statement that it has undergone kiln- drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule. Where the phytosanitary certificate includes the official statement referred to in point (d), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage. [ <sup>F292</sup> * The name(s) of the area(s) must be included in the phytosanitary

	controlled dunnage, but including wood which has not kept its natural round surface		certificate under the heading "Additional declaration".]
131.	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap and obtained in whole or part from <i>Quercus</i> L.	Canada and the USA	The wood must be accompanied by: [ an official statement that the F <sup>293</sup> za wood originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Bretziella fagacearum</i> Z.W. de Beer, Marincowitz, T.A. Duong & M.J. Wingfield,] a an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, <sup>F294</sup> b an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core) [ <sup>F295</sup> , or] [ an official statement that treatment the active ingredient, the minimum wood temperature, the rate (g/m3) and the exposure time of which are indicated on the phytosanitary certificate may not include any such official statement unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of fumigation.]

			Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate. [ <sup>F297</sup> * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]
[ <sup>F298</sup> 13	Isoplated bark and objects made of bark of <i>Quercus</i> L.	Turkey	The isolated bark must be accompanied by an official statement that it originates in an area* which, in accordance with ISPM No. 4, is known to be free from <i>Agrilus</i> <i>bilineatus</i> Weber and is not within 100 km of a known outbreak of <i>Agrilus bilineatus</i> Weber. *The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]
132.	Wood of <i>Betula</i> L., other than in the form of: — chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these trees, — wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, and furniture and other	Canada and the USA (where Agrilus anxius Gory is known to occur)	The wood must be accompanied by: a an official statement that its bark and at least 2.5 cm of the outer sapwood have been removed in a facility authorised and supervised by the national plant protection organisation in the country of origin, or b an official statement that it has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.

	objects made of untreated wood		
133.	Wood chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Betula</i> L.	country other than EU Member States, Liechtenstein	The wood must be accompanied by a an official statement that it originates in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Agrilus anxius</i> Gory.
134.	Bark and objects made of bark of <i>Betula</i> L.		must be accompanied by an official statement confirming that it is free
135.	Wood of <i>Platanus</i> L., other than wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, and wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Platanus</i> L.	Albania, Armenia, EU Member States, Switzerland, Turkey and the USA	The wood must be accompanied by: a an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Ceratocystis platani</i> (J.M. Walter) Engelbr. & T.C. Harr., or b an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule. Where the phytosanitary certificate includes the official statement referred to in point (b), there must also and there must be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
136.	Wood of <i>Populus</i> L., other than in the form of: — chips, particles, sawdust, shavings,	Americas	The wood must be accompanied by: a an official statement that it is bark-free, or b an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage

	wood waste and scrap, — wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface		of dry matter, achieved through an appropriate time/ temperature schedule. Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that kiln-drying by a mark "kiln-dried" or "KD" or other internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.
[ <sup>F299</sup> 13	Mood of <i>Populus</i> L. and <i>Salix</i> L. other than in the form of: —chips, particles, sawdust, shavings, wood waste and scrap, or —wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface	Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of	The wood must be accompanied by an official statement that: (a) it originates in an area* which in accordance with the measures specified in ISPM No. 4 is known to be free from <i>Agrilus fleischeri</i> Obenberger, and not within 100 km of a known outbreak of <i>Agrilus fleischeri</i> Obenberger; (b) it is bark-free, and has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minutes throughout the entire profile of the wood; or (c) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate. * The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]
137.	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap and obtained in whole or in part from <i>Acer</i>	Canada and the USA	<ul> <li>The wood must be accompanied by:</li> <li>a an official statement that it has been produced from debarked round wood,</li> <li>b an official statement that it has undergone kiln-drying to</li> </ul>

137B	Isolated bark and	China, the	The isolated bark and objects made
	objects made of bark of <i>Populus</i> L. and <i>Salix</i> L.	Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the	of bark must be accompanied by an official statement that they originate in an area* which in accordance with the measures specified in ISPM No. 4 is known to be free from <i>Agrilus</i> <i>fleischeri</i> Obenberger, and not within 100 km of a known outbreak of
138.	Wood of Amelanchier Medik., Aronia Medik., Cotoneaster Medik., Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. and Sorbus L., other than in the form of: — chips, sawdust and shavings, obtained in whole or part from these plants, — wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface	Canada and the USA	The wood must be accompanied by: a an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Saperda candida</i> Fabricius, b an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or c an official statement that it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
139.	Wood in the form	Canada and the	The wood must be accompanied by:
	of chips obtained in whole or part	USA	a an official statement that it originates in an area*

140.	Cotoneaster Medik., Crataegus L., Cydonia Mill., Malus Mill., Prunus L., Pyracantha M. Roem., Pyrus L. and Sorbus L. Wood of Prunus L., other than in the form of: — chips,	China, Democratic People's Republic of	<ul> <li>Saperda candida Fabricius,</li> <li>b an official statement that <ul> <li>it has been processed into</li> <li>pieces of not more than 2.5</li> <li>cm thickness and width, or</li> </ul> </li> <li>c an official statement that it <ul> <li>has undergone an appropriate</li> <li>heat treatment to achieve a</li> <li>minimum temperature of 56</li> <li>°C for a minimum duration</li> <li>of 30 continuous minutes</li> <li>throughout the entire profile</li> <li>of the wood.</li> </ul> </li> <li>Where the phytosanitary certificate</li> <li>includes the official statement</li> <li>referred to in point (c), there must</li> <li>also be evidence of that heat treatment</li> <li>by a mark "HT" on the phytosanitary</li> <li>certificate.</li> <li>* The name of the area(s) must</li> <li>be included in the phytosanitary</li> <li>certificate under the heading</li> <li>"Additional declaration".</li> </ul> The wood must be accompanied by: <ul> <li>a an official statement that</li> <li>it originates in an area*</li> <li>which, in accordance with the</li> </ul>
	particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these plants, — wood packaging material, except associated controlled dunnage, but including wood which has not kept	Korea, Mongolia, Japan, Republic of Korea, Vietnam and EU Member States other than any EU Member State where <i>Aromia</i> <i>bungii</i> (Faldermann) is known not to occur	measures specified in ISPM4, is known to be free from <i>Aromia bungii</i> (Faldermann), b an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or c an official statement that it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. Where the phytosanitary certificate includes the official statement referred to in point (b), there must also be evidence of that heat treatment

	its natural round surface		or on any wrapping in accordance with current usage and on the phytosanitary certificate. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
141.	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from <i>Prunus</i> L.	Democratic People's Republic of Korea,	The wood must be accompanied by: a an official statement that it originates in an area* which, in accordance with the measures specified in ISPM4, is known to be free from <i>Aromia bungii</i> (Faldermann), b an official statement that it has been processed into pieces of not more than 2.5 cm thickness and width, or c an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood. Where the phytosanitary certificate includes the official statement referred to in point (c), there must also be evidence of that heat treatment by a mark "HT" on the phytosanitary certificate. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
142.	Wood, obtained in whole or in part, from Acer spp. L. Aesculus spp., Alnus spp. Miller, Betula spp. L. Carpinus spp., Cercidiphyllum spp. L., Corylus spp., Fagus spp., Fraxinus spp. L., Koelreuteria spp. Medikus, Platanus spp. L., Populus spp. L., Salix spp.	EU Member States other than any EU Member State where <i>Anoplophora</i> <i>glabripennis</i> (Motschulsky) is known not to occur and any other third country where <i>Anoplophora</i> <i>glabripennis</i> (Motschulsky)	In the case of wood: a in the form of chips, particles, shavings, wood waste [ <sup>F304</sup> , sawdust] or scrap, the wood must be accompanied by: i an official statement that it originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Anoplophora</i>

L., <i>Tilia</i> spp. and <i>Ulmus</i> spp.L., other than wood packaging material [ <sup>F303</sup> (except associated controlled dunnage),], but including wood which has not retained its natural round surface.	is known occur	to	<i>glabripennis</i> (Motschulsky), ii an official statement that it is debarked and has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood (including at its core), or
			<ul> <li>iii an official statement that the wood has been processed into pieces of not more than 2.5 cm thickness and width,</li> <li>b in any other form, the wood</li> </ul>
			<ul> <li>b in any other form, the wood must be accompanied by:</li> <li>i an official statement that it originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Anoplophora glabripennis</i> (Motschulsky), or</li> <li>ii an official statement that it is debarked and has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum</li> </ul>
			duration of 30 continuous minutes throughout the entire profile of the wood (including at its core). Where the phytosanitary certificate includes the official statement referred to in point (b)(ii), there must

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
--	--

## **Textual Amendments**

- F151 Words in Annex 7 Pt. A substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(a)
- F152 Words in Annex 7 Pt. A inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(a)(i)
- F153 Words in Annex 7 Pt. A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(a)(i)
- F154 Words in Annex 7 Pt. A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(a)
- F155 Words in Annex 7 Pt. A inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(a)(ii)
- F156 Words in Annex 7 Pt. A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), 6(2)(a)
- F157 Words in Annex 7 Pt. A inserted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), 5(1)(a)(i)
- F158 Word in Annex 7 Pt. A Table Entry 1 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(2)
- F159 Words in Annex 7 Pt. A Entry 2 inserted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), 5(1)(a)(ii)(aa)
- F160 Words in Annex 7 Pt. A Entry 3 inserted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), 5(1)(a)(ii)(bb)
- F161 Words in Annex 7 Pt. A omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(a)
- F162 Words in Annex 7 Pt. A Table Entry 8 omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), 6(2)(b)(i)
- F163 Words in Annex 7 Pt. A Entry 9 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(i)
- F164 Words in Annex 7 Pt. A Entry 11 substituted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(a)
- F165 Words in Annex 7 Pt. A Entry 13 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(i)
- F166 Words in Annex 7 Pt. A Entry 13 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(ii)
- F167 Word in Annex 7 Pt. A Entry 13 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(iii)
- F168 Words in Annex 7 Pt. A Entry 13 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(iv)
- **F169** Words in Annex 7 Pt. A Table Entry 20 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(c), **8(2)(a)(i)**

- F170 Word in Annex 7 Pt. A Entry 20 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(a)(ii)(aa)
- F171 Words in Annex 7 Pt. A Table Entry 20 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(3)
- F172 Words in Annex 7 Pt. A Entry 20 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(a)(ii)(bb)
- F173 Words in Annex 7 Pt. A Entry 20 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(a)(ii)(cc)
- F174 Words in Annex 7 Pt. A Entry 20 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(ii)**
- F175 Words in Annex 7 Pt. A Entry 21 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(b)(i)
- F176 Word in Annex 7 Pt. A Entry 21 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(b)(ii)(aa)
- F177 Words in Annex 7 Pt. A Entry 21 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(b)(ii)(bb)
- F178 Words in Annex 7 Pt. A Entry 22 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(c)
- F179 Words in Annex 7 Pt. A Entry 22 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(iii)
- F180 Word in Annex 7 Pt. A Entry 24 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(iv)
- F181 Words in Annex 7 Pt. A Entry 27 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(v)(aa)
- F182 Words in Annex 7 Pt. A Entry 27 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(v)(bb)
- **F183** Word in Annex 7 Pt. A Table Entry 28 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(4)
- F184 Words in Annex 7 Pt. A Entry 29 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(d)
- **F185** Annex 7 Pt. A Table Entry 30A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(b)(i)**
- F186 Words in Annex 7 Pt. A Entry 31 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(vi)
- F187 Words in Annex 7 Pt. A Entry 32 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(vii)
- **F188** Words in Annex 7 Pt. A Entry 33 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(viii)**
- **F189** Annex 7 Pt. A Table Entries 33A, 33B inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(ii)**
- F190 Word in Annex 7 Pt. A Entry 40 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(c)(i)
- **F191** Words in Annex 7 Pt. A Entry 40 substituted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(c)(ii)

- **F192** Words in Annex 7 Pt. A Entry 40 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(c)(iii)
- F193 Annex 7 Pt. A Entry 42A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 3(4)
- F194 Words in Annex 7 Pt. A Table Entry 42A substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(ii)
- F195 Annex 7 Pt. A Table Entry 42B inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 6(2)(b)(iii)
- F196 Words in Annex 7 Pt. A Entry 45 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(d)
- F197 Annex 7 Pt. A Entries 45A, 45B inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(a)(ii)(aa)
- **F198** Word in Annex 7 Pt. A Table Entry 45B omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(b)(i)**
- F199 Annex 7 Pt. A Table Entry 48A inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(b)(ii)**
- F200 Words in Annex 7 Pt. A Table Entry 50 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(iii)(aa)
- F201 Words in Annex 7 Pt. A Table Entry 50 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(iii)(bb)
- F202 Asterisk in Annex 7 Pt. A Entry 50 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(b)(i)
- F203 Words in Annex 7 Pt. A Entry 50 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(b)(ii)
- F204 Words in Annex 7 Pt. A Entry 56 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(ix)
- F205 Words in Annex 7 Pt. A Table Entry 57 omitted (29.4.2022) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2022 (S.I. 2022/484), regs. 1(1), 2(2)(a)
- F206 Words in Annex 7 Pt. A Table Entry 57 omitted (29.4.2022) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2022 (S.I. 2022/484), regs. 1(1), 2(2)(b)
- **F207** Annex 7 Pt. A Table Entry 63A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(b)(iv)**
- F208 Annex 7 Pt. A Entries 68A, 68B inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(x)
- F209 Words in Annex 7 Pt. A Entry 71 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xi)
- **F210** Words in Annex 7 Pt. A Entry 71 omitted (16.11.2022) by virtue of The Animals, Food, Plant Health, Plant Propagating Material and Seeds (Miscellaneous Amendments etc.) Regulations 2022 (S.I. 2022/1090), regs. 1(1), **15(2)**
- F211 Word in Annex 7 Pt. A Entry 74 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xii)(aa)
- F212 Word in Annex 7 Pt. A Entry 74 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xii)(bb)
- F213 Words in Annex 7 Pt. A Entry 74 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xii)(cc)
- F214 Words in Annex 7 Pt. A Entry 76 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiii)(aa)
- F215 Word in Annex 7 Pt. A Entry 76 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(xiii)(bb)
- F216 Words in Annex 7 Pt. A Entry 76 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiii)(cc)

- F217 Words in Annex 7 Pt. A Entry 76 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(xiii)(dd)
- F218 Annex 7 Pt. A Entry 83A inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiv)
- F219 Words in Annex 7 Pt. A Entry 83A substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(e)
- F220 Annex 7 Pt. A Entry 85A omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(c)
- **F221** Annex 7 Pt. A Table Entry 92 omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(iv)**
- F222 Annex 7 Pt. A Entries 93A-93C inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xv)**
- F223 Annex 7 Pt. A Entry 93B omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(e)
- F224 Word in Annex 7 Pt. A Table Entry 94 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 6(2)(b)(v)(aa)
- **F225** Words in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(v)(bb**)
- **F226** Word in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(v)(cc)**
- **F227** Words in Annex 7 Pt. A Table Entry 94 omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(v)(dd)**
- **F228** Words in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(v)(ee)**
- **F229** Words in Annex 7 Pt. A Table Entry 94 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(vi)**
- **F230** Words in Annex 7 Pt. A Table Entry 94 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(vii)(aa)**
- **F231** Words in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(vii)(bb)**
- **F232** Words in Annex 7 Pt. A Table inserted (1.10.2023) by The Windsor Framework (Retail Movement Scheme: Public Health, Marketing and Organic Product Standards and Miscellaneous Provisions) Regulations 2023 (S.I. 2023/959), regs. 1(2), **11(2)(a)**
- F233 Word in Annex 7 Pt. A Entry 95 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(i)
- F234 Word in Annex 7 Pt. A Entry 95 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(ii)(aa)
- F235 Words in Annex 7 Pt. A Entry 95 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(ii)(bb)
- F236 Words in Annex 7 Pt. A Entry 95 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(iii)

- **F237** Words in Annex 7 Pt. A Table Entry 100 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(viii)(aa)**
- **F238** Words in Annex 7 Pt. A Table Entry 100 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(viii)(bb)**
- F239 Annex 7 Pt. A Table Entry 102A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(vi)
- **F240** Words in Annex 7 Pt. A Table Entry 102A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(ix)**
- **F241** Annex 7 Pt. A Table Entry 102B inserted (1.10.2023) by The Windsor Framework (Retail Movement Scheme: Public Health, Marketing and Organic Product Standards and Miscellaneous Provisions) Regulations 2023 (S.I. 2023/959), regs. 1(2), **11(2)(b)**
- F242 Words in Annex 7 Pt. A Table Entry 105A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(vii)
- **F243** Annex 7 Pt. A Table Entries 105B, 105C inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(x)**
- F244 Word in Annex 7 Pt. A Table Entry 109 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(5)(a)
- F245 Words in Annex 7 Pt. A Table Entry 109 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(5)(b)
- F246 Words in Annex 7 Pt. A Table Entry 109 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(5)(c)
- F247 Words in Annex 7 Pt. A Table Entry 109 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(5) (d)
- **F248** Word in Annex 7 Pt. A Table Entry 110 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6)(a)
- F249 Words in Annex 7 Pt. A Table Entry 110 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6)(b)
- F250 Words in Annex 7 Pt. A Table Entry 110 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6)(c)
- F251 Words in Annex 7 Pt. A Table Entry 110 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6) (d)
- F252 Word in Annex 7 Pt. A Table Entry 111 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(7)(a)
- F253 Words in Annex 7 Pt. A Table Entry 111 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(7)(b)
- F254 Words in Annex 7 Pt. A Table Entry 111 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(7)(c)
- F255 Word in Annex 7 Pt. A Table Entry 112 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(8)(a)
- F256 Words in Annex 7 Pt. A Table Entry 112 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(8)(b)
- F257 Words in Annex 7 Pt. A Table Entry 112 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(8)(c)

- **F258** Word in Annex 7 Pt. A Table Entry 113 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(9)(a)
- F259 Words in Annex 7 Pt. A Table Entry 113 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(9)(b)
- F260 Words in Annex 7 Pt. A Table Entry 113 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(9)(c)
- F261 Words in Annex 7 Pt. A Entry 114 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xvi)
- F262 Word in Annex 7 Pt. A Table Entry 114 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(10)(a)
- F263 Words in Annex 7 Pt. A Table Entry 114 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(10)(b)
- F264 Words in Annex 7 Pt. A Table Entry 114 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(10)(c)
- F265 Words in Annex 7 Pt. A Entry 115 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xvii)(aa)
- F266 Asterisks in Annex 7 Pt. A Entry 115 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xvii)(bb)
- F267 Words in Annex 7 Pt. A Entry 115 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xvii)(cc)
- F268 Annex 7 Pt. A Table Entries 115A-115D inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(iii)
- F269 Words in Annex 7 Pt. A Entry 116 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xviii)(aa)
- F270 Words in Annex 7 Pt. A Entry 116 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xviii)(bb)
- F271 Words in Annex 7 Pt. A Entry 117 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xix)(aa)
- F272 Words in Annex 7 Pt. A Entry 117 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xix)(bb)
- F273 Word in Annex 7 Pt. A Entry 118 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xx)(aa)
- F274 Word in Annex 7 Pt. A Entry 118 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xx)(bb)
- F275 Words in Annex 7 Pt. A Entry 118 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xx)(cc)**
- F276 Words in Annex 7 Pt. A Entry 118 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xx)(dd)
- F277 Words in Annex 7 Pt. A Entry 119 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxi)(aa)
- F278 Words in Annex 7 Pt. A Entry 119 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxi)(bb)
- F279 Words in Annex 7 Pt. A Entry 122 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxii)
- **F280** Words in Annex 7 Pt. A Table Entry 122 substituted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(b)(iv)**
- **F281** Words in Annex 7 Pt. A Table Entry 125 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(b)(viii)**
- **F282** Words in Annex 7 Pt. A Table Entry 125 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(xi)**

- F283 Annex 7 Pt. A Table Entry 125A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 6(2)(b)(xii)
- F284 Words in Annex 7 Pt. A Table Entry 126 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(ix)
- **F285** Words in Annex 7 Pt. A Table Entry 127 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(b)(x)**
- **F286** Words in Annex 7 Pt. A Entry 128 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xxiii)**
- **F287** Annex 7 Pt. A Entries 128A-128D inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **2(4)(a)(ii)(bb)**
- **F288** Words in Annex 7 Pt. A Table Entry 128A substituted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(b)(v)**
- F289 Word in Annex 7 Pt. A Table Entry 128C omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(vi)
- F290 Word in Annex 7 Pt. A Table Entry 128D omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(vii)
- F291 Words in Annex 7 Pt. A Entry 130 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxiv)(aa)
- F292 Words in Annex 7 Pt. A Entry 130 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxiv)(bb)
- F293 Words in Annex 7 Pt. A Entry 131 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxv)(aa)
- F294 Word in Annex 7 Pt. A Table Entry 131 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(11)(a)
- F295 Words in Annex 7 Pt. A Table Entry 131 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(11)(b)
- F296 Words in Annex 7 Pt. A Table Entry 131 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(11)(c)
- F297 Words in Annex 7 Pt. A Entry 131 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxv)(bb)
- F298 Annex 7 Pt. A Entry 131A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(a)(ii)(cc)
- F299 Annex 7 Pt. A Table Entry 136A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(xi)
- F300 Words in Annex 7 Pt. A Table Entry 137 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(12)(a)
- F301 Words in Annex 7 Pt. A Table Entry 137 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(12)(b)
- **F302** Annex 7 Pt. A Table Entries 137A, 137B inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(xii)
- F303 Words in Annex 7 Pt. A Entry 142 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxvi)(aa)
- **F304** Word in Annex 7 Pt. A Entry 142 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xxvi)(bb)**

Status: Point in time view as at 02/05/2024. Commission Implementing Regulation (EU) 2019/2072 is up to date y

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



Plants, plant products and other objects originating in third countries which are subject to emergency measures and may only be introduced into Great Britain if special requirements are met

Mo	odifications etc. (not altering text)	
C	<ul> <li>Annex 7 Pt. B: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(4) (4A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 29(5)(e))</li> </ul>	
C	<ul> <li>16 Annex 7 Pt. B: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 44(1A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 29(7)(a))</li> </ul>	

In this Part, 'ISPM31' means International Standard for Phytosanitary Measures No 31 of April 2008 on methodogies for sampling of consignments prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations .

	(1) Description of plants, plant products or other objects	(2) Origin	(3) Special requirements
1.	Plants for planting, other than seeds, of Viburnum spp. L., Camellia spp. L. or Rhododendron spp. L., other than Rhododendron simsii Planch		<ul> <li>The plants must be accompanied by:</li> <li>a an official statement that the plants originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Phytophthora ramorum</i> Werres, De Cock &amp; Man in 't Veld;</li> <li>b an official statement that since the beginning of the last complete cycle of vegetation no signs of <i>Phytophthora ramorum</i> Werres, De Cock &amp; Man in 't Veld have been observed on the plants at the place of production during official inspections, including laboratory testing of any suspicious symptoms, carried out at least twice during the growing season at appropriate times when the plants were in active growth and with an intensity which took into account the particular</li> </ul>

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

production system of the plants, or where signs of *Phytophthora* с ramorum Werres, De Cock & Man in 't Veld have been found on the plants at the place of production, an official statement that appropriate procedures have been implemented for the purpose of eradicating that pest and the plants have been found free from the pest following those procedures, which consisted of at least: i destruction of the infected plants and all susceptible plants within a 2 m radius of the infected plants, including associated growing media and plant debris, ii in the case of plants listed in column (1) of this entry within a 10 m radius of the infected plants and any remaining plants from the infected lot: aa they have been retained at the place of production, bb additional official inspections have been carried out at least twice in the three months after the eradication measures have been taken when the plants are in active growth, cc no treatments that may

			suppress symptoms of the plant pest have been carried out in that three month period, and dd the plants have been found free from the pest on these official inspections, iii in the case of all other plants listed in column (1) of this entry at the place of production, the plants have been subjected to intensive official re-inspection and have been found free from the pest on those inspections, and iv appropriate phytosanitary measures have been taken on the growing surface within a 2 m radius of infected plants. * The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".
[ <sup>F305</sup> 2.	Plants for planting, other than seeds, that belong to the genera and species listed in the list of Xylella host plants, other than those referred to in entries 3, 4 and 5 of this Table	Any third country	The plants must be accompanied by an official statement: (a) that they have been grown during a period of at least three years before export, or in the case of plants which are younger than three years, have been grown throughout their life, in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), or (b) that they have been grown during a period of at least three years before export, or in the case of plants which are younger than three years before export, or in the case of plants which are younger than three years have been grown throughout their life, in an area

which has been established by the
national plant protection organisation
in accordance with ISPM4 as an area
that is free from <i>Xylella fastidiosa</i>
(Wells et al.), or
(c) in the case of plants which
originate in an area* where <i>Xylella</i>
<i>fastidiosa</i> (Wells et al.) is not known
to be absent, an official statement:
(i) that the plants have been produced
in a site **:
(aa) that is authorised by the national
plant protection organisation in
accordance with ISPM10 as a site that
is free from <i>Xylella fastidiosa</i> (Wells
et al.) and its vectors,
(bb) that is physically protected
against the introduction of <i>Xylella</i>
fastidiosa (Wells et al.) by its vectors,
(cc) that is surrounded by a zone
with a width of 100 m which has
been subject to official inspections
twice a year, and where all of the
plants found to be infected with,
or to have symptoms of, <i>Xylella</i>
fastidiosa (Wells et al.) have been
immediately removed, and appropriate
phytosanitary treatments against the
vectors of Xylella fastidiosa (Wells
et al.) have been applied before that
removal,
(dd) that at appropriate times
throughout the year, is subject to
phytosanitary treatments to maintain
freedom from the vectors of <i>Xylella</i>
fastidiosa (Wells et al.), including the
removal of plants,
(ee) that is subject annually, together
with the zone referred to in point (cc),
to at least two official inspections
during the flight season of the vectors
of Xylella fastidiosa (Wells et al.),
(ff) where throughout the production
time of the plants, neither symptoms
of Xylella fastidiosa (Wells et al.) nor
its vectors were found in the site or,
if suspect symptoms were observed,
testing was carried out and the absence
of Xylella fastidiosa (Wells et al.)
confirmed, and
(gg) where throughout the production
time of the plants, no symptoms of
<i>Xylella fastidios</i> a (Wells et al.) were

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

found in the zone referred to in point (cc) or, if suspect symptoms were observed, testing was carried out and the absence of Xvlella fastidiosa (Wells et al.) confirmed, (ii) that representative samples of each species of the plants from the site have been subject to annual testing, at the most appropriate time, and the absence of Xylella fastidiosa (Wells et al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testing methods. (iii) that the plants have been transported in closed containers or packaging, to prevent infection with *Xylella fastidiosa* (Wells et al.) or any of its known vectors, (iv) that as close to the time of export as is practically possible, the lots of the plants were subject to official visual inspection, sampling and molecular testing, carried out in accordance with internationally validated testing methods, using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 1%, that targets in particular plants displaying symptoms of Xylella fastidiosa (Wells et al.), and that confirmed the absence of Xylella fastidiosa (Wells et al.), and (v) that immediately before export, the lots of the plants were subject to phytosanitary treatments against any known vectors of Xylella fastidiosa (Wells et al.), or (d) in the case of plants which originate in an area where Xylella fastidiosa (Wells et al.) is not known to be absent, and which have been grown for their entire production cycle in vitro, an official statement: (i) that the plants have been grown in a site\*\* of production (aa) that is authorised by the national plant protection organisation in the country of origin in accordance with ISPM10 as a site of production that is free from Xylella fastidiosa (Wells et al.) and its vectors,

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Plants intended for	Any third country	<ul> <li>(bb) that is physically protected against the introduction of <i>Xylella fastidiosa</i> (Wells et al.) by its vectors, (cc) that is subjected annually to at least two official inspections carried out at appropriate times, and (dd) where throughout the production time of the plants, neither symptoms of <i>Xylella fastidiosa</i> (Wells et al.) nor its vectors were found in the site or, if suspect symptoms were observed, testing was carried out, and the absence of <i>Xylella fastidiosa</i> (Wells et al.) confirmed,</li> <li>(ii) that the plants have been transported under sterile conditions in a transparent container that precludes the possibility of infection by <i>Xylella fastidiosa</i> (Wells et al.) through its vectors, and</li> <li>(iii) that the plants have been grown from seeds, propagated under sterile conditions from mother plants which have spent their entire lives in an area free from <i>Xylella fastidiosa</i> (Wells et al.) and have been tested and found free from <i>Xylella fastidiosa</i> (Wells et al.), or have been propagated under sterile conditions from mother plants which meet the requirements in point (c)(i) and have been tested and found free from <i>Xylella fastidiosa</i> (Wells et al.).</li> <li>A phytosanitary certificate may not include the official statement referred to in (a) [<sup>F306</sup> or (b)] unless the national plant protection organisation of the United Kingdom of this information in writing.</li> <li>* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".</li> <li>The plants must be accompanied by an</li> </ul>
planting other than seeds, of <i>Coffea</i>		official statement:

3.

	sp. and Polygala myrtifolia L.		(a) that they have been grown during a period of at least three years before export, or in the case of plants which are younger than three years, have been grown throughout their life in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and (b) that they have been grown in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme which is able to identify with 99% reliability a level of presence of infected plants of 5%, and in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, and (c) in the case of plants of <i>Polygala myrtifolia</i> L. intended for planting, other than seeds, that before their movement out of their production site and as close to that time as practically possible, each lot of plants was subjected in addition to official visual inspection and sampling, as well as testing, in line with international standards for the presence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme which is able to identify with 99% reliability a level of presence of infected plants of 5%, and in which the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme which is able to identify with 99% reliability a level of presence of infected plants of 5%, and in which the absence of <i>Xylella</i> <i>fastidiosa</i> (Wells et al.) was confirmed. A phytosanitary certification may not include the official statement referred to in (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing.
4.	Plants intended for planting other than seeds, of <i>Lavandula</i> <i>sp.</i> L., <i>Nerium</i> <i>oleander</i> L. and	Any third country	The plants must be accompanied by an official statement: (a) that they have been grown: (i) during a period of at least three years before export, or in the case of plants which are younger than three

Salvia Rosmarinus	years, have been grown throughout
(Spenner)	their life, in a country which, in
	accordance with the measures
	specified in ISPM4, is known to be
	free from Xylella fastidiosa (Wells et
	al.), and
	(ii) in a site that is subject to annual
	official inspection, with sampling and
	testing carried out at the appropriate
	times on those plants for the presence
	of <i>Xylella fastidiosa</i> (Wells et al.)
	and in accordance with international
	standards, using a sampling scheme
	able to identify with 99% reliability a
	level of presence of infected plants of
	5%, in which the absence of <i>Xylella</i>
	fastidiosa (Wells et al.) was confirmed,
	or
	(b) in the case of plants, other than
	unrooted cuttings that:
	(i) the plants have been grown in a
	place of production[ <sup>F307</sup> *] which has
	been registered and supervised by the
	national plant protection organisation
	for a period of at least one year before
	the export of the plants,
	(ii) the place of production, together
	with a 200m zone surrounding
	the place of production, is known
	to be free from Xylella fastidiosa
	(Wells et al.) on the basis of official
	inspections, which included testing
	where appropriate, that was carried out
	at appropriate times;
	(iii) the plants have been subjected
	to an annual official inspection at
	an appropriate time, which included
	sampling and testing, that confirmed
	the absence of <i>Xylella fastidiosa</i>
	(Wells et al.) and was carried out
	in accordance with international
	standards using a sampling scheme
	able to identify with 99% reliability a
	level of presence of infected plants of 5%,
	(iv) immediately before their export,
	the plants were subjected to an official
	visual inspection for the presence
	of <i>Xylella fastidiosa</i> (Wells et al.)
	and, where any symptoms giving
	rise to a suspicion of its presence
	were observed, were tested in line

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

with international standards for its presence, confirming its absence, (v) where there has been any evidence of the presence of the vector of Xvlella *fastidiosa* (Wells et al.) at the place of production, chemical and cultural controls have been used to suppress the vector, and (vi) the plants have been grown throughout their life under complete physical protection, and appropriate hygiene measures have been implemented at the place of production to ensure that *Xylella* fastidiosa (Wells et al.) is not transmitted by tools or equipment, (c) in the case of unrooted cuttings, that they derive from mother plants which were grown in accordance with the requirements specified in paragraph (a) or (b), or (d) in the case of plants which originate in an area where Xvlella fastidiosa (Wells et al.) is not known to be absent and which have been grown for their entire production cycle in vitro: (i) that the plants have been grown in a site <sup>F308</sup>... of production [<sup>F309</sup>\*] : (aa) that is authorised by the national plant protection organisation in the country of origin in accordance with ISPM10 as a site of production that is free from Xvlella fastidiosa (Wells et al.) and its vectors, (bb) that is physically protected against the introduction of *Xylella* fastidiosa (Wells et al.) by its vectors, (cc) that is subjected annually to at least two official inspections carried out at appropriate times, and (dd) where, throughout the production time of the plants, no symptoms of *Xylella fastidiosa* (Wells et al.) or its vectors were found in the site or, if suspect symptoms were observed, testing was carried out, and the absence of Xylella fastidiosa (Wells et al.) confirmed, (ii) that the plants have been transported under sterile conditions in a transparent container that precludes the possibility of infection by Xylella

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

planting other than	Any third country	<ul> <li>(iii) that the plants have been grown under sterile conditions:</li> <li>(aa) from seeds,</li> <li>(bb) from mother plants which meet the requirements set out in (a), or</li> <li>(cc) from mother plants which meet the requirements set out in (b). A phytosanitary certificate may not include the official statement referred to in (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing. A phytosanitary certificate may not include the official statement referred to in (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the place(s) of production. A phytosanitary certificate may not include the official statement referred to in (c) unless the national plant protection organisation of the United Kingdom with written details of the place(s) of production. A phytosanitary certificate may not include the official statement referred to in (d) unless the national plant protection organisation of the United Kingdom with written details of the place(s) of production. A phytosanitary certificate may not include the official statement referred to in (d) unless the national plant protection organisation of the united Kingdom with written details of the site(s) of production. [F<sup>310</sup>*The name(s) of the place(s) or site(s) of production.</li> <li>[F<sup>310</sup>*The name(s) of the place(s) or site(s) of production.</li> <li>[F<sup>310</sup>*The name(s) of the place(s) or site(s) of production.</li> <li>[F<sup>310</sup>*The name(s) of the place(s) or site(s) of production.</li> <li>[F<sup>310</sup>*The name(s) of the place(s) or site(s) of production.</li> <li>[F<sup>310</sup>*The name(s) of the place(s) or site(s) of production.</li> <li>[F<sup>310</sup>*The name(s) of the place(s) or site(s) of productio</li></ul>
seeds F311		<ul><li>(a) that they have been grown:</li><li>(i) during a period of at least three years before export, or in the case of plants which are younger than</li></ul>

5.

of <i>Olea europaea</i> L. and <i>Prunus dulcis</i> (Mill.) D.A. Webb	three years, throughout their life, in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella</i> <i>fastidiosa</i> (Wells et al.), and (ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times for the presence of <i>Xylella</i> <i>fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of <i>Xylella</i>
	<i>fastidiosa</i> (Wells et al.) was confirmed, or (b) that: (i) the plants have been grown in a place of production [ <sup>F312,4</sup> ] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants, (ii) the place of production, together with a 200m zone surrounding the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate, carried out at appropriate times during the 12 months before the export of the plants, (iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 1%, (iv) immediately before their export, the plants were subjected to an official visual inspection for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and, where any symptoms giving rise to a suspicion of its presence were observed, were tested in line
	with international standards for its presence, confirming its absence, and

(v) where the place of production
of the plants is located in an area
where <i>Xylella fastidiosa</i> (Wells et al.)
is known to occur, the plants have
been grown under complete physical
protection for a period of at least four
years before their export or, in the case
of plants which are younger than four
years, throughout their life,
or
(c) in the case of plants which
originate in an area where <i>Xylella</i>
<i>fastidiosa</i> (Wells et al.) is not known
to be absent and have been grown for
e e
their entire production cycle in vitro, an official statement:
(i) that the plants have been grown in a
site <sup>F313</sup> of production [ <sup>F314</sup> *] :
(aa) that is authorised by the national
plant protection organisation in the
country of origin in accordance with
ISPM10 as a site of production that is
free from Xylella fastidiosa (Wells et
al.) and its vectors,
(bb) that is physically protected
against the introduction of <i>Xylella</i>
fastidiosa (Wells et al.) by its vectors,
(cc) that is subjected annually to at
least two official inspections carried
out at appropriate times, and
(dd) where, throughout the production
time of the plants, no symptoms of
<i>Xylella fastidiosa</i> (Wells et al.) or its
vectors were found in the site or, if
suspect symptoms were observed,
testing was carried out, and the
absence of Xylella fastidiosa (Wells et
al.) confirmed,
(ii) that the plants have been
transported under sterile conditions in
a transparent container that precludes
the possibility of infection by <i>Xylella</i>
fastidiosa (Wells et al.) through its
vectors, and
(iii) that the plants have been grown
under sterile conditions:
(aa) from seeds, or
(bb) from mother plants which meet
the requirements set out in (a), or
(cc) from mother plants which meet
the requirements set out in (b).
A phytosanitary certificate may
not include the official statement

			referred to in (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing. A phytosanitary certificate may not include the official statement referred to in (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the place(s) of production. Plants meeting the requirements of the official statement referred to in (b) should be individually labelled with a tamper proof label or other secure seal that cannot be re-used, is readable and undamaged, and gives the detail of the place of production, and the place of production should also be indicated on the phytosanitary certificate. A phytosanitary certificate may not include the official statement referred to in (c) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the site(s) of production. [ <sup>F315</sup> *The name(s) of the place(s) or site(s) of production, as the case may be, must be included in the phytosanitary certificate under the heading "Additional declaration".]]
6.	Seeds of <i>Solanum</i> <i>lycopersicum</i> L. and <i>Capsicum</i> spp., intended for planting	Any third country	<ul> <li>The seeds must be accompanied by:</li> <li>a an official statement that they are of <i>Capsicum</i> spp. varieties which are known to be resistant to Tomato brown rugose fruit virus, <sup>F316</sup></li> <li>b an official statement: <ul> <li>i that the mother</li> <li>plants of seeds have</li> <li>been produced in</li> <li>a production site*</li> <li>where Tomato brown</li> <li>rugose fruit virus is</li> <li>known not to occur</li> <li>on the basis of official</li> </ul> </li> </ul>

inspections carried out at the appropriate time to detect that pest, and ii that the seeds or their mother plants have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be free from that pest [ <sup>F317</sup> ; or
c) in the case of any seeds which were harvested before 15th August 2020, an official statement stating that "The seeds were harvested before 15th August 2020 and the seeds have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be
free from that pest.] *The name of the site(s) of production
must be included in the phytosanitary certificate under the heading "Additional declaration". For the purposes of [ <sup>F318</sup> points (b)(ii)
and (c)], the official sampling and testing of the seeds must be carried out in accordance with the paragraphs below.
The official sampling of seeds for testing must be carried out in accordance with the following sampling schemes referred to in the
relevant table of ISPM31: —in the case of seed lots which include 3000 or fewer seeds, a
hypergeometric sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 10% or above, —in the case of seed lots which
include 30000 or fewer seeds, but more than 3000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of
infected plants of 1% or above,

			—in the case of seed lots which include more than 30000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 0.1% or above. Sub samples must consist of nor more tha 1000 seeds for Polymerase Chain Reaction (PCR) methods. The testing of seeds must be carried out using one of the following methods and the method used must be included in the phytosanitary certificate under the heading "Additional declaration": —real-time RT-PCR using the primers and probes described in the ISF protocol (2020), or —real-time RT-PCR using primers and probe of Menzel and Winter (Acta Horticulturae, in press).
7.	Plants for planting of <i>Solanum</i> <i>lycopersicum</i> L. and <i>Capsicum</i> spp.	Any third country	The plants must be accompanied by: a an official statement that they are of <i>Capsicum</i> spp. varieties which are known to be resistant to Tomato brown rugose fruit virus, or b an official statement that: i the plants are derived from seeds which have undergone sampling and testing for Tomato brown rugose fruit virus in the manner set out in column (3) of entry 6 which has shown them to be free from that pest, and ii the plants have been produced in a production site* which is registered and supervised by the national plant protection organisation in the country of origin and is known to be free from Tomato brown rugose fruit virus on the basis of official

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### **Textual Amendments**

- **F305** Annex 7 Pt. B Table entries 2-5 substituted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), **5(1)(b)** (as amended by S.I. 2021/187, regs. 1, **2(4)**)
- F306 Words in Annex 7 Pt. B Entry 2 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(a)
- F307 Asterisk in Annex 7 Pt. B Entry 4 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(i)
- F308 Asterisks in Annex 7 Pt. B Entry 4 omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(ii)(aa)
- F309 Asterisk in Annex 7 Pt. B Entry 4 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(ii)(bb)
- F310 Words in Annex 7 Pt. B Entry 4 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(iii)
- F311 Words in Annex 7 Pt. B Entry 5 omitted (22.6.2021) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(b)
- F312 Asterisk in Annex 7 Pt. B Entry 5 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(i)
- F313 Asterisks in Annex 7 Pt. B Entry 5 omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(ii)(aa)
- F314 Asterisk in Annex 7 Pt. B Entry 5 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(ii)(bb)
- F315 Words in Annex 7 Pt. B Entry 5 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(iii)
- F316 Word in Annex 7 Pt. B Entry 6 omitted (2.5.2024) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(3)(a)(i)
- F317 Words in Annex 7 Pt. B Entry 6 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(3)(a)(ii)
- F318 Words in Annex 7 Pt. B Entry 6 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(3)(b)



List of plants, plant products and other objects originating in a CD territory or Great Britain and the special requirements for their introduction into Great Britain from a CD territory or their movement within Great Britain

#### **Textual Amendments**

**F319** Annex 8 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), **Sch. 8** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

#### Modifications etc. (not altering text)

C17 Annex 8: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 41(3)-(3B) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(4)(c)**)



List of plants, plant products and other objects originating in a CD territory or Great Britain and the special requirements for their introduction into Great Britain from a CD territory or their movement within Great Britain

#### Interpretation

#### In this Part-

'relevant PCN provisions' means-

- i in relation to potatoes produced in England, Part 4 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) (England) Regulations 2019;
- ii in relation to potatoes produced in Wales, Part 4 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) (Wales) Regulations 2020;
- iii in relation to potatoes produced in Scotland, paragraphs 4 and 5 of Part 2, and Part 4, of Schedule 2 to the Plant Health (Official Controls and Miscellaneous Provisions) (Scotland) Regulations 2019;
   'relevant Potato Wart Disease provisions' means
  - relevant i otato wart Disease provisions means
- i in relation to potatoes produced in England, Part 3 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) Regulations 2019;
- ii in relation to potatoes produced in Wales, Part 3 of Schedule 2 to the Official Controls (Plant Health and Genetically Modified Organisms) (Wales) Regulations 2020;
- iii in relation to potatoes produced in Scotland, Part 3 of Schedule 2 to the Plant Health (Official Controls and Miscellaneous Provisions) (Scotland) Rgulations 2019.

	(1) Description of plants, plant products or other objects	(2) Special requirements
1.	Plants for planting with roots, grown in the open air	There must be evidence that the place of production is known to be free from <i>Synchytrium endobioticum</i> (Schilbersky) Percival.
2.	or tuber-forming species of	The plants must be accompanied by an official statement that the plants have been held under quarantine

	being stored in gene banks or genetic stock collections	conditions and have been found free from any GB quarantine pests by laboratory testing, as described in entry 3, before release from quarantine. Each organisation or research body holding such material must inform the competent authority of the material held.
3.	Plants for planting of stolon or tuber-forming species of <i>Solanum</i> L., or their hybrids, other than: — those tubers of <i>Solanum tuberosum</i> L. specified in entries 4, 5 and 6; and — seeds of <i>Solanum</i> <i>tuberosum</i> L. specified in entry 18	The plants must be accompanied by an official statement that they have been held under quarantine conditions and: a have been found free from GB quarantine pests by laboratory testing before release from quarantine, using methods described in EPPO PM 3/21, which was: i supervised by the competent authority and executed by scientifically trained staff of that authority or of any officially approved body, ii executed at a site provided with appropriate facilities sufficient to contain GB quarantine pests and maintain the material, including indicator plants, in such a way as to eliminate any risk of spreading GB quarantine pests; iii executed on each unit of the material: aa by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of development during the testing programme, for symptoms caused by any GB quarantine pests, and bb by laboratory testing: — in the case of all potato material at least for:

-	— Andean potato latent
	virus, — Andean potato mild
	mottle virus,
	— Andean potato mottle
	virus, — Arracacha virus B. oca
5	strain,
	— Potato black ringspot
	virus, — Potato virus T,
-	— Potato yellowing virus,
	— Potato yellow vein virus,
	— non-European isolates of potato viruses A, M, S, V, X
	and Y (including Yo, Yn and
	Yc) and Potato leafroll virus
	(including Yo),
	- Clavibacter sepedonicus
	(Spieckermann & Kotthoff)
	Li et al.,
	<i>— Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et</i>
	al. emend. Safni
	et al., Ralstonia
	pseudosolanacearum Safni
	et al., Ralstonia syzygii
	subsp. celebensis Safni et al.
	and <i>Ralstonia syzygii</i> subsp.
	indonesiensis Safni et al.,
-	— in the case of seeds of <i>Solanum tuberosum</i> L.,
	other than those specified
	in entry 18, at least for the
	viruses and viroids listed
	above, with the exception of
	Andean potato mottle virus,
	and non-European isolates of potato viruses A, M, S, V,
	X and Y (including Yo, Yn
	and Yc) and Potato leafroll
	virus, and
ivi	included appropriate testing
	on any other symptoms
	observed in the visual
	examination in order to identify the GB quarantine
	pests having caused such
-	symptoms.
	(a), 'EPPO PM 3/21'
means th	he standard describing
	on and tests for detection of
pests inf	ecting Solanum species or

<b>Changes to legislation:</b> Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to
be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes
that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		hybrids imported for germplasm, conservation, breeding or research purposes in post-entry quarantine, approved by the European and Mediterranean Plant Protection Organization .
4.	Tubers of <i>Solanum tuberosum</i> L., for planting, originating in Great Britain	The tubers must be accompanied by an official statement that the relevant Potato Wart provisions to combat <i>Synchytrium endobioticum</i> (Schilbersky) Percival have been complied with.
5.	Tubers of <i>Solanum tuberosum</i> L., for planting, originating in Great Britain	The tubers must be accompanied by an official statement that they originate in an area in which <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> : a is known not to occur; or b is known to occur, and the tubers originate from a place of production found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> or considered to be free of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> as a consequence of the implementation of an appropriate procedure aimed at eradicating <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i>
6.	Tubers of <i>Solanum tuberosum</i> L., for planting, other than those which are authorised to be planted for the purposes of this entry by the competent authority, originating in Great Britain	The tubers must be accompanied by an official statement that the relevant PCN provisions to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens have been complied with.
7.	Tubers of <i>Solanum tuberosum</i> L., for planting, originating in a CD territory	The tubers must be accompanied by an official statement that they originate in an area in which Synchytrium endobioticum (Schilbersky) Percival, Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al.,

		<i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are known not to occur.
8.	Tubers of <i>Solanum tuberosum</i> L., for planting, other than tubers of those varieties accepted on to the GB Variety List pursuant to the Seeds (National Lists of Varieties) Regulations 2001	The tubers must be accompanied by an official statement: a that they belong to advanced selections, b that they have been produced within Great Britain, and c that they have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected within Great Britain to official quarantine testing in accordance with appropriate methods and has been found free from pests.
9.	Tubers of <i>Solanum tuberosum</i> L., other than those mentioned in entries 2 to 6 or 8, originating in Great Britain	There must be evidence by a registration number put on the packaging, or in the case of loose- loaded potatoes transported in bulk, on the accompanying documents, demonstrating that the tubers have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating: a that the tubers are free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , and b that the relevant Potato Wart provisions to combat <i>Synchytrium endobioticum</i> (Schilbersky) Percival and the relevant PCN provisions to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens have been complied with.

10.	Tubers of <i>Solanum tuberosum</i> L., other than those mentioned in entry 7, originating in a CD territory	There shall be evidence by a registration number put on the packaging, or in the case of loose-loaded potatoes transported in bulk, on the accompanying documents, demonstrating that the tubers have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating that the tubers are free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al., Synchytrium endobioticum</i> (Schilbersky) Percival, <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens.
11.	Plants for planting with roots of <i>Capsicum</i> spp., <i>Solanum</i> <i>lycopersicum</i> L. and <i>Solanum</i> <i>melongena</i> L., other than those which are authorised to be planted for the purposes of this entry by the competent authority, originating in Great Britain	The plants must be accompanied by an official statement that the relevant PCN provisions to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens have been complied with.
12.	Plants for planting with roots of <i>Capsicum</i> spp., <i>Solanum</i> <i>lycopersicum</i> L. and <i>Solanum</i> <i>melongena</i> L., originating in a CD territory	The plants must be accompanied by an official statement that they originate in an area in which <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are known not to occur.
13.	Plants for planting, other than seeds. of <i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L., <i>Musa</i> L., <i>Nicotiana</i> L. and <i>Solanum melongena</i> L.	The plants must be accompanied by: a an official statement that they originate in an area which, in accordance with the measures specified in ISPM4, is known to be free from <i>Ralstonia</i> <i>solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , or b an official statement that no symptoms of <i>Ralstonia</i> <i>solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> emend. Safni <i>et al.</i> have been

14.	Plants for planting with roots grown in the open air of <i>Allium porrum</i> L., <i>Asparagus</i> <i>officinalis</i> L., <i>Beta vulgaris</i> L., <i>Brassica</i> spp. and <i>Fragaria</i> L., other than those which are authorised to be planted	observed on the plants at the place of production since the beginning of the last complete cycle of vegetation. There must be evidence that the relevant PCN provisions to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens have been complied with.
	for the purposes of this entry by the competent authority, originating in Great Britain	
15.	Plants for planting with roots grown in the open air of <i>Allium porrum</i> L., <i>Asparagus</i> <i>officinalis</i> L., <i>Beta vulgaris</i> L., <i>Brassica</i> spp. and <i>Fragaria</i> L., originating in a CD territory	The plants must be accompanied by an official statement that they originate in an area in which <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are known not to occur.
16.	Bulbs, tubers or rhizomes, grown in the open air, of <i>Allium ascalonicum</i> L., <i>Allium</i> <i>cepa</i> L., <i>Dahlia</i> spp., <i>Gladiolus</i> Tourn. ex L., <i>Hyacinthus</i> spp., <i>Iris</i> spp., <i>Lilium</i> spp., <i>Narcissus</i> L. or <i>Tulipa</i> L., other than those which are authorised to be planted for the purposes of this entry by the competent authority, originating in Great Britain	There must be evidence that the relevant PCN provisions to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens have been complied with.
17.	Bulbs, tubers or rhizomes, grown in the open air, of <i>Allium ascalonicum</i> L., <i>Allium</i> <i>cepa</i> L., <i>Dahlia</i> spp., <i>Gladiolus</i> Tourn. ex L., <i>Hyacinthus</i> spp., <i>Iris</i> spp., <i>Lilium</i> spp., <i>Narcissus</i> L. or <i>Tulipa</i> L., originating in a CD territory	The plants must be accompanied by an official statement that they originate in an area in which <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are known not to occur.
18.	Seeds of <i>Solanum tuberosum</i> L., other than those specified in entry 2	The seeds must be accompanied by an official statement: a that they derive from plants which comply with the requirements set out in entries 4 to 6, 8 and 9, and b that they:

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

i originate in an area known to be free from Synchytrium endobioticum (Schilbersky) Percival and Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al.; or ii comply with all of the following requirements: aa they have been produced in a site where, since the beginning of the last cycle of vegetation, no symptoms of disease caused by the GB quarantine pests referred to in point (b)(i)have been observed; bb they have been produced at a site where all of the following actions have been taken: -staff and other items. such as tools, machinery, vehicles,

		vessels and packaging material, from other sites producing solanaceous plants have been prevented from coming into contact with the site or other appropriate hygiene measures have been taken to prevent infection by staff working, or items used, at other sites producing solanaceous plants, and —only water free from all GB quarantine pests referred to point (b) (i) has been used
19.	Plants for planting, other than seeds, of <i>Prunus</i> L.	The plants must be accompanied by official statement that:
		<ul> <li>a they originate in an area known to be free from <i>Candidatus</i> Phytoplasma 'prunorum' Seemüller &amp; Schneider, or</li> <li>b no symptoms of diseases caused by <i>Candidatus</i> Phytoplasma 'prunorum' Seemüller &amp; Schneider have been observed on plants at the place</li> </ul>

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes

that have	been made	appear in	the content and	are referenced	with annotat	tions. (	See end o	f Document	for details)

	of production since the beginning of the last complete cycle of vegetation.
[ <sup>F320</sup> 28] lants for planting, other than fruits and seeds, of <i>Quercus</i> L., of a girth of at least 8cm measured at a height of 1.2m from the root collar	The plants must be accompanied by an official statement that: (a) they have been grown throughout their life in an area established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Thaumetopoea</i> <i>processionea</i> L., or (b) they have been grown throughout their life in a site of production with complete physical protection against the introduction of <i>Thaumetopoea processionea</i> L. and the plants have been inspected at appropriate times and found to be free from <i>Thaumetopoea</i> <i>processionea</i> L.]

#### **Textual Amendments**

F320 Annex 8 Pt. A Table Entry 20 inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(8)

## PART B U.K.

List of plants, plant products or other objects originating in a CD territory or Great Britain that are subject to emergency measures and may only be introduced into Great Britain from a CD territory or moved within Great Britain if special requirements are met

In this Part, "ISPM 31" has the same meaning as in Part B of Annex 7.

	(1) Description of plants, plant products or other objects	(2) Special requirements
1.	Plants for planting, other than seeds, of <i>Viburnum</i> spp. L., <i>Camellia</i> spp. L. and <i>Rhododendron</i> spp. L., other than <i>Rhododendron simsii</i> Planch,	a an official statement that the plants

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

cycle of vegetation no signs of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld have been observed on the plants at the place of production during official inspections, including laboratory testing of any suspicious symptoms, carried out at least twice during the growing season at appropriate times when the plants were in active growth and with an intensity which took into account the particular production system of the plants, or

- c where signs of *Phytophthora ramorum* Werres, De Cock & Man in 't Veld have been found on the plants at the place of production, an official statement that appropriate procedures have been implemented for the purpose of eradicating that pest and the plants have been found free from the pest following those procedures, which consisted of at least:
  - i destruction of the infected plants and all susceptible plants within a 2 m radius of the infected plants, including associated growing media and plant debris,
  - ii in the case of plants listed in column (1) of this entry within a 10 m radius of the infected plants and any remaining plants from the infected lot:
    - aa they have been retained at the place of production,
    - bb additional official inspections have been carried out at least twice in the three months after the eradication measures have been taken when the plants are in active growth,
    - cc no treatments that may suppress symptoms of the

<i>Changes to legislation:</i> Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to
be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes
that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		<ul> <li>pest have been carried out in that three month period, and</li> <li>dd the plants have been found free from the pest on these official inspections,</li> <li>iii in the case of all other plants listed in column (1) of this entry at the place of production, the plants have been subjected to intensive official re-inspection and have been found free from the pest on those inspections, and</li> <li>iv appropriate phytosanitary measures have been taken on the growing surface within a 2 m radius of infected plants.</li> </ul>
2.	Seeds of <i>Solanum lycopersicum</i> L. and <i>Capsicum</i> spp., intended for planting, other than plants for planting of <i>Capsicum</i> spp. varieties which are known to be resistant to Tomato brown rugose fruit virus	<ul> <li>The seeds must be accompanied by an official statement:</li> <li>a that the mother plants of seeds have been produced in a production site where Tomato brown rugose fruit virus is known not to occur on the basis of official inspections carried out at the appropriate time to detect that pest,</li> <li>b that the seeds or their mother plants have undergone sampling and testing for Tomato brown rugose fruit virus by the competent authority, or have been subjected to sampling and testing by professional operators under official supervision of the competent authority, and have been found, according to those tests, to be free from that pest, and</li> <li>c in the case of any seeds which were in storage prior to 15th August 2020, that the seeds have been sampled and tested for Tomato brown rugose fruit virus by the competent authority and found in those tests to be free from that pest.</li> </ul>

		The official sampling of seeds for testing must be carried out in accordance with the following sampling schemes referred to in the relevant table of ISPM31: —in the case of seed lots which include 3000 or fewer seeds, a hypergeometric sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 10% or above, —in the case of seed lots which include 30000 or fewer seeds, but more than 3000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 1% or above, —in the case of seed lots which include more than 30000 seeds, a sampling scheme that is able to identify with 95% reliability a level of presence of infected plants of 0.1% or above. Sub samples must consist of no more than 1000 seeds for Polymerase Chain Reaction (PCR) methods. The testing of seeds must be carried out using one of the following methods and the method used must be included in the phytosanitary certificate under the heading "Additional declaration": —real-time RT-PCR using the primers and probes described in the ISF protocol (2020), or —real-time RT-PCR using primers and probe of Menzel and Winter (Acta Horticulturae, in press).
3.	Plants for planting of <i>Solanum</i> <i>lycopersicum</i> L. and <i>Capsicum</i> spp., other than plants for planting of <i>Capsicum</i> spp. varieties which are known to be resistant to Tomato brown rugose fruit virus	<ul> <li>The plants must be accompanied by an official statement:</li> <li>a that the plants are derived from seeds which have undergone sampling and testing for Tomato brown rugose fruit virus in the manner set out in column (2) of entry 2 which has shown them to be free from that pest, and</li> <li>b that the plants have been produced in a production site where Tomato brown rugose fruit virus is known not to occur on the basis of official inspections carried out at the appropriate time to detect that pest, and, where the plants have shown symptoms of Tomato brown rugose fruit virus, the plants have undergone official sampling and testing for Tomato brown rugose fruit virus and</li> </ul>

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

sa ca be In mi cu In fo sy Ou ca ru EI EI Al EI EI Al Ro Fr fr ca pr fr fr ca mi	have been found, according to those tests, to be free from that pest. or the purposes of point (b)(ii), the ampling and testing of the seeds must be arried out in accordance with the paragraphs elow. In the case of plants for planting, 200 leaves nust be collected per site of production and altivar. In case of symptomatic plants, sampling or testing must be performed on at least 3 /mptomatic leaves. In e of the following testing methods must be arried out for the detection of Tomato brown agose fruit virus: in the case of symptomatic material only, LISA, -conventional RT-PCR using the primers of lkowni et al. (2019), -conventional RT-PCR using the primers of odriguez-Mendoza et al. (2019), -real-time RT-PCR using the primers and robes described in the ISF protocol (2020), -real-time RT-PCR using primers and probe of Menzel and Winter (Acta Horticulturae, in ress). In case of a positive result of the detection sst, a second testing method, different om the one used for detection, must be arried out with one of the RT-PCR methods pentioned above, using the same sample to onfirm the identification.]
--	--

### ANNEX IX U.K.

# List of plants, plant products and other objects [<sup>F321</sup>which may not be introduced into GB pest-free areas]

#### **Textual Amendments**

F321 Words in Annex 9 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **12(a)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

#### Modifications etc. (not altering text)

C18 Annex 9: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 53(2)(3)(3A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(17)(c)**(d))

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### **Textual Amendments**

**F322** Words in Annex 9 omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **12(b)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

	[ <sup>F323</sup> (1) Description of plants, plant products or other objects]	F324	[ <sup>F323</sup> (2) Description of GB pest-free area]
1.	F325	F324	F325
2.	F325	F324	F325
	•••		

#### **Textual Amendments**

- F323 Words in Annex 9 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 12(c)(ii) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- F324 Words in Annex 9 omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 12(c)(i) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
- **F325** Words in Annex 9 omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **12(c)(iii)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)



List of plants, plant products and other objects to be introduced into, or moved within, GB pest-free areas and corresponding special requirements

Textu	al Amendments
	Annex 10 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU
	Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), Sch. 9 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))
Modif	ications etc. (not altering text)
C19	Annex 10: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 54(3)-(3B) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), <b>29(18)(d)</b> )

(1) Description	(2) Special requirements	(3) Description of GB pest-
of plants, plant		free area

	products or other objects		
1.	F327	F327	F327
			]

#### **Textual Amendments**

**F327** Annex 10 Table Entry 1 omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(9)** 



[<sup>F328</sup>List of plants, plant products and other objects and the respective third countries of origin or dispatch in respect of which phytosanitary certificates are required

#### **Textual Amendments**

**F328** Annex 11 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), **Sch. 10** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

#### Modifications etc. (not altering text)

C20 Annex 11: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 74a (as inserted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2) (b), 31(7))



List of plants, plant products and other objects and the respective third countries of origin or dispatch, which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate, as referred to in Article 72(1) of Regulation (EU) 2016/2031

Modifications etc. (not altering text)

C21 Annex 11 Pt. A: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 72(3) (as amended by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **31(4)(c)(i)**)

(1) Description of plants, plant products or other objects	(2) CN code and its respective description under Council Regulation (EEC) No.2658/87	(3) Country of origin or dispatch

Miscellaneous

1.	-	Agricultural, horticultural	Any third country
	which have been	5 5	
	operated for agricultural	for soil preparation or	
	or forestry purposes	cultivation already having	
		been operated; lawn or	
		sports-ground rollers –	
		already operated:	
		-Ploughs:	
		ex 8432 10 00	
		-Harrows, scarifiers,	
		cultivators, weeders and	
		hoes:	
		ex 8432 21 00	
		ex 8432 29 10	
		ex 8432 29 30	
		ex 8432 29 50 ex 8432 29 90	
		-Seeders, planters and transplanters:	
		ex 8432 31 00	
		ex 8432 39 11	
		ex 8432 39 19	
		ex 8432 39 90	
		–Manure spreaders and	
		fertiliser distributors:	
		ex 8432 41 00	
		ex 8432 42 00	
		-Other machinery:	
		ex 8432 80 00	
		-Parts:	
		ex 8432 90 00	
		Harvesting or threshing	
		machinery, including straw	
		or fodder balers; grass or	
		hay mowers; machines	
		for cleaning, sorting or	
		grading eggs, fruit or other	
		agricultural produce, other	
		than machinery of heading	
		8437 – already operated:	
		-Straw or fodder balers,	
		including pick-up balers:	
		ex 8433 40 00	
		-Combine harvesters -	
		threshers: ex 8433 51 00	
		–Root or tuber harvesting machines:	
		ex 8433 53 10	
		ex 8433 53 10 ex 8433 53 30	
		ex 8433 53 50 ex 8433 53 90	
		Other agricultural,	
		horticultural, forestry,	
		nornoundurun, norestry,	

Status: Point in time view as at 02/05/2024.
Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to
be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes
that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		poultry-keeping or bee- keeping machinery, including germination plant fitted with mechanical or thermal equipment; poultry incubators and brooders – already operated: –Forestry machinery: ex 8436 80 10 Tractors (other than tractors of heading 8709) – already operated: –Road tractors for semi- trailers: ex 8701 20 90 Other than single axle tractors, road tractors or track-laying tractors: –Agricultural tractors and forestry tractors, wheeled: ex 8701 9210 ex 8701 9310 ex 8701 9410 ex 8701 9510	
2.	Growing medium, attached to or associated with plants, intended to sustain the vitality of the plants	Not applicable	Any third country
3.	Grain of the genera <i>Triticum</i> L., <i>Secale</i> L. and x <i>Triticosecale</i> Wittm. ex A. Camus	Wheat and meslin, other than seeds for sowing: 1001 19 00 1001 99 00 Rye, other than seed for sowing: 1002 90 00 Triticale, other than seed for sowing: ex 1008 60 00	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and the USA
Gene	eral categories		I
4.	Plants for planting, other than seeds	Bulbs, tubers, tuberous roots, corms, crowns and rhizomes, dormant, in growth or in flower; chicory plants and roots other than roots of heading 1212: 0601 10 10 0601 10 20 0601 10 30 0601 10 40	Any third country

0601 10 90 0601 20 10 0601 20 30 0fol 20 90 Other live plants (including their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 80 0602 20 80 0602 20 80 0602 90 20 0602 90 20 0602 90 20 0602 90 41 0602 90 45 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 90 0602 90 90 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than lettuce ( <i>Lactuca sativa</i> )	
0601 20 10 0601 20 30 0601 20 90 Other live plants (including their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 20 0602 20 80 0602 20 80 0602 30 00 0602 90 20 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 45 0602 90 44 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0601 10 00
0601 20 30 0601 20 90 Other live plants (including their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 20 0602 20 80 0602 30 00 0602 90 20 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0601 20 90 Other live plants (including their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 20 0602 20 80 0602 30 00 0602 90 20 0602 90 20 0602 90 20 0602 90 41 0602 90 45 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 47 0602 90 91 0602 90 90 0602 90 90 0602 90 90 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0601 20 10
0601 20 90 Other live plants (including their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 20 0602 20 80 0602 30 00 0602 90 20 0602 90 20 0602 90 20 0602 90 41 0602 90 45 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 47 0602 90 91 0602 90 90 0602 90 90 0602 90 90 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0601 20 30
Other live plants (including their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 20 0602 20 80 0602 20 80 0602 30 00 0602 90 20 0602 90 20 0602 90 20 0602 90 41 0602 90 45 0602 90 45 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 80 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 20 0602 90 20 0602 90 41 0602 90 45 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	Other live plants (including
slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	their roots) cuttings and
spawn: 0602 10 90 0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 10 90 0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	1 -
0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	spawn:
0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 10 90
0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 30 00 0602 40 00 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
$0602 \ 40 \ 00$ $0602 \ 90 \ 30$ $0602 \ 90 \ 30$ $0602 \ 90 \ 30$ $0602 \ 90 \ 41$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 45$ $0602 \ 90 \ 50$ $0602 \ 90 \ 50$ $0602 \ 90 \ 50$ $0602 \ 90 \ 90$ $0602 \ 90 \ 99$ Onions, shallots, garlic, leeks and other alliaceous         vegetables, fresh, for         planting:         ex $0703 \ 10 \ 11$ ex $0703 \ 10 \ 90$ ex $0703 \ 20 \ 00$ Cabbages, cauliflowers, kohlrabi, kale and similar         edible brassicas, fresh, planted in a growing substrate:         ex $0704 \ 90 \ 90$ Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate:         ex $0705 \ 11 \ 00$ ex $0705 \ 29 \ 00$ Celery other than celeriac, planted in a growing substrate: <td>0602 20 80</td>	0602 20 80
0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 90 0602 90 90 0602 90 90 0602 90 99 0nions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 30 00
0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 45 0602 90 47 0602 90 48 0602 90 90 0602 90 90 0602 90 90 0602 90 99 0nions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 40 00
0602 90 30 0602 90 41 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 90 0602 90 90 0602 90 99 0nions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 90 41 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 90 45 0602 90 47 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 90 30
0602 90 45 0602 90 47 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 90 41
0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 90 46
0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 90 47
0602 90 50 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 90 70 0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 90 50
0602 90 91 0602 90 99 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	0602 90 70
<ul> <li>0602 90 99</li> <li>Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting:</li> <li>ex 0703 10 11</li> <li>ex 0703 20 00</li> <li>Cabbages, cauliflowers, kohlrabi, kale and similar</li> <li>edible brassicas, fresh, planted in a growing</li> <li>substrate:</li> <li>ex 0704 10 00</li> <li>ex 0704 90 10</li> <li>ex 0704 90 90</li> <li>Lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.), fresh, planted in a growing</li> <li>substrate:</li> <li>ex 0705 11 00</li> <li>ex 0705 29 00</li> <li>Celery other than celeriac, planted in a growing</li> <li>substrate:</li> <li>ex 0709 40 00</li> <li>Salad vegetables, other than</li> </ul>	
Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	Onions, shallots, garlic,
<ul> <li>vegetables, fresh, for planting:</li> <li>ex 0703 10 11</li> <li>ex 0703 10 90</li> <li>ex 0703 20 00</li> <li>Cabbages, cauliflowers, kohlrabi, kale and similar</li> <li>edible brassicas, fresh, planted in a growing</li> <li>substrate:</li> <li>ex 0704 10 00</li> <li>ex 0704 90 10</li> <li>ex 0704 90 90</li> <li>Lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.), fresh, planted in a growing</li> <li>substrate:</li> <li>ex 0705 11 00</li> <li>ex 0705 21 00</li> <li>ex 0705 29 00</li> <li>Celery other than celeriac, planted in a growing</li> <li>substrate:</li> <li>ex 0709 40 00</li> <li>Salad vegetables, other than</li> </ul>	
planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
ex 0703 10 11 ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	5
ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	planting:
ex 0703 10 90 ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	ex 0703 10 11
ex 0703 20 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	ex 0703 20 00
kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	Cabbages, cauliflowers,
<ul> <li>edible brassicas, fresh, planted in a growing substrate:</li> <li>ex 0704 10 00</li> <li>ex 0704 90 10</li> <li>ex 0704 90 90</li> <li>Lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.), fresh, planted in a growing substrate:</li> <li>ex 0705 11 00</li> <li>ex 0705 19 00</li> <li>ex 0705 29 00</li> <li>Celery other than celeriac, planted in a growing substrate:</li> <li>ex 0709 40 00</li> <li>Salad vegetables, other than</li> </ul>	
planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	· · · · ·
ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	planted in a growing
ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	substrate.
ex 0704 90 10 ex 0704 90 90 Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
<ul> <li>ex 0704 90 90</li> <li>Lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.), fresh, planted in a growing substrate:</li> <li>ex 0705 11 00</li> <li>ex 0705 19 00</li> <li>ex 0705 21 00</li> <li>ex 0705 29 00</li> <li>Celery other than celeriac, planted in a growing substrate:</li> <li>ex 0709 40 00</li> <li>Salad vegetables, other than</li> </ul>	
Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	ex 0704 90 10
Lettuce ( <i>Lactuca sativa</i> ) and chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	ex 0704 90 90
chicory ( <i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	fresh, planted in a growing
ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	· · · ·
ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
ex 0705 21 00 ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	ex 0705 19 00
ex 0705 29 00 Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	ex 0705 21 00
Celery other than celeriac, planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
planted in a growing substrate: ex 0709 40 00 Salad vegetables, other than	
substrate: ex 0709 40 00 Salad vegetables, other than	Celery other than celeriac,
substrate: ex 0709 40 00 Salad vegetables, other than	planted in a growing
ex 0709 40 00 Salad vegetables, other than	
Salad vegetables, other than	
	Salad vegetables, other than
Louise (Lucinea Suitva)	
	Lectured Suttra

			and chicory ( <i>Cichorium</i> spp.), planted in a growing substrate: ex 0709 99 10 Other vegetables, planted in a growing substrate: ex 0709 99 90 Ginger, saffron, turmeric (curcuma), and other spices, for planting or planted in a growing substrate: ex 0910 11 00 ex 0910 20 10 ex 0910 30 00 ex 0910 99 31 ex 0910 99 33	
5.	Root and vegetables	tubercle	Carrots, turnips, salad beetroot, salsify, celeriac, radishes and similar edible roots, fresh or chilled: 0706 10 00 0706 90 10 0706 90 30 0706 90 90 Other root and tubercle vegetables, fresh or chilled: ex 0709 99 90 Manioc, arrowroot, salep, Jerusalem artichokes, sweet potatoes and similar roots and tubers with high starch or inulin content, fresh, chilled, not frozen nor dried, not sliced or in the form of pellets: ex 0714 10 00 ex 0714 20 10 ex 0714 20 90 ex 0714 30 00 ex 0714 40 00 ex 0714 40 00 ex 0714 90 90 Ginger, saffron, turmeric (curcuma), and other spices in the form of root or tubercle plant parts, fresh or chilled, other than dried: ex 0910 11 00 ex 0910 30 00 ex 0910 99 91	Any third country

		Sugar beet, not ground, fresh and chilled: ex 1212 91 80 Chicory roots, fresh and chilled: ex 1212 94 00 Other root and tubercle vegetables, fresh and chilled: ex 1212 99 95 Swedes, mangolds, fodder roots, similar forage products, not in the form of pellets, fresh or chilled, other than dried: ex 1214 90 10 ex 1214 90 90	
6.	Plants of <i>Cryptocoryne</i> sp Fischer ex Wydler, <i>Hygrophila</i> sp R. Brown and <i>Vallisneria</i> sp L.	their roots), cuttings and	Any third country
Parts	of plants, other than fruit	and seeds of:	
7.	[ <sup>F329</sup> Solanaceae Juss. and <i>Ipomoea</i> L.]	[ <sup>F330</sup> Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00.]	Any third country
8.	Zea mays L.	Other vegetables, fresh or chilled: –Sweetcorn: ex 0709 99 60	Any third country

		Maize (corn), other: 1005 90 00 Vegetable products of maize ( <i>Zea mays</i> ), not elsewhere specified or included, fresh: ex 1404 90 00	
9.	[ <sup>F331</sup> Convolvulus L. and Micromeria Benth]	Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00	Americas, Australia and New Zealand
10.	Leafy vegetables of <i>Apium graveolens</i> L. <i>Eryngium</i> Tournier ex Linnaeus, <i>Limnophila</i> R.Br. <i>[<sup>F332</sup>Ocimum</i> L. and <i>Spinacia oleracea</i> L.]	Other vegetables, fresh or chilled: 0709 40 00 ex 0709 99 10 ex 0709 99 90 Plants and parts of plants (including seeds and fruits), of a kind used primarily in perfumery, in pharmacy or for insecticidal, fungicidal or similar purposes, fresh not cut, crushed nor powdered: ex 1211 90 86 Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00 [ <sup>F333</sup> Spinach, New Zealand spinach and orache spinach (garden spinach) ex 0709 70 00]	Any third country
11.	Leaves of <i>Manihot</i> esculenta Crantz	Leaves of cassava ( <i>Manihot</i> <i>esculenta</i> ), fresh or chilled: ex 0709 99 90 Vegetable products of cassava ( <i>Manihot esculenta</i> ), not elsewhere specified or included, fresh: ex 1404 90 00	Any third country

12.	Conifers (Pinales)	Foliage, branches and other	Any third country
12.	Conners (1 males)	parts of conifer (Pinales) plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 20 ex 0604 20 40	
13.	Castanea Mill., [ <sup>F334</sup> Chrysanthemum L.], Dianthus L., Gypsophila L., Pelargonium l'Herit. ex Ait, Phoenix spp. L, Populus L., Quercus L. and Solidago L.	Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: 0603 12 00 0603 14 00 ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00	Any third country
14.	Acer saccharum Marshall	Foliage, branches and other parts of plants of sugar maple ( <i>Acer saccharum</i> ), without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of plants of sugar maple ( <i>Acer</i> <i>saccharum</i> ), not elsewhere specified or included, fresh: ex 1404 90 00	Canada and the USA
15.	Prunus L.	Cut flowers and flower buds of <i>Prunus</i> spp. of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants of <i>Prunus</i> spp., without flowers or flower buds, being goods of a kind suitable for bouquets	Any third country other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following

		or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of plants of <i>Prunus</i> spp. not elsewhere specified or included, fresh: ex 1404 90 00	parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey and Ukraine
16.	Betula L.	Foliage, branches and other parts of plants of birch ( <i>Betula</i> spp.), without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of plants of birch ( <i>Betula</i> spp.) not elsewhere specified or included, fresh: ex 1404 90 00	Any third country
17.	<i>Fraxinus</i> L., <i>Juglans</i> L., <i>Pterocarya</i> Kunth and <i>Ulmus davidiana</i> Planchon.	Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00	[ <sup>F335</sup> Any third country]
18.	AcermacrophyllumPursh,AcerpseudoplatanusL.,Adiantumaleuticum(Rupr.) Paris, AdiantumjordaniiC.Muell.,Aesculuscalifornica(Spach) Nutt., AesculushippocastanumL.,ArbutusmenziesiiPursch., Arbutus unedoL.,Arctostaphylosspp.Adans,Calluna	Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90	The USA

[ <sup>F336</sup> 1	8 <i>Asparagus</i> Tournier ex Linnaeus	Other vegetables, fresh or chilled: 0709 20 00	The Americas]
[ <sup>F337</sup> 1	<b>B</b> lants of <i>Asparagus</i> <i>officinalis</i> L., other than stems covered during their entire life by soil		Any third country other than EU Member States, Liechtenstein and Switzerland]
Frui	ts of:		
19.	<i>Momordica</i> L. and Solanaceae Juss.	Tomatoes, fresh or chilled: 0702 00 00 Other vegetables, of Solanaceae, fresh or chilled: 0709 30 00 0709 60 10 0709 60 91 0709 60 95 0709 60 99 ex 0709 99 90 Other fruit, fresh or chilled: ex 0810 90 75	Any third country
20.	F <sup>338</sup> , Fragaria L., Malus Mill., Persea americana Mill., <sup>F339</sup> , Pyrus L., <sup>F340</sup> , Rubus L., <sup>F341</sup> , Vaccinium L. and Vitis L.	Avocados, fresh or chilled: ex $0804 40 00$ F <sup>342</sup> Grapes, fresh or chilled: 0806 10 10 0806 10 90 F <sup>343</sup> Apples, pears and quinces, fresh or chilled: 0808 10 10 0808 30 10 0808 30 90 F <sup>344</sup> Strawberries, fresh or chilled: 0810 10 00 Raspberries, blackberries, mulberries and loganberries, fresh or chilled: 08010 20 10 ex $0810 20 90$ F <sup>345</sup> Cranberries, bilberries and other fruit of the genus Vaccinium, fresh or chilled: 0810 40 30 0810 40 50 0810 40 90	Any third country

[ <sup>F348</sup> 20	) <b>S</b> ucurbitaceae	F346  F347  Other, fresh or chilled: ex $0810 \ 90 \ 20$ ex $0810 \ 90 \ 75$ Cucumbers and gherkins, fresh or chilled: $0707 \ 00 \ 05$ $0707 \ 00 \ 90$ Melons (including watermelons): $0807 \ 11 \ 00$ $0807 \ 19 \ 00$ Pumpkins, squash and gourds ( <i>Cucurbita</i> spp.): $0709 \ 93 \ 10$ $0709 \ 93 \ 90$ Other fruit, fresh or chilled: ex $0810 \ 90 \ 75$	The Americas]
[ <sup>F349</sup> 2(	) <b>g</b> ydonia Mill.	Apples, pears and quinces, fresh or chilled: Quinces: 0808 40 00	Canada, Mexico and the USA
20C.	Prunus L.	Apricots, cherries, peaches (including nectarines), plums and sloes, fresh or chilled: 0809 10 00 0809 21 00 0809 29 00 0809 30 10 0809 30 90 0809 40 05 0809 40 90	Any third country other than Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, the following parts of Russia: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug), San Marino, Serbia, Switzerland, Turkey and Ukraine

20D.	Ribes L.	Black-, white- or re-currants and gooseberries, fresh or chilled; 0810 30 10 0810 30 30 0810 30 90	Anguilla, Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Bermuda, Bonaire, British Virgin Islands, Canada, Cayman Islands, Clipperton
			Island, Costa Rica, Cuba, Curaçao, Dominica, Dominican Republic, El Salvador, Greenland,
			Grenada, Guadeloupe, Guatemala, Haiti, Honduras, Jamaica, Martinique, Mexico,
			Montserrat, Nicaragua, Panama, Puerto Rico, Saba, Saint Barthélemy, Saint Kitts and Nevis, Saint Lucia,
			Saint Martin, Saint Pierre and Miquelon, Saint Vincent and the Grenadines, Sint
			Eustatius, Sint Maarten, Trinidad and Tobago, Turks and Caicos Islands, United
Cut	lowers of		States of America and United States Virgin Islands]

#### Cut flowers of:

21.	Orchidaceae	Orchids, fresh: 0603 13 00	Any third country
22.		buds of a kind suitable for bouquets or for ornamental purposes, fresh:	Any third country other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, EU Member States, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San

			Marino, Serbia, Switzerland, Turkey and Ukraine
Tub	ers of:	1	-
23.	Solanum tuberosum L.	Potatoes, fresh or chilled, other than seed potatoes: ex 0701 90 10 ex 0701 90 50 ex 0701 90 90	Any third country
Seed	ds of:	l	1
24.	Brassicaceae, Poaceae and Trifolium spp.	Seeds of wheat and meslin: 1001 11 00 1001 91 10 1001 91 20 1001 91 90 Seed of rye: 1002 10 00 Seed of barley: 1003 10 00 Seed of oats: 1004 10 00 Seed of maize (corn): 1005 10 13 1005 10 15 1005 10 18 1005 10 18 1005 10 90 Seed of rice: 1006 10 10 Seed of sorghum: 1007 10 10 1007 90 00 Seed of millet: 1008 21 00 Canary seed for sowing: ex 1008 30 00 Fonio ( <i>Digitaria</i> spp.) seed for sowing: ex 1008 40 00 Seed of triticale: ex 1008 60 00 Seed of other cereals for sowing: ex 1008 90 00 Rape or colza seeds, for sowing: 1205 10 10 ex 1205 90 00 Mustard seed, for sowing: 1207 50 10 Clover ( <i>Trifolium</i> spp.) seeds for sowing: 1209 22 10	Argentina, Australia, Bolivia, Brazil, Chile, New Zealand, Uruguay

**Status:** Point in time view as at 02/05/2024. **Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to

be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		1209 22 80 Fescue seeds for sowing: 1209 23 11 1209 23 15 1209 23 80 Kentucky blue grass ( <i>Poa</i> <i>pratensis</i> L.) seed for sowing: 1209 24 00 Ryegrass ( <i>Lolium</i> <i>multiflorum</i> Lam., <i>Lolium</i> perenne L.) seeds for sowing: 1209 25 10 1205 25 90 Timothy grass seed; seeds of the genus Poa ( <i>Poa</i> <i>palustris</i> L., <i>Poa trivialis</i> L.); cocksfoot grass ( <i>Dactylis</i> <i>glomerata</i> L.) and bent grass ( <i>Agrostis</i> ) seeds, for sowing: ex 1209 29 45 Seeds of other grasses for sowing: ex 1209 29 80 Seeds of ornamental grasses for sowing: ex 1209 30 00 Other brassicas' ( <i>Brassicaceae</i> ) seeds for sowing: ex 1209 91 80	
25.	-	Seeds of wheat and meslin: 1001 11 00 1001 91 10 1001 91 20 1001 91 90 Seeds of rye: 1002 10 00 Seeds of triticale: ex 1008 60 00	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and the USA
26.	Capsicum spp. L., Castanea Mill., Helianthus annuus L., Solanum lycopersicum L., Medicago sativa L., Prunus L., Rubus L., Zea mays L., Allium cepa L., Allium porrum L., Phaseolus cocineus. [ <sup>F350</sup> ,]Phaseolus vulgaris L. [ <sup>F351</sup> , Pinus	Sweetcorn for sowing: ex 0709 99 60 Beans ( <i>Phaseolus</i> spp.) for sowing: 0713 33 10 Almonds, for sowing: ex 0802 11 10 ex 0802 11 90 ex 0802 12 10 ex 0802 12 90 Maize (corn) seeds, for sowing:	Any third country

seeds, for sowing: ex 1209 99 10 Chestnuts (Castanea spp.) in shells, for sowing: ex 0802 41 00Any third country27.Solanum tuberosum L. Potato true seeds, for sowing: ex 1209 91 80Any third country28.Pisum sativum L. Pisum sativum L.Peas (Pisum sativum) seeds, for sowing: 0713 10 10Any third country29.Vicia faba L. Seeds for sowing: ex 0713 50 00 Other, seeds for sowing: ex 0713 90 00Any third country30.Brassica napus L. Brassica napus L.Rape or colza seeds, for sowing: 1205 10 10 ex 1205 90 00Any third country31.Brassica rapa L., MerrillSeeds for sowing: ex 1209 91 80Any third country32.Glycine max MerrillL.) Soya bean seeds for sowing: ex 1205 91 80Any third country33.Linum usitatissimum L. Sinapis alba L.Linseed, for sowing: 1207 50 10Any third country34.Sinapis alba L.Mustard seeds, for sowing: 1207 50 10Any third country		L and <i>Pseudotsuga</i> <i>menziesii</i> (Mirbel) Franco]		
Vegetable seeds of:28.Pisum sativum L.Peas (Pisum sativum) seeds, for sowing: 0713 10 10Any third country29.Vicia faba L.Broad beans and horse beans seeds, for sowing: ex 0713 50 00 Other, seeds for sowing: ex 0713 90 00Any third country30.Brassica napus L.Rape or colza seeds, for 			ex 1209 99 10 Chestnuts ( <i>Castanea</i> spp.) in shells, for sowing:	
28.Pisum sativum L.Peas (Pisum sativum) seeds, for sowing: 0713 10 10Any third country29.Vicia faba L.Broad beans and horse beans seeds, for sowing: ex 0713 50 00 Other, seeds for sowing: ex 0713 90 00Any third country30.Brassica napus L.Rape or colza seeds, for 	27.	Solanum tuberosum L.		Any third country
for sowing: 0713 10 10Any third country29.Vicia faba L.Broad beans and horse beans seeds, for sowing: ex 0713 50 00 Other, seeds for sowing: ex 0713 90 00Any third countrySeeds of oil and fibre plants of:30.Brassica napus L.Rape or colza seeds, for sowing: 1205 10 10 ex 1205 90 00Any third country31.Brassica rapa L., MerrillSeeds of Brassica rapa, for sowing: ex 1209 91 80Any third country32.Glycine Merrill(L.) I Soya bean seeds for sowing: 1201 10 00Any third country33.Linum usitatissimum L. I Linum usitatissimum L.Linseed, for sowing : 1204 00 10Any third country34.Sinapis alba L.Mustard seeds, for sowing: 1207 50 10Any third country	Vege	table seeds of:		
Seeds, for sowing: ex 0713 50 00 Other, seeds for sowing: ex 0713 90 00Seeds of oil and fibre plants of:30.Brassica napus L.Rape or colza seeds, for sowing: 1205 10 10 ex 1205 90 00Any third country31.Brassica rapa L.,Seeds of Brassica rapa, for sowing: ex 1209 91 80Any third country32.Glycine MerrillMax (L.)Soya bean seeds for sowing: 1201 10 00Any third country33.Linum usitatissimum L.Linseed, for sowing : 1204 00 10Any third country34.Sinapis alba L.Mustard seeds, for sowing: 1207 50 10Any third country	28.	Pisum sativum L.	for sowing:	Any third country
30.Brassica napus L.Rape or colza seeds, for sowing: 1205 10 10 ex 1205 90 00Any third country31.Brassica rapa L.,Seeds of Brassica rapa, for sowing: ex 1209 91 80Any third country32.Glycine MerrillMax 1201 10 00Any third country33.Linum usitatissimum L.Linseed, for sowing : 1204 00 10Any third country34.Sinapis alba L.Mustard seeds, for sowing: 1207 50 10Any third country	29.	Vicia faba L.	seeds, for sowing: ex 0713 50 00 Other, seeds for sowing:	Any third country
sowing: 1205 10 10 ex 1205 90 00Seeds of Brassica rapa, for sowing: ex 1209 91 80Any third country31.Brassica rapa L., Seeds of Brassica rapa, for sowing: 	Seed	s of oil and fibre plants of	·	
Sowing: ex 1209 91 80Sowing: ex 1209 91 8032.Glycine Merrillmax 1201 10 00Any third country33.Linum usitatissimum L.Linseed, for sowing : 1204 00 10Any third country34.Sinapis alba L.Mustard seeds, for sowing: 1207 50 10Any third country	30.	Brassica napus L.	sowing: 1205 10 10	Any third country
Merrill1201 10 0033.Linum usitatissimum L.Linseed, for sowing : 1204 00 10Any third country34.Sinapis alba L.Mustard seeds, for sowing: 1207 50 10Any third country	31.	Brassica rapa L.,	sowing:	Any third country
1204 00 1034.Sinapis alba L.Mustard seeds, for sowing: 1207 50 10Any third country	32.			Any third country
1207 50 10	33.	<i>Linum usitatissimum</i> L.		Any third country
Isolated bark of:	34.	Sinapis alba L.		Any third country
	Isola	ted bark of:		

35.	Conifers (Pinales)	Vegetable products of bark, not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: –Wood waste and scrap, not agglomerated: ex 4401 40 90	Any third country
36.	Acer saccharum Marsh, Populus L., and Quercus L. other than Quercus suber L.	Vegetable products of bark, not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: –Wood waste and scrap, not agglomerated: ex 4401 40 90	Any third country [ <sup>F352</sup> other than EU Member States, Liechtenstein and Switzerland]
37.	Fraxinus L., Juglans L., Pterocarya Kunth and Ulmus davidiana Planch.	Vegetable products of bark, not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: –Wood waste and scrap, not agglomerated: ex 4401 40 90	[ <sup>F353</sup> Any third country]
38.	Betula L.	Vegetable products of bark of birch ( <i>Betula</i> spp.), not elsewhere specified or included: ex 1404 90 00	Canada and the USA

		Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Wood waste and scrap, not agglomerated: ex 4401 40 90	
39.	Acer macrophyllum Pursh, Aesculus californica (Spach) Nutt., Lithocarpus densiflorus (Hook. & Arn.) Rehd. and Taxus brevifolia Nutt.	Vegetable products of bark not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: –Wood waste and scrap, not agglomerated: ex 4401 40 90	The USA
40.	Juglans L. and Pterocarya Kunth.	Vegetable products of bark not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: –Wood waste and scrap, not agglomerated: ex 4401 40 90	EU Member States
[ <sup>F354</sup> 4	≬ <i>≨ąlix</i> L.	Vegetable products of bark not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated	China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea and Russia]

Wood	d of:	in logs, briquettes, pellets or similar forms: – Sawdust and wood waste and scrap, not agglomerated: – Wood waste and scrap (other than sawdust): ex 4401 40 90	
41.		Fuel wood, in logs, in billets,	[ <sup>F355</sup> Canada and the USA]
41.	than wood packaging material, but including wood which has not kept its natural round surface, except where the wood is in the form of casks, barrels, vats, tubs or other coopers' products or parts thereof, including staves, and there is documented evidence that the wood has been processed or manufactured using a heat treatment to	in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: -Non-coniferous: ex 4401 12 00 -Wood in chips or particles: -Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated:	Canada and the USA

	ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: Not impregnated ex 4406 12 00 Other (than not impregnated) ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: Of oak ( <i>Quercus</i> spp.): 4407 91 15 4407 91 31 4407 91 39 4407 91 39 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: Other: ex 4408 90 15 ex 4408 90 15 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00
[ <sup>F356</sup> 41 <b>D</b> Mercus L., of than wood packa material, but inclu wood which has kept its natural re surface.	ngsimilar forms; wood in chips or particles; sawdustJapan, the Republic of Korea, Russia, Turkey and Vietnam]

> -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: --Non-coniferous: ex 4401 12 00 -Wood in chips or particles: --Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated: --Sawdust: ex 4401 40 10 --Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint, stains, creosote or other preservatives: --Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: -Other than treated with paint, stains, creosote or other preservatives: --Of oak (Quercus spp.): 4403 91 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated: ex 4406 12 00 -Other (than not impregnated): ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled whether or not planed, sanded or end-jointed, of a thickness exceeding 6mm: -- Of oak (*Quercus* spp.): ex 4407 91 15 ex 4407 91 31

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

[ <sup>F357</sup> 4] & astanea Mill.	ex 4407 91 39 ex 4407 91 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00 Fuel wood, in logs, in billets,	Any third country]
	<ul> <li>ruer wood, in logs, in blifets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</li> <li>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</li> <li>Non-coniferous ex 4401 12 00</li> <li>Wood, in chips or particles:</li> <li>Non-coniferous ex 4401 22 00</li> <li>Sawdust and wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared:</li> <li>Treated with paint, stains, creosote or other preservatives:</li> <li>Non-coniferous</li> </ul>	

ex 4403 12 00 - Non-coniferous wood (other than tropical wood specified in subheading note 1 to Chapter 44 or other tropical wood, oak (Quercus spp.) or beech (Fagus spp.)), in the rough, whether or not stripped or bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives: ex 4403 99 00 Split poles, piles, pickets and stakes of wood, pointed but not sawn lengthwise: - Non-coniferous ex 4404 20 00 Railway or tramway sleepers	
stripped or bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives: ex 4403 99 00 Split poles, piles, pickets and stakes of wood, pointed but not sawn lengthwise: - Non-coniferous ex 4404 20 00	

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		4415 10 10 4415 10 90 - Pallets, box pallets and other load boards, pallet collars: 4415 20 20 4415 20 90 Prefabricated buildings of wood: 9406 10 00	
42.	than wood packaging material, but including wood which has not	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: -Non-coniferous: ex 4401 12 00 -Wood in chips or particles: -Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated: -Sawdust: ex 4401 40 10 -Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint, stains, creosote or other preservatives: -Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: -Other than treated with paint, stains, creosote or other preservatives: ex 4403 9900 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:	Albania, Armenia, the EU Member States, Switzerland, Turkey and the USA

		-Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated ex 4406 12 00 -Other (than not impregnated) ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 95 Casks, barrels, vats, tubs	
		ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood:	
43.	<i>Populus</i> L., other than wood packaging material, but including wood which has not kept its natural round surface	ex 9406 10 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: -Non-coniferous:	[ <sup>F358</sup> The Americas, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea and Russia]

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

ex 4401 12 00 –Wood in chips or particles: -Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated: -Sawdust: ex 4401 40 10 –Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint, stains, creosote or other preservatives: -Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: –Other than treated with paint, stains, creosote or other preservatives: -Of poplar and aspen (*Populus* spp.): 4403 97 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated ex 4406 12 00 –Other (than not impregnated) ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Of poplar and aspen (Populus spp.): 4407 97 10 4407 97 91 4407 97 99

		Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00	
44.	Acer saccharum Marsh., other than wood packaging material, but including wood which has not kept its natural round surface	in twigs, in faggots or in similar forms; wood in	Canada and the USA

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: –Other than treated with paint, stains, creosote or other preservatives: ex 4403 99 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated ex 4406 12 00 -Other (than not impregnated) ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Of maple (Acer spp.): 4407 93 10 4407 93 91 4407 93 99 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00

Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

45.	Conifers (Pinales),	Fuel wood, in logs, in billets,	Any third country
	other than wood		5
	packaging material, but	similar forms; wood in	
	including wood which	chips or particles; sawdust	
	has not kept its natural	and wood waste and scrap,	
	round surface surface	whether or not agglomerated	
		in logs, briquettes, pellets or	
		similar forms:	
		-Fuel wood, in logs, in	
		billets, in twigs, in faggots or	
		in similar forms:	
		-Coniferous	
		4401 11 00	
		–Wood in chips or particles:	
		-Coniferous	
		4401 21 00	
		-Sawdust and wood waste	
		and scrap, not agglomerated:	
		–Sawdust:	
		ex 4401 40 10	
		–Wood waste and scrap	
		(other than sawdust):	
		ex 4401 40 90	
		Wood in the rough, not	
		stripped of bark or sapwood,	
		or roughly squared:	
		-Treated with paint,	
		stains, creosote or other	
		preservatives: –Coniferous:	
		4403 11 00	
		Wood in the rough, not	
		stripped of bark or sapwood,	
		or roughly squared:	
		-Coniferous, other	
		than treated with paint,	
		stains, creosote or other	
		preservatives:	
		-Of pine ( <i>Pinus</i> spp.):	
		ex 4403 21 10	
		ex 4403 21 90	
		ex 4403 22 00	
		-Of fir ( <i>Abies</i> spp.) and	
		spruce ( <i>Picea</i> spp.):	
		ex 4403 23 10	
		ex 4403 23 90	
		ex 4403 24 00	
		-Other, coniferous:	
		ex 4403 25 10	
		ex 4403 25 90	
		ex 4403 26 00	

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Coniferous: ex 4404 10 00 Coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated: 4406 11 00 -Other (than not impregnated): 4406 91 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Coniferous: -Of pine (*Pinus* spp.): 4407 11 10 4407 11 20 4407 11 90 -Of fir (*Abies* spp.) and spruce (*Picea* spp.): 4407 12 10 4407 12 20 4407 12 90 -Other, coniferous: 4407 19 10 4407 19 20 4407 19 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: -Coniferous: 4408 10 15 4408 10 91 4408 10 98 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood:

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		ex 9406 10 00	
46.	L., <i>Pterocarya</i> Kunth and <i>Ulmus davidiana</i> Planch., other than wood packaging material, but including	chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or	[ <sup>F359</sup> Any third country]

Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Of ash ( <i>Fraxinus</i> spp.): 4407 95 10 4407 95 91 4407 95 99 -Other: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00	
47.	than wood packaging material, but including wood which has not	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: -Non-coniferous: ex 4401 12 00 -Wood in chips or particles: -Non-coniferous: ex 4401 22 00	Canada and the USA

> -Sawdust and wood waste and scrap, not agglomerated: -Sawdust: ex 4401 40 10 –Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint, stains, creosote or other preservatives: -Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: –Other than treated with paint, stains, creosote or other preservatives: -Of birch (Betula spp.): 4403 95 10 4403 95 90 4403 96 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated: ex 4406 12 00 –Other (than not impregnated): ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Of birch (*Betula* spp.): 4407 96 10 4407 96 91 4407 96 99 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00	
48.	Amelanchier Medik., Aronia Medik., Cotoneaster Medik., Crataegus L., Cydonia Mill., Malus Mill., Pyracantha M. Roem., Pyrus L. and Sorbus L., other than wood packaging material, but including wood which has not kept its natural round surface, except sawdust or shavings	similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or	Canada and the USA

Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated: ex 4406 12 00 –Other (than not impregnated): ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00 49 Prunus L., other Fuel wood, in logs, in billets, Canada, China, Democratic than wood packaging People's Republic of Korea, in twigs, in faggots or in material, but including similar forms; wood in EU Member States, Japan, wood which has not chips or particles; sawdust Mongolia, Republic of Korea, kept its natural round and wood waste and scrap, the USA and Vietnam whether or not agglomerated surface in logs, briquettes, pellets or similar forms:

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

-Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: -Non-coniferous: ex 4401 12 00 -Wood in chips or particles: -Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated: -Sawdust: ex 4401 40 10 –Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint, stains, creosote or other preservatives: -Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: –Other than treated with paint, stains, creosote or other preservatives: ex 4403 99 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated: ex 4406 12 00 -Other (than not impregnated): ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Of cherry (Prunus spp.): 4407 94 10 4407 94 91 4407 94 99

		-Other: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00	
50.	L., Alnus L., Betula L., Carpinus L., Cercidiphyllum Siebold & Zucc., Corylus L., Fagus L., Fraxinus L., Koelreuteria Medikus., Platanus L., Populus L., Salix L., Tilia L. and Ulmus L., other than wood packaging material, but including wood which has not	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: –Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: –Non-coniferous:	Any third country where <i>Anoplophora glabripennis</i> is known to be present

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

-Treated with paint, stains, creosote or other preservatives: -Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: -Other than treated with paint, stains, creosote or other preservatives: -Of beech (Fagus spp.): 4403 93 00 4403 94 00 -Of birch (*Betula* spp.): 4403 95 10 4403 95 90 4403 96 00 –Of poplar and aspen (Populus spp.): 4403 97 00 –Of other: ex 4403 99 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated: ex 4406 12 00 –Other (than not impregnated): ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Of beech (Fagus spp.): 4407 92 00 -Of maple (Acer spp.): 4407 93 10 4407 93 91 4407 93 99 -Of ash (Fraxinus spp.): 4407 95 10 4407 95 91 4407 95 99 Of birch (Betula spp.):

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to

be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		4407 96 10 4407 96 91 4407 96 99 Of poplar and aspen ( <i>Populus</i> spp.): 4407 97 10 4407 97 91 4407 97 99 Of other: 4407 99 27 4407 99 40 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00	
51.	Wood of <i>Acer</i> macrophyllum Pursh, <i>Aesculus californica</i> (Spach) Nutt., <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd. and <i>Taxus brevifolia</i> Nutt., other than wood packaging material	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: -Coniferous: ex 4401 11 00 -Non-coniferous: ex 4401 12 00 -Wood in chips or particles: -Coniferous: ex 4401 21 00	The USA

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

-Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated: -Sawdust: ex 4401 40 10 –Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint, stains, creosote or other preservatives: -Coniferous: ex 4403 11 00 -Non-coniferous: ex 4403 12 00 Wood in the rough, not stripped of bark or sapwood, or roughly squared: –Other than treated with paint, stains, creosote or other preservatives: -Other. coniferous: ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: –Other than treated with paint, stains, creosote or other preservatives: -Other, of non-coniferous: ex 4403 99 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Coniferous: ex 4404 10 00 -Non-coniferous: ex 4404 20 00 Railway or tramway sleepers (cross-ties) of wood: -Not impregnated: -Coniferous: ex 4406 11 00 -Non-coniferous: ex 4406 12 00

> -Other (than not impregnated): -Coniferous: ex 4406 91 00 -Non-coniferous ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Coniferous: ex 4407 19 10 ex 4407 19 20 ex 4407 19 90 -Of maple (Acer spp.): 4407 93 10 4407 93 91 4407 93 99 -Of other: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: -Coniferous: ex 4408 10 15 ex 4408 10 91 ex 4408 10 98 -Other: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00

52.	Wood of Juglans L. and	Fuel wood, in logs, in billets,	EU Member States
	Pterocarya Kunth.	in twigs, in faggots or in	

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: -Non-coniferous: ex 4401 12 00 -Wood in chips or particles: -Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated: -Sawdust: ex 4401 40 10 –Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint, stains, creosote or other preservatives: -Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: –Other than treated with paint, stains, creosote or other preservatives: -Other. non-coniferous: ex 4403 99 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: -Not impregnated: ex 4406 12 00 -Other (than not impregnated): ex 4406 92 00 Wood sawn or chipped lengthwise, sliced or peeled,

Status: Point in time view as at 02/05/2024.
Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to
be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes
that have been made appear in the content and are referenced with annotations. (See end of Document for details)

		whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: -Of other: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: -Other: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00	
[ <sup>F360</sup> 52	Castanopsis (D. Don) Spach	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms, wood in chips or particles, sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: -Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: Non-coniferous: ex 4401 12 00 -Wood in chips or particles: Non-coniferous: ex 4401 22 00 -Sawdust and wood waste and scrap, not agglomerated: Wood waste and scrap (other than sawdust): ex 4401 40 90	China, Democratic People's Republic of Korea, Japan, Republic of Korea, Russia, Taiwan and Vietnam.]

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Wood in the rough, not stripped of bark or sapwood, or roughly squared: -Treated with paint. stains, creosote or other preservatives: --Non coniferous ex 4403 12 00 Non-coniferous wood (other than tropical wood specified in subheading note 1 to Chapter 44 of Council Regulation (EEC) No.2658/87 or other tropical wood, oak, (*Quercus* spp.) or beech (Fagus spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared other than treated with paint, stains, creosote or other preservatives: ex 4403 99 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: -Non-coniferous: ex 4404 20 00 Railway or tramway sleepers (cross-ties): -Not impregnated: --Non-coniferous: 4406 12 00 -Other (than not impregnated): --Non-coniferous: 4406 92 00 Non-coniferous wood (other than tropical wood, oak (Quercus spp.), beech (Fagus spp.), maple (Acer spp.), cherry (Prunus spp.), ash (Fraxinus spp.), birch (Betula spp.) or poplar and aspen (Populus spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90

	Packing cases, boxes, crates, drums and similar packings of wood, cable-drums of wood, pallets, box pallets and other load boards of wood, pallet collars of wood: -Cases, boxes, crates, drums and similar packings, cable- drums: 4415 10 10 4415 10 90 -Pallets, box pallets and other load boards, pallet collars: 4415 20 20 4415 20 90 Prefabricated buildings of wood: 9406 10 00.	
[ <sup>F361</sup> 54 <i>Salix</i> L.	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: – Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: — Non-coniferous: ex 4401 12 00 – Wood in chips or particles: — Non-coniferous: ex 4401 22 00 – Sawdust and wood waste and scrap, not agglomerated: — Sawdust: ex 4401 40 10 — Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: – Treated with paint, stains, creosote or other preservatives: — Non-coniferous: ex 4403 12 00 Wood in the rough, whether or not stripped of bark	China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea and Russia]

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

or sapwood, or roughly squared: – Other than treated with paint, stains, creosote or other preservatives: ex 4403 99 00 Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise: - Non-coniferous: ex 4404 20 00 Non-coniferous railway or tramway sleepers (cross-ties) of wood: - Not impregnated: ex 4406 12 00 – Other (than not impregnated): ex 4406 92 00 Non-coniferous wood (other than tropical wood, oak (Quercus spp.), beech (Fagus spp.), maple (Acer spp.), cherry (Prunus spp.), ash (*Fraxinus* spp.), birch (Betula spp.) or poplar and aspen (Populus spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm: ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

ex 4416 00 00 Prefabricated buildings of	
wood: ex 9406 10 00	

#### **Textual Amendments**

- **F329** Words in Annex 11 Pt. A Table Entry 7 substituted (30.4.2024) by The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(a)(i) (with reg. 5)
- **F330** Words in Annex 11 Pt. A Table Entry 7 substituted (30.4.2024) by The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(a)(ii) (with reg. 5)
- F331 Words in Annex 11 Pt. A Table Entry 9 substituted (30.4.2024) by The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(b) (with reg. 5)
- **F332** Words in Annex 11 Pt. A Table Entry 10 substituted (30.4.2024) by The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(c)(i) (with reg. 5)
- F333 Words in Annex 11 Pt. A Table Entry 10 inserted (30.4.2024) by The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(c)(ii) (with reg. 5)
- F334 Words in Annex 11 Pt. A Entry 13 substituted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 7(2)(a)
- F335 Words in Annex 11 Pt. A Table Entry 17 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(7)(a)
- F336 Annex 11 Pt. A Table Entry 18A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(7)(b)
- **F337** Annex 11 Pt. A Table Entry 18B inserted (1.10.2023) by The Windsor Framework (Retail Movement Scheme: Public Health, Marketing and Organic Product Standards and Miscellaneous Provisions) Regulations 2023 (S.I. 2023/959), regs. 1(2), **11(3)**
- F338 Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(i)(aa) (with reg. 5)
- **F339** Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(i)(bb) (with reg. 5)
- F340 Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(i)(cc) (with reg. 5)
- F341 Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(i)(dd) (with reg. 5)
- F342 Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(ii)(aa) (with reg. 5)
- **F343** Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(ii)(bb) (with reg. 5)
- F344 Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(ii)(cc) (with reg. 5)
- F345 Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(ii)(dd) (with reg. 5)

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- F346 Words in Annex 11 Pt. A Table Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(ii)(ee) (with reg. 5)
- F347 Words in Annex 11 Pt. A Entry 20 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(d)(ii)(ff) (with reg. 5)
- **F348** Annex 11 Pt. A Table Entry 20A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(7)(c)**
- F349 Words in Annex 11 Pt. A Table Entries 20B-20D inserted (30.4.2024) by The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 2(e) (with reg. 5)
- F350 Punctuation in Annex 11 Pt. A Entry 26 substituted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 7(2)(b)(i)
- **F351** Words in Annex 11 Pt. A Entry 26 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), **7(2)(b)(ii)**
- F352 Words in Annex 11 Pt. A Entry 36 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(9)(a)(i)
- F353 Words in Annex 11 Pt. A Table Entry 37 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(7)(d)
- F354 Annex 11 Pt. A Table Entry 40A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(7)(e)
- F355 Words in Annex 11 Pt. A Table Entry 41 substituted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(10)(a)
- **F356** Annex 11 Pt. A Table Entry 41ZA inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(10)(b)**
- F357 Annex 11 Pt. A Entry 41A inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(9)(a)(iii)
- **F358** Words in Annex 11 Pt. A Table Entry 43 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(7)(f)**
- **F359** Words in Annex 11 Pt. A Table Entry 46 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(7)(g)**
- F360 Annex 11 Pt. A Entry 53 inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(5)(b)
- **F361** Annex 11 Pt. A Table Entry 54 inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(7)(h)**

# PART B U.K.

List of other plants which may not be introduced into Great Britain unless they are accompanied by a phytosanitary certificate, as referred to in Article 73(1) of Regulation (EU) 2016/2031

	(1) Description of plants, plant products or other objects	(2) CN code and its respective description under Council Regulation (EEC) No.2658/87	(3) Country of origin or dispatch
1.	meaning of Article 2(1) of Regulation (EU)		Any third country

> ex 0601 20 10 Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: 0603 15 00 0603 19 10 0603 19 20 ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, not mosses or lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh or chilled, other than for planting: ex 0703 10 19 ex 0703 10 90 ex 0703 20 00 ex 0703 90 00 Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh or chilled, other than planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 Lettuce (Lactuca sativa) and chicory (Cichorium spp.), fresh or chilled, other than planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 Cucumbers and gherkins, fresh or chilled: 0707 00 05 0707 00 90 Leguminous vegetables, shelled or unshelled, fresh or chilled: 0708 10 00 0708 20 00 0708 90 00

*Changes to legislation:* Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Asparagus, celery other than celeriac, spinach, New Zealand spinach and orache spinach (garden spinach), globe artichokes, olives, pumpkins, squash and gourds (Cucurbita spp.), salad vegetables, (other than lettuce (Lactuca sativa) and chicory (Cichorium spp.)), chard (or white beet) and cardoons, capers, fennel and other vegetables, fresh or chilled, other than planted in a growing substrate: 0709 20 00 ex 0709 40 00 ex 0709 70 00 0709 91 00 0709 92 10 0709 92 90 0709 93 10 0709 93 90 ex 0709 99 10 ex 0709 99 20 0709 99 40 ex 0709 99 50 ex 0709 99 90 Dried leguminous vegetables, shelled, not skinned or split, for sowing: ex 0713 20 00 ex 0713 31 00 ex 0713 32 00 ex 0713 34 00 ex 0713 35 00 ex 0713 39 00 ex 0713 40 00 ex 0713 60 00 ex 0713 90 00 Brazil nuts and cashew nuts, fresh, whole, not shelled, not peeled, also for ssowing: ex 0801 21 00 ex 0801 31 00 Other nuts, fresh, whole not shelled, not peeled, also for sowing: ex 0802 11 10 ex 0802 11 90 ex 0802 21 00 ex 0802 31 00 ex 0802 41 00

ex 0802 51 00

Status: Point in time view as at 02/05/2024. Changes to legislation: Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

> ex 0802 61 00 ex 0802 70 00 ex 0802 80 00 ex 0802 90 10 ex 0802 90 50 ex 0802 90 85 Figs, fresh or chilled: 0804 20 10 Melons, fresh or chilled: 0807 11 00 0807 19 00 Other fruit, fresh or chilled: ex 0810 20 90 ex 0810 90 20 ex 0810 90 75 F362 Tea leaves, fresh, whole, not cut, not fermented, not flavoured: ex 0902 10 00 ex 0902 20 00 Thyme and fenugreek seeds for sowing: ex 0910 99 10 ex 0910 99 31 ex 0910 99 33 Bay leaves, fresh: ex 0910 99 50 Barley, seed for sowing: 1003 10 00 Oats, seed for sowing: 1004 10 00 Grain sorghum, seed for sowing: 1007 10 10 1007 10 90 Buckwheat, millet and canary seed, other cereals, seed for sowing: ex 1008 10 00 1008 21 00 ex 1008 30 00 ex 1008 40 00 ex 1008 50 00 ex 1008 90 00 Groundnuts, fresh, not roasted or otherwise cooked, whole, not shelled, not broken, also seed for sowing: 1202 30 00 ex 1202 41 00

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

Other oil seeds for sowing and oleaginous fruits, fresh, not broken: ex 1207 10 00 1207 21 00 ex 1207 30 00 1207 40 10 ex 1207 60 00 ex 1207 70 00 1207 91 10 1207 99 20 Seeds and fruit, of a kind used for sowing: 1209 10 00 1209 22 10 1209 22 80 1209 23 11 1209 23 15 1209 23 80 1209 24 00 1209 25 10 1209 25 90 1209 29 45 1209 29 50 1209 29 60 1209 29 80 1209 30 00 1209 91 30 1209 91 80 1209 99 10 1209 99 91 1209 99 99 F363 Plants, other than for planting, and parts of plants (including seeds for sowing and fruits), fresh or chilled, not cut nor crushed or powdered: ex 1211 30 00 ex 1211 40 00 ex 1211 50 00 ex 1211 90 30 ex 1211 90 86 Locust beans for sowing, and sugar cane, fresh or chilled, not ground; fruit stones and kernels for sowing and other fresh vegetable products not elsewhere specified or included: ex 1212 92 00 ex 1212 93 00

#### **Textual Amendments**

F362 Words in Annex 11 Pt. B Table Entry 1 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 3(a) (with reg. 5)
F363 Words in Annex 11 Pt. B Table Entry 1 omitted (30.4.2024) by virtue of The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, Sch. 1 para. 3(b) (with reg. 5)

# PART C U.K.

List of plants, together with the respective third countries of origin or dispatch, which do not require phytosanitary certificates pursuant to Article 73(2) of Regulation (EU) 2016/2031

<ul> <li>Modifications etc. (not altering text)</li> <li>C22 Annex 11 Pt. C: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031 (as amended by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/2(2)(b), 31(5)(b))</li> </ul>			
		$I^{F364}(1)$ Description of plants, plant products or other objects	(2) Country of origin or dispatch

	other objects	
1.	Fruit of Actinidia sp. Lindl	Any third country
2.	Fruit of <i>Ananas comosus</i> (L.) Merrill	Any third country
3.	Flower buds and fruit of <i>Capparis spinosa</i> L. (capers and caper berries)	Any third country
4.	Fruit of Carica papaya L.	Any third country
5.	Leafy vegetables of <i>Cichorium intybus</i> L.	Any third country
6.	Fruit and leaves of <i>Citrus</i> sp. L.	Any third country

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	$\int^{F364}(1)$ Description of plants, plant products or other objects	(2) Country of origin or dispatch
7.	Fruits of Cocos nucifera L.	Any third country
8.	Fruit of <i>Coffea arabica</i> L.	Any third country
9.	Fruit of <i>Coffea canephora</i> Pierre ex A.Frohner	Any third country
10.	Fruit of <i>Cucumis sativus</i> L.	Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, the following parts of Russia: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo- Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug), San Marino, Serbia, Switzerland, and Ukraine
11.	Flower buds of <i>Cynara</i> <i>cardunculus</i> var. <i>scolymus</i> (L.) Benth. (globe artichoke)	Any third country
12.	Fruit of <i>Diospyros</i> sp. L.	Any third country
13.	Fruit of <i>Durio zibethinus</i> Murray	Any third country
14.	Leafy vegetables and bulb- like structures of <i>Foeniculum</i> <i>vulgare</i> Miller not for planting (fennel bulbs)	Any third country
15.	Fruit of Fortunella sp. Swingle	Any third country
16.	Fruit (bolls) of <i>Gossypium</i> spp.	Any third country
17.	Flowers of <i>Humulus lupulus</i> L. (hop cones)	Any third country
18.	Cones of <i>Juniperus communis</i> L. (juniper berries)	Any third country


**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

	[ <sup>F364</sup> (1) Description of plants, plant products or other objects	(2) Country of origin or dispatch
19.	Fruit of Mangifera sp. L.	Any third country
20.	Leaves of Murraya spp.	Any third country
21.	Fruit of Musa	Any third country
22.	Fruit of Olea europaea L.	Any third country
23.	Fruits of Passiflora sp. L	Any third country
24.	Fruit of Phoenix dactylifera L.	Any third country
25.	Fruit of Poncirus L. Raf	Any third country
26.	Fruit of Psidium sp.	Any third country
27.	Fruit of <i>Ribes</i> L.	Any third country other than Anguilla, Antigua and Barbuda, Aruba, the Bahamas, Barbados, Belize, Bermuda, Bonaire, British Virgin Islands, Canada, Cayman Islands, Clipperton Island, Costa Rica, Cuba, Curaçao, Dominica, Dominican Republic, El Salvador, Greenland, Grenada, Guadeloupe, Guatemala, Haiti, Honduras, Jamaica, Martinique, Mexico, Montserrat, Nicaragua, Panama, Puerto Rico, Saba, Saint Barthélemy, Saint Kitts and Nevis, Saint Lucia, Saint Martin, Saint Pierre and Miquelon, Saint Vincent and the Grenadines, Sint Eustatius, Sint Maarten, Trinidad and Tobago, Turks and Caicos Islands, United States Virgin Islands
28.	Fruit of Syzygium Gaertn.	Any third country
29.	All plants other than those specified in Part A of this Annex and fruit of <i>Cydonia</i> Mill. and <i>Prunus</i> L.	EU member States and Switzerland]]

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

## **Textual Amendments**

**F364** Annex 11 Pt. C Table substituted (30.4.2024) by The Official Controls (Miscellaneous Amendments) Regulations 2024 (S.I. 2024/541), reg. 1, **Sch. 1 para. 4** (with reg. 5)



# List of plants, plant products and other objects for which a phytosanitary certificate is required for their introduction into a [<sup>F365</sup>GB pest-free area] from certain third countries of origin or dispatch

#### **Textual Amendments**

**F365** Words in Annex 12 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **15(a)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

## Modifications etc. (not altering text)

C23 Annex 12: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 74(3) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), 31(6)(d)(e))

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
F366	F366	F366
· · ·	•••	•••

#### **Textual Amendments**

**F366** Words in Annex 12 Table omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **15(b)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)



List of plants, plant products and other objects for which a UK plant passport is required for their movement within Great Britain or for their introduction into Great Britain from a CD territory

# **Textual Amendments**

F367 Annex 13 substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), reg. 1(2), Sch. 11 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

# Modifications etc. (not altering text)

C24 Annex 13: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 79(3) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **31(13)(e)**)

# In this Annex:

- a 'Seeds Marketing Regulations' has the meaning given in regulation 2(1) of the Seeds (National Lists of Varieties) Regulations 2001 ;
- b the references to seed in paragraphs 2, 4, 5 and 6 do not include seed where it is subject to an exception described in Article 6(3) and the special requirements in Annex 8 or 10 do not apply in relation to the seed.
- 1 All plants for planting, other than seeds.
- 2 Seed of the following species, where the seed is permitted to be marketed under the Seeds Marketing Regulations and the movement of the seed relates to its marketing:
  - a Allium cepa L.,
  - b *Allium porrum* L.,
  - c *Phaseolus coccineus* L.,
  - d Phaseolus vulgaris L.,
  - e Pisum sativum L.,
  - f Vicia faba L.
- 3 Seeds of the following species:
  - a Castanea Mill.,
  - b *Capsicum* spp L.,
  - c Solanum lycopersicum L.,
  - d Solanum tuberosum L.
- 4 Seed of *Medicago sativa* L, where the seed is permitted to be marketed under the Seeds Marketing Regulations and the movement of the seed relates to its marketing.
- 5 Seed of the following species, where the seed is permitted to be marketed under the Seeds Marketing Regulations and the movement of the seed relates to its marketing:


**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

- a Brassica napus L.,
- b Brassica rapa L.,
- c *Glycine max* (L.) Merrill,
- d *Helianthus annuus* L.,
- e *Linum usitatissimum* L.,
- f *Sinapis alba* L.
- 6 Seed of the following species, where the seed is permitted to be marketed under the Marketing of Ornamental Propagating Material Regulations 1999 and the movement of the seed relates to its marketing:
  - a *Capsicum annuum* L.;
  - b *Helianthus annuus* L.
- 7 Plants of *Abies* Mill., *Larix* Mill., *Picea* A. Dietr., *Pinus* L. and *Pseudotsuga* Carr over three metres in height, including felled or fallen trees, other than fruit, seeds, leaves or foliage.
- 8 Wood, where it is considered to be a plant product and has been obtained in whole or in part from the following genera or species, other than wood which is bark-free:
  - a conifers (Pinales),
  - b *Castanea* Mill.
- 9 Wood, where it is considered to be a plant product and has been obtained in whole or part from the following species, including wood which has not kept its natural round surface:
  - a Juglans L.,
  - b *Platanus* L.,
  - c Pterocarya L.
- 10 Isolated bark of the following genera or species:
  - a conifers (Pinales),
  - b *Castanea* Mill,
  - c [<sup>F368</sup>Juglans L.,
  - d Pterocarya L.].]

#### **Textual Amendments**

**F368** Annex 13 para. 10(c)(d) inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(10)** 

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)



# List of plants, plant products and other objects for which a [<sup>F369</sup>UK] plant passport with the designation '[<sup>F370</sup>PFA]' is required for introduction into, and movement within certain [<sup>F371</sup>GB pest-free areas]

#### **Textual Amendments**

F369 Word in Annex 14 heading inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), 17(a)(i) (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(a))

- F370 Word in Annex 14 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **17(a)(ii)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)
- **F371** Words in Annex 14 heading substituted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **17(a)(iii)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

#### Modifications etc. (not altering text)

C25 Annex 14: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 80(3) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **31(14)(e)**)

 $I^{F_{372}}(1)$  Description of plants, plant (2) Description of GB pest-free area] products or other objects

# Textual Amendments

F372 Table heading in Annex 14 inserted (31.12.2020) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **17(b)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

F373

#### **Textual Amendments**

**F373** Annex 14 paras. 1-12 omitted (31.12.2020) by virtue of The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), regs. 1(2), **17(c)** (as amended by S.I. 2020/1631, regs. 1(2), **9(2)(a)**)

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details)

#### (1) OJ L 317, 23.11.2016, p. 4.

- (2) Council Directive 2000/29/EC of 8 May 2000 on protective measures against the introduction into the Community of organisms harmful to plants or plant products and against their spread within the Community (OJ L 169, 10.7.2000, p. 1).
- (3) Commission Regulation (EC) No 690/2008 of 4 July 2008 recognising protected zones exposed to particular plant health risks in the Community (OJ L 193, 22.7.2008, p. 1).
- (4) Council Directive 66/401/EEC of 14 June 1966 on the marketing of fodder plant seed (OJ 125, 11.7.1966, p. 2298).
- (5) Council Directive 66/402/EEC of 14 June 1966 on the marketing of cereal seed (OJ 125, 11.7.1966, p. 2309).
- (6) Council Directive 68/193/EEC of 9 April 1968 on the marketing of material for the vegetative propagation of the vine (OJ L 93, 17.4.1968, p. 15).
- (7) Council Directive 98/56/EC of 20 July 1998 on the marketing of propagating material of ornamental plants (OJ L 226, 13.8.1998, p. 16).
- (8) Council Directive 2002/55/EC of 13 June 2002 on the marketing of vegetable seed (OJ L 193, 20.7.2002, p. 33).
- (9) Council Directive 2002/56/EC of 13 June 2002 on the marketing of seed potatoes (OJ L 193, 20.7.2002, p. 60).
- (10) Council Directive 2002/57/EC of 13 June 2002 on the marketing of seed of oil and fibre plants (OJ L 193, 20.7.2002, p. 74).
- (11) Council Directive 2008/72/EC of 15 July 2008 on the marketing of vegetable propagating and planting material, other than seed (OJ L 205, 1.8.2008, p. 28).
- (12) Council Directive 2008/90/EC of 29 September 2008 on the marketing of fruit plant propagating material and fruit plants intended for fruit production (OJ L 267, 8.10.2008, p. 8).
- (13) Commission Implementing Decision (EU) 2017/478 of 16 March 2017 releasing certain Member States from the obligation to apply to certain species Council Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 1999/105/EC, 2002/54/EC, 2002/55/EC and 2002/57/EC on the marketing of fodder plant seed, cereal seed, material for the vegetative propagation of the vine, forest reproductive material, beet seed, vegetable seed and seed of oil and fibre plants respectively, and repealing Commission Decision 2010/680/EU (OJ L 73, 18.3.2017, p. 29).

## Status:

Point in time view as at 02/05/2024.

#### **Changes to legislation:**

Commission Implementing Regulation (EU) 2019/2072 is up to date with all changes known to be in force on or before 18 September 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations.