

ANNEX IV

List of Union regulated non-quarantine pests ('RNQPs') and specific plants for planting, with categories and thresholds as referred to in Article 5

PART J

RNQPs concerning fruit propagating material and fruit plants intended for fruit production

Bacteria		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Agrobacterium tumefaciens</i> (Smith & Townsend) Conn [AGRBTU]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L., <i>Vaccinium</i> L.	0 %
<i>Agrobacterium</i> spp. Conn [1AGRBG]	<i>Rubus</i> L.	0 %
<i>Candidatus Phlomobacter fragariae</i> Zreik, Bové & Garnier [PHMBFR]	<i>Fragaria</i> L.	0 %
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Plants for planting other than seeds <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Pseudomonas avellanae</i> Janse <i>et al.</i> [PSDMAL]	<i>Corylus avellana</i> L.	0 %
<i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> (Smith) Gardan <i>et al.</i> [PSDMSA]	<i>Olea europaea</i> L.	0 %
<i>Pseudomonas syringae</i> pv. <i>morsprunorum</i> (Wormald) Young, Dye & Wilkie [PSDMMP]	<i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti	Plants for planting other than seeds	0 %

Status: This is the original version (as it was originally adopted).

&. Gardan) Young, Dye & Wilkie [PSDMPE]	<i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	
<i>Pseudomonas syringae</i> pv. <i>Syringae</i> van Hall [PSDMSY]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L., <i>Prunus armeniaca</i> L.	0 %
<i>Pseudomonas viridiflava</i> (Burkholder) Dowson [PSDMVF]	<i>Prunus armeniaca</i> L.	0 %
<i>Rhodococcus fascians</i> Tilford [CORBFA]	<i>Rubus</i> L.	0 %
<i>Spiroplasma citri</i> Saglio et al. [SPIRCI]	Plants for planting other than seeds <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids	0 %
<i>Xanthomonas arboricola</i> pv. <i>Corylina</i> (Miller, Bollen, Simmons, Gross & Barss) Vauterin, Hoste, Kersters & Swings [XANTCY]	<i>Corylus avellana</i> L.	0 %
<i>Xanthomonas arboricola</i> pv. <i>Juglandi</i> (Pierce) Vauterin et al. [XANTJU]	<i>Juglans regia</i> L.	0 %
<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin et al. [XANTPR]	Plants for planting other than seeds <i>Prunus amygdalus</i> Batsch, <i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Xanthomonas campestris</i> pv. <i>fici</i> (Cavara) Dye [XANTFI]	<i>Ficus carica</i> L.	0 %
<i>Xanthomonas fragariae</i> Kennedy & King [XANTFR]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
Fungi and oomycetes		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Armillariella mellea</i> (Vahl) Kummer [ARMIME]	<i>Corylus avellana</i> L., <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L	0 %

<i>Chondrostereum purpureum</i> Pouzar [STERPU]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Colletotrichum acutatum</i> Simmonds [COLLAC]	<i>Fragaria</i> L.	0 %
<i>Cryphonectria parasitica</i> (Murrill) Barr [ENDOPA]	Plants for planting other than seeds <i>Castanea sativa</i> Mill.	0 %
<i>Diaporthe strumella</i> (Fries) Fuckel [DIAPST]	<i>Ribes</i> L.	0 %
<i>Diaporthe vaccinii</i> Shear [DIAPVA]	<i>Vaccinium</i> L.	0 %
<i>Exobasidium vaccinii</i> (Fuckel) Woronin [EXOBVA]	<i>Vaccinium</i> L.	0 %
<i>Glomerella cingulata</i> (Stoneman) Spaulding & von Schrenk [GLOMCI]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Godronia cassandrae</i> (anamorph <i>Topospora</i> <i>myrtilli</i>) Peck [GODRCA]	<i>Vaccinium</i> L.	0 %
<i>Microsphaera grossulariae</i> (Wallroth) Lévêillé [MCRSGR]	<i>Ribes</i> L.	0 %
<i>Mycosphaerella punctiformis</i> Verkley & U. Braun [RAMUEN]	<i>Castanea sativa</i> Mill.	0 %
<i>Neofabraea alba</i> Desmazières [PEZIAL]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Neofabraea malicorticis</i> Jackson [PEZIMA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Neonectria ditissima</i> (Tulasne & C. Tulasne) Samuels & Rossman [NECTGA]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Peronospora rubi</i> Rabenhorst [PERORU]	<i>Rubus</i> L.	0 %
<i>Phytophthora cactorum</i> (Lebert & Cohn) J.Schröter [PHYTCC]	<i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Prunus</i> <i>armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus</i> <i>dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch,	0 %

Status: This is the original version (as it was originally adopted).

	<i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	
<i>Phytophthora cambivora</i> (Petri) Buisman [PHYTCM]	<i>Castanea sativa</i> Mill., <i>Pistacia vera</i> L.	0 %
<i>Phytophthora cinnamomi</i> Rands [PHYTCN]	<i>Castanea sativa</i> Mill.	0 %
<i>Phytophthora citrophthora</i> (R.E.Smith & E.H.Smith) Leonian [PHYTCO]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Phytophthora cryptogea</i> Pethybridge & Lafferty [PHYTCR]	<i>Pistacia vera</i> L.	0 %
<i>Phytophthora fragariae</i> C.J. Hickman [PHYTFR]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
<i>Phytophthora nicotianae</i> var. <i>parasitica</i> (Dastur) Waterhouse [PHYTNP]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Phytophthora</i> spp. de Bary [1PHYTG]	<i>Rubus</i> L.	0 %
<i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkley [DEUTTR]	Plants for planting other than seeds <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids	0 %
<i>Podosphaera aphanis</i> (Wallroth) Braun & Takamatsu [PODOAP]	<i>Fragaria</i> L.	0 %
<i>Podosphaera mors-uvae</i> (Schweinitz) Braun & Takamatsu [SPHRMU]	<i>Ribes</i> L.	0 %
<i>Rhizoctonia fragariae</i> Hussain & W.E.McKeen [RHIZFR]	<i>Fragaria</i> L.	0 %
<i>Rosellinia necatrix</i> Prillieux [ROSLNE]	<i>Pistacia vera</i> L.	0 %
<i>Sclerophora pallida</i> Yao & Spooner [SKLPPA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Verticillium albo-atrum</i> Reinke & Berthold [VERTAA]	<i>Corylus avellana</i> L., <i>Cydonia</i> <i>oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Verticillium dahliae</i> Kleb [VERTDA]	<i>Corylus avellana</i> L., <i>Cydonia</i> <i>oblonga</i> Mill., <i>Fragaria</i> L. <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Pistacia vera</i> L., <i>Prunus</i>	0 %

	<i>armeniaca</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	
Insects and mites		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Aleurothrixus floccosus</i> Maskell [ALTHFL]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Cecidophyopsis ribis</i> Westwood [ERPHRI]	<i>Ribes</i> L.	0 %
<i>Ceroplastes rusci</i> Linnaeus [CERPRU]	<i>Ficus carica</i> L.	0 %
<i>Chaetosiphon fragaefolii</i> Cockerell [CHTSFR]	<i>Fragaria</i> L.	0 %
<i>Dasineura tetensi</i> Rübssaamen [DASYTE]	<i>Ribes</i> L.	0 %
<i>Epidiaspis leperii</i> Signoret [EPIDBE]	<i>Juglans regia</i> L.	0 %
<i>Eriosoma lanigerum</i> Hausmann [ERISLA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Parabemisia myricae</i> Kuwana [PRABMY]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, and <i>Poncirus</i> Raf.	0 %
<i>Phytoptus avellanae</i> Nalepa [ERPHAV]	<i>Corylus avellana</i> L.	0 %
<i>Phytonemus pallidus</i> Banks [TARSPA]	<i>Fragaria</i> L.	0 %
<i>Pseudaulacaspis pentagona</i> Targioni-Tozzetti [PSEAPE]	<i>Juglans regia</i> L., <i>Prunus armeniaca</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L.	0 %
<i>Psylla</i> spp. Geoffroy [1PSYLG]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Quadraspidotus perniciosus</i> Comstock [QUADPE]	<i>Juglans regia</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L.	0 %

Status: This is the original version (as it was originally adopted).

<i>Resseliella theobaldi</i> Barnes [THOMTE]	<i>Rubus</i> L.	0 %
<i>Tetranychus urticae</i> Koch [TETRUR]	<i>Ribes</i> L.	0 %
Nematodes		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Aphelenchoides besseyi</i> Christie [APLOBE]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
<i>Aphelenchoides blastophthorus</i> Franklin [APLOBL]	<i>Fragaria</i> L.	0 %
<i>Aphelenchoides fragariae</i> (Ritzema Bos) Christie [APLOFR]	<i>Fragaria</i> L.	0 %
<i>Aphelenchoides ritzemabosi</i> (Schwartz) Steiner & Buhrer [APLORI]	<i>Fragaria</i> L., <i>Ribes</i> L.	0 %
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Fragaria</i> L., <i>Ribes</i> L.	0 %
<i>Heterodera fici</i> Kirjanova [HETDFI]	<i>Ficus carica</i> L.	0 %
<i>Longidorus attenuatus</i> Hooper [LONGAT]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Rubus</i> L.	0 %
<i>Longidorus elongatus</i> (de Man) Thorne & Swanger [LONGEL]	<i>Fragaria</i> L. <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L., <i>Rubus</i> L.	0 %
<i>Longidorus macrosoma</i> Hooper [LONGMA]	<i>Fragaria</i> L. <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L., <i>Rubus</i> L.	0 %
<i>Meloidogyne arenaria</i> Chitwood [MELGAR]	<i>Ficus carica</i> L. <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %

<i>Meloidogyne hapla</i> Chitwood [MELGHA]	<i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Meloidogyne incognita</i> (Kofold & White) Chitwood [MELGIN]	<i>Ficus carica</i> L. <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Meloidogyne javanica</i> Chitwood [MELGJA]	<i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Malus</i> Mill. <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %
<i>Pratylenchus penetrans</i> (Cobb) Filipjev & Schuurmans-Stekhoven [PRATPE]	<i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L. <i>Malus</i> Mill., <i>Pistacia vera</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %
<i>Pratylenchus vulnus</i> Allen & Jensen [PRATVU]	<i>Citrus</i> L., <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Fortunella</i> Swingle, <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Pistacia vera</i> L., <i>Poncirus</i> Raf., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %
<i>Tylenchulus semipenetrans</i> Cobb [TYLESE]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Xiphinema diversicaudatum</i> (Mikoletzky) Thorne [XIPHDI]	<i>Fragaria</i> L., <i>Juglans regia</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus</i>	0 %

Status: This is the original version (as it was originally adopted).

	<i>persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L., <i>Rubus</i> L.	
<i>Xiphinema index</i> Thorne & Allen [XIPHIN]	<i>Pistacia vera</i> L.	0 %
Viruses, viroids, virus-like diseases and phytoplasmas		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Apple chlorotic leaf spot virus [ACLSV0]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %
Apple dimple fruit viroid [ADFVD0]	<i>Malus</i> Mill.	0 %
Apple flat limb agent [AFL000]	<i>Malus</i> Mill.	0 %
Apple mosaic virus [APMV00]	<i>Corylus avellana</i> L., <i>Malus</i> Mill. <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Rubus</i> L.	0 %
Apple star crack agent [APHW00]	<i>Malus</i> Mill.	0 %
Apple rubbery wood agent [ARW000]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0 %
Apple scar skin viroid [ASSVD0]	<i>Malus</i> Mill.	0 %
Apple stem-grooving virus [ASGV00]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
Apple stem-pitting virus [ASPV00]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
Apricot latent virus [ALV000]	<i>Prunus armeniaca</i> L., <i>Prunus persica</i> (L.) Batsch	0 %
<i>Arabis</i> mosaic virus [ARMV00]	<i>Fragaria</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L., <i>Rubus</i> L.	0 %

Aucuba mosaic agent and blackcurrant yellows agent combined	<i>Ribes</i> L.	0 %
Black raspberry necrosis virus [BRNV00]	<i>Rubus</i> L.	0 %
Blackcurrant reversion virus [BRAV00]	<i>Ribes</i> L.	0 %
Blueberry mosaic associated virus [BLMAV0]	<i>Vaccinium</i> L.	0 %
Blueberry red ringspot virus [BRRV00]	<i>Vaccinium</i> L.	0 %
Blueberry scorch virus [BLSCV0]	<i>Vaccinium</i> L.	0 %
Blueberry shock virus [BLSHV0]	<i>Vaccinium</i> L.	0 %
Blueberry shoestring virus [BSSV00]	<i>Vaccinium</i> L.	0 %
<i>Candidatus</i> Phytoplasma asteris Lee et al. [PHYPPAS]	<i>Fragaria</i> L., <i>Vaccinium</i> L.	0 %
<i>Candidatus</i> Phytoplasma australiense Davis et al. [PHYPAU]	<i>Fragaria</i> L.	0 %
<i>Candidatus</i> Phytoplasma fragariae Valiunas, Stanilulis & Davis [PHYPPFG]	<i>Fragaria</i> L.	0 %
<i>Candidatus</i> Phytoplasma mali Seemüller & Schneider [PHYPPMA]	Plants for planting other than seeds <i>Malus</i> Mill.	0 %
<i>Candidatus</i> Phytoplasma pruni [PHYPPN]	<i>Fragaria</i> L., <i>Vaccinium</i> L.	0 %
<i>Candidatus</i> Phytoplasma prunorum Seemüller & Schneider [PHYPPR]	Plants for planting other than seeds <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Candidatus</i> Phytoplasma pyri [PHYPPY]	Plants for planting other than seeds <i>Pyrus</i> L.	0 %

Status: This is the original version (as it was originally adopted).

<i>Candidatus</i> Phytoplasma <i>rubi</i> Malembic-Maher <i>et al.</i> [PHYPRU]	<i>Rubus</i> L.	0 %
<i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> [PHYPSO]	<i>Fragaria</i> L., <i>Vaccinium</i> L.	0 %
Cherry green ring mottle virus [CGRMV0]	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Cherry leaf roll virus [CLRV00]	<i>Juglans regia</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Cherry mottle leaf virus [CMLV00]	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Cherry necrotic rusty mottle virus [CRNRM0]	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Chestnut mosaic agent	<i>Castanea sativa</i> Mill.	0 %
<i>Citrus cristacortis</i> agent [CSCC00]	<i>Citrus</i> L., <i>Fortunella Swingle</i> , <i>Poncirus</i> Raf.	0 %
<i>Citrus exocortis</i> viroid [CEVD00]	<i>Citrus</i> L., <i>Fortunella Swingle</i> , <i>Poncirus</i> Raf.	0 %
<i>Citrus impietratura</i> agent [CSI000]	<i>Citrus</i> L., <i>Fortunella Swingle</i> , <i>Poncirus</i> Raf.	0 %
<i>Citrus</i> leaf Blotch virus [CLBV00]	<i>Citrus</i> L., <i>Fortunella Swingle</i> , <i>Poncirus</i> Raf.	0 %
<i>Citrus psorosis</i> virus [CPSV00]	<i>Citrus</i> L., <i>Fortunella Swingle</i> , <i>Poncirus</i> Raf.	0 %
<i>Citrus tristeza</i> virus [CTV000] (EU isolates)	Plants for planting other than seeds <i>Citrus</i> L., <i>Fortunella Swingle</i> , <i>Poncirus</i> Raf. and their hybrids	0 %
<i>Citrus</i> variegation virus [CVV000]	<i>Citrus</i> L., <i>Fortunella Swingle</i> , <i>Poncirus</i> Raf.	0 %
<i>Clover phyllody</i> phytoplasma [PHYP03]	<i>Fragaria</i> L.	0 %
Cranberry false blossom phytoplasma [PHYPFB]	<i>Vaccinium</i> L.	0 %
Cucumber mosaic virus [CMV000]	<i>Ribes</i> L., <i>Rubus</i> L.	0 %
Fig mosaic agent [FGM000]	<i>Ficus carica</i> L.	0 %
Fruit disorders: chat fruit [APCF00], green crinkle [APGC00], bumpy fruit	<i>Malus</i> Mill.	0 %

of Ben Davis, rough skin [APRSK0], star crack, russet ring [APLP00], russet wart		
Gooseberry vein banding associated virus [GOVB00]	<i>Ribes</i> L.	0 %
Hop stunt viroid [HSVD00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
Little cherry virus 1 and 2 [LCHV10], [LCHV20])	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Myrobalan latent ringspot virus [MLRSV0]	<i>Prunus domestica</i> L., <i>Prunus salicina</i> Lindley	0 %
Olive leaf yellowing associated virus [OLYAV0]	<i>Olea europaea</i> L.	0 %
Olive vein yellowing-associated virus [OVYAV0]	<i>Olea europaea</i> L.	0 %
Olive yellow mottling and decline associated virus [OYMDAV]	<i>Olea europaea</i> L.	0 %
Peach latent mosaic viroid [PLMVD0]	<i>Prunus persica</i> (L.) Batsch	0 %
Pear bark necrosis agent [PRBN00]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Pear bark split agent [PRBS00]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Pear blister canker viroid [PBCVD0]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Pear rough bark agent [PRRB00]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Plum pox virus [PPV000]	<i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasifera</i> , <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley. In the case of <i>Prunus</i> hybrids where material is grafted onto rootstocks, other species of <i>Prunus</i> L. rootstocks susceptible to Plum pox virus.	0 %
Prune dwarf virus [PDV000]	<i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D.	0 %

Status: This is the original version (as it was originally adopted).

	A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	
<i>Prunus</i> necrotic ringspot virus [PNRSV0]	<i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
Quince yellow blotch agent [ARW000]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Raspberry bushy dwarf virus [RBDV00]	<i>Rubus</i> L.	0 %
Raspberry leaf mottle virus [RLMV00]	<i>Rubus</i> L.	0 %
Raspberry ringspot virus [RPRSV0]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L., <i>Rubus</i> L.	0 %
Raspberry vein chlorosis virus [RVCV00]	<i>Rubus</i> L.	0 %
Raspberry yellow spot [RYS000]	<i>Rubus</i> L.	0 %
Rubus yellow net virus [RYNV00]	<i>Rubus</i> L.	0 %
Strawberry crinkle virus [SCRV00]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
Strawberry latent ringspot virus [SLRSV0]	<i>Fragaria</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Ribes</i> L., <i>Rubus</i> L.	0 %
Strawberry mild yellow edge virus [SMYEV0]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
Strawberry mottle virus [SMOV00]	<i>Fragaria</i> L.	0 %
Strawberry multiplier disease phytoplasma [PHYP75]	<i>Fragaria</i> L.	0 %
Strawberry vein banding virus [SVBV00]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
Tomato black ring virus [TBRV00]	Plants for planting other than seeds	0 %

<i>Fragaria L., Prunus avium L., Prunus cerasus L., Rubus L.</i>
--
