Document Generated: 2024-06-20

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up to date with all changes known to be in force on or before 20 June 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

# ANNEX 7

[<sup>F1</sup>List of plants, plant products and other objects originating from third countries and the corresponding special requirements for their introduction into Great Britain

#### **Textual Amendments**

F1 Annex 7 substituted (31.12.2020 except so far as it relates to Annex 7 Pt. A Table, entries 3, 61, 135(a) and 1.1.2021 in so far as not already in force) by The Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1527), Sch. 7 (as amended by S.I. 2020/1631, regs. 1(2), 9(2)(4))

### Modifications etc. (not altering text)

C1 Annex 7: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 41(3)-(3B) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(4)(c)**)

# PART A

Plants, plant products and other objects originating in third countries which may only be introduced into Great Britain if special requirements are met

### Modifications etc. (not altering text)

- C2 Annex 7 Pt. A: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(4) (4A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(5)(e)**)
- C3 Annex 7 Pt. A: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 44(1A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(7)(a)**)

## Interpretation

In this Annex:

'associated controlled dunnage', in entry [<sup>F2</sup>109, 111, 112, 113, [<sup>F3</sup>115A, 115B,] 116, 117, 120, 122, 123, 125, 128, [<sup>F4</sup>128A, 128C,] 130, 132, 135, 136, [<sup>F5</sup>136A,] 138, 140 or 142] of Part A, means wood which supports a consignment of wood of a genus or species specified in that entry and which—

i is constructed from wood of the same type and quality as the wood in the consignment; and

ii meets the requirements specified in column (3) of that entry;

<sup>•</sup>EPPO PM 9/2<sup>•</sup> means the standard describing a national regulatory control system for *Clavibacter michiganensis* subsp. *sepedonicus* that provides guidance on surveillance for the pathogen and its containment and eradication if found, approved by the European and Mediterranean Plant Protection Organization ;

'EPPO PM 9/5' means the standard describing the procedures for official control of *Synchytrium endobioticum*, approved by the European and Mediterranean Plant Protection Organization ;

'EPPO PM 9/26' means the standard describing a national regulatory control system for *Globodera pallida* and *Globodera rostochiensis*, approved by the European and Mediterranean Plant Protection Organization ;

[<sup>F6</sup>'ISPM4' means International Standard for Phytosanitary Measures No 4 of April 2017 on requirements for the establishment of pest free areas, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;]

 $[F^{7\alpha}$  (ISPM10" means International Standard for Phytosanitary Measures No 10 of December 2015 on requirements for the establishment of pest-free places of production and pest-free production sites, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;

"ISPM14" means International Standard for Phytosanitary Measures No 14 of April 2019 on the use of integrated measures in a systems approach for pest risk management, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;

"ISPM31" means International Standard for Phytosanitary Measures No 31 of December 2015 on methodologies for sampling of consignments, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations;]

[<sup>F8</sup>"ISPM41" means International Standard for Phytosanitary Measures No 41 of April 2017 on international movement of used vehicles, machinery and equipment, prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations];

'list of Xylella host plants' means the list, published by the national plant protection organisation of the United Kingdom from time to time, of plants that may host *Xylella fastidiosa* (Wells et al.).

|    | (1) Description<br>of plants, plant<br>products or other<br>objects | (2) Origin  | (3) Special requirements   |
|----|---|---|--|
| 1. |   | country other<br>than EU<br>Member States,<br>Liechtenstein<br>and<br>Switzerland | The plants must be accompanied by<br>an official statement:<br>a that the growing medium at<br>the time of their planting:<br>i was free from<br>soil and organic<br>matter and had not<br>been previously<br>used for growing<br>plants or for any<br>other agricultural<br>purposes,<br>ii was composed<br>entirely of peat<br>or fibre of <i>Cocos</i><br><i>nucifera</i> L. and<br>had not been<br>previously used<br>for growing<br>plants or for any |

|   |     | other agr            | icultural      |
|---|-----|----------------------|----------------|
|   |     | -                    |                |
|   | iii | purposes<br>was subj |                |
|   | 111 |                      |                |
|   |     | to effecti           |                |
|   |     | fumigatio            |                |
|   |     | heat treat           |                |
|   |     | ensure fr            | eedom          |
|   |     | from pes             | ts, or         |
|   | iv  | was subj             | ected          |
|   |     | to an effe           | ective         |
|   |     | systems a            | approach*      |
|   |     |                      | freedom        |
|   |     | from pes             |                |
|   |     | in all the           |                |
|   |     | mentione             |                |
|   |     | points (i)           |                |
|   |     | (iv) was             |                |
|   |     | and main             |                |
|   |     |                      |                |
|   |     | under ap             |                |
|   |     |                      | is to keep     |
|   |     | it free fro          |                |
|   |     | quarantir            | ie pests,      |
|   |     | and                  |                |
| b |     | e planting           |                |
|   | i   | appropria            | ate            |
|   |     | measures             | s have         |
|   |     | been take            | en to          |
|   |     | ensure th            | at the         |
|   |     | growing              | medium         |
|   |     | has been             | kept           |
|   |     | free from            | n GB           |
|   |     | quarantir            | ne pests,      |
|   |     | including            |                |
|   |     | aa                   | physical       |
|   |     |                      | isolation      |
|   |     |                      | of the         |
|   |     |                      | growing        |
|   |     |                      | medium         |
|   |     |                      | from soil      |
|   |     |                      | and other      |
|   |     |                      |                |
|   |     |                      | possible       |
|   |     |                      | sources        |
|   |     |                      | of             |
|   |     | 1.1                  | contamination, |
|   |     | bb                   | hygiene        |
|   |     |                      | measures,      |
|   |     | cc                   | using          |
|   |     |                      | water          |
|   |     |                      | free           |
|   |     |                      | from GB        |
|   |     |                      | quarantine     |
|   |     |                      | pests, or      |
| I |     |                      | 1 J -          |

|    |   |  | <ul> <li>ii in the two weeks prior to export, the growing medium including, where appropriate, soil was completely removed by washing using water free from GB quarantine pests, and where replanting occurred, [<sup>F9</sup>the] growing medium used met the requirements specified in point (a) and the measures described in point (b)(i) were taken to ensure that it remains free from GB quarantine pests.</li> <li>* Details of the treatment or the use of a systems approach must also be included on the phytosanitary certificate under the heading "Additional declaration".</li> </ul> |
|----|---|--|--|
| 2. | Machinery and<br>vehicles which<br>have been operated<br>for agricultural or<br>forestry purposes | Any third<br>country other<br>than EU<br>Member States,<br>Liechtenstein<br>and<br>Switzerland | The machinery or vehicles must be accompanied by an official statement that the machinery or vehicles have been cleaned and are free from soil and plant debris [ <sup>F10</sup> in accordance with ISPM41].   |
| 3. | Machinery and<br>vehicles which<br>have been operated<br>for agricultural or<br>forestry purposes |  | The machinery or vehicles must be<br>accompanied by an official statement<br>that the machinery or vehicles have<br>been:<br>a moved from an area<br>established by the national<br>plant protection organisation<br>of the country of export in<br>accordance with ISPM4<br>as an area that is free from<br><i>Ceratocystis platani</i> (Walter)<br>Engelbrecht & Harrington, or<br>b in the case of machinery or<br>vehicles moved from an area  |

Document Generated: 2024-06-20

|    |  |     | infected with <i>Ceratocystis</i><br><i>platani</i> (Walter) Engelbrecht<br>& Harrington, they have<br>been cleaned and made free<br>from soil and plant debris<br>prior to their movement out<br>of the infected area [ <sup>F11</sup> in<br>accordance with ISPM41].   |
|----|--|-----|--|
| 4. | Plants for planting<br>with roots, grown in<br>open air  |     | The plants must be accompanied by<br>an official statement that the place<br>of production has been established<br>by the national plant protection<br>organisation in accordance with<br>ISPM10 as a place of production that<br>is free from <i>Clavibacter sepedonicus</i><br>(Spieckermann & Kotthoff) Li <i>et<br/>al.</i> and <i>Synchytrium endobioticum</i><br>(Schilbersky) Percival.   |
| 5. | Plants for planting<br>with roots, grown in<br>open air  |     | The plants must be accompanied by<br>an official statement that the plants<br>originate from a field known to be<br>free from <i>Globodera pallida</i> (Stone)<br>Behrens and <i>Globodera rostochiensis</i><br>(Wollenweber) Behrens.   |
| 6. | Plants for planting,<br>other than bulbs,<br>corms, rhizomes,<br>seeds, tubers, and<br>plants in tissue<br>culture | F12 | The plants must be accompanied by<br>an official statement that they have<br>been grown in a nursery and:<br>a that they originate in:<br>i an area* established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area that<br>is free from <i>Thrips</i><br><i>palmi</i> Karny, or<br>ii a place of<br>production**<br>established by<br>the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM10 as an area<br>that is free from<br><i>Thrips palmi</i> Karny,<br>on the basis of<br>official inspections<br>carried out at least<br>monthly during the |

|    |  |   | three months prior to<br>export, or<br>b that immediately prior to<br>export, they have been<br>subjected to an appropriate<br>treatment† against <i>Thrips</i><br><i>palmi</i> Karny and have been<br>officially inspected and found<br>free from <i>Thrips palmi</i> Karny.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The name of the place of<br>production(s) must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".<br>† Details of the treatment must also<br>be included on the phytosanitary<br>certificate. |
|----|--|---|---|
| 7. | Plants for planting,<br>other than seeds | Any third<br>country other<br>than:<br>Albania,<br>Algeria,<br>Andorra,<br>Armenia,<br>Azerbaijan,<br>Belarus,<br>Bosnia and<br>Herzegovina,<br>Canary<br>Islands, Egypt,<br>EU Member<br>States, Faroe<br>Islands,<br>Georgia,<br>Iceland,<br>Israel, Jordan,<br>Lebanon,<br>Libya,<br>Liechtenstein,<br>Moldova,<br>Monaco,<br>Montenegro,<br>Morocco,<br>North<br>Macedonia,<br>Norway,<br>Russia (only<br>the following<br>parts: Central | The plants must be accompanied by<br>an official statement:<br>a that they have been grown in<br>a nursery,<br>b that they are free from plant<br>debris, flowers and fruits, and<br>c that they have been inspected<br>at appropriate times and have<br>been found prior to their<br>export to be:<br>i free from symptoms<br>of harmful bacteria,<br>viruses and virus-like<br>organisms, and<br>ii free from signs or<br>symptoms of harmful<br>nematodes, insects,<br>mites and fungi or<br>have been subjected<br>to appropriate<br>treatment to eliminate<br>such organisms.  |

|    |   | Federal<br>District<br>(Tsentralny<br>federalny<br>okrug),<br>Northwestern<br>Federal<br>District<br>(Severo-<br>Zapadny<br>federalny<br>okrug),<br>Southern<br>Federal<br>District<br>(Yuzhny<br>federalny<br>okrug), North<br>Caucasian<br>Federal<br>District<br>(Severo-<br>Kavkazsky<br>federalny<br>okrug) and<br>Volga Federal<br>District<br>(Privolzhsky<br>federalny<br>okrug)),<br>San Marino,<br>Serbia,<br>Switzerland,<br>Syria, Tunisia,<br>Turkey, and<br>Ukraine. |  |
|----|---|--|--|
| 8. | Plants for planting,<br>other than dormant<br>plants, plants in<br>tissue culture,<br>seeds, bulbs, tubers,<br>corms and rhizomes | country where<br>any of the<br>following GB<br>quarantine  | The plants must be accompanied by<br>an official statement:<br>a in all cases, that no symptoms<br>of the relevant pests have<br>been observed on the plants<br>during their complete cycle of<br>vegetation, and<br>b in the case of plants<br>originating in any third<br>country where <i>Bemisia</i><br><i>tabaci</i> (Gennadius) or other<br>vectors of the relevant pests<br>are known to occur, that no<br>symptoms of the relevant<br>pests have been observed<br>on the plants during their |

|    |  | <ul> <li>—Cucurbit<br/>yellow stunting<br/>disorder virus,</li> <li>—Lettuce<br/>infectious<br/>yellows virus,</li> <li>—Melon<br/>yellowing-<br/>associated<br/>virus,</li> <li>—Squash vein<br/>yellowing<br/>virus,</li> <li>—Sweet potato<br/>chlorotic stunt<br/>virus,</li> <li>—Sweet potato<br/>mild mottle<br/>virus,</li> <li>—Tomato mild<br/>mottle virus,</li> <li>—Tomato leaf<br/>curl New Delhi<br/>virus</li> </ul> | <ul> <li>complete cycle of vegetation and:</li> <li>i that the plants originate in areas which, in accordance with the measures specified in ISPM4, are known to be free from <i>Bemisia tabaci</i> (Gennadius) and other vectors of the relevant pests,</li> <li>ii that the site of production has been found free from <i>Bemisia tabaci</i> (Gennadius) and other vectors of the relevant plant pests on official inspections carried out at appropriate times to detect those pests, or</li> <li>iii that the plants have been subjected to an effective treatment ensuring the eradication of <i>Bemisia tabaci</i> (Gennadius) and the other vectors of the relevant plant pests on official inspections carried out at appropriate times to detect those pests, or</li> </ul> |
|----|--|--|---|
| 9. | Plants for planting,<br>other than seeds,<br>of Cucurbitaceae<br>and Solanaceae<br>[ <sup>F14</sup> other than tubers<br>of <i>Solanum</i><br><i>tuberosum</i> ] |  | The plants must be accompanied by<br>an official statement:<br>a in all cases:<br>i that the plants<br>originate in an area<br>which, in accordance<br>with the measures<br>specified in ISPM4,<br>is known to be free<br>from Tomato leaf curl<br>New Delhi Virus, or<br>ii that no symptoms<br>of Tomato leaf curl<br>New Delhi Virus<br>have been observed   |

|     |  |   |       | on the plants during<br>their complete cycle<br>of vegetation, and<br>b in the case of any plants<br>originating in an area where<br><i>Bemisia tabaci</i> (Gennadius)<br>or other vectors of Tomato<br>leaf curl New Delhi Virus are<br>known to occur:<br>i that their site of<br>production has been<br>found free from<br><i>Bemisia tabaci</i><br>(Gennadius) and<br>other vectors of<br>Tomato leaf curl<br>New Delhi Virus on<br>official inspections<br>carried out at<br>appropriate times to<br>detect the pest, or<br>ii that the plants have<br>been subjected<br>to an effective<br>treatment ensuring<br>the eradication of<br><i>Bemisia tabaci</i><br>(Gennadius) and<br>other vectors of<br>Tomato leaf curl New<br>Delhi Virus. |
|-----|--|---|-------|---|
| 10. | Unrooted cuttings<br>for planting of<br><i>Euphorbia</i><br><i>pulcherrima</i><br>Klotzsch | - | third | The plants must be accompanied by<br>an official statement:<br>a that they originate in an area<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Bemisia tabaci</i> (Gennadius),<br>b that no signs of <i>Bemisia</i><br><i>tabaci</i> (Gennadius) have been<br>observed on the cuttings,<br>or on plants from which the<br>cuttings were derived and<br>held or produced, at the place<br>of production on official<br>inspections carried out at<br>least once every three weeks<br>during the whole production<br>period of the plants at that<br>place of production, or  |

|     |   |      | c in cases where <i>Bemisia tabaci</i><br>(Gennadius) has been found<br>at the place of production:<br>i that the cuttings and<br>the plants from which<br>the cuttings were<br>derived and held<br>and produced at the<br>place of production<br>have undergone an<br>appropriate treatment<br>to ensure freedom<br>from <i>Bemisia tabaci</i><br>(Gennadius), and<br>ii that subsequently the<br>place of production<br>has been found free<br>from <i>Bemisia tabaci</i><br>(Gennadius) as a<br>consequence of the<br>implementation<br>of appropriate<br>procedures aimed at<br>eradicating <i>Bemisia<br/>tabaci</i> (Gennadius),<br>in both official<br>inspections carried<br>out weekly during<br>the three weeks prior<br>to the movement<br>from that place of<br>production, the last<br>of which was carried<br>out immediately prior<br>to their movement,<br>and in monitoring<br>procedures<br>throughout the<br>period. |
|-----|---|------|---|
| 11. | Plants for planting,<br>other than seeds, of<br><i>Euphorbia</i><br><i>pulcherrima</i><br>Klotzsch and<br>unrooted cuttings<br>for planting of<br><i>Euphorbia</i><br><i>pulcherrima</i><br>Klotzsch. | hird | [ <sup>F15</sup> In the case of plants for which<br>there is evidence from their<br>packaging or their flower (or bract)<br>development or by other means that<br>they are intended for direct sale to<br>final consumers not involved in<br>professional plant production, the<br>plants must be accompanied by an<br>official statement that they have been<br>officially inspected and found free<br>from <i>Bemisia tabaci</i> (Gennadius)<br>prior to their movement.  |

|   | other case, the pl<br>panied by—                        | ants must be   |
|---|---|--|
| a | an official state<br>plants comply v<br>following requi | with one of the  |
|   | an area<br>accorda                                      | iginate in<br>which, in<br>ance with the<br>es specified in            |
|   | ISPM4<br>be free  | , is known to<br>from <i>Bemisia</i><br>(Gennadius),                   |
|   | place of<br>where r                                     | iginate in a<br>f production<br>no signs<br><i>isia tabaci</i>         |
|   | been of official  | dius) have<br>oserved during<br>inspections<br>out at least            |
|   | during  | nree weeks<br>a period of<br>eeks prior to<br>or                       |
|   | iii in cases<br>Bemisia<br>(Genna                       | s where<br>a <i>tabaci</i><br>dius) has been<br>t the place of         |
|   | *   | they have<br>undergone an<br>appropriate<br>treatment<br>to ensure     |
|   |   | freedom<br>from <i>Bemisia</i><br><i>tabaci</i><br>(Gennadius),<br>and |
|   | bb  | subsequently,<br>official<br>inspections<br>carried out                |
|   |   | weekly<br>during a<br>period of<br>three weeks<br>prior to             |
|   |   | export have<br>found the<br>place of<br>production                     |

|     |  |   |       | f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f<br>f   | ich those<br>omply with<br>ements in  |
|-----|--|---|-------|---|---|
| 12. | Plants for planting<br>of <i>Begonia</i> L.,<br>other than seeds,<br>tubers and corms,<br>and plants for<br>planting, other than<br>seeds, of <i>Ajuga</i><br>L., <i>Crossandra</i><br>Salisbury,<br><i>Dipladenia</i> A.DC.,<br><i>Ficus</i> L., <i>Hibiscus</i><br>L., <i>Mandevilla</i><br>Lindl. and <i>Nerium</i><br><i>oleander</i> L. | - | third | The plants must be accon<br>a an official statem<br>originate in an ar<br>accordance with a<br>specified in ISPM<br>to be free from <i>B</i><br><i>tabaci</i> (Gennadiu<br>b an official statem<br>no signs of <i>Bemis</i><br>(Gennadius) have<br>observed on plan<br>place of production<br>official inspection<br>out at least once of<br>weeks during the<br>prior to marketing<br>c where <i>Bemisia ta</i><br>(Gennadius) has<br>at the place of pro-<br>an official statem<br>that the plants, he<br>produced at the p<br>production, have<br>an appropriate tree<br>ensure freedom fit<br><i>tabaci</i> (Gennadius<br>subsequently the<br>production has be<br>free from <i>Bemisia</i><br>(Gennadius) as a | ent that they<br>ea which, in<br>the measures<br>14, is known<br><i>emisia</i><br>as),<br>ent that<br><i>sia tabaci</i><br>e been<br>ts at the<br>on on<br>ns carried<br>every three<br>nine weeks<br>g,<br><i>bbaci</i><br>been found<br>oduction,<br>ent<br>eld or<br>lace of<br>undergone<br>eatment to<br>rom <i>Bemisia</i><br>as) and<br>place of<br>een found<br><i>a tabaci</i> |

|     |   |  | <ul> <li>of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> (Gennadius), in both official inspections carried out weekly during the three weeks prior to the movement from the place of production, the last of which was carried out immediately prior to their movement from the place of production, and in monitoring procedures throughout the period, or</li> <li>d in the case of plants for which there is evidence from their packing or their flower development or from other means that they are intended for direct sale to final consumers not involved in professional plant production, an official statement that they have been officially inspected and found free from <i>Bemisia tabaci</i> (Gennadius) immediately prior to their movement.</li> </ul> |
|-----|---|--|---|
| 13. | Plants for planting<br>of herbaceous<br>species, other than<br>bulbs, corms, plants<br>of the family<br>Poaceae, rhizomes,<br>seeds, tubers, and<br>plants in tissue<br>culture | Any third<br>country where<br><i>Liriomyza</i><br>sativae<br>Blanchard and<br><i>Nemorimyza</i><br>maculosa<br>(Malloch) are<br>known to occur | <ul> <li>The plants must be accompanied by an official statement that they have been grown in a nursery, and that <sup>F16</sup>:</li> <li>a [<sup>F17</sup>they originate] in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Liriomyza sativae</i> Blanchard and <i>Nemorimyza maculosa</i> (Malloch),</li> <li>b [<sup>F17</sup>they originate] in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Liriomyza sativae</i> Blanchard and <i>Nemorimyza maculosa</i> (Malloch), on the basis of official inspections carried out at least monthly</li> </ul>  |

|     |  |               | during the three months prior<br>to export, [ <sup>F18</sup> or]<br>c <sup>F19</sup> immediately prior<br>to export, they have been<br>subjected to an appropriate<br>treatment <sup>†</sup> against <i>Liriomyza</i><br><i>sativae</i> Blanchard and<br><i>Nemorimyza maculosa</i><br>(Malloch) and have been<br>officially inspected and found<br>free from <i>Liriomyza sativae</i><br>Blanchard and <i>Nemorimyza</i><br><i>maculosa</i> (Malloch).<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The name of the place of<br>production(s) must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".<br><sup>†</sup> Details of the treatment must be<br>mentioned on the phytosanitary<br>certificate. |
|-----|--|---------------|--|
| 14. | Trees and shrubs<br>for planting, other<br>than seeds and<br>plants in tissue<br>culture | country other | The plants must be accompanied by<br>an official statement:<br>a that have been grown in a<br>nursery,<br>b that they are free from plant<br>debris, flowers and fruits, and<br>c that they have been inspected<br>at appropriate times and<br>prior to export and have been<br>found to be free from:<br>i symptoms of harmful<br>bacteria, viruses and<br>virus-like organisms,<br>and<br>ii signs or symptoms of<br>harmful nematodes,<br>insects, mites<br>and fungi or have<br>been subjected to<br>appropriate treatment<br>to eliminate such<br>organisms.  |

|     |  | Norway,<br>Russia (only<br>the following<br>parts: Central<br>Federal<br>District<br>(Tsentralny<br>federalny<br>okrug),<br>Northwestern<br>Federal<br>District<br>(Severo-<br>Zapadny<br>federalny<br>okrug),<br>Southern<br>Federal<br>District<br>(Yuzhny<br>federalny<br>okrug), North<br>Caucasian<br>Federal<br>District<br>(Yuzhny<br>federalny<br>okrug), North<br>Caucasian<br>Federal<br>District<br>(Severo-<br>Kavkazsky<br>federalny<br>okrug) and<br>Volga Federal<br>District<br>(Privolzhsky<br>federalny<br>okrug)),<br>San Marino,<br>Serbia,<br>Switzerland,<br>Syria, Tunisia,<br>Turkey, and<br>Ukraine. |  |
|-----|--|---|--|
| 15. | Deciduous trees<br>and shrubs for<br>planting, other than<br>seeds and plants in<br>tissue culture | country other than:   | The trees and shrubs must be<br>accompanied by an official statement<br>that they are dormant and free from<br>leaves. |

| Islands, Egypt,           |
|---------------------------|
| EU Member                 |
| States, Faroe             |
| Islands,                  |
| Georgia,                  |
| Iceland,                  |
| Israel, Jordan,           |
| Lebanon,                  |
| Libya,                    |
| Liechtenstein,            |
| Moldova,                  |
| Monaco,                   |
| Montenegro,               |
| Morocco,                  |
| North                     |
| Macedonia,                |
| Norway,                   |
| Russia (only              |
| the following             |
| parts: Central<br>Federal |
| District                  |
| (Tsentralny               |
| federalny                 |
| okrug),                   |
| Northwestern              |
| Federal                   |
| District                  |
| (Severo-                  |
| Zapadny                   |
| federalny                 |
| okrug),                   |
| Southern                  |
| Federal                   |
| District                  |
| (Yuzhny                   |
| federalny                 |
| okrug), North             |
| Caucasian                 |
| Federal                   |
| District                  |
| (Severo-                  |
| Kavkazsky                 |
| federalny                 |
| okrug) and                |
| Volga Federal             |
| District                  |
| (Privolzhsky              |
| federalny                 |
| okrug)),                  |
| San Marino,               |
| Serbia,                   |
| Switzerland,              |
| ~ 7                       |

|     |  | Syria, Tunisia,<br>Turkey, and<br>Ukraine.   |  |
|-----|--|--|--|
| 16. | Root and tubercle<br>vegetables, other<br>than tubers of<br><i>Solanum tuberosum</i><br>L.                                       | country other  | The vegetables must be accompanied<br>by an official statement that the<br>consignment or lot does not contain<br>more than 1% by net weight of soil and<br>growing medium.  |
| 17. | Bulbs, corms,<br>rhizomes and<br>tubers, intended for<br>planting, other than<br>tubers of <i>Solanum</i><br><i>tuberosum</i> L. | Any third<br>country other<br>than EU<br>Member States,<br>Liechtenstein<br>and<br>Switzerland | The bulbs, corms, rhizomes or tubers,<br>must be accompanied by an official<br>statement that the consignment or lot<br>does not contain more than 1% by net<br>weight of soil and growing medium.   |
| 18. | Tubers of Solanum<br>tuberosum L.  | Any third<br>country other<br>than EU<br>Member States,<br>Liechenstein<br>and<br>Switzerland  | The tubers must be accompanied by an official statement that the consignment or lot does not contain more than 1% by net weight of soil and growing medium.  |
| 19. | Tubers of Solanum<br>tuberosum L.  | Any third<br>country   | The tubers must be accompanied by:<br>a an official statement that they<br>originate in a country where<br><i>Tecia solanivora</i> (Povolný) is<br>not known to occur, or<br>b an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4 as<br>an area that is free from <i>Tecia</i><br><i>solanivora</i> (Povolný).<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
| 20. | [ <sup>F20</sup> Plants for<br>planting, other than<br>seeds, of <i>Solanum</i><br><i>tuberosum</i> L.]                          | EU Member<br>States,<br>Liechtenstein<br>and<br>Switzerland                                    | The [ <sup>F21</sup> plants] must be accompanied<br>by an official statement:<br>a that:<br>i they originate in<br>an area, which<br>in accordance<br>with the measures<br>specified in ISPM4,<br>is known to be free  |

from Clavibacter sepedonicus (Spieckermann & Kotthoff) Li et al., or ii they originate in a place of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from *Clavibacter* sepedonicus (Spieckermann & Kotthoff) Li *et al.* or is considered to be free from *Clavibacter* sepedonicus (Spieckermann & Kotthoff) Li *et al.* as a consequence of the implementation of the procedures set out in EPPO PM 9/2, that they originate in a place b of production established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Synchytrium endobioticum (Schilbersky) Percival or is considered to be free from Synchytrium endobioticum (Schilbersky) Percival as a consequence of the implementation of the procedures set out in EPPO PM 9/5. that they originate in an с area in which Ralstonia solanacearum (Smith) Yabuuchi et al. emend. Safni et al. i is known not to occur. or ii is known to occur, and the [<sup>F21</sup>plants] originate from a place of production found

| 1 <sup>F22</sup> d | that: | free from <i>Ralstonia</i><br>solanacearum<br>(Smith) Yabuuchi et<br>al. emend. Safni et al.<br>or considered to be<br>free from <i>Ralstonia</i><br>solanacearum<br>(Smith) Yabuuchi et<br>al. emend. Safni et al.<br>as a consequence of<br>the implementation<br>of an appropriate<br>procedure aimed at<br>eradicating <i>Ralstonia</i><br>solanacearum<br>(Smith) Yabuuchi et<br>al. emend. Safni et<br>al.,  |
|--------------------|-------|--|
| [***d              | that: | i they originate in  |
| [ <sup>F22</sup> d | that: | i they originate in<br>an area in which<br><i>Meloidogyne</i><br><i>chitwoodi</i> Golden <i>et</i><br><i>al.</i> (all populations) is<br>known not to occur,<br>ii they originate<br>from a place of<br>production which<br>has been found free<br>from <i>Meloidogyne</i><br><i>chitwoodi</i> Golden <i>et</i><br><i>al.</i> (all populations)<br>based on an annual<br>survey of host crops<br>by visual inspection<br>of host plants at<br>appropriate times<br>and [ <sup>F23</sup> , in the case<br>of tubers,] by visual<br>inspection both<br>externally and by<br>cutting of tubers after<br>harvest from potato<br>crops grown at the |
|                    |       | <ul> <li>place of production, or</li> <li>iii [<sup>F24</sup>in the case of tubers,] after harvest, they have been randomly sampled and checked for the presence of</li> </ul>   |

| 21. | [ <sup>F26</sup> Plants for<br>planting, other<br>than seeds, of<br><i>Solanum tuberosum</i><br>L.], other than<br>tubers of those<br>varieties officially<br>accepted on to<br>the GB Variety<br>List pursuant to<br>the Seeds (National<br>Lists of Varieties)<br>Regulations 2001 | Liechtenstein<br>and | <ul> <li>symptoms after<br/>an appropriate<br/>method to induce<br/>symptoms has been<br/>applied or laboratory<br/>tested, as well as<br/>inspected visually<br/>both externally and<br/>by cutting tubers at<br/>appropriate times to<br/>detect the presence<br/>of <i>Meloidogyne</i><br/><i>chitwoodi</i> Golden <i>et</i><br/><i>al.</i>, and in all cases<br/>at the time of closing<br/>of the packages or<br/>containers before<br/>movement, and<br/>found to be free from<br/>symptoms of that<br/>pest, and]</li> <li>[<sup>F25</sup>e they originate in a site<br/>of production where the<br/>procedures to combat<br/><i>Globodera pallida</i> (Stone)<br/>Behrens and <i>Globodera</i><br/><i>rostochiensis</i> (Wollenweber)<br/>Behrens set out in EPPO PM<br/>9/26 have been implemented.]</li> <li>The [<sup>F27</sup>plants] must be accompanied<br/>by an official statement that :<br/>a they belong to advanced<br/>selections,<br/>b they have been produced in<br/>an EU Member State [<sup>F28</sup>,<br/>Liechtenstein] or Switzerland,<br/>and</li> <li>c they have been derived in<br/>direct line from material<br/>which has been maintained<br/>under appropriate conditions<br/>and has been subjected in<br/>an EU Member State [<sup>F28</sup>,<br/>Liechtenstein] or Switzerland,<br/>and</li> </ul> |
|-----|--|----------------------|---|
| 22. | Tubers of <i>Solanum</i><br><i>tuberosum</i> L.,<br>other than those   |                      | There must be a registration number<br>on the packaging, or in the case<br>of loose-loaded tubers transported   |

| mentioned in<br>column (1) of entry<br>20 [ <sup>F29</sup> or 21] | and<br>Switzerland | docum<br>the tub<br>official<br>origina<br>collect<br>centres | t, on the accompanying<br>ents, demonstrating that<br>ers have been grown by an<br>lly registered producer, or<br>the from officially registered<br>ive storage or dispatching<br>a located in the area of<br>tion, indicating that:<br>the tubers are free from<br><i>Ralstonia solanacearum</i><br>(Smith) Yabuuchi <i>et al.</i><br>emend. Safni <i>et al.</i> , |
|---|--------------------|---|---|
|   |                    | [ <sup>F30</sup> b  | they originate in a place of<br>production which:<br>i) has been found<br>to be free from<br><i>Synchytrium</i>   |
|   |                    |   | <i>endobioticum</i><br>(Schilbersky)<br>Percival, or<br>ii) is considered<br>to be free from  |
|   |                    |   | Synchytrium<br>endobioticum<br>(Schilbersky)<br>Percival as a<br>consequence of the   |
|   |                    |   | implementation of the procedures set out in EPPO PM 9/5,  |
|   |                    | c   | they originate in a place of production which:  |
|   |                    |   | <ul> <li>i) has been found to be<br/>free from <i>Clavibacter</i><br/><i>sepedonicus</i><br/>(Spieckermann &amp;<br/>Kotthoff) Li <i>et al.</i>, or</li> </ul>  |
|   |                    |   | <ul> <li>ii) is considered to be<br/>free from <i>Clavibacter</i><br/><i>sepedonicus</i><br/>(Spieckermann &amp;<br/>Kotthoff) Li <i>et al.</i> as<br/>a consequence of the<br/>implementation of the<br/>procedures set out in<br/>EPPO PM9/2(2), and</li> </ul>   |
|   |                    | d   | they originate in a site<br>of production where the<br>procedures to combat<br><i>Globodera pallida</i> (Stone)<br>Behrens and <i>Globodera</i>   |

|     |                                   |  | <i>rostochiensis</i> (Wollenweber)<br>Behrens set out in EPPO PM<br>9/26 have been implemented.]   |
|-----|-----------------------------------|--|--|
| 23. | Tubers of Solanum<br>tuberosum L. | Third countries<br>where <i>Epitrix</i><br><i>cucumeris</i><br>(Harris),<br><i>Epitrix papa</i><br>Orlova-<br>Bienkowskaja,<br><i>Epitrix subcrinita</i><br>(Leconte) or<br><i>Epitrix tuberis</i><br>Gentner is<br>known to be<br>present | The tubers must be accompanied by<br>an official statement in relation to<br>each pest listed in column (2) of this<br>entry that is known to be present in<br>the third country concerned ("the<br>relevant plant pests"):<br>a that:<br>i they have been<br>grown in an<br>area* established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM No. 4 as an<br>area that is free from<br>the relevant plant<br>pests, or<br>ii they have been<br>washed or brushed<br>so that there is no<br>more than 0.1% of<br>soil remaining, or<br>have undergone an<br>equivalent method<br>specifically applied in<br>order to achieve the<br>same outcome and<br>remove the relevant<br>plant pests and to<br>ensure that there is no<br>risk of the relevant<br>plant pests spreading,<br>b that they have been found<br>in an official examination<br>carried out immediately prior<br>to export to be free from the<br>relevant plant pests and from<br>the signs of infestation by<br>those plant pests on potato<br>tubers, and do not contain<br>more than 0.1% of soil, and<br>c that the packaging material<br>in which the potato tubers are<br>exported is clean.<br>* The name of the area must be<br>included in the phytosanitary |

Document Generated: 2024-06-20

|     |                                   |  | certificate under the heading "Additional declaration".  |
|-----|-----------------------------------|--|--|
| 24. | Tubers of Solanum<br>tuberosum L. | Spain other<br>than the<br>Balearic<br>Islands |  |
| 25. | Tubers of Solanum<br>tuberosum L. | Poland   | The tubers must be accompanied<br>by an official statement that<br>they have been found to be<br>free from <i>Clavibacter sepedonicus</i><br>(Spieckermann & Kotthoff) Li <i>et al.</i>  |
| 26. | Tubers of Solanum<br>tuberosum L. | Egypt  | The tubers must be accompanied by<br>an official statement:<br>a that the tubers have been<br>subjected to an intensive<br>control regime to ensure<br>the absence of <i>Ralstonia</i><br><i>solanacearum</i> (Smith)<br>Yabuuchi <i>et al.</i> emend. Safni<br><i>et al.</i> , covering growing<br>conditions, field inspections,<br>transport, packing, pre-export<br>inspections and testing,<br>b that each lot* is made up of<br>tubers of <i>Solanum tuberosum</i><br>L. which have been harvested<br>in a single pest free area**,<br>and<br>c that each bag of tubers was<br>sealed under the control<br>of the competent Egyptian<br>authorities.<br>In addition, each bag of tubers in<br>the consignment must be clearly<br>labelled with an indelible indication<br>of the relevant individual official code<br>number of the area from which they<br>have been harvested and the relevant<br>lot number, and each consignment<br>must indicate the name or trademark<br>of the officially registered exporter.<br>* The lot number(s) must be included<br>in the phytosanitary certificate under<br>the heading "Distinguishing marks".<br>** The official code number for<br>the area(s) must be included in the<br>phytosanitary certificate under<br>the heading "Additional declaration".<br>A phytosanitary certificate may not<br>include any such official statement<br>unless the national plant protection |

|     |                                   |   | organisation of Egypt has previously<br>provided the national plant protection<br>organisation of the United Kingdom<br>with written details of the area or<br>areas.  |
|-----|-----------------------------------|---|--|
| 27. | Tubers of Solanum<br>tuberosum L. | Any third<br>country<br>[ <sup>F32</sup> other than<br>EU Member<br>States,<br>Liechtenstein<br>and<br>Switzerland] | The tubers must be accompanied by<br>an official statement:<br>[ <sup>F33</sup> a that they originate in:<br>i) a country which,<br>in accordance<br>with the measures<br>specified in ISPM4,<br>is known to be free<br>from <i>Clavibacter</i><br><i>sepedonicus</i><br>(Spieckermann &<br>Kotthoff) Li <i>et al.</i> ,<br>ii) a place of production<br>established by<br>the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM10 as a place<br>of production that is<br>free from <i>Clavibacter</i><br><i>sepedonicus</i><br>(Spieckermann &<br>Kotthoff) Li <i>et al.</i> , or<br>iii) a place of production<br>which is considered<br>to be free from<br><i>Clavibacter</i><br><i>sepedonicus</i><br>(Spieckermann &<br>Kotthoff) Li <i>et al.</i> , or<br>iii) a place of production<br>which is considered<br>to be free from<br><i>Clavibacter</i><br><i>sepedonicus</i><br>(Spieckermann &<br>Kotthoff) Li <i>et al.</i> as<br>a consequence of the<br>implementation of the<br>procedures set out in<br>EPPO PM 9/2,<br>b that they originate in:<br>i) an area which,<br>in accordance<br>with the measures<br>specified in ISPM4,<br>is known to be free<br>from <i>Synchytrium</i><br><i>endobioticum</i><br>(Schilbersky)<br>Percival (all races<br>other than Race |

28.

|   |                      | <ul> <li>1, the common<br/>European race),<br/>and no symptoms<br/>of Synchytrium<br/>endobioticum<br/>(Schilbersky)<br/>Percival have been<br/>observed at the place<br/>of production or in<br/>its immediate vicinity<br/>for an adequate<br/>period,</li> <li>ii) a place of production<br/>established by<br/>the national<br/>plant protection<br/>organisation in<br/>accordance with<br/>ISPM10 as a place of<br/>production that is free<br/>from Synchytrium<br/>endobioticum<br/>(Schilbersky)<br/>Percival, or</li> <li>iii) a place of production<br/>which is considered<br/>to be free from<br/>Synchytrium<br/>endobioticum<br/>(Schilbersky)<br/>Percival as a<br/>consequence of the<br/>implementation of the<br/>procedures set out in<br/>EPPO PM 9/5, and]</li> <li>c that they originate in an<br/>area in which Ralstonia<br/>solanacearum (Smith)<br/>Yabuuchi et al. emend.<br/>Safni et al., Ralstonia<br/>pseudosolanacearum Safni et<br/>al., Ralstonia syziygii subsp.<br/>celebensis Safni et al. and<br/>Ralstonia syziygii subsp.<br/>indonesiensis Safni et al. are<br/>known not to occur.</li> </ul> |
|---|----------------------|--|
| Plants for planting,<br>other than seeds,<br>of <i>Fragaria</i> L.,<br><i>Lavandula</i> L.,<br>Solanaceae, <i>Vitis</i> L.<br>and <i>Vaccinium</i> L. | Any third<br>country | The plants must be accompanied by:<br>a an official statement that<br>they originate in an area<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4  |

|     |   |   | as an area that is free from $\int^{F_{34}}Candidatus$ ] Phytoplasma 'solani' Quaglino <i>et al.</i> , or<br>b an official statement that no symptoms of <i>Candidatus</i><br>Phytoplasma 'solani'<br>Quaglino <i>et al.</i> have been<br>observed on the plants at the<br>place of production since the<br>beginning of the last complete<br>cycle of vegetation.   |
|-----|---|---|--|
| 29. | Seeds of <i>Solanum</i><br><i>tuberosum</i> L., ('true<br>potato seed') | EU Member<br>States,<br>Liechtenstein<br>and<br>Switzerland | The seeds must be accompanied by an<br>official statement that the seeds derive<br>from plants complying, as applicable,<br>with the requirements set out in entry<br>20 [ <sup>F35</sup> or 21], and<br>a that the seeds:<br>i originate in areas<br>known to be free<br>from <i>Synchytrium</i><br><i>endobioticum</i><br>(Schilbersky)<br>Percival, <i>Clavibacter</i><br><i>sepedonicus</i><br>(Spieckermann<br>& Kotthoff) Li <i>et</i><br><i>al.</i> , and <i>Ralstonia</i><br><i>solanacearum</i><br>(Smith) Yabuuchi <i>et</i><br><i>al.</i> , or<br>ii have been produced<br>in a site where,<br>since the beginning<br>of the last cycle<br>of vegetation, no<br>symptoms of disease<br>caused by the GB<br>quarantine pests<br>referred to in point (i)<br>have been observed<br>and where the<br>following actions<br>have been taken:<br>aa staff and other<br>items, such as<br>tools, machinery,<br>vehicles, vessels<br>and packaging<br>material, from other<br>sites producing |

|     |   |   | solanaceous plants<br>and other host plants<br>of Potato spindle<br>tuber viroid have<br>been prevented<br>from coming into<br>contact with the site<br>or other appropriate<br>hygiene measures<br>have been taken to<br>prevent infection<br>by staff working,<br>or items used, at<br>other sites producing<br>solanaceous plants<br>and other host plants<br>of Potato spindle<br>tuber viroid, and<br>bb only water free from<br>those pests has been<br>used. |
|-----|---|---|---|
| 30. | Plants for planting,<br>other than seeds, of<br><i>Capsicum annuum</i><br>L., <i>Solanum</i><br><i>lycopersicum</i> L.,<br><i>Musa</i> L., <i>Nicotiana</i><br>L. and <i>Solanum</i><br><i>melongena</i> L. | Any third<br>country where<br><i>Ralstonia</i><br>solanacearum<br>(Smith)<br>Yabuuchi et al.<br>emend. Safni et<br>al., Ralstonia<br>pseudosolanaceu<br>um Safni et<br>al., Ralstonia<br>syzygii subsp.<br>celebensis<br>Safni et al.<br>or Ralstonia<br>syzygii subsp.<br>indonesiensis<br>Safni et al. is<br>known to occur | a an official statement that<br>they originate in an area<br>which, in accordance with the<br>measures specified in ISPM4,<br>has been found to be free<br>from <i>Ralstonia solanacearum</i><br>(Smith) Yabuuchi <i>et al.</i>   |

| [ <sup>F36</sup> 30 | APlants for planting,<br>other than bulbs,<br>corms, rhizomes,<br>seeds and tubers, of<br><i>Asparagus</i> Tournier<br>ex Linnaeus,<br><i>Cucurbitaceae</i> ,<br><i>Solanaceae</i> ,<br><i>Cynara scolymus</i><br>L., <i>Persea</i><br><i>americana</i> Miller<br>and <i>Tagetes</i> L. | The Americas                                   | The plants must be accompanied by<br>an official statement that:<br>(a) they originate in a country which,<br>in accordance with the measures<br>specified in ISPM No. 4, is known<br>to be free from <i>Prodiplosis longifila</i><br>Gagné;<br>(b) they originate in an area*<br>established by the national plant<br>protection organisation in accordance<br>with ISPM No. 4 as an area that is<br>free from <i>Prodiplosis longifila</i> Gagné;<br>or<br>(c) they originate in a site of<br>production**: (i) established by the<br>national plant protection organisation<br>in accordance with ISPM No. 10 as<br>a site of production that is free from<br><i>Prodiplosis longifila</i> Gagné; and<br>(ii) which provides complete physical |
|---------------------|---|--|---|
|                     |   |  | protection against the introduction of<br><i>Prodiplosis longifila</i> Gagné.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The name(s) of the site(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".]   |
| 31.                 |   | States,<br>Liechtenstein<br>and                | The plants must be accompanied<br>by an official statement that<br>they [ <sup>F37</sup> originate in a site of<br>production where the procedures to<br>combat <i>Globodera pallida</i> (Stone)<br>Behrens and <i>Globodera rostochiensis</i><br>(Wollenweber) Behrens set out<br>in EPPO PM 9/26 have been<br>implemented].   |
| 32.                 | Plants for planting<br>with roots, grown<br>in the open air,<br>of Allium porrum<br>L., Asparagus<br>officinalis L., Beta<br>vulgaris L.,<br>Brassica spp. L.,<br>and Fragaria L.   | States,<br>Liechtenstein<br>and<br>Switzerland | The plants must be accompanied<br>by an official statement that<br>they [ <sup>F38</sup> originate in a site of<br>production where the procedures to<br>combat <i>Globodera pallida</i> (Stone)<br>Behrens and <i>Globodera rostochiensis</i><br>(Wollenweber) Behrens set out<br>in EPPO PM 9/26 have been<br>implemented].   |
| 33.                 | Plants for planting<br>of bulbs, tubers and<br>rhizomes, grown in   | States,  | The plants must be accompanied<br>by an official statement that   |

|                      | the open air, of<br>Allium ascalonicum<br>L., Allium cepa<br>L., Dahlia spp.,<br>Gladiolus Tourn. ex<br>L., Hyacinthus spp.<br>Ex L, Iris spp. L,<br>Lilium spp. Ex L,<br>Narcissus L. and<br>Tulipa L. | and<br>Switzerland |      | they [ <sup>F39</sup> originate in a site of<br>production where the procedures to<br>combat <i>Globodera pallida</i> (Stone)<br>Behrens and <i>Globodera rostochiensis</i><br>(Wollenweber) Behrens set out<br>in EPPO PM 9/26 have been<br>implemented].   |
|----------------------|---|--------------------|------|--|
| [ <sup>F40</sup> 33. | APlants for planting,<br>other than seeds, of<br><i>Capsicum</i> spp.   | 2                  |      | The plants must be accompanied by:<br>(a) an official statement that the<br>plants have been derived from seed<br>complying with the requirements set<br>out in entry 105B, and<br>(b) an official statement that:<br>(i) the plants originate in an area<br>established by the national plant<br>protection organisation in accordance<br>with the measures specified in ISPM4<br>as an area that is free from Pepper<br>chat fruit viroid, or<br>(ii) the plants have been produced<br>in a site of production where, since<br>the beginning of the last cycle of<br>vegetation, no symptoms of disease<br>caused by Pepper chat fruit viroid<br>have been observed and where the<br>following actions have been taken:<br>(aa) staff and items such as tools,<br>machinery, vehicles, vessels and<br>packaging material from other sites<br>producing solanaceous plants and<br>other host plants of Pepper chat fruit<br>viroid have been taken to prevent<br>infection by staff working, or<br>items used, at other sites producing<br>solanaceous plants and other host<br>plants of Pepper chat fruit viroid. |
| 33B.                 | Plants for planting,<br>other than seed, of<br><i>Solanum</i><br><i>lycopersicum</i> L.<br>and its hybrids  | Any the country    | nird | The plants must be accompanied by:<br>(a) an official statement that the<br>plants have been derived from seed<br>complying with the requirements set<br>out in entry 105C, and<br>(b) an official statement that:<br>(i) the plants originate in an area<br>established by the national plant<br>protection organisation in accordance<br>with the measures specified in ISPM4  |

|     |   |                           |       | as an area that is free from Citrus<br>exocortis viroid, Columnea latent<br>viroid, Pepper chat fruit viroid and<br>Tomato planta macho viroid, or<br>(ii) the plants have been produced<br>in a site of production where, since<br>the beginning of the last cycle of<br>vegetation, no symptoms of disease<br>caused by Citrus exocortis viroid,<br>Columnea latent viroid, Pepper chat<br>fruit viroid or Tomato planta macho<br>viroid have been observed and where<br>the following actions have been<br>taken:<br>(aa) staff and items such as tools,<br>machinery, vehicles, vessels and<br>packaging material from other sites<br>producing solanaceous plants and<br>other host plants of Citrus exocortis<br>viroid, Columnea latent viroid, Pepper<br>chat fruit viroid or Tomato planta<br>macho viroid have been prevented<br>from coming into contact with the<br>site, or<br>(bb) other appropriate hygiene<br>measures have been taken to prevent<br>infection by staff working, or<br>items used, at other sites producing<br>solanaceous plants and other host<br>plants of Citrus exocortis viroid,<br>Columnea latent viroid, Pepper chat<br>fruit viroid or Tomato planta<br>macho viroid have been prevented<br>from coming into contact with the<br>site, or<br>(bb) other appropriate hygiene<br>measures have been taken to prevent<br>infection by staff working, or<br>items used, at other sites producing<br>solanaceous plants and other host<br>plants of Citrus exocortis viroid,<br>Columnea latent viroid, Pepper chat<br>fruit viroid or Tomato planta macho<br>viroid.] |
|-----|---|---------------------------|-------|---|
| 34. | Plants, other than<br>fruits and seeds, of<br><i>Solanum</i><br><i>lycopersicum</i> L.<br>and <i>Solanum</i><br><i>melongena</i> L. | Any<br>country<br>F12<br> | third | The plants must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Keiferia lycopersicella</i><br>(Walsingham), or<br>b an official statement they<br>originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Keiferia lycopersicella</i><br>(Walsingham).<br>* The name of the area(s) must<br>be included in the phytosanitary  |

|     |   |  | certificate under the heading "Additional declaration".  |
|-----|---|--|--|
| 35. | Plants for planting,<br>other than seeds, of<br><i>Beta vulgaris</i> L.   | Any third<br>country where<br>Beet curly top<br>virus is known<br>to occur | an official statement that no symptoms of Beet curly top virus have been   |
| 36. | Plants, other than<br>seeds, of<br><i>Chrysanthemum</i> L.,<br><i>Dianthus</i> L. and<br><i>Pelargonium</i><br>l'Hérit. ex Ait. |  | The plants must be accompanied by:<br>a an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free<br>from <i>Spodoptera eridania</i><br>(Cramer), <i>Spodoptera</i><br><i>frugiperda</i> (Smith) and<br><i>Spodoptera litura</i> (Fabricius),<br>b an official statement that no<br>signs of <i>Spodoptera eridania</i><br>(Cramer), <i>Spodoptera</i><br><i>frugiperda</i> (Smith) or<br><i>Spodoptera litura</i> (Fabricius)<br>have been observed at the<br>place of production since the<br>beginning of the last complete<br>cycle of vegetation, or<br>c an official statement that<br>the plants have undergone<br>appropriate treatment** to<br>protect them from those pests.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The active ingredient,<br>concentration and date of application<br>of these treatments must be<br>mentioned on the phytosanitary<br>certificate under the heading<br>"disinfestation and/or disinfection<br>treatment". |
| 37. | Plants for planting,<br>other than seeds,<br>of <i>Chrysanthemum</i><br>L. and <i>Solanum</i><br><i>lycopersicum</i> L.         | Any third<br>country<br><sup>F12</sup>                                     | The plants must be accompanied by:<br>a an official statement that<br>they have been grown<br>throughout their life in a<br>country which, in accordance<br>with the measures specified<br>in ISPM4, is known to be free   |

|     |   |                |       | from Chrysanthemum stem<br>necrosis virus,<br>b an official statement that<br>they have been grown<br>throughout their life in an<br>area* established by the<br>national plant protection<br>organisation in accordance<br>with ISPM4 as an area that<br>is free from Chrysanthemum<br>stem necrosis virus, or<br>c an official statement that they<br>have been grown throughout<br>their life in a place of<br>production** established by<br>the national plant protection<br>organisation in accordance<br>with ISPM10 as a place<br>of production that is free<br>from Chrysanthemum stem<br>necrosis virus and verified<br>through official inspections<br>and, where appropriate,<br>testing.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The name of the place of<br>production(s) must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration". |
|-----|---|----------------|-------|---|
| 38. | Plants for planting,<br>other than seeds,<br>of <i>Chrysanthemum</i><br>L. <i>Dianthus</i> L.<br>and <i>Pelargonium</i><br>l'Hérit. ex Ait. | Any<br>country | third | The plants must be accompanied by:<br>a an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Helicoverpa armigera</i><br>(Hübner) and <i>Spodoptera</i><br><i>littoralis</i> (Boisduval),<br>b an official statement that<br>no signs of <i>Helicoverpa</i><br><i>armigera</i> (Hübner) or<br><i>Spodoptera littoralis</i> (Boisd.)<br>have been observed at the<br>place of production since the<br>beginning of the last complete<br>cycle of vegetation, or  |

|     |  |                           |       | c an official statement that<br>the plants have undergone<br>appropriate treatment** to<br>protect them from those pests.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The active ingredient,<br>concentration and date of application<br>of these treatments must be<br>mentioned on the phytosanitary<br>certificate under the heading<br>"disinfestation and/or disinfection<br>treatment".  |
|-----|--|---------------------------|-------|--|
| 39. | Cut flowers of<br><i>Chrysanthemum</i> L.,<br>Dianthus L.,<br><i>Gypsophila</i> L. and<br><i>Solidago</i> L., and<br>leafy vegetables of<br><i>Apium graveolens</i><br>L. and <i>Ocimum</i> L. | Any<br>country<br>F12<br> | third | The cut flowers and leafy vegetables<br>must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Liriomyza sativae</i> Blanchard<br>and <i>Nemorimyza maculosa</i><br>(Malloch), or<br>b an official statement that<br>immediately prior to their<br>export, they have been<br>officially inspected and found<br>free from <i>Liriomyza sativae</i><br>Blanchard and <i>Nemorimyza</i><br><i>maculosa</i> (Malloch).  |
| 40. | Plants of<br>herbaceous species<br>for planting, other<br>than bulbs, corms,<br>plants of the<br>family Gramineae,<br>rhizomes, seeds,<br>tubers   | Any<br>country            | third | <ul> <li>The plants must be accompanied by:</li> <li>a an official statement that<br/>they originate in an area*<br/>which, in accordance with<br/>the measures specified in<br/>ISPM4, is known to be free<br/>from <i>Liriomyza huidobrensis</i><br/>(Blanchard) and <i>Liriomyza</i><br/><i>trifolii</i> (Burgess),</li> <li>b an official statement that<br/>no signs of <i>Liriomyza</i><br/><i>huidobrensis</i> (Blanchard) or<br/><i>Liriomyza trifolii</i> (Burgess)<br/>have been observed at the<br/>place of production, on<br/>official inspections carried<br/>out at least monthly during<br/>the three months prior to<br/>harvesting,</li> </ul> |

|  | c                     | an official statement that<br>immediately prior to their<br>export, they have been<br>officially inspected and<br>found free from <i>Liriomyza</i><br><i>huidobrensis</i> (Blanchard) and<br><i>Liriomyza trifolii</i> (Burgess)<br>and have been subjected to<br>an appropriate treatment**<br>against those pests, <sup>F41</sup>   |
|--|-----------------------|---|
|  | d                     | an official statement that<br>they originate from plant<br>material (explant) which<br>is free from <i>Liriomyza</i><br><i>huidobrensis</i> (Blanchard) and<br><i>Liriomyza trifolii</i> (Burgess),<br>are grown <i>in vitro</i> in a<br>sterile medium under sterile<br>conditions that preclude the<br>possibility of infestation<br>with <i>Liriomyza huidobrensis</i><br>(Blanchard) or <i>Liriomyza</i><br><i>trifolii</i> (Burgess) and are |
|  |                       | exported in transparent<br>containers under [ <sup>F42</sup> sterile<br>conditions, or]   |
|  | [<br><sup>F43</sup> e | in the case of plants for<br>which there is evidence from<br>their packaging, their flower<br>development, or from other<br>means that they are intended<br>for direct sale to final<br>consumers not involved in   |
|  |                       | professional plant production,<br>an official statement that<br>they have been officially   |
|  |                       | they have been officially<br>inspected immediately prior<br>to export and found free  |
|  |                       | from <i>Liriomyza huidobrensis</i><br>(Blanchard) and <i>Liriomyza</i><br><i>trifolii</i> (Burges).]  |
|  | be inclu              | ame of the area(s) must<br>uded in the phytosanitary  |
|  | "Additi               | ate under the heading<br>onal declaration".   |
|  | concent               | active ingredient,<br>tration and date of application   |
|  | mention<br>certifica  | e treatments must be<br>ned on the phytosanitary<br>ate under the heading<br>estation and/or disinfection   |
|  | treatme               |   |

| 41. | Cut flowers of<br>Orchidaceae     | Any third country            | The cut flowers must be accompanied by:   |
|-----|-----------------------------------|------------------------------|---|
|     |                                   | F12                          | a an official statement that<br>they originate in a country<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Thrips palmi</i> Karny, or<br>b an official statement that |
|     |                                   |                              | immediately prior to their<br>export, they have been<br>officially inspected and foun-<br>free from <i>Thrips palmi</i> Karn  |
| 42. | Naturally or artificially dwarfed | Any third country other      | The plants must be accompanied by an official statement:  |
|     | plants for planting               | than:                        | a that the plants, including  |
|     | other than seeds                  | Albania,                     | those collected directly from   |
|     |                                   | Andorra,                     | natural habitats, have been   |
|     |                                   | Armenia,                     | grown, held and trained for   |
|     |                                   | Azerbaijan,                  | at least two consecutive year   |
|     |                                   | Belarus,                     | prior to dispatch in officially   |
|     |                                   | Bosnia and                   | registered nurseries, which   |
|     |                                   | Herzegovina,                 | are subject to an officially  |
|     |                                   | Canary                       | supervised control regime,  |
|     |                                   | Islands, EU<br>Member        | b that the plants have at least   |
|     |                                   | States, Faroe                | during the period referred to   |
|     |                                   | Islands,                     | in point (a):   |
|     |                                   | Georgia,                     | i been potted, in pots  |
|     |                                   | Iceland,                     | which are placed on   |
|     |                                   | Liechtenstein,               | shelves at least 50 cr  |
|     |                                   | Moldova,                     | above ground,   |
|     |                                   | Monaco,                      | ii have been subjected  |
|     |                                   | Montenegro,                  | to appropriate<br>treatments* to ensur  |
|     |                                   | North                        | freedom from non-   |
|     |                                   | Macedonia,                   | European rusts,   |
|     |                                   | Norway,                      | iii have been officially  |
|     |                                   | Russia (only                 | inspected at least  |
|     |                                   | the following parts: Central | six times a year at   |
|     |                                   | Federal                      | appropriate intervals   |
|     |                                   | District                     | for the presence of   |
|     |                                   | (Tsentralny                  | GB quarantine pests   |
|     |                                   | federalny                    | of concern and these  |
|     |                                   | okrug),                      | inspections have  |
|     |                                   | Northwestern                 | also been carried   |
|     |                                   | Federal                      | out on plants in the  |
|     |                                   | District                     | immediate vicinity  |
|     |                                   | (Severo-                     | of the nurseries  |
|     |                                   | Zapadny                      | referred to in point  |
|     |                                   | federalny                    | (a), at least by visual   |
|     |                                   | okrug),                      | examination of each   |

| nursery and by visual<br>examination of all<br>parts of the plant<br>above the growing<br>medium, using a<br>random sample of<br>at least 300 plants<br>from a given genus<br>where the number of<br>plants of that genus<br>is not more than<br>3000 plants, or 10<br>% of the plants if<br>there are more than<br>3000 plants from that<br>genus,<br>have been found |
|--|
|  |

|                              |   |                      | from GB quarantine<br>pests and within<br>two weeks prior to<br>dispatch, have been:<br>aa shaken and washed<br>with clean water to<br>remove the original<br>growing medium and<br>kept bare rooted,<br>bb shaken and washed<br>with clean water to<br>remove the original<br>growing medium and<br>replanted in growing<br>medium which meets<br>the conditions in<br>point (v), or<br>cc subjected to<br>appropriate<br>treatments* to ensure<br>that the growing<br>medium is free from<br>plant pests, and<br>c that the plants have been<br>packed in closed containers<br>which have been officially<br>sealed and bear the<br>registration number** of the<br>registred nursery.<br>* The active ingredient, concentration<br>and date of application of these<br>treatments must be mentioned on<br>the phytosanitary certificate under<br>the heading "disinfestation and/or<br>disinfection treatment".<br>** The registration number must<br>be indicated on the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
|------------------------------|---|----------------------|--|
| [ <sup>F44</sup> 42 <i>)</i> | ANaturally or<br>artificially dwarfed<br>plants of<br><i>Chamaecyparis</i><br>Spach., <i>Juniperus</i><br>L., or <i>Pinus</i><br>L., either entirely<br>of the species<br><i>Pinus parviflora</i><br>Sieb. &<br>Zucc. ( <i>Pinus</i><br><i>pentaphylla</i> Mayr),<br>or of <i>Pinus</i> | Republic of<br>Korea | The plants must be accompanied by<br>an official statement that:<br>(a) they are naturally or artificially<br>dwarfed plants:<br>(i) of <i>Chamaecyparis</i> Spach,<br>(ii) of <i>Juniperus</i> L., or<br>(iii) in the case of <i>Pinus</i> L., either:<br>(aa) entirely of the species <i>Pinus</i><br><i>parviflora</i> Sieb. & Zucc. ( <i>Pinus</i><br><i>pentaphylla</i> Mayr), or (bb) of <i>Pinus</i><br><i>parviflora</i> Sieb. & Zucc., grafted<br>on a rootstock of a <i>Pinus</i> L. species   |

| parviflora Sieb. &<br>Zucc. grafted on<br>a rootstock of<br>a Pinus species<br>other than Pinus<br>parviflora Sieb. &<br>Zucc. | other than <i>Pinus parviflora</i> Sieb. &<br>Zucc. which has borne no shoots,<br>(b) prior to export they have been<br>grown, held and trained for at least<br>two consecutive years in officially<br>registered nurseries* which are<br>subject to an officially supervised<br>control regime,<br>(c) in the case of <i>Juniperus</i> L. plants,<br>(i) the plants of <i>Juniperus</i> L. and<br>the plants of <i>Chaenomeles</i> Lindl.,<br><i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i><br>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.<br>grown in the two years prior to export<br>in the abovementioned naturally or<br>artificially dwarfed plant nurseries,<br>and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found free** from the<br>following: <i>Aschistonyx eppoi</i> Inouye,<br><i>Gymnosporangium asiaticum</i> Miyabe<br>ex Yamada and G. yamadae Miyabe<br>ex Yamada, <i>Oligonychus perditus</i><br>Pritchard et Baker, <i>Popillia japonica</i><br>Newman, and any other harmful<br>organism which is not known to occur<br>in GB,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach plants, (i) the plants of<br><i>Chamaecyparis</i> Spach, and of <i>Pinus</i><br>L. grown in the abovementioned<br>naturally or artificially dwarfed plant<br>nurseries, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected, at<br>least six times a year at appropriate<br>intervals and found free** from<br>the following: <i>Popillia japonica</i><br>Newman, and any other harmful<br>organism which is not known to occur<br>in GB,<br>(e) in the case of <i>Pinus</i> L. plants,<br>(i) the plants of <i>Pinus</i> L. plants,<br>(i) the plants of <i>Pinus</i> L. and of<br><i>Chamaecyparis</i> Spach grown in<br>the abovementioned naturally or<br>artificially dwarfed plant nurseries,<br>and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected, at<br>least six times a year at appropriate<br>intervals and found free** from<br>the following: <i>Popillia japonica</i><br>Newman, and any other harmful<br>organism which is not known to occur<br>in GB,<br>(e) in the case of <i>Pinus</i> L. plants,<br>(i) the pl |
|--|---|
|--|---|

have been officially inspected, at least six times a year at appropriate intervals and found free\*\* from the following: Bursaphelenchus xylophilus (Steiner & Buehrer) Nickle et al., Pseudocercospora pini-densiflorae (Hori & Nambu) Deighton, Coleosporium phellodendri Komarov, Coleosporium asterum (Dietel) Sydow & P.Sydow, Coleosporium eupatorii Arthur, Cronartium quercuum (Berk.) Miyabe ex Shirai, Dendrolimus spectabilis (Butler), Monochamus spp., Popillia japonica Newman, Thecodiplosis japonensis Uchida & Inouye, and any other harmful organism which is not known to occur in GB, (f) the plants intended for GB have at least during the period referred to in paragraph (b), (i) been potted, in pots which are placed either on shelves at least 50 cm above ground or onto flooring which is impenetrable for nematodes and which is well maintained and free from debris, (ii) been found free, in the inspections referred to in paragraph (c) to (e), from the harmful organisms of concern specified in paragraph (c) to (e), (iii) in the case of plants of Pinus parviflora Sieb & Zucc. that have been grafted on to a rootstock of a Pinus L. species other than Pinus parviflora Sieb. & Zucc., have been grafted onto a rootstock which is derived from sources officially approved as healthy material, and (iv) been made recognisable with a marking, exclusive for each individual plant and notified to the NPPO of the Republic of Korea, enabling the identification of the registered nursery and the year of potting, and (g) the NPPO of the Republic of Korea has ensured the identifiability of the plants from the time of their removal from the nursery until the time of loading for export, through sealing of transport vehicles or appropriate alternatives.

\*The name of the nursery must be included in the phytosanitary certificate under the heading "Additional declaration". \*\*Any infested plants must have been removed and the remaining plants effectively treated. The annual lists of the registered nurseries must be made available to the NPPO of the UK at the latest by 1st March each year. They must include the number of plants grown in each of these nurseries, which are deemed suitable for dispatch to GB, under the conditions laid down. [<sup>F45</sup>The total number of plants dispatched to Great Britain must not exceed quantities which have been approved by the UK NPPO in advance, having regard to the availability of quarantine facilities. In the case of plants of Juniperus L., the plants may only be imported into Great Britain during the period beginning on 1st November each year and ending on 31st March the following year.] Any detection of harmful organisms of concern specified in paragraphs (c) to (e) in the inspections carried out pursuant to those paragraphs must be officially recorded, and the records must be kept available to the NPPO of the UK, upon its request. The detection of any of the harmful organisms which are specified in paragraphs (c) to (e) disqualifies the nursery from exporting the plants specified in column 1 to GB. The NPPO of the UK must be informed immediately thereof. In such case, the registration can be renewed only in the following year. Following their import into GB, the plants must be subject, before their release, to official post-entry quarantine for a period of not less than three months of active growth in the case of Pinus L. and Chamaecyparis Spach plants, and for a period including the active growth season from 1st April until 30th June in the case of Juniperus L. plants,

|  |       | and must have been found free,<br>during this quarantine period, from<br>any harmful organisms of concern.<br>Particular attention must be given to<br>preserve for each plant the marking<br>referred to in paragraph (f)(iv).<br>The post-entry quarantine must:<br>(a) be supervised by the NPPO of<br>the UK and executed by officially<br>approved and trained staff,<br>(b) be performed at an officially<br>approved site provided with<br>appropriate facilities sufficient to<br>contain harmful organisms and<br>maintain the material in such a way<br>as to eliminate any risk of spreading<br>harmful organisms.<br>During post-entry quarantine each<br>individual plant must be subject to:<br>(a) visual inspection upon arrival<br>and at regular intervals thereafter,<br>having regard to the type of material<br>and its state of development during<br>the quarantine period, for harmful<br>organisms or symptoms caused by<br>any harmful organism,<br>(b) appropriate testing of any<br>symptoms observed in the visual<br>inspection in order to identify the<br>harmful organisms having caused<br>such symptoms.<br>Any lot in which plants have not<br>been found free, during the post-entry<br>quarantine, from harmful organisms<br>of concern must be immediately<br>destroyed under official supervision.] |
|--|-------|---|
| [ <sup>F46</sup> 42] BNaturally or<br>artificially<br>dwarfed plants of<br><i>Chamaecyparis</i><br>Spach., <i>Juniperus</i><br>L., or <i>Pinus</i> L.,<br>but in the case of<br><i>Pinus</i> L., either<br>entirely of the<br>species <i>Pinus</i><br><i>parviflora</i> Sieb.<br>& Zucc. ( <i>Pinus</i><br><i>pentaphylla</i> Mayr)<br>or <i>Pinus thunbergii</i><br>Parl., or of— | Japan | The plants must be accompanied by<br>an official statement that:<br>(a) they are naturally or artificially<br>dwarfed plants:<br>(i) of <i>Chamaecyparis</i> Spach.,<br>(ii) of <i>Juniperus</i> L., or<br>(iii) of <i>Pinus</i> L.,<br>but in the case of <i>Pinus</i> L., they are<br>one of the following:<br>(aa) entirely of the species <i>Pinus</i><br><i>parviflora</i> Sieb. & Zucc. ( <i>Pinus</i><br><i>pentaphylla</i> Mayr),<br>(bb) entirely of the species <i>Pinus</i><br><i>thunbergii</i> Parl.,<br>(cc) of <i>Pinus parviflora</i> Sieb. &<br>Zucc. grafted on a rootstock of a  |

| parviflora Sieb.<br>& Zucc. grafted<br>on a rootstock of<br>a Pinus species<br>other than Pinus<br>parviflora Sieb. &<br>Zucc., or<br>(b) Pinus<br>thunbergii Parl,<br>grafted on a<br>rootstock of a<br>Pinus L. species<br>other than Pinus hunbergii Parl,<br>grafted on a<br>rootstock of a<br>Pinus L. species<br>other than Pinus thunbergii Parl,<br>(b) prior to export they have been<br>grown, held and trained for at least<br>two consecutive years in officially<br>registered nurseries which are subject<br>to an officially supervised control<br>regime,<br>(c) in the case of Juniperus L. plants:<br>(i) the plants of Chaenomeles Lindl,<br>Crataegus L., Cydonia Mill, Malus<br>Mill, Photinia Ldl. and Pyrus L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the inmediate vicinity of the<br>plants of Chaenograph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>lnouve, Gymnosporangium asiaticum<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach, and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the plants of Chamaecyparis<br>Spach, and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest, officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest, officially   | (a) Pinus        | Pinus L. species other than Pinus |
|--|------------------|-----------------------------------|
| <ul> <li>&amp; Zucc. grafted</li> <li>on a rootstock of</li> <li>a Pinus species</li> <li>other than Pinus</li> <li>parviflora Sieb. &amp;</li> <li>Zucc., or</li> <li>(d) of Pinus thunbergii Parl., grafted</li> <li>on a rootstock of a Pinus L. species</li> <li>other than Pinus</li> <li>thunbergii Parl.,</li> <li>grafted on a</li> <li>provin, held and trained for at least</li> <li>two consecutive years in officially</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>regime,</li> <li>(c) in the case of Juniperus L. plants:</li> <li>(i) the plants of Chaenometes Lindl,</li> <li>Crataegus L. Cyclonia Mill., Malus</li> <li>Mill., Photinia Ldl. and Pyrus L.</li> <li>grown in the two years prior to export</li> <li>in the plant nurseries mentioned in</li> <li>point (b) for naturally or artificially</li> <li>dwarfed plants, and</li> <li>(ii) the immediate vicinity of the</li> <li>plants:</li> <li>(i) the plants of Chaenaecyparis</li> <li>Spach. and of Pinus L. grown in</li> <li>the nurseries mentioned at point (b)</li> <li>for naturally or artificially dwarfed</li> <li>plants;</li> <li>(i) the plants of Chamaecyparis</li> <li>Spach. and of Pinus L. grown in</li> <li>the nurseries mentioned in point (b)</li> <li>for naturally or artificially dwarfed</li> <li>plants; and</li> <li>(ii) the immediate vicinity of the</li> <li>plants:</li> <li>(i) the plants referred to in sub-paragraph (i),</li> <li>have been officially inspected at</li> <li>least six times a year at appropriate</li> <li>intervals and found to be free from</li> <li>Poillia japonica Newman and</li> <li>any other GB quarantine pest or</li> </ul>   | . ,              |                                   |
| on a rootstock of<br>a <i>Pinus</i> species<br>other than <i>Pinus</i><br><i>parviflora</i> Sieb. &<br>Zuce., or<br>(b) <i>Pinus</i><br><i>thunbergii</i> Parl.,<br>grafted on a<br>rootstock of a<br><i>Pinus L</i> , species<br>other than <i>Pinus thunbergii</i> Parl.,<br>which has borne no shoots and<br>originated in Japan,<br>(b) prior to export they have been<br>grown, held and trained for at least<br>two consecutive years in officially<br><i>Pinus</i> L. species<br>other than <i>Pinus</i><br><i>thunbergii</i> Parl.<br>(c) in the case of <i>Juniperus</i> L. plants:<br>(i) the plants of <i>Chaenomeles</i> Lindl,<br><i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i><br>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.<br>grown in the two years prior to export<br>in the plant sreferred to in sub-paragraph (i),<br>have been officially supervised and to be free<br>from<br>the following: <i>Aschistonyx eppoi</i><br>Inouye, <i>Gymnosporangiun</i> and any other GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach, and of <i>Pinus</i> Pinus<br>(i) the plants of <i>Chamaecyparis</i><br>Spach, and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants;<br>(d) in the case of <i>Chamaecyparis</i><br>Spach, and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants; and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: <i>Aschistonyx eppoi</i><br>Inouye, <i>Gymnosporangiun</i> astaticum<br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus Pitchard</i> et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest.<br>(d) in the case of <i>Chamaecyparis</i><br>Spach, plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach, and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or |                  |                                   |
| <ul> <li>a Pinus species</li> <li>other than Pinus</li> <li>parviflora Sieb. &amp;</li> <li>Zucc., or</li> <li>(b) Pinus</li> <li>thunbergii Parl.,</li> <li>grafted on a</li> <li>grafted on a</li> <li>grown, held and trained for at least</li> <li>two consecutive years in officially</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>registered nurseries which are subject</li> <li>to an officially supervised control</li> <li>regime,</li> <li>(c) in the case of Juniperus L. plants:</li> <li>(i) the plants of <i>Chaenomeles</i> Lindl,</li> <li><i>Crataegus L., Cydonia</i> Mill., Malus</li> <li>Mill., Photinia Ldl. and Pyrus L.</li> <li>grown in the two years prior to export</li> <li>in the plant nurseries mentioned in</li> <li>point (b) for naturally or artificially</li> <li>dwarfed plants, and</li> <li>(ii) the immediate vicinity of the</li> <li>plants referred to in sub-paragraph (i),</li> <li>have been officially supervised and G. yamadae</li> <li>Miyabe ex Yamada and G. yamadae</li> <li>Miyabe ex, Yamada, Aligonychus</li> <li>perditus prict</li></ul>   | ę                | ç                                 |
| other than Pinus<br>parviflora Sieb. &<br>Zucc., or<br>(b) Pinus<br>thunbergii Parl.,<br>grafted on a<br>tootstock of a<br>Pinus L. species<br>other than Pinus thunbergii Parl.<br>(b) prior to export they have been<br>grown, held and trained for at least<br>two consecutive years in officially<br>registered nurseries which are subject<br>to an officially supervised control<br>regime,<br>(c) in the case of Juniperus L. plants:<br>(i) the plants of Juniperus L. and<br>any plants of Chaenomeles Lindl.,<br>Crataegus L., Cydonia Mill., Malus<br>Mill., Photinia Ldl. and Pyrus L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>lnouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, Oligonychus<br>perdius Prichard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach, plants:<br>(i) the plants referred to in sub-paragraph (i),<br>have been officially or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or<br>toristicially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or   |                  |                                   |
| parviflora Sieb. &Zucc., or(b) Pinusthunbergii Parl.,grafted on arootstock of aPinus L. speciesother than Pinusthunbergii Parl.(b) prior to export they have beengrafted on arootstock of aPinus L. speciesother than Pinusthunbergii Parl.(c) in the case of Juniperus L. plants:(i) the plants of Chaenomeles Lind.,Crataegus L., Cydonia Mill., MalusMill., Photinia Ldl. and Pyrus L.grown in the two years prior to exportin the plants referred to in sub-paragraph (i),have been officially inspected atleast six times a year at appropriateintervals and found to be free fromthe following: Aschistonyx eppoiliajaponica Newman, and any other GBquarantine pest,(d) in the immediate vicinity of theplants referred to in sub-paragraph (i),have been officially inspected atleast six times a year at appropriateintervals and found to be free fromthe following: Aschistonyx eppoiliajaponica Newman, and any other GBquarantine pest,(d) in the case of ChamaecyparisSpach. plants:(ii) the immediate vicinity of theplants referred to in sub-paragraph (i),have been officially inspected atleast six times a year at appropriateintervals and found to be free fromPoplita japonica Newman andany other GB quarantine pest, or(i) the immediate vicinity of the  |                  |                                   |
| Zucc., or<br>(b) Pinus<br>undergii Parl.,<br>grafted on a<br>rootstock of awhich has borne no shoots and<br>originated in Japan,<br>(b) prior to export they have been<br>grown, held and trained for at least<br>two consecutive years in officially<br>registered nurseries which are subject<br>to an officially supervised control<br>regime,<br>(c) in the case of <i>Iuniperus</i> L. plants:<br>(i) the plants of <i>Chaenomeles</i> Lindl,<br><i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i><br>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially dwarfed Blants<br>aparantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>  |                  |                                   |
| <ul> <li>(b) <i>Pinus</i></li> <li><i>thunbergii</i> Parl.,</li> <li>grafted on a</li> <li>rootstock of a</li> <li><i>Pinus</i> L. species</li> <li>other than <i>Pinus</i></li> <li><i>thunbergii</i> Parl.</li> <li>(c) in the case of <i>Juniperus</i> L. plants:</li> <li>(i) the plants of <i>Juniperus</i> L. plants:</li> <li>(i) the plants of <i>Juniperus</i> L. and</li> <li>any plants of <i>Chaenomeles</i> Lindl.,</li> <li><i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i></li> <li>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.</li> <li>grown in the two years prior to export</li> <li>in the plant sor <i>Statistically</i> or artificially</li> <li>dwarfed plants, and</li> <li>(ii) the immediate vicinity of the</li> <li>plants referred to in sub-paragraph (i),</li> <li>have been officially inspected at</li> <li>least six times a year at appropriate</li> <li>intervals and Gound to be free from</li> <li>the following: <i>Aschistoryx eppoi</i></li> <li>Inouye, <i>Gymnosporangium</i> asiaticum</li> <li>Miyabe ex Yamada, <i>Oligonychus</i></li> <li><i>perdius</i> Pritchard et Baker, <i>Popillia</i></li> <li><i>japonica</i> Newman, and any other GB</li> <li>quarantine pest,</li> <li>(d) in the case of <i>Chamaecyparis</i></li> <li>Spach. and of <i>Pinus</i> L. grown in</li> <li>the nurseries mentioned in point (b)</li> <li>for naturally or artificially dwarfed</li> <li>plants, and</li> <li>(ii) the immediate vicinity of the</li> <li>plants referred to in sub-paragraph (i),</li> <li>have been officially inspected at</li> <li>least six times a year at appropriate</li> <li>intervals and found to be free from</li> <li>the following: <i>Aschistoryx eppoi</i></li> <li>Inouye, <i>Gymnosporangium</i> asiaticum</li> <li>Miyabe ex Yamada, <i>Oligonychus</i></li> <li><i>pertitus</i> Pritchard et Baker, <i>Popillia</i></li> <li><i>japonica</i> Newman, and any other GB</li> <li>quarantine pest,</li> <li>(d) in the case of <i>Chamaecyparis</i></li> <li>Spach. and of <i>Pinus</i> L. grown in</li> <li>the nurseries mentioned in point (b)</li> <li>for naturally or artificially dwarfed</li> <li>plants, and</li> <li>(ii) the immediate vicinity of the</li> <li>plants referred to in sub-</li></ul>  | - ·              |                                   |
| thunbergii Parl.,<br>grafted on a<br>rootstock of a<br>Pinus L. species<br>other than Pinus<br>thunbergii Parl.(b) prior to export they have been<br>grown, held and trained for at least<br>two consecutive years in officially<br>registered nurseries which are subject<br>to an officially supervised control<br>regime,<br>(c) in the case of Juniperus L. plants:<br>(i) the plants of Chaenomeles Lindl,<br>Crataegus L., Cydonia Mill., Malus<br>Mill., Photinia Ldl. and Pyrus L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>lnouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants of the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest, or<br>dia the assist times a year at appropriate<br>intervals and found to be free from<br>Popillia apponica Newman and<br>any other GB quarantine pest or  | -                |                                   |
| grafted on a<br>rootstock of a<br><i>Pinus</i> L. species<br>other than <i>Pinus</i><br><i>thunbergii</i> Parl.<br>(c) in the case of <i>Juniperus</i> L. plants:<br>(i) the plants of <i>Juniperus</i> L. plants:<br>(i) the plants of <i>Chaenomeles</i> Lindl.,<br><i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i><br>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: <i>Aschistonyx eppoi</i><br>lnouye, <i>Gymnosporangium asiaticum</i><br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus</i> Pritchard et Baker, <i>Popillia<br/>japonica</i> Newman, and any other GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants c <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned of<br>the nurseries mentioned of<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially dwarfed<br>plants;<br>(a) in the case of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or   |                  |                                   |
| rootstock of a<br><i>Pinus L</i> . species<br>other than <i>Pinus</i><br><i>thunbergii</i> Parl.<br>(c) in the case of <i>Juniperus L</i> . plants:<br>(i) the plants of <i>Juniperus L</i> . and<br>any plants of <i>Chaenomeles</i> Lindl.,<br><i>Crataegus L.</i> , <i>Cydonia</i> Mill., <i>Malus</i><br>Mill., <i>Photinia</i> Ldl. and <i>Pyrus L</i> .<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: <i>Aschistonyx eppoi</i><br>Inouye, <i>Gymnosporangium asiaticum</i><br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus</i> Pritchard et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in<br>point (b) for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or   |                  |                                   |
| <ul> <li>Pinus L. species other than Pinus to an officially supervised control regime,</li> <li>(c) in the case of Juniperus L. plants:</li> <li>(i) the plants of Juniperus L. and any plants of Chaenomeles Lindl, Crataegus L., Cydonia Mill., Malus Mill., Photinia Ldl. and Pyrus L. grown in the two years prior to export in the plant nurseries mentioned in point the following: Aschizotana and (ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from the following: Aschizotana, and any older GB quarantine pest,</li> <li>(d) in the case of Chamaecyparis Spach. plants:</li> <li>(i) the plants of Chamaecyparis Spach. plants:</li> <li>(i) the plants of Chamaecyparis Spach. plants:</li> <li>(i) the plants of Prinus L, grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the plants of Prinus L, grown in the case of Chamaecyparis Spach. plants:</li> <li>(i) the plants of Prinus L, grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the plants of Chamaecyparis Spach. Plants:</li> <li>(ii) the plants of Chamaecyparis Spach. Plants the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(iii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from Popillia japonica Newman and any other GB quarantine pest or</li> </ul>   | l C              |                                   |
| other than Pinus<br>thunbergii Parl.to an officially supervised control<br>regime,<br>(c) in the case of Juniperus L. plants:<br>(i) the plants of Juniperus L. and<br>any plants of Chaenomeles Lindl.,<br>Crataegus L., Cydonia Mill., Malus<br>Mill., Photinia Ldl. and Pyrus L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach, and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the nurseries mentioned the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the nurseries mentioned to the plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or  |                  |                                   |
| thunbergii Parl.<br>regime,<br>(c) in the case of Juniperus L. plants:<br>(i) the plants of Chaenomeles Lindl.,<br>Crataegus L., Cydonia Mill., Malus<br>Mill., Photinia Ldl. and Pyrus L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(i) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada, Olgonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or   |                  | <b>e</b>                          |
| <ul> <li>(c) in the case of <i>Juniperus</i> L. plants:</li> <li>(i) the plants of <i>Juniperus</i> L. and<br/>any plants of <i>Chaenomeles</i> Lindl.,<br/><i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i><br/>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.<br/>grown in the two years prior to export<br/>in the plant nurseries mentioned in<br/>point (b) for naturally or artificially<br/>dwarfed plants, and</li> <li>(ii) the immediate vicinity of the<br/>plants referred to in sub-paragraph (i),<br/>have been officially inspected at<br/>least six times a year at appropriate<br/>intervals and found to be free from<br/>the following: <i>Aschistonyx eppoi</i><br/>Inouye, <i>Gymnosporangium asiaticum</i><br/>Miyabe ex Yamada, <i>Oligonychus</i><br/><i>perditus</i> Pritchard et Baker, <i>Popillia</i><br/><i>japonica</i> Newman, and any other GB<br/>quarantine pest,</li> <li>(d) in the case of <i>Chamaecyparis</i><br/>Spach. plants:</li> <li>(i) the plants of <i>Chamaecyparis</i><br/>Spach. and of <i>Pinus</i> L. grown in<br/>the nurseries mentioned in point (b)<br/>for naturally or artificially dwarfed<br/>plants, and</li> <li>(ii) the immediate vicinity of the<br/>plants referred to in sub-paragraph (i),<br/>have been officially inspected at<br/>least six times a year at appropriate<br/>intervals and found to be free from</li> </ul>  |                  |                                   |
| <ul> <li>(i) the plants of Juniperus L. and any plants of Chaenomeles Lindl., Crataegus L., Cydonia Mill., Malus Mill., Photinia Ldl. and Pyrus L. grown in the two years prior to export in the plant nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from the following: Aschistonyx eppoi</li> <li>Inouye, Gymnosporangium asiaticum Miyabe ex Yamada, Oligonychus perditus Pritchard et Baker, Popillia japonica Newman, and any other GB quarantine pest,</li> <li>(d) in the case of Chamaecyparis Spach. and of Pinus L. grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(i) the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be the following. As a specific provisional GB quarantine pest,</li> <li>(d) in the case of Chamaecyparis Spach. Plants:</li> <li>(i) the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from Popillia japonica Newman and any other GB quarantine pest or provisional field plants, and</li> </ul>   | inundergii Fall. |                                   |
| any plants of <i>Chaenomeles</i> Lindl.,<br><i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i><br>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: <i>Aschistonyx eppoi</i><br>Inouye, <i>Gymnosporangium asiaticum</i><br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus</i> Pritchard et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach, and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popilia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| Cretaegus L., Cydonia Mill., Malus<br>Mill., Photinia Ldl. and Pyrus L.<br>grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach, plants:<br>(i) the plants referred to in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschizonyx eppoi  |                  |                                   |
| <ul> <li>Mill., <i>Photinia</i> Ldl. and <i>Pyrus</i> L. grown in the two years prior to export in the plant nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from the following: <i>Aschistonyx eppoi</i> Inouye, <i>Gymnosporangium asiaticum</i> Miyabe ex Yamada and G. yamadae Miyabe ex Yamada, <i>Oligonychus perditus</i> Pritchard et Baker, <i>Popillia japonica</i> Newman, and any other GB quarantine pest,</li> <li>(d) in the case of <i>Chamaecyparis</i> Spach. plants:</li> <li>(i) the plants of <i>Chamaecyparis</i> Spach. and of <i>Pinus</i> L. grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the immediate vicinity of the intervals and found to be free from <i>Popillia japonica</i> Newman and any other GB quarantine pest or</li> </ul>  |                  |                                   |
| grown in the two years prior to export<br>in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymosporangium asiaticum<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or   |                  |                                   |
| in the plant nurseries mentioned in<br>point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: <i>Aschistonyx eppoi</i><br>Inouye, <i>Gymnosporangium asiaticum</i><br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus</i> Pritchard et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| point (b) for naturally or artificially<br>dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or   |                  |                                   |
| dwarfed plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or  |                  |                                   |
| <ul> <li>(ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from the following: Aschistonyx eppoi Inouye, Gymnosporangium asiaticum Miyabe ex Yamada and G. yamadae Miyabe ex Yamada, Oligonychus perditus Pritchard et Baker, Popillia japonica Newman, and any other GB quarantine pest,</li> <li>(d) in the case of Chamaecyparis Spach. plants:</li> <li>(i) the plants of Chamaecyparis Spach. and of Pinus L. grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from Popillia japonica Newman and any other GB quarantine pest or provisional function of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from Popillia japonica Newman and any other GB quarantine pest or</li> </ul>   |                  |                                   |
| plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: <i>Aschistonyx eppoi</i><br>Inouye, <i>Gymnosporangium asiaticum</i><br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus</i> Pritchard et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or   |                  |                                   |
| have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or  |                  |                                   |
| <ul> <li>least six times a year at appropriate intervals and found to be free from the following: Aschistonyx eppoi Inouye, Gymnosporangium asiaticum Miyabe ex Yamada and G. yamadae Miyabe ex Yamada, Oligonychus perditus Pritchard et Baker, Popillia japonica Newman, and any other GB quarantine pest or provisional GB quarantine pest,</li> <li>(d) in the case of Chamaecyparis Spach. plants:</li> <li>(i) the plants of Chamaecyparis Spach. Distributes of the plants of Pinus L. grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and</li> <li>(ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from Popillia japonica Newman and any other GB quarantine pest or</li> </ul>   |                  |                                   |
| intervals and found to be free from<br>the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or  |                  |                                   |
| the following: Aschistonyx eppoi<br>Inouye, Gymnosporangium asiaticum<br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or   |                  |                                   |
| Inouye, <i>Gymnosporangium asiaticum</i><br>Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus</i> Pritchard et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| Miyabe ex Yamada and G. yamadae<br>Miyabe ex Yamada, <i>Oligonychus</i><br><i>perditus</i> Pritchard et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| Miyabe ex Yamada, Oligonychus<br>perditus Pritchard et Baker, Popillia<br>japonica Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or   |                  |                                   |
| <i>perditus</i> Pritchard et Baker, <i>Popillia</i><br><i>japonica</i> Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or   |                  |                                   |
| <i>japonica</i> Newman, and any other GB<br>quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| quarantine pest or provisional GB<br>quarantine pest,<br>(d) in the case of Chamaecyparis<br>Spach. plants:<br>(i) the plants of Chamaecyparis<br>Spach. and of Pinus L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br>Popillia japonica Newman and<br>any other GB quarantine pest or  |                  |                                   |
| quarantine pest,<br>(d) in the case of <i>Chamaecyparis</i><br>Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or   |                  |                                   |
| <ul> <li>(d) in the case of <i>Chamaecyparis</i><br/>Spach. plants:</li> <li>(i) the plants of <i>Chamaecyparis</i><br/>Spach. and of <i>Pinus</i> L. grown in<br/>the nurseries mentioned in point (b)<br/>for naturally or artificially dwarfed<br/>plants, and</li> <li>(ii) the immediate vicinity of the<br/>plants referred to in sub-paragraph (i),<br/>have been officially inspected at<br/>least six times a year at appropriate<br/>intervals and found to be free from<br/><i>Popillia japonica</i> Newman and<br/>any other GB quarantine pest or</li> </ul>  |                  |                                   |
| Spach. plants:<br>(i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| (i) the plants of <i>Chamaecyparis</i><br>Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| Spach. and of <i>Pinus</i> L. grown in<br>the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| the nurseries mentioned in point (b)<br>for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| for naturally or artificially dwarfed<br>plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| plants, and<br>(ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or   |                  |                                   |
| (ii) the immediate vicinity of the<br>plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| plants referred to in sub-paragraph (i),<br>have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| have been officially inspected at<br>least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| least six times a year at appropriate<br>intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or   |                  |                                   |
| intervals and found to be free from<br><i>Popillia japonica</i> Newman and<br>any other GB quarantine pest or  |                  |                                   |
| <i>Popillia japonica</i> Newman and any other GB quarantine pest or  |                  |                                   |
| any other GB quarantine pest or  |                  |                                   |
|  |                  |                                   |
| provisional GB quarantine pest,  |                  |                                   |
|  | I I              | provisional OB qualantine pest,   |

(e) in the case of *Pinus parviflora* Sieb. & Zucc. plants: (i) the plants of *Pinus* L. and of Chamaecyparis Spach. grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and (ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected, at least six times a year at appropriate intervals and found to be free from the following: Bursaphelenchus xylophilus (Steiner and Bührer) Nickle et al., Coleosporium paederiae Dietel ex Hirats. f., Crisicoccus pini (Kuwana), Cronartium kurilense (Dietel) Y. Ono, Cronartium quercuum (Berk.) Miyabe ex Shirai, Dendrolimus sibiricus Chetverikov, Dendrolimus spectabilis (Butler), Dendrolimus superans Butler, Monochamus spp., Pissodes nitidus Roelofs, Popillia japonica Newman, Pseudocercospora pini-densiflorae (Hori & Nambu) Deighton, Thecodiplosis japonensis Uchida & Inouye, and any other GB quarantine pest or provisional GB quarantine pest, (f) in the case of Pinus thunbergii Parl plants: (i) the plants of *Pinus* L. and of Chamaecyparis Spach. grown in the nurseries mentioned in point (b) for naturally or artificially dwarfed plants, and (ii) the immediate vicinity of the plants referred to in sub-paragraph (i), have been officially inspected at least six times a year at appropriate intervals and found to be free from the following: Bursaphelenchus xylophilus (Steiner and Bührer) Nickle et al., Coleosporium asterum (Dietel) Sydow & P. Sydow, Coleosporium phellodendri Komarov, Crisicoccus pini (Kuwana), Cronartium orientale Kaneko, Dendrolimus sibiricus Chetverikov, Dendrolimus spectabilis (Butler), Dendrolimus superans Butler, Dothistroma septosporum

| (Dorogin) Moralat Eugenium  |
|---|
| (Dorogin) Morelet, <i>Fusarium</i>  |
| <i>circinatum</i> Nirenberg & O'Donnell,  |
| Monochamus spp. (non-European   |
| populations), <i>Pissodes nitidus</i>   |
| Roelofs, Popillia japonica Newman,  |
| Pseudocercospora pini-densiflorae   |
| (Hori & Nambu) Deighton, Sirex  |
| nitobei Mats., Thecodiplosis  |
| japonensis Uchida & Inouye,   |
| Urocerus japonicus (F. Sm), and   |
| any other GB quarantine pest or   |
| provisional GB quarantine pest,   |
| (g) the plants intended for Great   |
| Britain have at least during the period   |
| referred to in point (b):   |
| (i) been potted in pots which are   |
| placed either on shelves at least 50cm  |
| above ground or on concrete flooring  |
| which is well maintained and free   |
| from debris,  |
| (ii) been found to be free, in the  |
| inspections referred to in point (c) to   |
| (f), from the pests specified in point  |
| (c) to (f), $f = \frac{1}{2} \int_{0}^{\infty} \frac{1}{2} \int_{0$ |
| (iii) in the case of plants of <i>Pinus</i>   |
| parviflora Sieb. & Zucc. or Pinus   |
| <i>thunbergii</i> Parl. grafted on a rootstock  |
| of another <i>Pinus</i> L. species, been  |
| grafted on a rootstock derived from   |
| sources officially approved as healthy  |
| material, and   |
| (iv) been made recognisable with  |
| a marking or a traceability code,   |
| exclusive for each individual plant   |
| and notified to the national plant  |
| *   |
| protection organisation of Japan,   |
| enabling the identification of the  |
| officially registered nursery and the   |
| year of potting, and  |
| (h) the plants have been traceable  |
| from the time of their removal from   |
| the nursery until the time of loading   |
| for export, the tracing assured by  |
| sealing of transport vehicles or  |
| appropriate alternatives.   |
| The following additional  |
| requirements must be complied with.   |
| (1) The annual lists of the registered  |
| nurseries must be made available  |
| to the national plant protection  |
| organisation of the United Kingdom  |
| by 1st March each year. Those lists   |
| must include the number of plants   |
|   |

| grown in each of these nurseries              |
|---|
| which are deemed suitable for                 |
| dispatch to Great Britain under the           |
| conditions laid down.                         |
| (2) The total number of plants                |
| dispatched to Great Britain must not          |
| exceed the quantities which have              |
| been approved by the national plant           |
| protection organisation of the United         |
| Kingdom in advance, having regard             |
|   |
| to the availability of quarantine facilities. |
|   |
| (3) In the case of plants of <i>Juniperus</i> |
| L., the plants may only be imported           |
| into Great Britain during the period          |
| beginning on 1st November each                |
| year and ending on 31st March the             |
| following year.                               |
| (4) Any detection of the pests                |
| specified in points (c) to (f) in the         |
| inspections carried out pursuant              |
| to those points must be officially            |
| recorded, and the records must be             |
| kept available to the national plant          |
| protection organisation of the United         |
| Kingdom, upon its request.                    |
| (5) The detection of any pests                |
| which are specified in points (c)             |
| to (f) disqualifies the nursery from          |
| the status of officially registered           |
| nursery and from exporting the                |
| plants specified in column 1 to Great         |
| Britain. The national plant protection        |
| organisation of the United Kingdom            |
| must be informed immediately of               |
| such detection. In such case, the             |
| registration can be renewed only in           |
| the following year.                           |
| (6) Following their import into Great         |
| Britain, the plants must be subject,          |
| before their release, to official post-       |
| entry detention in a confinement              |
| facility or quarantine station of not         |
| less than three months of active              |
| growth in the case of <i>Pinus</i> L. and     |
| <i>Chamaecyparis</i> Spach. plants, and for   |
| a period including the active growth          |
| season from 1st April until 30th June         |
| in the case of <i>Juniperus</i> L. plants,    |
| and must have been found to be free,          |
| during this post-entry detention, from        |
| any pests listed in points (c) to (f).        |
|   |
| Particular attention must be given            |
|   |

|     |  | by the competent authority or the<br>professional operators to preserve for<br>each plant the marking or traceability<br>code referred to in point (g)(iv).<br>(7) Any lot in which plants have not<br>been found to be free, during the<br>post-entry detention, from the pests<br>of concern must be immediately<br>destroyed under official supervision.<br>(8) If any contamination by the<br>pests of concern is confirmed during<br>the post-entry detention period,<br>the relevant nursery in Japan must<br>be treated as disqualified from its<br>status as an officially registered<br>nursery. The national plant protection<br>organisation of the United Kingdom<br>must immediately inform the national<br>plant protection organisation of<br>Japan of the contamination and the<br>disqualification.<br>(9) The phytosanitary certificate<br>under the heading "Additional<br>declaration" must indicate:<br>— the name or names of the<br>officially registered nursery<br>or nurseries;<br>— the markings or traceability<br>codes referred to in point<br>(g)(iv), as far as they<br>enable identification of the<br>registered nursery and the<br>year of potting;<br>— the specification of the last<br>treatment applied, prior to<br>dispatch.] |
|-----|--|--|
| 43. | Plants, other than<br>fruit and seeds, of<br>Pinales | rd The plants must be accompanied<br>by an official statement that the<br>plants have been produced in a<br>nursery and that they originate in<br>a place of production which has<br>been established by the national plant<br>protection organisation in accordance<br>with ISPM10 as a place of production<br>that is free from <i>Pissodes cibriani</i><br>O'Brien, <i>Pissodes fasciatus</i> Leconte,<br><i>Pissodes nemorensis</i> Germar, <i>Pissodes<br/>nitidus</i> Roelofs, <i>Pissodes punctatus</i><br>Langor & Zhang, <i>Pissodes strobi</i><br>(Peck), <i>Pissodes terminalis</i> Hopping,<br><i>Pissodes zitacuarense</i> Sleeper.   |

| 44. | Plants of Pinales,   |                | The plants must be accompanied by       |
|-----|----------------------|----------------|---|
|     | other than fruit and | -              | an official statement that they have    |
|     | seeds, over 3 m in   | than:          | been produced in a nursery and that     |
|     | height               | Albania,       | they originate in a place of production |
|     |                      | Andorra,       | which has been established by the       |
|     |                      | Armenia,       | national plant protection organisation  |
|     |                      | Azerbaijan,    | in accordance with ISPM10 as a          |
|     |                      | Belarus,       | place of production that is free from   |
|     |                      | Bosnia and     | Scolytidae spp. (non-European).         |
|     |                      | Herzegovina,   |   |
|     |                      | Canary         |   |
|     |                      | Islands, EU    |   |
|     |                      | Member         |   |
|     |                      | States, Faroe  |   |
|     |                      | Islands,       |   |
|     |                      | Georgia,       |   |
|     |                      | Iceland,       |   |
|     |                      | Liechtenstein, |   |
|     |                      | Moldova,       |   |
|     |                      | Monaco,        |   |
|     |                      | Montenegro,    |   |
|     |                      | North          |   |
|     |                      | Macedonia,     |   |
|     |                      | Norway,        |   |
|     |                      | Russia (only   |   |
|     |                      | the following  |   |
|     |                      | parts: Central |   |
|     |                      | Federal        |   |
|     |                      | District       |   |
|     |                      | (Tsentralny    |   |
|     |                      | federalny      |   |
|     |                      | okrug),        |   |
|     |                      | Northwestern   |   |
|     |                      | Federal        |   |
|     |                      | District       |   |
|     |                      | (Severo-       |   |
|     |                      | Zapadny        |   |
|     |                      | federalny      |   |
|     |                      | okrug),        |   |
|     |                      | Southern       |   |
|     |                      | Federal        |   |
|     |                      | District       |   |
|     |                      | (Yuzhny        |   |
|     |                      | federalny      |   |
|     |                      | okrug), North  |   |
|     |                      | Caucasian      |   |
|     |                      | Federal        |   |
|     |                      | District       |   |
|     |                      | (Severo-       |   |
|     |                      | Kavkazsky      |   |
|     |                      | federalny      |   |
|     |                      | okrug) and     |   |
|     |                      | Volga Federal  |   |

|                      |   | District<br>(Privolzhsky<br>federalny<br>okrug)).,<br>San Marino,<br>Serbia,<br>Switzerland,<br>Turkey, and<br>Ukraine  |   |
|----------------------|---|---|---|
| 45.                  | Plants, other than<br>fruit and seeds, of<br><i>Castanea</i> Mill. and<br><i>Quercus</i> L.   | Any third<br>country<br>[ <sup>F47</sup> where<br><i>Cronartium</i><br>spp., with<br>the exception<br>of <i>Cronartium</i><br><i>gentianeum</i><br>Thümen,<br><i>Cronartium</i><br><i>pini</i><br>(Willdenow)<br>Jørstad and<br><i>Cronartium</i><br><i>ribicola</i><br>Fischer, is<br>known to<br>occur] | The plants must be accompanied by<br>an official statement that no symptoms<br>of <i>Cronartium</i> spp., with the exception<br>of Cronartium gentianeum Thümen,<br><i>Cronartium pini</i> (Willdenow) Jørstad<br>and <i>Cronartium ribicola</i> Fischer,<br>have been observed at the place of<br>production or its immediate vicinity<br>since the beginning of the last complete<br>cycle of vegetation.   |
| [ <sup>F48</sup> 45. | APlants, other than<br>plants in tissue<br>culture, pollen or<br>seeds, including cut<br>branches with or<br>without foliage of<br><i>Castanea</i> Mill. and<br><i>Quercus</i> L.                                 | Canada,<br>Turkey or the<br>USA   | The plants must be accompanied by<br>an official statement that they have<br>been grown throughout their life in an<br>area* established by the national plant<br>protection organisation in accordance<br>with ISPM No. 4 as an area that is<br>free from <i>Agrilus bilineatus</i> Weber<br>and not within 100 km of a known<br>outbreak of <i>Agrilus bilineatus</i> Weber.<br>*The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
| 45B                  | Plants, other than<br>scions, cuttings,<br>plants in tissue<br>culture, pollen or<br>seeds of <i>Castanea</i><br>Mill, <i>Castanopsis</i><br>(D. Don) Spach<br>and <i>Quercus</i> L.,<br>intended for<br>planting | Democratic<br>People's<br>Republic of<br>Korea, Japan,<br>Republic of   | collar,   |

|     |   |                | 4 June 1 | Blessig, and where appropriate<br>packed in such a manner as to prevent<br>infestation during transport, or<br>(c) that the following conditions are<br>met:<br>(i) they have been grown during a<br>period of at least four years prior to<br>export, or, in the case of plants which<br>are younger than four years, have<br>been grown throughout their life in a<br>place of production established as free<br>from <i>Neocerambyx raddei</i> Blessig, in<br>accordance with ISPM No. 10:<br>(a) that is registered and supervised<br>by the national plant protection<br>organisation in the country of origin<br>and has been subjected annually<br>to two official inspections for any<br>signs of <i>Neocerambyx raddei</i> Blessig<br>carried out at appropriate times, and<br>(bb) within which they have been<br>grown in a site of production with<br>complete physical protection against<br>the introduction of <i>Neocerambyx<br/>raddei</i> Blessig,<br>(ii) immediately prior to export, the<br>plants, and in particular their stems,<br>have been subjected to a meticulous<br>inspection for the presence of<br><i>Neocerambyx raddei</i> Blessig, which<br>has included destructive sampling,<br>where appropriate, and<br>(iii) they have been packed in such<br>a manner as to prevent infestation<br>during transport.<br>*The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".] |
|-----|---|----------------|----------|--|
| 46. | Plants for planting<br>of <i>Castanea</i> Mill. | Any<br>country | third    | <ul> <li>The plants must be accompanied by:</li> <li>a an official statement that they have been grown throughout their life in places of production in countries where <i>Cryphonectria parasitica</i> (Murrill) Barr is not known to occur, or</li> <li>b an official statement that they have been grown throughout their life in an area which, in accordance with the measures specified in ISPM4, is known</li> </ul>  |

| <i>Changes to legislation:</i> Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up |
|---|
| to date with all changes known to be in force on or before 20 June 2024. There are changes that |
| may be brought into force at a future date. Changes that have been made appear in the content   |
| and are referenced with annotations. (See end of Document for details) View outstanding changes |

|                     |  |                      | to be free from <i>Cryphonectria</i> parasitica (Murrill) Barr.   |
|---------------------|--|----------------------|---|
| 47.                 | Plants for planting,<br>other than seeds, of<br><i>Quercus</i> L.  | Any third<br>country | The plants must be accompanied by:<br>a an official statement that they<br>have been grown throughout<br>their life in places of<br>production in countries where<br><i>Cryphonectria parasitica</i><br>(Murrill) Barr is not known to<br>occur,<br>b an official statement that they<br>have been grown throughout<br>their life in an area which, in<br>accordance with the measures<br>specified in ISPM4, is known<br>to be free from <i>Cryphonectria</i><br><i>parasitica</i> (Murrill) Barr, or<br>c an official statement that no<br>symptoms of <i>Cryphonectria</i><br><i>parasitica</i> (Murrill) Barr have<br>been observed at the place of<br>production or in its immediate<br>vicinity since the beginning<br>of the last complete cycle of<br>vegetation. |
| 48.                 | Plants for planting,<br>other than fruit and<br>seeds, of <i>Quercus</i><br>L.   | North America        | The plants must be accompanied<br>by an official statement that the<br>plants originate in an area* which,<br>in accordance with the measures<br>specified in ISPM4, is known to<br>be free from <i>Bretziella fagacearum</i><br>((Bretz) Z.W. de Beer, Marincowitz,<br>T.A. Duong & M.J. Wingfield.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".  |
| [ <sup>F50</sup> 48 | Plants for planting,<br>other than fruits and<br>seeds, of <i>Quercus</i><br>L., of a girth of at<br>least 8cm measured<br>at a height of 1.2m<br>from the root collar | All third countries  | The plants must be accompanied by<br>an official statement that:<br>(a) they have been grown throughout<br>their life in places of production<br>in countries where <i>Thaumetopoea</i><br><i>processionea</i> L. is not known to<br>occur,<br>(b) they have been grown throughout<br>their life in an area* established<br>by the national plant protection<br>organisation in accordance with the<br>measures specified in ISPM4 as an<br>area that is free from <i>Thaumetopoea</i><br><i>processionea</i> L., or  |

|     |   |                       | <ul> <li>(c) they have been grown throughout their life in a site of production with complete physical protection against the introduction of <i>Thaumetopoea processionea</i> L. and they have been inspected at appropriate times and found to be free from <i>Thaumetopoea processionea</i> L.</li> <li>* The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]</li> </ul>  |
|-----|---|-----------------------|--|
| 49. | Plants for planting,<br>other than seeds, of<br><i>Corylus</i> L. | Canada and the<br>USA | The plants must be accompanied by:<br>a an official statement that<br>the plants have been grown<br>in a nursery and that they<br>originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Anisogramma anomala</i><br>(Peck) E. Müller, or<br>b an official statement that<br>the plants have been grown<br>in a nursery and that they<br>originate in a place of<br>production** established by<br>the national plant protection<br>organisation in accordance<br>with ISPM10 as a place<br>of production that is free<br>from <i>Anisogramma anomala</i><br>(Peck) E. Müller on the basis<br>of official inspections carried<br>out at the place of production<br>and in its immediate vicinity<br>since the beginning of the<br>last three complete cycles of<br>vegetation.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The name of the place of<br>production(s) must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration". |
| 50. | Plants, other than<br>fruit and seeds,<br>of <i>Fraxinus</i> L.,  |                       | The plants must be accompanied by<br>an official statement that the [ <sup>F52</sup> plants<br>have been grown during a period of at   |

|     | Juglans ailantifolia<br>Carrière., Juglans<br>mandshurica<br>Maximowicz.,<br>Ulmus davidiana<br>Planchon. and<br>Pterocarya<br>rhoifolia Siebold &<br>Zuccarini.                          |                |       | least two years prior to export, or in<br>the case of plants which are younger<br>than two years, have been grown<br>throughout their life,] in an area [ <sup>F53</sup> *]<br>established by the national plant<br>protection organisation in accordance<br>with ISPM4 as an area that is free<br>from <i>Agrilus planipennis</i> Fairmaire<br>and that no part of the area lies within<br>100 km of a known outbreak of<br><i>Agrilus planipennis</i> Fairmaire.<br>[ <sup>F54</sup> *The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".]<br>A phytosanitary certificate may not<br>include any such official statement<br>unless the national plant protection<br>organisation of the country of origin<br>has previously provided the national<br>plant protection organisation of the<br>United Kingdom with written details<br>of the area or areas. |
|-----|---|----------------|-------|---|
| 51. | Plants for planting,<br>other than seeds, of<br><i>Ulmus</i> L.   | Any<br>country | third | The plants must be accompanied by an official statement that no symptoms of <i>Candidatus</i> Phytoplasma 'ulmi' Lee, Martini, Marcone & Zhu have been observed at the place of production or in the immediate vicinity of the place of production since the beginning of the last complete cycle of vegetation.  |
| 52. | Plants, other than<br>fruit and seeds, of<br><i>Abies</i> Mill. <i>Larix</i><br>Mill. <sup>F55</sup> and<br><i>Pinus</i> L., over 3 m<br>in height  |                | third | The plants must be accompanied by<br>an official statement that the plants<br>originate in a place of production<br>which has been established by the<br>national plant protection organisation<br>in accordance with ISPM10 as a place<br>of production that is free from <i>Ips</i><br><i>duplicatus</i> (Sahlberg).  |
| 53. | Plants, other than<br>fruit and seeds,<br>of <i>Abies</i> Mill.<br><i>Larix</i> Mill. <sup>F55</sup><br>and <i>Pinus</i> L.<br>and <i>Pseudotsuga</i><br>Carrière., over 3 m<br>in height | Any<br>country | third | The plants must be accompanied by<br>an official statement that the plants<br>originate in a place of production<br>which has been established by the<br>national plant protection organisation<br>in accordance with ISPM10 as a place<br>of production that is free from <i>Ips</i><br><i>typographus</i> L.  |
| 54. | Plants, other than<br>fruit and seeds, of<br><i>Abies</i> Mill. <i>Larix</i>  |                | third | The plants must be accompanied by<br>an official statement that the plants<br>originate in a place of production  |

|                     | Mill. <sup>F55</sup> and<br><i>Pinus</i> L. over 3 m in<br>height  |        | which has been established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from <i>Ips amitinus</i> (Eichhoff).   |
|---------------------|--|--------|---|
| [ <sup>F56</sup> 54 | APlants, other than<br>fruit and seeds, of<br><i>Picea</i> Mill.   |        | The plants must be accompanied<br>by an official statement that they<br>originate in a place of production<br>which has been established by the<br>national plant protection organisation<br>in accordance with ISPM10 as a place<br>of production that is free from <i>Ips</i><br><i>duplicatus</i> (Sahlberg), <i>Ips typographus</i><br>L. and <i>Ips amitinus</i> (Eichhoff).   |
| 54B.                | Plants, other than<br>fruit, seeds and cut<br>trees mentioned in<br>column (1) of entry<br>54C, of <i>Picea</i> Mill.  | Norway | The plants must be accompanied<br>by an official statement that they<br>originate in a place of production<br>which has been established by the<br>national plant protection organisation<br>in accordance with ISPM10 as a place<br>of production that is free from <i>Ips</i><br><i>duplicatus</i> (Sahlberg), <i>Ips typographus</i><br>L. and <i>Ips amitinus</i> (Eichhoff).   |
| 54C.                | Cut trees with<br>foliage of <i>Picea</i><br>Mill. over 3m in<br>height, introduced<br>during the period<br>beginning with<br>1st November,<br>and ending with<br>30th January of<br>the following year<br>("the relevant<br>period"), following<br>the notification<br>of their intended<br>introduction<br>by the national<br>plant protection<br>organisation<br>of Norway to<br>the national<br>plant protection<br>organisation of the<br>United Kingdom:<br>a for<br>display at<br>any time<br>during<br>the | Norway | The trees must:<br>a be accompanied by an<br>official statement that<br>they originate in a place<br>of production* which has<br>been established by the<br>national plant protection<br>organisation in accordance<br>with ISPM10 as a place of<br>production that is free from<br><i>Ips duplicatus</i> (Sahlberg),<br><i>Ips typographus</i> L. and <i>Ips</i><br><i>amitinus</i> (Eichhoff)., or<br>b fulfil all of the following<br>requirements:<br>i they are<br>accompanied by an<br>official statement<br>that each tree has<br>been subjected<br>to an official<br>inspection prior to<br>export and found,<br>in that inspection,<br>to be free from<br><i>Ips duplicatus</i><br>(Sahlberg), <i>Ips</i><br><i>typographus</i> L. |

| relevant<br>period in<br>a public<br>place<br>where it<br>has been<br>a custom<br>for at<br>least 10<br>years to<br>display<br>with<br>foliage<br>of <i>Picea</i><br>not<br>not<br>not<br>market<br>iii<br>iiii<br>iiii<br>iiii<br>iiii<br>iiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiii<br>iiiiii   |            | 1 |     | and Ingitime                          |    |
|--|------------|---|-----|---------------------------------------|----|
| ii they have been<br>made recognisable<br>where it<br>has been<br>a custom<br>for at<br>least 10<br>years to<br>display<br>with<br>not<br>not<br>market<br>iiii they have been<br>made recognisable<br>with arread notified<br>to te and notified<br>to the national<br>plant protection<br>organisation of<br>organisation of<br>Norway, enabling<br>with<br>the identification<br>of their place of<br>origin,<br>Mill.<br>iiii following their<br>introduction into<br>Great Britain, they<br>are transported<br>directly for display<br>to be<br>placed<br>on the<br>market<br>iv following their<br>display, they are:<br>as transported<br>directly<br>to a subic<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for their<br>dist january,<br>before<br>the   |            |   |     |                                       |    |
| placemade recognisablewhere ita traceability code,a customexclusive to eachfor attree and notifiedleast 10plant protectionyears toplant protectiondisplayorganisation ofcut treesNorway, enablingwiththe identificationfoliageof their place ofof <i>Picea</i> origin,Mill.iiiat thatfollowing theirplaced, andGreat Britain, theynotare transporteddirectly for display, to a sitefor thesecond column,marketivfollowing theirdisplay, they are:aatransporteddirectlyfor theirdestructionblacedor theiror thesecond column,marketivfor theirdisplay, they are:aatransporteddirectlyto a sitefor theirdestructionbbdestroyeddisplay, they are:aathatsite bychippingorriccineration,-ifincineration,-ifincineration,-ifincineration,-ifincineration,-ifincineration,-ifincineration,-if   | -          |   |     |                                       |    |
| where it<br>has been<br>a custom<br>for atwith a marking or<br>a traceability code,<br>exclusive to each<br>tree and notifiedleast 10<br>years to<br>display<br>cut trees<br>with<br>Mill.the identification<br>of their place of<br>origin,<br>foliage<br>of <i>Picea</i> Mill.iii<br>folowing their<br>introduction into<br>great that<br>place, and<br>not<br>intended<br>to be<br>placedor ganisation of<br>origin,<br>foliowing their<br>introduction into<br>Great Britain, they<br>are transported<br>directly for display<br>to a public place as<br>referred to in the<br>second column,<br>marketivfollowing their<br>display, they are:<br>aa<br>dracetuly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for their<br>introduced<br>on<br>or<br>after<br>ist<br>january,<br>before<br>the   | -          |   | 11  |                                       |    |
| has been<br>a custom<br>for at<br>least 10<br>years to<br>display<br>cut trees<br>with<br>foliage<br>of <i>Picea</i><br>Mill.<br>at that<br>place, and<br>on the<br>market   |            |   |     |                                       |    |
| a custom<br>for at<br>least 10<br>years to<br>display<br>cut trees<br>with<br>foliage<br>of <i>Picea</i><br>mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market   | where it   |   |     | with a marking or                     |    |
| for at<br>least 10<br>years to<br>display<br>cut trees<br>with<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>int | has been   |   |     | a traceability code,                  |    |
| for at<br>least 10<br>years to<br>display<br>cut trees<br>with<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>intended<br>int | a custom   |   |     | exclusive to each                     |    |
| least 10<br>years to<br>display<br>cut trees<br>with<br>foliage<br>of <i>Picea</i><br>Mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market<br>market<br>interduction<br>intended<br>to be<br>placed<br>on the<br>market<br>interduction<br>to be<br>person<br>responsible<br>for the in<br>destruction<br>bb<br>destruction<br>bb<br>destrucyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>  |            |   |     |                                       |    |
| years to<br>display<br>cut trees<br>with<br>foliage<br>of <i>Picea</i><br>of <i>Picea</i><br>of <i>Picea</i><br>of <i>Picea</i><br>of <i>Picea</i><br>of their place of<br>origin,<br>Mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market<br>iv<br>following their<br>directly for display<br>to a public place as<br>referred to in the<br>second column,<br>to a site<br>for their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>introduced<br>or<br>after<br>lst<br>January,<br>before<br>the  |            |   |     |                                       |    |
| display<br>cut trees<br>with<br>foliage<br>of <i>Picea</i><br>Mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market   |            |   |     |                                       |    |
| cut treesNorway, enabling<br>the identification<br>of their place of<br>origin,<br>Mill.Mill.iiiat thatiiiplace, and<br>notGreat Britain, they<br>are transported<br>directly for display<br>to be<br>placedon the<br>on the<br>marketivfollowing their<br>directly for display<br>to a public place as<br>referred to in the<br>second column,<br>directly<br>to a site<br>for their<br>display, they are:<br>aa<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bbbbdestruction<br>or<br>after<br>display, they are;<br>aa<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>or<br>incineration,<br>direct<br>direct<br>display, they are;<br>aa<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bbist<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic<br>dynamic  |            |   |     |                                       |    |
| with<br>foliage<br>of <i>Picea</i><br>Mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market<br>iiii<br>to be<br>placed<br>on the<br>market<br>iiii<br>to be<br>placed<br>on the<br>market<br>iv<br>following their<br>directly for display<br>to a public place as<br>referred to in the<br>second column,<br>to a site<br>for their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br><br>if<br>introduced<br>on<br>or<br>after<br>lst<br>January,<br>before<br>the   |            |   |     | -                                     |    |
| foliage       of their place of origin,         Mill.       iii         at that       iiii         place, and       Great Britain, they         not       are transported         intended       directly for display         to be       public place as         placed       referred to in the         on the       second column,         market       iv         following their       display, they are:         aa       transported         directly       to a site         for their       destruction         by the       person         responsible       for their         destruction       by the         person       responsible         for their       destroyed         at that       site by         chipping       or         or       introduced         of       after         lst       January,         before       the  |            |   |     |                                       |    |
| of <i>Picea</i><br>Mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market  |            |   |     |                                       |    |
| Mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market<br>Mill.<br>at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market<br>Mill.<br>at that<br>place, and<br>not<br>market<br>Mill.<br>at that<br>place, and<br>market<br>Mill.<br>at that<br>place, and<br>market<br>Mill.<br>at that<br>place, and<br>market<br>Mill.<br>at that<br>place, and<br>place, and<br>place   |            |   |     | -                                     |    |
| at that<br>place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market  |            |   |     |                                       |    |
| place, and<br>not<br>intended<br>to be<br>placed<br>on the<br>market   |            |   | iii |                                       |    |
| not<br>intended<br>to be<br>placed<br>on the<br>market<br>iv<br>to a public place as<br>referred to in the<br>second column,<br>market<br>iv<br>following their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>introduced<br>on<br>or<br>after<br>lst<br>January,<br>before<br>the  | at that    |   |     | introduction into                     |    |
| intended<br>to be<br>placed<br>on the<br>market<br>iv<br>following their<br>iv<br>following their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the  | place, and |   |     | Great Britain, they                   |    |
| intended<br>to be<br>placed<br>on the<br>market<br>iv<br>following their<br>iv<br>following their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the  | not        |   |     | are transported                       |    |
| to be<br>placed<br>on the<br>market<br>iv<br>to a public place as<br>referred to in the<br>second column,<br>following their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>—<br>if<br>introduced<br>on<br>or<br>after<br>l st<br>January,<br>before<br>the  | intended   |   |     |                                       |    |
| placed<br>on the<br>market<br>iv<br>following their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>—<br>if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the   | to be      |   |     |                                       |    |
| on the<br>market<br>iv<br>following their<br>display, they are:<br>aa<br>transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the  |            |   |     |                                       |    |
| market<br>iv following their<br>display, they are:<br>aa transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the  | *          |   |     |                                       |    |
| display, they are:<br>aa transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>I st<br>January,<br>before<br>the   |            |   | iv  |                                       |    |
| aa transported<br>directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the  | market     |   | 1 V |                                       |    |
| directly<br>to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the   |            |   |     |                                       |    |
| to a site<br>for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the  |            |   |     | -                                     |    |
| for their<br>destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the   |            |   |     |                                       |    |
| destruction<br>by the<br>person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the  |            |   |     |                                       |    |
| by the person responsible for the trees, and bb destroyed at that site by chipping or incineration, — if introduced on or after 1st January, before the  |            |   |     |                                       |    |
| person<br>responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the   |            |   |     | destruction                           |    |
| responsible<br>for the<br>trees, and<br>bb<br>destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the  |            |   |     | by the                                |    |
| for the<br>trees, and<br>bb destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the   |            |   |     | person                                |    |
| for the<br>trees, and<br>bb destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1 st<br>January,<br>before<br>the   |            |   |     | responsible                           |    |
| bb destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the   |            |   |     |                                       |    |
| bb destroyed<br>at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the   |            |   |     | trees, and                            |    |
| at that<br>site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the   |            |   |     | · · · · · · · · · · · · · · · · · · · |    |
| site by<br>chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the  |            |   |     | 5                                     |    |
| chipping<br>or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the   |            |   |     |                                       |    |
| or<br>incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the   |            |   |     |                                       |    |
| incineration,<br>— if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the   |            |   |     |                                       |    |
| - if<br>introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the  |            |   |     |                                       |    |
| introduced<br>on<br>or<br>after<br>1st<br>January,<br>before<br>the  |            |   |     |                                       |    |
| on<br>or<br>after<br>1st<br>January,<br>before<br>the  |            |   |     |                                       |    |
| or<br>after<br>1st<br>January,<br>before<br>the  |            |   |     | introduce                             | ed |
| after<br>1st<br>January,<br>before<br>the  |            |   |     | on                                    |    |
| 1st<br>January,<br>before<br>the   |            |   |     |                                       |    |
| January,<br>before<br>the  |            |   |     |                                       |    |
| before<br>the  |            |   |     | 1st                                   |    |
| before<br>the  |            |   |     | January.                              |    |
| the  |            |   |     |                                       |    |
|  |            |   |     |                                       |    |
| Cita   |            |   |     |                                       |    |
| of   |            |   |     |                                       |    |
| 31st   |            |   |     |                                       |    |
| 5180   |            |   |     | 5150                                  |    |

b

| 55. | Plants, other than<br>fruit or seeds, of<br><i>Abies</i> Mill., Cedrus<br>Trew, <i>Larix</i> Mill.,<br><i>Picea</i> Mill, <i>Pinus</i><br>L., Pseudotsuga<br>Carr. and <i>Tsuga</i><br>Carr. | country where<br>Bursaphelenchu<br>xylophilus<br>(Steiner & | <ul> <li>and subsequent to their destruction, the place and time of the destruction is notified by the person responsible for the trees to the competent authority in writing.</li> <li>*The name(s) of the place(s) of production must be included in the phytosanitary certificate under the heading "Additional Declaration". The phytosanitary certificate under the heading "Additional Declaration" must also include: <ul> <li>the marking or traceability code referred to in point (b) (ii),</li> <li>the date of dispatch, and</li> <li>the place of display as referred to in the second column.]</li> </ul> </li> <li>The plants: <ul> <li>a must be accompanied by an official statement:</li> <li>i that they have been grown in places of production where <i>Bursaphelenchus xylophilus</i> (Steiner &amp; Bührer) Nickle and its symptoms have not been observed since the beginning of the last complete growing cycle,</li> <li>ii that they have been grown throughout their life under complete physical</li> </ul> </li> </ul> | January<br>of<br>that<br>year,<br>otherwise<br>before<br>the<br>end<br>of<br>31st<br>January<br>of<br>the<br>following<br>year, |
|-----|--|---|--|---|
|-----|--|---|--|---|

|     |   |                                | <ul> <li>protection to prevent<br/>Monochamus spp.<br/>reaching the plants,</li> <li>iii that they have been<br/>officially inspected,<br/>tested and found<br/>free from any<br/>Bursaphelenchus<br/>xylophilus (Steiner &amp;<br/>Bührer) Nickle and<br/>Monochamus spp.,<br/>and</li> <li>b must only be transported<br/>from those places of<br/>production and through areas<br/>in which the pest is known<br/>to occur outside the flight<br/>season of Monochamus<br/>spp. or in closed<br/>containers or packaging<br/>to prevent infestation with<br/>Bursaphelenchus xylophilus<br/>(Steiner &amp; Bührer) Nickle or<br/>Monochamus spp.</li> </ul>              |
|-----|---|--------------------------------|---|
| 56. | Plants of <i>Pinus</i><br>L. or <i>Pseudotsuga</i><br><i>menziesii</i> (Mirbel)<br>Franco | Any thir<br>country<br>F57<br> | d The plants must be accompanied by<br>an official statement:<br>a that the plants originate in a<br>place of production which is<br>registered and supervised by<br>the national plant protection<br>organisation and,<br>b that they:<br>i have been grown<br>throughout their<br>life in a country<br>where <i>Fusarium</i><br><i>circinatum</i> Nirenberg<br>& O'Donnell is<br>known not to occur,<br>ii have been grown<br>throughout their<br>life in an area*<br>established by<br>the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area that<br>is free from <i>Fusarium</i><br><i>circinatum</i> Nirenberg<br>& O'Donnell, or |

|     |  |                |       | <ul> <li>iii originate in a place<br/>of production where<br/>no signs of <i>Fusarium</i><br/><i>circinatum</i> Nirenberg<br/>&amp; O'Donnell,<br/>including its vicinity<br/>of at least 1 km<br/>radius, have been<br/>observed during<br/>official inspections<br/>carried out within a<br/>period of two years<br/>prior to export and<br/>that they were tested<br/>immediately prior to<br/>export for <i>Fusarium</i><br/><i>circinatum</i> Nirenberg<br/>&amp; O'Donnell.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> </ul>   |
|-----|--|----------------|-------|---|
| 57. | Plants<br>F58<br>, other than seeds,<br>of <i>Cedrus</i> Trew and<br><i>Pinus</i> L. | Any<br>country | third | <ul> <li>The plants must be accompanied by:</li> <li>a an official statement that<br/>the plants have been grown<br/>throughout their life in<br/>a place of production<br/>in a country in which<br/><i>Thaumetopoea pityocampa</i><br/>(Denis &amp; Schiffermüller) is<br/>not known to occur,</li> <li>b an official statement that<br/>the plants have been grown<br/>throughout their life in an<br/>area* established by the<br/>national plant protection<br/>organisation in accordance<br/>with ISPM4 as an area that<br/>is free from <i>Thaumetopoea</i><br/><i>pityocampa</i> (Denis &amp;<br/>Schiffermüller),</li> <li>c F<sup>59</sup> or</li> <li>d an official statement that they<br/>have been grown throughout<br/>their life in a site with<br/>complete physical protection<br/>against the introduction of<br/><i>Thaumetopoea pityocampa</i><br/>(Denis &amp; Schiffermüller)<br/>and have been inspected<br/>at appropriate times and</li> </ul> |

|     |  |                                    | found to be free from<br><i>Thaumetopoea pityocampa</i><br>(Denis & Schiffermüller).<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional Declaration".   |
|-----|--|------------------------------------|--|
| 58. | Plants for planting,<br>other than seeds, of<br><i>Pinus</i> L.                                  | Any third<br>country               | The plants must be accompanied by:<br>a an official statement that they<br>originate in areas known to<br>be free from <i>Dothistroma pini</i><br>Hulbary and <i>Lecanosticta</i><br><i>acicola</i> (von Thümen)<br>Sydow, or<br>b an official statement that no<br>symptoms of needle blight,<br>caused by <i>Dothistroma pini</i><br>Hulbary or <i>Lecanosticta</i><br><i>acicola</i> (von Thümen) Sydow<br>have been observed at the<br>site of production or its<br>immediate vicinity since the<br>beginning of the last complete<br>cycle of vegetation.   |
| 59. | Plants for planting,<br>other than seeds,<br>of <i>Juglans</i> L. and<br><i>Pterocarya</i> Kunth | EU Member<br>States and the<br>USA | The plants must be accompanied by:<br>a an official statement that<br>the plants have been grown<br>throughout their life in an<br>area* established by the<br>national plant protection<br>organisation in accordance<br>with ISPM4 as an area that<br>is free from <i>Geosmithia</i><br><i>morbida</i> Kolarík, Freeland,<br>Utley & Tisserat and its<br>vector, <i>Pityophthorus</i><br><i>juglandis</i> Blackman,<br>b an official statement:<br>i that the plants<br>originate in a place of<br>production, including<br>its vicinity of at least<br>5 km radius, where<br>neither symptoms of<br><i>Geosmithia morbida</i><br>Kolarík, Freeland,<br>Utley & Tisserat nor<br>the presence of its<br>vector, <i>Pityophthorus</i><br><i>juglandis</i> Blackman<br>have been observed |

|     |  |  | during official<br>inspections within a<br>period of two years<br>prior to export, and<br>ii that the plants have<br>been inspected<br>immediately prior to<br>export and handled<br>and packaged in ways<br>to prevent infestation<br>after leaving the<br>place of production,<br>or<br>c an official statement that<br>the plants originate in a<br>place of production with<br>complete physical isolation<br>and have been inspected<br>immediately prior to export<br>and handled and packaged in<br>ways to prevent infestation |
|-----|--|--|--|
|     |  |  | <ul> <li>ways to prevent infestation<br/>after leaving the place of<br/>production.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading</li> <li>"Additional declaration".</li> </ul>   |
| 60. | Plants, other than<br>fruit and seeds, of<br><i>Betula</i> L.      |  | The plants must be accompanied by an official statement that they originate in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Agrilus anxius</i> Gory.   |
| 61. | Plants for planting,<br>other than seeds, of<br><i>Platanus</i> L. | Albania,<br>Armenia, EU<br>Member States,<br>Switzerland,<br>Turkey and the<br>USA | The plants must be accompanied by<br>an official statement that the plants<br>have been grown throughout their<br>life in an area* established by the<br>national plant protection organisation<br>in accordance with ISPM4 as an area<br>that is free from <i>Ceratocystis platani</i><br>(J.M. Walter) Engelbr. & T.C. Harr.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".   |
| 62. | Plants for planting,<br>other than seeds, of<br><i>Populus</i> L.  | Any third<br>country<br>F12<br>  | The plants must be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> f.sp. <i>tremuloidis</i> Shain have been observed at their place of production or in the immediate vicinity of the place of production   |

| Changes to legislation: Commission Implementing Regulation (EU) 2019/2072, AN        | NEX 7 is up  |
|--|--------------|
| to date with all changes known to be in force on or before 20 June 2024. There are a | changes that |
| may be brought into force at a future date. Changes that have been made appear in    | the content  |
| and are referenced with annotations. (See end of Document for details) View outstand | ding changes |

|                     |  |  | since the beginning of the last complete cycle of vegetation.   |
|---------------------|--|--|---|
| 63.                 | Plants, other than<br>fruit and seeds, of<br><i>Populus</i> L.   | Americas   | The plants must be accompanied<br>by an official statement that no<br>symptoms of <i>Sphaerulina musiva</i><br>(Peck) Quaedvlieg, Verkley & Crous<br>have been observed at their place of<br>production or in the immediate vicinity<br>of the place of production since the<br>beginning of the last complete cycle of<br>vegetation.  |
| [ <sup>F60</sup> 63 | APlants, including<br>cut branches with<br>or without foliage,<br>other than plants<br>in tissue culture,<br>pollen or seeds,<br>of <i>Populus</i> L. and<br><i>Salix</i> L.   | Korea, Japan,<br>Kazakhstan,<br>Mongolia, the<br>Republic of | The plants must be accompanied by<br>an official statement that they have<br>been grown throughout their life in an<br>area* established by the national plant<br>protection organisation in accordance<br>with the measures specified in ISPM<br>No. 4 as an area that is free from<br><i>Agrilus fleischeri</i> Obenberger, and not<br>within 100 km of a known outbreak<br>of <i>Agrilus fleischeri</i> Obenberger.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".]  |
| 64.                 | Plants for planting,<br>other than scions,<br>cuttings, plants<br>in tissue culture,<br>pollen and seeds,<br>of Amelanchier<br>Medikus., Aronia<br>Medikus.,<br>Cotoneaster<br>Medikus.,<br>Crataegus L.,<br>Cydonia Mill.,<br>Malus Mill.,<br>Prunus L.,<br>Pyracantha M.<br>Roem., Pyrus L.<br>and Sorbus L. | Canada and the<br>USA  | The plants must be accompanied by:<br>a an official statement that<br>they have been grown<br>throughout their life in an<br>area* established by the<br>national plant protection<br>organisation in accordance<br>with ISPM4 as an area that<br>is free from <i>Saperda candida</i><br>Fabricius, or<br>b an official statement that they<br>have been grown during a<br>period of at least two years<br>prior to export, or in the case<br>of plants which are younger<br>than two years, have been<br>grown throughout their life:<br>i in a place of<br>production<br>established as a place<br>of production that is<br>free from <i>Saperda</i><br><i>candida</i> Fabricius<br>in accordance with<br>ISPM10: |

|  | <ul> <li>aa which is registered<br/>and supervised<br/>by the national<br/>plant protection<br/>organisation in the<br/>country of origin and<br/>has been subjected<br/>annually to two<br/>official inspections<br/>for any signs of<br/><i>Saperda candida</i><br/>Fabricius carried out<br/>at appropriate times,<br/>and</li> <li>bb where they have been<br/>grown in a site with<br/>complete physical<br/>protection against<br/>the introduction of<br/><i>Saperda candida</i><br/>Fabricius or a site<br/>with the application<br/>of appropriate<br/>preventive treatments<br/>which was<br/>surrounded by a<br/>buffer zone with<br/>a width of at least<br/>500 m in which the<br/>absence of <i>Saperda<br/>candida</i> Fabricius<br/>has been confirmed<br/>by official surveys<br/>carried out annually<br/>at appropriate times,<br/>and</li> <li>ii immediately prior<br/>to export, the plants,<br/>and in particular<br/>their stems, have<br/>been subjected to a<br/>meticulous inspection<br/>for the presence of<br/><i>Saperda candida</i><br/>Fabricius, which<br/>included destructive<br/>sampling, where<br/>appropriate.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> </ul> |
|--|--|
|--|--|

|                         |     | The plants must be accompanied by |
|-------------------------|-----|-----------------------------------|
| cut branches with       | USA | an official statement that:       |
| or without foliage,     |     | a they have been grown            |
| other than fruit,       |     | during a period of at least       |
| seeds, tissue           |     | three years prior to export,      |
| cultures and pollen,    |     | or, in the case of plants         |
| of Acer L., Betula      |     | younger than three years,         |
| L., Carpinus L.,        |     | throughout their life, in a       |
| Carya illinoinensis     |     | place of production:              |
| (Wangenheim)            |     | i which has been                  |
| Koch, <i>Cercis</i> L., |     | established by                    |
| Cornus L.,              |     | the national                      |
|                         |     |                                   |
| Crataegus L.,           |     | plant protection                  |
| Juglans L., Malus       |     | organisation in                   |
| Mill., Ostrya           |     | accordance with                   |
| virginiana (Miller)     |     | ISPM10 as a place                 |
| Koch, Platanus          |     | of production                     |
| occidentalis L.,        |     | that is free from                 |
| Populus L., Prunus      |     | Chrysobothris                     |
| L., Pyrus L., Salix     |     | femorata (Olivier),               |
| L., Tilia L., Ulmus     |     | ii which is registered            |
| L., and Vaccinium       |     | and supervised                    |
| darrowii Camp.          |     | by the national                   |
|                         |     | plant protection                  |
|                         |     | organisation in the               |
|                         |     | country of origin,                |
|                         |     | iii which has been                |
|                         |     | subjected annually                |
|                         |     | to two official                   |
|                         |     | inspections for                   |
|                         |     | any signs of                      |
|                         |     | Chrysobothris                     |
|                         |     | femorata (Olivier)                |
|                         |     | carried out at                    |
|                         |     |                                   |
|                         |     | appropriate times,                |
|                         |     | and                               |
|                         |     | iv within which                   |
|                         |     | the plants have                   |
|                         |     | been grown                        |
|                         |     | in a site with                    |
|                         |     | complete physical                 |
|                         |     | protection against                |
|                         |     | the introduction                  |
|                         |     | of Chrysobothris                  |
|                         |     | femorata (Olivier),               |
|                         |     | b immediately prior to            |
|                         |     | export, the plants, and           |
|                         |     | in particular their stems         |
|                         |     | and branches, have been           |
|                         |     | subjected to a meticulous         |
|                         |     | inspection for the                |
|                         |     | presence of <i>Chrysobothris</i>  |
|                         |     | femorata (Olivier),               |
| I                       |     |                                   |

|   |                       | <ul> <li>which has included<br/>destructive sampling, where<br/>appropriate, and</li> <li>c they have been packed in<br/>such a manner as to prevent<br/>infestation during transport<br/>and storage.</li> </ul>   |
|---|-----------------------|---|
| 64B. Plants, including<br>cut branches with<br>or without foliage,<br>other than fruit,<br>seeds, tissue<br>cultures and pollen,<br>of Acer L.,<br>Aesculus L.,<br>Arbutus menziesii<br>Pursh., Ceanothus<br>L., Cercocarpus<br>montanus (Kunth)<br>Rafinesque,<br>Corylus L.,<br>Eriobotrya<br>japonica<br>(Thunberg)<br>Lindley, Fagus<br>sylvatica L., Ficus<br>carica L., Frangula<br>californica<br>(Eschscholtz) A.<br>Gray, Heteromeles<br>arbutifolia (Lindl)<br>Roemer, Juglans<br>regia L., Malus<br>Mill.,<br>Pickeringiamontana<br>Torrey & A.<br>Gray, Platanus L.,<br>Populus L., Prunus<br>L., Pyrus communis<br>L., Quercus L.,<br>Ribes L., Rosa<br>L., Salix L.,<br>Sorbus aucuparia<br>L., Ulmus L., and<br>Vaccinium L. | Canada and the<br>USA | The plants must be accompanied by:<br>a an official statement that:<br>i they have been<br>grown during a<br>period of at least<br>three years prior<br>to export, or, in<br>the case of plants<br>younger than three<br>years, throughout<br>their entire life, in<br>an area* which has<br>been established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Chrysobothris</i><br><i>mali</i> (Horn),<br>and that no part<br>of that area lies<br>within 100km of<br>a known outbreak<br>of <i>Chrysobothris</i><br><i>mali</i> (Horn), and<br>ii they have been<br>packed in such<br>a manner as to<br>prevent infestation<br>during transport<br>and storage, or<br>b an official statement that:<br>i they have been<br>grown during a<br>period of at least<br>three years prior<br>to export, or, in<br>the case of plants<br>younger than three<br>years, throughout<br>their entire life,<br>in a place of<br>production: |

|  | aa | which<br>has been<br>established<br>by the<br>national<br>plant<br>protection<br>organisation<br>in<br>accordance<br>with<br>ISPM10<br>as a<br>place of<br>production<br>that is<br>free from<br><i>Chrysobothris</i><br><i>mali</i><br>(Horp) |
|--|----|--|
|  | bb | (Horn),<br>which is<br>registered<br>and<br>supervised<br>by the<br>national<br>plant<br>protection<br>organisation<br>in the<br>country<br>of origin,   |
|  | сс | which<br>has been<br>subjected<br>annually<br>to two<br>official<br>inspections<br>for any<br>signs of<br><i>Chrysobothris</i><br><i>mali</i><br>(Horn)<br>carried<br>out at<br>appropriate<br>times,<br>and                                   |
|  | dd | within<br>which<br>they have<br>been   |

|     |  |         | grown<br>in a site<br>with<br>complete<br>physical<br>protection<br>against<br>the<br>introduction<br>of<br><i>Chrysobothris</i><br><i>mali</i><br>(Horn),<br>ii immediately<br>prior to export,<br>the plants, and<br>in particular<br>their stems and<br>branches, have<br>been subjected<br>to a meticulous<br>inspection for<br>the presence of<br><i>Chrysobothris</i><br><i>mali</i> (Horn), which<br>has included<br>destructive<br>sampling, where<br>appropriate, and<br>iii they have been<br>packed in such<br>a manner as to<br>prevent infestation<br>during transport<br>and storage.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration.] |
|-----|--|---------|--|
| 65. | Plants, other than<br>fruit and seeds, of<br><i>Acer macrophyllum</i><br>Pursh, <i>Acer</i><br><i>pseudoplatanus</i> L.,<br><i>Adiantum</i><br><i>aleuticum</i><br>(Ruprecht) C.A.<br>Paris, <i>Adiantum</i><br><i>jordanii</i> Muell.,<br><i>Aesculus</i><br><i>californica</i> (Spach)<br>Nuttall, <i>Aesculus</i> | The USA | The plants must be accompanied by:<br>a an official statement:<br>i that the plants<br>originate in an<br>area* in which non-<br>European isolates<br>of <i>Phytophthora</i><br><i>ramorum</i> Werres, De<br>Cock & Man in 't<br>Veld are known not to<br>occur, and<br>ii that prior to<br>export, they were  |

| hippocastanum L.,<br>Arbutus menziesiiPursh.,Arbutus<br>unedoL.,Arctostaphylos spp.<br>Calluna vulgaris(L.) Hull, Camellia<br>spp.,Castanea<br>sativa Mill., Fagus<br>sylvaticasylvaticaL.,<br>Frangula<br>californica(Eschscholtz)A.<br>GrayGrayFrangula<br>purshianacooper,Fraxinus<br>excelsiorexcelsiorL.,<br>Griselinia littoralis<br>(Raoul),<br>Hamamelis<br>virginianaHeteromeles<br>arbutifoliaLindl)<br>Roemer, Kalmia<br>latifolia L., Laurus<br>nobilisnobilisL.,<br>Leucothoe<br>spp.,<br>Lithocarpus<br>densiflorus(Hooker & Arnott)<br>Rehder, Lonicera<br>hispidula<br>Dougl.<br>ex Torr. & Gray,<br>Magnolia doltsopa<br>(de<br>Candolle)<br>Figlar, Nothofagus<br>obliqua<br>(Mirbel)<br>Ørsted<br>Oerst.,<br>Osmanthus<br>heterophyllus<br>(G.<br>Don) P. S. Green,<br>Parrotia persica<br>(de Candolle) von<br>Meyer, Photinia<br>x fraseri Dress,<br>Pieris<br>spp.,<br>Rhododendron<br>spp., other than | inspected and found<br>free from non-<br>European isolates<br>of Phytophthora<br>ramorum Werres, De<br>Cock & Man in 't<br>Veld, or<br>b an official statement:<br>i that no signs of non-<br>European isolates<br>of Phytophthora<br>ramorum Werres,<br>De Cock & Man<br>in 't Veld have<br>been observed on<br>any plants listed in<br>column (1) at the<br>place of production<br>during official<br>inspections, which<br>included laboratory<br>testing of any<br>suspicious symptoms<br>carried out since the<br>beginning of the last<br>complete cycle of<br>vegetation, and<br>ii that prior to<br>export, they were<br>inspected and found<br>free from non-<br>European isolates<br>of Phytophthora<br>ramorum Werres, De<br>Cock & Man in 't<br>Veld.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
|---|---|
|---|---|

|     | RhododendronsimsiiPlanchon.,RosagymnocarpaNuttall.,SalixcapreaL., Sequoiasempervirens(D.Don)Endl., SyringavulgarisL., Taxusspp.,TrientalislatifoliaHooker.,Umbellulariacalifornica (Hooker& Arnott)NuttallVacciniumovatumPurshandViburnumspp.   |       |  |
|-----|---|-------|--|
| 66. | Plants for planting,<br>other than seeds,<br>that have a stem or<br>root collar diameter<br>of 1 cm or more<br>at their thickest<br>point, of Acer<br>spp. L., Aesculus<br>hippocastanum L.,<br>Alnus spp. Miller,<br>Betula spp. L.,<br>Carpinus spp.,<br>Citrus spp., L.,<br>Cornus spp.,<br>Cotoneaster spp.,<br>Cotoneaster spp.,<br>Crataegus spp.<br>L., Fagus spp.,<br>Lagerstroemia<br>spp., Malus spp.,<br>Platanus spp.L.,<br>Prunus<br>laurocerasus L.,<br>Pyrus spp., Rosa<br>spp. L., Salix spp.<br>L., and Ulmus spp.<br>L. | China | The plants must be accompanied by:<br>a an official statement that<br>the plants have been grown<br>throughout their life in a<br>place of production which<br>is registered and supervised<br>by national plant protection<br>organisation in China and<br>which is situated in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Anoplophora chinensis</i><br>(Forster),<br>b an official statement that<br>the plants have been grown<br>during a period of at least two<br>years prior to export, or in<br>the case of plants, which are<br>younger than two years, have<br>been grown throughout their<br>life, in a place of production<br>established as free from<br><i>Anoplophora chinensis</i><br>(Forster) in accordance with<br>ISPM10:<br>i which is registered<br>and supervised<br>by the national<br>plant protection<br>organisation of<br>China,<br>ii which has been<br>subjected annually<br>to at least two |

official meticulous inspections for any signs of Anoplophora chinensis (Forster) carried out at appropriate times and no signs of the pest have been found, iii where the plants have been grown in a site with complete physical protection against the introduction of Anoplophora chinensis (Forster) or in a site with the application of appropriate preventive treatments which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora chinensis (Forster) are carried out annually at appropriate times; and where signs of Anoplophora chinensis (Forster) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and iv where immediately prior to export, the plants, and in particular their roots and stems, were subjected to an official meticulous inspection for the presence of Anoplophora

|     |   |   | <i>chinensis</i> (Forster),<br>which included<br>targeted destructive<br>sampling using<br>samples to enable at<br>least the detection<br>of 1% level of<br>infestation with a<br>confidence of 99%,<br>or  |
|-----|---|---|---|
|     |   |   | c an official statement that<br>the plants have been grown<br>from rootstocks which were<br>grown in accordance with<br>the requirements specified in<br>point (b), grafted with scions<br>which at the time of export<br>were no more than 1 cm in<br>diameter at their thickest<br>point and have been subject<br>to an official meticulous<br>inspection for the presence<br>of <i>Anoplophora chinensis</i><br>(Forster), which included<br>targeted destructive sampling<br>using samples to enable at<br>least the detection of 1%<br>level of infestation with a<br>confidence of 99%. |
|     |   |   | not include any of the official<br>statements referred to in points (a) to<br>(c) unless the national plant protection<br>organisation of China has previously<br>provided the national plant protection<br>organisation of the United Kingdom<br>with written details of the unique<br>registration number of the place(s) of<br>production.<br>The phytosanitary certificate must   |
|     |   |   | also include the registration number<br>of the place of production under the<br>heading "Additional declaration".<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".   |
| 67. | Plants for planting,<br>other than seeds,<br>that have a stem or<br>root collar diameter<br>of 1 cm or more | Any third<br>country, other<br>than China,<br>where<br><i>Anoplophora</i> | The plants must be accompanied by:<br>a an official statement that<br>the plants have been grown<br>throughout their life in a<br>place of production which is  |

| at their thickest<br>point, of Acer<br>spp. L., Aesculus<br>hippocastanum L.,<br>Alnus spp. Miller,<br>Betula spp. L.,<br>Carpinus spp. L.,<br>Cornus spp. L.,<br>Cornus spp.,<br>Cotoneaster spp.,<br>Crataegus spp.<br>L., Fagus spp.,<br>Lagerstroemia<br>spp., Malus spp.,<br>Platanus spp. L.,<br>Populus spp. L.,<br>Pyrus spp., Rosa<br>spp. L., Salix spp.<br>L., and Ulmus spp.<br>L. | (Forster) is | registered and supervised by<br>the national plant protection<br>organisation in the country of<br>origin and which is situated<br>in an area* established by<br>the national plant protection<br>organisation in accordance<br>with ISPM4 as an area that<br>is free from <i>Anoplophora</i><br><i>chinensis</i> (Forster),<br>b an official statement:<br>i that the plants have<br>been grown during<br>a period of at least<br>two years prior to<br>export, or in the case<br>of plants, which are<br>younger than two<br>years, have been<br>grown throughout<br>their life, in a place<br>of production<br>established as free<br>from <i>Anoplophora</i><br><i>chinensis</i> (Forster)<br>in accordance with<br>ISPM No. 10:<br>aa which is registered<br>and supervised<br>by the national<br>plant protection<br>organisation in the<br>country of origin,<br>bb which has been<br>subject annually<br>to at least two<br>official meticulous<br>inspections for any<br>signs of <i>Anoplophora</i><br><i>chinensis</i> (Forster)<br>carried out at<br>appropriate times and<br>no signs of the plant<br>pest have been found,<br>cc where the plants<br>have been grown<br>in a site with<br>complete physical<br>protection against<br>the introduction<br>of <i>Anoplophora</i><br><i>chinensis</i> (Forster) |
|--|--------------|--|
|--|--------------|--|

or in a site with the application of appropriate preventative treatments which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora chinensis (Forster) are carried out annually at appropriate times; and where signs of Anoplophora chinensis (Forster) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and ii that immediately prior to export, the plants, and in particular their roots and stems, were subjected to an official meticulous inspection for the presence of Anoplophora chinensis (Forster), which included targeted destructive sampling using samples to enable at least the detection of 1% level of infestation with a confidence of 99%, or c an official statement that the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (b), grafted with

|     |   |  | scions which at the time of<br>export were no more than<br>1 cm in diameter at their<br>thickest point and which have<br>been subject to an official<br>meticulous inspection for<br>the presence of <i>Anoplophora</i><br><i>chinensis</i> (Forster), which<br>included targeted destructive<br>sampling using samples to<br>enable at least the detection<br>of 1% level of infestation<br>with a confidence of 99%.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration"   |
|-----|---|--|---|
| 68. | point, of Acer<br>spp. L., Aesculus<br>spp., Alnus spp.<br>Miller, Betula spp.<br>L., Carpinus spp.,<br>Cercidiphyllum<br>spp. L., Corylus<br>spp., Fagus spp.,<br>Fraxinus spp L., | States other<br>than any EU<br>Member State<br>where<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky)<br>is known not<br>to occur and<br>any other third<br>country where<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky)<br>is known to be | The plants must be accompanied by:<br>a an official statement that<br>the plants have been grown<br>throughout their life in a<br>place of production which<br>is registered and supervised<br>by national plant protection<br>organisation in the country<br>of origin and is situated in<br>an area* established by that<br>organisation in accordance<br>with ISPM4 as an area that<br>is free from <i>Anoplophora</i><br><i>glabripennis</i> (Motschulsky),<br>b an official statement that<br>the plants have been grown<br>during a period of at least two<br>years prior to export, or in<br>the case of plants, which are<br>younger than two years, have<br>been grown throughout their<br>life, in a place of production<br>established as free from<br><i>Anoplophora glabripennis</i><br>(Motschulsky) in accordance<br>with ISPM10:<br>i which is registered<br>and supervised<br>by the national<br>plant protection<br>organisation in the<br>country of origin,<br>ii which has been<br>subject annually<br>to at least two |

official meticulous inspections for any signs of Anoplophora glabripennis (Motschulsky) carried out at appropriate times and no signs of the pest have been found, iii where the plants have been grown in a site: aa with complete physical protection against the introduction of Anoplophora glabripennis (Motschulsky), or bb with the application of appropriate preventative treatments and which was surrounded by a buffer zone with a radius of at least 2 km where official surveys for the presence or signs of Anoplophora glabripennis (Motschulsky) are carried out annually at appropriate times and where signs of Anoplophora glabripennis (Motschulsky) have been found, eradication measures were taken immediately to restore the pest freedom of the buffer zone, and iv that immediately prior to export, the plants, and in particular their branches and stems, were subjected to a meticulous official inspection

| [ <sup>F62</sup> 68,ABare-rooted,  | New Zealand | for the presence<br>of <i>Anoplophora</i><br>glabripennis<br>(Motschulsky),<br>which included<br>targeted destructive<br>sampling and, in<br>the case of plants<br>originating in sites<br>which at the time<br>of their production<br>were located in a<br>buffer zone where<br>the presence or signs<br>of <i>Anoplophora</i><br>glabripennis<br>(Motschulsky) have<br>been found, targeted<br>destructive sampling<br>at the appropriate<br>level, or<br>c an official statement that<br>the plants have been grown<br>from rootstocks which were<br>grown in accordance with<br>the requirements specified<br>in point (b), grafted with<br>scions which at the time of<br>export were no more than<br>1 cm in diameter at their<br>thickest point and which have<br>been subject to a meticulous<br>official inspection for the<br>presence of <i>Anoplophora</i><br>glabripennis (Motschulsky),<br>in the manner specified in<br>point (b)(iv).<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>For the purpose of point (b)(iv), the<br>appropriate level is 10% of the plants<br>where the number of plants is 4,500<br>or less, and 450 plants where the<br>number of plants is more than 4,500<br>plants.<br>The plants must be accompanied by |
|--|-------------|---|
| dormant, free-of-<br>leaves, grafted<br>or budded, one-<br>to three-year old |             | an official statement:<br>a that they are free from<br><i>Eotetranychus sexmaculatus</i><br>(Riley);  |

| plants for planting<br>of Acer japonicum<br>Thunberg, Acer<br>palmatum<br>Thunberg and<br>Acer shirasawanum<br>Koidzumi | c      | that they have been grown<br>throughout their life in a<br>place of production, which,<br>together with the sites<br>of production* that form<br>part of it, is registered and<br>supervised by the national<br>plant protection organisation<br>of the country of origin;<br>that the site of production<br>has been found free from<br><i>Eotetranychus sexmaculatus</i><br>(Riley) during official<br>inspections carried out at<br>appropriate times since the<br>beginning of the complete<br>production cycle; in the<br>case of suspicion of the<br>presence of <i>Eotetranychus</i><br><i>sexmaculatus</i> (Riley) at<br>the site of production,<br>appropriate treatments<br>have been carried out to<br>ensure the absence of the<br>pest; a surrounding zone of<br>100m has been established,<br>which is subject to specific<br>surveys at appropriate times<br>to detect <i>Eotetranychus</i><br><i>sexmaculatus</i> (Riley); and<br>where the pest has been<br>found on any host plants,<br>those plants have been<br>rogued out and destroyed<br>immediately; |
|---|--------|--|
|   | d<br>e | that a system has been put<br>in place to ensure that tools<br>and machinery have been<br>cleaned to be free from<br>soil and plant debris and<br>disinfected to be free from<br><i>Eotetranychus sexmaculatus</i><br>(Riley), before they have<br>been introduced into each<br>site of production;<br>that at harvest they have<br>been cleaned and trimmed   |
|   |        | and have undergone an<br>official phytosanitary<br>inspection, consisting at<br>least of a detailed visual<br>examination, in particular<br>of stems and branches of   |

|     |   |             | the plants to confirm the<br>absence of <i>Eotetranychus</i><br><i>sexmaculatus</i> (Riley); and<br>f immediately prior to<br>export, the consignments<br>have been subjected to an<br>official inspection** for the<br>presence of <i>Eotetranychus</i><br><i>sexmaculatus</i> (Riley), in<br>particular of stems and<br>branches of the plants.<br>*The name(s) of the site(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration.".<br>**The size of the sample for<br>inspection has been such as to enable<br>at least the detection of a 1 % level of<br>infestation with a level of confidence<br>of 99 %.  |
|-----|---|-------------|--|
| 68B | Bare-rooted,<br>dormant, free-of-<br>leaves, grafted or<br>budded one- to<br>three- year old<br>plants for planting<br>of <i>Acer japonicum</i><br>Thunberg, <i>Acer</i><br><i>palmatum</i><br>Thunberg and<br><i>Acer shirasawanum</i><br>Koidzumi | New Zealand | The plants must be accompanied by<br>an official statement:<br>a that they are free from<br><i>Oemona hirta</i> (Fabricius)<br>and <i>Platypus apicalis</i><br>(White);<br>b that they have been grown<br>throughout their life in a<br>place of production, which,<br>together with the sites<br>of production* that form<br>part of it is registered and<br>supervised by the national<br>plant protection organisation<br>of the country of origin;<br>c that the site of production<br>has been found free from<br><i>Oemona hirta</i> (Fabricius)<br>and <i>Platypus apicalis</i><br>(White) during official<br>inspections carried out at<br>appropriate times since the<br>beginning of the complete<br>production cycle; and in<br>the case of suspicion of the<br>presence of <i>Oemona hirta</i><br>(Fabricius) and <i>Platypus<br/>apicalis</i> (White) at the site<br>of production, appropriate<br>treatments have been carried<br>out to ensure the absence of<br>the pests; |

|     |  |                                  | d that at harvest, they have<br>been cleaned and have<br>undergone an official<br>inspection to confirm the<br>absence of <i>Oemona hirta</i><br>(Fabricius) and <i>Platypus</i><br><i>apicalis</i> (White); and<br>e that immediately before<br>export consignments<br>have been subjected to an<br>official inspection** for the<br>presence of <i>Oemona hirta</i><br>(Fabricius) and <i>Platypus</i><br><i>apicalis</i> (White).<br>*The name(s) of the site(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration.".<br>**The size of the sample for<br>inspection has been such as to enable<br>at least the detection of a 1 % level of<br>infestation with a level of confidence<br>of 99 %;]   |
|-----|--|----------------------------------|---|
| 69. | Plants for planting,<br>other than plants in<br>tissue culture and<br>seeds, of <i>Crataegus</i><br>L., <i>Cydonia</i> Mill.,<br><i>Malus</i> Mill.,<br><i>Prunus</i> L., <i>Pyrus</i> L.<br>and <i>Vaccinium</i> L. | Canada,<br>Mexico and the<br>USA | The plants must be accompanied by:<br>a an official statement that<br>they have been grown<br>throughout their life in an<br>area* established by the<br>national plant protection<br>organisation in accordance<br>with ISPM4 as an area that<br>is free from <i>Grapholita</i><br><i>packardi</i> Zeller,<br>b an official statement that they<br>have been grown throughout<br>their life in a place of<br>production established as<br>a place of production that<br>is free from <i>Grapholita</i><br><i>packardi</i> Zeller in accordance<br>with ISPM10:<br>i which is registered<br>and supervised<br>by the national<br>plant protection<br>organisation of the<br>country of origin,<br>ii which has been<br>subjected to annual<br>inspections for any<br>signs of <i>Grapholita</i><br><i>packardi</i> Zeller |

|     |   |  | carried out at<br>appropriate times of<br>the year to detect the<br>presence of the pest,<br>iii where the plants have<br>been grown in a site<br>with the application<br>of appropriate<br>preventive<br>treatments and<br>where the absence of<br><i>Grapholita packardi</i><br>Zeller was confirmed<br>by official surveys<br>carried out annually<br>at appropriate times<br>of the year to detect<br>the presence of the<br>pest, and<br>iv immediately prior to<br>export the plants have<br>been subjected to a<br>meticulous inspection<br>for the presence of<br><i>Grapholita packardi</i><br>Zeller, or<br>c an official statement that<br>they originate in an insect<br>proof site of production to<br>prevent the introduction of<br><i>Grapholita packardi</i> Zeller.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>A phytosanitary certificate may not<br>include the official statement referred<br>to in point (a) unless the national<br>plant protection organisation of the<br>country of origin has previously<br>notified the national plant protection<br>organisation of the United Kingdom<br>of this information in writing. |
|-----|---|--|---|
| 70. | Plants for planting,<br>other than seeds, of<br><i>Crataegus</i> L. | Any third<br>country where<br><i>Phyllosticta</i><br><i>solitaria</i> Ellis<br>& Everhart is<br>known to occur | The plants must be accompanied by an official statement that no symptoms of <i>Phyllosticta solitaria</i> Ell. & Ev. have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.  |
| 71. | Live pollen of <i>Actinidia</i> Lindl. or                           | Any third country  | The plants must be accompanied by:  |

| plants for planting,<br>other than seeds, of<br><i>Actinidia</i> Lindl.<br>F63 | a | an official statement that<br>the plants have been grown<br>throughout their life in a<br>country where <i>Pseudomonas</i><br><i>syringae</i> pv. actinidiae<br>Takikawa, Serizawa,<br>Ichikawa, Tsuyumu & Goto is<br>known not to occur,  |
|--|---|--|
|  | b | an official statement that<br>the plants have been grown<br>throughout their life in a<br>place of production which is<br>registered and supervised by<br>the national plant protection<br>organisation in the country<br>of origin and is situated<br>in an area* established<br>by that organisation in<br>accordance with ISPM4<br>as an area that is free from<br><i>Pseudomonas syringae</i><br>pv. actinidiae Takikawa,<br>Serizawa, Ichikawa, Tsuyumu<br>& Goto,  |
|  | c | an official statement that the<br>plants have been produced in<br>a place or site of production<br>which is registered and<br>supervised by the national<br>plant protection organisation<br>in the country of origin and<br>established in accordance<br>with the ISPM10 as a place<br>of production that is free<br>from <i>Pseudomonas syringae</i><br>pv. actinidiae Takikawa,<br>Serizawa, Ichikawa, Tsuyumu<br>& Goto where:<br>i they have been grown<br>in a structure with a<br>degree of isolation<br>and protection<br>from the outside<br>environment that<br>effectively excluded<br><i>Pseudomonas</i><br><i>syringae</i> pv.<br>actinidiae Takikawa,<br>Serizawa, Ichikawa,<br>Tsuyumu & Goto and<br>have been officially<br>inspected twice at |

the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement and found free from that pest, and ii the place or site of production was surrounded by a zone with a radius of at least 100 m, where: aa official inspections were carried out twice at the place or site and in the zone at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement, and bb where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed, an official statement that d the <sup>F64</sup>... plants have been produced in a place of production established in accordance with ISPM10 as a place of production that is free from Pseudomonas syringae pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto and which is surrounded: i by a zone with a radius of 500 m where: aa official inspections, sampling and testing have been

carried out at that place of production and throughout that zone twice at the most appropriate times for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement, bb where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed and all F64... plants in the zone were immediately destroyed or have been regularly tested at the most appropriate times and found free from that pest, and ii by a further zone lying between 500 m and 4,500 m of that place of production where: aa official inspections,

sampling and testing have been carried out twice at the most appropriate times throughout the area for detecting symptoms of infection during the last complete cycle of vegetation prior to their movement, and bb where any plants showing symptoms of infection were found during those inspections, those plants were immediately destroyed and all F64 ... plants in the further zone were immediately destroyed or have been tested according to a sampling scheme that is able to confirm with 99% reliability that the level of presence of pest in the <sup>F64</sup>... plants is below 0.1%.

|     |  |  | Where point (b) or (c) applies, the official statement must also confirm that:<br>—the <sup>F64</sup> plants have been derived directly from mother plants under conditions which comply with the requirements <sup>F64</sup> in points (a) or (b),<br>—the <sup>F64</sup> plants have been directly derived from mother plants, which were subject to prior individual testing confirming their freedom from <i>Pseudomonas syringae</i> pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto, or<br>—the <sup>F64</sup> plants have been tested according to a sampling scheme that is able to confirm with 99% reliability that the level of presence of <i>Pseudomonas syringae</i> pv. actinidiae Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto in the <sup>F64</sup> plants is below 0.1%. |
|-----|--|--|--|
| 72. | Plants for planting,<br>other than seeds,<br>of <i>Cydonia</i> Mill.,<br>Fragaria L., <i>Malus</i><br>Mill., <i>Prunus</i> L.,<br><i>Pyrus</i> L., <i>Ribes</i> L.<br>and Rubus L. | Any third<br>country where<br>non-European<br>viruses, viroids<br>and<br>phytoplasmas<br>or <i>Phyllosticta</i><br><i>solitaria</i> Ell. &<br>Ev. are known<br>to occur on the<br>genera listed in<br>column (1) | The plants must be accompanied by<br>an official statement that no symptoms<br>of diseases caused by the pests listed<br>in column (2) have been observed on<br>the plants at the place of production<br>since the beginning of the last complete<br>cycle of vegetation.  |
| 73. | Plants for planting,<br>other than seeds, of<br><i>Malus</i> Mill.   |  | The plants must be accompanied by<br>an official statement:<br>a that they have been:<br>i officially certified<br>under a certification<br>scheme requiring<br>them to be derived<br>in direct line from<br>material which has<br>been maintained<br>under appropriate<br>conditions and has<br>been subjected to<br>official testing for<br>at least Cherry rasp<br>leaf virus using<br>appropriate indicators   |

|     |  |   | or equivalent<br>methods and has been<br>found free from the<br>pests tested, or<br>ii derived in direct line<br>from material which<br>has been maintained<br>under appropriate<br>conditions and has<br>been subjected, at<br>least once within the<br>last three complete<br>cycles of vegetation,<br>to official testing<br>for at least Cherry<br>rasp leaf virus using<br>appropriate indicators<br>or equivalent<br>methods and has been<br>found free from the<br>pests tested, and<br>b that no symptoms of diseases<br>caused by Cherry rasp leaf<br>virus have been observed<br>on plants at the place of<br>production, or on susceptible<br>plants in its immediate<br>vicinity, since the beginning<br>of the last complete cycle of<br>vegetation. |
|-----|--|---|---|
| 74. | Plants for planting,<br>other than seeds, of<br><i>Malus</i> Mill. | Any third<br>country where<br><i>Candidatus</i><br>Phytoplasma<br>'mali'<br>Seemüller &<br>Schneider is<br>known to occur | <ul> <li>The plants must be accompanied by:</li> <li>a an official statement that<br/>they originate in an area*<br/>which, in accordance with the<br/>measures specified in ISPM4,<br/>is known to be free from<br/><i>Candidatus</i> Phytoplasma<br/>'mali' Seemüller &amp;<br/>Schneider, <sup>F65</sup></li> <li>b an official statement that<br/>the plants, other than plants<br/>raised from seeds: <ul> <li>i have been officially<br/>certified under a<br/>certification scheme<br/>requiring them to be<br/>derived in direct line<br/>from material which<br/>has been maintained<br/>under appropriate<br/>conditions and has</li> </ul> </li> </ul>   |

75.

| Plants for planting,                  | Any     | third | <ul> <li>been subjected to official testing for at least <i>Candidatus</i> Phytoplasma 'mali' Seemüller &amp; Schneider using appropriate indicators or equivalent methods and has been found free from that pest, or</li> <li>ii have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last six complete cycles of vegetation, to official testing for at least <i>Candidatus</i> Phytoplasma 'mali' Seemüller &amp; Schneider using appropriate indicators or equivalent methods and has been found free in those tests from that pest, [<sup>666</sup>or]</li> <li>I no symptoms of diseases</li> <li><sup>F67</sup>c) caused by Candidatus Phytoplasma 'mali' Seemüller &amp; Schneider have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.]</li> <li>* The name of the area(s) must be included in the phytopained in discussion of the ast three complete cycles of vegetation.]</li> </ul> |
|---------------------------------------|---------|-------|--|
| other than seeds, of <i>Prunus</i> L. | country |       | an official statement:<br>a that they have been:   |

|     |  | rasp leaf virus,<br>Peach mosaic<br>virus, North<br>American<br>Grapevine<br>Yellows<br>(16SrIII-A)<br>and Peach<br>rosette mosaic<br>virus are<br>known to occur | <ul> <li>i officially certified<br/>under a certification<br/>scheme requiring<br/>them to be derived<br/>in direct line from<br/>material which has<br/>been maintained<br/>under appropriate<br/>conditions and has<br/>been subjected to<br/>official testing for<br/>at least the pests<br/>listed in column (2)<br/>of this entry using<br/>appropriate indicators<br/>or equivalent<br/>methods and has been<br/>found free from those<br/>pests, or</li> <li>ii derived in direct line<br/>from material which<br/>has been maintained<br/>under appropriate<br/>conditions and has<br/>been subjected, at<br/>least once within the<br/>last three complete<br/>cycles of vegetation,<br/>to official testing<br/>for at least the pests<br/>listed in column (2)<br/>of this entry using<br/>appropriate indicators<br/>or equivalent<br/>methods and has been<br/>found free from those<br/>pests, and</li> <li>b that in either case, no<br/>symptoms of diseases caused<br/>by the pests listed in column<br/>(2) have been observed on<br/>the plants at the place of<br/>production, or on susceptible<br/>plants in its immediate<br/>vicinity, since the beginning<br/>of the last three complete<br/>cycles of vegetation.</li> </ul> |
|-----|--|---|--|
| 76. | Plants for planting,<br>other than seeds, of<br><i>Prunus</i> L. |   | The plants must be accompanied by<br>an official statement:<br>[ that they originate in an area*<br><sup>F68</sup> za which, in accordance with the<br>measures specified in ISPM4,  |

is known to be free from Candidatus Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene & Douglas,] that they have been: а i officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for Candidatus Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene & Douglas. using appropriate indicators or equivalent methods and has been found free from that pest, or ii derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for Candidatus Phytoplasma 'pruni' (16SrIII-A) Davis, Zhao, Dally, Lee, Jomantiene & Douglas. using appropriate indicators or equivalent methods and has been found free from that pest, [<sup>F69</sup>or] that <sup>F70</sup>..., no symptoms b of diseases caused by

Candidatus Phytoplasma

|     |   |                |       | <ul> <li>'pruni' (16SrIII-A) Davis,<br/>Zhao, Dally, Lee, Jomantiene<br/>&amp; Douglas have been<br/>observed on the plants at<br/>the place of production, or<br/>on susceptible plants in its<br/>immediate vicinity, since<br/>the beginning of the last<br/>three complete cycles of<br/>vegetation.</li> <li>[<sup>F71</sup>*The name(s) of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".]</li> </ul>  |
|-----|---|----------------|-------|---|
| 77. | Plants for planting,<br>other than seeds, of<br><i>Prunus</i> L.  | Any<br>country | third | The plants must be accompanied by:<br>a an official statement that<br>they originate in areas known<br>to be free from <i>Candidatus</i><br>Phytoplasma 'prunorum'<br>Seemüller & Schneider, or<br>b an official statement that<br>no symptoms of diseases<br>caused by <i>Candidatus</i><br>Phytoplasma 'prunorum'<br>Seemüller & Schneider have<br>been observed on plants at the<br>place of production since the<br>beginning of the last complete<br>cycle of vegetation.  |
| 78. | Plants for planting,<br>other than seeds, of<br><i>Prunus persica</i> (L.)<br>Batsch and <i>Prunus</i><br><i>salicina</i> Lindley | Any<br>country | third | The plants must be accompanied by:<br>a an official statement that<br>they originate in an area<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Pseudomonas syringae</i><br>pv. <i>persicae</i> (Prunier, Luisetti<br>&. Gardan) Young, Dye &<br>Wilkie, or<br>b an official statement no<br>symptoms of diseases caused<br>by the <i>Pseudomonas syringae</i><br>pv. <i>persicae</i> (Prunier,<br>Luisetti &. Gardan) Young,<br>Dye & Wilkie have been<br>observed on plants at the<br>place of production, since the<br>beginning of the last complete<br>cycle of vegetation and any<br>symptomatic plants in the<br>immediate vicinity have been |

Document Generated: 2024-06-20

|     |  |                |       | rogued out and destroyed immediately.  |
|-----|--|----------------|-------|--|
| 79. | Plants for planting,<br>other than seeds, of<br><i>Prunus</i> L. | Any<br>country | third | <ul> <li>The plants must be accompanied by:</li> <li>a an official statement that<br/>they have been grown<br/>throughout their life in a<br/>place of production in a<br/>country where <i>Xanthomonas</i><br/><i>arboricola</i> pv. <i>pruni</i> (Smith)<br/>Vauterin <i>et al.</i> is not known to<br/>occur,</li> <li>b an official statement that<br/>they have been grown<br/>throughout their life in an<br/>area* established by the<br/>national plant protection<br/>organisation in accordance<br/>with ISPM4 as an area that<br/>is free from <i>Xanthomonas</i><br/><i>arboricola pv. pruni</i> (Smith)<br/>Vauterin <i>et al.</i>,</li> <li>c an official statement that they<br/>have been derived in direct<br/>line from mother plants which<br/>have shown no symptoms<br/>of <i>Xanthomonas arboricola</i><br/>pv. <i>pruni</i> (Smith) Vauterin <i>et<br/>al.</i> during the last complete<br/>cycle of vegetation and no<br/>symptoms of that pest have<br/>been observed on the plants<br/>at the place of production<br/>since the beginning of the last<br/>complete cycle of vegetation,<br/>or</li> <li>d in the case of plants of<br/><i>Prunus laurocerasus</i> L. or<br/><i>Prunus lusitanica</i> L. for<br/>which there is evidence<br/>from their packing or from<br/>other means that they are<br/>intended for sale to final<br/>consumers not involved in<br/>professional plant production,<br/>an official statement that no<br/>symptoms of <i>Xanthomonas</i><br/><i>arboricola</i> pv. <i>pruni</i> (Smith)<br/>Vauterin et al. have been<br/>observed on plants at the<br/>place of production since the<br/>beginning of the last complete<br/>growing season.</li> </ul> |

| Changes to legislation: Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up        |
|---|
| to date with all changes known to be in force on or before 20 June 2024. There are changes that |
| may be brought into force at a future date. Changes that have been made appear in the content   |
| and are referenced with annotations. (See end of Document for details) View outstanding changes |

|     |  |  | * The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".   |
|-----|--|--|--|
| 80. | Plants for planting,<br>other than seeds, of<br><i>Prunus</i> L. | EU Member<br>States other<br>than any EU<br>Member State<br>where <i>Aromia</i><br><i>bungii</i><br>(Faldermann)<br>is known not<br>to occur and<br>any other third<br>country where<br><i>Aromia bungii</i><br>(Faldermann)<br>is known to<br>occur | The plants must be accompanied by:<br>a an official statement that<br>the plants have been grown<br>throughout their life in a<br>place of production which is<br>registered and supervised by<br>the national plant protection<br>organisation in the country<br>of origin and is situated<br>in an area* established in<br>accordance with ISPM4 as an<br>area that is free from <i>Aromia</i><br><i>bungii</i> (Faldermann),<br>b an official statement:<br>i that the plants have<br>been grown during<br>a period of at least<br>two years prior to<br>export or, in the case<br>of plants which are<br>younger than two<br>years, have been<br>grown throughout<br>their life, in a place<br>of production<br>established as free<br>from <i>Aromia bungii</i><br>(Faldermann) in<br>accordance with<br>ISPM10:<br>aa which is registered<br>and supervised<br>by the national<br>plant protection<br>organisation in the<br>country of origin,<br>bb which has been<br>subjected annually<br>to at least two<br>official meticulous<br>inspections for any<br>signs of <i>Aromia</i><br><i>bungii</i> (Faldermann)<br>carried out at<br>appropriate times<br>which, in the case<br>of any increased |

level of suspicion of infestation by that pest, included targeted destructive sampling of the stems and branches of the plants, and no signs of infestation by that pest were found on those inspections, cc which has complete physical protection against the introduction of Aromia bungii (Faldermann) or has been subjected to appropriate preventive treatments, and ii that immediately prior to export, the plants were subjected to a meticulous official inspection for the presence of Aromia bungii (Faldermann) which included targeted destructive sampling at the appropriate level, or c in the case of plants which have been grafted with scions that have not been grown in accordance with the requirements specified in point (a), an official statement that: i the plants have been grown from rootstocks which were grown in accordance with the requirements specified in point (a), ii at the time of export, the scions were no more than 1 cm in diameter at their thickest point, and

|     |  |  | <ul> <li>iii the plants have<br/>been subjected<br/>to a meticulous<br/>official inspection<br/>for the presence<br/>of <i>Aromia bungii</i><br/>(Faldermann, in the<br/>manner specified in<br/>point (a)(i)(bb).</li> <li>For the purpose of point (a)(ii), the<br/>appropriate level is 10% of the plants<br/>where the number of plants is 4,500<br/>or less, and 450 plants where the<br/>number of plants is more than 4,500.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> </ul>  |
|-----|--|--|--|
| 81. | Plants for planting<br>of <i>Rubus</i> L.,<br>other than seeds<br>originating in third<br>countries where<br>Raspberry leaf curl<br>virus and Cherry<br>rasp leaf virus are<br>known to occur. | country where<br>Tobacco streak<br>virus black<br>raspberry latent | The plants must:<br>a be free from aphids, including<br>their eggs, and<br>b be accompanied by an official<br>statement:<br>i that the plants have<br>been:<br>aa officially certified<br>under a certification<br>scheme requiring<br>them to be derived<br>in direct line from<br>material which has<br>been maintained<br>under appropriate<br>conditions and<br>subjected to official<br>testing at least for<br>the pests referred to<br>in column (2), using<br>appropriate indicators<br>for the presence<br>of those pests or<br>equivalent methods<br>and has been found to<br>be free in those tests,<br>from those pests, or<br>bb derived in direct<br>line from material<br>which is maintained<br>under appropriate<br>conditions and has<br>been subjected, |

|     |  |  | <ul> <li>within the last three complete cycles of vegetation, at least once, to official testing at least for the pests referred to in column (2), using appropriate indicators for the presence of those pests or equivalent methods and has been found to be free in those tests from those pests, and</li> <li>ii that no symptoms of diseases caused by the pests referred to in column (2) have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.</li> </ul> |
|-----|--|--|---|
| 82. | Plants for planting,<br>other than seeds, of<br><i>Fragaria</i> L. | Any third<br>country where<br>Strawberry<br>vein banding<br>virus or<br>Strawberry<br>witches' broom<br>phytoplasma is<br>known to occur | The plants must be accompanied by<br>an official statement:<br>a that the plants, other than<br>those raised from seed, have<br>been:<br>i officially certified<br>under a certification<br>scheme requiring<br>them to be derived<br>in direct line from<br>material which has<br>been maintained<br>under appropriate<br>conditions and has<br>been subjected to<br>official testing for<br>at least Strawberry<br>vein banding virus<br>and Strawberry<br>witches' broom<br>phytoplasma, using<br>appropriate indicators<br>or equivalent<br>methods, and has                      |

|                      |   |  | <ul> <li>been found to be free<br/>from those pests, or</li> <li>ii derived in direct line<br/>from material which<br/>has been maintained<br/>under appropriate<br/>conditions and has<br/>been subjected, at<br/>least once within the<br/>last three complete<br/>cycles of vegetation,<br/>to official testing<br/>for Strawberry vein<br/>banding virus and<br/>Strawberry witches'<br/>broom phytoplasma,<br/>using appropriate<br/>indicators or<br/>equivalent methods,<br/>and has been found<br/>to be free from those<br/>pests, and</li> <li>b that no symptoms of diseases<br/>caused by Strawberry vein<br/>banding virus and Strawberry<br/>witches' broom phytoplasma<br/>have been observed on plants<br/>at the place of production, or<br/>on susceptible plants in its<br/>immediate vicinity, since the<br/>beginning of the last complete<br/>cycle of vegetation.</li> </ul> |
|----------------------|---|--|---|
| 83.                  | Plants for planting,<br>other than seeds, of<br><i>Fragaria</i> L., <i>Rosa</i><br>spp. and <i>Rubus</i> spp. | Any third<br>country<br>F12<br>  | The plants must be accompanied by<br>an official statement that they originate<br>in an area which, in accordance with<br>the measures specified in ISPM4, is<br>known to be free from <i>Anthonomus</i><br><i>bisignifer</i> Schenkling.   |
| [ <sup>F72</sup> 83. | APlants for planting<br>of Fragaria L. other<br>than seeds  | [ <sup>F73</sup> Any third country]  | Official statement that the plants originate in an area known to be free from <i>Anthonomus signatus</i> Say.]  |
| 84.                  | Plants for planting,<br>other than seeds, of<br><i>Fragaria</i> L.  | Any third<br>country where<br><i>Aphelenchoides</i><br><i>besseyi</i><br>Christie is<br>known to occur | <ul> <li>The plants must be accompanied by:</li> <li>a an official statement that no symptoms of <i>Aphelenchoides besseyi</i> Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation,</li> <li>b in the case of plants in tissue culture, an official statement</li> </ul>  |

|      |   |   | that the plants have been<br>derived from plants which<br>complied with point (a) or<br>have been officially tested<br>by appropriate nematological<br>methods and have been found<br>free from <i>Aphelenchoides</i><br><i>besseyi</i> Christie, or<br>c in the case of plants<br>originating in any EU<br>Member State, an official<br>statement that they originate<br>in an area which, in<br>accordance with the measures<br>specified in ISPM4, is<br>known to be free from from<br><i>Aphelenchoides besseyi</i><br>Christie. |
|------|---|---|--|
| 85.  | Plants for planting,<br>other than seeds, of<br><i>Vaccinium</i> L. | Any third<br>country  | The plants must be accompanied by:<br>a an official statement that the<br>plants originate in an area,<br>which in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Diaporthe vaccinii</i> Shear, or<br>b an official statement that<br>no symptoms of <i>Diaporthe</i><br><i>vaccinii</i> Shear have been<br>observed at the production<br>site over the last complete<br>growing season.  |
| 85A. | F74   | F74   | F74  |
|      |   |   |  |
| 86.  | Plants for planting,<br>other than seeds, of<br><i>Vitis</i> L.     | EU Member<br>States,<br>Liechtenstein<br>and<br>Switzerland | The plants must be accompanied by an official statement that no symptoms of <i>Xylophilus ampelinus</i> (Panagopoulos) Willems, Gillis, Kersters, van den Broeke & De Ley have been observed on the mother stock plants at the place of production since the beginning of the last two complete cycles of vegetation.  |
| 87.  | Plants for planting,<br>other than seeds, of<br><i>Vitis</i> L.     | EU Member<br>States,<br>Liechtenstein<br>and<br>Switzerland | The plants must be accompanied by:<br>a an official statement that the<br>plants originate in an area,<br>which in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from Grapevine flavescence<br>dorée phytoplasma,  |

b an official statement that the plants originate in a site of production where: i no symptoms of Grapevine flavescence dorée phytoplasma on *Vitis* spp. have been observed at the site of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation and, in the case of plants used for the propagation of Vitis spp., no symptoms of Grapevine flavescence dorée phytoplasma on *Vitis* spp. have been observed at the site of production and in its immediate vicinity since the beginning of the last two complete cycles of vegetation, ii monitoring of the vectors is conducted and appropriate treatments are carried out to control the vectors of Grapevine flavescence dorée phytoplasma, and iii abandoned Vitis L. from the immediate vicinity of the site of production have been monitored during the growing season for symptoms of Grapevine flavescence dorée phytoplasma and, in case of symptoms, have been rogued out or tested and found free of Grapevine

|     |   |   | flavescence dorée<br>phytoplasma, or<br>c an official statement that<br>they have undergone hot<br>water treatment according to<br>international standards.  |
|-----|---|---|--|
| 88. | Plants, other than<br>seeds and plants in<br>tissue culture, of<br><i>Rosa</i> spp., L.   | Mexico and the                          | The plants must be accompanied by<br>an official statement:<br>a that they have been grown<br>throughout entire their life<br>in an area* established by<br>the national plant protection<br>organisation in the country<br>of origin in accordance<br>with ISPM4 as free from<br>Rose Rosette Virus and<br><i>Phyllocoptes fructiphilus</i><br>Keifer, and<br>b that they have been packed<br>to prevent infestation by<br><i>Phyllocoptes fructiphilus</i><br>Keifer during transport.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
| 89. | Plants, of <i>Rosa</i> spp.<br>L. in tissue culture   | Canada, India,<br>Mexico and the<br>USA | The plants must be accompanied by an official statement that they have been produced from mother plants tested and found free from Rose Rosette Virus.   |
| 90. | Plants for planting<br>of <i>Arecaceae</i><br>( <i>Palmae</i> ) having a<br>diameter of the<br>stem at the base of<br>over 5 cm | Any third<br>country                    | The plants must be accompanied by:<br>a an official statement that<br>they have been grown<br>throughout their life in a<br>place of production in a<br>country where <i>Paysandisia</i><br><i>archon</i> (Burmeister) is not<br>known to occur,<br>b an official statement that<br>they have been grown<br>throughout their life in an<br>area* established by the<br>national plant protection<br>organisation in accordance<br>with ISPM4 as an area that is<br>free from <i>Paysandisia archon</i><br>(Burmeister), or<br>c an official statement that<br>they have, during a period                                     |

|     |  |                |       | of at least two years prior to<br>export, been grown in a place<br>of production:<br>i which is registered<br>and supervised<br>by the national<br>plant protection<br>organisation in the<br>country of origin,<br>ii where the plants were<br>placed in a site with<br>complete physical<br>protection against<br>the introduction of<br><i>Paysandisia archon</i><br>(Burmeister), and<br>iii where, during three<br>official inspections<br>per year carried<br>out at appropriate<br>times, including<br>immediately prior to<br>export, no signs of<br><i>Paysandisia archon</i><br>(Burmeister) have<br>been observed.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
|-----|--|----------------|-------|---|
| 91. | Plants for planting<br>of <i>Aeraceae</i><br>( <i>Palmae</i> ) having a<br>diameter of the<br>stem at the base of<br>over 5 cm | Any<br>country | third | The plants must be accompanied by:<br>a an official statement they<br>have been grown throughout<br>their life in a place of<br>production in a country where<br><i>Rhynchophorus ferrugineus</i><br>(Olivier) is known not to<br>occur,<br>b an official statement that<br>they have been grown<br>throughout their life in an<br>area* established by the<br>national plant protection<br>organisation in accordance<br>with ISPM4 as an area that<br>is free from <i>Rhynchophorus</i><br><i>ferrugineus</i> (Olivier), or<br>c an official statement that<br>they have, during a period<br>of at least two years prior to   |

|                      |   |                                 | export, been grown in a place<br>of production:<br>i which is registered<br>and supervised<br>by the national<br>plant protection<br>organisation in the<br>country of origin,<br>ii where the plants were<br>placed in a site with<br>complete physical<br>protection against<br>the introduction<br>of <i>Rhynchophorus</i><br><i>ferrugineus</i> (Olivier),<br>and<br>iii where, during three<br>official inspections<br>per year carried<br>out at appropriate<br>times, including<br>immediately prior<br>to export, no signs<br>of <i>Rhynchophorus</i><br><i>ferrugineus</i> (Olivier)<br>have been observed.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
|----------------------|---|---------------------------------|--|
| F75                  | F75   | F75                             | F75  |
| 93.                  | Plants of<br><i>Cryptocoryne</i> sp.<br>Fischer ex Wydler<br>spp., <i>Hygrophila</i><br>sp. R. Brown spp.<br>and <i>Vallisneria</i> spp.                  | Any third<br>country<br>F12<br> | The plants must be accompanied by an<br>official statement that the roots have<br>been subjected to testing for at least<br>nematode pests, of a representative<br>sample, using appropriate methods for<br>the detection of the pests and have been<br>found on those tests to be free from the<br>nematode pests.  |
| [ <sup>F76</sup> 93. | ABare-rooted,<br>dormant grafted<br>plants for planting<br>of <i>Albizia</i><br><i>julibrissin</i><br>Durazzini, with a<br>maximum diameter<br>of 2.5 cm; | Israel                          | The plants must be accompanied by<br>an official statement:<br>a that they are free from<br><i>Euwallacea fornicatus</i><br><i>sensu lato</i> and <i>Fusarium</i><br><i>euwallaceae</i> ,<br>b that they have been grown<br>throughout their life in<br>a place of production<br>which is registered and<br>supervised by the national   |

| с | of the cc<br>and that<br>included<br>producti<br>place of<br>that they | btection organisation<br>puntry of origin,<br>registration has<br>the respective<br>on sites* within the<br>production,<br>fulfil one of the<br>g requirements:<br>the plants have a<br>diameter of less<br>than 2 cm at the |
|---|--|--|
|   | ii   | base of the stem,<br>the plants have<br>been grown<br>in a site with<br>complete physical<br>protection against  |
|   |  | the introduction<br>of <i>Euwallacea</i><br><i>fornicatus sensu</i>  |
|   |  | <i>lato</i> at least during<br>the period of six<br>months before<br>export, which is  |
|   |  | subject to official<br>inspections at<br>appropriate times   |
|   |  | and has been found<br>free from the<br>pest, confirmed   |
|   |  | as a minimum<br>with traps which<br>are checked at   |
|   |  | least every four<br>weeks, including<br>immediately  |
|   | iii  | before export, or<br>that they have<br>been grown in a   |
|   |  | site of production<br>which has been<br>found free from  |
|   |  | Euwallacea<br>fornicatus<br>sensu lato   |
|   |  | and <i>Fusarium</i><br><i>euwallaceae</i> since<br>the beginning   |
|   |  | of the last<br>complete cycle of<br>vegetation, and  |
|   |  | confirmed free from <i>Euwallacea</i>  |

> fornicatus sensu lato, (pest freedom confirmed as a minimum with traps) during official inspections carried out at least every four weeks and in the case of suspicion of the presence of either of the two pests at the site of production, appropriate treatments against the pests have been carried out to ensure the absence of the pests, a surrounding zone of 1 km has been established, which is monitored at appropriate times for Euwallacea fornicatus sensu lato and Fusarium euwallaceae and where either of these two pests are found on any host plants, those plants have been immediately rogued out and destroyed, and d that immediately before export, consignments of plants with a diameter of 2 cm or wider at the base of the stem have been subjected to an official inspection\*\* for the presence of the pest, in particular in stems and branches of the plants, including destructive sampling. The phytosanitary certificate must specify which requirement of point (c) above in this entry has been fulfilled.

|     |  |        | *The name(s) of the site(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".<br>**The size of the sample for<br>inspection must be such as to enable<br>at least the detection of a 1 % level of<br>infestation with a level of confidence<br>of 99 %.  |
|-----|--|--------|---|
| 93B | F77  | F77    | F77   |
| 93C | Bare-rooted,<br>dormant grafted<br>plants for planting<br>of <i>Robinia</i><br><i>pseudoacacia</i> L.<br>with a maximum<br>diameter of 2.5 cm; | Israel | The plants must be accompanied by<br>an official statement:<br>a that they are free from<br><i>Euwallacea fornicatus</i><br><i>sensu lato</i> and <i>Fusarium</i><br><i>euwallaceae</i> ,<br>b that they have been grown<br>throughout their life in<br>a place of production<br>which is registered and<br>supervised by the national<br>plant protection organisation<br>of the country of origin,<br>and that registration has<br>included the respective<br>production sites* within the<br>place of production,<br>c that they fulfil one of the<br>following requirements:<br>i the plants have a<br>diameter of less<br>than 2 cm at the<br>base of the stem,<br>ii the plants have<br>been grown<br>in a site with<br>complete physical<br>protection against<br>the introduction<br>of <i>Euwallacea</i><br><i>fornicatus sensu</i><br><i>lato</i> for a period of<br>at least six months<br>before export,<br>which is subject to<br>official inspections<br>at appropriate<br>times and has been<br>found free from<br>the pest, with pest<br>freedom at the |

| iii | site confirmed<br>as a minimum<br>with traps which<br>are checked at<br>least every four<br>weeks, including<br>immediately<br>before export, or<br>that they have<br>been grown in a<br>site of production<br>which has been<br>found free from<br><i>Euwallacea</i><br><i>fornicatus sensu lato</i><br>and <i>Fusarium</i><br><i>euwallaceae</i> since<br>the beginning<br>of the last<br>complete cycle<br>of vegetation,<br>and found free<br>from <i>Euwallacea</i><br><i>fornicatus sensu</i><br><i>lato</i> , with pest<br>freedom confirmed<br>as a minimum<br>with traps, during<br>official inspections<br>carried out at<br>least every four<br>weeks; in the case<br>of suspicion of<br>the presence of<br>either of the two<br>pests at the site<br>of production,<br>appropriate<br>treatments against<br>the pests have<br>been carried out to<br>ensure the absence<br>of the pests; a<br>surrounding zone<br>of 1 km has been<br>established, which<br>is monitored at |
|-----|---|
|     | of 1 km has been established, which   |

|     |                                |   | the two pests<br>are found on<br>any host plants,<br>those plants have<br>been immediately<br>rogued out and<br>destroyed, and<br>d that immediately before<br>export, consignments of<br>plants with a diameter<br>of 2 cm or wider at the<br>base of the stem have<br>been subjected to an<br>official inspection** for<br>the presence of the pest,<br>in particular in stems and<br>branches of the plants,<br>including destructive<br>sampling.<br>The phytosanitary certificate must<br>specify which requirement of point<br>(c) above in this entry has been<br>fulfilled.<br>*The name(s) of the site(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".<br>**The size of the sample for<br>inspection must be such as to enable<br>at least the detection of a 1 % level of<br>infestation with a level of confidence<br>of 99 %.] |
|-----|--------------------------------|---|--|
| 94. | Fruits of <i>Capsicum</i> (L.) | Any country<br>of the African<br>continent, Cape<br>Verde, Saint<br>Helena,<br>Madagascar,<br>La Reunion,<br>Mauritius,<br>Israel | The fruits must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Thaumatotibia leucotreta</i><br>(Meyrick),<br>b an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Thaumatotibia leucotreta</i><br>(Meyrick),<br>c an official statement:<br>i that they originate<br>in a place of   |

production<sup>[F78</sup>\*] established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from *Thaumatotibia* leucotreta (Meyrick), and ii that they are free from that pest as shown from official inspections carried out in the place of production at appropriate times during the growing season [<sup>F79</sup>and prior to export, including a visual examination with an intensity to enable at least the detection of a 2% level of infestation, with a level of confidence of 95% in accordance with the measures specified in ISPM31 and including destructive sampling in case of symptoms], [<sup>F80</sup>or] F81 [<sup>F82</sup>d an official statement: i that they have been produced in a site(s) of production\* approved by the national plant protection organisation of the country of origin, ii that they have been subjected to an effective systems approach\*\* in accordance with the measures specified in ISPM14 or an

effective standalone post-harvest treatment\*\* to ensure freedom from *Thaumatotibia* leucotreta (Meyrick), and iii) that, prior to export, they have been subjected to official inspections for the presence of Thaumatotibia leucotreta (Meyrick), with an intensity to enable at least the detection of a 2% level of infestation, with a level of confidence of 95% in accordance with the measures specified in ISPM31 and including destructive sampling in case of symptoms. \* The name of the area(s) [<sup>F83</sup> place(s) of production or site(s) of production] must be included in the phytosanitary certificate under the heading "Additional declaration". \*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate. A phytosanitary certificate may not include: —the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, -the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of area or areas,

|     |  |       | [ <sup>F84</sup> —the official statement referred to<br>in point (c) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of the place(s) of production,]<br>—the official statement referred to<br>in point (d) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of the [ <sup>F85</sup> site(s) of production<br>and the systems approach or post-<br>harvest treatment].   |
|-----|--|-------|---|
| 95. | Fruits of Capsicum<br>L., Momordica L.,<br>Solanum<br>aethiopicum L.,<br>Solanum<br>macrocarpon L.<br>and Solanum<br>melongena L.,<br>[ <sup>F86</sup> plants of<br>Asparagus<br>officinalis L., other<br>than stems covered<br>during their entire<br>life by soil,<br>live pollen, plant<br>tissue cultures and<br>seeds] and plants,<br>other than live<br>pollen, plant tissue<br>cultures, seeds and<br>grains, of Zea mays<br>L. | third | <ul> <li>The fruits must be accompanied by:</li> <li>a an official statement that they originate in a country where <i>Spodoptera frugiperda</i> (Smith) is not known to be present,</li> <li>b an official statement that they originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Spodoptera frugiperda</i> (Smith), <sup>F87</sup></li> <li>c an official statement that they originate in areas other than those referred to in point (b), and they comply with the following conditions: <ul> <li>i the plants have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin,</li> <li>ii official inspections have been carried out in the production site during the three months prior to export, and no presence</li> </ul> </li> </ul> |

|     |  |                                  | <ul> <li>of Spodoptera<br/>frugiperda (Smith)<br/>has been detected on<br/>the plants, <sup>F88</sup></li> <li>iii prior to their export,<br/>the plants have been<br/>subject to an official<br/>inspection,</li> <li>[ the production site</li> <li><sup>F89</sup>iv is identified in the<br/>official statement for<br/>traceability purposes,<br/>and</li> <li>v the production site<br/>is provided with<br/>complete physical<br/>protection against<br/>the introduction<br/>of Spodoptera<br/>frugiperda (Smith),]</li> <li>[ an official statement that</li> <li><sup>F90</sup>d the plants originate in areas<br/>other than those referred to<br/>in points (a) and (b), comply<br/>with point (c)(i) – (iv) and<br/>have been subjected to an<br/>effective treatment to ensure<br/>freedom from Spodoptera<br/>frugiperda (Smith), or</li> <li>e an official statement that they<br/>originate in areas other than<br/>those referred to in points<br/>(a) and (b), they have been<br/>subjected to an effective post-<br/>harvest treatment to ensure<br/>freedom from Spodoptera<br/>frugiperda (Smith) and the<br/>treatment is indicated in the<br/>official statement.</li> <li>* The name(s) of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".]</li> </ul> |
|-----|--|----------------------------------|--|
| 96. | Fruits of <i>Malus</i><br>Mill., <i>Prunus</i> L.,<br><i>Pyrus</i> L. and<br><i>Vaccinium</i> L. | Canada,<br>Mexico and the<br>USA | The fruits must be accompanied by:<br>a an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Grapholita packardi</i> Zeller,   |

97.

| Fruits of Malua                                    | Any                         | <ul> <li>b an official statement that<br/>they originate in a place of<br/>production where official<br/>inspections and surveys for<br/>the presence of <i>Grapholita</i><br/><i>packardi</i> Zeller have been<br/>carried out at appropriate<br/>times during the growing<br/>season, including an<br/>inspection of a representative<br/>sample of fruits, which have<br/>shown the fruits to be free of<br/>that pest, and which includes<br/>information on traceability is<br/>included in the phytosanitary<br/>certificate, or</li> <li>c an official statement that<br/>they have been subjected<br/>to an effective systems<br/>approach or an effective post-<br/>harvest treatment** to ensure<br/>freedom from <i>Grapholita</i><br/><i>packardi</i> Zeller.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> <li>** The use of a systems approach<br/>or details of the treatment method<br/>must be included in the phytosanitary<br/>certificate.<br/>A phytosanitary certificate may not<br/>include:<br/>—the official statement referred to<br/>in point (a) unless the national plant<br/>protection organisation of the country<br/>of origin has previously provided the<br/>national plant protection organisation<br/>of the United Kingdom with written<br/>details of area or areas,<br/>—the official statement referred to<br/>in point (c) unless the national plant<br/>protection organisation of the country<br/>of origin has previously provided the<br/>national plant protection organisation<br/>of the United Kingdom with written<br/>details of area or areas,</li> <li>—the official statement referred to<br/>in point (c) unless the national plant<br/>protection organisation of the country<br/>of origin has previously provided the<br/>national plant protection organisation<br/>of the United Kingdom with written<br/>details of the approach or treatment.</li> </ul> |
|--|-----------------------------|---|
| Fruits of <i>Malus</i><br>Mill. and <i>Pyrus</i> L | Any third<br>country<br>F12 | The fruits must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with the<br>measures specified in ISPM4,  |

Botryosphaeria kuwatsukai (Hara) G.Y. Sun and E. Tanaka. b an official statement that they originate in an area\* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from Botryosphaeria kuwatsukai (Hara) G.Y. Sun and E. Tanaka. c an official statement that they originate in a place of production where official inspections and surveys for the presence of Botryosphaeria kuwatsukai (Hara) G.Y. Sun and E. Tanaka, have been carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of that pest, and which includes information on traceability, or d an official statement that they have been subjected to an effective systems approach or an effective postharvest treatment\*\* to ensure freedom from Botryosphaeria kuwatsukai (Hara) G.Y. Sun and E. Tanaka. \* The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". \*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate. A phytosanitary certificate may not include: -the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection

is known to be free from

|     |  |                           |       | organisation of the United Kingdom<br>of this information in writing,<br>—the official statement referred to<br>in point (b) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of area or areas,<br>—the official statement referred to<br>in point (d) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of the approach or treatment.   |
|-----|--|---------------------------|-------|---|
| 98. | Fruits of <i>Malus</i><br>Mill. and Pyrus L. | Any<br>country<br>F12<br> | third | The fruits must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from from<br><i>Anthonomus quadrigibbus</i><br>Say,<br>b an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Anthonomus quadrigibbus</i><br>Say,<br>c an official statement that<br>they originate in a place of<br>production where official<br>inspections and surveys for<br>the presence of <i>Anthonomus</i><br><i>quadrigibbus</i> Say, are carried<br>out at appropriate times<br>during the growing season,<br>including a visual inspection<br>of a representative sample<br>of fruits, which has shown<br>the fruits to be free of the<br>pest and which includes<br>information on traceability, or<br>d an official statement that<br>they have been subjected<br>to an effective systems<br>approach or an effective post-<br>harvest treatment** to ensure |

|     |                 |    |       |                           |       | freedom from Anthonomus<br>quadrigibbus Say.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The use of a systems approach<br>or details of the treatment method<br>must be included in the phytosanitary<br>certificate.<br>A phytosanitary certificate may not<br>include:<br>—the official statement referred<br>to in point (a) unless the national<br>plant protection organisation of the<br>country of origin has previously<br>notified the national plant protection<br>organisation of the United Kingdom<br>of this information in writing,<br>—the official statement referred to<br>in point (b) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of area or areas,<br>—the official statement referred to<br>in point (d) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of area or areas,<br>—the official statement referred to<br>in point (d) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of area or areas, |
|-----|-----------------|----|-------|---------------------------|-------|---|
| 99. | Fruits<br>Mill. | of | Malus | Any<br>country<br>F12<br> | third | The fruits must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Grapholita prunivora</i><br>(Walsh), <i>Grapholita</i><br><i>inopinata</i> (Heinrich) and<br><i>Rhagoletis pomonella</i><br>(Walsh),<br>b an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Grapholita prunivora</i><br>(Walsh), <i>Grapholita</i>  |

> inopinata (Heinrich) and Rhagoletis pomonella (Walsh), c an official statement that they originate in a place of production where official inspections and surveys for the presence of Grapholita prunivora (Walsh), Grapholita inopinata (Heinrich) and Rhagoletis pomonella (Walsh) have been carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, which has shown the fruits to be free of that pest, and which includes information on traceability, or d an official statement that they have been subjected to an effective systems approach or an effective post-harvest treatment\*\* to ensure freedom from Grapholita prunivora (Walsh), Grapholita inopinata (Heinrich) and

Rhagoletis pomonella (Walsh). \* The name of the area(s) must be included in the phytosanitary certificate under the heading

certificate under the heading "Additional declaration".

\*\* The use of a systems approach or details of the treatment method must be included in the phytosanitary certificate.

A phytosanitary certificate may not include:

—the official statement referred to in point (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing,
—the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the

|      |                         |   | national plant protection organisation<br>of the United Kingdom with written<br>details of area or areas,<br>—the official statement referred to<br>in point (d) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of the treatment or approach.   |
|------|-------------------------|---|--|
| 100. | Fruits of<br>Solanaceae | Australia, the<br>Americas and<br>New Zealand | The fruits must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from from<br><i>Bactericera cockerelli</i> (Šulc.),<br>b an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Bactericera cockerelli</i> (Šulc.),<br>c an official statement [ <sup>F91</sup> ,<br>which includes information<br>on traceability,] that:<br>i they originate<br>in a place of<br>production where<br>official inspections<br>and surveys for<br>the presence<br>of <i>Bactericera<br/>cockerelli</i> (Šulc.)<br>have been carried<br>out during the last<br>three months prior to<br>export at the place of<br>production and [ <sup>F92</sup> its<br>immediate vicinity,<br>and they have<br>been subjected to<br>effective treatments<br>to ensure freedom<br>from the pest and<br>an inspection of a<br>representative sample<br>of fruits prior to<br>export which has |

|      |   |                                 | shown the fruits to be<br>free of that pest], and<br>ii in the case of<br>fruit of <i>Solanum</i><br><i>lycopersicum</i> L. that<br>all green parts have<br>been removed, or<br>d an official statement that<br>they originate in an insect<br>proof site of production,<br>established by the national<br>plant protection organisation<br>in the country of origin, as<br>being free from <i>Bactericera</i><br><i>cockerelli</i> (Šulc.), on the basis<br>of official inspections and<br>surveys carried out during<br>the three months prior to<br>export, and which includes<br>information on traceability.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>A phytosanitary certificate may not<br>include:<br>—the official statement referred<br>to in point (a) unless the national<br>plant protection organisation of the<br>country of origin has previously<br>notified the national plant protection<br>organisation of the United Kingdom<br>of this information in writing,<br>—the official statement referred to<br>in point (b) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of area or areas. |
|------|---|---------------------------------|---|
| 101. | Fruits of Capsicum<br>annuum L.,<br>Solanum<br>aethiopicum L.,<br>Solanum<br>lycopersicum L.<br>and Solanum<br>melongena L. | Any third<br>country<br>F12<br> | The fruits must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from from<br><i>Neoleucinodes elegantalis</i><br>(Guenée),<br>b an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation  |

|         | in accordance with ISPM4                                   |
|---------|--|
|         | as an area that is free from                               |
|         | Neoleucinodes elegantalis                                  |
|         | (Guenée), or   |
| c       | an official statement:                                     |
|         | i that they originate                                      |
|         | in a place of  |
|         | production**   |
|         | established by   |
|         | the national   |
|         | plant protection   |
|         | organisation in  |
|         | accordance with  |
|         | ISPM10 as a place of                                       |
|         | production that is free                                    |
|         | from Neoleucinodes   |
|         | elegantalis (Guenée),                                      |
|         | and  |
|         | ii that they are free                                      |
|         | from that pest   |
|         | as shown from  |
|         | official inspections                                       |
|         | carried out in the   |
|         | place of production  |
|         | at appropriate   |
|         | times during the   |
|         | growing season,  |
|         | which included   |
|         | an examination   |
|         | on representative  |
|         | samples of fruit, and                                      |
|         | iii which includes   |
|         | information on   |
|         | traceability, or   |
| d       | an official statement that they                            |
|         | originate in an insect proof                               |
|         | site of production, established                            |
|         | by the national plant                                      |
|         | protection organisation in the country of origin, as being |
|         | free from <i>Neoleucinodes</i>                             |
|         | elegantalis (Guenée), on the                               |
|         | basis of official inspections                              |
|         | and surveys carried out                                    |
|         | during the three months prior                              |
|         | to export, and which includes                              |
|         | information on traceability.                               |
| * The n | ame of the area(s) must                                    |
|         | ided in the phytosanitary                                  |
|         | ate under the heading                                      |
|         | onal declaration".   |
| ı       |  |

|      |   |                             |       | ** The name of the place of<br>production(s) must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".<br>A phytosanitary certificate may not<br>include:<br>—the official statement referred<br>to in point (a) unless the national<br>plant protection organisation of the<br>country of origin has previously<br>notified the national plant protection<br>organisation of the United Kingdom<br>of this information in writing,<br>—the official statement referred to<br>in point (b) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of area or areas.  |
|------|---|-----------------------------|-------|---|
| 102. | Fruits of Solanum<br>lycopersicum L.<br>and Solanum<br>melongena L. | Any t<br>country<br>F12<br> | third | The fruits must be accompanied by:<br>a an official statement that<br>they originate in a country<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Keiferia lycopersicella</i><br>(Walsingham),<br>b an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Keiferia lycopersicella</i><br>(Walsingham), or<br>c an official statement that<br>they originate in a place of<br>production** established by<br>the national plant protection<br>organisation in accordance<br>with ISPM10 as a place<br>of production that is free<br>from <i>Keiferia lycopersicella</i><br>(Walsingham) on the basis<br>of official inspections and<br>surveys carried out during<br>the last three months prior to<br>export.<br>* The name of the area(s) must<br>be included in the phytosanitary |

|   |                       |              | certificate under the heading<br>"Additional declaration".<br>** The name of the place(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".  |
|---|-----------------------|--------------|---|
| [ <sup>F93</sup> 102]Aruits<br>Cucurbit<br>Solanace | of<br>aceae and<br>ae | The Americas | The fruits must be accompanied by an official statement that they originate in:<br>(a) a country which in accordance with the measures specified in ISPM No. 4 is known to be free from <i>Prodiplosis longifila</i> Gagné;<br>(b) an area* established by the national plant protection organisation in accordance with the measures specified in ISPM No. 4 as an area that is free from <i>Prodiplosis longifila</i> Gagné;<br>(c) a place of production (identified in the official statement for traceability purposes) where official inspections and surveys for the presence of <i>Prodiplosis longifila</i> Gagné carried out at the place of production and its immediate vicinity during a period of two months prior to export, including a visual inspection of a representative sample of fruits, have shown the fruits to be free of that pest, provided that, in the case of the fruits of <i>Solanum lycopersicum</i> L., all green parts have been removed; or<br>(d) an insect-proof site of production (identified in the official statement for traceability purposes) established by the national plant protection organisation in the country of origin as being free from <i>Prodiplosis Iongifila</i> Gagné, on the basis of official inspections and surveys carried out during a period of two months prior to export.<br>* The name(s) of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration".]<br><b>I<sup>F94</sup></b> A phytosanitary certificate may not include the official statement referred to in point (b) unless the national plant protection organisation organisati |

|   |   | provided the national plant protection<br>organisation of the United Kingdom<br>with written details of the area or<br>areas.]   |
|---|---|--|
| [ <sup>F95</sup> 102]Fruits of <i>Capsicum</i><br><i>L.</i> and <i>Solanum L.</i> | Algeria,<br>Angola, Benin,<br>Botswana,<br>Burkina Faso,<br>Burundi,<br>Cameroon,<br>Cape Verde,<br>Central<br>African<br>Republic,<br>Chad,<br>Comoros,<br>Congo, Côte<br>d'Ivoire,<br>Djibouti,<br>Egypt,<br>Equatorial<br>Guinea,<br>Eritrea,<br>Eswatini,<br>Ethiopia,<br>Gabon,<br>Gambia,<br>Ghana,<br>Guinea-<br>Bissau, Kenya,<br>Lesotho,<br>Liberia, Libya,<br>Madagascar,<br>Malawi, Mali,<br>Mauritania,<br>Mauritius,<br>Mayotte,<br>Morocco,<br>Mozambique,<br>Namibia,<br>Niger, Nigeria,<br>Réunion,<br>Rwanda, Sao<br>Tome and<br>Principe,<br>Senegal,<br>Seychelles, | The fruits must be accompanied by:<br>(a) an official statement that they<br>originate in a country which, in<br>accordance with the measures<br>specified in ISPM4, is recognised as<br>being free from <i>Bactrocera latifrons</i><br>(Hendel)<br>or<br>(b) an official statement that they<br>originate in an area* established,<br>in accordance with the measures<br>specified in ISPM4, by the national<br>plant protection organisation in the<br>country of origin as being free from<br><i>Bactrocera latifrons</i> (Hendel)<br>or<br>(c) an official statement that no signs<br>of <i>Bactrocera latifrons</i> (Hendel)<br>have been observed at the place of<br>production and in its immediate<br>vicinity since the beginning of the<br>last complete cycle of vegetation, on<br>official inspections carried out at least<br>monthly during the three months prior<br>to harvesting, and none of the fruits<br>harvested at the place of production<br>has shown, in appropriate official<br>examinations, signs of <i>Bactrocera</i><br><i>latifrons</i> (Hendel), and information<br>on traceability is included in the<br>phytosanitary certificate,<br>or<br>(d) an official statement that the fruits<br>have been subjected to an effective post-<br>harvest treatment** to ensure freedom<br>from <i>Bactrocera latifrons</i> (Hendel)<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The use of a systems approach<br>or details of the treatment method<br>must be included in the phytosanitary |
|   | Sierra Leone,<br>Somalia, South<br>Africa, South<br>Sudan, Sudan,   | certificate.<br>A phytosanitary certificate may not<br>include:<br>—the official statement referred  |

| Tanzania, The<br>Democratic<br>Republic of<br>the Congo,<br>Togo, Tunisia<br>Uganda,<br>Zambia,<br>Zimbabwe,<br>Afghanistan,<br>Bahrain,<br>Bangladesh,<br>Bhutan, Brun<br>Darussalam,<br>Cambodia,<br>China, India,<br>Indonesia,<br>Iran, Iraq,<br>Japan, Jordar<br>Kazakhstan,<br>Kuwait,<br>Kyrgyzstan,<br>Laos, Leband<br>Malaysia,<br>Maldives,<br>Mongolia,<br>Myanmar,<br>Nepal, North<br>Korea, Oman<br>Pakistan,<br>Philippines,<br>Qatar, Russia<br>(only the<br>following<br>parts:<br>Far Eastern<br>Federal<br>District<br>(Dalnevostoc<br>federalny<br>okrug),<br>Siberian<br>Federal<br>District<br>(Uralsky<br>federalny<br>okrug), and<br>Ural Federal<br>District<br>(Uralsky<br>federalny<br>okrug)),<br>Saudi Arabia<br>Singapore, | plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing, —the official statement referred to in point (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the area or areas, - the official statement referred to in point (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the treatment or approach] |
|---|--|
|---|--|

Document Generated: 2024-06-20

|      |                                   | South Korea,<br>Sri Lanka,<br>Syria,<br>Tajikistan,<br>Thailand,<br>Timor-Leste,<br>Turkmenistan,<br>United Arab<br>Emirates,<br>Uzbekistan,<br>Vietnam, and<br>Yemen |   |
|------|-----------------------------------|---|---|
| 103. | Fruits of Solanum<br>melongena L. | Any third<br>country<br>F12<br>   | <ul> <li>The fruits must be accompanied by:</li> <li>a an official statement that<br/>they originate in a country<br/>which, in accordance with<br/>the measures specified in<br/>ISPM4, is known to be free<br/>from <i>Thrips palmi</i> Karny,</li> <li>b an official statement that<br/>they originate in an area*<br/>established by the national<br/>plant protection organisation<br/>in accordance with ISPM4<br/>as an area that is free from<br/><i>Thrips palmi</i> Karny, or</li> <li>c an official statement that<br/>immediately prior to their<br/>export, they have been<br/>officially inspected and found<br/>free from <i>Thrips palmi</i> Karny.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> </ul> |
| 104. | Fruits of <i>Momordica</i> L.     | Any third<br>country<br>F12<br>   | <ul> <li>The fruits must be accompanied by:</li> <li>a an official statement that<br/>they originate in a country<br/>which, in accordance with<br/>the measures specified in<br/>ISPM4, is known to be free<br/>from <i>Thrips palmi</i> Karny, or</li> <li>b an official statement that<br/>they originate in an area*<br/>established by the national<br/>plant protection organisation<br/>in accordance with ISPM4<br/>as an area that is free from<br/><i>Thrips palmi</i> Karny.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary</li> </ul>   |

|                     |  |   | certificate under the heading<br>"Additional declaration"   |
|---------------------|--|---|---|
| 105.                | Fruits of <i>Capsicum</i><br>L.  | Belize, Costa<br>Rica,<br>Dominican<br>Republic, El<br>Salvador,<br>French<br>Polynesia,<br>Guatemala,<br>Honduras,<br>Jamaica,<br>Mexico,<br>Nicaragua,<br>Panama, Puerto<br>Rico and the<br>USA | The fruits must be accompanied by:<br>a an official statement that<br>they originate in an area*<br>established by the national<br>plant protection organisation<br>in accordance with ISPM4<br>as an area that is free from<br><i>Anthonomus eugenii</i> Cano, or<br>b an official statement that<br>they originate in a place of<br>production** established by<br>the national plant protection<br>organisation in accordance<br>with ISPM10 as a place<br>of production that is free<br>from <i>Anthonomus eugenii</i><br>Cano, on the basis of official<br>inspections carried out at<br>least monthly during the two<br>months prior to export at the<br>place of production and its<br>immediate vicinity.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The name of the place(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration". |
| [ <sup>F96</sup> 10 | 5 Alants, other than<br>plants for planting,<br>of <i>Asparagus</i><br>Tournier ex<br>Linnaeus | The Americas  | The plants must be accompanied by<br>an official statement that:<br>(a) they originate in a country which<br>in accordance with the measures<br>specified in ISPM No. 4 is known<br>to be free from <i>Prodiplosis longifila</i><br>Gagné;<br>(b) they originate in an area*<br>established by the national plant<br>protection organisation in accordance<br>with the measures specified in ISPM<br>No. 4 as an area that is free from<br><i>Prodiplosis longifila</i> Gagné; or<br>(c) immediately prior to their export,<br>they have been officially inspected<br>and found free from <i>Prodiplosis</i><br><i>longifila</i> Gagné.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary  |

|                     |  |                |       | certificate under the heading<br>"Additional declaration".]   |
|---------------------|--|----------------|-------|---|
| [ <sup>F97</sup> 10 | 5peeds of <i>Capsicum</i> spp.                                       | Any<br>country | third | The seeds must be accompanied by an official statement that they:<br>(a) originate in an area* established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from Pepper chat fruit viroid,<br>(b) are derived from plants grown throughout their life in a place of production** established by the national plant protection organisation in accordance with ISPM10 as a place of production that is free from Pepper chat fruit viroid and verified through official inspections and, where appropriate, testing, or<br>(c) have been subjected to official testing for Pepper chat fruit viroid on a statistically based sample in accordance with ISPM31 and using an appropriate method and have been found, in this test, to be free from this pest.<br>* The name(s) of the area(s) must be included in the phytosanitary certificate under the heading<br>"Additional declaration".<br>** The name(s) of the place(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration". |
| 105C.               | Seeds of <i>Solanum</i><br><i>lycopersicum</i> L.<br>and its hybrids | Any<br>country | third | The seeds must be accompanied by an<br>official statement that they:<br>(a) originate in an area* established<br>by the national plant protection<br>organisation in accordance with the<br>measures specified in ISPM4 as an<br>area that is free from Citrus exocortis<br>viroid, Columnea latent viroid, Pepper<br>chat fruit viroid and Tomato planta<br>macho viroid,<br>(b) are derived from plants grown<br>throughout their life in a place of<br>production** established by the<br>national plant protection organisation<br>in accordance with ISPM10 as a<br>place of production that is free from<br>Citrus exocortis viroid, Columnea<br>latent viroid, Pepper chat fruit viroid  |

|      |   |  | and Tomato planta macho viroid and<br>verified through official inspections<br>and, where appropriate, testing, or<br>(c) have been subjected to official<br>testing for Citrus exocortis viroid,<br>Columnea latent viroid, Pepper chat<br>fruit viroid and Tomato planta macho<br>viroid on a statistically based sample<br>in accordance with ISPM31 and using<br>an appropriate method and have been<br>found, in these tests, to be free from<br>these pests.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>** The name(s) of the place(s) of<br>production must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".] |
|------|---|--|---|
| 106. | Seeds of Zea mays<br>L.   | Any third<br>country where<br><i>Pantoea</i><br><i>stewartii</i> subsp.<br><i>stewartii</i><br>(Smith)<br>Mergaert,<br>Verdonck &<br>Kersters is<br>known to occur | The seeds must be accompanied by:<br>a an official statement that they<br>originate in an area which, in<br>accordance with the measures<br>specified in ISPM4, is known<br>to be free from <i>Pantoea</i><br><i>stewartii</i> subsp. <i>stewartii</i><br>(Smith) Mergaert, Verdonck<br>& Kersters, or<br>b an official statement that a<br>representative sample of the<br>seeds has been tested and<br>found free from <i>Pantoea</i><br><i>stewartii</i> subsp. <i>stewartii</i><br>(Smith) Mergaert, Verdonck<br>& Kersters.  |
| 107. | Seeds of the<br>genera <i>Triticum</i> L.,<br><i>Secale</i> L. and <i>x</i><br><i>Triticosecale</i> | Afghanistan,<br>India, Iran,<br>Iraq, Mexico,<br>Nepal,<br>Pakistan, South<br>Africa and the<br>USA  | The seeds must be accompanied by an<br>official statement that they originate<br>in an area* where <i>Tilletia indica</i> Mitra<br>is known not to occur.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".   |
| 108. | Grain of the<br>genera <i>Triticum</i> L.,<br><i>Secale</i> L. and <i>x</i><br><i>Triticosecale</i> | Afghanistan,<br>India, Iran,<br>Iraq, Mexico,<br>Nepal,<br>Pakistan, South<br>Africa and the<br>USA  | The grain must be accompanied by:<br>a an official statement that it<br>originates in an area* where<br><i>Tilletia indica</i> Mitra is known<br>not to occur, or<br>b an official statement that no<br>symptoms of <i>Tilletia indica</i>  |

|      |   |   | Mitra have been observed<br>on the plants at the place of<br>production during their last<br>complete cycle of vegetation<br>and representative samples<br>of the grain have been taken<br>both at the time of harvest<br>and before export and have<br>been tested and found free<br>from <i>Tilletia indica</i> Mitra.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>Where the phytosanitary certificate<br>includes the official statement<br>mentioned in point (b), the statement<br>"tested and found free from <i>Tilletia</i><br><i>indica</i> Mitra" must be included under<br>the heading "name of produce".                                   |
|------|---|---|---|
| 109. | Wood of conifers<br>(Pinales), other<br>than wood of <i>Thuja</i><br>L. and <i>Taxus</i> L.<br>and wood in the<br>form of:<br>——chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste<br>and scrap<br>obtained<br>in whole<br>or part<br>from<br>these<br>conifers,<br>——wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>—<br>wood of<br><i>Libocedrus</i><br><i>decurrens</i><br>Torr.<br>where | Canada, China,<br>Japan,<br>Republic of<br>Korea, Mexico,<br>Taiwan, the<br>USA and EU<br>Member States<br>other than any<br>EU Member<br>State where<br><i>Bursaphelenchu</i><br><i>xylophilus</i><br>(Steiner &<br>Bührer) Nickle<br>is known not to<br>occur | The wood must be accompanied by:<br>a an official statement:<br>i that it has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30<br>continuous minutes<br>throughout the entire<br>profile of the wood<br>(including at its core),<br>and<br>ii that subsequent to<br>its treatment, it was<br>transported, until<br>its export from the<br>country issuing the<br>statement, outside the<br>flight season of its<br>vectors, <i>Monochamus</i><br>spp., taking into<br>account a safety<br>margin of four<br>additional weeks<br>at the beginning<br>and at the end of<br>the expected flight<br>season or, in the case<br>of wood which is<br>not free from bark, |

| there is<br>evidence<br>that the<br>wood<br>has been<br>processed<br>or<br>manufactur<br>for<br>pencils<br>using<br>heat<br>treatment<br>to<br>achieve a<br>minimum<br>temperatur<br>of 82<br>°C for a<br>seven to<br>eight-day<br>period,<br>ding wood<br>s not kept<br>l round |  |
|--|--|
|  |  |
|  |  |

| b                 | with a protective<br>covering to prevent<br>infestation with<br><i>Bursaphelenchus</i><br><i>xylophilus</i> (Steiner &<br>Bührer) Nickle or its<br>vectors, <i>Monochamus</i><br>spp., <sup>F98</sup><br>an official statement:<br>i that it has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum |
|-------------------|--|
|                   | temperature of 56°C  |
|                   | for a minimum  |
|                   | duration of 30   |
|                   | continuous minutes   |
|                   | throughout the entire profile of the wood,   |
|                   | and  |
|                   | ii kiln-drying to below  |
|                   | 20% moisture   |
|                   | content expressed  |
|                   | as a percentage  |
|                   | of dry matter,<br>achieved through   |
|                   | an appropriate time/   |
|                   | temperature schedule   |
|                   | [ <sup>F99</sup> , or]   |
| F100 <sub>C</sub> | an official statement that   |
| c                 | the wood has been subject<br>to fumigation, the active   |
|                   | ingredient, the minimum  |
|                   | wood temperature, the rate   |
|                   | (g/m3) and the exposure time   |
|                   | of which are indicated on the phytosanitary certificate; but   |
|                   | a phytosanitary certificate  |
|                   | may not include any such   |
|                   | official statement unless the  |
|                   | national plant protection  |
|                   | organisation of the country<br>of origin has previously  |
|                   | provided the national plant  |
|                   | protection organisation of the   |
|                   | United Kingdom with written  |
| [F101For          | details of fumigation.]<br>the purposes of points (a) and  |
| (b), the          | re] must also be evidence of   |
| the heat          | t treatment by a mark "HT"   |
|                   | he wood or on any wrapping   |
| in acco           | rdance with current usage and  |

|      |   |   | on the phytosanitary certificate and,<br>in the case of point (b), evidence of<br>the kiln-drying by a mark "kiln-dried"<br>or "KD" or another internationally<br>recognised mark.   |
|------|---|---|--|
| 110. | Wood of conifers<br>(Pinales) in the<br>form of chips,<br>particles, sawdust,<br>shavings, wood<br>waste and scrap<br>obtained in whole<br>or part from these<br>conifers | Japan,<br>Republic of<br>Korea, Mexico,<br>Taiwan, the<br>USA and EU<br>Member States | The wood must be accompanied by:<br>a an official statement:<br>i that it has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30<br>continuous minutes<br>throughout the entire<br>profile of the wood<br>(including at its core),<br>and<br>ii that subsequent to<br>its treatment, it was<br>transported, until<br>its export from the<br>country issuing the<br>statement, outside the<br>flight season of its<br>vectors, <i>Monochamus</i><br>spp., taking into<br>account a safety<br>margin of four<br>additional weeks<br>at the beginning<br>and at the end of<br>the expected flight<br>season or, in the case<br>of wood which is<br>not free from bark,<br>with a protective<br>covering to prevent<br>infestation with<br><i>Bursaphelenchus</i><br><i>xylophilus</i> (Steiner<br>& Bührer) Nickle<br><i>et al.</i> or its vectors,<br><i>Monochamus</i> spp.,<br>Flo2<br><br>b an official statement:<br>i that it has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum |

Changes to legislation: Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up to date with all changes known to be in force on or before 20 June 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

| 111. | Wood of <i>Thuja</i> L.   | Canada, China,  | temperature of 56°C<br>for a minimum<br>duration of 30<br>continuous minutes<br>throughout the entire<br>profile of the wood,<br>and<br>ii kiln-drying to below<br>20% moisture<br>content expressed<br>as a percentage<br>of dry matter,<br>achieved through<br>an appropriate time/<br>temperature schedule<br>[ <sup>F103</sup> , or]<br>an official statement that<br>F104c the wood has been subject<br>to fumigation, the active<br>ingredient, the minimum<br>wood temperature, the rate<br>(g/m3) and the exposure time<br>of which are indicated on the<br>phytosanitary certificate; but<br>a phytosanitary certificate<br>may not include any such<br>official statement unless the<br>national plant protection<br>organisation of the country<br>of origin has previously<br>provided the national plant<br>protection organisation of the<br>United Kingdom with written<br>details of fumigation.]<br>[ <sup>F105</sup> For the purposes of points (a) and<br>(b), there] must also be evidence of<br>the heat treatment by a mark "HT"<br>put on the wood or on any wrapping<br>in accordance with current usage and<br>on the phytosanitary certificate and,<br>in the case of point (b), evidence of<br>the kiln-drying by a mark "kiln-dried"<br>or "KD" or another internationally<br>recognised mark.<br>The wood must be accompanied by: |
|------|---|---|--|
|      | and <i>Taxus</i> L., other<br>than in the form of:<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood | Japan,<br>Republic of<br>Korea, Mexico,<br>Taiwan and the<br>USA (where<br><i>Bursaphelenchu</i><br><i>xylophilus</i> | <ul> <li>a an official statement that it is bark-free,</li> <li>b an official statement that it has undergone kiln-drying to below 20% moisture content.</li> </ul>  |

|      | waste<br>and scrap<br>obtained<br>in whole<br>or part<br>from<br>these<br>conifers,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface | is known not to<br>occur            | of the wood (including at its<br>core) [ <sup>F107</sup> , or]<br>[ an official statement that<br>F108d the wood has been subject<br>to fumigation, the active<br>ingredient, the minimum<br>wood temperature, the rate<br>(g/m3) and the exposure time<br>of which are indicated on the<br>phytosanitary certificate; but<br>a phytosanitary certificate<br>may not include any such<br>official statement unless the<br>national plant protection<br>organisation of the country<br>of origin has previously<br>provided the national plant<br>protection organisation of the<br>United Kingdom with written<br>details of fumigation.]<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (b), there must<br>also be evidence of that kiln-drying<br>by a mark "kiln-dried" or "KD" or<br>another internationally recognised<br>mark, put on the wood or on any<br>wrapping in accordance with current<br>usage.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (c), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate. |
|------|---|-------------------------------------|--|
| 112. | Wood of conifers<br>(Pinales), other<br>than in the form of:<br>— chips,<br>particles,  | Kazakhstan,<br>Russia and<br>Turkey | The wood must be accompanied by:<br>a an official statement that it<br>originates in an area* known<br>to be free from:  |

| sawdust,<br>shavings,<br>wood<br>waste<br>and scrap<br>obtained<br>in whole<br>or part<br>from<br>these<br>conifers,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood |                        | i Monochamus spp.<br>ii Pissodes cibriani<br>O'Brien, Pissodes<br>fasciatus Leconte,<br>Pissodes nemorensis<br>Germar, Pissodes<br>nitidus Roelofs,<br>Pissodes punctatus<br>Langor & Zhang,<br>Pissodes strobi<br>(Peck), Pissodes<br>terminalis Hopping,<br>Pissodes yunnanensis<br>Langor & Zhang and<br>Pissodes zitacuarense<br>Sleeper, and<br>iii Scolytidae spp. (non-<br>European), |
|--|------------------------|--|
| but including wood<br>which has not kept<br>its natural round<br>surface   | с                      | an official statement that it is<br>bark-free and free from grub<br>holes, caused by its vectors,<br><i>Monochamus</i> spp., which are<br>larger than 3 mm across,<br>an official statement that it<br>has undergone kiln-drying to<br>below 20% moisture content,<br>expressed as a percentage<br>of dry matter, achieved<br>through an appropriate time/                                   |
|  | d                      | temperature schedule, <sup>F109</sup><br>an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood (including at its<br>core) [ <sup>F110</sup> , or]   |
|  | [<br><sup>F111</sup> e | an official statement that<br>the wood has been subject<br>to fumigation, the active<br>ingredient, the minimum<br>wood temperature, the rate<br>(g/m3) and the exposure time<br>of which are indicated on the<br>phytosanitary certificate; but<br>a phytosanitary certificate<br>may not include any such<br>official statement unless the<br>national plant protection                    |

|      |  |  | organisation of the country<br>of origin has previously<br>provided the national plant<br>protection organisation of the<br>United Kingdom with written<br>details of fumigation.]<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (c), there must<br>also be evidence of that kiln-drying<br>by a mark "kiln-dried" or "KD" or<br>another internationally recognised<br>mark, put on the wood or on any<br>wrapping in accordance with current<br>usage.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (d), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate. |
|------|--|--|---|
| 113. | Wood of conifers<br>(Pinales), other<br>than in the form of:<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste<br>and scrap<br>obtained<br>in whole<br>or part<br>from<br>these<br>conifers,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept | Liechtenstein,<br>Kazakhstan,<br>Mexico, | The wood must be accompanied by:<br>a an official statement that it is<br>bark-free and free from grub<br>holes, caused by its vectors,<br><i>Monochamus</i> spp., which are<br>larger than 3 mm across,<br>b an official statement that it<br>has undergone kiln-drying to<br>below 20% moisture content,<br>expressed as a percentage<br>of dry matter, achieved<br>through an appropriate time/<br>temperature schedule, <sup>F112</sup><br>c an official statement that has<br>undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood (including at its<br>core) [ <sup>F113</sup> , or]<br>[ an official statement that<br>F114d the wood has been subject  |

|      | its natural round   | Macedonia  | to fumigation the active  |
|------|---|--|---|
|      | its natural round<br>surface.   | Macedonia,<br>Norway,<br>Republic of<br>Korea, Russia,<br>San Marino,<br>Serbia,<br>Switzerland,<br>Taiwan,<br>Turkey,<br>Ukraine and<br>the USA | <ul> <li>to fumigation, the active<br/>ingredient, the minimum<br/>wood temperature, the rate<br/>(g/m3) and the exposure time<br/>of which are indicated on the<br/>phytosanitary certificate; but<br/>a phytosanitary certificate<br/>may not include any such<br/>official statement unless the<br/>national plant protection<br/>organisation of the country<br/>of origin has previously<br/>provided the national plant<br/>protection organisation of the<br/>United Kingdom with written<br/>details of fumigation.]</li> <li>Where the phytosanitary certificate<br/>includes the official statement<br/>referred to in point (b), there must<br/>also be evidence of that kiln-drying<br/>by a mark "kiln-dried" or "KD" or<br/>another internationally recognised<br/>mark, put on the wood or on any<br/>wrapping in accordance with current<br/>usage.</li> <li>Where the phytosanitary certificate<br/>includes the official statement<br/>referred to in point (c), there must<br/>also be evidence of that heat treatment<br/>by a mark "HT" put on the wood<br/>or on any wrapping in accordance<br/>with current usage and on the<br/>phytosanitary certificate.</li> </ul> |
| 114. | Wood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or in<br>part from conifers<br>(Pinales) | country other<br>than:<br><sup>F115</sup> Albania,<br>Andorra,<br>Armenia,   | The wood must be accompanied by:<br>a an official statement that the<br>wood originates in areas*<br>which, in accordance with the<br>measures specified in ISPM4,<br>are known to be free from:<br>i Monochamus spp.<br>ii Pissodes cibriani<br>O'Brien, Pissodes<br>fasciatus Leconte,<br>Pissodes nemorensis<br>Germar, Pissodes<br>nitidus Roelofs,<br>Pissodes punctatus<br>Langor & Zhang,<br>Pissodes strobi<br>(Peck), Pissodes<br>terminalis Hopping,<br>Pissodes yunnanensis  |

| 115. | Isolated bark of   | FII5 Mexico,<br>Moldova,<br>Monaco,<br>Montenegro,<br>North<br>Macedonia,<br>Norway,<br>Republic of<br>Korea, <sup>FII5</sup><br>San Marino,<br>Serbia,<br>Switzerland,<br>Taiwan, <sup>FII5</sup><br>Ukraine and<br>the USA | Langor & Zhang and<br><i>Pissodes zitacuarense</i><br>Sleeper, and<br>iii <i>Scolytidae</i> spp. (non-<br>European),<br>b an official statement that<br>it has been produced from<br>debarked round wood,<br>c an official statement that it<br>has undergone kiln-drying to<br>below 20% moisture content,<br>expressed as a percentage<br>of dry matter, achieved<br>through an appropriate time/<br>temperature schedule, <sup>F116</sup><br>d an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood (including at its<br>core) [ <sup>F117</sup> , or]<br>an official statement that<br>the wood has been subject<br>to fumigation, the active<br>ingredient, the minimum<br>wood temperature, the rate<br>(g/m3) and the exposure time<br>of which are indicated on the<br>phytosanitary certificate<br>may not include any such<br>official statement unless the<br>national plant protection<br>organisation of the country<br>of origin has previously<br>provided the national plant<br>protection organisation of the<br>United Kingdom with written<br>details of fumigation.]<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>The bark must be accompanied by an |
|------|--------------------|--|--|
|      | conifers (Pinales) | country other<br>than:<br>Albania,<br>Andorra,   | official statement:<br>[ that the bark has been subject<br><sup>F119</sup> za to fumigation, the active<br>ingredient, the minimum   |

|   | Turkey and<br>Ukraine; and<br>EU Member<br>States where<br><i>Bursaphelenchu</i><br><i>xylophilus</i><br>(Steiner &<br>Bührer) Nickle<br>is known not to<br>occur | 5  |
|---|---|--|
| [ <sup>F122</sup> 11] Mood of Abies<br>Mill., Pinus L.,<br>Picea Mill., Larix<br>Mill., and Tsuga<br>Carr., other than in<br>the form of:<br>—chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or part from<br>these conifers, or<br>—wood packaging<br>material, except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface | Russia  | The wood must be accompanied by an official statement that:<br>(a) it originates in an area*<br>established by the national plant<br>protection organisation in accordance<br>with the measures specified in<br>ISPM4 as an area that is free from<br><i>Polygraphus proximus</i> Blandford,<br>(b) it is bark-free,<br>(c) it has undergone kiln-drying<br>to below 20% moisture content<br>expressed as a percentage of<br>dry matter, achieved through an<br>appropriate time/temperature<br>schedule,<br>(d) it has undergone an appropriate<br>heat treatment to achieve a minimum<br>temperature of 56 °C for a minimum<br>duration of 30 continuous minutes<br>throughout the entire profile of the<br>wood,<br>(e) it has been subject to fumigation,<br>the active ingredient, the minimum<br>wood temperature, the rate (g/m <sup>3</sup> )<br>and the exposure time of which<br>are indicated on the phytosanitary<br>certificate, or<br>(f) it has undergone appropriate<br>ionizing irradiation to achieve a<br>minimum absorbed dose of 1 kGy<br>throughout the wood.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (c), there must<br>also be evidence of that kiln-drying<br>by a mark "kiln-dried" or "KD" or<br>another internationally recognised<br>mark, put on the wood or on any |

|       |   |        | wrapping in accordance with current<br>usage.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (d), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate.<br>For the purposes of the official<br>statement referred to in point (e), the<br>national plant protection organisation<br>of the country of origin must have<br>previously provided the national<br>plant protection organisation of the<br>United Kingdom with written details<br>of fumigation.   |
|-------|---|--------|---|
| 115B. | Wood of <i>Larix</i><br>Mill. other than in<br>the form of:<br>—chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or part from<br>these conifers, or<br>—wood packaging<br>material, except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface | Russia | The wood must be accompanied by an official statement that:<br>(a) it originates in an area* which is established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Scolytus morawitzi</i> Semenov,<br>(b) it is bark-free,<br>(c) it has undergone kiln-drying to below 20% moisture content expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule,<br>(d) it has undergone an appropriate heat treatment to achieve a minimum duration of 30 continuous minutes throughout the entire profile of the wood,<br>(e) it has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m <sup>3</sup> ) and the exposure time of which are indicated on the phytosanitary certificate, or<br>(f) it has undergone appropriate ionizing irradiation to achieve a minimum wood temperature, the rate (g/m <sup>3</sup> ) and the exposure time of which are indicated on the phytosanitary certificate, or<br>(f) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.<br>* The name(s) of the area(s) must be included in the phytosanitary |

|       |  |        | certificate under the heading<br>"Additional declaration".<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (c), there must<br>also be evidence of that kiln-drying<br>by a mark "kiln-dried" or "KD" or<br>another internationally recognised<br>mark, put on the wood or on any<br>wrapping in accordance with current<br>usage.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (d), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate.<br>For the purposes of the official<br>statement referred to in point (e), the<br>national plant protection organisation<br>of the country of origin must have<br>previously provided the national<br>plant protection organisation of the<br>United Kingdom with written details<br>of fumigation. |
|-------|--|--------|---|
| 115C. | Wood of conifer<br>(Pinales) in the<br>form of chips,<br>particles, sawdust,<br>shavings, wood<br>waste and scrap<br>obtained in whole<br>or part from<br>conifers | Russia | The wood must be accompanied by an official statement that:<br>(a) it originates in an area* which is established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Polygraphus proximus</i> Blandford and <i>Scolytus morawitzi</i> Semenov,<br>(b) it has been produced from wood which is bark-free,<br>(c) it has undergone kiln-drying to below 20% moisture content expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule,<br>(d) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or<br>(e) it has been subject to fumigation, the active ingredient, the minimum   |

| Changes to legislation: Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up        |
|---|
| to date with all changes known to be in force on or before 20 June 2024. There are changes that |
| may be brought into force at a future date. Changes that have been made appear in the content   |
| and are referenced with annotations. (See end of Document for details) View outstanding changes |
|   |

|  |        | <ul> <li>wood temperature, the rate (g/m<sup>3</sup>)<br/>and the exposure time of which<br/>are indicated on the phytosanitary<br/>certificate.</li> <li>* The name(s) of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> <li>Where the phytosanitary certificate<br/>includes the official statement<br/>referred to in point (c), there must<br/>also be evidence of that kiln-drying<br/>by a mark "kiln-dried" or "KD" or<br/>another internationally recognised<br/>mark, put on the wood or on any<br/>wrapping in accordance with current<br/>usage.</li> <li>Where the phytosanitary certificate<br/>includes the official statement<br/>referred to in point (d), there must<br/>also be evidence of that heat treatment<br/>by a mark "HT" put on the wood<br/>or on any wrapping in accordance<br/>with current usage and on the<br/>phytosanitary certificate.<br/>For the purposes of the official<br/>statement referred to in point (e), the<br/>national plant protection organisation<br/>of the country of origin must have<br/>previously provided the national<br/>plant protection organisation of the<br/>United Kingdom with written details<br/>of fumigation.</li> </ul> |
|--|--------|---|
| 115D. Isolated bark of conifer (Pinales) | Russia | The bark must be accompanied by an official statement that:<br>(a) it originates in an area* which is established by the national plant protection organisation in accordance with the measures specified in ISPM4 as an area that is free from <i>Polygraphus proximus</i> Blandford and <i>Scolytus morawitzi</i> Semenov,<br>(b) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or<br>(c) it has been subject to fumigation, the active ingredient, the minimum wood temperature, the rate (g/m <sup>3</sup> ) and the exposure time of which   |

|      |  |   | are indicated on the phytosanitary<br>certificate.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (b), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate.<br>For the purposes of the official<br>statement referred to in point (c), the<br>national plant protection organisation<br>of the country of origin must have<br>previously provided the national<br>plant protection organisation of the<br>United Kingdom with written details<br>of fumigation.]  |
|------|--|---|---|
| 116. | [ <sup>F123</sup> Wood of <i>Pinus</i><br>and <i>Pseudotsuga</i><br>menziesii (Mirbel)<br>Franco, other than:<br>— — — — — — — — — — — — — — — — — — — | [ <sup>F124</sup> Any third<br>country, other<br>than European<br>countries<br>where<br><i>Fusarium</i><br><i>circinatum</i><br>Nirenberg &<br>O'Donnell is<br>known not to<br>occur] | The wood must be accompanied by:<br>a an official statement that<br>it originates in a country*<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Fusarium circinatum</i><br>Nirenberg & O'Donnell,<br>b an official statement that<br>it originates in an area*<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Fusarium circinatum</i><br>Nirenberg & O'Donnell, or<br>c an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood (including at its<br>core).<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>Where the phytosanitary certificate<br>includes the official statement |

|      |  |                |       | referred to in point (c), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate.  |
|------|--|----------------|-------|---|
| 117. | Wood of conifers<br>(Pinales) [ <sup>F125</sup> ,<br>other than wood<br>packaging material,<br>(except associated<br>controlled<br>dunnage)] | Any<br>country | third | The wood must:<br>a be bark-free,<br>b be accompanied by an official<br>statement that it originates in<br>an area* which, in accordance<br>with the measures specified<br>in ISPM4, is known to be free<br>from <i>Ips amitinus</i> (Eichhoff),<br><i>Ips duplicatus</i> (Sahlberg) and<br><i>Ips typographus</i> (L.), or<br>[ <sup>F126</sup> c be accompanied by an<br>official statement that it has<br>undergone kiln-drying to<br>balaw 20% meisture content   |
|      |  |                |       | <ul> <li>below 20% moisture content,<br/>expressed as a percentage<br/>of dry matter, achieved<br/>through an appropriate time/<br/>temperature schedule and<br/>have evidence by a mark<br/>"kiln-dried" or "KD" or<br/>another internationally<br/>recognised mark, put on the<br/>wood or on any wrapping<br/>in accordance with current<br/>usage.]</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> </ul> |
| 118. | Isolated bark of<br>conifers (Pinales)   | Any<br>country | third | <ul> <li>The bark must be accompanied by:</li> <li>a an official statement that it has been subjected to [<sup>F127</sup>fumigation*] or other appropriate treatments against bark beetles, or</li> <li>b an official statement that it originates in an [<sup>F128</sup>area**] which, in accordance with the measures specified in ISPM4, is known to be free from <i>Ips amitinus</i> (Eichhoff), <i>Ips duplicatus</i> (Sahlberg) and <i>Ips typographus</i> (L.).</li> </ul>                               |

|  |   |   | [ <sup>F129</sup> * A phytosanitary certificate<br>may not include any such official<br>statement unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of fumigation.]<br>[ <sup>F130</sup> ** The name] of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".  |
|--|---|---|--|
| conif<br>in the<br>chips<br>sawd<br>wood | the form of<br>s, particles,<br>lust, shavings,<br>d waste and<br>b, and isolated | [ <sup>F132</sup> Any third<br>country, other<br>than European<br>countries<br>where<br><i>Fusarium</i><br><i>circinatum</i><br>Nirenberg &<br>O'Donnell is<br>known not to<br>occur] | <ul> <li>The bark must be accompanied by:</li> <li>a an official statement that<br/>it originates in a country<br/>which, in accordance with<br/>the measures specified in<br/>ISPM4, is known to be free<br/>from <i>Fusarium circinatum</i><br/>Nirenberg &amp; O'Donnell,</li> <li>b an official statement that<br/>it originates in an area*<br/>which, in accordance with<br/>the measures specified in<br/>ISPM4, is known to be free<br/>from <i>Fusarium circinatum</i><br/>Nirenberg &amp; O'Donnell, or</li> <li>c an official statement that it<br/>has undergone an appropriate<br/>heat treatment to achieve a<br/>minimum temperature of 56<br/>°C for a minimum duration<br/>of 30 continuous minutes<br/>throughout the entire profile<br/>of the wood (including at its<br/>core).</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> <li>A phytosanitary certificate may not<br/>include the official statement referred<br/>to in point (a) unless the national<br/>plant protection organisation of the<br/>country of origin has previously<br/>notified the national plant protection<br/>organisation of the United Kingdom<br/>of this information in writing.</li> </ul> |

| Changes to legislation: Commission Implementing Regulation (EU) 2019/20        | 72, ANNEX 7 is up   |
|--|---------------------|
| to date with all changes known to be in force on or before 20 June 2024. The   | re are changes that |
| may be brought into force at a future date. Changes that have been made app    | pear in the content |
| and are referenced with annotations. (See end of Document for details) View of | utstanding changes  |

|      |  |                     |                   | also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate.  |
|------|--|---------------------|-------------------|---|
| 120. | Wood of Juglans<br>L. and Pterocarya<br>Kunth, other than<br>in the form of:<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste<br>and scrap<br>obtained<br>in whole<br>or part<br>from<br>these<br>plants,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface | USA                 | Member<br>and the | The wood must be accompanied by:<br>a an official statement that<br>it originates in an area*<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Geosmithia morbida</i> Kolarík,<br>Freeland, Utley & Tisserat<br>and its vector <i>Pityophthorus</i><br><i>juglandis</i> Blackman,<br>b an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 40 continuous minutes<br>throughout the entire profile<br>of the wood (including at its<br>core), or<br>c an official statement that it<br>has been squared to entirely<br>remove the natural rounded<br>surface.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (b), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance<br>with current usage and on the<br>phytosanitary certificate. |
| 121. | Isolated bark and<br>wood of <i>Juglans</i><br>L. and <i>Pterocarya</i><br>Kunth, in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or part from<br>these plants   | EU<br>States<br>USA | Member<br>and the | The wood or the isolated bark must be<br>accompanied by:<br>a an official statement that<br>it originates in an area*<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Geosmithia morbida</i> Kolarík,<br>Freeland, Utley & Tisserat<br>and its vector <i>Pityophthorus</i><br><i>juglandis</i> Blackman, or  |

|      |   |         | <ul> <li>b an official statement that it<br/>has undergone an appropriate<br/>heat treatment to achieve a<br/>minimum temperature of 56</li> <li>°C for a minimum duration<br/>of 40 continuous minutes<br/>throughout the entire profile<br/>of the bark or the wood.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> </ul>   |
|------|---|---------|--|
| 122. | Wood of <i>Acer</i><br>macrophyllum<br>Pursh, <i>Aesculus</i><br>californica (Spach)<br>Nutt., <i>Lithocarpus</i><br>densiflorus (Hook<br>& Arn.) Rehd.,<br><i>Quercus</i> spp.<br>L. and <i>Taxus</i><br>brevifolia Nutt.<br>[ <sup>F133</sup> , [ <sup>F134</sup> other<br>than:<br>— in the form of<br>wood packaging<br>material, (except<br>associated<br>controlled<br>dunnage),<br>— in the case of<br><i>Quercus</i> L., in<br>the form of casks,<br>barrels, vats, tubs<br>and other coopers'<br>products and parts<br>thereof, including<br>staves, where there<br>is documented<br>evidence that<br>the wood has<br>been produced<br>or manufactured<br>using heat<br>treatment to<br>achieve a minimum<br>temperature of<br>176 °C for 20<br>minutes].] | The USA | The wood must be accompanied by:<br>a an official statement that<br>it originates in an area* in<br>which non- European isolates<br>of <i>Phytophthora ramorum</i><br>Werres, De Cock & Man in 't<br>Veld are known not to occur,<br>b an official statement that the<br>wood has been stripped of its<br>bark and:<br>i that it has been<br>squared so as to<br>entirely remove the<br>rounded surface,<br>ii that the water content<br>of the wood does<br>not exceed 20%<br>expressed as a<br>percentage of the dry<br>matter, or<br>iii that the wood has<br>been disinfected by<br>an appropriate hot-<br>air or hot water-water<br>treatment, or<br>c in the case of sawn wood<br>with or without residual bark<br>attached, an official statement<br>that it has undergone kiln<br>drying to below 20%<br>moisture content, expressed<br>as a percentage of dry<br>matter, achieved through an<br>appropriate time/temperature<br>schedule.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |

| Changes to legislation: Commission Implementing Regulation (EU) 2019/2072, J      | 4NNEX 7 is up  |
|---|----------------|
| to date with all changes known to be in force on or before 20 June 2024. There an | e changes that |
| may be brought into force at a future date. Changes that have been made appear    | in the content |
| and are referenced with annotations. (See end of Document for details) View outst | anding changes |

|      |   |                       | Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (c), there must<br>also be evidence of that kiln-<br>drying by a mark "kiln-dried" or<br>"KD" or another internationally<br>recognised mark, put on the wood<br>or its packaging in accordance with<br>current usage.   |
|------|---|-----------------------|--|
| 123. | Wood of Acer<br>saccharum Marsh.,<br>other than in the<br>form of:<br>— wood<br>intended<br>for the<br>production<br>of veneer<br>sheets,<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste and<br>scrap,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>including wood<br>which has not kept<br>its natural round<br>surface | Canada and the<br>USA | The wood must be accompanied<br>by an official statement that it has<br>undergone kiln-drying to below 20%<br>moisture content, expressed as a<br>percentage of dry matter, achieved<br>through an appropriate time/<br>temperature schedule, and<br>there must be evidence of that<br>kiln drying by a mark "kiln-dried"<br>or "KD" or other internationally<br>recognised mark, put on the wood or<br>on any wrapping in accordance with<br>current usage.                                 |
| 124. | Wood of <i>Acer</i><br>saccharum Marsh.,<br>intended for the<br>production of<br>veneer sheets  |                       | The wood must be accompanied by<br>an official statement that it originates<br>in an area* which, in accordance with<br>the measures specified in ISPM4, is<br>known to be free from <i>Davidsoniella</i><br><i>virescens</i> (R.W. Davidson) Z.W.<br>de Beer, T.A. Duong & M.J. Wingf<br>Moreau and is intended for the<br>production of veneer sheets.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |

| 125.                 | Wood of <i>Fraxinus</i><br>L., <i>Juglans</i><br><i>ailantifolia</i><br>Carr., <i>Juglans</i><br><i>mandshurica</i><br>Maxim., <i>Ulmus</i><br><i>davidiana</i> Planch.<br>and <i>Pterocarya</i><br><i>rhoifolia</i> Siebold &<br>Zucc., other than in<br>the form of<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste and<br>scrap,<br>obtained<br>in whole<br>or part<br>from<br>these<br>trees,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not<br>kept its natural<br>round surface, and<br>furniture and other<br>objects made of<br>untreated wood | [ <sup>F135</sup> Any third<br>country][ <sup>F136</sup> othe<br>than Canada<br>and the USA] | The wood must be accompanied by:<br>er a an official statement that<br>it has undergone ionizing<br>irradiation to achieve a<br>minimum absorbed dose of 1<br>kGy throughout the wood, or<br>b an official statement that<br>the wood originates in an<br>area* established by the<br>national plant protection<br>organisation in accordance<br>with ISPM4 an area that is<br>free from <i>Agrilus planipennis</i><br>Fairmaire and that no part of<br>the area lies within 100 km of<br>a known outbreak of <i>Agrilus</i><br><i>planipennis</i> Fairmaire.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>A phytosanitary certificate may not<br>include any such official statement<br>unless the national plant protection<br>organisation of the country of origin<br>has previously provided the national<br>plant protection organisation of the<br>United Kingdom with written details<br>of the area or areas. |
|----------------------|--|--|--|
| [ <sup>F137</sup> 12 | Mood of Fraxinus<br>L., Juglans<br>ailantifolia<br>Carr., Juglans<br>mandshurica<br>Maxim., Ulmus<br>davidiana Planch.<br>and Pterocarya<br>rhoifolia Siebold &<br>Zucc., other than in<br>the form of:<br>— chips,<br>particles,<br>sawdust,  | Canada and the<br>USA  | The wood must be accompanied by an official statement that it:<br>(a) originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Agrilus planipennis</i> Fairmaire and that no part of the area lies within 100 km of a known outbreak of <i>Agrilus planipennis</i> Fairmaire, (b) has undergone ionizing irradiation to achieve a minimum absorbed dose of 1kGy throughout the wood, or (c) has been—   |

| shavings,<br>wood<br>waste and<br>scrap,<br>obtained<br>in whole<br>or part   | <ul> <li>(i) debarked, all sawn wood being produced from such debarked wood**,</li> <li>(ii) heated through its profile to at least 71°C for 1200 minutes in a heat chamber approved by the relevant national plant protection</li> </ul>   |
|---|---|
| from<br>these<br>trees,<br>   | organisation's inspection service***,<br>and<br>(iii) dried following industrial<br>drying schedules of a duration of at<br>least two weeks, recognised by the<br>relevant national plant protection<br>organisation's inspection service***  |
| associated<br>controlled<br>dunnage,<br>but including wood<br>which has not<br>kept its natural<br>round surface, and<br>furniture and other<br>objects made of<br>untreated wood | and the final moisture content of the<br>wood must not exceed 10% expressed<br>as a percentage of dry matter.<br>* The names(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". A<br>phytosanitary certificate may not<br>include any such official statement<br>unless the national plant protection |
|   | unless the national plant protection<br>organisation of the country of origin<br>has previously provided the national<br>plant protection organisation of the<br>United Kingdom with written details<br>of the area or areas.<br>** The maximum tolerance level for<br>residual pieces of bark is 50 cm <sup>2</sup> in   |
|   | area.<br>*** The inspection services as<br>officially approved by the national<br>plant protection organisation in the<br>country of origin or the country of<br>processing, namely Canada or the<br>USA.   |
|   | In the case of wood declared to<br>comply with the requirements listed<br>in point (c):<br>(1) the wood must be produced,<br>handled or stored in a facility****<br>which fulfils all the following<br>requirements:<br>(i) it is officially approved by the  |
|   | relevant national plant protection<br>organisation's inspection service<br>pursuant to its certification<br>programme for the pest <i>Agrilus</i><br><i>planipennis</i> Fairmaire,  |

(ii) it is registered in a database published by the relevant inspection service, (iii) it is audited **\*\*\*\***at least once per month by the relevant national plant protection organisation's inspection service, or an agency approved by that inspection service, which concludes in each audit that the facility has treated wood as per the requirements listed in point (c), (iv) it uses equipment for the treatment of the wood which has been calibrated consistently with the equipment's manual of operation, (v) it keeps records of its procedures for verification by the relevant national plant protection organisation's inspection service, or an agency approved by that inspection service, including the duration of treatment, temperatures during treatment and, for each specific bundle to be exported, the compliance check and final moisture content. \*\*\*\*The name of the facility or facilities must be included in the phytosanitary certificate under the heading "Additional declaration". \*\*\*\*\*Where these audits are performed by an agency approved by the relevant national plant protection organisation's inspection service, the relevant national plant protection organisation's inspection service must carry out six-monthly audits of this work. The six-monthly audits must include the verification of the procedures and documentation of the agency and audits at approved facilities. (2) Each bundle of wood must visibly display both the unique bundle number and a label with the words "HTKD" or "Heat Treated-Kiln Dried". That label must be issued by, or under the supervision of, a designated officer of the approved facility after verifying that the processing requirements set out in point (c) and the requirements for facilities set out in point (1) have been complied with. The bundle number(s)

|      |   |                                   |       | corresponding to each specific bundle<br>being exported must be included in<br>the phytosanitary certificate under the<br>heading "Additional declaration".<br>(3) The wood must have been<br>inspected before export by the<br>relevant national plant protection<br>organisation's inspection service,<br>or an agency approved by that<br>inspection service, to ensure that the<br>requirements laid down in point (c)<br>and point (2) are met.]   |
|------|---|-----------------------------------|-------|---|
| 126. | Wood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or in part<br>from <i>Fraxinus</i> L.,<br><i>Juglans ailantifolia</i><br>Carr., <i>Juglans</i><br><i>mandshurica</i><br>Maxim., <i>Ulmus</i><br><i>davidiana</i> Planch.<br>and <i>Pterocarya</i><br><i>rhoifolia</i> Siebold &<br>Zucc. | [ <sup>F138</sup> Any<br>country] | third | The official statement must confirm<br>that the wood originates in an area*<br>established by the national plant<br>protection organisation in accordance<br>with ISPM4 as an area that is free<br>from <i>Agrilus planipennis</i> Fairmaire<br>and that no part of the area lies within<br>100 km of a known outbreak of<br><i>Agrilus planipennis</i> Fairmaire.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>A phytosanitary certificate may not<br>include any such official statement<br>unless the national plant protection<br>organisation of the country of origin<br>has previously provided the national<br>plant protection organisation of the<br>United Kingdom with written details<br>of the area or areas. |
| 127. | Isolated bark and<br>objects made of<br>bark of <i>Fraxinus</i> L.,<br><i>Juglans ailantifolia</i><br>Carr., <i>Juglans</i><br><i>mandshurica</i><br>Maxim., <i>Ulmus</i><br><i>davidiana</i> Planch.<br>and <i>Pterocarya</i><br><i>rhoifolia</i> Siebold &<br>Zucc.   | [ <sup>F139</sup> Any<br>country] | third | The official statement must confirm<br>that the bark originates in an area*<br>established by the national plant<br>protection organisation in accordance<br>with ISPM4 as an area that is free<br>from <i>Agrilus planipennis</i> Fairmaire<br>and that no part of the area lies within<br>100 km of a known outbreak of<br><i>Agrilus planipennis</i> Fairmaire.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".<br>A phytosanitary certificate may not<br>include any such official statement<br>unless the national plant protection<br>organisation of the country of origin<br>has previously provided the national<br>plant protection organisation of the   |

|                      |  |                          |        | United Kingdom with written details of the area or areas.   |
|----------------------|--|--------------------------|--------|---|
| 128.                 | Wood of <i>Castanea</i><br>Mill. [ <sup>F140</sup> , other<br>than wood<br>packaging material,<br>(except associated<br>controlled<br>dunnage).]   | Any<br>country           | third  | The wood must:<br>a be bark-free, or<br>b be accompanied by an official<br>statement:<br>i that it originates<br>in areas known<br>to be free from<br><i>Cryphonectria</i><br><i>parasitica</i> (Murrill.)<br>Barr., or<br>ii that it has undergone<br>kiln-drying to below<br>20% moisture<br>content, expressed<br>as a percentage<br>of dry matter,<br>achieved through<br>an appropriate time/<br>temperature schedule.   |
| [ <sup>F141</sup> 1] | <ul> <li>Mood of Castanea<br/>Mill, and Quercus<br/>L. [<sup>F142</sup> other than:<br/>— in the form of<br/>chips, particles,<br/>sawdust, shavings,<br/>wood waste and<br/>scrap, obtained in<br/>whole or in part<br/>from these trees,<br/>— in the form of<br/>wood packaging<br/>material (except<br/>associated<br/>controlled<br/>dunnage),<br/>— in the case of<br/>Quercus L., in<br/>the form casks,<br/>barrels, vats, tubs<br/>and other coopers'<br/>products and parts<br/>thereof, including<br/>staves, originating<br/>in Canada or the<br/>USA, where there<br/>is documented<br/>evidence that<br/>the wood has<br/>been produced</li> </ul> | Canada,<br>Turkey<br>USA | or the | The wood must be accompanied by an official statement that:<br>(a) it originates in an area* which, in accordance with ISPM No. 4<br>is known to be free from <i>Agrilus bilineatus</i> Weber and not within 100 km of a known outbreak of <i>Agrilus bilineatus</i> Weber,<br>(b) it is bark-free, and has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or<br>(c) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.<br>Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.<br>*The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". |

|      | or manufactured<br>using heat<br>treatment to<br>achieve a minimum<br>temperature of 176<br>°C for 20 minutes,<br>but including wood<br>which has not kept<br>its natural round<br>surface]   |   |  |
|------|---|---|--|
| 128B | Wood in the form<br>of chips particles,<br>sawdust, shavings,<br>wood waste and<br>scrap, obtained in<br>whole or in part<br>from <i>Castanea</i> Mill<br>and <i>Quercus</i> L.   | Canada,<br>Turkey or the<br>USA   | The wood must be accompanied by<br>an official statement that it originates<br>in an area* which, in accordance with<br>ISPM No. 4, is known to be free from<br><i>Agrilus bilineatus</i> Weber and is not<br>within 100 km of a known outbreak<br>of <i>Agrilus bilineatus</i> Weber.<br>*The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".  |
| 128C | Wood of <i>Castanea</i><br>Mill, <i>Castanopsis</i><br>(D. Don) Spach<br>and <i>Quercus</i> L.<br>other than in the<br>form of:<br>- chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap, obtained in<br>whole or in part<br>from these trees,<br>- wood packaging<br>material, except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface | China,<br>Democratic<br>People's<br>Republic of<br>Korea, Japan,<br>Republic of<br>Korea, Russia<br>F143<br>and Vietnam | The wood must be accompanied by an official statement that:<br>(a) it originates in an area* which, in accordance with ISPM No. 4, is known to be free from <i>Neocerambyx raddei</i> Blessig,<br>(b) it has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, or<br>(c) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.<br>Where the phytosanitary certificate includes the official statement referred to in paragraph (b), there must also be evidence of that heat treatment by a mark "HT" put on the wood or on any wrapping in accordance with current usage and on the phytosanitary certificate.<br>*The name of the area(s) must be included in the phytosanitary certificate under the heading "Additional declaration". |
| 128D |   | China,<br>Democratic  | The wood must be accompanied by an official statement, that:   |

|      | particles, sawdust,<br>wood waste or<br>scrap obtained in<br>whole or part<br>from <i>Castanea</i><br>Mill, <i>Castanopsis</i><br>(D. Don) Spach and<br><i>Quercus</i> L.   | Republic of<br>Korea, Japan,<br>Republic of<br>Korea, Russia<br><sup>F144</sup><br>and Vietnam | (b) it has been processed into pieces<br>of not more than 2.5 cm thickness and<br>width, or<br>(c) it has undergone an appropriate<br>heat treatment to achieve a minimum<br>temperature of 56°C for a minimum<br>duration of 30 continuous minutes<br>throughout the entire profile of the<br>chips, particles, wood waste or scrap.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in paragraph (c), there<br>must also be evidence of that heat<br>treatment by a mark "HT" on the<br>phytosanitary certificate.<br>*The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".]                    |
|------|---|--|--|
| 129. | Isolated bark of <i>Castanea</i> Mill.  | Any third country  | The isolated bark must be<br>accompanied by an official statement<br>that it originates in areas known to<br>be free from <i>Cryphonectria parasitica</i><br>(Murrill.) Barr.  |
| 130. | Wood of <i>Quercus</i><br>L., other than in the<br>form of:<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste and<br>scrap,<br>— casks,<br>barrels,<br>vats, tubs<br>and other<br>coopers'<br>products<br>and parts<br>thereof,<br>including<br>staves,<br>where<br>there is<br>documente<br>evidence | Canada and the<br>USA  | <ul> <li>The wood must be accompanied by:</li> <li>[ an official statement that the wood originates in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Bretziella fagacearum</i> Z.W. de Beer, Marincowitz, T.A. Duong &amp; M.J. Wingfield,]</li> <li>a an official statement that it is squared so as to remove entirely the rounded surface,</li> <li>b an official statement that it is bark-free and the water content is less than 20% expressed as a percentage of the dry matter,</li> <li>c an official statement that it is bark-free and has been disinfected by an appropriate hot air or hot water treatment, or</li> </ul> |

|      | that the<br>wood<br>has been<br>produced<br>or<br>manufactur<br>using<br>heat<br>treatment<br>to<br>achieve a<br>minimum<br>temperatur<br>of 176<br>°C for 20<br>minutes<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface |                       | <ul> <li>d in the case of sawn wood,<br/>with or without residual bark<br/>attached, an official statement<br/>that it has undergone kiln-<br/>drying to below 20%<br/>moisture content, expressed<br/>as a percentage of dry<br/>matter, achieved through an<br/>appropriate time/temperature<br/>schedule.</li> <li>Where the phytosanitary certificate<br/>includes the official statement<br/>referred to in point (d), there must<br/>also be evidence of that kiln-drying<br/>by a mark "kiln-dried" or "KD" or<br/>other internationally recognised mark,<br/>put on the wood or on any wrapping<br/>in accordance with current usage.</li> <li>[F<sup>146</sup>* The name(s) of the area(s)<br/>must be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".]</li> </ul>     |
|------|--|-----------------------|---|
| 131. | Wood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap and obtained<br>in whole or part<br>from <i>Quercus</i> L.   | Canada and the<br>USA | <ul> <li>The wood must be accompanied by: <ul> <li>an official statement that the</li> <li>F147<sub>Za</sub></li> <li>wood originates in an area*</li> <li>established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Bretziella fagacearum</i> Z.W. de Beer, Marincowitz, T.A. Duong &amp; M.J. Wingfield,]</li> <li>a an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/ temperature schedule, <sup>F148</sup></li> <li>b an official statement that it has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile</li> </ul></li></ul> |

|                      |  |   | of the wood (including at its<br>core) [ <sup>F149</sup> , or]<br>[ an official statement that<br>the wood has been subject<br>to fumigation, the active<br>ingredient, the minimum<br>wood temperature, the rate<br>(g/m3) and the exposure time<br>of which are indicated on the<br>phytosanitary certificate; but<br>a phytosanitary certificate<br>may not include any such<br>official statement unless the<br>national plant protection<br>organisation of the country<br>of origin has previously<br>provided the national plant<br>protection organisation of the<br>United Kingdom with written<br>details of fumigation.]<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (b), there must<br>also be evidence of that heat treatment<br>by a mark "HT" on the phytosanitary<br>certificate.<br>[ <sup>F151</sup> * The name(s) of the area(s)<br>must be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".] |
|----------------------|--|---|---|
| [ <sup>F152</sup> 13 | Isoplated bark and<br>objects made of<br>bark of <i>Quercus</i> L.   | Turkey  | The isolated bark must be<br>accompanied by an official statement<br>that it originates in an area* which,<br>in accordance with ISPM No. 4,<br>is known to be free from <i>Agrilus</i><br><i>bilineatus</i> Weber and is not within<br>100 km of a known outbreak of<br><i>Agrilus bilineatus</i> Weber.<br>*The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".]   |
| 132.                 | Wood of <i>Betula</i> L.,<br>other than in the<br>form of:<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste | Canada and the<br>USA (where<br><i>Agrilus anxius</i><br>Gory is known<br>to occur) | The wood must be accompanied by:<br>a an official statement that<br>its bark and at least 2.5 cm<br>of the outer sapwood have<br>been removed in a facility<br>authorised and supervised by<br>the national plant protection<br>organisation in the country of<br>origin, or  |

|      | and scrap<br>obtained<br>in whole<br>or part<br>from<br>these<br>trees,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not<br>kept its natural<br>round surface, and<br>furniture and other<br>objects made of<br>untreated wood   |   | b an official statement that<br>it has undergone ionizing<br>irradiation to achieve a<br>minimum absorbed dose of<br>1 kGy throughout the wood.  |
|------|--|---|--|
| 133. | Wood chips,<br>particles, sawdust,<br>shavings, wood<br>waste and scrap<br>obtained in whole<br>or in part from<br><i>Betula</i> L.  | country other<br>than EU<br>Member States,<br>Liechtenstein     | The wood must be accompanied by a<br>an official statement that it originates<br>in a country which, in accordance<br>with the measures specified in<br>ISPM4, is known to be free from<br><i>Agrilus anxius</i> Gory.   |
| 134. | Bark and objects<br>made of bark of<br><i>Betula</i> L.  |   | The bark or objects made out of bark<br>must be accompanied by an official<br>statement confirming that it is free<br>from wood.   |
| 135. | Wood of <i>Platanus</i><br>L., other than wood<br>packaging material,<br>except associated<br>controlled dunnage,<br>but including wood<br>which has not<br>kept its natural<br>round surface, and<br>wood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or in part<br>from <i>Platanus</i> L. | Armenia, EU<br>Member States,<br>Switzerland,<br>Turkey and the | The wood must be accompanied by:<br>a an official statement that<br>it originates in an area*<br>which, in accordance with<br>the measures specified in<br>ISPM4, is known to be free<br>from <i>Ceratocystis platani</i><br>(J.M. Walter) Engelbr. & T.C.<br>Harr., or<br>b an official statement that it<br>has undergone kiln-drying to<br>below 20% moisture content,<br>expressed as a percentage<br>of dry matter, achieved<br>through an appropriate time/<br>temperature schedule.<br>Where the phytosanitary certificate<br>includes the official statement |

|                      |   |   | referred to in point (b), there must<br>also and there must be evidence<br>of that kiln-drying by a mark<br>"kiln-dried" or "KD" or other<br>internationally recognised mark, put<br>on the wood or on any wrapping in<br>accordance with current usage.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".   |
|----------------------|---|---|--|
| 136.                 | Wood of <i>Populus</i><br>L., other than in the<br>form of:<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste and<br>scrap,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface         | Americas  | The wood must be accompanied by:<br>a an official statement that it is<br>bark-free, or<br>b an official statement that it<br>has undergone kiln-drying to<br>below 20% moisture content,<br>expressed as a percentage<br>of dry matter, achieved<br>through an appropriate time/<br>temperature schedule.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (b), there must<br>also be evidence of that kiln-drying<br>by a mark "kiln-dried" or "KD" or<br>other internationally recognised mark,<br>put on the wood or on any wrapping<br>in accordance with current usage.                   |
| [ <sup>F153</sup> 13 | Wood of <i>Populus</i><br>L. and <i>Salix</i> L.<br>other than in the<br>form of:<br>—chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap, or<br>—wood packaging<br>material, except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface | Democratic<br>People's<br>Republic of<br>Korea, Japan,<br>Kazakhstan,<br>Mongolia, the<br>Republic of | The wood must be accompanied by an official statement that:<br>(a) it originates in an area* which in accordance with the measures specified in ISPM No. 4 is known to be free from <i>Agrilus fleischeri</i> Obenberger, and not within 100 km of a known outbreak of <i>Agrilus fleischeri</i> Obenberger; (b) it is bark-free, and has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood; or (c) it has undergone appropriate ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood. |

|                                      |   |                       | include:<br>referred<br>must als<br>treatme<br>the woo<br>accorda<br>the phy<br>* The n<br>be inclu<br>certifica | the phytosanitary certificate<br>s the official statement<br>l to in paragraph (b), there<br>so be evidence of that heat<br>nt by a mark "HT" put on<br>od or on any wrapping in<br>unce with current usage and on<br>tosanitary certificate.<br>name(s) of the area(s) must<br>uded in the phytosanitary<br>ate under the heading<br>onal declaration".]  |
|--------------------------------------|---|-----------------------|--|--|
| c<br>s<br>v<br>s<br>i<br>i<br>F<br>s | Wood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap and obtained<br>in whole or in<br>part from <i>Acer</i><br><i>saccharum</i> Marsh.,<br>or <i>Populus</i> L. | Canada and the<br>USA | The wo<br>a<br>b<br>c  | od must be accompanied by:<br>an official statement that<br>it has been produced from<br>debarked round wood,<br>an official statement that it<br>has undergone kiln-drying to<br>below 20% moisture content,<br>expressed as a percentage<br>of dry matter, achieved<br>through an appropriate time/<br>temperature schedule,<br>an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood (including at its<br>core) [ <sup>F154</sup> , or]<br>an official statement that<br>the wood has been subject<br>to fumigation, the active<br>ingredient, the minimum<br>wood temperature, the rate<br>(g/m3) and the exposure time<br>of which are indicated on the<br>phytosanitary certificate; but<br>a phytosanitary certificate<br>may not include any such<br>official statement unless the<br>national plant protection<br>organisation of the country<br>of origin has previously<br>provided the national plant<br>protection organisation of the<br>United Kingdom with written<br>details of fumigation.] |

| [ <sup>F156</sup> 13 | Mood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or part from<br><i>Populus</i> L. and  | Democratic<br>People's<br>Republic of<br>Korea, Japan,<br>Kazakhstan,                  | Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (c), there must<br>also be evidence of that heat treatment<br>by a mark "HT" on the phytosanitary<br>certificate.<br>The wood must be accompanied by<br>an official statement that it originates<br>in an area* which in accordance with<br>the measures specified in ISPM No. 4<br>is known to be free from <i>Agrilus</i><br><i>fleischeri</i> Obenberger, and not within<br>100 km of a known outbreak of  |
|----------------------|---|--|--|
|                      | Salix L.  | Republic of<br>Korea and<br>Russia   | <i>Agrilus fleischeri</i> Obenberger.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".   |
| 137B.                | Isolated bark and<br>objects made of<br>bark of <i>Populus</i> L.<br>and <i>Salix</i> L.  | Democratic<br>People's<br>Republic of<br>Korea, Japan,<br>Kazakhstan,<br>Mongolia, the | The isolated bark and objects made<br>of bark must be accompanied by an<br>official statement that they originate<br>in an area* which in accordance with<br>the measures specified in ISPM No. 4<br>is known to be free from <i>Agrilus</i><br><i>fleischeri</i> Obenberger, and not within<br>100 km of a known outbreak of<br><i>Agrilus fleischeri</i> Obenberger.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".]   |
| 138.                 | Wood of<br>Amelanchier<br>Medik.,<br>Aronia Medik.,<br>Cotoneaster<br>Medik., Crataegus<br>L., Cydonia<br>Mill., Malus<br>Mill., Prunus L.,<br>Pyracantha M.<br>Roem., Pyrus L.<br>and Sorbus L.,<br>other than in the<br>form of:<br>— chips,<br>sawdust<br>and<br>shavings,<br>obtained<br>in whole | Canada and the<br>USA  | The wood must be accompanied by:<br>a an official statement that<br>it originates in an area*<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Saperda candida</i> Fabricius,<br>b an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood, or<br>c an official statement that it<br>has undergone appropriate<br>ionizing irradiation to achieve<br>a minimum absorbed dose of<br>1 kGy throughout the wood. |

|                      | or part<br>from<br>these<br>plants,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept<br>its natural round<br>surface |                | by a mark "HT" pu<br>or on any wrapping<br>with current usage<br>phytosanitary certi<br>* The name of the<br>be included in the<br>certificate under th<br>"Additional declara | I statement<br>(b), there must<br>f that heat treatment<br>it on the wood<br>g in accordance<br>and on the<br>ficate.<br>area(s) must<br>phytosanitary<br>e heading<br>ation". |
|----------------------|---|----------------|--|--|
| [ <sup>F157</sup> 13 | Mood of Acer  | Canada and the |  | accompanied by an  |
|                      | L., Betula L.,  | USA            | official statement t   | hat:   |
|                      | <i>Carpinus</i> L.,   |                | a it has:  |  |
|                      | Carya illinoinensis   |                | 1  | undergone an   |
|                      | (Wangenheim)<br>Koch, <i>Crataegus</i>  |                |  | appropriate<br>heat treatment  |
|                      | L., Juglans   |                |  | to achieve   |
|                      | L., Malus   |                |  | a minimum  |
|                      | Mill., <i>Platanus</i>  |                |  | temperature  |
|                      | occidentalis L.,  |                |  | of 56°C for a  |
|                      | Populus L., Prunus  |                |  | minimum duration   |
|                      | L., Pyrus L., Salix   |                |  | of 30 continuous   |
|                      | L., <i>Tilia</i> L., and  |                |  | minutes  |
|                      | Ulmus L., other   |                |  | throughout the   |
|                      | than in the form of:  |                |  | entire profile of the  |
|                      | — sawn<br>wood less   |                |  | wood (including at   |
|                      | than 6mm  |                |  | its core),<br>undergone  |
|                      | than onnin<br>thick,  |                |  | ionizing irradiation   |
|                      | — chips,  |                |  | to achieve a   |
|                      | particles,  |                |  | minimum absorbed   |
|                      | sawdust,  |                |  | dose of 1kGy   |
|                      | shavings,   |                |  | throughout the   |
|                      | wood  |                |  | wood, or   |
|                      | waste and   |                | iii  | been subjected to  |
|                      | scrap,  |                |  | fumigation, the  |
|                      | — wood  |                |  | active ingredient,   |
|                      | packaging   |                |  | the minimum  |
|                      | material,<br>including  |                |  | wood temperature, the rate $(g/m3)$  |
|                      | associated  |                |  | and the exposure   |
|                      | dunnage,  |                |  | time of which  |
|                      | but including wood  |                |  | are indicated on   |
|                      | which has not kept  |                |  | the phytosanitary  |
|                      | its natural round   |                |  | certificate, and   |
|                      | surface   |                |  | n packed in  |
|                      |   |                | such a ma  | anner as to  |
|                      |   |                |  |  |

|       |  |   | <i>Chrysoba</i><br>(Olivier)<br>and stora<br>For the purpose of<br>there must also be<br>heat treatment by a<br>on the wood or any<br>accordance with cu<br>the phytosanitary of<br>For the purpose of<br>national plant prote<br>of the country of o | point (a)(i),<br>evidence of the<br>a mark "HT" put<br>y wrapping in<br>urrent usage and on<br>certificate.<br>point (a)(iii), the<br>ection organisation<br>rigin must have<br>d the national plant<br>ation of the United  |
|-------|--|---|---|--|
| 138B. | Wood of Acer<br>L., Aesculus<br>L., Corylus L.,<br>Fagus sylvatica<br>L., Juglans<br>regia L., Malus<br>Mill., Platanus<br>L., Populus L.,<br>Prunus L., Pyrus<br>communis L.,<br>Quercus L.,<br>Salix L., Sorbus<br>aucuparia L., and<br>Ulmus L., other<br>than:<br>— in the<br>form of: | Canada and the<br>USA   | The wood must be<br>official statement:<br>a that it:<br>i  | accompanied by an<br>originates in an<br>area* which has<br>been established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Chrysobothris</i><br><i>mali</i> (Horn),<br>and that no part<br>of the area lies<br>within 100km of         |
|       | •  | sawn<br>wood<br>less<br>than<br>6mm<br>thick,<br>chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste<br>and<br>scrap,<br>wood<br>packaging<br>material,<br>including | ii  | a known outbreak<br>of <i>Chrysobothris</i><br><i>mali</i> (Horn),<br>has undergone<br>an appropriate<br>heat treatment<br>to achieve<br>a minimum<br>temperature<br>of 56°C for a<br>minimum duration<br>of 30 continuous<br>minutes<br>throughout the<br>entire profile of the<br>wood (including at<br>its core), |

|      | a                         | ssociated      | iii                  | has undergone                 |
|------|---------------------------|----------------|----------------------|-------------------------------|
|      | d                         | unnage,        |                      | ionizing irradiation          |
|      | — in the                  |                |                      | to achieve a minimum absorbed |
|      | case of<br><i>Quercus</i> |                |                      | dose of 1kGy                  |
|      | $\sim$                    |                |                      | throughout the                |
|      | L., in the form of        |                |                      | wood, or                      |
|      | casks,                    |                | iv                   | has been subjected            |
|      | barrels,                  |                | ĨV                   | to fumigation, the            |
|      | vats, tubs                |                |                      | active ingredient,            |
|      | and other                 |                |                      | the minimum                   |
|      | coopers'                  |                |                      | wood temperature,             |
|      | products                  |                |                      | the rate $(g/m3)$             |
|      | and parts                 |                |                      | and the exposure              |
|      | thereof,                  |                |                      | time of which                 |
|      | including                 |                |                      | are indicated on              |
|      | staves,                   |                |                      | the phytosanitary             |
|      | where                     |                |                      | certificate, and              |
|      | there is                  |                | b that it has        | s been packed                 |
|      | documente                 | d              | in such a            | manner as to                  |
|      | evidence                  |                | prevent i            | nfestation with               |
|      | that the                  |                |                      | othris mali (Horn)            |
|      | wood                      |                |                      | ansport and storage.          |
|      | has been                  |                | For the purpose of   |                               |
|      | produced                  |                | there must also be   |                               |
|      | or                        | 1              | heat treatment by a  |                               |
|      | manufactur                | red            | on the wood or any   |                               |
|      | using                     |                |                      | urrent usage and on           |
|      | heat                      |                | the phytosanitary of |                               |
|      | treatment<br>to           |                | For the purpose of   | ection organisation           |
|      | achieve a                 |                | of the country of o  |                               |
|      | minimum                   |                |                      | ed the national plant         |
|      | temperatur                | e              | protection organisa  |                               |
|      | of 176°C                  | C              | Kingdom with wri     |                               |
|      | for 20                    |                | fumigation.          |                               |
|      | minutes,                  |                | * The name(s) of t   | he area(s) must               |
|      | but including wood        |                | be included in the   |                               |
|      | which has not kept        |                | certificate under th | ie heading                    |
|      | its natural round         |                | "Additional declar   | ation.]                       |
|      | surface                   |                |                      |                               |
| 139. | Wood in the form          | Canada and the | The wood must be     | accompanied by                |
| 127. |                           | USA            |                      | statement that                |
|      | in whole or part          |                |                      | es in an area*                |
|      | from Amelanchier          |                | U U                  | accordance with the           |
|      | Medik., Aronia            |                |                      | specified in ISPM4,           |
|      | Medik.,                   |                |                      | to be free from               |
|      | Cotoneaster               |                |                      | andida Fabricius,             |
|      | Medik., Crataegus         |                | <b>^</b>             | statement that                |
|      | L., Cydonia Mill.,        |                |                      | processed into                |
|      | Malus Mill., Prunus       |                |                      | not more than 2.5             |
|      | L., Pyracantha M.         |                |                      | ess and width, or             |
|      | I                         | I              |                      | ,                             |

| Roem., <i>Pyrus</i> L.<br>and <i>Sorbus</i> L.  | has underg<br>heat treatr<br>minimum<br>°C for a m<br>of 30 cont<br>throughou<br>of the woo<br>Where the phytosa<br>includes the officia<br>referred to in poin<br>also be evidence o | anitary certificate<br>al statement<br>t (c), there must<br>f that heat treatment<br>n the phytosanitary<br>area(s) must<br>phytosanitary<br>ne heading   |
|---|---|---|
| Mood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or in<br>part from <i>Acer</i><br>L., <i>Betula</i> L<br>,, <i>Carpinus</i> L.,<br><i>Carya illinoinensis</i><br>(Wangenheim)<br>Koch, <i>Crataegus</i><br>L., <i>Juglans</i> L.,<br><i>Malus</i> Mill.,<br><i>Platanus</i><br><i>occidentalis</i> L.,<br><i>Populus</i> L., <i>Prunus</i><br>L., <i>Pyrus</i> L., <i>Salix</i><br>L., <i>Tilia</i> L., and<br><i>Ulmus</i> L. | official statement a<br>a it has:<br>i<br>i<br>b it has been<br>such a m<br>prevent i<br><i>Chrysob</i>   | undergone an<br>appropriate<br>heat treatment<br>to achieve<br>a minimum<br>temperature<br>of 56°C for a<br>minimum duration<br>of 30 continuous<br>minutes<br>throughout the<br>entire profile of the<br>wood, or<br>been subjected to<br>fumigation, the<br>active ingredient,<br>the minimum<br>wood temperature,<br>the rate (g/m3)<br>and the exposure<br>time of which<br>are indicated on<br>the phytosanitary<br>certificate, and<br>en packed in<br>anner as to<br>nfestation with<br><i>othris femorata</i><br>during transport |

|       |   |                       | the phytosanitary of<br>For the purpose of<br>national plant prot<br>of the country of o | evidence of the<br>a mark "HT" put<br>y wrapping in<br>urrent usage and on<br>certificate.<br>"point (a)(ii), the<br>ection organisation<br>origin must have<br>ed the national plant<br>ation of the United  |
|-------|---|-----------------------|--|---|
| 139B. | Wood in the<br>form of chips,<br>particles, sawdust,<br>shavings, wood<br>waste and scrap<br>obtained in whole<br>or in part from<br>Acer L., Aesculus<br>L., Corylus L.,<br>Fagus sylvatica<br>L., Juglans regia<br>L., Malus Mill.,<br>Platanus L.,<br>Populus L., Prunus<br>L., Pyrus communis<br>L., Quercus L.,<br>Salix L., Sorbus<br>aucuparia L., and<br>Ulmus L. | Canada and the<br>USA | The wood must be<br>official statement:<br>a that it:<br>i                               | e accompanied by an<br>originates in an<br>area* which has<br>been established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Chrysobothris</i><br><i>mali</i> (Horn),<br>and that no part<br>of the area lies<br>within 100km of<br>a known outbreak<br>of <i>Chrysobothris</i><br><i>mali</i> (Horn),<br>has undergone<br>an appropriate<br>heat treatment<br>to achieve<br>a minimum<br>temperature<br>of 56°C for a<br>minimum duration<br>of 30 continuous<br>minutes<br>throughout the<br>entire profile of the<br>wood, or<br>has been subjected<br>to fumigation, the<br>active ingredient,<br>the minimum<br>wood temperature,<br>the rate (g/m3) |

|      |   |  | and the exposure<br>time of which<br>are indicated on<br>the phytosanitary<br>certificate, and<br>b that it has been packed<br>in a manner as to prevent<br>infestation during transport<br>and storage.<br>For the purpose of point (a)(ii),<br>there must also be evidence of the<br>heat treatment by a mark "HT" put<br>on the wood or any wrapping in<br>accordance with current usage and on<br>the phytosanitary certificate.<br>For the purpose of point (a)(iii), the<br>national plant protection organisation<br>of the country of origin must have<br>previously provided the national plant<br>protection organisation of the United<br>Kingdom with written details of the<br>fumigation.<br>* The name(s) of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration.]                                 |
|------|---|--|--|
| 140. | Wood of <i>Prunus</i><br>L., other than in the<br>form of:<br>— chips,<br>particles,<br>sawdust,<br>shavings,<br>wood<br>waste and<br>scrap,<br>obtained<br>in whole<br>or part<br>from<br>these<br>plants,<br>— wood<br>packaging<br>material,<br>except<br>associated<br>controlled<br>dunnage,<br>but including wood<br>which has not kept | China,<br>Democratic<br>People's<br>Republic of<br>Korea,<br>Mongolia,<br>Japan,<br>Republic of<br>Korea,<br>Vietnam and<br>EU Member<br>States other<br>than any EU<br>Member State<br>where <i>Aromia</i><br><i>bungii</i><br>(Faldermann)<br>is known not to<br>occur | The wood must be accompanied by:<br>a an official statement that<br>it originates in an area*<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Aromia bungii</i> (Faldermann),<br>b an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood, or<br>c an official statement that it<br>has undergone appropriate<br>ionizing irradiation to achieve<br>a minimum absorbed dose of<br>1 kGy throughout the wood.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (b), there must<br>also be evidence of that heat treatment<br>by a mark "HT" put on the wood<br>or on any wrapping in accordance |

|      | its natural round<br>surface   |   | with current usage and on the<br>phytosanitary certificate.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration".  |
|------|--|---|--|
| 141. | Wood in the form<br>of chips, particles,<br>sawdust, shavings,<br>wood waste and<br>scrap obtained in<br>whole or part from<br><i>Prunus</i> L.  | Democratic<br>People's<br>Republic of<br>Korea,   | The wood must be accompanied by:<br>a an official statement that<br>it originates in an area*<br>which, in accordance with the<br>measures specified in ISPM4,<br>is known to be free from<br><i>Aromia bungii</i> (Faldermann),<br>b an official statement that<br>it has been processed into<br>pieces of not more than 2.5<br>cm thickness and width, or<br>c an official statement that it<br>has undergone an appropriate<br>heat treatment to achieve a<br>minimum temperature of 56<br>°C for a minimum duration<br>of 30 continuous minutes<br>throughout the entire profile<br>of the wood.<br>Where the phytosanitary certificate<br>includes the official statement<br>referred to in point (c), there must<br>also be evidence of that heat treatment<br>by a mark "HT" on the phytosanitary<br>certificate.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
| 142. | Wood, obtained in<br>whole or in part,<br>from Acer spp.<br>L. Aesculus spp.,<br>Alnus spp. Miller,<br>Betula spp. L.<br>Carpinus spp.,<br>Cercidiphyllum<br>spp. L., Corylus<br>spp., Fagus spp.,<br>Fraxinus spp. L.,<br>Koelreuteria spp.<br>Medikus, Platanus<br>spp. L., Populus<br>spp. L., Salix spp.<br>L., Tilia spp. and | EU Member<br>States other<br>than any EU<br>Member State<br>where<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky)<br>is known not<br>to occur and<br>any other third<br>country where<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky) | In the case of wood:<br>a in the form of chips, particles,<br>shavings, wood waste [ <sup>F160</sup> ,<br>sawdust] or scrap, the wood<br>must be accompanied by:<br>i an official statement<br>that it originates in<br>an area* established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Anoplophora</i>   |

| <ul> <li>iii an official statement<br/>that the wood has<br/>been processed into<br/>pieces of not more<br/>than 2.5 cm thickness<br/>and width,</li> <li>b in any other form, the wood<br/>must be accompanied by: <ul> <li>i an official statement<br/>that it originates in<br/>an area* established<br/>by the national<br/>plant protection<br/>organisation in<br/>accordance with<br/>ISPM4 as an area<br/>that is free from<br/><i>Anoplophora</i><br/><i>glabripennis</i><br/>(Motschulsky), or</li> <li>ii an official statement<br/>that it is debarked<br/>and has undergone<br/>an appropriate<br/>heat treatment to<br/>achieve a minimum<br/>temperature of 56<br/>°C for a minimum<br/>duration of 30</li> </ul> </li> </ul> | <i>Ulmus</i> spp.L.,<br>other than wood<br>packaging material<br>[ <sup>F159</sup> (except<br>associated<br>controlled<br>dunnage),], but<br>including wood<br>which has not<br>retained its natural<br>round surface. | is known<br>occur | to | <i>glabripennis</i><br>(Motschulsky),<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30<br>continuous minutes<br>throughout the entire<br>profile of the wood<br>(including at its core),<br>or |
|--|--|-------------------|----|--|
| must be accompanied by:<br>i an official statement<br>that it originates in<br>an area* established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30   |  |                   |    | iii an official statement<br>that the wood has<br>been processed into<br>pieces of not more<br>than 2.5 cm thickness<br>and width,   |
| i an official statement<br>that it originates in<br>an area* established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| an area* established<br>by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    | i an official statement  |
| by the national<br>plant protection<br>organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| organisation in<br>accordance with<br>ISPM4 as an area<br>that is free from<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30   |  |                   |    |  |
| accordance with<br>ISPM4 as an area<br>that is free from<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| ISPM4 as an area<br>that is free from<br><i>Anoplophora</i><br>glabripennis<br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| that is free from<br><i>Anoplophora</i><br><i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30   |  |                   |    |  |
| Anoplophora<br>glabripennis<br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| <i>glabripennis</i><br>(Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| (Motschulsky), or<br>ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30   |  |                   |    |  |
| ii an official statement<br>that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| that it is debarked<br>and has undergone<br>an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| an appropriate<br>heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    | that it is debarked  |
| heat treatment to<br>achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    | and has undergone  |
| achieve a minimum<br>temperature of 56<br>°C for a minimum<br>duration of 30   |  |                   |    |  |
| temperature of 56<br>°C for a minimum<br>duration of 30  |  |                   |    |  |
| °C for a minimum<br>duration of 30   |  |                   |    |  |
| duration of 30   |  |                   |    | <b>1</b>   |
|  |  |                   |    |  |
| continuous minutes   |  |                   |    | continuous minutes   |
| throughout the entire  |  |                   |    |  |
| profile of the wood  |  |                   |    | •  |
| (including at its core).   |  |                   |    | (including at its core).   |
| Where the phytosanitary certificate  |  |                   |    |  |
| includes the official statement  |  |                   |    |  |
| referred to in point (b)(ii), there must   |  |                   |    | referred to in point (b)(ii), there must   |

|  | <ul> <li>also be evidence of that heat treatment<br/>by a mark "HT" put on the wood or<br/>on any wrapping in accordance with<br/>current usage.</li> <li>* The name of the area(s) must<br/>be included in the phytosanitary<br/>certificate under the heading<br/>"Additional declaration".</li> </ul> |
|--|--|
|--|--|

#### **Textual Amendments**

- F2 Words in Annex 7 Pt. A substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(a)
- **F3** Words in Annex 7 Pt. A inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(a)(i)**
- F4 Words in Annex 7 Pt. A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(a)(i)
- **F5** Words in Annex 7 Pt. A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(a)**
- **F6** Words in Annex 7 Pt. A inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(a)(ii)**
- **F7** Words in Annex 7 Pt. A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(a)**
- **F8** Words in Annex 7 Pt. A inserted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), **5(1)(a)(i)**
- **F9** Word in Annex 7 Pt. A Table Entry 1 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(2)
- F10 Words in Annex 7 Pt. A Entry 2 inserted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), 5(1)(a)(ii)(aa)
- F11 Words in Annex 7 Pt. A Entry 3 inserted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), 5(1)(a)(ii)(bb)
- F12 Words in Annex 7 Pt. A omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(a)
- **F13** Words in Annex 7 Pt. A Table Entry 8 omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(i)**
- F14 Words in Annex 7 Pt. A Entry 9 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(i)
- **F15** Words in Annex 7 Pt. A Entry 11 substituted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), **4(5)(a)**
- F16 Words in Annex 7 Pt. A Entry 13 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(i)
- F17 Words in Annex 7 Pt. A Entry 13 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(ii)
- **F18** Word in Annex 7 Pt. A Entry 13 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(iii)
- F19 Words in Annex 7 Pt. A Entry 13 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(b)(iv)
- **F20** Words in Annex 7 Pt. A Table Entry 20 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(c), **8(2)(a)(i)**

Document Generated: 2024-06-20

- F21 Word in Annex 7 Pt. A Entry 20 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(a)(ii)(aa)
- F22 Words in Annex 7 Pt. A Table Entry 20 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(3)
- F23 Words in Annex 7 Pt. A Entry 20 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(a)(ii)(bb)
- F24 Words in Annex 7 Pt. A Entry 20 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(a)(ii)(cc)
- F25 Words in Annex 7 Pt. A Entry 20 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(ii)**
- F26 Words in Annex 7 Pt. A Entry 21 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(b)(i)
- F27 Word in Annex 7 Pt. A Entry 21 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(b)(ii)(aa)
- F28 Words in Annex 7 Pt. A Entry 21 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(b)(ii)(bb)
- F29 Words in Annex 7 Pt. A Entry 22 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(c)
- **F30** Words in Annex 7 Pt. A Entry 22 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(iii)**
- **F31** Word in Annex 7 Pt. A Entry 24 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(iv)**
- **F32** Words in Annex 7 Pt. A Entry 27 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(v)(aa)
- **F33** Words in Annex 7 Pt. A Entry 27 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(v)(bb)**
- F34 Word in Annex 7 Pt. A Table Entry 28 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(4)
- F35 Words in Annex 7 Pt. A Entry 29 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(d)
- F36 Annex 7 Pt. A Table Entry 30A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(i)
- **F37** Words in Annex 7 Pt. A Entry 31 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(vi)**
- **F38** Words in Annex 7 Pt. A Entry 32 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(vii)**
- **F39** Words in Annex 7 Pt. A Entry 33 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(viii)**
- **F40** Annex 7 Pt. A Table Entries 33A, 33B inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(ii)**
- F41 Word in Annex 7 Pt. A Entry 40 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(c)(i)
- **F42** Words in Annex 7 Pt. A Entry 40 substituted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(c)(ii)

- **F43** Words in Annex 7 Pt. A Entry 40 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(c)(iii)
- F44 Annex 7 Pt. A Entry 42A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), **3(4)**
- F45 Words in Annex 7 Pt. A Table Entry 42A substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(ii)
- F46 Annex 7 Pt. A Table Entry 42B inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 6(2)(b)(iii)
- F47 Words in Annex 7 Pt. A Entry 45 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(d)
- F48 Annex 7 Pt. A Entries 45A, 45B inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(a)(ii)(aa)
- F49 Word in Annex 7 Pt. A Table Entry 45B omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(i)
- **F50** Annex 7 Pt. A Table Entry 48A inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(b)(ii)**
- F51 Words in Annex 7 Pt. A Table Entry 50 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(iii)(aa)
- **F52** Words in Annex 7 Pt. A Table Entry 50 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(iii)(bb)
- F53 Asterisk in Annex 7 Pt. A Entry 50 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(b)(i)
- F54 Words in Annex 7 Pt. A Entry 50 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(b)(ii)
- **F55** Words in Annex 7 Pt. A Entries 52-54 omitted (31.5.2024) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2024 (S.I. 2024/610), regs. 1(2)(a), **2(6)(a)**
- **F56** Words in Annex 7 Pt. A Entries 54A-54C inserted (31.5.2024) by The Phytosanitary Conditions (Amendment) Regulations 2024 (S.I. 2024/610), regs. 1(2)(a), **2(6)(b)**
- **F57** Words in Annex 7 Pt. A Entry 56 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3**(7)(b)(ix)
- **F58** Words in Annex 7 Pt. A Table Entry 57 omitted (29.4.2022) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2022 (S.I. 2022/484), regs. 1(1), **2(2)(a)**
- **F59** Words in Annex 7 Pt. A Table Entry 57 omitted (29.4.2022) by virtue of The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2022 (S.I. 2022/484), regs. 1(1), **2(2)(b)**
- F60 Annex 7 Pt. A Table Entry 63A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(iv)
- F61 Words in Annex 7 Pt. A Entries 64A, 64B inserted (31.5.2024) by The Phytosanitary Conditions (Amendment) Regulations 2024 (S.I. 2024/610), regs. 1(2)(a), 2(6)(c)
- F62 Annex 7 Pt. A Entries 68A, 68B inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(x)
- **F63** Words in Annex 7 Pt. A Entry 71 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xi)**
- **F64** Words in Annex 7 Pt. A Entry 71 omitted (16.11.2022) by virtue of The Animals, Food, Plant Health, Plant Propagating Material and Seeds (Miscellaneous Amendments etc.) Regulations 2022 (S.I. 2022/1090), regs. 1(1), **15(2)**
- **F65** Word in Annex 7 Pt. A Entry 74 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xii)(aa)**
- **F66** Word in Annex 7 Pt. A Entry 74 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xii)(bb)**
- **F67** Words in Annex 7 Pt. A Entry 74 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xii)(cc)**

F68

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up to date with all changes known to be in force on or before 20 June 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Words in Annex 7 Pt. A Entry 76 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and

- Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiii)(aa) F69 Word in Annex 7 Pt. A Entry 76 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiii)(bb) F70 Words in Annex 7 Pt. A Entry 76 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiii)(cc) F71 Words in Annex 7 Pt. A Entry 76 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiii)(dd) F72 Annex 7 Pt. A Entry 83A inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xiv) F73 Words in Annex 7 Pt. A Entry 83A substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(2)(e) F74 Annex 7 Pt. A Entry 85A omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(2)(c) F75 Annex 7 Pt. A Table Entry 92 omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), 6(2)(b)(iv) F76 Annex 7 Pt. A Entries 93A-93C inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xv) F77 Annex 7 Pt. A Entry 93B omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(e)
- F78 Word in Annex 7 Pt. A Table Entry 94 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 6(2)(b)(v)(aa)
- **F79** Words in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(v)(bb**)
- **F80** Word in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(v)(cc)**
- F81 Words in Annex 7 Pt. A Table Entry 94 omitted (24.11.2023) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), 6(2)(b)(v)(dd)
- **F82** Words in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(v)(ee)**
- **F83** Words in Annex 7 Pt. A Table Entry 94 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(vi)**
- **F84** Words in Annex 7 Pt. A Table Entry 94 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(vii)(aa)**
- **F85** Words in Annex 7 Pt. A Table Entry 94 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(vii)(bb)**
- **F86** Words in Annex 7 Pt. A Table inserted (1.10.2023) by The Windsor Framework (Retail Movement Scheme: Public Health, Marketing and Organic Product Standards and Miscellaneous Provisions) Regulations 2023 (S.I. 2023/959), regs. 1(2), **11(2)(a)**
- **F87** Word in Annex 7 Pt. A Entry 95 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(i)
- **F88** Word in Annex 7 Pt. A Entry 95 omitted (8.8.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(ii)(aa)

- **F89** Words in Annex 7 Pt. A Entry 95 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(ii)(bb)
- **F90** Words in Annex 7 Pt. A Entry 95 inserted (8.8.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(b), 4(5)(f)(iii)
- **F91** Words in Annex 7 Pt. A Table Entry 100 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(viii)(aa)**
- **F92** Words in Annex 7 Pt. A Table Entry 100 substituted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(viii)(bb)**
- **F93** Annex 7 Pt. A Table Entry 102A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(b)(vi)**
- **F94** Words in Annex 7 Pt. A Table Entry 102A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(ix)**
- **F95** Annex 7 Pt. A Table Entry 102B inserted (1.10.2023) by The Windsor Framework (Retail Movement Scheme: Public Health, Marketing and Organic Product Standards and Miscellaneous Provisions) Regulations 2023 (S.I. 2023/959), regs. 1(2), **11(2)(b)**
- **F96** Words in Annex 7 Pt. A Table Entry 105A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(b)(vii)**
- **F97** Annex 7 Pt. A Table Entries 105B, 105C inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(x)**
- **F98** Word in Annex 7 Pt. A Table Entry 109 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, **9(5)(a)**
- **F99** Words in Annex 7 Pt. A Table Entry 109 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(5)(b)
- F100 Words in Annex 7 Pt. A Table Entry 109 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(5)(c)
- F101 Words in Annex 7 Pt. A Table Entry 109 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(5) (d)
- F102 Word in Annex 7 Pt. A Table Entry 110 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6)(a)
- F103 Words in Annex 7 Pt. A Table Entry 110 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6)(b)
- F104 Words in Annex 7 Pt. A Table Entry 110 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6)(c)
- F105 Words in Annex 7 Pt. A Table Entry 110 substituted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(6) (d)
- **F106** Word in Annex 7 Pt. A Table Entry 111 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(7)(a)
- F107 Words in Annex 7 Pt. A Table Entry 111 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(7)(b)
- F108 Words in Annex 7 Pt. A Table Entry 111 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(7)(c)
- F109 Word in Annex 7 Pt. A Table Entry 112 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(8)(a)

Document Generated: 2024-06-20

- F110 Words in Annex 7 Pt. A Table Entry 112 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(8)(b)
- F111 Words in Annex 7 Pt. A Table Entry 112 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(8)(c)
- F112 Word in Annex 7 Pt. A Table Entry 113 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(9)(a)
- F113 Words in Annex 7 Pt. A Table Entry 113 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(9)(b)
- F114 Words in Annex 7 Pt. A Table Entry 113 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(9)(c)
- F115 Words in Annex 7 Pt. A Entry 114 omitted (20.4.2021) by virtue of The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xvi)**
- F116 Word in Annex 7 Pt. A Table Entry 114 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(10)(a)
- F117 Words in Annex 7 Pt. A Table Entry 114 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(10)(b)
- F118 Words in Annex 7 Pt. A Table Entry 114 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(10)(c)
- F119 Words in Annex 7 Pt. A Entry 115 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xvii)(aa)
- F120 Asterisks in Annex 7 Pt. A Entry 115 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xvii)(bb)
- F121 Words in Annex 7 Pt. A Entry 115 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xvii)(cc)
- F122 Annex 7 Pt. A Table Entries 115A-115D inserted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(iii)
- F123 Words in Annex 7 Pt. A Entry 116 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xviii)(aa)
- F124 Words in Annex 7 Pt. A Entry 116 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xviii)(bb)
- F125 Words in Annex 7 Pt. A Entry 117 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xix)(aa)**
- F126 Words in Annex 7 Pt. A Entry 117 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xix)(bb)
- F127 Word in Annex 7 Pt. A Entry 118 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xx)(aa)**
- F128 Word in Annex 7 Pt. A Entry 118 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xx)(bb)**
- F129 Words in Annex 7 Pt. A Entry 118 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xx)(cc)
- F130 Words in Annex 7 Pt. A Entry 118 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xx)(dd)
- F131 Words in Annex 7 Pt. A Entry 119 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxi)(aa)
- F132 Words in Annex 7 Pt. A Entry 119 substituted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxi)(bb)
- F133 Words in Annex 7 Pt. A Entry 122 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxii)
- F134 Words in Annex 7 Pt. A Table Entry 122 substituted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(iv)

- F135 Words in Annex 7 Pt. A Table Entry 125 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(viii)
- **F136** Words in Annex 7 Pt. A Table Entry 125 inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2)(b), **6(2)(b)(xi)**
- F137 Annex 7 Pt. A Table Entry 125A inserted (24.11.2023) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (b), 6(2)(b)(xii)
- F138 Words in Annex 7 Pt. A Table Entry 126 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(ix)
- F139 Words in Annex 7 Pt. A Table Entry 127 substituted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(x)
- F140 Words in Annex 7 Pt. A Entry 128 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxiii)
- F141 Annex 7 Pt. A Entries 128A-128D inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(a)(ii)(bb)
- F142 Words in Annex 7 Pt. A Table Entry 128A substituted (2.3.2022) by The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), **3(7)(b)(v)**
- F143 Word in Annex 7 Pt. A Table Entry 128C omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(vi)
- F144 Word in Annex 7 Pt. A Table Entry 128D omitted (2.3.2022) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2022 (S.I. 2022/114), regs. 1(1)(a), 3(7)(b)(vii)
- F145 Words in Annex 7 Pt. A Entry 130 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxiv)(aa)
- F146 Words in Annex 7 Pt. A Entry 130 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxiv)(bb)
- F147 Words in Annex 7 Pt. A Entry 131 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxv)(aa)
- **F148** Word in Annex 7 Pt. A Table Entry 131 omitted (26.11.2021) by virtue of The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(11)(a)
- F149 Words in Annex 7 Pt. A Table Entry 131 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(11)(b)
- F150 Words in Annex 7 Pt. A Table Entry 131 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(11)(c)
- F151 Words in Annex 7 Pt. A Entry 131 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxv)(bb)
- F152 Annex 7 Pt. A Entry 131A inserted (22.6.2021) by The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(a)(ii)(cc)
- F153 Annex 7 Pt. A Table Entry 136A inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), 2(6)(b)(xi)
- F154 Words in Annex 7 Pt. A Table Entry 137 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(12)(a)
- F155 Words in Annex 7 Pt. A Table Entry 137 inserted (26.11.2021) by The Animal Health, Plant Health, Seeds and Seed Potatoes (Miscellaneous Amendments) Regulations 2021 (S.I. 2021/1229), regs. 1, 9(12)(b)
- **F156** Annex 7 Pt. A Table Entries 137A, 137B inserted (2.12.2021) by The Phytosanitary Conditions (Amendment) (No. 2) Regulations 2021 (S.I. 2021/1171), regs. 1(1), **2(6)(b)(xii)**
- F157 Words in Annex 7 Pt. A Entries 138A, 138B inserted (31.5.2024) by The Phytosanitary Conditions (Amendment) Regulations 2024 (S.I. 2024/610), regs. 1(2)(a), 2(6)(d)
- F158 Words in Annex 7 Pt. A Entries 139A, 139B inserted (31.5.2024) by The Phytosanitary Conditions (Amendment) Regulations 2024 (S.I. 2024/610), regs. 1(2)(a), 2(6)(e)
- F159 Words in Annex 7 Pt. A Entry 142 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), 3(7)(b)(xxvi)(aa)

Document Generated: 2024-06-20

**Changes to legislation:** Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up to date with all changes known to be in force on or before 20 June 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

F160 Word in Annex 7 Pt. A Entry 142 inserted (20.4.2021) by The Official Controls, Plant Health, Seeds and Seed Potatoes (Amendment etc.) Regulations 2021 (S.I. 2021/426), regs. 1(2), **3(7)(b)(xxvi)(bb)** 

# PART B

Plants, plant products and other objects originating in third countries which are subject to emergency measures and may only be introduced into Great Britain if special requirements are met

### Modifications etc. (not altering text)

- C4 Annex 7 Pt. B: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 42(4) (4A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(5)(e)**)
- C5 Annex 7 Pt. B: power to amend conferred (31.12.2020) by Regulation (EU) No. 2016/2031, Art. 44(1A) (as substituted by The Plant Health (Amendment etc.) (EU Exit) Regulations 2020 (S.I. 2020/1482), regs. 2(2)(b), **29(7)(a)**)

In this Part, 'ISPM31' means International Standard for Phytosanitary Measures No 31 of April 2008 on methodogies for sampling of consignments prepared by the Secretariat of the IPPC established by the Food and Agriculture Organisation of the United Nations .

|    | (1) Description<br>of plants, plant<br>products or other<br>objects | (2) Origin   |           | (3) Special requirements  |
|----|---|--|-----------|---|
| 1. | Plants for planting,  | EU Member State<br>Liechtenstein an<br>Switzerland | es,<br>ad | <ul> <li>The plants must be accompanied by:</li> <li>a an official statement that the plants originate in an area* established by the national plant protection organisation in accordance with ISPM4 as an area that is free from <i>Phytophthora ramorum</i> Werres, De Cock &amp; Man in 't Veld;</li> <li>b an official statement that since the beginning of the last complete cycle of vegetation no signs of <i>Phytophthora ramorum</i> Werres, De Cock &amp; Man in 't Veld have been observed on the plants at the place of production during official inspections, including laboratory testing of any suspicious symptoms, carried out at least twice during the</li> </ul> |

growing season at appropriate times when the plants were in active growth and with an intensity which took into account the particular production system of the plants, or where signs of *Phytophthora* с ramorum Werres, De Cock & Man in 't Veld have been found on the plants at the place of production, an official statement that appropriate procedures have been implemented for the purpose of eradicating that pest and the plants have been found free from the pest following those procedures, which consisted of at least: i destruction of the infected plants and all susceptible plants within a 2 m radius of the infected plants, including associated growing media and plant debris, ii in the case of plants listed in column (1) of this entry within a 10 m radius of the infected plants and any remaining plants from the infected lot: aa they have been retained at the place of production, bb additional official inspections have been carried out at least twice in the three months after the eradication measures have been taken when

|                      |  |                   | the plants<br>are in active<br>growth,<br>cc no treatments<br>that may<br>suppress<br>symptoms of<br>the plant pest<br>have been<br>carried out<br>in that three<br>month period,<br>and<br>dd the plants<br>have been<br>found free<br>from the<br>pest on these<br>official<br>inspections,<br>iii in the case of all other<br>plants listed in column<br>(1) of this entry at the<br>place of production,<br>the plants have been<br>subjected to intensive<br>official re-inspection<br>and have been found<br>free from the pest on<br>those inspections, and<br>iv appropriate<br>phytosanitary<br>measures have been<br>taken on the growing<br>surface within a 2 m<br>radius of infected<br>plants.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration". |
|----------------------|--|-------------------|--|
| [ <sup>F161</sup> 2. | Plants for planting,<br>other than seeds, that<br>belong to the genera<br>and species listed in<br>the list of Xylella<br>host plants, other than<br>those referred to in<br>entries 3, 4 and 5 of<br>this Table | Any third country | The plants must be accompanied by an official statement:<br>(a) that they have been grown during a period of at least three years before export, or in the case of plants which are younger than three years, have been grown throughout their life, in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), or   |

| (b) that they have been grown during<br>a period of at least three years before<br>export, or in the case of plants which<br>are younger than three years have been<br>grown throughout their life, in an area<br>which has been established by the<br>national plant protection organisation<br>in accordance with ISPM4 as an area<br>that is free from <i>Xylella fastidiosa</i><br>(Wells et al.), or<br>(c) in the case of plants which<br>originate in an area* where <i>Xylella</i> |
|--|
| <i>fastidiosa</i> (Wells et al.) is not known<br>to be absent, an official statement:<br>(i) that the plants have been produced<br>in a site **:   |
| (aa) that is authorised by the national<br>plant protection organisation in<br>accordance with ISPM10 as a site that<br>is free from <i>Xylella fastidiosa</i> (Wells  |
| et al.) and its vectors,<br>(bb) that is physically protected<br>against the introduction of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) by its vectors,  |
| (cc) that is surrounded by a zone<br>with a width of 100 m which has<br>been subject to official inspections<br>twice a year, and where all of the   |
| plants found to be infected with,<br>or to have symptoms of, <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) have been<br>immediately removed, and appropriate  |
| phytosanitary treatments against the<br>vectors of <i>Xylella fastidiosa</i> (Wells<br>et al.) have been applied before that   |
| removal,<br>(dd) that at appropriate times<br>throughout the year, is subject to<br>phytosanitary treatments to maintain<br>freedom from the vectors of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.), including the<br>removal of plants,  |
| (ee) that is subject annually, together<br>with the zone referred to in point (cc),<br>to at least two official inspections<br>during the flight season of the vectors<br>of <i>Xylella fastidiosa</i> (Wells et al.),   |
| (ff) where throughout the production<br>time of the plants, neither symptoms<br>of <i>Xylella fastidiosa</i> (Wells et al.) nor<br>its vectors were found in the site or,  |
| if suspect symptoms were observed,<br>testing was carried out and the absence  |

of Xylella fastidiosa (Wells et al.) confirmed, and (gg) where throughout the production time of the plants, no symptoms of *Xylella fastidios*a (Wells et al.) were found in the zone referred to in point (cc) or, if suspect symptoms were observed, testing was carried out and the absence of Xylella fastidiosa (Wells et al.) confirmed, (ii) that representative samples of each species of the plants from the site have been subject to annual testing, at the most appropriate time, and the absence of Xylella fastidiosa (Wells et al.) has been confirmed on the basis of tests carried out in accordance with internationally validated testing methods. (iii) that the plants have been transported in closed containers or packaging, to prevent infection with *Xylella fastidiosa* (Wells et al.) or any of its known vectors, (iv) that as close to the time of export as is practically possible, the lots of the plants were subject to official visual inspection, sampling and molecular testing, carried out in accordance with internationally validated testing methods, using a sampling scheme able to identify with 99% reliability the level of presence of infected plants of 1%, that targets in particular plants displaying symptoms of Xylella fastidiosa (Wells et al.), and that confirmed the absence of Xvlella fastidiosa (Wells et al.), and (v) that immediately before export, the lots of the plants were subject to phytosanitary treatments against any known vectors of Xylella fastidiosa (Wells et al.), or (d) in the case of plants which originate in an area where Xylella fastidiosa (Wells et al.) is not known to be absent, and which have been grown for their entire production cycle in vitro, an official statement: (i) that the plants have been grown in a site\*\* of production (aa) that is authorised by the national plant protection organisation in the

| country of origin in accordance with<br>ISPM10 as a site of production that is<br>free from <i>Xylella fastidiosa</i> (Wells et<br>al.) and its vectors,<br>(bb) that is physically protected<br>against the introduction of <i>Xylella<br/>fastidiosa</i> (Wells et al.) by its vectors,<br>(cc) that is subjected annually to at<br>least two official inspections carried<br>out at appropriate times, and<br>(dd) where throughout the production<br>time of the plants, neither symptoms<br>of <i>Xylella fastidiosa</i> (Wells et al.)<br>nor its vectors were found in the<br>site or, if suspect symptoms were<br>observed, testing was carried out,<br>and the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) confirmed,<br>(ii) that the plants have been<br>transported under sterile conditions in<br>a transparent container that precludes<br>the possibility of infection by <i>Xylella<br/>fastidiosa</i> (Wells et al.) through its<br>vectors, and<br>(iii) that the plants have been grown<br>from seeds, propagated under sterile<br>conditions from mother plants which<br>have spent their entire lives in an area<br>free from <i>Xylella fastidiosa</i> (Wells et<br>al.) and have been tested and found<br>free from <i>Xylella fastidiosa</i> (Wells et<br>al.), or have been propagated under<br>sterile conditions from mother plants<br>which meet the requirements in point<br>(c)(i) and have been tested and found<br>free from <i>Xylella fastidiosa</i> (Wells et<br>al.).<br>A phytosanitary certificate may not<br>include the official statement referred<br>to in (a) [ <sup>F162</sup> or (b)] unless the national<br>plant protection organisation of the<br>country of origin has previously<br>notified the national plant protection<br>organisation of the United Kingdom of<br>this information in writing.<br>* The name of the area(s) must<br>be included in the phytosanitary<br>certificate under the heading |
|---|
| this information in writing.<br>* The name of the area(s) must  |
|   |

|    |   |                   | certificate under the heading "Additional declaration".  |
|----|---|-------------------|--|
| 3. | Plants intended for<br>planting other than<br>seeds, of <i>Coffea</i><br><i>sp.</i> and <i>Polygala</i><br><i>myrtifolia L.</i> | Any third country | The plants must be accompanied by an official statement:<br>(a) that they have been grown during a period of at least three years before export, or in the case of plants which are younger than three years, have been grown throughout their life in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and (b) that they have been grown in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme which is able to identify with 99% reliability a level of presence of infected plants of 5%, and in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, and (c) in the case of plants of <i>Polygala myrtifolia</i> L. intended for planting, other than seeds, that before their movement out of their production site and as close to that time as practically possible, each lot of plants was subjected in addition to official visual inspection and sampling, as well as testing, in line with international standards of <i>S</i> %, and in which the absence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme which is able to identify with 99% reliability a level of presence of infected plants of <i>S</i> %, and in which the resence of <i>Xylella fastidiosa</i> (Wells et al.), using a sampling scheme which is able to identify with 99% reliability a level of presence of infected plants of 5%, and in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed. A phytosanitary certification may not include the official statement referred to in (a) unless the national plant protection organisation of the United Kingdom of this information in writing. |
| 4. | Plants intended for   | Any third country | The plants must be accompanied by an   |

| <ul> <li>seeds, of Lavandula</li> <li>(a) that they have been grown:</li> <li>(b) curing a period of at least three obtained by the response of the export, or in the case of plants which are younger than three years have been grown throughout their life, in a country which, in accordance with the measures specified in ISPMA, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and</li> <li>(i) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) and present of at least one year before the export of the plants, with a 200m zone surrounding the place of production, its known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspection, which has been registered and sugeryised by the national plant protection organisation for a aperiod of at least one year before the export of the plants, that confirmed the appropriate times;</li> <li>(ii) the plants have been subjected to an annual official inspection, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection of <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspection at an appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection of <i>Xylella fastidiosa</i> (Wells et al.) and the plants have been subjected to an annual official inspection of the resence of <i>Xylella fastidiosa</i></li> <li>(Wells et al.) and was carried out at appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection of the presence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme ab</li></ul> |                   |   |
|--|-------------------|---|
| <ul> <li>oleander L. and Salvia Rosmarinus</li> <li>(Spenner)</li> <li< td=""><td></td><td></td></li<></ul>              |                   |   |
| Salvia       Rosmarinus         (Spenner)       plants which are younger than three years, have been grown throughout their life, in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and         (ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or         (b) in the case of plants, other than unrooted cuttings that:       (i) the plants have been grown in a place of production[ <sup>1698</sup> ] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,         (ii) the place of production, together with a 200m zone surrounding the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate times;         (iii) the plants have been subjected to an annual official inspection at an appropriate time, which included testing sampling and testing in a sampling and testing as angling scheme able to identify with 99% reliability a level of presence of <i>Xylella fastidiosa</i>   |                   |   |
| <ul> <li>(Spenner)</li> <li>years, have been grown throughout their life, in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and</li> <li>(ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or</li> <li>(b) in the case of plants, other than unrooted cuttings that:</li> <li>(i) the plants have been grown in a place of production[<sup>F163</sup>] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,</li> <li>(ii) the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, (iv) immediately before their export, the plants were subjected to an official visual inspection for the presence</li> </ul>   |                   |   |
| <ul> <li>their life, in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and</li> <li>(ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or</li> <li>(b) in the case of plants, other than unrooted cuttings that:</li> <li>(i) the plants have been grown in a place of production, <sup>1644</sup>   which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,</li> <li>(ii) the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate, that was carried out at appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, (iv) immediately before their export, the plants were subjected to an official visual inspection for the presence</li> </ul>   | Salvia Rosmarinus | plants which are younger than three           |
| accordance with the measures<br>specified in ISPM4, is known to be<br>free from Xylella fastidiosa (Wells et<br>al.), and<br>(ii) in a site that is subject to annual<br>official inspection, with sampling and<br>testing carried out at the appropriate<br>times on those plants for the presence<br>of Xylella fastidiosa (Wells et al.)<br>and in accordance with international<br>standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of Xylella<br>fastidiosa (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production[ <sup>F163</sup> ] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from Xylella fastidiosa<br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>at appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   | (Spenner)         | years, have been grown throughout             |
| specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and (ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or (b) in the case of plants, other than unrooted cuttings that: <ul> <li>(i) the plants have been grown in a place of production [<sup>FIAA</sup>] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants, together with a 200m zone surrounding the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence with international standards using a sampling scheme able to identify with 99% reliability a level of presence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of <i>S</i>%, (iv) immediately before their export, the plants were subjected to an onficial visual inspection for the presence</li> </ul>   |                   | their life, in a country which, in            |
| free from <i>Xylella fastidiosa</i> (Wells et al.), and<br>(ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or (b) in the case of plants, other than unrooted cuttings that:<br>(i) the plants have been grown in a place of production  <sup>F163</sup> with which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants, (ii) the place of production, together with a 200m zone surrounding the place of official inspections, which included testing where appropriate, that was carried out at an appropriate times;<br>(iii) the plants have been subjected to an annual official inspection at an appropriate times;<br>(iii) the plants have been subjected to an annual official supervised by reliability a level of production, the plants are before times; (b) in the case of production, the plants are before the export at the space of the statidiosa (Wells et al.) and the assist of official inspection at an appropriate times; (b) where appropriate times; (b) in the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, (iv) immediately before their export, the plants were subjected to an official visual inspection for the presence  |                   | accordance with the measures                  |
| <ul> <li>al.), and</li> <li>(ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or</li> <li>(b) in the case of plants, other than unrooted cuttings that:</li> <li>(i) the plants have been grown in a place of production[<sup>F163</sup>] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,</li> <li>(ii) the place of production, together with a 200m zone surrounding the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included testing where appropriate time, which included testing the basence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out at appropriate time, which included testing the testing and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, (iv) immediately before their export, the plants new esubjected to an onficial visual inspection of an onficial visual inspection of an experiment.</li> </ul>   |                   | specified in ISPM4, is known to be            |
| <ul> <li>(ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times on those plants for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or</li> <li>(b) in the case of plants, other than unrooted cuttings that:</li> <li>(i) the plants have been grown in a place of production[<sup>FIG3</sup>#] Which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,</li> <li>(ii) the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official fastidiosa (Wells et al.) and was carried out at appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, (iv) immediately before their export, the plants were subjected to an onficial visual inspection for the presence</li> </ul>  |                   | free from <i>Xylella fastidiosa</i> (Wells et |
| official inspection, with sampling and<br>testing carried out at the appropriate<br>times on those plants for the presence<br>of <i>Xylella fastidiosa</i> (Wells et al.)<br>and in accordance with international<br>standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production [ <sup>FI64</sup> ] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate times;<br>(iii) the plants have been subjected<br>to an annual official fastidiosa<br>(Wells et al.) and was carried out<br>at appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the oidentify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   | al.), and                                     |
| official inspection, with sampling and<br>testing carried out at the appropriate<br>times on those plants for the presence<br>of <i>Xylella fastidiosa</i> (Wells et al.)<br>and in accordance with international<br>standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production [ <sup>FI64</sup> ] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate times;<br>(iii) the plants have been subjected<br>to an annual official fastidiosa<br>(Wells et al.) and was carried out<br>at appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the oidentify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   | (ii) in a site that is subject to annual      |
| testing carried out at the appropriate<br>times on those plants for the presence<br>of <i>Xylella fastidiosa</i> (Wells et al.)<br>and in accordance with international<br>standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production [ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>at appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>at appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   | official inspection, with sampling and        |
| times on those plants for the presence<br>of <i>Xylella fastidiosa</i> (Wells et al.)<br>and in accordance with international<br>standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production [ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>at appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   | testing carried out at the appropriate        |
| of <i>Xylella fastidiosa</i> (Wells et al.)<br>and in accordance with international<br>standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production[ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| and in accordance with international<br>standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of Xylella<br>fastidiosa (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production[ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from Xylella fastidiosa<br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of Xylella fastidiosa<br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| standards, using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of Xylella<br>fastidiosa (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production[ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from Xylella fastidiosa<br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of Xylella fastidiosa<br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%, in which the absence of <i>Xylella</i><br><i>fastidiosa</i> (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production[ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| <ul> <li>level of presence of infected plants of 5%, in which the absence of Xylella fastidiosa (Wells et al.) was confirmed, or</li> <li>(b) in the case of plants, other than unrooted cuttings that:</li> <li>(i) the plants have been grown in a place of production[<sup>F163</sup>*] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,</li> <li>(ii) the place of production, together with a 200m zone surrounding the place of production, is known to be free from Xylella fastidiosa</li> <li>(Wells et al.) on the basis of official inspections, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of Xylella fastidiosa</li> <li>(Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%,</li> <li>(iii) immediately before their export, the plants were subjected to an official visual inspection for the presence</li> </ul>  |                   |   |
| <ul> <li>5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or</li> <li>(b) in the case of plants, other than unrooted cuttings that:</li> <li>(i) the plants have been grown in a place of production [<sup>F163</sup>*] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,</li> <li>(ii) the place of production, together with a 200m zone surrounding the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%,</li> <li>(iv) immediately before their export, the plants were subjected to an onficial visual inspection for the presence</li> </ul>   |                   |   |
| fastidiosa (Wells et al.) was confirmed,<br>or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production  $^{F163}$ ] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br><i>5%</i> ,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| or<br>(b) in the case of plants, other than<br>unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production[ <sup>FI63</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production [ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| unrooted cuttings that:<br>(i) the plants have been grown in a<br>place of production [ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   | (b) in the case of plants, other than         |
| (i) the plants have been grown in a<br>place of production[ $^{F163}*$ ] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| place of production[ <sup>F163</sup> *] which has<br>been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| been registered and supervised by the<br>national plant protection organisation<br>for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| <ul> <li>national plant protection organisation<br/>for a period of at least one year before<br/>the export of the plants,</li> <li>(ii) the place of production, together<br/>with a 200m zone surrounding<br/>the place of production, is known<br/>to be free from <i>Xylella fastidiosa</i><br/>(Wells et al.) on the basis of official<br/>inspections, which included testing<br/>where appropriate, that was carried out<br/>at appropriate times;</li> <li>(iii) the plants have been subjected<br/>to an annual official inspection at<br/>an appropriate time, which included<br/>sampling and testing, that confirmed<br/>the absence of <i>Xylella fastidiosa</i><br/>(Wells et al.) and was carried out<br/>in accordance with international<br/>standards using a sampling scheme<br/>able to identify with 99% reliability a<br/>level of presence of infected plants of<br/>5%,</li> <li>(iv) immediately before their export,<br/>the plants were subjected to an official<br/>visual inspection for the presence</li> </ul>  |                   |   |
| for a period of at least one year before<br>the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| the export of the plants,<br>(ii) the place of production, together<br>with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| <ul> <li>(ii) the place of production, together with a 200m zone surrounding the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate, that was carried out at appropriate times;</li> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%,</li> <li>(iv) immediately before their export, the plants were subjected to an official visual inspection for the presence</li> </ul>   |                   |   |
| with a 200m zone surrounding<br>the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| the place of production, is known<br>to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| to be free from <i>Xylella fastidiosa</i><br>(Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| (Wells et al.) on the basis of official<br>inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| inspections, which included testing<br>where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| where appropriate, that was carried out<br>at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| at appropriate times;<br>(iii) the plants have been subjected<br>to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| <ul> <li>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, (iv) immediately before their export, the plants were subjected to an official visual inspection for the presence</li> </ul>   |                   |   |
| to an annual official inspection at<br>an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| an appropriate time, which included<br>sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| sampling and testing, that confirmed<br>the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| the absence of <i>Xylella fastidiosa</i><br>(Wells et al.) and was carried out<br>in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| <ul> <li>(Wells et al.) and was carried out<br/>in accordance with international<br/>standards using a sampling scheme<br/>able to identify with 99% reliability a<br/>level of presence of infected plants of<br/>5%,</li> <li>(iv) immediately before their export,<br/>the plants were subjected to an official<br/>visual inspection for the presence</li> </ul>   |                   |   |
| in accordance with international<br>standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| standards using a sampling scheme<br>able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| able to identify with 99% reliability a<br>level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| level of presence of infected plants of<br>5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   |   |
| 5%,<br>(iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence   |                   |   |
| (iv) immediately before their export,<br>the plants were subjected to an official<br>visual inspection for the presence  |                   | · · · ·                                       |
| the plants were subjected to an official visual inspection for the presence  |                   |   |
| visual inspection for the presence   |                   |   |
|  |                   |   |
| or Ayrena jasnaiosa (wens et al.)  |                   |   |
|  |                   | or Ayrena justiaiosa (wells et al.)           |

| and, where any symptoms giving                   |
|--|
| rise to a suspicion of its presence              |
| were observed, were tested in line               |
| with international standards for its             |
| presence, confirming its absence,                |
| (v) where there has been any evidence            |
| of the presence of the vector of <i>Xylella</i>  |
| fastidiosa (Wells et al.) at the place           |
| of production, chemical and cultural             |
| controls have been used to suppress              |
| the vector, and                                  |
| (vi) the plants have been grown                  |
| throughout their life under complete             |
| physical protection, and appropriate             |
| hygiene measures have been                       |
| implemented at the place of                      |
| production to ensure that <i>Xylella</i>         |
| <i>fastidiosa</i> (Wells et al.) is not          |
| transmitted by tools or equipment,               |
| (c) in the case of unrooted cuttings,            |
| that they derive from mother plants              |
| which were grown in accordance                   |
| with the requirements specified in               |
| paragraph (a) or (b), or                         |
| (d) in the case of plants which                  |
| originate in an area where <i>Xylella</i>        |
| <i>fastidiosa</i> (Wells et al.) is not known    |
| to be absent and which have been                 |
| grown for their entire production cycle          |
| in vitro:  |
| (i) that the plants have been grown in a         |
| site $^{F164}$ of production [ $^{F165*}$ ] :    |
|  |
| (aa) that is authorised by the national          |
| plant protection organisation in the             |
| country of origin in accordance with             |
| ISPM10 as a site of production that is           |
| free from <i>Xylella fastidiosa</i> (Wells et    |
| al.) and its vectors,                            |
| (bb) that is physically protected                |
| against the introduction of <i>Xylella</i>       |
| <i>fastidiosa</i> (Wells et al.) by its vectors, |
| (cc) that is subjected annually to at            |
| least two official inspections carried           |
| out at appropriate times, and                    |
| (dd) where, throughout the production            |
| time of the plants, no symptoms of               |
| <i>Xylella fastidiosa</i> (Wells et al.) or its  |
| vectors were found in the site or, if            |
| suspect symptoms were observed,                  |
| testing was carried out, and the                 |
| absence of <i>Xylella fastidiosa</i> (Wells et   |
| al.) confirmed,                                  |
|  |

(ii) that the plants have been transported under sterile conditions in a transparent container that precludes the possibility of infection by *Xylella* fastidiosa (Wells et al.) through its vectors, and (iii) that the plants have been grown under sterile conditions: (aa) from seeds. (bb) from mother plants which meet the requirements set out in (a), or (cc) from mother plants which meet the requirements set out in (b). A phytosanitary certificate may not include the official statement referred to in (a) unless the national plant protection organisation of the country of origin has previously notified the national plant protection organisation of the United Kingdom of this information in writing. A phytosanitary certificate may not include the official statement referred to in (b) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the place(s) of production. A phytosanitary certificate may not include the official statement referred to in (c) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the place(s) of production. A phytosanitary certificate may not include the official statement referred to in (d) unless the national plant protection organisation of the country of origin has previously provided the national plant protection organisation of the United Kingdom with written details of the site(s) of production. [<sup>F166</sup>\*The name(s) of the place(s) or site(s) of production, as the case may be, must be included in the phytosanitary certificate under the heading "Additional declaration".]

| 5. | Plants intended for<br>planting other than<br>seeds<br>FI67<br>of Olea europaea<br>L. and Prunus dulcis<br>(Mill.) D.A. Webb |  | The plants must be accompanied by an official statement:<br>(a) that they have been grown:<br>(i) during a period of at least three years before export, or in the case of plants which are younger than three years, throughout their life, in a country which, in accordance with the measures specified in ISPM4, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.), and<br>(ii) in a site that is subject to annual official inspection, with sampling and testing carried out at the appropriate times for the presence of <i>Xylella fastidiosa</i> (Wells et al.) and in accordance with international standards, using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 5%, in which the absence of <i>Xylella fastidiosa</i> (Wells et al.) was confirmed, or<br>(b) that:<br>(i) the plants have been grown in a place of production [ <sup>F168*</sup> ] which has been registered and supervised by the national plant protection organisation for a period of at least one year before the export of the plants,<br>(ii) the place of production, together with a 200m zone surrounding the place of production, is known to be free from <i>Xylella fastidiosa</i> (Wells et al.) on the basis of official inspections, which included testing where appropriate, carried out at appropriate times during the 12 months before the export of the plants,<br>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included testing where appropriate, carried out at appropriate times during the 12 months before the export of the plants,<br>(iii) the plants have been subjected to an annual official inspection at an appropriate time, which included sampling and testing, that confirmed the absence of <i>Xylella fastidiosa</i> (Wells et al.) and was carried out in accordance with international standards using a sampling scheme able to identify with 99% reliability a level of presence of infected plants of 1%, (iv) immediately before their export, the plants were subjected to an official |
|----|--|--|--|
|----|--|--|--|

visual inspection for the presence of *Xylella fastidiosa* (Wells et al.) and, where any symptoms giving rise to a suspicion of its presence were observed, were tested in line with international standards for its presence, confirming its absence, and (v) where the place of production of the plants is located in an area where *Xylella fastidiosa* (Wells et al.) is known to occur, the plants have been grown under complete physical protection for a period of at least four years before their export or, in the case of plants which are younger than four years, throughout their life, or (c) in the case of plants which originate in an area where Xylella fastidiosa (Wells et al.) is not known to be absent and have been grown for their entire production cycle in vitro, an official statement: (i) that the plants have been grown in a site  $^{F169}$ ... of production  $[^{F170}*]$  : (aa) that is authorised by the national plant protection organisation in the country of origin in accordance with ISPM10 as a site of production that is free from Xylella fastidiosa (Wells et al.) and its vectors, (bb) that is physically protected against the introduction of Xylella *fastidiosa* (Wells et al.) by its vectors, (cc) that is subjected annually to at least two official inspections carried out at appropriate times, and (dd) where, throughout the production time of the plants, no symptoms of Xylella fastidiosa (Wells et al.) or its vectors were found in the site or, if suspect symptoms were observed, testing was carried out, and the absence of Xylella fastidiosa (Wells et al.) confirmed. (ii) that the plants have been transported under sterile conditions in a transparent container that precludes the possibility of infection by *Xylella* fastidiosa (Wells et al.) through its vectors, and (iii) that the plants have been grown under sterile conditions:

|   |                   | (aa) from seeds, or<br>(bb) from mother plants which meet<br>the requirements set out in (a), or<br>(cc) from mother plants which meet<br>the requirements set out in (b).<br>A phytosanitary certificate may<br>not include the official statement<br>referred to in (a) unless the national<br>plant protection organisation of the<br>country of origin has previously<br>notified the national plant protection<br>organisation of the United Kingdom of<br>this information in writing.<br>A phytosanitary certificate may not<br>include the official statement referred<br>to in (b) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of the place(s) of production.<br>Plants meeting the requirements of<br>the official statement referred to in (b)<br>should be individually labelled with a<br>tamper proof label or other secure seal<br>that cannot be re-used, is readable and<br>undamaged, and gives the detail of the<br>place of production, and the place of<br>production should also be indicated on<br>the phytosanitary certificate<br>A phytosanitary certificate may not<br>include the official statement referred<br>to in (c) unless the national plant<br>protection organisation of the country<br>of origin has previously provided the<br>national plant protection organisation<br>of the United Kingdom with written<br>details of the site(s) of production.<br>[ <sup>F171</sup> *The name(s) of the place(s)<br>or site(s) of production, as the case<br>may be, must be included in the<br>phytosanitary certificate under the<br>heading "Additional declaration".]] |
|---|-------------------|--|
| Seeds of <i>Solanum</i><br><i>lycopersicum</i> L.<br>and <i>Capsicum</i> spp.,<br>intended for planting | Any third country | <ul> <li>The seeds must be accompanied by:</li> <li>a an official statement that<br/>they are of <i>Capsicum</i> spp.<br/>varieties which are known to<br/>be resistant to Tomato brown<br/>rugose fruit virus, <sup>F172</sup></li> <li>b an official statement:</li> </ul>   |

6.

i that the mother plants of seeds have been produced in a production site\* where Tomato brown rugose fruit virus is known not to occur on the basis of official inspections carried out at the appropriate time to detect that pest, and

- ii that the seeds or their mother plants have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be free from that pest J<sup>F173</sup>: or
- c) in the case of any seeds which were harvested before 15th August 2020, an official statement stating that "The seeds were harvested before 15th August 2020 and the seeds have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be free from that pest.]

\*The name of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration".

For the purposes of [<sup>F174</sup>points (b)(ii) and (c)], the official sampling and testing of the seeds must be carried out in accordance with the paragraphs below.

The official sampling of seeds for testing must be carried out in accordance with the following sampling schemes referred to in the relevant table of ISPM31: —in the case of seed lots which include 3000 or fewer seeds, a hypergeometric sampling scheme that is able to identify with 95% reliability

|    |  |                   | a level of presence of infected plants<br>of 10% or above,<br>—in the case of seed lots which<br>include 30000 or fewer seeds, but<br>more than 3000 seeds, a sampling<br>scheme that is able to identify with<br>95% reliability a level of presence of<br>infected plants of 1% or above,<br>—in the case of seed lots which<br>include more than 30000 seeds,<br>a sampling scheme that is able to<br>identify with 95% reliability a level of<br>presence of infected plants of 0.1% or<br>above.<br>Sub samples must consist of nor more<br>tha 1000 seeds for Polymerase Chain<br>Reaction (PCR) methods.<br>The testing of seeds must be carried<br>out using one of the following<br>methods and the method used must<br>be included in the phytosanitary<br>certificate under the heading<br>"Additional declaration":<br>—real-time RT-PCR using the primers<br>and probes described in the ISF<br>protocol (2020), or<br>—real-time RT-PCR using primers<br>and probe of Menzel and Winter (Acta<br>Horticulturae, in press). |
|----|--|-------------------|--|
| 7. | Plants for planting of <i>Solanum</i><br><i>lycopersicum</i> L. and <i>Capsicum</i> spp. | Any third country | The plants must be accompanied by:<br>a an official statement that<br>they are of <i>Capsicum</i> spp.<br>varieties which are known to<br>be resistant to Tomato brown<br>rugose fruit virus, or<br>b an official statement that:<br>i the plants are derived<br>from seeds which<br>have undergone<br>sampling and testing<br>for Tomato brown<br>rugose fruit virus in<br>the manner set out in<br>column (3) of entry<br>6 which has shown<br>them to be free from<br>that pest, and<br>ii the plants have<br>been produced in<br>a production site*<br>which is registered<br>and supervised   |

by the national plant protection organisation in the country of origin and is known to be free from Tomato brown rugose fruit virus on the basis of official inspections carried out at the appropriate time to detect that pest, and where the plants have shown symptoms of Tomato brown rugose fruit virus, the plants have undergone official sampling and testing for Tomato brown rugose fruit virus and have been found, according to those tests, to be free from that pest. \*The name of the site(s) of production must be included in the phytosanitary certificate under the heading "Additional declaration". For the purposes of point (b)(ii), the official sampling and testing of the seeds must be carried out in accordance with the paragraphs below. In the case of plants for planting, 200 leaves must be collected per site of production and cultivar. In case of symptomatic plants, sampling for testing must be performed on at least 3 symptomatic leaves. One of the following testing methods must be carried out for the detection of Tomato brown rugose fruit virus: —in the case of symptomatic material only, ELISA, -conventional RT-PCR using the primers of Alkowni et al. (2019), -conventional RT-PCR using the primers of Rodriguez-Mendoza et al. (2019). -real-time RT-PCR using the primers and probes described in the ISF protocol (2020),

#### **Textual Amendments**

- F161 Annex 7 Pt. B Table entries 2-5 substituted (4.3.2021) by The Official Controls and Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/136), regs. 1(1), 5(1)(b) (as amended by S.I. 2021/187, regs. 1, 2(4))
- F162 Words in Annex 7 Pt. B Entry 2 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(a)
- F163 Asterisk in Annex 7 Pt. B Entry 4 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(i)
- F164 Asterisks in Annex 7 Pt. B Entry 4 omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(ii)(aa)
- F165 Asterisk in Annex 7 Pt. B Entry 4 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(ii)(bb)
- F166 Words in Annex 7 Pt. B Entry 4 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(b)(iii)
- F167 Words in Annex 7 Pt. B Entry 5 omitted (22.6.2021) by virtue of The Phytosanitary Conditions (Amendment) Regulations 2021 (S.I. 2021/641), regs. 1(2), 2(4)(b)
- F168 Asterisk in Annex 7 Pt. B Entry 5 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(i)
- F169 Asterisks in Annex 7 Pt. B Entry 5 omitted (3.5.2023) by virtue of The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(ii)(aa)
- F170 Asterisk in Annex 7 Pt. B Entry 5 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(ii)(bb)
- F171 Words in Annex 7 Pt. B Entry 5 inserted (3.5.2023) by The Phytosanitary Conditions (Amendment) (No. 3) Regulations 2022 (S.I. 2022/1120), regs. 1(1), 6(3)(c)(iii)
- F172 Word in Annex 7 Pt. B Entry 6 omitted (2.5.2024) by virtue of The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(3)(a)(i)
- F173 Words in Annex 7 Pt. B Entry 6 inserted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(3)(a)(ii)
- F174 Words in Annex 7 Pt. B Entry 6 substituted (2.5.2024) by The Official Controls (Plant Health) (Prior Notification) and Phytosanitary Conditions (Amendment) Regulations 2023 (S.I. 2023/1131), regs. 1(2) (c), 8(3)(b)

## Changes to legislation:

Commission Implementing Regulation (EU) 2019/2072, ANNEX 7 is up to date with all changes known to be in force on or before 20 June 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations.

View outstanding changes

# Changes and effects yet to be applied to the whole legislation item and associated provisions

Annex 5 Pt. K inserted by S.I. 2024/610 reg. 3(4)(b)