
Status: Point in time view as at 31/12/2020.

Changes to legislation: There are outstanding changes not yet made to Commission Implementing Regulation (EU) 2019/627. Any changes that have already been made to the legislation appear in the content and are referenced with annotations. (See end of Document for details)

ANNEX V

RECOGNISED METHODS FOR THE DETECTION OF MARINE BIOTOXINS IN ACCORDANCE WITH ARTICLE 60

CHAPTER II

AMNESIC SHELLFISH POISON DETECTION METHOD

- A. The amnesic shellfish poisoning (ASP) toxins content of the entire body or any part edible separately of bivalve molluscs shall be determined using the high-performance liquid chromatography with ultraviolet detection (HPLC/UV) method or any other internationally recognised validated method.
- B. However, for screening purposes, AOAC official method 2006.02, as published in *AOAC International Journal* 90, 1011-1027 (ASP enzyme-linked immunosorbent assay (ELISA) method), or any other internationally recognised validated method may also be used.
- C. If the results are challenged, the reference method shall be the HPLC/UV method.

Status:

Point in time view as at 31/12/2020.

Changes to legislation:

There are outstanding changes not yet made to Commission Implementing Regulation (EU) 2019/627. Any changes that have already been made to the legislation appear in the content and are referenced with annotations.