

1995 No. 33

AGRICULTURE

PESTICIDES

**Pesticides (Maximum Residue Levels in Crops, Food and
Feeding Stuff) (EEC Limits) Regulations
(Northern Ireland) 1995**

Made 13th February 1995

Coming into operation 24th April 1995

The Department of Agriculture, being a Department designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it by the said section 2(2) and of every other power enabling it in that behalf, hereby makes the following Regulations:

Citation and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (EEC Limits) Regulations (Northern Ireland) 1995 and shall come into operation on 24th April 1995.

Interpretation

2.—(1) In these Regulations—

“authorised officer” means an officer of any Northern Ireland Department authorised by it to carry out functions under these Regulations;

“pesticide” means any pesticide specified in column 1 of Schedule 1;

“premises” includes any land, vehicle, vessel, aircraft or hovercraft;

“product” means any crop, food or feeding stuff specified in Schedule 2;
and

“putting into circulation”, in relation to any product, means any handing over, whether or not for a consideration, of that product—

(a) in the case of fruit and vegetables, after they have been harvested,
and

(a) S.I. 1972/1811

(b) 1972 c. 68; section 2 is subject to Schedule 2 to that Act and is to be read with S.I. 1984/703 (N.I. 3) and S.R. 1984 No. 253

(b) in any other case, at any time(a).

(2) Any reference in a Schedule to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

(3) The Interpretation Act (Northern Ireland) 1954(b) shall apply to these Regulations as it applies to a Measure of the Northern Ireland Assembly.

Meaning of pesticide residue

3. Any reference in these Regulations to a pesticide residue contained in any product after the product has—

(a) had a pesticide applied to it; or

(b) been grown on land to which a pesticide has been applied,

shall be construed as a reference to the substance specified in column 2 of Schedule 1 opposite the reference to that pesticide.

Maximum residue levels

4. Where any product has—

(a) had a pesticide applied to it; or

(b) been grown on land to which a pesticide has been applied,

a person shall not put that product into circulation if it contains a level of pesticide residue greater than the number of milligrammes of that residue per kilogramme of the product (if any) specified in Schedule 2 under the name of that pesticide opposite the name of that product.

Seizure or disposal of products

5.—(1) This regulation applies to any product the putting into circulation of which is prohibited by regulation 4.

(2) Any Northern Ireland Department shall have the power to—

(a) seize or dispose of any consignment containing a product to which this regulation applies, or any part of it, or to direct that some other person shall dispose of that consignment; or

(b) direct some other person to take such remedial action in relation to that consignment as appears to that Department to be necessary.

Powers of an Authorised Officer

6.—(1) An authorised officer may, at any reasonable time and on production if so required of his authority, enter any premises if he has reasonable grounds to believe that it is necessary for him to do so for the purposes of these Regulations.

(2) Where an authorised officer has entered any premises in accordance with paragraph (1) he may, for the purposes of these Regulations—

(a) This definition is derived, in its application to fruit and vegetables, from Article 2(2) of Council Directive 76/895/EEC (O.J. No. L340, 9.12.76, p. 26) and, in its application to other products, from Article 2(2) of Council Directive 86/362/EEC (O.J. No. L221, 7.8.86, p. 37) and Article 2(2) of Council Directive 86/363/EEC (O.J. No. L221, 7.8.86, p. 43)

(b) 1954 c. 33 (N.I.)

- (a) open any container;
- (b) carry out searches, inspections, measurements and tests;
- (c) take samples;
- (d) require the production of documents, books and records;
- (e) photograph or copy anything whose production he has the power to require under sub-paragraph (d).

Sampling and analysis

7. In determining whether the level of pesticide residue contained in any product exceeds the limit permitted by regulation 4 for it to be put into circulation—

- (a) only so much of that product shall, so far as is practicable, be taken into account as is specified in column 3 of Schedule 3 opposite the name of that product in column 2, and
- (b) the procedure laid down in Part 5 of the Codex Recommendations Concerning Pesticide Residues(a) shall so far as is practicable be followed, and
- (c) in the case of any product specified in paragraphs 3, 4 or 5 of Schedule 2 which has been dried, that Schedule shall have effect as if for the number of milligrammes of each pesticide residue specified opposite the name of that product there were substituted that number of milligrammes divided by the fraction of 1 kilogramme to which 1 kilogramme of the product is reduced by the drying process.

Offences and penalties

8.—(1) A person who, without reasonable excuse, contravenes, or causes or permits any other person to contravene regulation 4 shall be guilty of an offence, and shall be liable—

- (a) on summary conviction, to a fine not exceeding £2,000; and
- (b) on conviction on indictment, to a fine.

(2) A person who, without reasonable excuse fails to comply with any direction given under regulation 5(2), shall be guilty of an offence and liable on summary conviction, to a fine not exceeding £2,000.

(3) Any person who intentionally obstructs an authorised officer in the performance of his functions under these Regulations is guilty of an offence and liable on summary conviction to a fine not exceeding £2,000.

(4) In any proceedings for an offence under paragraph (1) it is a defence for the person charged to prove that when the product to which the proceedings relate was put into circulation—

- (a) it was so put with the intention of its being exported to a country outside the European Community and the level of pesticide residue in

(a) Food and Agriculture Organisation of the United Nations and World Health Organisation joint Food Standards Programme Codex Alimentarius Commission, document CAC/PR5-1984. Part 5 is entitled "Recommended Method of Sampling for the Determination of Pesticide Residues"

that product was caused by the application thereto of a treatment which was—

- (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory, or
 - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that—
- (i) it be used in the manufacture of things other than foodstuffs and animal feed, or
 - (ii) it be used for sowing or planting.

Sealed with the Official Seal of the Department of Agriculture for Northern Ireland on 13th February 1995.

(L.S.)

I. C. Henderson

Assistant Secretary

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Acephate Aldrin and dieldrin Aminotriazole Atrazine	acephate singly or combined, expressed as dieldrin (HEOD) aminotriazole atrazine
Binapacryl Bromophos-ethyl	binapacryl bromophos-ethyl
Camphechlor (Toxaphene)	camphechlor (toxaphene)
Captafol Carbaryl	captafol carbaryl
Carbendazim, Benomyl and Thiophanate-methyl	carbendazim, benomyl and thiophanate-methyl (expressed as carbendazim)
Carbon disulphide Carbon Tetrachloride	carbon disulphide carbon tetrachloride
Cartap Chlordane	cartap (1) for products of animal origin: sum of <i>cis</i> - and <i>trans</i> - isomers and oxychlordane, expressed as chlordane; (2) for cereals, fruit and vegetables: sum of <i>cis</i> - and <i>trans</i> -isomers, expressed as chlordane
Chlorothalonil Chlorpyrifos Chlorpyrifos-methyl Cypermethrin	chlorothalonil chlorpyrifos chlorpyrifos-methyl cypermethrin (sum of isomers)
DDT	sum of <i>pp'</i> — DDT, <i>op'</i> — DDT, <i>pp'</i> — DDE and <i>pp'</i> — TDE (DDD) expressed as DDT
Deltamethrin Diazinon	deltamethrin diazinon
1,2-Dibromoethane Dichlorvos	1,2-dibromoethane dichlorvos
Dichlorprop Dimethoate	dichlorprop (including dichlorprop P) dimethoate
Dinoseb Dioxathion	dinoseb dioxathion
Endosulfan	sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan
Endrin Ethion	endrin ethion
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)
Fenvalerate	fenvalerate (sum of isomers)
Glyphosate	glyphosate

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hexachlorobenzene (HCB)	hexachlorobenzene
Hexachloro-cyclohexane (HCH)	hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2
Hydrogen cyanide	cyanides expressed as hydrogen cyanide
Hydrogen phosphide	phosphides expressed as hydrogen phosphide
Imazalil	imazalil
Inorganic bromide	determined and expressed as total bromine from all sources
Iprodione	iprodione
Malathion	sum of malathion and malaoxon, expressed as malathion
Maleic-hydrazide	maleic hydrazide
Maneb, Mancozeb,	determined and expressed as
Metiram,	carbon disulphide (CS ₂)
Propineb and Zineb	methamidophos
Methamidophos	methyl bromide (bromomethane)
Methyl bromide (bromomethane)	
Omethoate	omethoate (from use of formothion, dimethoate and omethoate)
Paraquat	paraquat
Permethrin	permethrin (and sum of isomers)
Phosphamidon	sum of phosphamidon (E- and Z- isomers) and N-desethylphosphamidon (E- and Z- isomers) expressed as phosphamidon
Procymidone	procymidone
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
TEPP	TEPP
Trichlorfon	trichlorfon
2, 4, 5—T	2, 4, 5—T
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

SCHEDULE 2

Regulation 4

No. 33

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldrin and dieldrin</i>	<i>Aminotriazole (Amitrole)</i>	<i>Atrazine</i>	<i>Binapacryl</i>	<i>Bromophos-ethyl</i>	<i>Camphochlor (Toxaphene)</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Cartap</i>	<i>Chlordane</i>	<i>Chlorothalonil</i>	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts														
(i) Citrus Fruit	Grapefruit	1		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	5			0.01*	
	Lemons	1		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	5			0.01*	
	Limes	1		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	5			0.01*	
	Mandarins (inc clementines and similar hybrids)	1		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	5			0.01*	
	Oranges	1		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	5			0.01*	
	Pomelos	1		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	5			0.01*	
	Others	1		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	5			0.01*	
	(ii) Tree Nuts (shelled or unshelled)	Almonds	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
		Brazil nuts	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
Cashew nuts		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Chestnuts		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Coconuts		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Hazelnuts		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Macadamia nuts		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Pecans		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Pine nuts		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Pistachios		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Walnuts		0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*	
Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*		

Agriculture

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldrin and dieldrin</i>	<i>Aminotriazole (Amitrole)</i>	<i>Atrazine</i>	<i>Binapacryl</i>	<i>Bromophos-ethyl</i>	<i>Camphchlor (Toxaphene)</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Cartap</i>	<i>Chlordane</i>	<i>Chlorothalonil</i>
(iii) Pome Fruit	Apples			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	2			
	Pears			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	2			
	Quinces			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	2			
	Others			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	2			
(iv) Stone Fruit	Apricots	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Cherries	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Peaches (inc nectarines and similar hybrids)			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Plums			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
(v) Berries and Small Fruit	(a) <i>Table and wine grapes</i>												
	Table grapes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				1
	Wine grapes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	(b) <i>Strawberries (other than wild)</i>	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	(c) <i>Cane Fruit (other than wild)</i>												
	Blackberries	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Loganberries	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Raspberries	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				

Agriculture

SCHEDULE 2 — continued

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldrin and dieldrin</i>	<i>Aminotriazole (Amitrole)</i>	<i>Atrazine</i>	<i>Binapacryl</i>	<i>Bromophos-ethyl</i>	<i>Camphechlor (Toxaphene)</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Cartap</i>	<i>Chlordane</i>	<i>Chlorothalonil</i>
	Radishes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Salsify	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Sweet potatoes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Swedes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Turnips	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Yams	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
(ii)	Bulb Vegetables												
	Garlic	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.5
	Onions	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.5
	Shallots	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.5
	Spring onions	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
(iii)	Fruiting Vegetables												
	(a) <i>Solanacea</i>												
	Tomatoes	0.5		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				2
	Peppers			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				2
	Aubergines			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.5			2
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			2
	(b) <i>Cucurbits — edible peel</i>												
	Cucumbers			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				1
	Gherkins	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Courgettes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			

	(c) <i>Cucurbits — inedible peel</i>									
	Melons	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.5	
	Squashes	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.5	
	Watermelons	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		
	Others	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	
	(d) <i>Sweet corn</i>	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	0.01*
(iv)	Brassica Vegetables									
	(a) <i>Flowering Brassicas</i>									
	Broccoli		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		
	Cauliflower		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		
	Others		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		
	(b) <i>Head Brassicas</i>									
	Brussels sprouts	2	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.5
	Head cabbage	2	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		
	Others	2	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.01*
	(c) <i>Leafy Brassicas</i>									
	Chinese cabbage		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	
	Kale		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	
	Others		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	
	(d) <i>Kohlrabi</i>	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	0.01*
(v)	Leaf Vegetables and Fresh Herbs									
	(a) <i>Lettuce and similar</i>									
	Cress	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.01*
	Lamb's lettuce	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.01*
	Lettuce	1	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		
	Scarole	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.01*
	Others	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.01*
	(b) <i>Spinach and similar</i>	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	0.01*
	Beet leaves (chard)	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*	0.01*
	(c) <i>Watercress</i>	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.01*
	(d) <i>Witloof</i>	0.02*	0.05*	0.1*	0.05*	0.05*	0.1*	0.02*		0.01*

SCHEDULE 2 — continued

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldrin and dieldrin</i>	<i>Aminotriazole (Amitrole)</i>	<i>Atrazine</i>	<i>Binapacryl</i>	<i>Bromophos-ethyl</i>	<i>Camphechlor (Toxaphene)</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Cartap</i>	<i>Chlordane</i>	<i>Chlorothalonil</i>
	(e) <i>Herbs</i>												
	Chervil	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			
	Chives	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			
	Parsley	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			
	Celery leaves	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			
(vi)	Legume			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Vegetables			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	(fresh)			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*			2	
	Peas (with pods)			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Peas (without pods)			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Others:			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
(vii)	Stem			0.02*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Vegetables			0.02*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Cardoons	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Celery	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Fennel	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Globe artichokes			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Leeks			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				
	Rhubarb	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
(viii)	Fungi			0.02*	0.1*	0.05*	0.05*	0.1*	0.02*	1			
	(a) <i>Cultivated mushrooms</i>	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
	(b) <i>Wild mushrooms</i>	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*

3. Pulses	Beans			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Lentils	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
	Peas			0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
4. Oilseeds	Linseed	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Peanuts	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Poppy seed	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Sesame seed	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Sunflower seed	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Rape seed	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Soya bean	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.2			0.01*
	Mustard seed	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Cotton seed	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Others	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*	0.1*			0.01*
5. Potatoes	Early potatoes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
	Ware potatoes	0.02*		0.05*	0.1*	0.05*	0.05*	0.1*	0.02*				0.01*
6. Tea	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	20	0.02*	0.1*
7. Hops (dried)	including hop pellets and unconcentrated powder			0.1*	0.1*	0.1*	0.1*	0.1*	0.1*				

SCHEDULE 2 — continued

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorpyrifos</i>	<i>Chlorpyrifos-methyl</i>	<i>Cypermethrin</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>1, 2-Dibromothane</i>	<i>Dichlorprop</i>	<i>Dimethoate</i>	<i>Dinoseb</i>	<i>Dioxathion</i>	<i>Endosulfan</i>	<i>Endrin</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts													
(i) Citrus Fruit	Grapefruit	0.3	0.05*	2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Lemons	0.3		2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Limes	0.3	0.05*	2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Mandarins (inc clementines and similar hybrids)	0.3		2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Oranges	0.3		2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Pomelos	0.3	0.05*	2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Others	0.3	0.05*	2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
(ii) Tree Nuts (shelled or unshelled)	Almonds	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Pecans	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*

(iii) Pome Fruit	Apples	0.5	0.5	1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Pears	0.5	0.5	1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Quinces	0.5	0.5	1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.5	0.5	1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
(iv) Stone Fruit	Apricots	0.05*	0.05*	2	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Cherries		0.05*	1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Peaches (inc nectarines and similar hybrids)			2	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Plums	0.2	0.05*	1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
(v) Berries and Small Fruit	(a) <i>Table and wine grapes</i>										
	Table grapes	0.5	0.2	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Wine grapes	0.5	0.2	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	(b) <i>Strawberries</i> (other than wild)	0.2	0.5		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	(c) <i>Cane Fruit</i> (other than wild)										
	Blackberries		0.05*	0.5	0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
	Loganberries		0.05*	0.5	0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
	Raspberries		0.05*	0.5	0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
	Others		0.05*	0.5	0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
	(d) <i>Other small fruit and berries</i> (other than wild)										
	Bilberries	0.05*	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Cranberries		0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Currants (red, black and white)		0.05*		0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*
	Gooseberries		0.05*		0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
(e) <i>Wild berries and wild fruit</i>	0.05*	0.05*	2	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*	

SCHEDULE 2 — continued

Group to which food belongs	Groups include the following products	Chlorpyrifos	Chlorpyrifos-methyl	Cypermethrin	DDT	Deltamethrin	1, 2-Dibromothane	Dichlorprop	Dimethoate	Dinoseb	Dioxathion	Endosulfan	Endrin	
(vi) Miscellaneous Fruit	Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Bananas		0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Kiwi fruit	2	0.05*	0.05*	0.05*		0.01*	0.05*		0.05*	0.05*		0.01*	
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Olives		0.05*	0.05*	0.05*	0.05*	0.1	0.01*	0.05*		0.05*	0.05*		0.01*
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Pineapples	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Others		0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
2. Vegetables, fresh or uncooked, frozen or dry														
(i) Root and Tuber Vegetables	Beetroot		0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Carrots	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Celeriac	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Horseradish	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Parsnips		0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Parsley root	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Radishes	0.05*	0.05*		0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Salsify	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	
	Swedes		0.05*		0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*	

	Turnips		0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
(ii)	Bulb Vegetables										
	Garlic	0.05	0.05*	0.1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Onions		0.05*	0.1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Shallots	0.05	0.05*	0.1	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Spring onions	0.05	0.05*	0.05*	0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
(iii)	Fruiting Vegetables										
	(a) <i>Solanacea</i>										
	Tomatoes	0.5	0.5	0.5	0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*
	Peppers	0.5	0.5	0.5	0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*
	Aubergines	0.5	0.5	0.5	0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.5	0.5	0.5	0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*
	(b) <i>Cucurbits — edible peel</i>										
	Cucumbers	0.05*	0.05*	0.2	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Gherkins	0.05*	0.05*	0.2	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Courgettes	0.05*	0.05*	0.2	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.2	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	(c) <i>Cucurbits — inedible peel</i>										
	Melons	0.05*	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Squashes	0.05*	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Watermelons	0.05*	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	(d) <i>Sweet corn</i>		0.05*	0.05*	0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
(iv)	Brassica Vegetables										
	(a) <i>Flowering Brassicas</i>										
	Broccoli		0.05*	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Cauliflower		0.05*	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Others		0.05*	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	(b) <i>Head Brassicas</i>										
	Brussels sprouts		0.05*	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Head cabbage		0.05*	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Others		0.05*	0.5	0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorpyrifos</i>	<i>Chlorpyrifos-methyl</i>	<i>Cypermethrin</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>1, 2-Dibromoethane</i>	<i>Dichlorprop</i>	<i>Dimethoate</i>	<i>Dinoseb</i>	<i>Dioxathion</i>	<i>Endosulfan</i>	<i>Endrin</i>
	(c) <i>Leafy Brassicas</i>												
	Chinese cabbage		0.05*	1	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Kale		0.05*	1	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Others		0.05*	1	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	(d) <i>Kohlrabi</i>	0.05*	0.05*	0.2	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
(v) Leaf Vegetables and Fresh Herbs	(a) <i>Lettuce and similar</i>												
	Cress	0.05*	0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Lamb's lettuce		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Lettuce		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Scarole		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Others	0.05*	0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	(b) <i>Spinach and similar</i>	0.05*	0.05*	0.5	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Beet leaves (chard)	0.05*	0.05*	0.5	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	(c) <i>Watercress</i>	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	(d) <i>Witloof</i>	0.05*	0.05*		0.05*		0.01*	0.05*		0.05*	0.05*		0.01*
	(e) <i>Herbs</i>												
	Chervil		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Chives		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Parsley		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Celery leaves		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*
	Others		0.05*	2	0.05*	0.5	0.01*	0.05*		0.05*	0.05*		0.01*

(vi) Legume Vegetables (fresh)	Beans (with pods)	0.05*	0.5	0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*
	Beans (without pods)	0.05*		0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
	Peas (with pods)	0.05*		0.05*	0.1	0.01*	0.05*	0.05*	0.05*	0.01*
	Peas (without pods)	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.01*
(vii) Stem Vegetables	Asparagus	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Celery	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Fennel	0.05*		0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Globe artichokes			0.05*		0.01*	0.05*	0.05*	0.05*	0.01*
	Leeks	0.05*	0.5*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
(viii) Fungi	(a) <i>Cultivated mushrooms</i>	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	(b) <i>Wild mushrooms</i>	0.05*	0.05*	1	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
3. Pulses	Beans	0.05*	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.05*	0.05*
	Lentils	0.05*	0.05*		0.05*	1	0.01*	0.05*	0.05*	0.05*
	Peas	0.05*	0.05*		0.05*	1	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.05*	0.05*
4. Oilseeds	Linseed	0.05*	0.05*	0.2	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Poppy seed	0.05*	0.05*	0.2	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.05*	0.2	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.05*	0.2	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Rape seed	0.05*		0.2	0.05*	0.1	0.01*	0.05*	0.05*	0.05*
	Soya bean	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.05*	0.2	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	

SCHEDULE 2 — continued

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorpyrifos</i>	<i>Chlorpyrifos-methyl</i>	<i>Cypermethrin</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>1, 2-Dibromoethane</i>	<i>Dichlorprop</i>	<i>Dimethoate</i>	<i>Dinoseb</i>	<i>Dioxathion</i>	<i>Endosulfan</i>	<i>Endrin</i>
5. Potatoes	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*		0.01*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*		0.01*	0.05*		0.05*	0.05*		0.01*
6. Tea	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*		0.2	5	0.1*	0.1*	0.2	0.1*	0.1*	30	0.01*
7. Hops (dried)	including hop pellets and unconcentrated powder		0.1*	30	0.05*	5	0.01*	0.1*		0.1*	0.1*		0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenchlorphos</i>	<i>Fenvalerate</i>	<i>Glyphosate</i>	<i>Heptachlor</i>	<i>Hexachloro-benzene (HCB)</i>	<i>Hexachlorocyclohexane (HCH) α</i>	<i>Hexachlorocyclohexane (HCH) β</i>	<i>Hexachlorocyclohexane (HCH) γ</i>	<i>Imazalil</i>	<i>Iprodione</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts												
(i) Citrus Fruit	Grapefruit		0.01*		0.1*	0.01*					5	
	Lemons		0.01*		0.1*	0.01*					5	0.02*
	Limes		0.01*		0.1*	0.01*					5	0.02*
	Mandarins (inc clementines and similar hybrids)		0.01*		0.1*	0.01*					5	0.02*
	Oranges		0.01*		0.1*	0.01*					5	0.02*
	Pomelos		0.01*		0.1*	0.01*					5	0.02*
	Others		0.01*		0.1*	0.01*					5	0.02*
(ii) Tree Nuts (shelled or unshelled)	Almonds		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Brazil nuts		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Cashew nuts		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Chestnuts		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Coconuts		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Hazelnuts		0.01*	0.05*	0.1*	0.01*					0.02*	
	Macadamia nuts		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Pecans		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Pine nuts		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Pistachios		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Walnuts		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
Others		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*	

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenchlorphos</i>	<i>Fenvalerate</i>	<i>Glyphosate</i>	<i>Heptachlor</i>	<i>Hexachlorobenzene (HCB)</i>	<i>Hexachlorocyclohexane (HCH) α</i>	<i>Hexachlorocyclohexane (HCH) β</i>	<i>Hexachlorocyclohexane (HCH) γ</i>	<i>Imazathil</i>	<i>Iprodione</i>
(iii) Pome Fruit	Apples		0.01*	1	0.1*	0.01*					5	10
	Pears		0.01*	1	0.1*	0.01*					5	10
	Quinces		0.01*	1	0.1*	0.01*					5	10
	Others		0.01*	1	0.1*	0.01*					5	10
(iv) Stone Fruit	Apricots		0.01*		0.1*	0.01*					0.02*	5
	Cherries		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Peaches (inc nectarines and similar hybrids)		0.01*		0.1*	0.01*					0.02*	5
	Plums		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Others		0.01*	0.05*	0.1*	0.01*					0.02*	5
(v) Berries and Small Fruit	(a) <i>Table and wine grapes</i>											
	Table grapes		0.01*	1	0.1*	0.01*					0.02*	10
	Wine grapes		0.01*	1	0.1*	0.01*					0.02*	10
	(b) <i>Strawberries (other than wild)</i>		0.01*	0.05*	0.1*	0.01*						10
	(c) <i>Cane Fruit (other than wild)</i>											
	Blackberries		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Loganberries		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Raspberries		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Others		0.01*	0.05*	0.1*	0.01*					0.02*	5

Agriculture

	(d) <i>Other small fruit and berries (other than wild)</i>						
	Bilberries	0.01*	0.05*	0.1*	0.01*		0.02* 10
	Cranberries	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Currants (red, black and white)	0.01*	0.05*	0.1*	0.01*		0.02* 10
	Gooseberries	0.01*	0.05*	0.1*	0.01*		0.02* 10
	Others	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	(e) <i>Wild berries and wild fruit</i>	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
(vi)	Miscellaneous Fruit						
	Avocados	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Bananas	0.01*	0.05*	0.1*	0.01*		2
	Dates	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Figs	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Kiwi fruit	0.01*	0.05*	0.1*	0.01*		0.02* 5
	Kumquats	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Litchis	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Mangoes	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Olives	0.01*	0.05*		0.01*		0.02* 0.02*
	Passion fruit	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Pineapples	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Pomegranates	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Others	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
2.	Vegetables, fresh or uncooked, frozen or dry						
(i)	Root and Tuber Vegetables						
	Beetroot	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Carrots	0.01*	0.05*	0.1*	0.01*		0.02*
	Celeriac	0.01*	0.05*	0.1*	0.01*		0.02*
	Horseradish	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Jerusalem artichokes	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Parsnips	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*
	Parsley root	0.01*	0.05*	0.1*	0.01*		0.02* 0.02*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenchlorphos</i>	<i>Fenvalerate</i>	<i>Glyphosate</i>	<i>Heptachlor</i>	<i>Hexachloro- benzene (HCB)</i>	<i>Hexachlorocyclo- hexane (HCH) α</i>	<i>Hexachlorocyclo- hexane (HCH) β</i>	<i>Hexachlorocyclo- hexane (HCH) γ</i>	<i>Imazalil</i>	<i>Iprodione</i>
	Radishes		0.01*	0.05*	0.1*	0.01*					0.02*	
	Salsify		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Sweet potatoes		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Swedes		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Turnips		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Yams		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Others		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
(ii) Bulb Vegetables	Garlic		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Onions		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Shallots		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Spring onions		0.01*	0.05*	0.1*	0.01*					0.02*	
	Others		0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
(iii) Fruiting Vegetables	(a) <i>Solanacea</i>											
	Tomatoes		0.01*	1	0.1*	0.01*					0.02*	5
	Peppers		0.01*	0.2	0.1*	0.01*						5
	Aubergines		0.01*	0.05*	0.1*	0.01*					0.02*	5
	Others		0.01*	0.05*	0.1*	0.01*					0.02*	5
	(b) <i>Cucurbits — edible peel</i>											
	Cucumbers		0.01*	0.2	0.1*	0.01*					0.2	2
	Gherkins		0.01*	0.05*	0.1*	0.01*					0.2	2
	Courgettes		0.01*	0.05*	0.1*	0.01*					0.2	2
	Others		0.01*	0.05*	0.1*	0.01*					0.2	2

	(c) <i>Cucurbits — inedible peel</i>						
	Melons	0.01*	0.2	0.1*	0.01*		
	Squashes	0.01*	0.5	0.1*	0.01*	0.02*	0.02*
	Watermelons	0.01*	0.5	0.1*	0.01*	0.02*	0.02*
	Others	0.01*	0.05*	0.1*	0.01*	0.02*	0.02*
	(d) <i>Sweet corn</i>	0.01*	0.05*	0.1*	0.01*	0.02*	0.02*
(iv)	Brassica Vegetables						
	(a) <i>Flowering Brassicas</i>						
	Broccoli	0.01*	1	0.1*	0.01*	0.02*	
	Cauliflower	0.01*	1	0.1*	0.01*	0.02*	
	Others	0.01*	1	0.1*	0.01*	0.02*	
	(b) <i>Head Brassicas</i>						
	Brussels sprouts	0.01*		0.1*	0.01*	0.02*	
	Head cabbage	0.01*		0.1*	0.01*	0.02*	5
	Others	0.01*		0.1*	0.01*	0.02*	0.02*
	(c) <i>Leafy Brassicas</i>						
	Chinese cabbage	0.01*	1	0.1*	0.01*	0.02*	
	Kale	0.01*		0.1*	0.01*	0.02*	
	Others	0.01*	0.05*	0.1*	0.01*	0.02*	
	(d) <i>Kohlrabi</i>	0.01*		0.1*	0.01*	0.02*	0.1
(v)	Leaf Vegetables and Fresh Herbs						
	(a) <i>Lettuce and similar</i>						
	Cress	0.01*	0.05*	0.1*	0.01*	0.02*	10
	Lamb's lettuce	0.01*	0.05*	0.1*	0.01*	0.02*	10
	Lettuce	0.01*	0.05*	0.1*	0.01*	0.02*	10
	Scarole	0.01*	0.05*	0.1*	0.01*	0.02*	10
	Others	0.01*	0.05*	0.1*	0.01*	0.02*	10
	(b) <i>Spinach and similar</i>	0.01*	0.05*	0.1*	0.01*	0.02*	0.02*
	Beet leaves (chard)	0.01*	0.05*	0.1*	0.01*	0.02*	0.02*
	(c) <i>Watercress</i>	0.01*	0.05*	0.1*	0.01*	0.02*	0.02*
	(d) <i>Witloof</i>	0.01*	0.05*	0.1*	0.01*	0.02*	1

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenchlorphos</i>	<i>Fenvalerate</i>	<i>Glyphosate</i>	<i>Heptachlor</i>	<i>Hexachloro-benzene (HCB)</i>	<i>Hexachlorocyclo-hexane (HCH) α</i>	<i>Hexachlorocyclo-hexane (HCH) β</i>	<i>Hexachlorocyclo-hexane (HCH) γ</i>	<i>Imazalil</i>	<i>Iprodione</i>
	(e) <i>Herbs</i>											
	Chervil		0.01*	0.05*	0.1*	0.01*					0.02*	10
	Chives		0.01*	0.05*	0.1*	0.01*					0.02*	10
	Parsley		0.01*	0.05*	0.1*	0.01*					0.02*	10
	Celery leaves		0.01*	0.05*	0.1*	0.01*					0.02*	10
	Others		0.01*	0.05*	0.1*	0.01*					0.02*	10
(vi)	Legume	Beans (with pods)	0.01*		0.1*	0.01*					0.02*	
	Vegetables	Beans (without pods)	0.01*		0.1*	0.01*					0.02*	
	(fresh)	Peas (with pods)	0.01*		0.1*	0.01*					0.02*	
		Peas (without pods)	0.01*		0.1*	0.01*					0.02*	
		Others	0.01*		0.1*	0.01*					0.02*	
(vii)	Stem	Asparagus	0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
	Vegetables	Cardoons	0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
		Celery	0.01*	0.05*	0.1*	0.01*					0.02*	
		Fennel	0.01*	0.05*	0.1*	0.01*					0.02*	
		Globe artichokes	0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
		Leeks	0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
		Rhubarb	0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
		Others	0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
(viii)	Fungi	(a) <i>Cultivated mushrooms</i>	0.01*	0.05*	0.1*	0.01*					0.02*	0.02*
		(b) <i>Wild mushrooms</i>	0.01*	0.05*	50	0.01*					0.02*	0.02*

Agriculture

3. Pulses	Beans		0.01*		0.01*			0.02*	0.2	
	Lentils		0.01*	0.1*	0.01*			0.02*	0.2	
	Peas		0.01*		0.01*			0.02*	0.2	
	Others		0.01*	0.1*	0.01*			0.02*	0.2	
4. Oilseeds	Linseed		0.01*	0.1	10	0.01*		0.02*		
	Peanuts		0.01*	0.1	0.1*	0.01*		0.02*	0.02*	
	Poppy seed		0.01*	0.1	0.1*	0.01*		0.02*	0.02*	
	Sesame seed		0.01*	0.1	0.1*	0.01*		0.02*	0.02*	
	Sunflower seed		0.01*	0.1	0.1*	0.01*		0.02*	0.02*	
	Rape seed		0.01*	0.1	10	0.01*		0.02*	0.5	
	Soya bean		0.01*	0.1	0.1*	0.01*		0.02*	0.02*	
	Mustard seed		0.01*	0.1		0.01*		0.02*		
	Cotton seed		0.01*	0.1	0.1*	0.01*		0.02*	0.02*	
	Others		0.01*	0.1	0.1*	0.01*		0.02*	0.02*	
5. Potatoes	Early potatoes		0.01*	0.05*	0.1*	0.01*		0.02*	0.02*	
	Ware potatoes		0.01*	0.05*	0.1*	0.01*		5	0.02*	
6. Tea	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	2	0.1*		0.1*	0.02*	0.01*	0.2	} sum of alpha and beta	
								0.2		0.1*
7. Hops (dried)	including hop pellets and unconcentrated powder		0.1*	5	0.1*	0.01*			0.1*	0.1*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Maleic-hydrizide</i>	<i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i>	<i>Methamidophos</i>	<i>Methyl-bromide</i>	<i>Omethoate</i>	<i>Paraquat</i>	<i>Permethrin</i>	<i>Procymidone</i>	<i>TEPP</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts												
(i) Citrus Fruit	Grapefruit	1*		0.2	0.05*		0.05*	0.5	0.02*	0.01*	0.05*	0.05*
	Lemons	1*		0.2	0.05*		0.05*	0.5	0.02*	0.01*	0.05*	0.05*
	Limes	1*		0.2	0.05*		0.05*	0.5	0.02*	0.01*	0.05*	0.05*
	Mandarins (inc clementines and similar hybrids)	1*		0.2	0.05*		0.05*	0.5	0.02*	0.01*	0.05*	0.05*
	Oranges	1*	2	0.2	0.05*		0.05*	0.5	0.02*	0.01*	0.05*	0.05*
	Pomelos	1*		0.2	0.05*		0.05*	0.5	0.02*	0.01*	0.05*	0.05*
	Others			0.2	0.05*		0.05*	0.5	0.02*	0.01*	0.05*	0.05*
(ii) Tree Nuts (shelled or unshelled)	Almonds	1*	0.1*	0.01*			0.05*	0.1	0.05*	0.01*	0.05*	0.05*
	Brazil nuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cashew nuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Chestnuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Coconuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Hazelnuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Macadamia nuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pecans	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pine nuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Pistachios	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Walnuts	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	1*	0.1*	0.01*			0.05*	0.05*	0.05*	0.01*	0.05*	0.05*

Agriculture

(iii) Pome Fruit	Apples	1*		0.05*	0.05*	1		0.01*	0.05*	1	No. 33	
	Pears	1*		0.05*	0.05*	1		0.01*	0.05*	1		
	Quinces	1*		0.05*	0.05*	1	0.02*	0.01*	0.05*	1		
	Others	1*		0.05*	0.05*	1	0.02*	0.01*	0.05*	1		
(iv) Stone Fruit	Apricots	1*	2		0.05*	1		0.01*	0.05*	2		
	Cherries	1*	1		0.05*	1		0.01*	0.05*	0.5		
	Peaches (inc nectarines and similar hybrids)	1*	2		0.05*	1		0.01*	0.05*	2		
	Plums	1*	1		0.05*	1		0.01*	0.05*			
	Others	1*	0.05*		0.05*	1		0.01*	0.05*	0.05*		
(v) Berries and Small Fruit	(a) <i>Table and wine grapes</i>										Agriculture	
	Table grapes	1*	2		0.05*	1	5	0.01*	0.05*	5		
	Wine grapes	1*	2		0.05*	1	5	0.01*	0.05*	5		
	(b) <i>Strawberries (other than wild)</i>	1*	2	0.05*	0.05*		5	0.01*	0.05*	5		
	(c) <i>Cane Fruit (other than wild)</i>											
	Blackberries	1*		0.01*	0.05*	0.05*		0.02*	0.01*	0.05*		5
	Loganberries	1*		0.01*	0.05*	0.05*		0.02*	0.01*	0.05*		5
	Raspberries	1*		0.01*	0.05*	0.05*	10	0.01*	0.05*	5		
	Others	1*		0.01*	0.05*	0.05*		0.02*	0.01*	0.05*		5
	(d) <i>Other small fruit and berries (other than wild)</i>											
	Bilberries	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
	Cranberries	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
	Currants (red, black and white)	1*		0.01*	0.05*	0.05*		0.02*	0.01*	0.05*		
	Gooseberries	1*		0.01*	0.05*	0.05*		0.02*	0.01*	0.05*		0.05*
	Others	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
(e) <i>Wild berries and wild fruit</i>	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*		

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Maleic-hydrazide</i>	<i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i>	<i>Methamidophos</i>	<i>Methyl-bromide</i>	<i>Omethoate</i>	<i>Paraquat</i>	<i>Permethrin</i>	<i>Procymidone</i>	<i>TEPP</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
(vi) <i>Miscellaneous Fruit</i>	Avocados	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Bananas	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Dates	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Figs	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Kiwi fruit	1*	0.05*	0.01*	0.05*		0.05*	1	5	0.01*	0.05*	
	Kumquats	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Litchis	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Mangoes	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Olives	1*	0.05*	0.01*	0.05*		0.05*		0.02*	0.01*	0.05*	0.05*
	Passion fruit	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Pineapples	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Pomegranates	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
Others	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
2. <i>Vegetables, fresh or uncooked, frozen or dry</i>												
(i) <i>Root and Tuber Vegetables</i>	Beetroot	1*		0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Carrots	1*		0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Celeriac	1*	0.2	0.01*	0.05*		0.05*	0.1	0.02*	0.01*	0.05*	0.05*
	Horseradish	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Jerusalem artichokes	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Parsnips	1*		0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Parsley root	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Radishes	1*		0.01*	0.05*		0.05*	0.1	0.02*	0.01*	0.05*	0.05*
	Salsify	1*		0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*

Agriculture

No. 33

	Sweet potatoes	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Swedes	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Turnips	1*	0.05*	0.01*	0.05*	0.05*		0.02*	0.01*	0.05*	0.05*
	Yams	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
(ii)	Bulb Vegetables										
	Garlic	10	0.5	0.01*	0.05*	0.05*	0.05*	0.2	0.01*	0.05*	1
	Onions	10	0.5	0.01*	0.05*	0.05*		0.2	0.01*	0.05*	1
	Shallots	10	0.5	0.01*	0.05*	0.05*		0.2	0.01*	0.05*	1
	Spring onions	1*		0.01*	0.05*	0.05*			0.01*	0.05*	1
	Others	10	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	1
(iii)	Fruiting Vegetables										
	(a) <i>Solanacea</i>										
	Tomatoes	1*		0.5	0.05*	0.05*	0.5	2	0.01*	0.05*	3
	Peppers	1*	2		0.05*	0.05*	0.5	2	0.01*	0.05*	3
	Aubergines	1*	2	0.2	0.05*	0.05*	0.5	2	0.01*	0.05*	3
	Others	1*	2	0.01*	0.05*	0.05*	0.5	2	0.01*	0.05*	3
	(b) <i>Cucurbits — edible peel</i>										
	Cucumbers	1*	0.5	1	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	Gherkins	1*		0.01*	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	Courgettes	1*		0.01*	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	Others	1*	0.05*	0.01*	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	(c) <i>Cucurbits — inedible peel</i>										
	Melons	1*		0.01*	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	Squashes	1*		0.01*	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	Watermelons	1*		0.01*	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	Others	1*		0.01*	0.05*	0.05*	0.1	1	0.01*	0.05*	1
	(d) <i>Sweet corn</i>	1*	0.05*	0.01*	0.05*	0.05*	0.1	0.02*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Maleic-hydraside</i>	<i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i>	<i>Methamidophos</i>	<i>Methyl-bromide</i>	<i>Omethoate</i>	<i>Paraquat</i>	<i>Permethrin</i>	<i>Procymidone</i>	<i>TEPP</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>	
(iv) Brassica Vegetables	(a) <i>Flowering Brassicas</i>												
	Broccoli	1*			0.05*		0.05*		0.02*	0.01*	0.05*	0.05*	
	Cauliflower	1*			0.05*		0.05*	0.1	0.02*	0.01*	0.05*	0.05*	
	Others	1*			0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
	(b) <i>Head Brassicas</i>												
	Brussels sprouts	1*		0.5	0.05*		0.05*		0.02*	0.01*	0.05*	0.05*	
	Head cabbage	1*		0.5	0.05*		0.05*		0.02*	0.01*	0.05*	0.05*	
	Others	1*		0.5	0.05*		0.05*		0.02*	0.01*	0.05*	0.05*	
	(c) <i>Leafy Brassicas</i>												
	Chinese cabbage	1*			0.05*		0.05*	1	0.02*	0.01*	0.05*	2	
	Kale	1*			0.05*		0.05*	1	0.02*	0.01*	0.05*	0.05*	
	Others	1*			0.05*		0.05*	1	0.02*	0.01*	0.05*	0.05*	
	(d) <i>Kohlrabi</i>	1*			0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	(v) Leaf Vegetables and Fresh Herbs	(a) <i>Lettuce and similar</i>											
Cress		1*	5	0.01*	0.05*		0.05*	2	5	0.01*	0.05*	5	
Lamb's lettuce		1*	5	0.01*	0.05*		0.05*	2	5	0.01*	0.05*	5	
Lettuce		1*	5	0.2	0.05*		0.05*	2	5	0.01*	0.05*	5	
Scarole		1*	5	0.01*	0.05*		0.05*	2	5	0.01*	0.05*	5	
Others		1*	5	0.01*	0.05*		0.05*	2	5	0.01*	0.05*	5	
(b) <i>Spinach and similar</i>		1*	0.05*	0.01*	0.05*		0.05*	1	0.02*	0.01*	0.05*	0.05*	
Beet leaves (chard)		1*	0.05*	0.01*	0.05*		0.05*	1	0.02*	0.01*	0.05*	0.05*	
(c) <i>Watercress</i>		1*		0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	

Agriculture

No. 33

		No. 33									
	(d) <i>Witloof</i>	1*	0.2	0.01*	0.05*	0.05*	0.05*		0.01*	0.05*	2
	(e) <i>Herbs</i>										
	Chervil	1*	5	0.01*	0.05*	0.05*	2	0.02*	0.01*	0.05*	0.05*
	Chives	1*	5	0.01*	0.05*	0.05*	2	0.02*	0.01*	0.05*	0.05*
	Parsley	1*	5	0.01*	0.05*	0.05*	2	0.02*	0.01*	0.05*	0.05*
	Celery leaves	1*	5	0.01*	0.05*	0.05*	2	0.02*	0.01*	0.05*	0.05*
	Others	1*	5	0.01*	0.05*	0.05*	2	0.02*	0.01*	0.05*	0.05*
(vi)	Legume										
	Vegetables										
	(fresh)										
	Beans (with pods)	1*			0.05*	0.05*	0.5	2	0.01*	0.05*	2
	Beans (without pods)	1*			0.05*	0.05*	0.05*		0.01*	0.05*	
	Peas (with pods)	1*			0.05*	0.05*	0.1		0.01*	0.05*	2
	Peas (without pods)	1*			0.05*	0.05*	0.05*		0.01*	0.05*	
	Others	1*			0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
(vii)	Stem										
	Vegetables										
	Asparagus	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Cardoons	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Celery	1*		0.01*	0.05*	0.05*	2	0.02*	0.01*	0.05*	
	Fennel	1*	0.05*	0.01*	0.05*	0.05*		0.02*	0.01*	0.05*	0.05*
	Globe artichokes	1*			0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Leeks	1*			0.05*	0.05*	0.5	0.02*	0.01*	0.05*	0.05*
	Rhubarb	1*	0.05*	0.01*	0.05*	0.05*	2	0.02*	0.01*	0.05*	0.05*
	Others	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
(viii)	Fungi										
	(a) <i>Cultivated mushrooms</i>	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	(b) <i>Wild mushrooms</i>	1*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
3.	Pulses										
	Beans	1*				0.05*	0.05*		0.01*	0.05*	
	Lentils	1*		0.01*		0.05*	0.05*		0.01*	0.05*	
	Peas	1*				0.05*	0.05*		0.01*	0.05*	
	Others	1*		0.01*		0.05*	0.05*		0.01*	0.05*	

SCHEDULE 2 — continued

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Maleic-hydrazide</i>	<i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i>	<i>Methamidophos</i>	<i>Methyl-bromide</i>	<i>Omethoate</i>	<i>Paraquat</i>	<i>Permethrin</i>	<i>Procymidone</i>	<i>TEPP</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
4. Oilseeds	Linseed	1*	0.1*	0.01*	0.1*		0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Peanuts	1*	0.1*	0.01*	0.1*		0.05*	0.1	0.05*	0.01*	0.05*	0.05*
	Poppy seed	1*	0.1*	0.01*	0.1*		0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Sesame seed	1*	0.1*	0.01*	0.1*		0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Sunflower seed	1*	0.1*	0.01*	0.1*		0.05*		1/0.05* ¹⁴	0.01*	0.05*	0.05*
	Rape seed	1*		0.01*	0.1*		0.05*	0.1	1	0.01*	0.05*	1
	Soya bean	1*	0.1*	0.01*	0.1*		0.05*	0.05*	1	0.01*	0.05*	0.05*
	Mustard seed	1*	0.1*	0.01*	0.1*		0.05*	0.1	0.05*	0.01*	0.05*	0.05*
	Cotton seed	1*	0.1*	0.1	0.1*		0.05*	0.2	0.05*	0.01*	0.05*	0.05*
	Others	1*	0.1*	0.01*	0.1*		0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
5. Potatoes	Early potatoes	1*	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
	Ware potatoes	50	0.05*	0.01*	0.05*		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*
6. Tea	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	1*	0.1*	0.1*	0.05*	0.1	0.1*		0.1*	0.02*	0.05*	0.1*
7. Hops (dried)	including hop pellets and unconcentrated powder	1*	25	2	0.05*		0.1*		0.1*	0.02*	0.05*	40

Agriculture

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldrin and dieldrin</i>	<i>Captafol</i>	<i>Carbaryl</i>	<i>Carbendazim</i>	<i>Carbon disulphide</i>	<i>Carbon Tetrachloride</i>	<i>Chlordane</i>	<i>Chlorothalonil</i>	<i>Chlorpyrifos</i>	<i>Chlorpyrifos-methyl</i>	<i>Cypermethrin</i>	<i>DDT</i>	<i>Deltamethrin</i>
8. Cereals	Wheat	0.02*	0.01	0.05*	0.5	0.1*	0.1	0.1	0.02	0.1	0.05*			0.05	1
	Rye	0.02*	0.01	0.05*	0.5	0.1*	0.1	0.1	0.02	0.1	0.05*			0.05	1
	Barley	0.02*	0.01	0.05*	0.5		0.1	0.1	0.02	0.1				0.05	1
	Oats	0.02*	0.01	0.05*	0.5	0.1*	0.1	0.1	0.02	0.1	0.05*			0.05	1
	Triticale	0.02*	0.01	0.05*	0.5	0.1*	0.1	0.1	0.02	0.1	0.05*		0.05*	0.05	1
	Maize	0.02*	0.01	0.05*	0.5	0.1*	0.1	0.1	0.02	0.01*	0.05*		0.05*	0.05	1
	Rice ¹	0.02*	0.01	0.05*	1	0.1*	0.1	0.1	0.02	0.01*	0.05*	0.05*	0.05*	0.05	1
	Other cereals ²	0.02*	0.01	0.05*	0.5	0.1*	0.1	0.1	0.02	0.01*	0.05*		0.05*	0.05	1
9. Products of Animal Origin	Meat; fat and preparations of meat ³	0.02*	0.2			0.1*			0.05	0.01*	0.05* ⁸	0.05	0.05* ⁸ /0.2 ¹⁰	1	0.05 ⁸
	Milk ⁴	0.02*	0.006			0.1*			0.002	0.01*	0.01*	0.01*	0.02	0.04	
	Dairy produce ⁵														
	Eggs ⁶	0.02*	0.02			0.1*			0.005	0.01*	0.01*	0.01*	0.05*	0.1	0.05*

SCHEDULE 2 — continued

Group to which food belongs	Groups include the following products	Diazinon	1,2-Dibromoethane	Dichlorvos	Endosulfan	Endrin	Fenvalerate	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH) α	Hexachlorocyclohexane (HCH) β	Hexachlorocyclohexane (HCH) γ	Hydrogen cyanide	Hydrogen phosphide	Imazalil
8. Cereals	Wheat	0.05	0.01*	2	0.1	0.01	0.05*	5	0.01	0.01	0.02	sum of alpha and beta	0.1	15	0.1	0.02*
	Rye	0.05	0.01*	2	0.1	0.01		5	0.01	0.01	0.02		0.1	15	0.1	0.02*
	Barley	0.05	0.01*	2	0.1	0.01		20	0.01	0.01	0.02		0.1	15	0.1	0.02*
	Oats	0.05	0.01*	2	0.1	0.01		20	0.01	0.01	0.02		0.1	15	0.1	0.02*
	Triticale	0.05	0.01*	2	0.1	0.01		5	0.01	0.01	0.02		0.1	15	0.1	0.02*
	Maize	0.05	0.01*	2	0.1	0.01	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1	0.02*
	Rice ¹	0.05	0.01*	2	0.1	0.01	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1	0.02*
	Other cereals ²	0.05	0.01*	2	0.1	0.01	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1	0.02*
9. Products of Animal Origin	Meat, fat and preparations of meat ³					0.05	0.5 ¹¹	0.5 ¹² 2 ¹³	0.2	0.2	0.2	0.1	2 ⁷ /1 ⁹			0.02*
	Milk ⁴							0.1* ¹⁰	0.004	0.01	0.004	0.003	0.008			0.02*
	Dairy produce ⁵					0.0008	0.05									0.02*
	Eggs ⁶					0.005		0.1*	0.02	0.02	0.02	0.01	0.1			0.02*

Agriculture

No. 33

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Inorganic bromide</i>	<i>Iprodione</i>	<i>Malathion</i>	<i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i>	<i>Methamidophos</i>	<i>Methyl bromide</i>	<i>Permethrin</i>	<i>Phosphamidon</i>	<i>Procymidone</i>	<i>Pyrethrins</i>	<i>Trichlorfon</i>	<i>Vinclozolin</i>
8. Cereals	Wheat	50	0.5	8		0.01*	0.1	2	0.05	0.02*	3	0.1	0.05*
	Rye	50	0.02*	8		0.01*	0.1	2	0.05	0.02*	3	0.1	0.05*
	Barley	50		8		0.01*	0.1	2	0.05	0.02*	3	0.1	0.05*
	Oats	50	0.02*	8		0.01*	0.1	2	0.05	0.02*	3	0.1	0.05*
	Triticale	50	0.02*	8		0.01*	0.1	2	0.05	0.02*	3	0.1	0.05*
	Maize	50	0.02*	8	0.05*	0.01*	0.1	0.2	0.05	0.02*	3	0.1	0.05*
	Rice ¹	50		8	0.05*	0.01*	0.1	2	0.05	0.02*	3	0.1	0.05*
	Other cereals ²	50	0.02*	8		0.01*	0.1	2	0.05	0.02*	3	0.1	0.05*
9. Products of Animal Origin	Meat, fat and preparations of meat ³		0.05*		0.05*	0.01*		0.5		0.05*			0.05*
	Milk ⁴		0.05*		0.05*	0.01*		0.05		0.05*			0.05*
	Dairy produce ⁵ Eggs ⁶		0.05*		0.05*	0.01*		0.05		0.05*			0.05*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

*Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
7. Sheepmeat only.
8. Poultry meat only.
9. All meat except sheepmeat.
10. Other meat products.
11. All meat except poultry meat.
12. Pig kidney.
13. Cattle, goat and sheep kidney.
14. Procymidone: 1 mg/kg applies to whole seed; 0.05 mg/kg applies to seed without shell.

Note: The word "fresh" is taken to extend to products which have been chilled.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts		
(i) Citrus Fruit	Grapefruit Lemons Limes Mandarins (including clementines and similar hybrids) Oranges Pomelos Others	} Whole product
(ii) Tree Nuts (shelled or unshelled)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazlenuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts Others	} Whole product after removal of shell
(iii) Pome Fruit	Apples Pears Quinces Others	} Whole product after removal of stems
(iv) Stone Fruit	Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	} Whole product after removal of stems
(v) Berries and Small Fruit	(a) <i>Table and wine grapes</i> Table grapes Wine grapes (b) <i>Strawberries</i> (other than wild)	

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	(c) <i>Cane fruit</i> (other than wild) Blackberries Loganberries Raspberries Others (d) <i>Other small fruit and berries</i> (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries Others (e) <i>Wild berries and wild fruit</i>	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems
(vi) Miscellaneous Fruit	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes Olives† Passion fruit Pineapples Pomegranates Others	Whole fruit after removal of stems (if any) and in the case of pineapple after removal of the crown † Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water

2. Vegetables, fresh or uncooked, frozen or dry

(i) Root and Tuber Vegetables	Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parships Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
-------------------------------	--	---

SCHEDULE 3 — *continued*

Column 1	Column 2	Column 3
<i>Group of products</i>	<i>Products included in the groups</i>	<i>Part of product to which maximum residue levels apply</i>
(ii) Bulb Vegetables	Garlic Onions Shallots Spring onions Others	For dry onions, shallots and garlic: whole product after removal of easily detachable skin and soil (if any) Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
(iii) Fruiting Vegetables	(a) <i>Solanacea</i> Tomatoes Peppers Aubergines Others (b) <i>Cucurbits—edible peel</i> Cucumbers Gherkins Courgettes Others (c) <i>Cucurbits—inedible peel</i> Melons Squashes Watermelons Others (d) <i>Sweet corn</i>	Whole product after removal of stems Kernels or cobs without husks
(iv) Brassica Vegetables	(a) <i>Flowering brassicas</i> Broccoli Cauliflower Others (b) <i>Head brassicas</i> Brussels sprouts Head cabbage Others (c) <i>Leafy brassicas</i> Chinese cabbage Kale Others (d) <i>Kohlrabi</i>	Cauliflower and broccoli: curd only Product after removal of decayed leaves (if any) Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing)

SCHEDULE 3 — continued

Column 1 Group of products	Column 2 Products included in the groups	Column 3 Part of product to which maximum residue levels apply
(v) Leaf Vegetables and Fresh Herbs	(a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Scarole Others (b) <i>Spinach and similar</i> Beet leaves (chard) (c) <i>Watercress</i> (d) <i>Witloof</i> (e) <i>Herbs</i> Chervil Chives Parsley Celery leaves Others	} in running water or by gentle brushing of the dry product) } Whole product after removal of decayed outer leaves, root and soil (if any)
(vi) Legume Vegetables (fresh)	Beans with pods Beans without pods Peas with pods Peas without pods Others	} Whole product after removal of pods or with pods if they are intended to be eaten
(vii) Stem Vegetables	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others	} Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
(viii) Fungi	Mushrooms (other than wild) Wild mushrooms	} Whole product after removal of soil or growing medium
3. Pulses		
	Beans Lentils Peas Others	} Whole product

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
4. Oilseeds	Linseed Peanuts Poppy seed Rape seed Sesame seed Sunflower seed* Soya bean Others	Whole seed or kernel after removal of shell and husk, when possible *Whole seed including shell, when present, and whole seed without shell, when shell is absent
5. Potatoes	Early potatoes Ware potatoes	Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		Whole product
7. Hops (dried), including hop pellets and unconcentrated powder		Whole product
8. Cereal grains	Wheat Rye Barley Oats Triticale Maize Rice Other cereals	Whole commodity without husk
9. Products of animal origin	Meat, fat and preparations of meat Milk Eggs	Whole commodity (For fat soluble pesticides a portion of carcase fat is analysed and MRLs apply to carcase fat) Whole commodity Whole egg whites and yolks combined after removal of shells

EXPLANATORY NOTE

(This note is not part of the Regulations.)

These Regulations specify new maximum levels of pesticide residues which may be left in crops, food and feeding stuffs in accordance with the Council Directive 90/642/EEC (O.J. No. L350, 14.12.90, p. 71) as amended by Council Directive 93/57/EEC (O.J. No. L211, 23.8.93, p. 1) and Council Directive 93/58/EEC (O.J. No. L211, 23.8.93, p. 6).

Council Directive 90/642/EEC as so amended prescribes maximum levels of pesticide residues in and on certain products of plant origin including fruit and vegetables. Council Directive 93/57/EEC amends and extends Council Directive 86/362/EEC and 86/363/EEC on the fixing of maximum levels for pesticide residues in and on cereals, and in and on foodstuffs of animal origin (namely meat and milk and products derived therefrom) (O.J. No. L221, 7.8.86, pages 37 and 43 respectively).

Regulation 3 and Schedule 1 identify certain pesticide residues which will be left in a crop, food or feeding stuff following the application to it or to land on which it is grown of certain named pesticides.

Regulation 4 specifies the maximum limits for pesticide residues in the products which are subject to the Council Directives. It also prohibits the putting into circulation of those products where the limits specified in relation to them are exceeded.

Regulation 5 enables any Northern Ireland Department to seize or dispose of any crop, food or feeding stuff containing a residue level in excess of any maximum residue level specified in relation to it, or to require some other person to dispose of that crop, food or feeding stuff. It may also direct some other person to take such remedial action as appears to it to be necessary.

Regulation 6 provides further enforcement powers for officers appointed by any Northern Ireland Department.

Regulation 7(a) and Schedule 3 prescribe how much of the product in question has to be taken into account in determining whether a maximum residue level has been exceeded. This is in accordance with Council Directive 90/642/EEC as amended by Council Directive 93/58/EEC in relation to certain products of plant origin including fruit and vegetables.

In accordance with regulation 7(b) the level of residue in any product is to be determined inter alia by reference to Part 5 of the Codex Alimentarius Guide to Codex Recommendations Concerning Pesticide Residues.

Regulation 7(c) increases the maximum residue levels to take account of concentration when a product is dried.

Regulation 8 creates offences and specifies penalties. It also provides for defences in cases where the products concerned are being exported to countries outside the European Community or are being used in manufacturing or as seed for planting.

Copies of the Codex Guide and Recommendations are available for inspection at the Library of the Department of Agriculture for Northern Ireland, Dundonald House, Upper Newtownards Road, Belfast BT4 3SB.