
STATUTORY RULES OF NORTHERN IRELAND

2000 No. 389

Building Regulations (Northern Ireland) 2000

PART D

Structure

Deemed-to-satisfy provisions for regulations D1 and D2

D3.—(1) *The requirements of regulation D1 shall be deemed to be satisfied—*

- (a) *if any loadings to which the building will be subjected, specified in column (2) of the Table in Schedule 4, are calculated in accordance with the relevant provisions of the publications specified opposite there to in column (3), as amended by the publications specified opposite thereto in column (4):*

Provided that—

- (i) *the actual loads are used, where the actual loads to which the building is to be subjected are likely to exceed the loads so calculated; and*
- (ii) *loads used allow for possible dynamic, concentrated and peak load effects which may occur; and*
- (b) *in the case of any structural work specified in column (2) of Table D opposite the reference to that regulation, if the structural work is designed and constructed in accordance with the relevant provisions of the publications specified opposite thereto in column (3), as amended by the publications specified opposite thereto in column (4).*

(2) *The requirements of regulation D2 shall be deemed to be satisfied, in the case of any structural work specified in column (2) of Table D opposite the reference to that regulation, if the structural work is designed and constructed in accordance with the relevant provisions of the publications specified opposite thereto in column (3), as amended by the publications specified opposite thereto in column (4).*