
STATUTORY RULES OF NORTHERN IRELAND

2002 No. 20

AGRICULTURE
PESTICIDES

Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002

Made 28th January 2002

Coming into operation 4th March 2002

The Department of Agriculture and Rural Development, being a Department designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it by the said section 2(2), and, in respect of the provisions of these Regulations relating to Part I of Schedule 2 to these Regulations, in exercise of the powers conferred on it by section 16(2) of the Food and Environment Protection Act 1985(c), and of every other power enabling it in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides for Northern Ireland established under section 16(7) of that Act(d), hereby makes the following Regulations:

Citation and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002 and shall come into operation on 4th March 2002.

Interpretation

2.—(1) In these Regulations—

“EEA State” means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992(e) as adjusted by the Protocol signed at Brussels on 17th March 1993(f);

-
- (a) S.I. 2000/2812
 - (b) 1972 c. 68; the powers conferred by section 2(2) were extended by virtue of the amendment of section 1(2) of the European Communities Act 1972 by section 1 of the European Economic Area Act 1993 (c. 51)
 - (c) 1985 c. 48; section 16 was amended by the Pesticides (Fees and Enforcement) Act 1989 (c. 27) and by the Pesticides Act 1998 (c.26); *see also* section 25(2) and Article 3(4) of the Department (Northern Ireland) Order 1999 S.I. 1999/283 (N.I.1.), and section 25(2A) as inserted by section 1(5) of the Pesticides Act 1998
 - (d) Established by S.R. 1987 No. 341
 - (e) O.J. No. L1, 3.1.94, p. 3
 - (f) O.J. No. L1, 3.1.94, p. 572

“the maximum permitted level” means the level mentioned in regulation 3(1) or 4(1);

“product” means any crop, food or feeding stuff specified in Schedule 2; “putting into circulation” means any handing over, whether or not for a consideration, of any product—

(a) in the case of fruit and vegetables, after they have been harvested, and

(b) in any other case, at any time.

“the Residues Directives” means Council Directive 86/362/EEC(a) (as amended by Council Directives 88/298/EEC(b), 90/654/EEC(c), 93/57/EEC(d), 94/29/EC(e), 95/39/EC(f), 96/33/EC(g), 97/41/EC(h), 1999/65/EC(k), 1999/71/EC(l), 2000/24/EC(m), 2000/42/EC(n), 2000/48/EC(o) and 2000/58/EC(p)), together with Council Directive 86/363/EEC(q) (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/71/EC, 2000/24/EC, 2000/42/EC and 2000/58/EC) and Council Directive 90/642/EEC(r) (as amended by Council Directives 93/58/EEC(s), 94/30/EC(t), 95/38/EC(u), 95/61/EC(v), 96/32/EC(w), 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC, 1999/71/EC, 2000/24/EC, 2000/42/EC, 2000/48/EC, 2000/57/EC(x), 2000/58/EC and 2001/35/EC(y)).

(2) The words and expressions “dried”, “processed”, “composite food”, “drying” and “processing” when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

| | |
|-----|---------------------------------|
| (a) | O.J. No. L221, 7.8.86, p. 37 |
| (b) | O.J. No. L126, 20.5.88, p. 53 |
| (c) | O.J. No. L353, 17.12.90, p. 48 |
| (d) | O.J. No. L211, 23.8.93, p. 1 |
| (e) | O.J. No. L189, 23.7.94, p. 67 |
| (f) | O.J. No. L197, 22.8.95, p. 29 |
| (g) | O.J. No. L144, 18.6.96, p. 35 |
| (h) | O.J. No. L184, 12.7.97, p. 33 |
| (i) | O.J. No. L347, 18.12.97, p. 42 |
| (j) | O.J. No. L290, 29.10.98, p. 25 |
| (k) | O.J. No. L172, 8.7.99, p. 40 |
| (l) | O.J. No. L194, 27.7.99, p. 36 |
| (m) | O.J. No. L107, 4.5.2000, p. 28 |
| (n) | O.J. No. L158, 30.6.2000, p. 51 |
| (o) | O.J. No. L197, 3.8.2000, p. 26 |
| (p) | O.J. No. L244, 29.9.2000, p. 78 |
| (q) | O.J. No. L221, 7.8.86, p. 43 |
| (r) | O.J. No. L350, 14.12.90, p. 71 |
| (s) | O.J. No. L211, 23.8.93, p. 6 |
| (t) | O.J. No. L189, 23.7.94, p. 70 |
| (u) | O.J. No. L197, 22.8.95, p. 14 |
| (v) | O.J. No. L292, 7.12.95, p. 27 |
| (w) | O.J. No. L144, 18.6.96, p. 12 |
| (x) | O.J. No. L244, 29.9.2000, p. 76 |
| (y) | O.J. No. L136, 18.5.2001, p. 42 |

(3) Any reference in these Regulations, in relation to a pesticide, to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the reference to that pesticide in column 1 of that Schedule.

(4) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

(5) The Interpretation Act (Northern Ireland) 1954^(a) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

Maximum permitted residue level in certain crops, food or feeding stuffs not subject to Residues Directives

3.—(1) The maximum level of any pesticide residue which may be left in any product named in Part I of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product specified opposite the name of that product under the name of the pesticide concerned.

(2) In the case of any product named in paragraph 3, 4 or 5 of Part I of Schedule 2 which has been dried, paragraph (1) applies to the maximum level of pesticide residue applicable under that Part of that Schedule as it has effect by virtue of regulation 6(c).

Maximum permitted residue level in crops, food or feeding stuffs subject to Residues Directives

4.—(1) A person shall not put into circulation any product named in Part II of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product specified opposite the name of that product under the name of the pesticide concerned.

(2) Subject to paragraph (3), paragraph (1) shall apply in relation to—

(a) any product (in this regulation a “dried or processed product”) which after drying or processing is obtained from any of the products named in Part II of Schedule 2, and

(b) any composite food which includes any of the products named in that Part of that Schedule,

and the reference in paragraph (1) to a product named in that Part of that Schedule shall be construed accordingly.

(3) Where—

(a) paragraph (1) applies in relation to a dried or processed product or a composite food by virtue of paragraph (2), and

(b) no maximum permitted level has been expressly specified in Part II of Schedule 2 as the amount of pesticide residue which may be contained in that dried or processed product or composite food,

^(a) 1954 c. 33 (N.I.)

paragraph (1) applies by reference to the maximum permitted level of pesticide residue applicable under that Part of that Schedule as it has effect by virtue of regulation 6(d) or, as the case may be, (e).

(4) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable—

(a) on summary conviction, to a fine not exceeding the statutory maximum; and

(b) on conviction on indictment, to a fine.

(5) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question (or, as appropriate, the dried or processed product or the composite food) was put into circulation—

(a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment—

(i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or

(ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or

(b) it was so put with the intention that—

(i) it be used in the manufacture of things other than foodstuffs and animal feed; or

(ii) it be used for sowing or planting.

(6) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any part of it to be references to this regulation.

Seizure or disposal of crops, food or feeding stuffs

5. If any product contains a level of pesticide residue exceeding the maximum permitted level under either regulation 3(1) or 4(1), any Northern Ireland department may—

(a) seize or dispose of the consignment containing that product, or any part of it, or require that some other person shall dispose of it, or

(b) direct some other person to take such remedial action as appears to that department to be necessary.

Sampling and Analysis

6. In determining for the purposes of regulation 3(1) or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted level—

(a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of Schedule 3 opposite the name of that product in column 2 of that Schedule;

- (b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues(a) shall so far as is practicable be followed;
- (c) in the case of any product named in paragraph 3, 4 or 5 of Part I of Schedule 2 which has been dried that Part of that Schedule shall have specified opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
- (d) in the case of any product named in Part II of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part II of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account—
- (i) the relative concentrations of each of the constituent production the mixture; and
 - (ii) the provisions of paragraph (d).

Revocations

7. The Regulations specified in Schedule 4 are hereby revoked.

Sealed with the Official Seal of the Department of Agriculture and Rural Development on 28th January 2002.

(L.S.)

Liam McKibben

A senior officer of the Department of
Agriculture and Rural Development

(a) Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the determination of Pesticide Residues, Volume 2 Section 3 *Codex Alimentarius*, 1993

SCHEDULE 1 Regulation 2(3)

| Column 1 <i>Pesticide</i> | Column 2 <i>Residues</i> |
|---|---|
| Accephate | accephate |
| Aldicarb | sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb |
| Aldin & Dieldrin | singly or combined, expressed as dieldrin (HEOD) |
| 2-Aminobutane | 2-aminobutane |
| Aminotriazole | aminotriazole |
| Aminotriazole (Amitrole) | aminotriazole |
| Amitraz | amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz |
| Aramite | aramite |
| Atrazine | atrazine |
| Azinphos-methyl | azinphos-methyl |
| Azoxystrobin | azoxystrobin |
| Barban | barban |
| Benalaxyl | benalaxyl |
| Benfuracarb | benfuracarb |
| Binapacryl | binapacryl |
| Biphentrin | biphentrin |
| Bitertanol | bitertanol |
| Bromophos-ethyl | bromophos-ethyl |
| Bromopropylate | bromopropylate |
| Camphochlor (Toxaphene) | camphochlor (toxaphene) |
| Captafol | captafol |
| Captan | captan |
| Carbaryl | carbaryl |
| Carbendazim, Benomyl and Thiophanate-methyl | carbendazim, benomyl and thiophanate-methyl (expressed as carbendazim) |
| Carbofuran | sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran |
| Carbon disulphide | carbon disulphide |
| Carbon Tetrachloride | carbon tetrachloride |
| Carbophenothion | sum of carbophenothion, its sulphoxide and its sulphone, expressed as carbophenothion |
| Carbosulfan | carbosulfan |
| Cartap | cartap |
| Chlorbenside | chlorbenside |
| Chlorbufam | chlorbufam |

SCHEDULE 1 – continued

| Column 1 <i>Pesticide</i> | Column 2 <i>Residues</i> |
|--|--|
| Chlordane | (1) for products of animal origin: sum of <i>cis</i> - and <i>trans</i> -isomers and oxychlordane expressed as chlordane; (2) for cereals, fruit and vegetables: sum of <i>cis</i> - and <i>trans</i> -isomers expressed as chlordane |
| Chlorfenson | chlorfenson |
| Chlorfenvinphos | sum of E- and Z-isomers of chlorfenvinphos |
| Chlormequat | chlormequat |
| Chlorobenzilate | chlorobenzilate |
| Chlorothalonil | chlorothalonil |
| Chloroxuron | chloroxuron |
| Chlorpyrifos | chlorpyrifos |
| Chlorpyrifos-methyl | chlorpyrifos-methyl |
| Cyfluthrin | cyfluthrin, including other mixed isomeric constituents (sum of isomers) |
| Cypermethrin | cypermethrin (sum of isomers) |
| Daminozide | sum of daminozide and 1,1-dimethyl-hydrazine expressed as daminozide |
| DDT | sum of pp'-DDT, op'-DDT, pp'-DDE and pp'-TDE (DDD) expressed as DDT |
| Deltamethrin | deltamethrin |
| Diallate | diallate |
| Diazinon | diazinon |
| 1,1-Dichloro-2, 2-bis (4-ethyl-phenyl-) ethane | 1,1-dichloro-2, 2-bis (4-ethyl-phenyl-) ethane |
| 1,2-Dibromoethane | 1,2-dibromoethane |
| Dichlofluanid | dichlofluanid |
| Dichlorprop | dichlorprop (including dichlorprop P) |
| Dichlorvos | dichlorvos |
| Dicofol | dicofol |
| Diflubenzuron | diflubenzuron |
| Dimethipin | dimethipin |
| Dimethoate | dimethoate |
| Dinoseb | dinoseb |
| Dioxathion | dioxathion |
| Diphenylamine | diphenylamine |
| Disulfoton | sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton |
| Endosulfan | sum of alpha- and beta-isomers and of endosulfan sulphate, expressed as endosulfan |

SCHEDULE 1 – *continued*

| | Column 1 <i>Pesticide</i> | Column 2 <i>Residues</i> |
|-------------------------------|------------------------------|---|
| Endrin | | endrin |
| Ethephon | | ethephon |
| Ethion | | ethion |
| Etrinfos | | etrinfos |
| Fenarimol | | fenarimol |
| Fenbutatin oxide | | fenbutatin oxide |
| Fenchlorphos | | fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos) |
| Fenitrothion | | fenitrothion |
| Fentin | | fentin expressed as triphenyltin cation |
| Fenvalerate | | fenvalerate (sum of isomers) |
| Fenvalerate and esfenvalerate | | fenvalerate and esfenvalerate (sum of isomers) |
| Fluzafop | | fluazifop and esters (including conjugates) of fluazifop, expressed as free acid |
| Flucythrinate | | sum of isomers |
| Flurochloridone | | flurochloridone |
| Folpet | | folpet |
| Furathiocarb | | furathiocarb |
| Glyphosate | | glyphosate |
| Haloxyfop | | haloxyfop and esters (including conjugates) of haloxyfop, expressed as free acid |
| Heptachlor | | sum of heptachlor and heptachlor epoxide, expressed as heptachlor |
| Hexachlorobenzene (HCB) | | hexachlorobenzene |
| Hexachlorocyclohexane (HCH) | | hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2 |
| Hydrogen cyanide | | cyanides expressed as hydrogen cyanide |
| Hydrogen phosphide | | phosphides expressed as hydrogen phosphide |
| Imazalil | | imazalil |
| Inorganic bromide | | determined and expressed as total bromine from all sources |
| Ioxynil | | ioxynil |
| Iprodione | | iprodione |
| Kresoxim-methyl | | kresoxim-methyl (for plants) |
| Lambda-cyhalothrin | | 2-methoxyimino-2-[2-(O-tolylloxymethyl)phenyl] acetic acid (for meat, liver, fat and 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid (for milk) |
| Lambda-cyhalothrin | | lambda-cyhalothrin |

SCHEDULE 1 – *continued*

| Column 1 <i>Pesticide</i> | Column 2 <i>Residues</i> |
|--|--|
| Malathion | sum of malathion and malaoxon, expressed as malathion |
| Maleic hydrazide | maleic hydrazide |
| Maneb, Mancozeb, Metiram Propineb and Zineb | } determined and expressed as carbon disulphide (CS ₂) |
| Mecarbam | mecarbam |
| Mercury compounds | determined as total mercury and expressed as mercury |
| Metaxyl | metaxyl |
| Methacrifos | methacrifos |
| Methamidophos | methamidophos |
| Methodathion | methodathion |
| Methomyl thiocarb | sum of methomyl and thiocarb expressed as methomyl |
| Methoxychlor | methoxychlor |
| Methyl bromide (bromomethane) | methyl bromide (bromomethane) |
| Mevinphos | sum of <i>cis</i> - and <i>trans</i> -mevinphos |
| Monocrotophos | monocrotophos |
| Omethoate | omethoate (from use of formothion, dimethoate and omethoate) |
| Paraquat | paraquat |
| Parathion | parathion |
| Parathion-methyl | parathion-methyl |
| Permethrin | permethrin (and sum of isomers) |
| Phorate | sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate |
| Phosalone | phosalone |
| Phosmet | phosmet |
| Phosphamidon | sum of phosphamidon (E- and Z-isomers) and N-desethylphosphamidon (E- and Z-isomers) expressed as phosphamidon |
| Phoxim | phoxim |
| Pirimiphos-methyl | pirimiphos-methyl |
| Procyimidone | procyimidone |
| Profenophos | profenophos |
| Propargite | propargite |
| Propiconazole | propiconazole |
| Propoxur | propoxur |
| Propyzamide | propyzamide |

SCHEDULE 1 – *continued*

| Column 1 <i>Pesticide</i> | Column 2 <i>Residues</i> |
|------------------------------|---|
| Pyrethrins | sum of pyrethrins I and II, cinerins I and II, jasmolins I and II |
| Quinalphos | quinalphos |
| Quintozene | sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene |
| Tecnazene | tecnazene |
| TEPP | TEPP |
| Thiabendazole | thiabendazole |
| Triazophos | triazophos |
| Trichlorfon | trichlorfon |
| Triforine | triforine |
| 2, 4, 5-T | 2, 4, 5-T |
| Vinclozolin | sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Aldrin & Dieldrin</i> | <i>2-Aminobutane</i> | <i>Azinphos-methyl</i> | <i>Bitertanol</i> | <i>Captan</i> | <i>Carbaryl</i> | <i>Carbendazim</i> | <i>Carbophenothion</i> | <i>Chlordane</i> | <i>Chlorfenvinphos</i> | <i>Chlorobenzilate</i> | <i>Diazinon</i> | <i>Dichlofluanid</i> | <i>Dichlorvos</i> |
|------------------------------------|--|------------------------------|----------------------|------------------------|-------------------|---------------|-----------------|--------------------|------------------------|------------------|------------------------|------------------------|-----------------|----------------------|-------------------|
| | Pistachios | | | | | | | | | | | | | | |
| | Walnuts | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | |
| 12 | (iii) POME FRUIT | | | | | | | | | | | | | | |
| | Apples | 0.05 | 1 | 1 | 3 | 5 | | 1 | 0.02* 0.05 | | | | | 5 | 0.1 |
| | Pears | 0.05 | 1 | 1 | 3 | 5 | | 1 | 0.02* 0.05 | | | | | 5 | 0.1 |
| | Quinces | 0.05 | 1 | 1 | 3 | 5 | | 1 | 0.02* 0.05 | | | | | 5 | 0.1 |
| | Others | 0.05 | 1 | 1 | 3 | 5 | | 1 | 0.02* 0.05 | | | | | 5 | 0.1 |
| | (iv) STONE FRUIT | | | | | | | | | | | | | | |
| | Apricots | 0.05 | 4 | 1 | 2 | 10 | | 1 | 0.02* 0.05 | | | | | 5 | 0.1 |
| | Cherries | | | | | | | | | | | | | | |
| | Peaches (incl nectarines & similar hybrids) | 0.05 | 4 | 1 | 2 | 10 | | 1 | 0.02* 0.05 | | | | | 5 | 0.1 |
| | Plums | 0.05 | 1 | 1 | 2 | 10 | | 1 | 0.02* 0.05 | | | | | 5 | 0.1 |
| | Others | | | | | | | | | | | | | | |
| | (v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | | | | | | | | | | | |
| | Table grapes | 0.05 | 2 | | 3 | 5 | | | 0.02* 0.05 | | | | | 15 | 0.1 |
| | Wine grapes | 0.05 | 2 | | 3 | 5 | | | 0.02* 0.05 | | | | 15 | 0.1 | |

| | | | | | | | |
|--|------|---|---|----|------------|----|-----|
| (b) <i>Strawberries</i> (other than wild) | 0.05 | 1 | 3 | 7 | 0.02* 0.05 | 10 | 0.1 |
| (c) <i>Cane Fruit</i> (other than wild) | | | | | | | |
| Blackberries | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| Loganberries | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| Raspberries | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| Others | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| (d) <i>Other small fruit & berries</i> (other than wild) | | | | | | | |
| Bilberries | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| Cranberries | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| Currants (red, black & white) | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| Gooseberries | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| Others | 0.05 | 1 | 3 | 10 | 0.02* 0.05 | 15 | 0.1 |
| (e) <i>Wild berries & wild fruit</i> | | | | | | | |

 (vi) MISCELLANEOUS FRUIT

| | | | | | | | |
|---------------|------|---|-----|-----|---|------------|---|
| Avocados | | | | | | | |
| Bananas | 0.05 | 1 | 0.5 | 0.1 | 5 | 0.02* 0.05 | 5 |
| Dates | | | | | | | |
| Figs | | | | | | | |
| Kiwi fruit | | | | | | | |
| Kumquats | | | | | | | |
| Litchis | | | | | | | |
| Mangoes | | | | | | | |
| Olives | | | | | | | |
| Passion fruit | | | | | | | |
| Pineapples | | | | | | | |
| Pomegranates | | | | | | | |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Aldrin & Dieldrin</i> | <i>2-Aminobutane</i> | <i>Azinphos-methyl</i> | <i>Bitertanol</i> | <i>Captan</i> | <i>Carbaryl</i> | <i>Carbendazim</i> | <i>Carbophenothion</i> | <i>Chlordane</i> | <i>Chlorfenvinphos</i> | <i>Chlorobenzilate</i> | <i>Diazinon</i> | <i>Dichlofluanid</i> | <i>Dichlorvos</i> |
|---|--|------------------------------|----------------------|------------------------|-------------------|---------------|-----------------|--------------------|------------------------|------------------|------------------------|------------------------|-----------------|----------------------|-------------------|
| | Others | | | | | | | | | | | | | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | |
| (i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | | |
| 14 | Beetroot | | | | | | | | | | | | | | |
| | Carrots | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Celeriac | | | | | | | | | | | | | | |
| | Horseradish | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Jerusalem artichokes | | | | | | | | | | | | | | |
| | Parsnips | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Parsley root | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Radishes | | | | | | | | | | | | | | |
| | Salsify | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Sweet potatoes | | | | | | | | | | | | | | |
| | Swedes | 0.05 | | 0.5 | | 0.1 | 2 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Turnips | 0.05 | | 0.5 | | 0.1 | 1 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Yams | | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | | |
| (ii) BULB VEGETABLES | | | | | | | | | | | | | | | |
| | Garlic | 0.05 | | 0.5 | | 0.1 | 1 | | | 0.02* 0.5 | | | | 5 | 0.5 |
| | Onions | 0.05 | | 0.5 | | 0.1 | 1 | | | 0.02* 0.5 | | | | 5 | 0.5 |

| | | | | | | | |
|---------------|------|-----|-----|---|-----------|---|-----|
| Shallots | 0.05 | 0.5 | 0.1 | 1 | 0.02* 0.5 | 5 | 0.5 |
| Spring onions | | | | | | | |
| Others | | | | | | | |

(iii) FRUITING VEGETABLES

| | | | | | | | |
|------------------------------------|------|-----|-----|---|-----------|---|-----|
| (a) <i>Solanacea</i> | | | | | | | |
| Tomatoes | 0.05 | 0.5 | 3 | 5 | 0.02* 0.1 | 5 | 0.5 |
| Peppers | 0.05 | 0.5 | 3 | 5 | 0.02* 0.1 | 5 | 0.5 |
| Aubergines | 0.05 | 0.5 | 3 | 5 | 0.02* 0.1 | 5 | 0.5 |
| Others | 0.05 | 0.5 | 3 | 5 | 0.02* 0.1 | 5 | 0.5 |
| (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| Cucumbers | 0.05 | 0.5 | 0.1 | 3 | 0.02* 0.1 | 5 | 0.5 |
| Gherkins | 0.05 | 0.5 | 0.1 | 3 | 0.02* 0.1 | 5 | 0.5 |
| Courgettes | 0.05 | 0.5 | 0.1 | 3 | 0.02* 0.1 | 5 | 0.5 |
| Others | 0.05 | 0.5 | 0.1 | 3 | 0.02* 0.1 | 5 | 0.5 |
| (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| Melons | | | | | | | |
| Squashes | | | | | | | |
| Watermelons | | | | | | | |
| Others | | | | | | | |
| (d) <i>Sweet corn</i> | | | | | | | |

(iv) BRASSICA VEGETABLES

| | | | | | | | |
|--------------------------------|------|-----|-----|---|---------------|---|-----|
| (a) <i>Flowering Brassicas</i> | | | | | | | |
| Broccoli | | | | | | | |
| Cauliflower | 0.05 | 0.5 | 0.1 | 1 | 0.5 0.02* 0.1 | 5 | 0.5 |
| Others | | | | | | | |
| (b) <i>Head Brassicas</i> | | | | | | | |
| Brussels sprouts | 0.05 | 1 | 0.1 | 1 | 0.5 0.02* 0.1 | 5 | 0.5 |
| Head cabbage | 0.05 | 0.5 | 0.1 | 5 | 0.02* 0.1 | 5 | 0.5 |
| Others | | | | | | | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Dicofol</i> | <i>Diflubenzuron</i> | <i>Dimethipin</i> | <i>Dimethoate</i> | <i>Endosulfan</i> | <i>Ethion</i> | <i>Fenitrothion</i> | <i>Fluazifop</i> | <i>Flurochloridone</i> | <i>Haloxifop</i> | <i>Hexachloro-cyclohexane (HCH) γ</i> | <i>Inorganic bromide</i> | <i>Ioxynil</i> |
|------------------------------------|--|----------------|----------------------|-------------------|-------------------|-------------------|---------------|---------------------|------------------|------------------------|------------------|---------------------------------------|--------------------------|----------------|
| | Walnuts | | | | | | | | | | | | | |
| | Others | | | | | | | | | | | | | |
| 20 | (iii) POME FRUIT | | | | | | | | | | | | | |
| | Apples | | 1 | | 1 | | 0.5 | 0.5 | | | | 0.05* 1 | | 20 |
| | Pears | | 1 | | 1 | | 0.5 | 0.5 | | | | 0.05* 1 | | 20 |
| | Quinces | | 1 | | 1 | | 0.5 | 0.5 | | | | 0.05* 1 | | 20 |
| | Others | | 1 | | 1 | | 0.5 | 0.5 | | | | 0.05* 1 | | 20 |
| | (iv) STONE FRUIT | | | | | | | | | | | | | |
| | Apricots | | | | 2 | | 0.5 | 0.5 | | | | 1 | | 20 |
| | Cherries | | | | | | | | | | | | | |
| | Peaches (incl nectarines & similar hybrids) | | | | 2 | | 0.5 | 0.5 | | | | 1 | | 20 |
| | Plums | | 1 | | 2 | | 0.5 | 0.5 | | | | 1 | | 20 |
| | Others | | | | | | | | | | | | | |
| | (v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | | | | | | | | | | |
| | Table grapes | | | | 1 | | 0.5 | 0.5 | | | | 0.5 | | 20 |
| | Wine grapes | | | | 1 | | 0.5 | 0.5 | | | 0.5 | | 20 | |

| | | | | | |
|--|---|-----|-----|---|----|
| (b) <i>Strawberries</i> (other than wild) | 1 | 0.1 | 0.5 | 3 | 30 |
| (c) <i>Cane Fruit</i> (other than wild) | | | | | |
| Blackberries | 1 | 0.1 | 0.5 | 3 | 20 |
| Loganberries | 1 | 0.1 | 0.5 | 3 | 20 |
| Raspberries | 1 | 0.1 | 0.5 | 3 | 20 |
| Others | 1 | 0.1 | 0.5 | 3 | 20 |
| (d) <i>Other small fruit & berries</i> (other than wild) | | | | | |
| Bilberries | 2 | 0.1 | 0.5 | 3 | 20 |
| Cranberries | 2 | 0.1 | 0.5 | 3 | 20 |
| Currants (red, black & white) | 2 | 0.1 | 0.5 | 3 | 20 |
| Gooseberries | 2 | 0.1 | 0.5 | 3 | 20 |
| Others | 2 | 0.1 | 0.5 | 3 | 20 |
| (e) <i>Wild berries & wild fruit</i> | | | | | |

 (vi) MISCELLANEOUS FRUIT

| | | | | | |
|---------------|---|-----|-----|---|----|
| Avocados | | | | | |
| Bananas | 1 | 0.1 | 0.5 | 1 | 20 |
| Dates | | | | | |
| Figs | | | | | |
| Kiwi fruit | | | | | |
| Kumquats | | | | | |
| Litchis | | | | | |
| Mangoes | | | | | |
| Olives | | | | | |
| Passion fruit | | | | | |
| Pineapples | | | | | |
| Pomegranates | | | | | |
| Others | | | | | |

(iii) FRUITING VEGETABLES

| | | | | | | | |
|------------------------------------|---|---|-----|-----|---|----|--|
| (a) <i>Solanacea</i> | | | | | | | |
| Tomatoes | 1 | 1 | 0.1 | 0.5 | 2 | 75 | |
| Peppers | 1 | 1 | 0.1 | 0.5 | 2 | 75 | |
| Aubergines | 1 | 1 | 0.1 | 0.5 | 2 | 75 | |
| Others | 1 | 1 | 0.1 | 0.5 | 2 | 75 | |
| (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| Cucumbers | | 2 | 0.1 | 0.5 | 1 | 50 | |
| Gherkins | | 2 | 0.1 | 0.5 | 1 | 50 | |
| Courgettes | | 2 | 0.1 | 0.5 | 1 | 50 | |
| Others | | 2 | 0.1 | 0.5 | 1 | 50 | |
| (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| Melons | | | | | | | |
| Squashes | | | | | | | |
| Watermelons | | | | | | | |
| Others | | | | | | | |
| (d) <i>Sweet corn</i> | | | | | | | |

23

(iv) BRASSICA VEGETABLES

| | | | | | | | |
|--------------------------------|---|---|-----|-----|---|-----|--|
| (a) <i>Flowering Brassicas</i> | | | | | | | |
| Broccoli | | | | | | | |
| Cauliflower | | 2 | 0.1 | 0.5 | 2 | | |
| Others | | | | | | | |
| (b) <i>Head Brassicas</i> | | | | | | | |
| Brussels sprouts | 1 | 2 | 0.1 | 0.5 | 2 | | |
| Head cabbage | 1 | 2 | 0.1 | 0.5 | 2 | 100 | |
| Others | | | | | | | |
| (c) <i>Leafy Brassicas</i> | | | | | | | |
| Chinese cabbage | | | | | | | |
| Kale | | | | | | | |
| Others | | | | | | | |

| | | | | | | |
|--------------------------------|---------------------------------|-----|-----|-----|-----|-------|
| (vi) LEGUME VEGETABLES (fresh) | | | | | | |
| | Beans (with pods) | 2 | 0.1 | 0.5 | | 1 |
| | Beans (without pods) | | | | | |
| | Peas (with pods) | 1 | 0.1 | 0.5 | | 0.1 |
| | Peas (without pods) | | | | | |
| | Others | | | | | |
| <hr/> | | | | | | |
| (vii) STEM VEGETABLES | | | | | | |
| | Asparagus | | | | | |
| | Cardoons | | | | | |
| | Celery | 1 | 0.1 | 0.5 | | 1 300 |
| | Fennel | | | | | |
| | Globe artichokes | | | | | |
| | Leeks | 1 | 0.1 | 0.5 | | 1 |
| | Rhubarb | 1 | 0.1 | 0.5 | | 1 |
| | Others | | | | | |
| <hr/> | | | | | | |
| 25 | (viii) FUNGI | | | | | |
| | (a) <i>Cultivated mushrooms</i> | 0.1 | 1 | 0.1 | 0.5 | 1 |
| | (b) <i>Wild mushrooms</i> | | | | | |
| <hr/> | | | | | | |
| 3. PULSES | | | | | | |
| | Beans | | | | | |
| | Lentils | | | | | |
| | Peas | | | | | |
| | Others | | | | | |
| <hr/> | | | | | | |
| 4. OILSEEDS | | | | | | |
| | Linseed | | | | | |
| | Peanuts | | | | | |
| | Poppy seed | | | | | |
| | Sesame seed | | | | | |
| | Sunflower seed | | | | | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Malathion</i> | <i>Mercury compounds</i> | <i>Metaxyl</i> | <i>Mevinphos</i> | <i>Omethoate</i> | <i>Parathion</i> | <i>Parathion-methyl</i> | <i>Phosalone</i> | <i>Quintozene</i> | <i>Tecnazene</i> | <i>Thiabendazole</i> |
|------------------------------------|--|------------------|--------------------------|----------------|------------------|------------------|------------------|-------------------------|------------------|-------------------|------------------|----------------------|
| | Walnuts | | | | | | | | | | | |
| | Others | | | | | | | | | | | |
| (iii) POME FRUIT | | | | | | | | | | | | |
| | Apples | 0.5 | 0.02 | | 0.2 | 0.2 | | | 2 | | | |
| | Pears | 0.5 | 0.02 | | 0.2 | 0.2 | | | 2 | | | |
| | Quinces | 0.5 | 0.02 | | 0.2 | 0.2 | | | 2 | | | |
| | Others | 0.5 | 0.02 | | 0.2 | 0.2 | | | 2 | | | |
| (iv) STONE FRUIT | | | | | | | | | | | | |
| | Apricots | 0.5 | | | 0.2 | 1 | | | 2 | | | |
| | Cherries | | | | | | | | | | | |
| | Peaches (incl nectarines & similar hybrids) | 0.5 | | | 0.5 | 1 | | | 2 | | | |
| | Plums | 0.5 | | | 0.5 | 1 | | | 1 | | | |
| | Others | | | | | | | | | | | |
| (v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | | | | | | | | |
| | Table grapes | 0.5 | | | 0.1 | 1 | | | 1 | | | |
| | Wine grapes | 0.5 | | | 0.1 | 1 | | | 1 | | | |

| | | | | |
|--|-----|-----|---|---|
| (b) <i>Strawberries</i> (other than wild) | 0.5 | 0.1 | 1 | 1 |
| (c) <i>Cane Fruit</i> (other than wild) | | | | |
| Blackberries | 0.5 | 0.1 | 1 | 1 |
| Loganberries | 0.5 | 0.1 | 1 | 1 |
| Raspberries | 0.5 | 0.1 | 1 | 1 |
| Others | 0.5 | 0.1 | 1 | 1 |
| (d) <i>Other small fruit & berries</i> (other than wild) | | | | |
| Bilberries | 0.5 | 0.1 | 1 | 1 |
| Cranberries | 0.5 | 0.1 | 1 | 1 |
| Currants (red, black & white) | 0.5 | 0.1 | 1 | 1 |
| Gooseberries | 0.5 | 0.1 | 1 | 1 |
| Others | 0.5 | 0.1 | 1 | 1 |
| (e) <i>Wild berries & wild fruit</i> | | | | |

 (vi) MISCELLANEOUS FRUIT

| | | | | |
|---------------|-----|-----|---|---|
| Avocados | | | | |
| Bananas | 0.5 | 0.2 | 1 | 1 |
| Dates | | | | |
| Figs | | | | |
| Kiwi fruit | | | | |
| Kumquats | | | | |
| Litchis | | | | |
| Mangoes | | | | |
| Olives | | | | |
| Passion fruit | | | | |
| Pineapples | | | | |
| Pomegranates | | | | |
| Others | | | | |

(iii) FRUITING VEGETABLES

| | | | | | | | |
|------------------------------------|---|------|-----|-----|---|-----|--|
| (a) <i>Solanacea</i> | | | | | | | |
| Tomatoes | 3 | 0.02 | 0.1 | 1 | 1 | 0.1 | |
| Peppers | 3 | 0.02 | 0.1 | 1 | 1 | 0.1 | |
| Aubergines | 3 | 0.02 | 0.1 | 1 | 1 | 0.1 | |
| Others | 3 | 0.02 | 0.1 | 1 | 1 | 0.1 | |
| (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| Cucumbers | 3 | 0.02 | 0.1 | 0.2 | 1 | | |
| Gherkins | 3 | 0.02 | 0.1 | 0.2 | 1 | | |
| Courgettes | 3 | 0.02 | 0.1 | 0.2 | 1 | | |
| Others | 3 | 0.02 | 0.1 | 0.2 | 1 | | |
| (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| Melons | | | | | | | |
| Squashes | | | | | | | |
| Watermelons | | | | | | | |
| Others | | | | | | | |
| (d) <i>Sweet corn</i> | | | | | | | |

31

(iv) BRASSICA VEGETABLES

| | | | | | | | |
|--------------------------------|---|------|-----|-----|---|------|--|
| (a) <i>Flowering Brassicas</i> | | | | | | | |
| Broccoli | | | | | | | |
| Cauliflower | 3 | 0.02 | 0.1 | 0.2 | 1 | 0.02 | |
| Others | | | | | | | |
| (b) <i>Head Brassicas</i> | | | | | | | |
| Brussels sprouts | 3 | 0.02 | 0.1 | 0.2 | 1 | | |
| Head cabbage | 3 | 0.02 | 0.1 | 0.2 | 1 | 0.02 | |
| Others | | | | | | | |
| (c) <i>Leafy Brassicas</i> | | | | | | | |
| Chinese cabbage | | | | | | | |
| Kale | | | | | | | |
| Others | | | | | | | |

| | | | | | | |
|--------------------------------|---|--|-----|-----|---|------|
| (vi) LEGUME VEGETABLES (fresh) | | | | | | |
| Beans (with pods) | 3 | | 0.1 | 0.2 | 1 | 0.01 |
| Beans (without pods) | | | | | | |
| Peas (with pods) | 3 | | 0.1 | 0.2 | 1 | |
| Peas (without pods) | | | | | | |
| Others | | | | | | |

(vii) STEM VEGETABLES

| | | | | | | |
|------------------|---|------|-----|-----|---|--|
| Asparagus | | | | | | |
| Cardoons | | | | | | |
| Celery | 3 | 0.02 | 0.1 | 0.2 | 1 | |
| Fennel | | | | | | |
| Globe artichokes | | | | | | |
| Leeks | 3 | 0.02 | 0.1 | 2 | 1 | |
| Rhubarb | 3 | 0.02 | 0.1 | 0.2 | 1 | |
| Others | | | | | | |

33

(viii) FUNGI

| | | | | | | |
|---------------------------------|---|------|-----|-----|---|--|
| (a) <i>Cultivated mushrooms</i> | 3 | 0.02 | 0.1 | 0.2 | 1 | |
| (b) <i>Wild mushrooms</i> | | | | | | |

3. PULSES

Beans
Lentils
Peas
Others

4. OILSEEDS

Linseed
Peanuts
Poppy seed
Sesame seed
Sunflower seed

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Vinclozolin</i> |
|--|--|-------------------|--------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | |
| (i) CITRUS FRUIT | Grapefruit Lemons Limes Mandarins (inc clementines & similar hybrids) Oranges Pomelos Others | | |
| (ii) TREE NUTS (shelled or unshelled) | Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios | | |

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Vinclozolin</i> |
|------------------------------------|---|-------------------|--------------------|
| | Walnuts Others | | |
| (iii) POME FRUIT | Apples Pears Quinces Others | | |
| (iv) STONE FRUIT | Apricots Cherries Peaches (incl nectarines & similar hybrids) Plums Others | | |
| (v) BERRIES AND SMALL FRUIT | (a) <i>Table & wine grapes</i> Table grapes Wine grapes | | |

- (b) *Strawberries* (other than wild)
- (c) *Cane Fruit* (other than wild)
 - Blackberries
 - Loganberries
 - Raspberries
 - Others
- (d) *Other small fruit & berries* (other than wild)
 - Bilberries
 - Cranberries
 - Currants (red, black & white)
 - Gooseberries
 - Others
- (e) *Wild berries & wild fruit*

37

(vi) MISCELLANEOUS FRUIT

- Avocados
 - Bananas
 - Dates
 - Figs
 - Kiwi fruit
 - Kumquats
 - Litchis
 - Mangoes
 - Olives
 - Passion fruit
 - Pineapples
 - Pomegranates
 - Others
-

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Vinclozolin</i> |
|---|--|-------------------|--------------------|
| 2. Vegetables, fresh or uncooked, frozen or dry | | | |
| (i) ROOT AND TUBER VEGETABLES | | | |
| 38 | Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others | | |
| (ii) BULB VEGETABLES | | | |
| | Garlic Onions Shallots Spring onions Others | | |

(iii) FRUITING VEGETABLES

- (a) *Solanacea*
 - Tomatoes
 - Peppers
 - Aubergines
 - Others
 - (b) *Cucurbits-edible peel*
 - Cucumbers
 - Gherkins
 - Courgettes
 - Others
 - (c) *Cucurbits-inedible peel*
 - Melons
 - Squashes
 - Watermelons
 - Others
 - (d) *Sweet corn*
-

(iv) BRASSICA VEGETABLES

- (a) *Flowering Brassicas*
 - Broccoli
 - Cauliflower
 - Others
- (b) *Head Brassicas*
 - Brussels sprouts
 - Head cabbage
 - Others
- (c) *Leafy Brassicas*
 - Chinese cabbage
 - Kale
 - Others

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Vinclozolin</i> |
|------------------------------------|--|-------------------|--------------------|
| | (d) <i>Kohlrabi</i> | | |
| | (v) LEAF VEGETABLES AND FRESH HERBS | | |
| | (a) <i>Lettuce & similar</i> | | |
| | Cress | | |
| | Lamb's lettuce | | |
| | Lettuce | | |
| | Scarole | | |
| | Others | | |
| | (b) <i>Spinach & similar</i> | | |
| | Beet leaves (chard) | | |
| | (c) <i>Watercress</i> | | |
| | (d) <i>Witloof</i> | | |
| | (e) <i>Herbs</i> | | |
| | Chervil | | |
| | Chives | | |
| | Parsley | | |
| | Celery leaves | | |
| | Others | | |

- (vi) LEGUME VEGETABLES (fresh)
 - Beans (with pods)
 - Beans (without pods)
 - Peas (with pods)
 - Peas (without pods)
 - Others
-

- (vii) STEM VEGETABLES
 - Asparagus
 - Cardoons
 - Celery
 - Fennel
 - Globe artichokes
 - Leeks
 - Rhubarb
 - Others
-

41

- (viii) FUNGI
 - (a) *Cultivated mushrooms*
 - (b) *Wild mushrooms*
-

3. PULSES

- Beans
 - Lentils
 - Peas
 - Others
-

4. OILSEEDS

- Linseed
- Peanuts
- Poppy seed
- Sesame seed
- Sunflower seed

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Vinclozolin</i> |
|------------------------------------|--|-------------------|--------------------|
| | Rape seed Soya bean Mustard seed Cotton seed Others | | |
| 5. POTATOES | Early potatoes Ware potatoes | | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlorfenvinphos</i> | <i>Diazinon</i> | <i>Dichlorvos</i> | <i>Dilubenzuron</i> | <i>Etrinofos</i> | <i>Fenitrothion</i> | <i>Mercury compounds</i> | <i>Methacrifos</i> |
|------------------------------------|--|------------------------|-----------------|-------------------|---------------------|------------------|---------------------|--------------------------|--------------------|
| 43 | 8. CEREALS | | | | | | | | |
| | | Wheat | | | | 5 | 5 | 0.02 | 5 |
| | | Rye | | | | 5 | 5 | 0.02 | 5 |
| | | Barley | | | | 5 | 5 | 0.02 | 5 |
| | | Oats | | | | 5 | 5 | 0.02 | 5 |
| | | Triticale | | | | 5 | 5 | 0.02 | 5 |
| | | Maize | | | | 5 | 5 | 0.02 | 5 |
| | Rice ⁽¹⁾ | | | | | | | | |
| | Other cereals ⁽²⁾ | | | | | 5 | 5 | 0.02 | 5 |
| | 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.2 | 0.7 | 0.05 | 0.05* | | | | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.008 | 0.02 | 0.02 | 0.05* | | | | |
| | Eggs ⁽⁶⁾ | | | 0.05* | 0.05* | | | | |

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

PART II

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & Dieldrin</i> | <i>Aminotriazole (Amitrole)</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Atrazine</i> | <i>Azoxystrobin</i> |
|--|---|-----------------|-----------------|------------------------------|---------------------------------|----------------|----------------|-----------------|---------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | | |
| 45 | Grapefruit | 1 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Lemons | 1 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Limes | 1 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 1 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Oranges | 1 | 0.2 | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Pomelos | 1 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 1 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Brazil nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Cashew nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Chestnuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Coconuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Hazelnuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Macadamia nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Pecans | 0.02* | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Pine nuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & Dieldrin</i> | <i>Aminotriazole (Amitrole)</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Atrazine</i> | <i>Azoxystrobin</i> |
|------------------------------------|--|-----------------|-----------------|------------------------------|---------------------------------|----------------|----------------|-----------------|---------------------|
| | Pistachios | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Walnuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.1* |
| <hr/> | | | | | | | | | |
| (iii) POME FRUIT | | | | | | | | | |
| 46 | Apples | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Pears | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Quinces | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Others | 1 | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| <hr/> | | | | | | | | | |
| (iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Cherries | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Plums | 2 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| <hr/> | | | | | | | | | |
| (v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| (a) <i>Table & wine grapes</i> | | | | | | | | | |
| | Table grapes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 2 |
| | Wine grapes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 2 |

| | | | | | | | |
|--|-------|-------|-------|-------|-------|------|-------|
| (b) <i>Strawberries</i> (other than wild) | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| (c) <i>Cane Fruit</i> (other than wild) | | | | | | | |
| Blackberries | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Dewberries | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Loganberries | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Raspberries | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| (d) <i>Other small fruit & berries</i> (other than wild) | | | | | | | |
| Bilberries | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Cranberries | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Currants (red, black & white) | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Gooseberries | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| (e) <i>Wild berries & wild fruit</i> | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| <hr/> | | | | | | | |
| (vi) MISCELLANEOUS FRUIT | | | | | | | |
| Avocados | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Bananas | 0.02* | 0.1 | 0.05* | 0.02* | 0.01* | 0.1* | 2 |
| Dates | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Figs | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Kiwi fruit | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Kumquats | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Litchis | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Mangoes | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Olives (table consumption) | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Olives (oil extract) | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Papaya | | 0.05* | | 0.02* | | | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & Dieldrin</i> | <i>Aminotriazole (Amitrole)</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Atrazine</i> | <i>Azoxystrobin</i> |
|------------------------------------|--|-----------------|-----------------|------------------------------|---------------------------------|----------------|----------------|-----------------|---------------------|
| | Passion fruit | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Pineapples | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Pomegranates | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

48

(i) ROOT AND TUBER VEGETABLES

| | | | | | | | | | |
|--|----------------------|-------|-------|--|-------|-------|-------|------|-------|
| | Beetroot | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Carrots | 0.02* | 0.1 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Celeriac | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Horseradish | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Parsnips | 0.02* | 0.1 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Parsley root | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Radishes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Salsify | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Sweet potatoes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Swedes | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Turnips | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Yams | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | | | |
|---------------|-------|-------|-------|-------|-------|------|-------|
| Garlic | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Onions | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Shallots | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Spring onions | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

(iii) FRUITING VEGETABLES

| | | | | | | | |
|------------------------------------|-------|-------|-------|-------|-------|------|-------|
| (a) <i>Solanacea</i> | | | | | | | |
| Tomatoes | 0.5 | 0.05* | 0.05* | 0.5 | 0.01* | 0.1* | 2 |
| Peppers | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Chilli peppers | | | | | 0.01* | | |
| Aubergines | 0.5 | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| Cucumbers | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 1 |
| Gherkins | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 1 |
| Courgettes | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 1 |
| Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 1 |
| (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| Melons | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.5 |
| Squashes | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.5 |
| Watermelons | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.5 |
| Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.5 |
| (d) <i>Sweet corn</i> | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

(iv) BRASSICA VEGETABLES

| | | | | | | | |
|--------------------------------|---|-------|-------|-------|-------|------|-------|
| (a) <i>Flowering Brassicas</i> | | | | | | | |
| Broccoli | 2 | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Cauliflower | 2 | 0.2 | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| Others | 2 | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & Dieldrin</i> | <i>Aminotriazole (Amitrole)</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Atrazine</i> | <i>Azoxystrobin</i> | |
|------------------------------------|--|----------------------------------|-----------------|------------------------------|---------------------------------|----------------|----------------|-----------------|---------------------|-------|
| 50 | (b) <i>Head Brassicas</i> | | | | | | | | | |
| | Brussels sprouts | 2 | 0.2 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Head cabbage | 2 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Others | 2 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | (c) <i>Leafy Brassicas</i> | | | | | | | | | |
| | Chinese cabbage | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Kale | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | (d) <i>Kohlrabi</i> | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | (v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| | | (a) <i>Lettuce & similar</i> | | | | | | | | |
| | | Cress | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | | Lamb's lettuce | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Lettuce | 1 | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Scarole | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | (b) <i>Spinach & similar</i> | | | | | | | | | |
| | Spinach | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Beet leaves (chard) | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |

| | | | | | | | | | |
|-------|---------------------------------|-------|-------|-------|-------|-------|------|-------|--|
| | (c) <i>Watercress</i> | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | (d) <i>Witloof</i> | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | (e) <i>Herbs</i> | | | | | | | | |
| | Chervil | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Chives | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Parsley | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Celery leaves | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| <hr/> | | | | | | | | | |
| | (vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 3 | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Beans (without pods) | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Peas (with pods) | 3 | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Peas (without pods) | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Others | | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| <hr/> | | | | | | | | | |
| 51 | (vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Cardoons | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Celery | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Fennel | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Globe artichokes | 0.2 | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Leeks | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Rhubarb | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | Others | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| <hr/> | | | | | | | | | |
| | (viii) FUNGI | | | | | | | | |
| | (a) <i>Cultivated mushrooms</i> | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |
| | (b) <i>Wild mushrooms</i> | 0.02* | 0.05* | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & Dieldrin</i> | <i>Aminotriazole (Amitrole)</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Atrazine</i> | <i>Azoxystrobin</i> |
|------------------------------------|--|-----------------|-----------------|------------------------------|---------------------------------|----------------|----------------|-----------------|---------------------|
| 3. PULSES | | | | | | | | | |
| | Beans | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Lentils | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Peas | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| 52 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Peanuts | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Rape seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Soya bean | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Cotton seed | 0.02* | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.02* | 0.5 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |
| | Ware potatoes | 0.02* | 0.5 | | 0.05* | 0.02* | 0.01* | 0.1* | 0.05* |

| | | | | | | | | | |
|-----------------|--|------|-------|------|------|------|------|------|------|
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.05* | 0.02 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.05* | | 0.1* | 50 | 0.1* | 0.1* | 0.1* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Barban</i> | <i>Benalaxyl</i> | <i>Benfuracarb</i> | <i>Binapacryl</i> | <i>Biphenithrin</i> | <i>Bromophos-ethyl</i> | <i>Bromopropylate</i> | <i>Camphector (Toxaphene)</i> |
|--|---|---------------|------------------|--------------------|-------------------|---------------------|------------------------|-----------------------|-------------------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | | |
| 54 | Grapefruit | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Lemons | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Limes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Mandarins (inc clementines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Oranges | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pomelos | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Brazil nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cashew nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Chestnuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Coconuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Hazelnuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Macadamia nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pecans | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pine nuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pistachios | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| | | | | | | | |
|-------|--|-------|-------|-------|-------|-------|------|
| | Walnuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| <hr/> | | | | | | | |
| (iii) | POME FRUIT | | | | | | |
| | Apples | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Pears | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Quinces | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| <hr/> | | | | | | | |
| (iv) | STONE FRUIT | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Plums | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| <hr/> | | | | | | | |
| 55 | (v) BERRIES AND SMALL FRUIT | | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | | | |
| | Table grapes | 0.05* | 0.2 | 0.05* | 0.05* | 0.05* | 0.1* |
| | Wine grapes | 0.05* | 0.2 | 0.05* | 0.05* | 0.05* | 0.1* |
| | (b) <i>Strawberries (other than wild)</i> | | | | | | |
| | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | (c) <i>Cane Fruit (other than wild)</i> | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Dewberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Loganberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Raspberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Barban</i> | <i>Benalaxyl</i> | <i>Benfuracarb</i> | <i>Binapacryl</i> | <i>Biphenithrin</i> | <i>Bromophos-ethyl</i> | <i>Bromopropylate</i> | <i>Camphector (Toxaphene)</i> |
|------------------------------------|--|---------------|------------------|--------------------|-------------------|---------------------|------------------------|-----------------------|-------------------------------|
| 56 | Bilberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cranberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Gooseberries | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (e) <i>Wild berries & wild fruit</i> | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Bananas | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Dates | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Figs | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Kiwi fruit | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Kumquats | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Litchis | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Mangoes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Papaya | | 0.05* | 0.05* | | | | | |
| | Passion fruit | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Pineapples | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| | | | | | | |
|--------------|-------|-------|-------|-------|-------|------|
| Pomegranates | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | |
|----------------------|-------|-------|-------|-------|-------|------|
| Beetroot | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Carrots | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Celeriac | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Horseradish | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Parsnips | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Parsley root | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Radishes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Salsify | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Sweet potatoes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Swedes | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Turnips | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Yams | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |

(ii) BULB VEGETABLES

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|------|
| Garlic | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Onions | 0.05* | 0.2 | 0.05* | 0.05* | 0.05* | 0.1* |
| Shallots | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Spring onions | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | |
|----------------|-------|-----|-------|-------|-------|------|
| Tomatoes | 0.05* | 0.2 | 0.05* | 0.05* | 0.05* | 0.1* |
| Peppers | 0.05* | 0.2 | 0.05* | 0.05* | 0.05* | 0.1* |
| Chilli peppers | 0.05* | | | | | |

SCHEDULE 2 — *continued*

58

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Barban</i> | <i>Bendalaxyl</i> | <i>Benfuracarb</i> | <i>Binapacryl</i> | <i>Biphenithrin</i> | <i>Bromophos-ethyl</i> | <i>Bromopropylate</i> | <i>Camphector (Toxaphene)</i> |
|------------------------------------|--|---------------|-------------------|--------------------|-------------------|---------------------|------------------------|-----------------------|-------------------------------|
| | Aubergines | 0.05* | 0.2 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Gherkins | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Courgettes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | | |
| | Melons | 0.05* | 0.1 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Squashes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Watermelons | 0.05* | 0.1 | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (d) <i>Sweet corn</i> | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| <hr/> | | | | | | | | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | | |
| | Broccoli | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cauliflower | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (b) <i>Head Brassicas</i> | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| | | | | | | |
|----------------------------|-------|-------|-------|-------|-------|------|
| Head cabbage | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| (c) <i>Leafy Brassicas</i> | | | | | | |
| Chinese cabbage | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Kale | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| (d) <i>Kohlrabi</i> | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|------|
| (a) <i>Lettuce & similar</i> | | | | | | |
| Cress | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Lamb's lettuce | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Lettuce | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Scarole | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| (b) <i>Spinach & similar</i> | | | | | | |
| Spinach | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Beet leaves (chard) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| (c) <i>Watercress</i> | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| (d) <i>Witloof</i> | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| (e) <i>Herbs</i> | | | | | | |
| Chervil | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Chives | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Parsley | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Celery leaves | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |

(vi) LEGUME VEGETABLES (fresh)

| | | | | | | |
|----------------------|-------|-------|-------|-------|-------|------|
| Beans (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |
| Beans (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.1* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Barban</i> | <i>Bendalaxyl</i> | <i>Benfuracarb</i> | <i>Binapacryl</i> | <i>Biphenithrin</i> | <i>Bromophos-ethyl</i> | <i>Bromopropylate</i> | <i>Camphector (Toxaphene)</i> |
|------------------------------------|--|---------------|-------------------|--------------------|-------------------|---------------------|------------------------|-----------------------|-------------------------------|
| | Peas (with pods) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peas (without pods) | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (vii) STEM VEGETABLES | | | | | | | | |
| 09 | Asparagus | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Cardoons | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Celery | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Fennel | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Globe artichokes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Leeks | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Rhubarb | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (viii) FUNGI | | | | | | | | |
| | (a) <i>Cultivated mushrooms</i> | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | (b) <i>Wild mushrooms</i> | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | 3. PULSES | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Lentils | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Peas | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* |

| | | | | | | | | | | |
|-------------|-----------------|--|-------|-------|-------|------|-------|------|------|------|
| 4. OILSEEDS | | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Peanuts | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Poppy seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Sesame seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Sunflower seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Rape seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Soya bean | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Mustard seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Cotton seed | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| 5. POTATOES | | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| | Ware potatoes | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | | 0.1* | |
| 19 | 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 0.1* | 5 | 0.1* | 0.1* | 0.1* |
| | 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 5 | 0.1* | | 0.1* | | 0.1* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Captafol</i> | <i>Carbendazim</i> | <i>Carbofuran</i> | <i>Carbosulfan</i> | <i>Cartap</i> | <i>Chlorbenside</i> | <i>Chlorbufam</i> |
|--|---|-----------------|--------------------|-------------------|--------------------|---------------|---------------------|-------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | |
| 62 | Grapefruit | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Lemons | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Limes | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Oranges | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Pomelos | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | |
| | Almonds | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Brazil nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cashew nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chestnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Coconuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Hazelnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Macadamia nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pecans | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pine nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| | | | | | | |
|------------|-------|------|------|-------|-------|-------|
| Pistachios | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Walnuts | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |

(iii) POME FRUIT

| | | | | | | |
|---------|-------|---|------|-------|-------|-------|
| Apples | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* |
| Pears | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* |
| Quinces | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* |

(iv) STONE FRUIT

| | | | | | | |
|---|-------|------|------|-------|-------|-------|
| Apricots | 0.02* | 1 | 0.1* | 0.05* | 0.01* | 0.05* |
| Cherries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Peaches (incl nectarines & similar hybrids) | 0.02* | 1 | 0.1* | 0.05* | 0.01* | 0.05* |
| Plums | 0.02* | 0.5 | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |

63

(v) BERRIES AND SMALL FRUIT

| | | | | | | |
|---|-------|------|------|-------|-------|-------|
| (a) <i>Table & wine grapes</i> | | | | | | |
| Table grapes | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* |
| Wine grapes | 0.02* | 2 | 0.1* | 0.05* | 0.01* | 0.05* |
| (b) <i>Strawberries (other than wild)</i> | | | | | | |
| | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| (c) <i>Cane Fruit (other than wild)</i> | | | | | | |
| Blackberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Dewberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Loganberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Raspberries | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Captafol</i> | <i>Carbendazim</i> | <i>Carbofuran</i> | <i>Carbosulfan</i> | <i>Cartap</i> | <i>Chlorbenside</i> | <i>Chlorbufam</i> |
|------------------------------------|--|-----------------|--------------------|-------------------|--------------------|---------------|---------------------|-------------------|
| 64 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | |
| | Bilberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cranberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Currants (red, black & white) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Gooseberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | (e) <i>Wild berries & wild fruit</i> | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Bananas | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Dates | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Figs | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kiwi fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kumquats | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Litchis | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Mangoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Olives (oil extract) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

| | | | | | | |
|---------------|-------|------|------|-------|-------|-------|
| Papaya | | 0.1* | 0.1* | 0.05* | | |
| Passion fruit | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Pineapples | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Pomegranates | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | |
|----------------------|-------|------|------|-------|-------|-------|
| Beetroot | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Carrots | 0.02* | 0.1* | 0.3 | 0.1 | 0.01* | 0.05* |
| Celeriac | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Horseradish | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Jerusalem artichokes | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Parsnips | 0.02* | 0.1* | 0.3 | 0.1 | 0.01* | 0.05* |
| Parsley root | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Radishes | 0.02* | 0.1* | 0.5 | 0.05* | 0.01* | 0.05* |
| Salsify | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Sweet potatoes | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Swedes | 0.02* | 0.1* | 0.2 | 0.05* | 0.01* | 0.05* |
| Turnips | 0.02* | 0.1* | 0.2 | 0.05* | 0.01* | 0.05* |
| Yams | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | | |
|---------------|-------|------|------|-------|-------|-------|
| Garlic | 0.02* | 0.1* | 0.3 | 0.05* | 0.01* | 0.05* |
| Onions | 0.02* | 0.1* | 0.3 | 0.05* | 0.01* | 0.05* |
| Shallots | 0.02* | 0.1* | 0.3 | 0.05* | 0.01* | 0.05* |
| Spring onions | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | |
|----------|-------|-----|------|-------|-------|-------|
| Tomatoes | 0.02* | 0.5 | 0.1* | 0.05* | 0.01* | 0.05* |
|----------|-------|-----|------|-------|-------|-------|

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Captafol</i> | <i>Carbendazim</i> | <i>Carbofuran</i> | <i>Carbosulfan</i> | <i>Cartap</i> | <i>Chlorbenside</i> | <i>Chlorbufam</i> |
|------------------------------------|--|-----------------|--------------------|-------------------|--------------------|---------------|---------------------|-------------------|
| 99 | Peppers | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chilli peppers | | | | | | 0.01* | 0.05* |
| | Aubergines | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| | Cucumbers | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Gherkins | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Courgettes | 0.02* | 0.3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| | Melons | 0.02* | 0.5 | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Squashes | 0.02* | 0.5 | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Watermelons | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | (d) <i>Sweet corn</i> | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | <hr/> | | | | | | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | |
| (a) <i>Flowering Brassicas</i> | | | | | | | | |
| | Broccoli | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Cauliflower | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |

| | | | | | | |
|----------------------------|-------|------|------|-------|-------|-------|
| (b) <i>Head Brassicas</i> | | | | | | |
| Brussels sprouts | 0.02* | 0.5 | 0.1* | 0.05* | 0.01* | 0.05* |
| Head cabbage | 0.02* | 3 | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 3 | 0.1* | 0.05* | 0.01* | 0.05* |
| (c) <i>Leafy Brassicas</i> | | | | | | |
| Chinese cabbage | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Kale | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| (d) <i>Kohlrabi</i> | 0.02* | 0.1* | 0.2 | 0.05* | 0.01* | 0.05* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | |
|----------------------------------|-------|------|------|-------|-------|-------|
| (a) <i>Lettuce & similar</i> | | | | | | |
| Cress | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Lamb's lettuce | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Lettuce | 0.02* | 5 | 0.1* | 0.05* | 0.01* | 0.05* |
| Scarole | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| (b) <i>Spinach & similar</i> | | | | | | |
| Spinach | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Beet leaves (chard) | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| (c) <i>Watercress</i> | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| (d) <i>Witloof</i> | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| (e) <i>Herbs</i> | | | | | | |
| Chervil | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Chives | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Parsley | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Celery leaves | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Captafol</i> | <i>Carbendazim</i> | <i>Carbofuran</i> | <i>Carbosulfan</i> | <i>Cartap</i> | <i>Chlorbenside</i> | <i>Chlorbufam</i> |
|------------------------------------|--|-----------------|--------------------|-------------------|--------------------|---------------|---------------------|-------------------|
| (vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Beans (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| (vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cardoons | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Celery | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Fennel | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Globe artichokes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Leeks | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Rhubarb | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| (viii) FUNGI | | | | | | | | |
| | (a) <i>Cultivated mushrooms</i> | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | (b) <i>Wild mushrooms</i> | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |

| | | | | | | | |
|-------|--|-------|------|------|-------|-------|-------|
| | Lentils | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Peas | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| <hr/> | | | | | | | |
| 4. | OILSEEDS | | | | | | |
| | Linseed | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Peanuts | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Poppy seed | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Sesame seed | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Sunflower seed | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Rape seed | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Soya bean | 0.02* | 0.2 | 0.1* | 0.05* | 0.01* | 0.05* |
| | Mustard seed | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Cotton seed | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| <hr/> | | | | | | | |
| 69 | 5. POTATOES | | | | | | |
| | Early potatoes | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| | Ware potatoes | 0.02* | 0.1* | 0.1* | 0.05* | 0.01* | 0.05* |
| <hr/> | | | | | | | |
| 6. | TEA | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.2* | 0.1* | 0.1* | 0.1* |
| <hr/> | | | | | | | |
| 7. | HOPS (dried) | | | | | | |
| | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 10 | 1 | 0.1* | 0.1* |
| <hr/> | | | | | | | |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlordane</i> | <i>Chlorfenson</i> | <i>Chlornequat</i> | <i>Chlorobenzilate</i> | <i>Chlorothalomid</i> | <i>Chloroxuron</i> | <i>Chlorpyrifos</i> |
|--|---|------------------|--------------------|--------------------|------------------------|-----------------------|--------------------|---------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | |
| 70 | Grapefruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Lemons | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Limes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Mandarins (inc clementines & similar hybrids) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 2 |
| | Oranges | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Pomelos | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | |
| | Almonds | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Brazil nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cashew nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Chestnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Coconuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Hazelnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Macadamia nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pecans | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pine nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pistachios | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |

| | | | | | | | |
|-------|---|-------|-------|-------|-------|-------|-------|
| | Walnuts | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| <hr/> | | | | | | | |
| (iii) | POME FRUIT | | | | | | |
| | Apples | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Pears | 0.01* | 0.5 | 0.02* | 1 | 0.05* | 0.5 |
| | Quinces | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Others | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| <hr/> | | | | | | | |
| (iv) | STONE FRUIT | | | | | | |
| | Apricots | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Cherries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Peaches (incl nectarines & similar hybrids) | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.2 |
| | Plums | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| <hr/> | | | | | | | |
| 71 | (v) BERRIES AND SMALL FRUIT | | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | | | |
| | Table grapes | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Wine grapes | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.5 |
| | (b) <i>Strawberries</i> (other than wild) | | | | | | |
| | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.2 |
| | (c) <i>Cane Fruit</i> (other than wild) | | | | | | |
| | Blackberries | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.5 |
| | Dewberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Loganberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Raspberries | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.5 |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlordane</i> | <i>Chlorfenson</i> | <i>Chlornequat</i> | <i>Chlorobenzilate</i> | <i>Chlorothalomid</i> | <i>Chloroxuron</i> | <i>Chlorpyrifos</i> |
|------------------------------------|--|------------------|--------------------|--------------------|------------------------|-----------------------|--------------------|---------------------|
| 72 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | |
| | Bilberries | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cranberries | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | Currants (red, black & white) | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 |
| | Gooseberries | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | (e) <i>Wild berries & wild fruit</i> | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Bananas | | 0.01* | 0.05* | 0.02* | 0.2 | 0.05* | 3 |
| | Dates | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Figs | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Kiwi fruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 2 |
| | Kumquats | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Litchis | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Mangoes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Olives (table consumption) | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Olives (oil extract) | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Papaya | | | 0.05* | | 0.01* | | |

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Passion fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Pineapples | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Pomegranates | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | |
|----------------------|-------|-------|-------|-------|-------|-------|
| Beetroot | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Carrots | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.1 |
| Celeriac | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| Horseradish | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Jerusalem artichokes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Parsnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Parsley root | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Radishes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| Salsify | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Sweet potatoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Swedes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Turnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Yams | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Garlic | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| Onions | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.2 |
| Shallots | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| Spring onions | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | |
|----------|-------|-------|-------|---|-------|-----|
| Tomatoes | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| Peppers | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlordane</i> | <i>Chlorfenson</i> | <i>Chlormequat</i> | <i>Chlorobenzilate</i> | <i>Chlorothaloniol</i> | <i>Chloroxuron</i> | <i>Chlorpyrifos</i> | |
|------------------------------------|--|------------------|--------------------|--------------------|------------------------|------------------------|--------------------|---------------------|--|
| 74 | Chilli peppers | | 0.01* | | 0.02* | | 0.05* | | |
| | Aubergines | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 | |
| | Others | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 | |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | | |
| | Cucumbers | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Gherkins | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* | |
| | Courgettes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | | |
| | Melons | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Squashes | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Watermelons | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | Others | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | |
| | (d) <i>Sweet corn</i> | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* | |
| | <hr/> | | | | | | | | |
| | (iv) BRASSICA VEGETABLES | | | | | | | | |
| (a) <i>Flowering Brassicas</i> | | | | | | | | | |
| | Broccoli | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* | |
| | Cauliflower | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* | |
| | Others | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* | |

| | | | | | | |
|----------------------------|-------|-------|-------|-------|-------|-------|
| (b) <i>Head Brassicas</i> | | | | | | |
| Brussels sprouts | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| Head cabbage | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 1 |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (c) <i>Leafy Brassicas</i> | | | | | | |
| Chinese cabbage | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.5 |
| Kale | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (d) <i>Kohlrabi</i> | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|-------|
| (a) <i>Lettuce & similar</i> | | | | | | |
| Cress | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Lamb's lettuce | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Lettuce | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Scarole | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (b) <i>Spinach & similar</i> | | | | | | |
| Spinach | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Beet leaves (chard) | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (c) <i>Watercress</i> | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (d) <i>Witloof</i> | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (e) <i>Herbs</i> | | | | | | |
| Chervil | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| Chives | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| Parsley | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| Celery leaves | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlordane</i> | <i>Chlorfenson</i> | <i>Chlormequat</i> | <i>Chlorobenzilate</i> | <i>Chlorothalomid</i> | <i>Chloroxuron</i> | <i>Chlorpyrifos</i> |
|------------------------------------|--|------------------|--------------------|--------------------|------------------------|-----------------------|--------------------|---------------------|
| (vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Beans (without pods) | | 0.01* | 0.05* | 0.02* | 0.05 | 0.05* | 0.05* |
| | Peas (with pods) | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | Peas (without pods) | | 0.01* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cardoons | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Celery | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* |
| | Fennel | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Globe artichokes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 1 |
| | Leeks | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* |
| | Rhubarb | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| (viii) FUNGI | | | | | | | | |
| | (a) <i>Cultivated mushrooms</i> | | 0.01* | 10 | 0.02* | 2 | 0.05* | 0.05* |
| | (b) <i>Wild mushrooms</i> | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

| | | | | | | | |
|-------|--|-------|-------|-------|-------|-------|-------|
| | Lentils | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peas | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| <hr/> | | | | | | | |
| 4. | OILSEEDS | | | | | | |
| | Linseed | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peanuts | 0.01* | 0.1* | 0.02* | 0.05 | 0.05* | 0.05* |
| | Poppy seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sesame seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sunflower seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Rape seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Soya bean | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Mustard seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cotton seed | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| <hr/> | | | | | | | |
| 77 | 5. POTATOES | | | | | | |
| | Early potatoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Ware potatoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| <hr/> | | | | | | | |
| 6. | TEA | 0.02* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | | | | | | |
| <hr/> | | | | | | | |
| 7. | HOPS (dried) | | | | | | |
| | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 0.1* | 50 | 0.1* | 0.1* |
| <hr/> | | | | | | | |

| | | | | | | | | |
|---------|-------|-------|-------|-------|-------|-------|-------|-------|
| Walnuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

(iii) POME FRUIT

| | | | | | | | | |
|---------|-----|-----|---|-------|-------|-----|-------|-------|
| Apples | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| Pears | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| Quinces | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Others | 0.5 | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |

(iv) STONE FRUIT

| | | | | | | | | |
|---|-------|-------|-------|-------|-------|-----|-------|-------|
| Apricots | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Cherries | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| Peaches (incl nectarines & similar hybrids) | 0.5 | 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Plums | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.1 |
| Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |

79

(v) BERRIES AND SMALL FRUIT

| | | | | | | | | |
|---|-------|-------|-------|-------|-------|-------|-------|-------|
| (a) <i>Table & wine grapes</i> | | | | | | | | |
| Table grapes | 0.2 | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Wine grapes | 0.2 | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| (b) <i>Strawberries (other than wild)</i> | | | | | | | | |
| | 0.5 | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| (c) <i>Cane Fruit (other than wild)</i> | | | | | | | | |
| Blackberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| Dewberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Loganberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Raspberries | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| Others | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlorpyrifos-methyl</i> | <i>Cyfluthrin</i> | <i>Cypermethrin</i> | <i>Daminozide</i> | <i>DDT</i> | <i>Deltamethrin</i> | <i>Diallate</i> | <i>Diazinon</i> |
|------------------------------------|--|----------------------------|-------------------|---------------------|-------------------|------------|---------------------|-----------------|-----------------|
| 08 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | | |
| | Bilberries | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| | Cranberries | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Currants (red, black & white) | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.2 | 0.05* | 0.2 |
| | Gooseberries | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.2 | 0.05* | 0.2 |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | (e) <i>Wild berries & wild fruit</i> | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | (vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Bananas | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Dates | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Figs | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Kiwi fruit | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 | |
| Kumquats | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Litchis | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Mangoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| Olives (table consumption) | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.02* | |
| Olives (oil extract) | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.02* | |
| Papaya | | 0.02* | | | | | | 0.02* | |

| | | | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Passion fruit | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Pineapples | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Pomegranates | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | | | |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Beetroot | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Carrots | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| Celeriac | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Horseradish | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Jerusalem artichokes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Parsnips | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Parsley root | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Radishes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Salsify | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Sweet potatoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Swedes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Turnips | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Yams | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

(ii) BULB VEGETABLES

| | | | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|
| Garlic | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Onions | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Shallots | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Spring onions | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | | | |
|----------|-----|------|-----|-------|-------|-----|-------|-----|
| Tomatoes | 0.5 | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| Peppers | 0.5 | 0.3 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlorpyrifos-methyl</i> | <i>Cyfluthrin</i> | <i>Cypermethrin</i> | <i>Daminozide</i> | <i>DDT</i> | <i>Deltamethrin</i> | <i>Diallate</i> | <i>Diazinon</i> |
|------------------------------------|--|----------------------------|-------------------|---------------------|-------------------|------------|---------------------|-----------------|-----------------|
| 82 | Chilli peppers | | | | | | | 0.05* | |
| | Aubergines | 0.5 | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | Others | 0.5 | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | | |
| | Cucumbers | 0.05* | 0.1 | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Gherkins | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Courgettes | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | | |
| | Melons | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Squashes | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Watermelons | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | (d) <i>Sweet corn</i> | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | (iv) BRASSICA VEGETABLES | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | | |
| | Broccoli | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Cauliflower | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |

| | | | | | | | | | |
|----------------------------|-------|-------|-----|-------|-------|-------|-------|-------|--|
| (b) <i>Head Brassicas</i> | | | | | | | | | |
| Brussels sprouts | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | |
| Head cabbage | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | |
| Others | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | |
| (c) <i>Leafy Brassicas</i> | | | | | | | | | |
| Chinese cabbage | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Kale | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Others | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| (d) <i>Kohlrabi</i> | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| (a) <i>Lettuce & similar</i> | | | | | | | | | |
| Cress | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Lamb's lettuce | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Lettuce | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Scarole | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Others | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| (b) <i>Spinach & similar</i> | | | | | | | | | |
| Spinach | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Beet leaves (chard) | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Others | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| (c) <i>Watercress</i> | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| (d) <i>Witloof</i> | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | |
| (e) <i>Herbs</i> | | | | | | | | | |
| Chervil | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Chives | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Parsley | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Celery leaves | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |
| Others | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* | |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlorpyrifos-methyl</i> | <i>Cyfluthrin</i> | <i>Cypermethrin</i> | <i>Daminozide</i> | <i>DDT</i> | <i>Deltamethrin</i> | <i>Diallate</i> | <i>Diazinon</i> |
|------------------------------------|--|----------------------------|-------------------|---------------------|-------------------|------------|---------------------|-----------------|-----------------|
| (vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.02* |
| | Beans (without pods) | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Peas (with pods) | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Peas (without pods) | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| (vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Cardoons | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Fennel | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Globe artichokes | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Leeks | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.02* |
| | Rhubarb | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| (viii) FUNGI | | | | | | | | | |
| | (a) <i>Cultivated mushrooms</i> | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | (b) <i>Wild mushrooms</i> | 0.05* | 0.02* | 1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

| | | | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|-------|-------|-------|
| 3. PULSES | | | | | | | | | |
| | Beans | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| | Lentils | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| | Peas | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.05* | 0.05 | 0.2 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* |
| | Soya bean | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Ware potatoes | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| 6. TEA | | | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.5 | 0.1* | 0.2 | 5 | 0.1* | 0.05* |
| 7. HOPS (dried) | | | | | | | | | |
| | including hop pellets & unconcentrated powder | 0.1* | 20 | 30 | 0.1* | 0.05* | 5 | 0.1* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>1,2-Dibromoethane</i> | <i>Dichlorprop</i> | <i>Dichlorvos</i> | <i>Dicofol</i> | <i>1,1-Dichloro-2,2-bis-(4-ethyl-phenyl-) ethane</i> | <i>Dimethoate</i> | <i>Dimoseb</i> |
|--|---|--------------------------|--------------------|-------------------|----------------|--|-------------------|----------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | |
| 98 | Grapefruit | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Lemons | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Limes | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Oranges | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Pomelos | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 2 | 0.01* | | 0.05* |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | |
| | Almonds | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Brazil nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Cashew nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Chestnuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Coconuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Hazelnuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Macadamia nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Pecans | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Pine nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Pistachios | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |

| | | | | | | |
|-------|---|-------|-------|-------|-------|-------|
| | Walnuts | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | 0.01* | 0.05* | 0.05* | 0.01* | 0.05* |
| <hr/> | | | | | | |
| (iii) | POME FRUIT | | | | | |
| | Apples | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Pears | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Quinces | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| <hr/> | | | | | | |
| (iv) | STONE FRUIT | | | | | |
| | Apricots | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Cherries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Plums | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| <hr/> | | | | | | |
| 87 | (v) BERRIES AND SMALL FRUIT | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | | |
| | Table grapes | 0.01* | 0.05* | 2 | 0.01* | 0.05* |
| | Wine grapes | 0.01* | 0.05* | 2 | 0.01* | 0.05* |
| | (b) <i>Strawberries</i> (other than wild) | | | | | |
| | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | (c) <i>Cane Fruit</i> (other than wild) | | | | | |
| | Blackberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Dewberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Loganberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Raspberries | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| | Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>1,2-Dibromoethane</i> | <i>Dichlorprop</i> | <i>Dichlorvos</i> | <i>Dicofol</i> | <i>1,1-Dichloro-2,2-bis-(4-ethylphenyl)-ethane</i> | <i>Dimethoate</i> | <i>Dimoseb</i> |
|------------------------------------|--|--------------------------|--------------------|-------------------|----------------|--|-------------------|----------------|
| 88 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | |
| | Bilberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Cranberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Currants (red, black & white) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Gooseberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | (e) <i>Wild berries & wild fruit</i> | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | (vi) MISCELLANEOUS FRUIT | | | | | | | |
| Avocados | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Bananas | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Dates | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Figs | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Kiwi fruit | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Kumquats | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Litchis | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Mangoes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Olives (table consumption) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Olives (oil extract) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* | |
| Papaya | | | | 0.02* | | | | |

| | | | | | |
|---------------|-------|-------|-------|-------|-------|
| Passion fruit | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Pineapples | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Pomegranates | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | |
|----------------------|-------|-------|-------|-------|-------|
| Beetroot | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Carrots | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Celeriac | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Horseradish | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Jerusalem artichokes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Parsnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Parsley root | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Radishes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Salsify | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Sweet potatoes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Swedes | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Turnips | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Yams | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | |
|---------------|-------|-------|-------|-------|-------|
| Garlic | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Onions | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Shallots | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Spring onions | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | |
|----------|-------|-------|-------|-------|-------|
| Tomatoes | 0.01* | 0.05* | 1 | 0.01* | 0.05* |
| Peppers | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>1,2-Dibromoethane</i> | <i>Dichlorprop</i> | <i>Dichlorvos</i> | <i>Dicofol</i> | <i>1,1-Dichloro-2,2-bis-(4-ethylphenyl-) ethane</i> | <i>Dimethoate</i> | <i>Dimoseb</i> |
|------------------------------------|--|--------------------------|--------------------|-------------------|----------------|---|-------------------|----------------|
| 06 | Chilli peppers | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Aubergines | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| | Cucumbers | 0.01* | 0.05* | | 0.2 | 0.01* | | 0.05* |
| | Gherkins | 0.01* | 0.05* | | 0.2 | 0.01* | | 0.05* |
| | Courgettes | 0.01* | 0.05* | | 0.2 | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.2 | 0.01* | | 0.05* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| | Melons | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |
| | Squashes | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |
| | Watermelons | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.5 | 0.01* | | 0.05* |
| | (d) <i>Sweet corn</i> | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | <hr/> | | | | | | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | |
| | Broccoli | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Cauliflower | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |

| | | | | | |
|----------------------------|-------|-------|-------|-------|-------|
| (b) <i>Head Brassicas</i> | | | | | |
| Brussels sprouts | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Head cabbage | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| (c) <i>Leafy Brassicas</i> | | | | | |
| Chinese cabbage | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Kale | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| (d) <i>Kohlrabi</i> | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|
| (a) <i>Lettuce & similar</i> | | | | | |
| Cress | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Lamb's lettuce | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Lettuce | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Scarole | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| (b) <i>Spinach & similar</i> | | | | | |
| Spinach | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Beet leaves (chard) | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| (c) <i>Watercress</i> | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| (d) <i>Witloof</i> | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| (e) <i>Herbs</i> | | | | | |
| Chervil | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Chives | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Parsley | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Celery leaves | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |
| Others | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>1,2-Dibromoethane</i> | <i>Dichlorprop</i> | <i>Dichlorvos</i> | <i>Dicofol</i> | <i>1,1-Dichloro-2,2-bis-(4-ethyl-phenyl-) ethane</i> | <i>Dimethoate</i> | <i>Dimoseb</i> |
|------------------------------------|--|--------------------------|--------------------|-------------------|----------------|--|-------------------|----------------|
| (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Beans (without pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Peas (with pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Peas (without pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| (vii) STEM VEGETABLES | Asparagus | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Cardoons | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Celery | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Fennel | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Globe artichokes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Leeks | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Rhubarb | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| (viii) FUNGI | (a) <i>Cultivated mushrooms</i> | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | (b) <i>Wild mushrooms</i> | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |

| | | | | | | | | |
|-----------------|--|-------|-------|------|-------|-------|-----|-------|
| 3. PULSES | | | | | | | | |
| | Beans | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Lentils | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Peas | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Peanuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Poppy seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Sesame seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Sunflower seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Rape seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Soya bean | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Mustard seed | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| | Cotton seed | 0.01* | 0.05* | | 0.1 | 0.01* | | 0.05* |
| | Others | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| | Ware potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 20 | 0.1* | 0.2 | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.01* | 0.1* | | 50 | 0.1* | | 0.1* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Dioxathion</i> | <i>Diphenylamine</i> | <i>Disulfoton</i> | <i>Endosulfan</i> | <i>Endrin</i> | <i>Ethephon</i> | <i>Ethion</i> |
|--|---|-------------------|----------------------|-------------------|-------------------|---------------|-----------------|---------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | |
| 94 | Grapefruit | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* | |
| | Lemons | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* | |
| | Limes | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* | |
| | Mandarins (inc clementines & similar hybrids) | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* | |
| | Oranges | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* | |
| | Pomelos | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* | |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Brazil nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Cashew nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Chestnuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Coconuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Hazelnuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Macadamia nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Pecans | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Pine nuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |
| | Pistachios | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* | |

| | | | | | | |
|---------|-------|-------|-------|------|-------|------|
| Walnuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* |
| Others | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.1* |

(iii) POME FRUIT

| | | | | | | |
|---------|-------|-------|-------|-----|-------|---|
| Apples | 0.05* | 5 | 0.02* | 0.3 | 0.01* | 3 |
| Pears | 0.05* | 10 | 0.02* | 0.3 | 0.01* | 3 |
| Quinces | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 3 |
| Others | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 3 |

(iv) STONE FRUIT

| | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| Apricots | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Cherries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 3 |
| Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* |
| Plums | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

56

(v) BERRIES AND SMALL FRUIT

| | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| (a) <i>Table & wine grapes</i> | | | | | | |
| Table grapes | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* |
| Wine grapes | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* |
| (b) <i>Strawberries</i> (other than wild) | | | | | | |
| | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (c) <i>Cane Fruit</i> (other than wild) | | | | | | |
| Blackberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Dewberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Loganberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Raspberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Dioxathion</i> | <i>Diphenylamine</i> | <i>Disulfoton</i> | <i>Endosulfan</i> | <i>Endrin</i> | <i>Ethephon</i> | <i>Ethion</i> |
|------------------------------------|--|-------------------|----------------------|-------------------|-------------------|---------------|-----------------|---------------|
| 96 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Cranberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 | |
| | Gooseberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | (e) <i>Wild berries & wild fruit</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Bananas | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Dates | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Figs | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Kiwi fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Kumquats | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Litchis | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Mangoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Olives (table consumption) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Olives (oil extract) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Papaya | | | 0.02* | 0.05* | | 0.05* | |

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Passion fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Pineapples | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.5 |
| Pomegranates | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | |
|----------------------|-------|-------|-------|-------|-------|-------|
| Beetroot | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Carrots | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Celeriac | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Horseradish | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Jerusalem artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Parsnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Parsley root | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Radishes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Salsify | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Swedes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Turnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Yams | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Garlic | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Shallots | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Spring onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | |
|----------|-------|-------|-------|-----|-------|---|
| Tomatoes | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 3 |
| Peppers | 0.05* | 0.05* | 0.02* | 1 | 0.01* | 3 |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Dioxathion</i> | <i>Diphenylamine</i> | <i>Disulfoton</i> | <i>Endosulfan</i> | <i>Endrin</i> | <i>Ethephon</i> | <i>Ethion</i> |
|------------------------------------|--|-------------------|----------------------|-------------------|-------------------|---------------|-----------------|---------------|
| 86 | Chilli peppers | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Aubergines | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Gherkins | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Courgettes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| | Melons | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 0.05* | |
| | Squashes | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 0.05* | |
| | Watermelons | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 0.05* | |
| | (d) <i>Sweet corn</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | <hr/> | | | | | | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | |
| | Broccoli | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Cauliflower | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |

| | | | | | | |
|----------------------------|-------|-------|-------|-------|-------|-------|
| (b) <i>Head Brassicas</i> | | | | | | |
| Brussels sprouts | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Head cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (c) <i>Leafy Brassicas</i> | | | | | | |
| Chinese cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Kale | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (d) <i>Kohlrabi</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|-------|
| (a) <i>Lettuce & similar</i> | | | | | | |
| Cress | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Lamb's lettuce | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Lettuce | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Scarole | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (b) <i>Spinach & similar</i> | | | | | | |
| Spinach | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Beet leaves (chard) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (c) <i>Watercress</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (d) <i>Witloof</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (e) <i>Herbs</i> | | | | | | |
| Chervil | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Chives | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Parsley | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Celery leaves | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Dioxathion</i> | <i>Diphenylamine</i> | <i>Disulfoton</i> | <i>Endosulfan</i> | <i>Endrin</i> | <i>Ethephon</i> | <i>Ethion</i> |
|------------------------------------|--|-------------------|----------------------|-------------------|-------------------|---------------|-----------------|---------------|
| (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Beans (without pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Peas (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Peas (without pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| (vii) STEM VEGETABLES | Asparagus | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Cardoons | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Celery | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Fennel | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Globe artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Leeks | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Rhubarb | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| (viii) FUNGI | (a) <i>Cultivated mushrooms</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |
| | (b) <i>Wild mushrooms</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* | |

| | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|--------|
| 3. PULSES | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Lentils | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| 4. OILSEEDS | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| | Peanuts | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| | Poppy seed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| | Sesame seed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| | Sunflower seed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| | Rape seed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| | Soya bean | 0.05* | 0.05* | 0.02* | 0.5 | 0.01* | 0.05* |
| | Mustard seed | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| | Cotton seed | 0.05* | 0.05* | 0.02* | 0.3 | 0.01* | 2 |
| | Others | 0.05* | 0.05* | 0.02* | 0.1* | 0.01* | 0.05* |
| 5. POTATOES | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Ware potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.05* | 0.05* | 30 | 0.01* | 0.1* 2 |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.05* | 0.05* | 0.1* | 0.1* | 0.1* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Fenarimol</i> | <i>Fenbutatin oxide</i> | <i>Fenchlorphos</i> | <i>Fenitrothion</i> | <i>Fentin</i> | <i>Fenvalerate</i> Sum of RR and SS isomers and | <i>Esfenvalerate</i> Sum of RS and SR isomers |
|--|---|------------------|-------------------------|---------------------|---------------------|---------------|--|--|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | |
| 102 | Grapefruit | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Lemons | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Limes | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Mandarins (inc clementines & similar hybrids) | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | similar hybrids | | | | | | | |
| | Oranges | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pomelos | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| (ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Brazil nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Cashew nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Chestnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Coconuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Hazelnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Macadamia nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pecans | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pine nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

| | | | | | | |
|------------|-------|-------|-------|-------|-------|-------|
| Pistachios | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Walnuts | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |

(iii) POME FRUIT

| | | | | | | |
|---------|-----|---|-------|-------|------|-------|
| Apples | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.02* |
| Pears | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.02* |
| Quinces | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.02* |
| Others | 0.3 | 2 | 0.01* | 0.05* | 0.05 | 0.02* |

(iv) STONE FRUIT

| | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| Apricots | 0.5 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Cherries | 1 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Peaches (incl nectarines & similar hybrids) | 0.5 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Plums | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |

103

(v) BERRIES AND SMALL FRUIT

| | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| (a) <i>Table & wine grapes</i> | | | | | | |
| Table grapes | 0.3 | 2 | 0.01* | 0.05* | 0.1 | 0.02* |
| Wine grapes | 0.3 | 2 | 0.01* | 0.05* | 0.1 | 0.02* |
| (b) <i>Strawberries (other than wild)</i> | | | | | | |
| | 0.3 | 1 | 0.01* | 0.05* | 0.02* | 0.02* |
| (c) <i>Cane Fruit (other than wild)</i> | | | | | | |
| Blackberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Dewberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Loganberries | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Raspberries | 0.1 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Fenarimol</i> | <i>Fenbutatin oxide</i> | <i>Fenchlorphos</i> | <i>Fenitrothion</i> | <i>Fentin</i> | <i>Fenvalerate</i> Sum of RR and SS isomers and | <i>Esfenvalerate</i> Sum of RS and SR isomers |
|------------------------------------|--|------------------|-------------------------|---------------------|---------------------|---------------|--|--|
| 104 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | |
| | Bilberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Cranberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Currants (red, black & white) | 1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Gooseberries | 1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | (e) <i>Wild berries & wild fruit</i> | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Bananas | 0.3 | 3 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Dates | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Figs | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Kiwi fruit | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Kumquats | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Litchis | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Mangoes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Olives (table consumption) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Olives (oil extract) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Papaya | 0.02* | 0.05* | | | | 0.02* | 0.02* |

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Passion fruit | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Pineapples | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Pomegranates | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | |
|----------------------|-------|-------|-------|-------|-------|-------|
| Beetroot | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Carrots | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Celeriac | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Horseradish | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Jerusalem artichokes | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Parsnips | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Parsley root | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Radishes | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Salsify | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Sweet potatoes | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Swedes | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Turnips | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Yams | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |

(ii) BULB VEGETABLES

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Garlic | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Onions | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Shallots | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Spring onions | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | |
|----------|-----|-------|-------|-------|-------|-------|
| Tomatoes | 0.5 | 1 | 0.01* | 0.05* | 0.05 | 0.02* |
| Peppers | 0.5 | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* |

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Fenarimol</i> | <i>Fenbutatin oxide</i> | <i>Fenchlorphos</i> | <i>Fenitrothion</i> | <i>Fentin</i> | <i>Fenvalerate</i> Sum of RR and SS isomers and | <i>Esfenvalerate</i> Sum of RS and SR isomers |
|------------------------------------|--|------------------|-------------------------|---------------------|---------------------|---------------|--|--|
| | Chilli peppers | 0.02* | 1 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Aubergines | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| | Cucumbers | 0.2 | 0.5* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Gherkins | 0.2 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Courgettes | 0.2 | 0.5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.2 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| | Melons | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Squashes | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Watermelons | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | (d) <i>Sweet corn</i> | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| <hr/> | | | | | | | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | |
| | Broccoli | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Cauliflower | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

| | | | | | | | |
|----------------------------|-------|-------|-------|-------|-------|-------|--|
| (b) <i>Head Brassicas</i> | | | | | | | |
| Brussels sprouts | 0.02* | 0.05* | 0.01* | 0.05* | 0.05 | 0.02* | |
| Head cabbage | 0.02* | 0.05* | 0.01* | 0.05* | 0.05 | 0.02* | |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| (c) <i>Leafy Brassicas</i> | | | | | | | |
| Chinese cabbage | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Kale | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| (d) <i>Kohlrabi</i> | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|-------|--|
| (a) <i>Lettuce & similar</i> | | | | | | | |
| Cress | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Lamb's lettuce | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Lettuce | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Scarole | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| (b) <i>Spinach & similar</i> | | | | | | | |
| Spinach | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Beet leaves (chard) | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| (c) <i>Watercress</i> | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| (d) <i>Witloof</i> | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| (e) <i>Herbs</i> | | | | | | | |
| Chervil | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Chives | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Parsley | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Celery leaves | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |
| Others | 0.02* | 0.05* | 0.01* | 0.05* | 0.02* | 0.02* | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Fenarimol</i> | <i>Fenbutatin oxide</i> | <i>Fenchlorphos</i> | <i>Fenitrothion</i> | <i>Fentin</i> | <i>Fenvalerate</i> Sum of RR and SS isomers and | <i>Esfenvalerate</i> Sum of RS and SR isomers |
|---------------------------------------|--|------------------|-------------------------|---------------------|---------------------|---------------|--|--|
| 101 (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Beans (without pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Peas (with pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Peas (without pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | (vii) STEM VEGETABLES | | | | | | | |
| | Asparagus | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Cardoons | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Celery | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Fennel | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Globe artichokes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Leeks | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Rhubarb | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| (viii) FUNGI | | | | | | | | |
| | (a) <i>Cultivated mushrooms</i> | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | (b) <i>Wild mushrooms</i> | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

| | | | | | | | | |
|-----------------|--|-------|-------|-------|-----|-------|-------|-------|
| 3. PULSES | | | | | | | | |
| | Beans | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Lentils | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Peas | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Soya bean | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.02* | 0.05* | 0.01* | | 0.1 | 0.02* | 0.02* |
| | Ware potatoes | 0.02* | 0.05* | 0.01* | | 0.1 | 0.02* | 0.02* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.05* | 0.1* | 0.1* | 0.5 | 0.1* | 0.05* | 0.05* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 5 | 0.1* | 0.1* | | 0.5 | 0.05* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Flucythrinate</i> | <i>Folpet</i> | <i>Furathiocarb</i> | <i>Glyphosate</i> | <i>Heptachlor</i> | <i>Hexachloro-benzene (HCB)</i> | <i>Hexachloro-cyclohexane (HCH) α</i> | <i>Hexachloro-cyclohexane (HCH) β</i> |
|--|---|----------------------|---------------|---------------------|-------------------|-------------------|---------------------------------|---------------------------------------|---------------------------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | | |
| 110 | Grapefruit | | | 0.05* | 0.1* | 0.01* | | | |
| | Lemons | | | 0.05* | 0.1* | 0.01* | | | |
| | Limes | | | 0.05* | 0.1* | 0.01* | | | |
| | Mandarins (inc clementines & similar hybrids) | | | 0.05* | 0.1* | 0.01* | | | |
| | Oranges | | | 0.05* | 0.1* | 0.01* | | | |
| | Pomelos | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | | | 0.05* | 0.1* | 0.01* | | | |
| | Brazil nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Cashew nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Chestnuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Coconuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Hazelnuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Macadamia nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Pecans | | | 0.05* | 0.1* | 0.01* | | | |
| | Pine nuts | | | 0.05* | 0.1* | 0.01* | | | |
| | Pistachios | | | 0.05* | 0.1* | 0.01* | | | |

| | | | | | |
|-----------------------------|---|----|-------|------|-------|
| | Walnuts | | 0.05* | 0.1* | 0.01* |
| | Others | | 0.05* | 0.1* | 0.01* |
| <hr/> | | | | | |
| (iii) POME FRUIT | | | | | |
| | Apples | | 0.05* | 0.1* | 0.01* |
| | Pears | | 0.05* | 0.1* | 0.01* |
| | Quinces | | 0.05* | 0.1* | 0.01* |
| | Others | | 0.05* | 0.1* | 0.01* |
| <hr/> | | | | | |
| (iv) STONE FRUIT | | | | | |
| | Apricots | | 0.05* | 0.1* | 0.01* |
| | Cherries | | 0.05* | 0.1* | 0.01* |
| | Peaches (incl nectarines & similar hybrids) | | 0.05* | 0.1* | 0.01* |
| | Plums | | 0.05* | 0.1* | 0.01* |
| | Others | | 0.05* | 0.1* | 0.01* |
| <hr/> | | | | | |
| (v) BERRIES AND SMALL FRUIT | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | |
| | Table grapes | | 0.05* | 0.1* | 0.01* |
| | Wine grapes | 10 | 0.05* | 0.1* | 0.01* |
| | (b) <i>Strawberries</i> (other than wild) | | 0.05* | 0.1* | 0.01* |
| | (c) <i>Cane Fruit</i> (other than wild) | | | | |
| | Blackberries | | 0.05* | 0.1* | 0.01* |
| | Dewberries | | 0.05* | 0.1* | 0.01* |
| | Loganberries | | 0.05* | 0.1* | 0.01* |
| | Raspberries | | 0.05* | 0.1* | 0.01* |
| | Others | | 0.05* | 0.1* | 0.01* |

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Flucythrinate</i> | <i>Folpet</i> | <i>Furathiocarb</i> | <i>Glyphosate</i> | <i>Heptachlor</i> | <i>Hexachloro-benzene (HCB)</i> | <i>Hexachloro-cyclohexane (HCH) α</i> | <i>Hexachloro-cyclohexane (HCH) β</i> |
|------------------------------------|--|----------------------|---------------|---------------------|-------------------|-------------------|---------------------------------|---------------------------------------|---------------------------------------|
| 112 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | | |
| | Bilberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Cranberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Currants (red, black & white) | | | 0.05* | 0.1* | 0.01* | | | |
| | Gooseberries | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| | (e) <i>Wild berries & wild fruit</i> | | | 0.05* | 0.1* | 0.01* | | | |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | | | 0.05* | 0.1* | 0.01* | | | |
| | Bananas | | | 0.05* | 0.1* | 0.01* | | | |
| | Dates | | | 0.05* | 0.1* | 0.01* | | | |
| | Figs | | | 0.05* | 0.1* | 0.01* | | | |
| | Kiwi fruit | | | 0.05* | 0.1* | 0.01* | | | |
| | Kumquats | | | 0.05* | 0.1* | 0.01* | | | |
| | Litchis | | | 0.05* | 0.1* | 0.01* | | | |
| | Mangoes | | | 0.05* | 0.1* | 0.01* | | | |
| | Olives (table consumption) | | | 0.05* | 0.1* | 0.01* | | | |
| | Olives (oil extract) | | | 0.05* | 2 | 0.01* | | | |

| | | | |
|---------------|-------|------|-------|
| Papaya | 0.05* | | |
| Passion fruit | 0.05* | 0.1* | 0.01* |
| Pineapples | 0.05* | 0.1* | 0.01* |
| Pomegranates | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | |
|----------------------|-------|------|-------|
| Beetroot | 0.05* | 0.1* | 0.01* |
| Carrots | 0.05* | 0.1* | 0.01* |
| Celeriac | 0.05* | 0.1* | 0.01* |
| Horseradish | 0.05* | 0.1* | 0.01* |
| Jerusalem artichokes | 0.05* | 0.1* | 0.01* |
| Parsnips | 0.05* | 0.1* | 0.01* |
| Parsley root | 0.05* | 0.1* | 0.01* |
| Radishes | 0.05* | 0.1* | 0.01* |
| Salsify | 0.05* | 0.1* | 0.01* |
| Sweet potatoes | 0.05* | 0.1* | 0.01* |
| Swedes | 0.05* | 0.1* | 0.01* |
| Turnips | 0.05* | 0.1* | 0.01* |
| Yams | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |

(ii) BULB VEGETABLES

| | | | |
|---------------|-------|------|-------|
| Garlic | 0.05* | 0.1* | 0.01* |
| Onions | 0.05* | 0.1* | 0.01* |
| Shallots | 0.05* | 0.1* | 0.01* |
| Spring onions | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*
Tomatoes

| | | |
|-------|------|-------|
| 0.05* | 0.1* | 0.01* |
|-------|------|-------|

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Flucythrinate</i> | <i>Folpet</i> | <i>Furathiocarb</i> | <i>Glyphosate</i> | <i>Heptachlor</i> | <i>Hexachloro-benzene (HCB)</i> | <i>Hexachloro-cyclohexane (HCH) α</i> | <i>Hexachloro-cyclohexane (HCH) β</i> |
|------------------------------------|--|----------------------|---------------|---------------------|-------------------|-------------------|---------------------------------|---------------------------------------|---------------------------------------|
| 114 | Peppers | | | 0.05* | 0.1* | 0.01* | | | |
| | Chilli peppers | | | | | | | | |
| | Aubergines | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | | |
| | Cucumbers | | | 0.05* | 0.1* | 0.01* | | | |
| | Gherkins | | | 0.05* | 0.1* | 0.01* | | | |
| | Courgettes | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | | |
| | Melons | | | 0.05* | 0.1* | 0.01* | | | |
| | Squashes | | | 0.05* | 0.1* | 0.01* | | | |
| | Watermelons | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| (d) <i>Sweet corn</i> | | | | 0.05* | 0.1* | 0.01* | | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | | |
| (a) <i>Flowering Brassicas</i> | | | | | | | | | |
| Broccoli | | | | 0.1 | 0.1* | 0.01* | | | |
| Cauliflower | | | | 0.1 | 0.1* | 0.01* | | | |
| Others | | | | 0.1 | 0.1* | 0.01* | | | |

| | | | |
|----------------------------|-------|------|-------|
| (b) <i>Head Brassicas</i> | | | |
| Brussels sprouts | 0.05* | 0.1* | 0.01* |
| Head cabbage | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |
| (c) <i>Leafy Brassicas</i> | | | |
| Chinese cabbage | 0.05* | 0.1* | 0.01* |
| Kale | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |
| (d) <i>Kohlrabi</i> | 0.05* | 0.1* | 0.01* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | |
|----------------------------------|-------|------|-------|
| (a) <i>Lettuce & similar</i> | | | |
| Cress | 0.05* | 0.1* | 0.01* |
| Lamb's lettuce | 0.05* | 0.1* | 0.01* |
| Lettuce | 0.05* | 0.1* | 0.01* |
| Scarole | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |
| (b) <i>Spinach & similar</i> | | | |
| Spinach | 0.05* | 0.1* | 0.01* |
| Beet leaves (chard) | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |
| (c) <i>Watercress</i> | 0.05* | 0.1* | 0.01* |
| (d) <i>Witloof</i> | 0.05* | 0.1* | 0.01* |
| (e) <i>Herbs</i> | | | |
| Chervil | 0.05* | 0.1* | 0.01* |
| Chives | 0.05* | 0.1* | 0.01* |
| Parsley | 0.05* | 0.1* | 0.01* |
| Celery leaves | 0.05* | 0.1* | 0.01* |
| Others | 0.05* | 0.1* | 0.01* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Flucythrinate</i> | <i>Folpet</i> | <i>Furathiocarb</i> | <i>Glyphosate</i> | <i>Heptachlor</i> | <i>Hexachloro-benzene (HCB)</i> | <i>Hexachloro-cyclohexane (HCH) α</i> | <i>Hexachloro-cyclohexane (HCH) β</i> |
|---------------------------------------|--|----------------------|---------------|---------------------|-------------------|-------------------|---------------------------------|---------------------------------------|---------------------------------------|
| 116 (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | | | 0.05* | 0.1* | 0.01* | | | |
| | Beans (without pods) | | | 0.05* | 0.1* | 0.01* | | | |
| | Peas (with pods) | | | 0.05* | 0.1* | 0.01* | | | |
| | Peas (without pods) | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| | (vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | | | 0.05* | 0.1* | 0.01* | | | |
| | Cardoons | | | 0.05* | 0.1* | 0.01* | | | |
| | Celery | | | 0.05* | 0.1* | 0.01* | | | |
| | Fennel | | | 0.05* | 0.1* | 0.01* | | | |
| | Globe artichokes | | | 0.05* | 0.1* | 0.01* | | | |
| | Leeks | | | 0.05* | 0.1* | 0.01* | | | |
| | Rhubarb | | | 0.05* | 0.1* | 0.01* | | | |
| | Others | | | 0.05* | 0.1* | 0.01* | | | |
| (viii) FUNGI | | | | | | | | | |
| | (a) <i>Cultivated mushrooms</i> | | | 0.05* | 0.1* | 0.01* | | | |
| | (b) <i>Wild mushrooms</i> | | | 0.05* | 50 | 0.01* | | | |

| | | | | | | | | |
|-----------------|--|------|-------|------|-------|-------|-----|-------------------------|
| 3. PULSES | | | | | | | | |
| | Beans | | 0.05* | 2 | | | | 0.01* |
| | Lentils | | 0.05* | 0.1* | | | | 0.01* |
| | Peas | | 0.05* | 3 | | | | 0.01* |
| | Others | | 0.05* | 0.1* | | | | 0.01* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | | 0.05* | 10 | | | | 0.01* |
| | Peanuts | | 0.05* | 0.1* | | | | 0.01* |
| | Poppy seed | | 0.05* | 0.1* | | | | 0.01* |
| | Sesame seed | | 0.05* | 0.1* | | | | 0.01* |
| | Sunflower seed | | 0.05* | 0.1* | | | | 0.01* |
| | Rape seed | | 0.05* | 10 | | | | 0.01* |
| | Soya bean | | 0.05* | 20 | | | | 0.01* |
| | Mustard seed | | 0.05* | 10 | | | | 0.01* |
| | Cotton seed | | 0.05* | 10 | | | | 0.01* |
| | Others | | 0.05* | 0.1* | | | | 0.01* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | | 0.05* | 0.1* | | | | 0.01* |
| | Ware potatoes | | 0.05* | 0.1* | | | | 0.01* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 0.02* | 0.01* | 0.2 | } sum of alpha and beta |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 5 | 0.1* | | | | 0.01* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Hexachloro- cyclohexane (HCH) γ</i> | <i>Imazalil</i> | <i>Iprodione</i> | <i>Kresoxim-methyl</i> | <i>Lambda- cyhalothrin</i> | <i>Malathion</i> | <i>Maleic hydrazide</i> | <i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i> |
|--|--|--|-----------------|------------------|------------------------|--------------------------------|------------------|-------------------------|---|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | | |
| 118 | Grapefruit | | 5 | 0.02* | 0.05* | 0.02* | | 1* | 5 |
| | Lemons | | 5 | 5 | 0.05* | 0.02* | | 1* | 5 |
| | Limes | | 5 | 0.02* | 0.05* | 0.02* | | 1* | 5 |
| | Mandarins (inc clementines & similar hybrids) | | 5 | 2 | 0.05* | 0.02* | | 1* | 5 |
| | Oranges | | 5 | 0.02* | 0.05* | 0.02* | | 1* | 5 |
| | Pomelos | | 5 | 0.02* | 0.05* | 0.02* | | 1* | 5 |
| | Others | | 5 | 0.02* | 0.05* | 0.02* | | 1* | 5 |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Brazil nuts | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Cashew nuts | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Chestnuts | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Coconuts | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Hazelnuts | | 0.02* | 0.2 | 0.1* | 0.05* | | 1* | 0.1* |
| | Macadamia nuts | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Pecans | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Pine nuts | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |
| | Pistachios | | 0.02* | 0.02* | 0.1* | 0.05* | | 1* | 0.1* |

| | | | | | | | |
|---|---|-------|-------|-------|-------|----|-------|
| | Walnuts | 0.02* | 0.02* | 0.1* | 0.05* | 1* | 0.1* |
| | Others | 0.02* | 0.02* | 0.1* | 0.05* | 1* | 0.1* |
| <hr/> | | | | | | | |
| (iii) POME FRUIT | | | | | | | |
| | Apples | 5 | 10 | 0.2 | 0.1 | 1* | 3 |
| | Pears | 5 | 10 | 0.2 | 0.1 | 1* | 3 |
| | Quinces | 5 | 10 | 0.2 | 0.1 | 1* | 3 |
| | Others | 5 | 10 | 0.2 | 0.1 | 1* | 3 |
| <hr/> | | | | | | | |
| (iv) STONE FRUIT | | | | | | | |
| | Apricots | 0.02* | 5 | 0.05* | 0.2 | 1* | 2 |
| | Cherries | 0.02* | 5 | 0.05* | 0.1 | 1* | 1 |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 5 | 0.05* | 0.2 | 1* | 2 |
| | Plums | 0.02* | 5 | 0.05* | 0.1 | 1* | 1 |
| | Others | 0.02* | 5 | 0.05* | 0.1 | 1* | 0.05* |
| <hr/> | | | | | | | |
| (v) BERRIES AND SMALL FRUIT | | | | | | | |
| (a) <i>Table & wine grapes</i> | | | | | | | |
| | Table grapes | 0.02* | 10 | 1 | 0.2 | 1* | 2 |
| | Wine grapes | 0.02* | 10 | 1 | 0.2 | 1* | 2 |
| (b) <i>Strawberries</i> (other than wild) | | | | | | | |
| | | 0.02* | 10 | 0.05* | 0.5 | 1* | 2 |
| (c) <i>Cane Fruit</i> (other than wild) | | | | | | | |
| | Blackberries | 0.02* | 5 | 0.05* | 0.02* | 1* | 0.05* |
| | Dewberries | 0.02* | 5 | 0.05* | 0.02* | 1* | 0.05* |
| | Loganberries | 0.02* | 5 | 0.05* | 0.02* | 1* | 0.05* |
| | Raspberries | 0.02* | 5 | 0.05* | 0.02* | 1* | 0.05* |
| | Others | 0.02* | 5 | 0.05* | 0.02* | 1* | 0.05* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Hexachloro-cyclohexane (HCH) γ</i> | <i>Imazalil</i> | <i>Iprodione</i> | <i>Kresoxim-methyl</i> | <i>Lambda-cyhalothrin</i> | <i>Malathion</i> | <i>Maleic hydrazide</i> | <i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i> |
|------------------------------------|--|---|-----------------|------------------|------------------------|---------------------------|------------------|-------------------------|---|
| 120 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | | |
| | Bilberries | | 0.02* | 10 | 0.05* | 0.02* | | 1* | 0.05* |
| | Cranberries | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Currants (red, black & white) | | 0.02* | 10 | 0.05* | 0.1 | | 1* | 5 |
| | Gooseberries | | 0.02* | 10 | 0.05* | 0.1 | | 1* | 5 |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | (e) <i>Wild berries & wild fruit</i> | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Bananas | | 2 | 3 | 0.05* | 0.02* | | 1* | 0.05* |
| | Dates | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Figs | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Kiwi fruit | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 0.05* |
| | Kumquats | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Litchis | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Mangoes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Olives (table consumption) | | 0.02* | 0.02* | 0.2 | 0.02* | | 1* | 5 |
| | Olives (oil extract) | | 0.02* | 0.02* | 0.2 | 0.02* | | 1* | 5 |
| | Papaya | | | | | 0.02* | | | |

| | | | | | | |
|---------------|-------|-------|-------|-------|----|-------|
| Passion fruit | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Pineapples | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Pomegranates | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Others | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | |
|----------------------|-------|-------|-------|-------|----|-------|
| Beetroot | 0.02* | 0.5 | 0.05* | 0.02* | 1* | 0.05* |
| Carrots | 0.02* | 0.3 | 0.05* | 0.02* | 30 | 0.2 |
| Celeriac | 0.02* | 0.02* | 0.05* | 0.1 | 1* | 0.2 |
| Horseradish | 0.02* | 0.1 | 0.05* | 0.02* | 1* | 0.05* |
| Jerusalem artichokes | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Parsnips | 0.02* | 0.1 | 0.05* | 0.02* | 30 | 0.05* |
| Parsley root | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Radishes | 0.02* | 0.3 | 0.05* | 0.1 | 1* | 0.2 |
| Salsify | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.2 |
| Sweet potatoes | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Swedes | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Turnips | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Yams | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Others | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | | |
|---------------|-------|-------|-------|-------|----|-------|
| Garlic | 0.02* | 5 | 0.05* | 0.02* | 10 | 0.5 |
| Onions | 0.02* | 5 | 0.05* | 0.02* | 10 | 0.5 |
| Shallots | 0.02* | 5 | 0.05* | 0.02* | 10 | 0.5 |
| Spring onions | 0.02* | 5 | 0.05* | 0.02* | 1* | 0.05* |
| Others | 0.02* | 0.02* | 0.05* | 0.02* | 10 | 0.05* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | |
|----------|-------|---|-----|-----|----|---|
| Tomatoes | 0.5 | 5 | 0.5 | 0.5 | 1* | 3 |
| Peppers | 0.02* | 5 | 1 | 0.1 | 1* | 2 |

SCHEDULE 2 — continued

122

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Hexachloro-cyclohexane (HCH) γ</i> | <i>Imazalil</i> | <i>Iprodione</i> | <i>Kresoxim-methyl</i> | <i>Lambda-cyhalothrin</i> | <i>Malathion</i> | <i>Maleic hydrazide</i> | <i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i> |
|------------------------------------|--|---|-----------------|------------------|------------------------|---------------------------|------------------|-------------------------|---|
| | Chilli peppers | | 0.02* | 5 | 0.5 | 0.5 | | 1* | 2 |
| | Aubergines | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 2 |
| | Others | | 0.02* | 5 | 0.05* | 0.02* | | 1* | 2 |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | | |
| | Cucumbers | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 0.5 |
| | Gherkins | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 2 |
| | Courgettes | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 2 |
| | Others | | 0.2 | 2 | 0.05* | 0.1 | | 1* | 0.05* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | | |
| | Melons | | 2 | 0.3 | 0.2 | 0.05 | | 1* | 0.5 |
| | Squashes | | 0.02* | 0.02* | 0.2 | 0.05 | | 1* | 0.5 |
| | Watermelons | | 0.02* | 0.02* | 0.2 | 0.05 | | 1* | 0.5 |
| | Others | | 0.02* | 0.02* | 0.2 | 0.05 | | 1* | 0.5 |
| | (d) <i>Sweet corn</i> | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| (iv) BRASSICA VEGETABLES | | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | | |
| | Broccoli | | 0.02* | 0.05 | 0.05* | 0.1 | | 1* | 1 |
| | Cauliflower | | 0.02* | 0.05 | 0.05* | 0.1 | | 1* | 1 |
| | Others | | 0.02* | 0.05 | 0.05* | 0.1 | | 1* | 1 |

| | | | | | | |
|----------------------------|-------|-------|-------|-------|----|------|
| (b) <i>Head Brassicas</i> | | | | | | |
| Brussels sprouts | 0.02* | 0.5 | 0.05* | 0.05 | 1* | 1 |
| Head cabbage | 0.02* | 5 | 0.05* | 0.2 | 1* | 1 |
| Others | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 1 |
| (c) <i>Leafy Brassicas</i> | | | | | | |
| Chinese cabbage | 0.02* | 5 | 0.05* | 0.02* | 1* | 0.5 |
| Kale | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.5 |
| Others | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.5 |
| (d) <i>Kohlrabi</i> | 0.02* | 0.1 | 0.05* | 0.02* | 1* | 0.1* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | |
|----------------------------------|-------|-------|-------|-------|----|-------|
| (a) <i>Lettuce & similar</i> | | | | | | |
| Cress | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Lamb's lettuce | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Lettuce | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Scarole | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Others | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| (b) <i>Spinach & similar</i> | | | | | | |
| Spinach | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Beet leaves (chard) | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| Others | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.05* |
| (c) <i>Watercress</i> | 0.02* | 0.02* | 0.05* | 0.02* | 1* | 0.3 |
| (d) <i>Witloof</i> | 0.02* | 2 | 0.05* | 0.02* | 1* | 0.2 |
| (e) <i>Herbs</i> | | | | | | |
| Chervil | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Chives | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Parsley | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Celery leaves | 0.02* | 10 | 0.05* | 1 | 1* | 5 |
| Others | 0.02* | 10 | 0.05* | 1 | 1* | 5 |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Hexachloro- cyclohexane (HCH) γ</i> | <i>Imazalil</i> | <i>Iprodione</i> | <i>Kresoxim-methyl</i> | <i>Lambda- cyhalothrin</i> | <i>Malathion</i> | <i>Maleic hydrazide</i> | <i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i> |
|------------------------------------|--|--|-----------------|------------------|------------------------|--------------------------------|------------------|-------------------------|---|
| 124 (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | | 0.02* | 5 | 0.05* | 0.2 | | 1* | 1 |
| | Beans (without pods) | | 0.02* | | 0.05* | 0.02* | | 1* | 0.1 |
| | Peas (with pods) | | 0.02* | 1 | 0.05* | 0.2 | | 1* | 1 |
| | Peas (without pods) | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.1 |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| (vii) STEM VEGETABLES | Asparagus | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Cardoons | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Celery | | 0.02* | 0.02* | 0.05* | 0.3 | | 1* | 0.5 |
| | Fennel | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Globe artichokes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Leeks | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 3 |
| | Rhubarb | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| (viii) FUNGI | (a) <i>Cultivated mushrooms</i> | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | (b) <i>Wild mushrooms</i> | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |

| | | | | | | | | | |
|-----------------|--|-----|-------|-------|-------|-------|-----|----|-------|
| 3. PULSES | | | | | | | | | |
| | Beans | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| | Lentils | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| | Peas | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| | Others | | 0.02* | 0.2 | 0.05* | 0.02* | | 1* | 0.05* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | | 0.02* | 0.1 | 0.1* | 0.02* | | 1* | 0.1* |
| | Peanuts | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Poppy seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Sesame seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Sunflower seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Rape seed | | 0.02* | 0.5 | 0.1* | 0.02* | | 1* | 0.5 |
| | Soya bean | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Mustard seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Cotton seed | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| | Others | | 0.02* | 0.02* | 0.1* | 0.02* | | 1* | 0.1* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | | 0.02* | 0.02* | 0.05* | 0.02* | | 1* | 0.05* |
| | Ware potatoes | | 5 | 0.02* | 0.05* | 0.02* | | 50 | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.2 | 0.1* | 0.1* | 0.1* | 1 | 0.5 | 1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 0.1* | 0.1* | 0.1* | 10 | | 1* | 25 |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Mecarbam</i> | <i>Metalaxyl</i> | <i>Methamidophos</i> | <i>Methidathion</i> | <i>Methomyl thiodicarb</i> | <i>Methoxychlor</i> | <i>Methyl bromide</i> |
|--|---|-----------------|------------------|----------------------|---------------------|----------------------------|---------------------|-----------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | |
| 126 | Grapefruit | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* |
| | Lemons | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* |
| | Limes | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* |
| | Oranges | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* |
| | Pomelos | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.2 | 2 | 0.05* | 0.01* | 0.05* |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Brazil nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Cashew nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Chestnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Coconuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Hazelnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Macadamia nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Pecans | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Pine nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |
| | Pistachios | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | |

| | | | | | | |
|---------|-------|-------|-------|-------|-------|-------|
| Walnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* |
| Others | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* |

(iii) POME FRUIT

| | | | | | | | |
|---------|-------|---|------|-----|-----|-------|-------|
| Apples | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* |
| Pears | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* |
| Quinces | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* |
| Others | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* |

(iv) STONE FRUIT

| | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| Apricots | 0.05* | 0.05* | 0.1 | 0.2 | 0.2 | 0.01* |
| Cherries | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* |
| Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05 | 0.2 | 0.2 | 0.01* |
| Plums | 0.05* | 0.05* | 0.3 | 0.2 | 0.5 | 0.01* |
| Others | 0.05* | 0.05* | 0.01* | 0.2 | 0.05* | 0.01* |

127

(v) BERRIES AND SMALL FRUIT

| | | | | | | | |
|---|-------|-------|-------|-------|-------|-------|-------|
| (a) <i>Table & wine grapes</i> | | | | | | | |
| Table grapes | 0.05* | 2 | 0.01* | 0.5 | 0.05* | 0.01* | |
| Wine grapes | 0.05* | 1 | 0.01* | 0.5 | 1 | 0.01* | |
| (b) <i>Strawberries (other than wild)</i> | | | | | | | |
| | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| (c) <i>Cane Fruit (other than wild)</i> | | | | | | | |
| Blackberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Dewberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Loganberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Raspberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Mecarbam</i> | <i>Metolaxyl</i> | <i>Methamidophos</i> | <i>Methidathion</i> | <i>Methomyl thiodicarb</i> | <i>Methoxychlor</i> | <i>Methyl bromide</i> |
|------------------------------------|--|-----------------|------------------|----------------------|---------------------|----------------------------|---------------------|-----------------------|
| 128 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cranberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Gooseberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (e) <i>Wild berries & wild fruit</i> | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| <hr/> | | | | | | | | |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Bananas | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Dates | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Kiwi fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Kumquats | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Litchis | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Mangoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.01* | 1 | 0.05* | 0.01* | 0.05* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.01* | 1 | 0.05* | 0.01* | 0.05* |
| | Papaya | 0.05* | 0.05* | | 0.02* | 0.05* | | |

| | | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|-------|
| Passion fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Pineapples | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Pomegranates | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | | |
|----------------------|-------|-------|-------|-------|-------|-------|-------|
| Beetroot | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Carrots | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Celeriac | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Horseradish | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Jerusalem artichokes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Parsnips | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Parsley root | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Radishes | 0.05* | 0.05* | 0.01* | 0.02* | 0.5 | 0.01* | 0.05* |
| Salsify | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Sweet potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Swedes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Turnips | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Yams | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|-------|
| Garlic | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Onions | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Shallots | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Spring onions | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | | | |
|----------------|-------|-------|-------|-------|-------|-------|-------|
| Tomatoes | 0.05* | 0.05* | 0.5 | 0.02* | 0.5 | 0.01* | 0.05* |
| Peppers | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Chilli peppers | | | | | | 0.01* | |

SCHEDULE 2 — *continued*

130

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Mecarbam</i> | <i>Metaxyl</i> | <i>Methamidophos</i> | <i>Methidathion</i> | <i>Methomyl thiodicarb</i> | <i>Methoxychlor</i> | <i>Methyl bromide</i> |
|------------------------------------|--|-----------------|----------------|----------------------|---------------------|----------------------------|---------------------|-----------------------|
| | Aubergines | 0.05* | 0.05* | 0.2 | 0.02* | 0.5 | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | |
| | Cucumbers | 0.05* | 0.5 | 1 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Gherkins | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Courgettes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | |
| | Melons | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Squashes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Watermelons | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (d) <i>Sweet corn</i> | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| (iv) BRASSICA VEGETABLES | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | |
| | Broccoli | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cauliflower | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |

| | | | | | | | |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|
| (b) <i>Head Brassicas</i> | | | | | | | |
| Brussels sprouts | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| Head cabbage | 0.05* | 1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| (c) <i>Leafy Brassicas</i> | | | | | | | |
| Chinese cabbage | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Kale | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| (d) <i>Kohlrabi</i> | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|-------|-------|
| (a) <i>Lettuce & similar</i> | | | | | | | |
| Cress | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Lamb's lettuce | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Lettuce | 0.05* | 1 | 0.2 | 0.02* | 2 | 0.01* | 0.05* |
| Scarole | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| (b) <i>Spinach & similar</i> | | | | | | | |
| Spinach | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| Beet leaves (chard) | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| (c) <i>Watercress</i> | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| (d) <i>Witloof</i> | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| (e) <i>Herbs</i> | | | | | | | |
| Chervil | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| Chives | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| Parsley | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| Celery leaves | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Mecarban</i> | <i>Metaxyl</i> | <i>Methamidophos</i> | <i>Methidathion</i> | <i>Methomyl thiodicarb</i> | <i>Methoxychlor</i> | <i>Methyl bromide</i> |
|------------------------------------|--|-----------------|----------------|----------------------|---------------------|----------------------------|---------------------|-----------------------|
| (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Beans (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peas (with pods) | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peas (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | | 0.02* | 0.05* | 0.01* | 0.05* |
| (vii) STEM VEGETABLES | Asparagus | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cardoons | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Celery | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Fennel | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Globe artichokes | 0.05* | 0.05* | 0.1 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Leeks | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Rhubarb | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| (viii) FUNGI | (a) <i>Cultivated mushrooms</i> | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (b) <i>Wild mushrooms</i> | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |

| | | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|-------|-------|
| 3. PULSES | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Lentils | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Peas | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.1* |
| | Poppy seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Sesame seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Sunflower seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Rape seed | 0.05* | 0.05* | 0.01* | 0.05 | 0.05* | 0.01* | 0.1* |
| | Soya bean | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.1* |
| | Mustard seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Cotton seed | 0.05* | 0.05* | 0.01 | 0.02* | 0.1 | 0.01* | 0.1* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Ware potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* |
| 6. TEA | | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* |
| 7. HOPS (dried) | | | | | | | | |
| | including hop pellets & unconcentrated powder | 0.1* | 10 | 2 | 3 | 10 | 0.1* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Monocrotophos</i> | <i>Omethoate</i> | <i>Paraquat</i> | <i>Permethrin</i> | <i>Phorate</i> | <i>Phosmet</i> | <i>Phoxin</i> | <i>Pirimiphos-methyl</i> | <i>Procymidone</i> |
|--|---|----------------------|------------------|-----------------|-------------------|----------------|----------------|---------------|--------------------------|--------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | | | |
| 134 | Grapefruit | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Lemons | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Limes | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Mandarins (inc clementines & similar hybrids) | | | 0.05* | 0.5 | 0.05* | | | 2 | 0.02* |
| | Oranges | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Pomelos | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | Others | | | 0.05* | 0.5 | 0.05* | | | 1 | 0.02* |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 0.05* |
| | Brazil nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Cashew nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Chestnuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Coconuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Hazelnuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Macadamia nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pecans | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pine nuts | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pistachios | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |

| | | | | | | |
|---|---|-------|-------|-------|-------|-------|
| | Walnuts | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| <hr/> | | | | | | |
| (iii) POME FRUIT | | | | | | |
| | Apples | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| | Pears | 0.05* | 1 | 0.05* | 0.05* | 1 |
| | Quinces | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| <hr/> | | | | | | |
| (iv) STONE FRUIT | | | | | | |
| | Apricots | 0.05* | 1 | 0.05* | 0.05* | 2 |
| | Cherries | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 1 | 0.05* | 0.05* | 2 |
| | Plums | 0.05* | 1 | 0.05* | 0.05* | 2 |
| | Others | 0.05* | 1 | 0.05* | 0.05* | 2 |
| <hr/> | | | | | | |
| (v) BERRIES AND SMALL FRUIT | | | | | | |
| (a) <i>Table & wine grapes</i> | | | | | | |
| | Table grapes | 0.05* | 1 | 0.05* | 0.05* | 5 |
| | Wine grapes | 0.05* | 1 | 0.05* | 2 | 5 |
| (b) <i>Strawberries</i> (other than wild) | | | | | | |
| | | 0.05* | 1 | 0.05* | 0.05* | 5 |
| (c) <i>Cane Fruit</i> (other than wild) | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Dewberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Loganberries | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Raspberries | 0.05* | 0.05* | 0.05* | 0.05* | 10 |
| | Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Monocrotophos</i> | <i>Omethoate</i> | <i>Paraquat</i> | <i>Permethrin</i> | <i>Phorate</i> | <i>Phosmet</i> | <i>Phoxim</i> | <i>Pirimiphos-methyl</i> | <i>Procymidone</i> |
|------------------------------------|--|----------------------|------------------|-----------------|-------------------|----------------|----------------|---------------|--------------------------|--------------------|
| 136 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | | | |
| | Bilberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Cranberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Currants (red, black & white) | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Gooseberries | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | (e) <i>Wild berries & wild fruit</i> | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | | | |
| | Avocados | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Bananas | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Dates | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Figs | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Kiwi fruit | | | 0.05* | 1 | 0.05* | | | 2 | 5 |
| | Kumquats | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Litchis | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Mangoes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Olives (table consumption) | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Olives (oil extract) | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Papaya | | | | | 0.05* | | | 0.05* | |
| | Passion fruit | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |

| | | | | | |
|--------------|-------|-------|-------|-------|-------|
| Pineapples | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Pomegranates | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | |
|----------------------|-------|-------|-------|-------|-------|
| Beetroot | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Carrots | 0.05* | 0.05* | 0.05* | 1 | 0.02* |
| Celeriac | 0.05* | 0.1 | 0.05* | 0.05* | 0.02* |
| Horseradish | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Parsnips | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Parsley root | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Radishes | 0.05* | 0.1 | 0.05* | 0.05* | 0.02* |
| Salsify | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Sweet potatoes | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Swedes | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Turnips | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Yams | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

(ii) BULB VEGETABLES

| | | | | | |
|---------------|-------|-------|-------|-------|-------|
| Garlic | 0.05* | 0.05* | 0.05* | 0.05* | 0.2 |
| Onions | 0.05* | 0.05* | 0.05* | 0.05* | 0.2 |
| Shallots | 0.05* | 0.05* | 0.05* | 0.05* | 0.2 |
| Spring onions | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | | |
|----------------|-------|-----|-------|---|---|
| Tomatoes | 0.05* | 0.5 | 0.05* | 1 | 2 |
| Peppers | 0.05* | 0.5 | 0.05* | 1 | 2 |
| Chilli peppers | | | | | 2 |

SCHEDULE 2 — *continued*

138

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Monocrotophos</i> | <i>Omethoate</i> | <i>Paraquat</i> | <i>Permethrin</i> | <i>Phorate</i> | <i>Phosmet</i> | <i>Phoxim</i> | <i>Pirimiphos-methyl</i> | <i>Procymidone</i> |
|------------------------------------|--|----------------------|------------------|-----------------|-------------------|----------------|----------------|---------------|--------------------------|--------------------|
| | Aubergines | | | 0.05* | 0.5 | 0.05* | | | 0.05* | 2 |
| | Others | | | 0.05* | 0.5 | 0.05* | | | 0.05* | |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | | | |
| | Cucumbers | | | 0.05* | 0.1 | 0.05* | | | 0.1 | 1 |
| | Gherkins | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | Courgettes | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | Others | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | | | |
| | Melons | | | 0.05* | 0.1 | 0.05* | | | 1 | 1 |
| | Squashes | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | Watermelons | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | Others | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | (d) <i>Sweet corn</i> | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 0.02* |
| <hr/> | | | | | | | | | | |
| (iv) BRASSICA VEGETABLES | | | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | | | |
| | Broccoli | | | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Cauliflower | | | 0.05* | 0.1 | 0.05* | | | 1 | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |

| | | | | | |
|----------------------------|-------|-------|-------|-------|-------|
| (b) <i>Head Brassicas</i> | | | | | |
| Brussels sprouts | 0.05* | 0.05* | 0.05* | 2 | 0.02* |
| Head cabbage | 0.05* | 0.1 | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| (c) <i>Leafy Brassicas</i> | | | | | |
| Chinese cabbage | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| Kale | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| (d) <i>Kohlrabi</i> | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|
| (a) <i>Lettuce & similar</i> | | | | | |
| Cress | 0.05* | 2 | 0.05* | 0.05* | 5 |
| Lamb's lettuce | 0.05* | 2 | 0.05* | 0.05* | 5 |
| Lettuce | 0.05* | 2 | 0.05* | 0.05* | 5 |
| Scarole | 0.05* | 2 | 0.05* | 0.05* | 5 |
| Others | 0.05* | 2 | 0.05* | 0.05* | 5 |
| (b) <i>Spinach & similar</i> | | | | | |
| Spinach | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| Beet leaves (chard) | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 1 | 0.05* | 0.05* | 0.02* |
| (c) <i>Watercress</i> | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* |
| (d) <i>Witloof</i> | 0.05* | 0.05* | 0.05* | 0.05* | 2 |
| (e) <i>Herbs</i> | | | | | |
| Chervil | 0.05* | 2 | 0.05* | 0.05* | 0.02* |
| Chives | 0.05* | 2 | 0.05* | 0.05* | 0.02* |
| Parsley | 0.05* | 2 | 0.05* | 0.05* | 0.02* |
| Celery leaves | 0.05* | 2 | 0.05* | 0.05* | 0.02* |
| Others | 0.05* | 2 | 0.05* | 0.05* | 0.02* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Monocrotophos</i> | <i>Omethoate</i> | <i>Paraquat</i> | <i>Permethrin</i> | <i>Phorate</i> | <i>Phosmet</i> | <i>Phoxim</i> | <i>Pirimiphos-methyl</i> | <i>Procymidone</i> |
|------------------------------------|--|----------------------|------------------|-----------------|-------------------|----------------|----------------|---------------|--------------------------|--------------------|
| 140 (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | | | 0.05* | 0.5 | 0.05* | | | 0.05* | 2 |
| | Beans (without pods) | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Peas (with pods) | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | Peas (without pods) | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.3 |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| (vii) STEM VEGETABLES | Asparagus | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Cardoons | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Celery | | | 0.05* | 2 | 0.05* | | | 0.05* | 0.02* |
| | Fennel | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Globe artichokes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Leeks | | | 0.05* | 0.5 | 0.05* | | | 0.05* | 0.02* |
| | Rhubarb | | | 0.05* | 2 | 0.05* | | | 0.05* | 0.02* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| (viii) FUNGI | (a) <i>Cultivated mushrooms</i> | | | 0.05* | 0.05* | 0.05* | | | 2 | 0.02* |
| | (b) <i>Wild mushrooms</i> | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |

| | | | | | | | | | | |
|-----------------|--|------|-----|-------|-------|-------|------|------|-------|-------------|
| 3. PULSES | | | | | | | | | | |
| | Beans | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Lentils | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Peas | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.2 |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 4. OILSEEDS | | | | | | | | | | |
| | Linseed | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Peanuts | | | 0.05* | 0.1 | 0.1 | | | 0.05* | 0.05* |
| | Poppy seed | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Sesame seed | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Sunflower seed | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 1/0.05*(34) |
| | Rape seed | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 1 |
| | Soya bean | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Mustard seed | | | 0.05* | 0.1 | 0.05* | | | 0.05* | 0.05* |
| | Cotton seed | | | 0.05* | 0.2 | 0.05* | | | 0.05* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | | |
| | Early potatoes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Ware potatoes | | | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 6. TEA | | | | | | | | | | |
| | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1 | 0.1* | 2 | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | | | | | | | | | | |
| | including hop pellets & unconcentrated powder | | | 0.1* | 0.1* | 0.1* | | | 0.05* | 0.1* |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Profenophos</i> | <i>Propargite</i> | <i>Propiconazole</i> | <i>Propoxur</i> | <i>Propyzamide</i> | <i>Quinalphos</i> | <i>TEPP</i> | <i>Thiabendazole</i> |
|--|---|--------------------|-------------------|----------------------|-----------------|--------------------|-------------------|-------------|----------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | | |
| 142 | Grapefruit | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | Lemons | | | 0.05* | 0.3 | 0.02* | 0.05* | 0.01* | 5 |
| | Limes | | | 0.05* | 0.3 | 0.02* | 0.05* | 0.01* | 5 |
| | Mandarins (inc clementines & similar hybrids) | | | 0.05* | 0.3 | 0.02* | 0.05* | 0.01* | 5 |
| | Oranges | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | Pomelos | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | (ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Brazil nuts | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Cashew nuts | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Chestnuts | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Coconuts | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Hazelnuts | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Macadamia nuts | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Pecans | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Pine nuts | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Pistachios | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |

| | | | | | | | |
|-------|---|-------|-------|-------|-------|-------|-------|
| | Walnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.1* |
| <hr/> | | | | | | | |
| (iii) | POME FRUIT | | | | | | |
| | Apples | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | Pears | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | Quinces | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| <hr/> | | | | | | | |
| (iv) | STONE FRUIT | | | | | | |
| | Apricots | 0.2 | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cherries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.2 | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Plums | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| <hr/> | | | | | | | |
| (v) | BERRIES AND SMALL FRUIT | | | | | | |
| | (a) <i>Table & wine grapes</i> | | | | | | |
| | Table grapes | 0.5 | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Wine grapes | 0.5 | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (b) <i>Strawberries</i> (other than wild) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (c) <i>Cane Fruit</i> (other than wild) | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Dewberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Loganberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Raspberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Profenophos</i> | <i>Propargite</i> | <i>Propiconazole</i> | <i>Propoxur</i> | <i>Propyzamide</i> | <i>Quinalphos</i> | <i>TEPP</i> | <i>Thiabendazole</i> |
|------------------------------------|--|--------------------|-------------------|----------------------|-----------------|--------------------|-------------------|-------------|----------------------|
| 144 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | | | | | |
| | Bilberries | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cranberries | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Currants (red, black & white) | | | 0.05* | 0.2 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Gooseberries | | | 0.05* | 0.2 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (e) <i>Wild berries & wild fruit</i> | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 15 |
| | Bananas | | | 0.1 | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | Dates | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Figs | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Kiwi fruit | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Kumquats | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Litchis | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Mangoes | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 5 |
| | Olives (table consumption) | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Olives (oil extract) | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Papaya | | | 0.05* | 0.05* | 0.02* | 0.05* | | 10 |

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Passion fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Pineapples | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Pomegranates | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | | | |
|----------------------|-------|-------|-------|-------|-------|-------|
| Beetroot | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Carrots | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Celeriac | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Horseradish | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Jerusalem artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Parsnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Parsley root | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Radishes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Salsify | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Swedes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Turnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Yams | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

(ii) BULB VEGETABLES

| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Garlic | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Shallots | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Spring onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

(iii) FRUITING VEGETABLES

(a) *Solanacea*
Tomatoes

| | | | | | | |
|----------|-------|-------|-------|-------|-------|-------|
| Tomatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
|----------|-------|-------|-------|-------|-------|-------|

SCHEDULE 2 — *continued*

146

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Profenophos</i> | <i>Propargite</i> | <i>Propiconazole</i> | <i>Propoxur</i> | <i>Propyzamide</i> | <i>Quinalphos</i> | <i>TEPP</i> | <i>Thiabendazole</i> |
|------------------------------------|--|--------------------|-------------------|----------------------|-----------------|--------------------|-------------------|-------------|----------------------|
| | Peppers | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Chilli peppers | | | | | | | | |
| | Aubergines | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (b) <i>Cucurbits-edible peel</i> | | | | | | | | |
| | Cucumbers | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Gherkins | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Courgettes | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (c) <i>Cucurbits-inedible peel</i> | | | | | | | | |
| | Melons | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Squashes | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Watermelons | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | (d) <i>Sweet corn</i> | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (iv) BRASSICA VEGETABLES | | | | | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | | | | | |
| | Broccoli | | | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 5 |
| | Cauliflower | | | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |

| | | | | | | |
|----------------------------|-------|-------|-------|-------|-------|-------|
| (b) <i>Head Brassicas</i> | | | | | | |
| Brussels sprouts | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Head cabbage | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (c) <i>Leafy Brassicas</i> | | | | | | |
| Chinese cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Kale | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (d) <i>Kohlrabi</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | | |
|----------------------------------|-------|-------|-------|-------|-------|-------|
| (a) <i>Lettuce & similar</i> | | | | | | |
| Cress | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Lamb's lettuce | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Lettuce | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Scarole | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| (b) <i>Spinach & similar</i> | | | | | | |
| Spinach | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Beet leaves (chard) | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (c) <i>Watercress</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (d) <i>Witloof</i> | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (e) <i>Herbs</i> | | | | | | |
| Chervil | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Chives | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Parsley | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Celery leaves | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |
| Others | 0.05* | 0.05* | 1 | 0.05* | 0.01* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Profenophos</i> | <i>Propargite</i> | <i>Propiconazole</i> | <i>Propoxur</i> | <i>Propyzamide</i> | <i>Quinalphos</i> | <i>TEPP</i> | <i>Thiabendazole</i> |
|------------------------------------|--|--------------------|-------------------|----------------------|-----------------|--------------------|-------------------|-------------|----------------------|
| (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Beans (without pods) | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peas (with pods) | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peas (without pods) | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (vii) STEM VEGETABLES | Asparagus | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Cardoons | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Celery | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Fennel | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Globe artichokes | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Leeks | | | 0.05* | 1 | 0.02* | 0.05* | 0.01* | 0.05* |
| | Rhubarb | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| (viii) FUNGI | (a) <i>Cultivated mushrooms</i> | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 10 |
| | (b) <i>Wild mushrooms</i> | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |

| | | | | | | | | | |
|-----------------|--|------|---|-------|-------|-------|-------|-------|-------|
| 3. PULSES | | | | | | | | | |
| | Beans | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Lentils | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Peas | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peanuts | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Poppy seed | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Sesame seed | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Sunflower seed | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Rape seed | | | 0.05* | 0.05* | 0.1 | 0.05* | 0.01* | 0.05* |
| | Soya bean | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Mustard seed | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Cotton seed | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | | 0.05* | 0.05* | 0.05* | 0.05* | 0.01* | 0.05* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 0.05* |
| | Ware potatoes | | | 0.05* | 0.05* | 0.02* | 0.05* | 0.01* | 15 |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 5 | 0.1* | 0.1* | 0.05* | 0.1* | 0.02* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | | 0.1* | 0.1* | 0.05* | 0.1* | 0.02* | 0.1* |

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Triforine</i> | <i>2,4,5-T</i> | <i>Vinclozolin</i> |
|--|---|-------------------|------------------|----------------|--------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | |
| (i) CITRUS FRUIT | | | | | |
| 150 | Grapefruit | 0.02* | 0.05* | 0.05* | 0.05* |
| | Lemons | 0.02* | 0.05* | 0.05* | 0.05* |
| | Limes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mandarins (inc clementines & similar hybrids) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Oranges | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomelos | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | (ii) TREE NUTS (shelled or unshelled) | | | | |
| | Almonds | 0.02* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.02* | 0.05* | 0.05* | 0.05* |

| | | | | |
|---------|-------|-------|-------|-------|
| Walnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| Others | 0.02* | 0.05* | 0.05* | 0.05* |

(iii) POME FRUIT

| | | | | |
|---------|-------|---|-------|---|
| Apples | 0.02* | 2 | 0.05* | 1 |
| Pears | 0.02* | 2 | 0.05* | 1 |
| Quinces | 0.02* | 2 | 0.05* | 1 |
| Others | 0.02* | 2 | 0.05* | 1 |

(iv) STONE FRUIT

| | | | | |
|---|-------|-------|-------|-------|
| Apricots | 0.02* | 2 | 0.05* | 2 |
| Cherries | 0.02* | 2 | 0.05* | 0.5 |
| Peaches (incl nectarines & similar hybrids) | 0.02* | 2 | 0.05* | 0.05* |
| Plums | 0.02* | 1 | 0.05* | 2 |
| Others | 0.02* | 0.05* | 0.05* | 0.05* |

151

(v) BERRIES AND SMALL FRUIT

| | | | | |
|---|-------|-------|-------|---|
| (a) <i>Table & wine grapes</i> | | | | |
| Table grapes | 0.02* | 0.05* | 0.05* | 5 |
| Wine grapes | 0.02* | 0.05* | 0.05* | 5 |
| (b) <i>Strawberries</i> (other than wild) | | | | |
| | 0.02* | 0.05* | 0.05* | 5 |
| (c) <i>Cane Fruit</i> (other than wild) | | | | |
| Blackberries | 0.02* | 0.05* | 0.05* | 5 |
| Dewberries | 0.02* | 0.05* | 0.05* | 5 |
| Loganberries | 0.02* | 0.05* | 0.05* | 5 |
| Raspberries | 0.02* | 0.05* | 0.05* | 5 |
| Others | 0.02* | 0.05* | 0.05* | 5 |

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Triforine</i> | <i>2,4,5-T</i> | <i>Vinclozolin</i> |
|------------------------------------|--|-------------------|------------------|----------------|--------------------|
| 152 | (d) <i>Other small fruit & berries (other than wild)</i> | | | | |
| | Bilberries | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cranberries | 0.02* | 0.05* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.02* | 2 | 0.05* | 10 |
| | Gooseberries | 0.02* | 2 | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| | (e) <i>Wild berries & wild fruit</i> | 0.02* | 0.05* | 0.05* | 0.05* |
| <hr/> | | | | | |
| (vi) MISCELLANEOUS FRUIT | | | | | |
| | Avocados | 0.02* | 0.05* | 0.05* | 0.05* |
| | Bananas | 0.02* | 0.05* | 0.05 | 0.05* |
| | Dates | 0.02* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.02* | 0.05* | 0.05* | 0.05* |
| | Kiwi fruit | 0.02* | 0.05* | 0.05* | 10 |
| | Kumquats | 0.02* | 0.05* | 0.05* | 0.05* |
| | Litchis | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mangoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (oil extract) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Papaya | 0.02* | 0.05* | | |
| | Passion fruit | 0.02* | 0.05* | 0.05* | 0.05* |

| | | | | |
|--------------|-------|-------|-------|-------|
| Pineapples | 0.02* | 0.05* | 0.05* | 0.05* |
| Pomegranates | 0.02* | 0.05* | 0.05* | 0.05* |
| Others | 0.02* | 0.05* | 0.05* | 0.05* |

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

| | | | | |
|----------------------|-------|-------|-------|-------|
| Beetroot | 0.02* | 0.05* | 0.05* | 0.05* |
| Carrots | 0.02* | 0.05* | 0.05* | 0.5 |
| Celeriac | 0.02* | 0.05* | 0.05* | 0.05* |
| Horseradish | 0.02* | 0.05* | 0.05* | 0.05* |
| Jerusalem artichokes | 0.02* | 0.05* | 0.05* | 0.05* |
| Parsnips | 0.02* | 0.05* | 0.05* | 0.05* |
| Parsley root | 0.02* | 0.05* | 0.05* | 0.05* |
| Radishes | 0.02* | 0.05* | 0.05* | 0.05* |
| Salsify | 0.02* | 0.05* | 0.05* | 0.05* |
| Sweet potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| Swedes | 0.02* | 0.05* | 0.05* | 0.05* |
| Turnips | 0.02* | 0.05* | 0.05* | 0.05* |
| Yams | 0.02* | 0.05* | 0.05* | 0.05* |
| Others | 0.02* | 0.05* | 0.05* | 0.05* |

(ii) BULB VEGETABLES

| | | | | |
|---------------|-------|-------|-------|---|
| Garlic | 0.02* | 0.05* | 0.05* | 1 |
| Onions | 0.02* | 0.05* | 0.05* | 1 |
| Shallots | 0.02* | 0.05* | 0.05* | 1 |
| Spring onions | 0.02* | 0.05* | 0.05* | 1 |
| Others | 0.02* | 0.05* | 0.05* | 1 |

(iii) FRUITING VEGETABLES

(a) *Solanacea*

| | | | | |
|----------------|-------|-------|-------|-------|
| Tomatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| Peppers | 0.02* | 0.05* | 0.05* | 3 |
| Chilli peppers | | | | |

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Triforine</i> | <i>2,4,5-T</i> | <i>Vinclozolin</i> |
|------------------------------------|--|-------------------|------------------|----------------|--------------------|
| | Aubergines | 0.02* | 0.05* | 0.05* | 3 |
| | Others | 0.02* | 0.05* | 0.05* | 3 |
| | (b) <i>Cucurbits-edible peel</i> | | | | |
| | Cucumbers | 0.02* | 0.5 | 0.05* | 1 |
| | Gherkins | 0.02* | 0.5 | 0.05* | 1 |
| | Courgettes | 0.02* | 0.5 | 0.05* | 1 |
| | Others | 0.02* | 0.5 | 0.05* | 1 |
| | (c) <i>Cucurbits-inedible peel</i> | | | | |
| | Melons | 0.02* | 0.05* | 0.05* | 1 |
| | Squashes | 0.02* | 0.05* | 0.05* | 1 |
| | Watermelons | 0.02* | 0.05* | 0.05* | 1 |
| | Others | 0.02* | 0.05* | 0.05* | 1 |
| | (d) <i>Sweet corn</i> | 0.02* | 0.05* | 0.05* | 0.05* |
| <hr/> | | | | | |
| (iv) BRASSICA VEGETABLES | | | | | |
| | (a) <i>Flowering Brassicas</i> | | | | |
| | Broccoli | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cauliflower | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |

| | | | | | |
|----------------------------|-------|-------|-------|-------|--|
| (b) <i>Head Brassicas</i> | | | | | |
| Brussels sprouts | 0.02* | 0.05* | 0.05* | 0.05* | |
| Head cabbage | 0.02* | 0.05* | 0.05* | 0.05* | |
| Others | 0.02* | 0.05* | 0.05* | 0.05* | |
| (c) <i>Leafy Brassicas</i> | | | | | |
| Chinese cabbage | 0.02* | 0.05* | 0.05* | 2 | |
| Kale | 0.02* | 0.05* | 0.05* | 0.05* | |
| Others | 0.02* | 0.05* | 0.05* | 0.05* | |
| (d) <i>Kohlrabi</i> | 0.02* | 0.05* | 0.05* | 0.05* | |

(v) LEAF VEGETABLES AND FRESH HERBS

| | | | | | |
|----------------------------------|-------|-------|-------|-------|--|
| (a) <i>Lettuce & similar</i> | | | | | |
| Cress | 0.02* | 0.05* | 0.05* | 5 | |
| Lamb's lettuce | 0.02* | 0.05* | 0.05* | 5 | |
| Lettuce | 0.02* | 0.05* | 0.05* | 5 | |
| Scarole | 0.02* | 0.05* | 0.05* | 5 | |
| Others | 0.02* | 0.05* | 0.05* | 5 | |
| (b) <i>Spinach & similar</i> | | | | | |
| Spinach | 0.02* | 0.05* | 0.05* | 0.05* | |
| Beet leaves (chard) | 0.02* | 0.05* | 0.05* | 0.05* | |
| Others | 0.02* | 0.05* | 0.05* | 0.05* | |
| (c) <i>Watercress</i> | 0.02* | 0.05* | 0.05* | 0.05* | |
| (d) <i>Witloof</i> | 0.02* | 0.05* | 0.05* | 2 | |
| (e) <i>Herbs</i> | | | | | |
| Chervil | 0.02* | 0.05* | 0.05* | 0.05* | |
| Chives | 0.02* | 0.05* | 0.05* | 0.05* | |
| Parsley | 0.02* | 0.05* | 0.05* | 0.05* | |
| Celery leaves | 0.02* | 0.05* | 0.05* | 0.05* | |
| Others | 0.02* | 0.05* | 0.05* | 0.05* | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Triforine</i> | <i>2,4,5-T</i> | <i>Vinclozolin</i> |
|------------------------------------|--|-------------------|------------------|----------------|--------------------|
| (vi) LEGUME VEGETABLES (fresh) | Beans (with pods) | 0.02* | 0.05* | 0.05* | 2 |
| | Beans (without pods) | 0.02* | 0.05* | 0.05* | 0.5 |
| | Peas (with pods) | 0.02* | 0.05* | 0.05* | 2 |
| | Peas (without pods) | 0.02* | 0.05* | 0.05* | 0.3 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| (vii) STEM VEGETABLES | Asparagus | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cardoons | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery | 0.02* | 0.05* | 0.05* | 0.05* |
| | Fennel | 0.02* | 0.05* | 0.05* | 0.05* |
| | Globe artichokes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Leeks | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rhubarb | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| (viii) FUNGI | (a) <i>Cultivated mushrooms</i> | 0.02* | 0.05* | 0.05* | 0.05* |
| | (b) <i>Wild mushrooms</i> | 0.02* | 0.05* | 0.05* | 0.05* |

| | | | | | |
|-----------------|--|-------|-------|-------|-------|
| 3. PULSES | | | | | |
| | Beans | 0.02* | 0.05* | 0.05* | 0.5 |
| | Lentils | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peas | 0.02* | 0.05* | 0.05* | 0.5 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | |
| | Linseed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | 0.05* | 1 |
| | Soya bean | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.1 | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | |
| | Early potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Ware potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.05* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.05* | 30 | 0.05* | 40 |

SCHEDULE 2 — *continued*

158

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & Dieldrin</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Azoxystrobin</i> | <i>Barban</i> |
|------------------------------------|--|-----------------|-----------------|------------------------------|----------------------|----------------------|---------------------|----------------------|
| 8. CEREALS | | | | | | | | |
| | Wheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Rye | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Barley | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Sorghum | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Oats | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Triticale | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.3 | 0.05* |
| | Maize | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Buckwheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Millet | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| | Rice ⁽¹⁾ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 5 | 0.05* |
| | Other cereals ⁽²⁾ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.05* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.02* | 0.01* | 0.2 | 0.02* ⁽⁹⁾ | 0.01* | 0.05* | 0.05* |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.02* | 0.01* | 0.006 | | 0.01* | 0.01* | 0.05* |
| | Eggs ⁽⁶⁾ | 0.02* | 0.01* | 0.02 | 0.02* | 0.01* ⁽⁷⁾ | 0.05* | 0.05* ⁽⁷⁾ |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Benalaxyl</i> | <i>Benfuracarb</i> | <i>Captafol</i> | <i>Carbaryl</i> | <i>Carbendazim</i> | <i>Carbofuran</i> | <i>Carbon disulphide</i> | <i>Carbon tetrachloride</i> | |
|------------------------------------|--|---------------------|--------------------|-----------------|-----------------|--------------------|-------------------|--------------------------|-----------------------------|-----|
| 159 | 8. CEREALS | | | | | | | | | |
| | | Wheat | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Rye | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Barley | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Sorghum | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Oats | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Triticale | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Maize | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Buckwheat | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Millet | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | | Rice ⁽¹⁾ | 0.05* | 0.05* | 0.05* | 1 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Other cereals ⁽²⁾ | 0.05* | 0.05* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* | 0.05* | | | 0.1* | 0.1* | | | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.05* | 0.05* | | | 0.1* | 0.1* | | | |
| | Eggs ⁽⁶⁾ | 0.05* | 0.05* | | | 0.1* | 0.1* | | | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Carbosulfan</i> | <i>Chlorbufam</i> | <i>Chlordane</i> | <i>Chlorfenson</i> | <i>Chlorobenzilate</i> | <i>Chloroxuron</i> | <i>Chlorbenside</i> | |
|------------------------------------|--|---------------------|----------------------|------------------|----------------------|------------------------|----------------------|----------------------|-------|
| 160 | 8. CEREALS | | | | | | | | |
| | | Wheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Rye | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Barley | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Sorghum | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Oats | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Triticale | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Maize | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Buckwheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Millet | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | | Rice ⁽¹⁾ | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Other cereals ⁽²⁾ | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* | 0.05* | 0.05 | 0.05* | 0.1* | 0.05* | 0.05* | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.05* | 0.05* | 0.002 | 0.05* | 0.1* | 0.05* | 0.05* | |
| | Eggs ⁽⁶⁾ | 0.05* | 0.05* ⁽⁷⁾ | 0.005 | 0.05* ⁽⁷⁾ | 0.1* ⁽⁷⁾ | 0.05* ⁽⁷⁾ | 0.05* ⁽⁷⁾ | |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chloromequat</i> | <i>Chlorothalonil</i> | <i>Chlorpyrifos</i> | <i>Chlorpyrifos-methyl</i> | <i>Cyfluthrin</i> | <i>Cypermethrin</i> | <i>Daminozide</i> | <i>DDT</i> |
|------------------------------------|--|---|-----------------------|----------------------|----------------------------|-------------------|---|-------------------|------------|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Rye | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Barley | 2 | 0.1 | 0.2 | 3 | 0.02* | 0.2 | 0.02* | 0.05 |
| | Sorghum | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Oats | 5 | 0.1 | 0.05* | 3 | 0.02* | 0.2 | 0.02* | 0.05 |
| | Triticale | 2 | 0.1 | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Maize | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Buckwheat | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Millet | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Rice ⁽¹⁾ | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| | Other cereals ⁽²⁾ | 0.05* | 0.01* | 0.05* | 3 | 0.02* | 0.05* | 0.02* | 0.05 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05 ⁽¹⁰⁾ 0.2 ⁽¹¹⁾ 0.1 ⁽¹²⁾ 0.05* ⁽³⁵⁾ | 0.01* | 0.05* ⁽⁹⁾ | 0.05* | 0.05 | 0.05* ⁽⁹⁾ 0.2 ⁽¹⁷⁾ | 0.05* | 1 |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.05 | 0.01* | 0.01* | 0.01* | 0.02* | 0.02 | 0.05* | 0.04 |
| | Eggs ⁽⁶⁾ | 0.05* | 0.01* | 0.01* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05 |

SCHEDULE 2 — *continued*

162

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Deltamethrin</i> | <i>1,1-dichloro-2,2-bis (4-ethyl-phenyl)-ethane</i> | <i>Diallate</i> | <i>Diazinon</i> | <i>1,2-Dibromo-ethane</i> | <i>Dichlorvos</i> | <i>Dicofol</i> | <i>Disulfoton</i> |
|------------------------------------|--|----------------------|---|---------------------|-----------------|---------------------------|-------------------|---|-------------------|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.1 |
| | Rye | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Barley | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.2 |
| | Sorghum | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.2 |
| | Oats | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Triticale | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Maize | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Buckwheat | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Millet | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Rice ⁽¹⁾ | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| | Other cereals ⁽²⁾ | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* ⁽⁹⁾ | 0.01* | 0.2* | | | | 0.5 ⁽²¹⁾ 0.1 ⁽⁹⁾ 0.05* ⁽²²⁾ 1 ⁽²³⁾ | 0.02* |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | | 0.01* | 0.2* | 0.01* | | | 0.02 | 0.02 |
| | Eggs ⁽⁶⁾ | 0.05* | 0.01* ⁽⁷⁾ | 0.2* ⁽⁷⁾ | | | | 0.05* | 0.02* |

SCHEDULE 2 — continued

163

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Endosulfan</i> | <i>Endrin</i> | <i>Ethephon</i> | <i>Fenarimol</i> | <i>Fenbutatin oxide</i> | <i>Fentin</i> | <i>Fenvalerate</i> Sum of RR and SS isomers and | <i>Esfenvalerate</i> Sum of RS and SR isomers |
|------------------------------------|--|---------------------|---------------|-----------------|-----------------------|-------------------------|---------------|--|--|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 0.05* | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| | Rye | 0.05* | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| | Barley | 0.05* | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.2 | 0.05 |
| | Sorghum | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Oats | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.2 | 0.05 |
| | Triticale | 0.05* | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| | Maize | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Buckwheat | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Millet | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Rice ⁽¹⁾ | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Other cereals ⁽²⁾ | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.1 ⁽⁸⁾ | 0.05 | 0.05* | 0.02* ⁽¹³⁾ | 0.05* | 0.05* | 0.2 ⁽⁸⁾ | 0.05 ⁽⁸⁾ |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.004 | 0.0008 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* ⁽⁹⁾ | 0.02* ⁽⁹⁾ |
| | Eggs ⁽⁶⁾ | 0.1* ⁽⁷⁾ | 0.005 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* ⁽⁷⁾ | 0.02* ⁽⁷⁾ |

SCHEDULE 2 — continued

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Furathiocarb</i> | <i>Glyphosate</i> | <i>Heptachlor</i> | <i>Hexachloro-benzene (HCB)</i> | <i>Hexachloro-cyclohexane (HCH) α</i> | <i>Hexachloro-cyclohexane (HCH) β</i> | |
|------------------------------------|--|---------------------|--|-------------------|---------------------------------|---------------------------------------|---------------------------------------|-----------------------|
| 164 | 8. CEREALS | | | | | | | |
| | | Wheat | 0.05* | 5 | 0.01 | 0.01 | 0.02 | } sum of alpha & beta |
| | | Rye | 0.05* | 5 | 0.01 | 0.01 | 0.02 | |
| | | Barley | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | | Sorghum | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | | Oats | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | | Triticale | 0.05* | 5 | 0.01 | 0.01 | 0.02 | |
| | | Maize | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | | Buckwheat | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | | Millet | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | Rice ⁽¹⁾ | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | | |
| | Other cereals ⁽²⁾ | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* | 0.5 ⁽²⁴⁾ 2 ⁽²⁵⁾ 0.1* ⁽¹⁷⁾ | 0.2 | 0.2 | 0.2 | 0.1 | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.05* | 0.1* | 0.004 | 0.01 | 0.004 | 0.003 | |
| | Eggs ⁽⁶⁾ | 0.05* | 0.1* | 0.02 | 0.02 | 0.02 | 0.01 | |

SCHEDULE 2 — *continued*

165

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Hexachloro-cyclohexane (HCH) γ</i> | <i>Hydrogen cyanide</i> | <i>Hydrogen phosphide</i> | <i>Imazalil</i> | <i>Inorganic bromide</i> | <i>Iprodione</i> | <i>Kresoxim-methyl</i> | <i>Lambda-cyhalothrin (28)</i> |
|------------------------------------|--|---|-------------------------|---------------------------|-----------------|--------------------------|------------------|---|--|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.5 | 0.05* | 0.02* |
| | Rye | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Barley | 0.1 | 15 | 0.1 | 0.02* | 50 | 1 | 0.05* | 0.05 |
| | Sorghum | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Oats | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Triticale | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Maize | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Buckwheat | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Millet | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| | Rice ⁽¹⁾ | 0.1 | 15 | 0.1 | 0.02* | 50 | 3 | 0.05* | 0.02* |
| | Other cereals ⁽²⁾ | 0.1 | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 2 ⁽²⁶⁾ 1 ⁽²⁷⁾ | | | 0.02* | | 0.05* | 0.02* ⁽¹⁴⁾⁽¹⁵⁾ 0.05 ⁽¹⁴⁾⁽¹⁶⁾ | 0.5 ⁽⁸⁾ 0.02* ⁽⁹⁾ |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.008 | | | 0.02* | | 0.05* | 0.05* ⁽¹⁸⁾ | 0.05 |
| | Eggs ⁽⁶⁾ | 0.1 | | | 0.02* | | 0.05* | 0.02* | 0.02* |

SCHEDULE 2 — *continued*

166

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Malathion</i> | <i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i> | <i>Mecarbam</i> | <i>Metaxyl</i> | <i>Methamidophos</i> | <i>Methidathion</i> | <i>Methomyl thiodicarb</i> |
|------------------------------------|--|------------------|---|-----------------|----------------|----------------------|---------------------|----------------------------|
| 8. CEREALS | | | | | | | | |
| | Wheat | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Rye | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Barley | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Sorghum | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Oats | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Triticale | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Maize | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Buckwheat | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Millet | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Rice ⁽¹⁾ | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Other cereals ⁽²⁾ | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.02 |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.02 |
| | Eggs ⁽⁶⁾ | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.02 |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Methoxychlor</i> | <i>Methyl bromide</i> | <i>Permethrin</i> | <i>Phorate</i> | <i>Phosphamidon</i> | <i>Pirimiphos-methyl</i> | <i>Procymidone</i> |
|------------------------------------|--|----------------------|-----------------------|-------------------|----------------|---------------------|--------------------------|--------------------|
| 8. CEREALS | | | | | | | | |
| | Wheat | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Rye | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Barley | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Sorghum | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Oats | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Triticale | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Maize | 0.01* | 0.1 | 0.2 | 0.05* | 0.05 | 5 | 0.02* |
| | Buckwheat | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Millet | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Rice ⁽¹⁾ | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| | Other cereals ⁽²⁾ | 0.01* | 0.1 | 2 | 0.05* | 0.05 | 5 | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.01* | | 0.5 | 0.05* | | 0.05* | 0.05* |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.01* | | 0.05 | 0.02* | | 0.05* | 0.05* |
| | Eggs ⁽⁶⁾ | 0.01* ⁽⁷⁾ | | 0.05 | 0.05* | | 0.05* | 0.05* |

SCHEDULE 2 — *continued*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Propiconazole</i> | <i>Propoxur</i> | <i>Propyzamide</i> | <i>Pyrethrins</i> | <i>Thiabendazole</i> | <i>Triazophos</i> | <i>Trichlorfon</i> |
|------------------------------------|--|--|-----------------|--|-------------------|----------------------|----------------------|--------------------|
| 8. CEREALS | | | | | | | | |
| | Wheat | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Rye | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Barley | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Sorghum | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Oats | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Triticale | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Maize | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Buckwheat | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Millet | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Rice ⁽¹⁾ | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| | Other cereals ⁽²⁾ | 0.05* | 0.05* | 0.02* | 3 | 0.05* | 0.02* | 0.1 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.1 ⁽²⁹⁾ 0.05* ⁽³⁰⁾ | 0.05* | 0.05* ⁽³¹⁾ (33) 0.02* ⁽³²⁾ (33) | | 0.1 ⁽¹⁹⁾ | 0.02* | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.01* | 0.05* | 0.01* ⁽³³⁾ | | | 0.02* 0.02* | |
| | Eggs ⁽⁶⁾ | 0.05* | 0.05* | 0.02* ⁽³³⁾ | | 0.1* | 0.02* ⁽⁷⁾ | |

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triforine</i> | <i>Vinclozolin</i> | |
|------------------------------------|--|---------------------|--------------------|-------|
| 169 | 8. CEREALS | | | |
| | | Wheat | 0.1 | 0.05* |
| | | Rye | 0.1 | 0.05* |
| | | Barley | 0.1 | 0.05* |
| | | Sorghum | 0.05* | 0.05* |
| | | Oats | 0.1 | 0.05* |
| | | Triticale | 0.1 | 0.05* |
| | | Maize | 0.05* | 0.05* |
| | | Buckwheat | 0.05* | 0.05* |
| | | Millet | 0.05* | 0.05* |
| | | Rice ⁽¹⁾ | 0.05* | 0.05* |
| | Other cereals ⁽²⁾ | 0.05* | 0.05* | |
| | 9. PRODUCTS OF ANIMAL ORIGIN | | | |
| | Meat, fat & preparations of meat ⁽³⁾ | 0.05* | 0.05* | |
| | Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾ | 0.05* | 0.05* | |
| | Eggs ⁽⁶⁾ | 0.05* | 0.05* | |

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination
no MRL - refers to the particular
active/commodity combination

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
7. For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
8. All meat except poultrymeat.
9. Poultrymeat only.
10. Chicken liver.
11. Cattle kidney.
12. Cattle liver.
13. All meat except liver and kidney.

14. The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
15. Meat, liver, fat.
16. Kidney.
17. Other meat products.
18. The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid.
19. With the exception of meat and other ovine, bovine and caprine products.
20. Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
21. Meat of cattle, sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultrymeat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.
24. Pig kidney.
25. Cattle, goat and sheep kidney.
26. Sheepmeat only.
27. All meat except sheepmeat.
28. For animal products MRLs relate to cyhalothrin (sum of isomers).
29. Ruminant liver.
30. All meat except ruminant liver.
31. Fat, liver and kidney.
32. Other than fat, liver and kidney.
33. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
34. Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
35. Meat and meat products other than those at footnotes 10, 11 and 12.

SCHEDULE 3

Regulation 6(a)

Note: The word 'fresh' is taken to extend to products which have been chilled.

| Column 1 <i>Group of products</i> | Column 2 <i>Products included in the groups</i> | Column 3 <i>Part of product to which maximum residue levels apply</i> |
|---|---|--|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts | | |
| (i) Citrus Fruit | Grapefruit Lemons Limes Mandarins (including clementines and similar hybrids) Oranges Pomelos Others | Whole Product |
| (ii) Tree Nuts (shelled or unshelled) | Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts Others | Whole product after removal of shell |
| (iii) Pome Fruit | Apples Pears Quinces Others | Whole product after removal of stems |
| (iv) Stone Fruit | Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others | Whole product after removal of stems |
| (v) Berries and Small Fruit | (a) <i>Table and wine grapes</i> Table grapes Wine grapes (b) <i>Strawberries</i> (other than wild) | |

SCHEDULE 3 – continued

| Column 1 Group of products | Column 2 Products included in the groups | Column 3 Part of product to which maximum residue levels apply |
|---|---|--|
| | <p>(c) <i>Cane fruit</i> (other than wild) Blackberries Dewberries Loganberries Raspberries Others</p> <p>(d) <i>Other small fruit and berries</i> (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries Others</p> <p>(e) <i>Wild berries and wild fruit</i></p> | <p>Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems</p> |
| (vi) Miscellaneous Fruit | <p>Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes Olives (table consumption)[†] Olives (oil extract) Papaya Passion fruit Pineapples Pomegranates Others</p> | <p>Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of the crown</p> <p>[†] Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water</p> |
| 2. Vegetables, fresh or uncooked, frozen or dry | (i) Root and Tuber Vegetables | |
| | <p>Beetroot Carrots Celeraiac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes</p> | <p>Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)</p> |

SCHEDULE 3 – continued

| Column 1 <i>Group of products</i> | Column 2 <i>Products included in the groups</i> | Column 3 <i>Part of product to which maximum residue levels apply</i> |
|--------------------------------------|---|--|
| (ii) Bulb Vegetables | Swedes Turnips Yams Others | For dry onions, shallots and garlic: whole product after removal of easily detachable skin and soil (if any) Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any) |
| | Garlic Onions Shallots Spring Onions Others | |
| (iii) Fruiting Vegetables | (a) <i>Solanacea</i> Tomatoes Peppers Chilli peppers Aubergines Others | Whole product after removal of stems |
| | (b) <i>Cucurbitis-edible peel</i> Cucumbers Gherkin Courgettes Others | |
| | (c) <i>Cucurbitis-inedible peel</i> Melons Squashes Watermelons Others | |
| | (d) <i>Sweet corn</i> | |
| | Kernels or cobs without husks | |
| (iv) Brassica Vegetables | (a) <i>Flowering brassicas</i> Broccoli Cauliflower Others | Cauliflower and broccoli curd only |
| | (b) <i>Head brassicas</i> Brussels sprouts Head cabbage Others | Product after removal of decayed leaves (if any) |
| | (c) <i>Leafy brassicas</i> Chinese cabbage Kale Others | Whole product after removal of tops and |
| | (d) <i>Kohlrabi</i> | |
| | 174 | |

SCHEDULE 3 – continued

| Column 1 <i>Group of products</i> | Column 2 <i>Products included in the groups</i> | Column 3 <i>Part of product to which maximum residue levels apply</i> | | | | |
|---|--|--|--|---|---|---|
| (v) Leaf Vegetables and Fresh Herbs | (a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Scarole Others | } adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product) | | | | |
| | (b) <i>Spinach and similar</i> Spinach Beet leaves (chard) Others | | | | | |
| | (c) <i>Watercress</i> | | | | | |
| | (d) <i>Witloof</i> | | | | | |
| | (e) <i>Herbs</i> Chervil Chives Parsley Celery leaves Others | | | | | |
| } Whole product after removal of decayed outer leaves, root and soil (if any) | } Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others | } Whole product after removal of pods or with pods if they are intended to be eaten | | | | |
| | | | } (vii) Stem Vegetables Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others | } Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any) | | |
| | | | | | } (viii) Fungi Mushrooms (other than wild) Wild Mushrooms | } Whole product after removal of soil or growing medium |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

SCHEDULE 3 – continued

| Column 1 <i>Group of products</i> | Column 2 <i>Products included in the groups</i> | Column 3 <i>Part of product to which maximum residue levels apply</i> |
|---|---|---|
| 4. Oil seeds | Linseed Peanuts Poppy seed Rape seed Sesame seed Sunflower seed* Soya bean Others | Whole seed or kernal after removal of shell and husk, when possible * Whole seed including shell, when present, and whole seed without shell, when shell is absent |
| 5. Potatoes | Early potatoes Ware potatoes | Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product) |
| 6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | | Whole product |
| 7. Hops (dried), including hop pellets and unconcentrated powder | | Whole product |
| 8. Cereal grains | Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice Other cereals | Whole commodity without husk |
| 9. Products of animal origin | Meat, fat and preparations of meat Milk Eggs | Whole commodity (for fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat) Whole commodity Whole egg whites and yolks combined after removal of shells |

SCHEDULE 3 – *continued*

| Column 1 <i>Group of products</i> | Column 2 <i>Products included in the groups</i> | Column 3 <i>Part of product to which maximum residue levels apply</i> |
|--------------------------------------|--|--|
| 10. Spices | Cumin seed Juniper berries Nutmeg Pepper, black and white Vanilla pods Others | } Whole product |

SCHEDULE 4 – *continued*

| <i>Title</i> | <i>Number</i> |
|---|-------------------|
| Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) (Amendment) Regulations (Northern Ireland) 1997 | S.R. 1997 No. 243 |
| Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) (Amendment) Regulations (Northern Ireland) 1999 | S.R. 1999 No. 320 |

EXPLANATORY NOTE

(This note is not part of the Regulations.)

These Regulations are made under section 2(2) of the European Communities Act 1972 and section 16(2) of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (EEC Limits) Regulations (Northern Ireland) 1995 (S.R. 1995 No. 33 as amended by S.R. 1995 No. 461, S.R. 1996 No. 527, S.R. 1997 No. 244, S.R. 1999 No. 114 and S.R. 1999 No. 321) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (National Limits) Regulations (Northern Ireland) 1995 (S.R. 1995 No. 32 as amended by S.R. 1995 No. 460, S.R. 1996 No. 526, S.R. 1997 No. 243 and S.R. 1999 No. 320).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part II specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Council Directive 86/362/EEC (O.J. No. L221, 7.8.86, p. 37) and Council Directive 86/363/EEC (O.J. No. L221, 7.8.86, p. 43) as regards cereals and products of animal origin, each as last amended by Commission Directive 2000/58/EC (O.J. No. L244, 29.9.2000, p. 78) and Council Directive 90/642/EEC (O.J. No. L350, 14.12.90, p. 71) as regards certain products of plant origin (including fruit and vegetables), (as amended by Council Directives 93/58/EEC (O.J. No. L211, 23.8.93, p. 6), 94/30/EC (O.J. No. L189, 23.7.94, p. 70), 95/38/EC (O.J. No. L197, 22.8.95, p. 14), 95/61/EC (O.J. No. L292, 7.12.95, p. 27), 96/32/EC (O.J. No. L144, 18.6.96, p. 12), 97/41/EC, (O.J. No. L184, 12.7.97, p. 33) and Commission Directives 97/71/EC (O.J. No. L347, 18.12.97, p. 42), 98/82/EC (O.J. No. L290, 29.10.98, p. 25), 1999/65/EC (O.J. No. L172, 8.7.99, p. 40), 1999/71/EC (O.J. No. L194, 27.7.99, p. 36), 2000/24/EC (O.J. No. L107, 4.5.2000, p. 28), 2000/42/EC (O.J. No. L158, 30.6.2000, p. 51), 2000/48/EC (O.J. No. L197, 3.8.2000, p. 26), 2000/57/EC (O.J. No. L244, 29.9.2000, p. 76), 2000/58/EC (O.J. No. L244, 29.9.2000, p. 78) and 2001/35/EC (O.J. No. L136, 18.5.2001, p. 42)) (these Directives as so amended being referred to in these Regulations as “the Residues Directives”). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive 1999/71/EC. Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation.

To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Schedule 2 Part I do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are subject of the Residues Directives (regulation 6).

The Regulations include certain drafting improvements to the preceding legislation, in particular omitting reference to the means by which a pesticide residue may come to be in any product (see regulations 2(3), 3(1) and 4(1)) and clarifying the provisions setting maximum residue levels in their application to dried or processed products or composite foods (see regulations 3(2), 4(2) and (3)).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) Regulations (Northern Ireland) 1995 (S.R. 1995 No. 33 as amended by S.R. 1995 No. 461, S.R. 1996 No. 527, S.R. 1997 No. 244, S.R. 1999 No. 114 and S.R. 1999 No. 321) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) Regulations (Northern Ireland) 1995 (S.R. 1995 No. 32 as amended by S.R. 1995 No. 460, S.R. 1996 No. 526, S.R. 1997 No. 243 and S.R. 1999 No. 320).

£15.00

Published by The Stationery Office Limited

Printed in the UK by The
Stationery Office Limited
under the authority and
superintendence of Carol
Tullo, Controller of
Her Majesty's Stationery
Office being the Government
Printer for Northern Ireland and
the Officer appointed to print the
Acts of the Northern Ireland Assembly
Da. N20400. C3. 202. Gp. 130. 14567.