

2006 No. 220

AGRICULTURE

PESTICIDES

Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2006

Made - - - - - *12th May 2006*

Coming into operation *30th June 2006*

The Department of Agriculture and Rural Development, being a Department designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, makes the following Regulations in exercise of the powers conferred on it by the said section 2(2), and, in respect of the provisions of these Regulations relating to Part I of Schedule 2 to these Regulations, in exercise of the powers conferred on it by section 16(2) of the Food and Environment Protection Act 1985(c), after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides for Northern Ireland established under section 16(7) of that Act(d):

Citation and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2006 and shall come into operation on 30th June 2006.

Interpretation

2.—(1) In these Regulations—

“Directive 76/895” means Council Directive 76/895/EEC relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables(e);

“Directive 86/362” means Council Directive 86/362/EEC on the fixing of maximum levels for pesticide residues in and on cereals(f);

“Directive 86/363” means Council Directive 86/363/EEC on the fixing of maximum levels for pesticide residues in and on foodstuffs of animal origin(g);

(a) S.I. 2000/2812

(b) 1972 c. 68 the powers conferred by section 2(2) were extended by virtue of the amendment of section 1(2) of the European Communities Act 1972 by section 1 of the European Economic Area Act 1993 (c. 51)

(c) 1985 c. 48; section 16 was amended by the Pesticides (Fees and Enforcement) Act 1989 (c. 27) and by the Pesticides Act 1998 (c. 26); see also section 25(2), and Article 3(4) of the Department (Northern Ireland) Order 1999 S.I. 1999/283 (N.I. 1), and section 25(2A) as inserted by section 1(5) of the Pesticides Act 1998

(d) Established by S.R. 1987 No. 341

(e) O.J. No. L340, 9.12.1976, p. 26, as last amended by Commission Directive 2005/70/EC (O.J. No. L276, 21.10.2005, p. 35)

(f) O.J. No. L221, 7.8.1986, p. 37, as last amended by Commission Directive 2006/30/EC (O.J. No. L75, 14.3.2006, p. 7)

(g) O.J. No. L221, 7.8.1986, p. 43, as last amended by Commission Directive 2006/30/EC (O.J. No. L75, 14.3.2006, p. 7)

“Directive 90/642” means Council Directive 90/642/EEC on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables(a);

“EEA State” means a member State, Norway, Iceland or Liechtenstein;

“fruit or vegetable” means a product referred to in Article 1 of Directive 90/642;

“maximum residue level” means the maximum quantity of pesticide residue (measured in milligrams per kilogram of product) that a product is permitted to contain under regulation 3;

“pesticide” means any substance, preparation or organism listed in column 1 of Schedule 1;

“pesticide residue” means, in relation to any particular pesticide, the substance specified in column 2 of Schedule 1 in respect of that pesticide;

“product” means any crop, food or feeding stuff specified in Schedule 2;

“putting into circulation”, in relation to any product, means handing it over (post-harvest if the product is a fruit or vegetable), whether or not for consideration; and

“the Residues Directives” means Directive 76/895, Directive 86/362, Directive 86/363 and Directive 90/642, in each case as amended at the date of the making of these Regulations.

(2) The expressions “composite food”, “drying” and “processing” when used in regulation 3 or in paragraph (c) or (d) of regulation 5 have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) The Interpretation Act (Northern Ireland) 1954(b) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

Prohibition on putting into circulation products with excess residues

3.—(1) A person shall not put into circulation a product named in Schedule 2 if it contains a quantity of pesticide residue, per kilogram of the product, greater than that specified in that Schedule in respect of that product and the pesticide in question, for the period (if any) specified.

(2) Subject to paragraph (3), paragraph (1) shall also apply in relation to the putting into circulation of—

(a) any product which after drying or processing is obtained from any of the products named in Schedule 2, and

(b) any composite food which includes any of the products named in that Schedule,

as it applies to the products so named.

(3) Where—

(a) paragraph (1) applies in relation to a dried or processed product or a composite food by virtue of paragraph (2), and

(b) in relation to that dried or processed product or composite food no quantity has been specified in Schedule 2 as the maximum residue level in respect of a pesticide residue which may be contained in that dried or processed product or composite food,

paragraph (1) applies as if the maximum residue level in respect of that pesticide residue were the quantity applicable under that Schedule as it has effect by virtue of regulation 5(c) or, as the case may be, (d).

(4) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene the prohibition in paragraph (1) shall be guilty of an offence, and shall be liable—

(a) on summary conviction, to a fine not exceeding the statutory maximum; and

(b) on conviction on indictment, to a fine.

(5) In any proceedings for an offence under this regulation in relation to any product, whether or not dried or processed or a composite food, it is a defence for the person charged to prove that when the product was put into circulation—

(a) O.J. No. L350, 14.12.1990, p. 71, as last amended by Commission Directive 2006/30/EC (O.J. No. L75, 14.3.06, p. 7)

(b) 1954 c. 33 (N.I.)

- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the contravention of the prohibition in paragraph (1) was caused by the product being treated in a manner—
 - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
 - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that—
 - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
 - (ii) it be used for sowing or planting.

(6) Sections 19 (enforcement powers), 21(5) (offences — penalties etc) and 22 (general defence of due diligence) of, and Schedule 2 (officers and their powers) to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act, taking references therein to that Act or any part of it to be references to this regulation, and the general purposes of that Act to include the purposes of this regulation.

Seizure or disposal of crops, food or feeding stuffs

4.—(1) If any product contains a quantity of pesticide residue greater than that permitted under regulation 3(1), any Northern Ireland department may—

- (a) seize or dispose of the consignment containing that product, or any part of it, or require the owner or any person appearing to be in charge of it to dispose of it, or
- (b) direct the owner or any person appearing to be in charge of it to take such remedial action as appears to that department to be necessary.

(2) Paragraph (1) applies to any product put into circulation in circumstances referred to in regulation 3(5)(a) or (b) as it applies to other products.

Sampling and analysis

5. In determining for the purposes of regulation 3(1) whether the quantity of pesticide residue contained in any product exceeds the maximum residue level—

- (a) in relation to any product specified in column 2 of Schedule 3 (and falling within a group of products specified in column 1 of that Schedule) the whole or part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of that Schedule;
- (b) the procedure to be followed for sampling for the determination of pesticide residues shall be that set out in the Annex to Commission Directive 2002/63/EC(a);
- (c) in the case of any product which has been dried or processed, Schedule 2 shall have effect where, in relation to a pesticide residue, no such maximum residue level is specified therein for the product in its dried or processed form, as if the maximum residue level specified in that Schedule in respect of that pesticide residue and in relation to the product in question were subject to an adjustment to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (d) in a case where a product listed in Schedule 2 has been mixed with other products or ingredients to form a composite food, that Schedule shall have effect, in relation to that composite food, as if the products which have been mixed to form the composite food had not been mixed and accordingly the maximum residue levels specified for each of the pesticide residues specified applied in relation to each of those products separately taking into account—
 - (i) the relative concentrations of each of the products in the composite food; and
 - (ii) the provisions of paragraph (c).

(a) O.J. No. L187, 16.7.2002, p. 30

Revocations

6. The Regulations specified in Schedule 4 are revoked.

Sealed with the Official Seal of the Department of Agriculture and Rural Development on 12th May 2006.

(L.S.)

R. Jordan

A senior officer of the Department of Agriculture and Rural Development

SCHEDULE 1

Regulation 2(1)

PESTICIDE RESIDUES

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
1,1-Dichloro-2,2-bis (4-ethyl-phenyl) ethane	1,1-dichloro-2,2-bis (4-ethyl-phenyl) ethane
1,2-Dibromoethane	(1) for products of plant origin other than cereals: 1,2-dibromoethane (ethylene dibromide) (2) for cereals: 1,2-dibromoethane
1,2-Dichloroethane	1,2-dichloroethane
2,4-D	(1) for products of plant origin: 2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D (2) for foodstuffs of animal origin: 2,4-D
2,4-DB	2,4-DB
2,4,5-T	2,4,5-T
Abamectin	abamectin (sum of avermectin B1a, avermectin B1b and delta-8, 9 isomer of avermectin B1a)
Acephate	acephate
Acibenzolar-S-methyl	acibenzolar-S-methyl
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aldrin and Dieldrin	(1) for products of plant origin other than cereals: aldrin and dieldrin combined expressed as dieldrin (2) for cereals and foodstuffs of animal origin: aldrin and dieldrin singly or combined, expressed as dieldrin (HEOD)
Amitraz	amitraz including the metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz
Amitrole	amitrole
Aramite	aramite
Atrazine	atrazine
Azimsulfuron	azimsulfuron
Azinphos-ethyl	azinphos-ethyl
Azinphos-methyl	azinphos-methyl
Azocyclotin and Cyhexatin	azocyclotin and cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)
Azoxystrobin	azoxystrobin
Barban	barban
Benalaxy1	benalaxy1
Benfuracarb	benfuracarb
Benomyl, Carbendazim	(1) for products of plant origin other than cereals: sum of benomyl and carbendazim, expressed as carbendazim (2) for cereals: benomyl and carbendazim, expressed as carbendazim (3) for foodstuffs of animal origin: for carbendazim only: carbendazim and thiophanate-methyl, expressed as carbendazim

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Thiophanate-methyl	(1) for products of plant origin: thiophanate-methyl (2) for foodstuffs of animal origin: carbendazim and thiophanate-methyl, expressed as carbendazim
Bentazone	bentazone (sum of bentazone and conjugates 6-OH- and 8-OH-bentazone expressed as bentazone)
Bifenthrin	bifenthrin
Binapacryl	binapacryl
Bitertanol	bitertanol
Bromophos-ethyl	bromophos-ethyl
Bromopropylate	bromopropylate
Bromoxynil	bromoxynil including its esters expressed as bromoxynil
Camphechlor (Toxaphene)	(1) for products of plant origin other than cereals: camphechlor (toxaphene) (2) for cereals: camphechlor (chlorinated camphen with 67-69% chlorine) (3) for foodstuffs of animal origin: camphechlor (sum of the three indicator compounds Palar No 26 (2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 10, 10-octachlorobornane), Palar No 50 (2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 9, 10, 10-nonachlorobornane) and Palar No 62 (2, 2, 5, 5, 8, 9, 9, 10, 10-nonachlorobornane))
Captafol	captafol
Captan	captan
Carbaryl	carbaryl
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbon disulphide	carbon disulphide
Carbon tetrachloride	carbon tetrachloride
Carbosulfan	carbosulfan
Carfentrazone-ethyl	carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone-ethyl)
Cartap	cartap
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam
Chlordane	(1) for products of plant origin other than cereals: chlordane (sum of cis- and trans-chlordane) (2) for cereals: chlordane (sum of cis- and trans-isomers expressed as chlordane) (3) for foodstuffs of animal origin: (sum of cis- and trans-isomers and oxychlordane expressed as chlordane)
Chlorfenapyr	chlorfenapyr
Chlorfenson	chlorfenson
Chlorfenvinphos	sum of E- and Z-isomers of chlorfenvinphos
Chlormequat	chlormequat
Chlorobenzilate	chlorobenzilate

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Chlorothalonil	chlorothalonil
Chloroxuron	chloroxuron
Chlorpropham	(1) for products of plant origin (except potatoes): chlorpropham and 3-chloroaniline expressed as chlorpropham, potatoes: chlorpropham (2) for foodstuffs of animal origin: chlorpropham and 4'-hydroxychlorpropham-0-sulphonic acid (4-HSA), expressed as chlorpropham
Chlorpyrifos	chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Chlozolinate	chlozolinate
Cinidon-ethyl	cnidon-ethyl (sum of cnidon-ethyl and its E-isomer)
Clofentezine	(1) for products of plant origin other than cereals: clofentezine (2) for cereals and foodstuffs of animal origin: clofentezine (sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine)
Cyazofamid	cyazofamid
Cyclanilide	cyclanilide
Cyfluthrin	(1) for products of plant origin other than cereals: cyfluthrin and b- cyfluthrin (sum of isomers) (2) for cereals and foodstuffs of animal origin: cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cyhalofop butyl	cyhalofop butyl (sum of cyhalofop butyl and its free acids)
Cypermethrin	cypermethrin, including other mixtures of constituent isomers (sum of isomers)
Cyromazine	cyromazine
Daminozide	sum of daminozide and 1,1 -dimethyl-hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'-TDE (DDD) expressed as DDT
Deltamethrin	deltamethrin
Diallate	diallate
Diazinon	diazinon
Dichlofluanid	dichlofluanid
Dichlorprop	dichlorprop (including dichlorprop P)
Dichlorvos	dichlorvos
Dicofol	(1) for products of plant origin and for foodstuffs of animal origin: except liver of cattle, sheep and goats: sum of P, P' and O, P' isomers (2) for foodstuffs of animal origin: liver of cattle sheep and goats: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol
Diflubenzuron	diflubenzuron
Dimethenamid-P	dimethenamid-P including other mixtures of constituent isomers (sum of isomers)

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Dimethipin	dimethipin
Dimethoate	dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Dinoseb	dinoseb
Dinoterb	dinoterb
Dioxathion	dioxathion
Diphenylamine	diphenylamine
Diquat	diquat
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
DNOC	DNOC
Endosulfan	sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	endrin
Ethephon	ethephon
Ethion	ethion
Ethofumesate	ethofumesate (sum of ethofumesate and the metabolite 2, 3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate)
Ethoxysulfuron	ethoxysulfuron
Ethylene oxide	ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide)
Famoxadone	famoxadone
Fenamidone	fenamidone
Fenamiphos	fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)
Fenarimol	fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenhexamid	fenhexamid
Fenitrothion	fenitrothion
Fenpropimorph	(1) for products of plant origin: fenpropimorph (2) for foodstuffs of animal origin: fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph
Fentin	fentin expressed as triphenyltin cation
Fentin acetate	fentin acetate
Fentin hydroxide	fentin hydroxide
Fenvalerate and Esfenvalerate	(1) sum of RR and SS isomers (2) sum of RS and SR isomers
Flazasulfuron	flazasulfuron
Florasulam	florasulam

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Flucythrinate	(1) for products of plant origin other than cereals: flucythrinate (2) for cereals and foodstuffs of animal origin: sum of isomers expressed as flucythrinate
Flufenacet	(1) for products of plant origin other than cereals: flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet) (2) for cereals: flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent)
Flumioxazine	flumioxazine
Flupyrulfuron-methyl	flupyrulfuron-methyl
Flurochloridone	flurochloridone
Fluroxypyr	(1) for products of plant origin: fluroxypyr and its esters expressed as fluroxypyr (2) for foodstuffs of animal origin: fluroxypyr
Flurtamone	flurtamone
Folpet	folpet
Foramsulfuron	foramsulfuron
Formothion	formothion
Fosthiazate	fosthiazate
Furathiocarb	furathiocarb
Glyphosate (except trimesium salt)	glyphosate
Glyphosate (as trimesium salt)	trimethylsulfonium cation resulting from the use of glyphosate
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hexachlorobenzene (HCB)	hexachlorobenzene
Hexachlorocyclohexane (HCH)	HCH, sum of isomers except the gamma isomer
Hexaconazole	hexaconazole
Hydrogen cyanide	hydrogen cyanide, cyanides expressed as hydrogen cyanide
Hydrogen phosphide	hydrogen phosphide, phosphides expressed as hydrogen phosphide
Imazalil	imazalil
Imazamox	imazamox
Inorganic bromide	inorganic bromide determined and expressed as total bromine from sources
Iodosulfuron-methyl sodium	iodosulfuron-methyl sodium (iodosulfuron-methyl including salts, expressed as iodosulfuron-methyl)
Ioxynil	ioxynil including its esters expressed as ioxynil
Iprodione	(1) for products of plant origin: iprodione (2) for foodstuffs of animal origin: sum of compounds and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5 dichloroaniline
Iprovalicarb	iprovalicarb

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Isoproturon	isoproturon
Isoxaflutole	isoxaflutole (sum of isoxaflutole, RPA 202248 (2-cyano-3cyclopropyl-1-(2-methylsulfonyl-4-trifluoromethylphenyl)propane-1,3-dione) and RPA 203328 (2-methane-sulfonyl-4-trifluoromethylbenzoic acid) expressed as isoxaflutole)
Kresoxim-methyl	(1) for products of plant origin: kresoxim-methyl (2) for foodstuffs of animal origin: eggs: kresoxim-methyl; milk: 2-[2-(4-hydroxy-2-methylphenoxy)methyl] phenyl]-2-methoxy-imino-acetic acid; meat, liver, fat and kidney: 2-methoxyimino-2-[2-(o-tolyloxymethyl) phenyl] acetic acid
Lambda-cyhalothrin	(1) for products of plant origin: lambda-cyhalothrin (2) for foodstuffs of animal origin: lambda-cyhalothrin including other mixed isomeric constituents (sum of isomers)
Lindane	lindane (hexachloro-cylohexane γ)
Linuron	linuron
Malathion	malathion sum of malathion and malaoxon, expressed as malathion
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram, Propineb and Zineb	(1) for products of plant origin other than cereals: maneb, mancozeb, metiram, propineb and zineb (sum expressed as CS ₂) (2) for cereals and foodstuffs of animal origin: determined and expressed as carbon disulphide (CS ₂)
Mecarbam	mecarbam
Mecoprop	mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)
Mepanipyrim	mepanipyrim and its metabolite (2-anilino-4-(2-hydroxy-propyl)-6-methylpyrimidine) expressed as mepanipyrim
Mercury compounds	(1) for products of plant origin other than cereals: sum of mercury compounds expressed as mercury (2) for cereals: mercury compounds (3) for foodstuffs of animal origin: sum of mercury compounds
Mesotrione	mesotrione (sum of mesotrione and MNBA (4-methyl-sulfonyl-2-nitro benzoic acid), expressed as mesotrione
Metalaxyl	(1) for products of plant origin: metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers) (2) for foodstuffs of animal origin: metalaxyl
Metalaxyl-M	metalaxyl-m
Methacrifos	methacrifos
Methamidophos	methamidophos
Methidathion	methidathion
Methomyl thiodicarb	(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl) (2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomyl

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Methoxychlor	methoxychlor
Methyl bromide (bromomethane)	methyl bromide (bromomethane)
Metsulfuron methyl	metsulfuron methyl
Mevinphos	sum of cis- and trans-mevinphos
Molinate	molinate
Monocrotophos	monocrotophos
Monolinuron	monolinuron
Myclobutanil	(1) for products of plant origin: myclobutanil (2) for foodstuffs of animal origin: Alpha -(3-hydroxybutyl) - alpha- (4-chloro-phenyl)- 1H - 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanil
Nitrofen	nitrofen
Oxadiargyl	oxadiargyl
Oxasulfuron	oxasulfuron
Oxydemeton methyl	oxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)
Paraquat	paraquat
Parathion	parathion
Parathion-methyl	parathion-methyl (sum of parathion-methyl and para-oxon-methyl expressed as parathion-methyl)
Penconazole	penconazole
Pendimethalin	pendimethalin
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate
Phosalone	phosalone
Phosmet	sum of phosmet and phosmet oxon expressed as phosmet
Phosphamidon	phosphamidon
Phoxim	phoxim
Picolinafen	picolinafen
Picoxystrobin	picoxystrobin
Pirimiphos-methyl	pirimiphos-methyl
Prochloraz	prochloraz (sum of prochloraz and its metabolites containing the 2,4,6 -trichlorophenol moiety expressed as prochloraz)
Procymidone	(1) for products of plant origin: procymidone (2) for foodstuffs of animal origin: sum of procymidone and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5-dichloroaniline
Profenofos	profenofos
Prohexadione	prohexadione and its salts expressed as prohexadione
Propargite	propargite

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Propham	propham
Propiconazole	propiconazole
Propoxur	propoxur
Propoxycarbazone	propoxycarbazone, its salts and 2-hydroxypropoxy-propoxycarbazone, calculated as propoxycarbazone
Propyzamide	(1) for products of plant origin: propyzamide (2) for foodstuffs of animal origin: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide
Prosulfuron	prosulfuron
Pymetrozine	pymetrozine
Pyraclostrobin	pyraclostrobin
Pyraflufen-ethyl	pyraflufen-ethyl
Pyrazophos	pyrazophos
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Pyridate	pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Quinalphos	quinalphos
Quinoxifen	quinoxifen
Quintozene	(1) for products of plant origin: quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene) (2) for foodstuffs of animal origin: quintozene
Resmethrin	resmethrin, including other mixtures of constituent isomers (sum of isomers)
Silthiofam	silthiofam
Spiroxamine	(1) for products of plant origin: spiroxamine (2) for foodstuffs of animal origin: spiroxamine carboxylic acid expressed as spiroxamine
Sulfosulfuron	sulfosulfuron
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	(1) for products of plant origin: thiabendazole (2) for foodstuffs of animal origin: sum of thiabendazole and 5-hydroxy thiabendazole
Thifensulfuron methyl	thifensulfuron methyl
Triadimefon and Triadimenol	triadimefon and triadimenol (sum of triadimefon and triadimenol)
Triasulfuron	triasulfuron
Triazophos	triazophos
Trichlorfon	trichlorfon
Tridemorph	tridemorph
Trifloxystrobin	trifloxystrobin

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Triforine	triforine
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin
Zoxamide	zoxamide

SCHEDULE 2

Regulations 2(1), 3 and 5

PART I
Maximum Residue Levels — National Limits

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azinphos-methyl</i>	<i>Captan</i>	<i>Carbaryl</i>	<i>Chlorfen-vinphos</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
(i) CITRUS FRUIT					
Grapefruit	1	0.1	1	1	
Lemons	1	0.1	1	1	
Limes	1	0.1	1	1	
Mandarins (inc clementines & similar hybrids)	1	0.1	1	1	
Oranges	1	0.1	1	1	
Pomelos	1	0.1	1	1	
Others	1	0.1	1	1	
(ii) TREE NUTS (shelled or unshelled)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia nuts					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT					
Apples	0.5	3	3	0.05	
Pears	0.5	3	3	0.05	
Quinces	0.5	3	3	0.05	
Others	0.5	3	3	0.05	
(iv) STONE FRUIT					
Apricots	2	2	3	0.05	
Cherries					
Peaches (incl nectarines & similar hybrids)	2	2	3	0.05	
Plums	0.5	2	3	0.05	
Others					
(v) BERRIES AND SMALL FRUIT					
(a) <i>Table & wine grapes</i>					
Table grapes	1	3	3	0.05	
Wine grapes	1	3	3	0.05	
(b) <i>Strawberries (other than wild)</i>					
	0.5	3	1	0.05	
(c) <i>Cane Fruit (other than wild)</i>					
Blackberries	0.5	3	1	0.05	
Loganberries	0.5	3	1	0.05	
Raspberries	0.5	3	1	0.05	
Others	0.5	3	1	0.05	
(d) <i>Other small fruit & berries (other than wild)</i>					
Bilberries	0.5	3	1	0.05	
Cranberries	0.5	3	1	0.05	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azinphos-methyl</i>	<i>Captan</i>	<i>Carbaryl</i>	<i>Chlorfen-vinphos</i>
	Currants (red, black & white)	0.5	3	1	0.05
	Gooseberries	0.5	3	1	0.05
	Others	0.5	3	1	0.05
(e) Wild berries & wild fruit					
(vi) MISCELLANEOUS FRUIT					
	Avocados				
	Bananas	0.5	0.1	1	0.05
	Dates				
	Figs				
	Kiwi fruit				
	Kumquats				
	Litchis				
	Mangoes				
	Olives				
	Passion fruit				
	Pineapples				
	Pomegranates				
	Others				
2. Vegetables, fresh or uncooked, frozen or dry					
(i) ROOT AND TUBER VEGETABLES					
	Beetroot				
	Carrots	0.5	0.1	2	0.5
	Celeriac				
	Horseradish	0.5	0.1	2	0.5
	Jerusalem artichokes				
	Parsnips	0.5	0.1	2	0.5
	Parsley root	0.5	0.1	2	0.5
	Radishes				
	Salsify	0.5	0.1	2	0.5
	Sweet potatoes				
	Swedes	0.5	0.1	2	0.5
	Turnips	0.5	0.1	1	0.5
	Yams				
	Others				
(ii) BULB VEGETABLES					
	Garlic	0.5	0.1	1	0.5
	Onions	0.5	0.1	1	0.5
	Shallots	0.5	0.1	1	0.5
	Spring onions				
	Others				
(iii) FRUITING VEGETABLES					
(a) Solanaceae					
	Tomatoes	0.5	3	3	0.1
	Peppers	0.5	3	3	0.1
	Aubergines	0.5	3	3	0.1
	Others	0.5	3	3	0.1
(b) Cucurbits-edible peel					
	Cucumbers	0.5	0.1	3	0.1
	Gherkins	0.5	0.1	3	0.1
	Courgettes	0.5	0.1	3	0.1
	Others	0.5	0.1	3	0.1
(c) Cucurbits-inedible peel					
	Melons				
	Squashes				
	Watermelons				

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azinphos-methyl</i>	<i>Captan</i>	<i>Carbaryl</i>	<i>Chlorfen-vinphos</i>
	Others				
(d)	<i>Sweet corn</i>				
<hr/>					
(iv) BRASSICA VEGETABLES					
(a)	<i>Flowering Brassicas</i>				
	Broccoli				
	Cauliflower	0.5	0.1	1	0.1
	Others				
(b)	<i>Head Brassicas</i>				
	Brussels sprouts	0.5	0.1	1	0.1
	Head cabbage	0.5	0.1	3	0.1
	Others				
(c)	<i>Leafy Brassicas</i>				
	Chinese cabbage				
	Kale				
	Others				
(d)	<i>Kohlrabi</i>				
<hr/>					
(v) LEAF VEGETABLES AND FRESH HERBS					
(a)	<i>Lettuce & similar</i>				
	Cress				
	Lamb's lettuce				
	Lettuce	0.5	2	3	0.1
	Scarole				
	Others				
(b)	<i>Spinach & similar</i>				
	Beet leaves (chard)				
(c)	<i>Watercress</i>				
(d)	<i>Witloof</i>				
(e)	<i>Herbs</i>				
	Chervil				
	Chives				
	Parsley				
	Celery leaves				
	Others				
<hr/>					
(vi) LEGUME VEGETABLES (fresh)					
	Beans (with pods)	0.5	2	1	0.1
	Beans (without pods)				
	Peas (with pods)	0.5	2	1	0.1
	Peas (without pods)				
	Others				
<hr/>					
(vii) STEM VEGETABLES					
	Asparagus				
	Cardoons				
	Celery	0.5	0.1	1	0.5
	Fennel				
	Globe artichokes				
	Leeks	0.5	2	1	0.1
	Rhubarb	0.5	0.1	1	0.5
	Others				
<hr/>					
(viii) FUNGI					
(a)	<i>Cultivated mushrooms</i>		0.1	1	0.05
(b)	<i>Wild mushrooms</i>				
<hr/>					
3. PULSES					
	Beans				

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azinphos-methyl</i>	<i>Captan</i>	<i>Carbaryl</i>	<i>Chlorfen-vinphos</i>
Lentils					
Peas					
Others					
4. OILSEEDS					
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					
Soya bean					
Mustard seed					
Cotton seed					
Others					
5. POTATOES					
Early potatoes	0.5	0.1	0.2	0.5	
Ware potatoes	0.5	0.1	0.2	0.5	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)				
7. HOPS (dried)	including hop pellets & unconcentrated powder				
8. CEREALS					
Wheat					
Rye					
Barley					
Oats					
Triticale					
Maize					
Rice ⁽¹⁾					
Other cereals ⁽²⁾					
9. PRODUCTS OF ANIMAL ORIGIN					
Meat, fat & preparations of meat ⁽³⁾				0.2	
Milk ⁽⁴⁾ &				0.008	
Dairy Produce ⁽⁵⁾					
Eggs ⁽⁶⁾					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dichlorfluorid</i>	<i>Dichlorvos</i>	<i>Diflubenzuron</i>	<i>Dimethipin</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
(i) CITRUS FRUIT					
Grapefruit	5	0.1	1		
Lemons	5	0.1	1		
Limes	5	0.1	1		
Mandarins (inc clementines & similar hybrids)	5	0.1	1		
Oranges	5	0.1	1		
Pomelos	5	0.1	1		
Others	5	0.1	1		
(ii) TREE NUTS (shelled or unshelled)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia nuts					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT					
Apples	5	0.1	1		
Pears	5	0.1	1		
Quinces	5	0.1	1		
Others	5	0.1	1		
(iv) STONE FRUIT					
Apricots	5	0.1			
Cherries					
Peaches (incl nectarines & similar hybrids)	5	0.1			
Plums	5	0.1	1		
Others					
(v) BERRIES AND SMALL FRUIT					
(a) <i>Table & wine grapes</i>					
Table grapes	15	0.1			
Wine grapes	15	0.1			
(b) <i>Strawberries (other than wild)</i>					
	10	0.1			
(c) <i>Cane Fruit (other than wild)</i>					
Blackberries	15	0.1			
Loganberries	15	0.1			
Raspberries	15	0.1			
Others	15	0.1			
(d) <i>Other small fruit & berries (other than wild)</i>					
Bilberries	15	0.1			
Cranberries	15	0.1			
Currants (red, black & white)	15	0.1			
Gooseberries	15	0.1			
Others	15	0.1			
(e) <i>Wild berries & wild fruit</i>					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dichlo-fluanid</i>	<i>Dichlorvos</i>	<i>Diflubenzuron</i>	<i>Dime-thipin</i>
(vi) MISCELLANEOUS FRUIT					
Avocados					
Bananas		5	0.1		
Dates					
Figs					
Kiwi fruit					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. Vegetables, fresh or uncooked, frozen or dry					
(i) ROOT AND TUBER VEGETABLES					
Beetroot					
Carrots		5	0.5		
Celeriac					
Horseradish		5	0.5		
Jerusalem artichokes					
Parsnips		5	0.5		
Parsley root		5	0.5		
Radishes					
Salsify		5	0.5		
Sweet potatoes					
Swedes		5	0.5		
Turnips		5	0.5		
Yams					
Others					
(ii) BULB VEGETABLES					
Garlic		5	0.5		
Onions		5	0.5		
Shallots		5	0.5		
Spring onions					
Others					
(iii) FRUITING VEGETABLES					
(a) <i>Solanaceae</i>					
Tomatoes		5	0.5	1	
Peppers		5	0.5	1	
Aubergines		5	0.5	1	
Others		5	0.5	1	
(b) <i>Cucurbitis-edible peel</i>					
Cucumbers		5	0.5		
Gherkins		5	0.5		
Courgettes		5	0.5		
Others		5	0.5		
(c) <i>Cucurbitis-inedible peel</i>					
Melons					
Squashes					
Watermelons					
Others					
(d) <i>Sweet corn</i>					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dichlo-fluanid</i>	<i>Dichlorvos</i>	<i>Diflubenzuron</i>	<i>Dime-thipin</i>
(iv) BRASSICA VEGETABLES					
(a) <i>Flowering Brassicas</i>					
Broccoli					
Cauliflower	5	0.5			
Others					
(b) <i>Head Brassicas</i>					
Brussels sprouts	5	0.5	1		
Head cabbage	5	0.5	1		
Others					
(c) <i>Leafy Brassicas</i>					
Chinese cabbage					
Kale					
Others					
(d) <i>Kohlrabi</i>					
(v) LEAF VEGETABLES AND FRESH HERBS					
(a) <i>Lettuce & similar</i>					
Cress					
Lamb's lettuce					
Lettuce	10	1			
Scarole					
Others					
(b) <i>Spinach & similar</i>					
Beet leaves (chard)					
(c) <i>Watercress</i>					
(d) <i>Witloof</i>					
(e) <i>Herbs</i>					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME VEGETABLES (fresh)					
Beans (with pods)	5	0.5			
Beans (without pods)					
Peas (with pods)	5	0.5			
Peas (without pods)					
Others					
(vii) STEM VEGETABLES					
Asparagus					
Cardoons					
Celery		0.5			
Fennel					
Globe artichokes					
Leeks	5	0.5			
Rhubarb		0.5			
Others					
(viii) FUNGI					
(a) <i>Cultivated mushrooms</i>		0.5	0.1		
(b) <i>Wild mushrooms</i>					
3. PULSES					
Beans					
Lentils					
Peas					
Others					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dichlo-fluanid</i>	<i>Dichlorvos</i>	<i>Diflubenzuron</i>	<i>Dime-thipin</i>
4. OILSEEDS	Linseed Peanuts Poppy seed Sesame seed Sunflower seed Rape seed Soya bean Mustard seed Cotton seed Others				
5. POTATOES					
	Early potatoes	0.1	0.5	0.1	
	Ware potatoes	0.1	0.5	0.1	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)				
7. HOPS (dried)	including hop pellets & unconcentrated powder				
8. CEREALS					
	Wheat Rye Barley Oats Triticale Maize Rice ⁽¹⁾ Other cereals ⁽²⁾				
9. PRODUCTS OF ANIMAL ORIGIN					
	Meat, fat & preparations of meat ⁽³⁾	0.05	0.05*		
	Milk ⁽⁴⁾ &	0.02	0.05*		
	Dairy Produce ⁽⁵⁾				
	Eggs ⁽⁶⁾	0.05*	0.05*		

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenitro-thion</i>	<i>Flurochlo-ridone</i>	<i>Inorganic bromide</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
(i) CITRUS FRUIT					
Grapefruit	2	2		30	
Lemons	2	2		30	
Limes	2	2		30	
Mandarins (inc clementines & similar hybrids)	2	2		30	
Oranges	2	2		30	
Pomelos	2	2		30	
Others	2	2		30	
(ii) TREE NUTS (shelled or unshelled)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia nuts					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT					
Apples	0.5	0.5		20	
Pears	0.5	0.5		20	
Quinces	0.5	0.5		20	
Others	0.5	0.5		20	
(iv) STONE FRUIT					
Apricots	0.5	0.5		20	
Cherries					
Peaches (incl nectarines & similar hybrids)	0.5	0.5		20	
Plums	0.5	0.5		20	
Others					
(v) BERRIES AND SMALL FRUIT					
(a) <i>Table & wine grapes</i>					
Table grapes	0.5	0.5		20	
Wine grapes	0.5	0.5		20	
(b) <i>Strawberries (other than wild)</i>					
	0.1	0.5		30	
(c) <i>Cane Fruit (other than wild)</i>					
Blackberries	0.1	0.5		20	
Loganberries	0.1	0.5		20	
Raspberries	0.1	0.5		20	
Others	0.1	0.5		20	
(d) <i>Other small fruit & berries (other than wild)</i>					
Bilberries	0.1	0.5		20	
Cranberries	0.1	0.5		20	
Currants (red, black & white)	0.1	0.5		20	
Gooseberries	0.1	0.5		20	
Others	0.1	0.5		20	
(e) <i>Wild berries & wild fruit</i>					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenitro-thion</i>	<i>Flurochlo-ridone</i>	<i>Inorganic bromide</i>
(vi) MISCELLANEOUS FRUIT					
Avocados					
Bananas		0.1	0.5		20
Dates					
Figs					
Kiwi fruit					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. Vegetables, fresh or uncooked, frozen or dry					
(i) ROOT AND TUBER VEGETABLES					
Beetroot					
Carrots		0.1	0.5	0.01*	
Celeriac					
Horseradish		0.1	0.5	0.01*	
Jerusalem artichokes					
Parsnips		0.1	0.5	0.01*	
Parsley root		0.1	0.5	0.01*	
Radishes					
Salsify		0.1	0.5	0.01*	
Sweet potatoes					
Swedes		0.1	0.5	0.01*	
Turnips		0.1	0.5	0.01*	
Yams					
Others					
(ii) BULB VEGETABLES					
Garlic		0.1	0.5	0.01*	
Onions		0.1	0.5	0.01*	
Shallots		0.1	0.5	0.01*	
Spring onions					
Others					
(iii) FRUITING VEGETABLES					
(a) <i>Solanaceae</i>					
Tomatoes		0.1	0.5	75	
Peppers		0.1	0.5	75	
Aubergines		0.1	0.5	75	
Others		0.1	0.5	75	
(b) <i>Cucurbits-edible peel</i>					
Cucumbers		0.1	0.5	50	
Gherkins		0.1	0.5	50	
Courgettes		0.1	0.5	50	
Others		0.1	0.5	50	
(c) <i>Cucurbits-inedible peel</i>					
Melons					
Squashes					
Watermelons					
Others					
(d) <i>Sweet corn</i>					
(iv) BRASSICA VEGETABLES					
(a) <i>Flowering Brassicas</i>					
Broccoli					
Cauliflower		0.1	0.5		

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenitro-thion</i>	<i>Flurochlo-ridone</i>	<i>Inorganic bromide</i>
	Others				
(b) <i>Head Brassicas</i>					
Brussels sprouts	0.1	0.5			
Head cabbage	0.1	0.5			100
Others					
(c) <i>Leafy Brassicas</i>					
Chinese cabbage					
Kale					
Others					
(d) <i>Kohlrabi</i>					

(v) LEAF VEGETABLES AND FRESH HERBS

(a) <i>Lettuce & similar</i>					
Cress					
Lamb's lettuce					
Lettuce	0.1	0.5			
Scarole					
Others					
(b) <i>Spinach & similar</i>					
Beet leaves (chard)					
(c) <i>Watercress</i>					
(d) <i>Witloof</i>					
(e) <i>Herbs</i>					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					

(vi) LEGUME VEGETABLES (fresh)

Beans (with pods)	0.1	0.5			
Beans (without pods)					
Peas (with pods)	0.1	0.5			
Peas (without pods)					
Others					

(vii) STEM VEGETABLES

Asparagus					
Cardoons					
Celery	0.1	0.5			300
Fennel					
Globe artichokes					
Leeks	0.1	0.5			
Rhubarb	0.1	0.5			
Others					

(viii) FUNGI

(a) <i>Cultivated mushrooms</i>					
(b) <i>Wild mushrooms</i>					

3. PULSES

Beans					
Lentils					
Peas					
Others					

4. OILSEEDS

Linseed					
Peanuts					
Poppy seed					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ethion</i>	<i>Fenitro-thion</i>	<i>Flurochlo-ridone</i>	<i>Inorganic bromide</i>
	Sesame seed				
	Sunflower seed				
	Rape seed				
	Soya bean				
	Mustard seed				
	Cotton seed				
	Others				
5. POTATOES					
	Early potatoes	0.05*	0.01*		
	Ware potatoes	0.05*	0.01*		
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)				
7. HOPS (dried)	including hop pellets & unconcentrated powder				
8. CEREALS					
	Wheat	5			
	Rye	5			
	Barley	5			
	Oats	5			
	Triticale	5			
	Maize	5			
	Rice ⁽¹⁾				
	Other cereals ⁽²⁾	5			

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ioxynil (applies until 20 April 2007)</i>	<i>Malathion</i>	<i>Mevinphos</i>	<i>Phosalone</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
(i) CITRUS FRUIT					
Grapefruit	2	0.2	1		
Lemons	2	0.2	1		
Limes	2	0.2	1		
Mandarins (inc clementines & similar hybrids)	2	0.2	1		
Oranges	2	0.2	1		
Pomelos	2	0.2	1		
Others	2	0.2	1		
(ii) TREE NUTS (shelled or unshelled)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia nuts					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT					
Apples	0.5	0.2	2		
Pears	0.5	0.2	2		
Quinces	0.5	0.2	2		
Others	0.5	0.2	2		
(iv) STONE FRUIT					
Apricots	0.5	0.2	2		
Cherries					
Peaches (incl nectarines & similar hybrids)	0.5	0.5	2		
Plums	0.5	0.5	1		
Others					
(v) BERRIES AND SMALL FRUIT					
(a) <i>Table & wine grapes</i>					
Table grapes	0.5	0.1	1		
Wine grapes	0.5	0.1	1		
(b) <i>Strawberries (other than wild)</i>					
	0.5	0.1	1		
(c) <i>Cane Fruit (other than wild)</i>					
Blackberries	0.5	0.1	1		
Loganberries	0.5	0.1	1		
Raspberries	0.5	0.1	1		
Others	0.5	0.1	1		
(d) <i>Other small fruit & berries (other than wild)</i>					
Bilberries	0.5	0.1	1		
Cranberries	0.5	0.1	1		
Currants (red, black & white)	0.5	0.1	1		
Gooseberries	0.5	0.1	1		
Others	0.5	0.1	1		
(e) <i>Wild berries & wild fruit</i>					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ioxynil (applies until 20 April 2007)</i>	<i>Malathion</i>	<i>Mevinphos</i>	<i>Phosalone</i>
(vi) MISCELLANEOUS FRUIT					
Avocados					
Bananas		0.5		1	
Dates					
Figs					
Kiwi fruit					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. Vegetables, fresh or uncooked, frozen or dry					
(i) ROOT AND TUBER VEGETABLES					
Beetroot					
Carrots	0.5	0.1	0.1		
Celeriac					
Horseradish	0.5	0.1	0.1		
Jerusalem artichokes					
Parsnips	0.5	0.1	0.1		
Parsley root	0.5	0.1	0.1		
Radishes					
Salsify	0.5	0.1	0.1		
Sweet potatoes					
Swedes	0.5	0.1	0.1		
Turnips	0.5	0.1	0.1		
Yams					
Others					
(ii) BULB VEGETABLES					
Garlic	0.1	3	0.1	1	
Onions	0.1	3	0.1	1	
Shallots	0.1	3	0.1	1	
Spring onions					
Others					
(iii) FRUITING VEGETABLES					
(a) <i>Solanaceae</i>					
Tomatoes	3	0.1	1		
Peppers	3	0.1	1		
Aubergines	3	0.1	1		
Others	3	0.1	1		
(b) <i>Cucurbits-edible peel</i>					
Cucumbers	3	0.1	1		
Gherkins	3	0.1	1		
Courgettes	3	0.1	1		
Others	3	0.1	1		
(c) <i>Cucurbits-inedible peel</i>					
Melons					
Squashes					
Watermelons					
Others					
(d) <i>Sweet corn</i>					

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ioxynil (applies until 20 April 2007)</i>	<i>Malathion</i>	<i>Mavinphos</i>	<i>Phosalone</i>
(iv) BRASSICA VEGETABLES					
(a) <i>Flowering Brassicas</i>					
Broccoli					
Cauliflower		3	0.1	1	
Others					
(b) <i>Head Brassicas</i>					
Brussels sprouts		3	0.1	1	
Head cabbage		3	0.1	1	
Others					
(c) <i>Leafy Brassicas</i>					
Chinese cabbage					
Kale					
Others					
(d) <i>Kohlrabi</i>					
(v) LEAF VEGETABLES AND FRESH HERBS					
(a) <i>Lettuce & similar</i>					
Cress					
Lamb's lettuce					
Lettuce		3	0.5	1	
Scarole					
Others					
(b) <i>Spinach & similar</i>					
Beet leaves (chard)					
(c) <i>Watercress</i>					
(d) <i>Witloof</i>					
(e) <i>Herbs</i>					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME VEGETABLES (fresh)					
Beans (with pods)		3	0.1	1	
Beans (without pods)					
Peas (with pods)		3	0.1	1	
Peas (without pods)					
Others					
(vii) STEM VEGETABLES					
Asparagus					
Cardoons					
Celery		3	0.1	1	
Fennel					
Globe artichokes					
Leeks		3	0.1	1	
Rhubarb		3	0.1	1	
Others					
(viii) FUNGI					
(a) <i>Cultivated mushrooms</i>		3	0.1	1	
(b) <i>Wild mushrooms</i>					

3. PULSES

Beans
Lentils
Peas

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ioxynil (applies until 20 April 2007)</i>	<i>Malathion</i>	<i>Mevinphos</i>	<i>Phosalone</i>
	Others				
4. OILSEEDS					
	Linseed				
	Peanuts				
	Poppy seed				
	Sesame seed				
	Sunflower seed				
	Rape seed				
	Soya bean				
	Mustard seed				
	Cotton seed				
	Others				
5. POTATOES					
	Early potatoes	0.5	0.1	0.1*	
	Ware potatoes	0.5	0.1	0.1*	

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY

* Level at or about the limit of determination.

FOOTNOTES

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

PART II

MAXIMUM RESIDUE LEVELS — EC LIMITS

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>1,2-Dibromoethane</i>	<i>1,2-Dichloroethane</i>	<i>2,4-D</i>	<i>2,4-DB</i>	<i>2,4,5-T</i>	<i>Abamectin</i>	<i>Acephate</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT	Grapefruit	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*
	Lemons	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*
	Limes	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*
	Mandarins (inc clementines & similar hybrids)	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*
	Oranges	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*
	Pomelos	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.01*	1	0.05*	0.05*	0.01*	0.02*
(ii) TREE NUTS (shelled or unshelled)	Almonds	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Brazil nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Cashew nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Chestnuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Coconuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Hazelnuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Macadamia nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Pecans	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Pine nuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Pistachios	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Walnuts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02*	0.02*

(iii) POME FRUIT								
	Apples	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Pears	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Quinces	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
(iv) STONE FRUIT								
	Apricots	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Cherries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Plums	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table grapes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Wine grapes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	(b) <i>Strawberries (other than wild)</i>	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1 0.02*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Dewberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Loganberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Raspberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Cranberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Currants (red, black & white)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Gooseberries	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
	(e) <i>Wild berries & wild fruit</i>	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01* 0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>1,1-Dichloro-2,2'-bis-(4-ethyl-phenyl)-ethane</i>	<i>1,2-Dibromoethane</i>	<i>1,2-Dichloroethane</i>	<i>2,4-D</i>	<i>2,4-DB</i>	<i>2,4,5-T</i>	<i>Abamectin</i>	<i>Acephate</i>
Bananas		0.01*	0.01*	0.01*	0.05*	0.05*	0.05	0.01*	0.02*
Dates		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Figs		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Kiwi fruit		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Kumquats		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Litchis		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Mangoes		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Olives (table consumption)		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Olives (oil extract)		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Papaya		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Passion fruit		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Pineapples		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Pomegranates		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Carrots		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Cassava									
Celeriac		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Horseradish		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Jerusalem artichokes		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Parsnips		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Parsley root		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Radishes		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Salsify		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Sweet potatoes		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Swedes		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Turnips		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

Yams	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
<hr/>								
(ii) BULB VEGETABLES								
Garlic	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Onions	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Shallots	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Spring onions	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02	0.02*
Peppers	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.05	0.02*
Chili peppers	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.05	0.02*
Aubergines	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.02	0.02*
Okra								
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Gherkins	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Courgettes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Squashes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Watermelons	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(d) <i>Sweet corn</i>	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Cauliflower	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Head cabbage	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>		<i>1,1-Dichloro-2,2'-bis-(4-ethyl-phenyl)-ethane</i>		<i>1,2-Dibromoethane</i>		<i>2,4-D</i>		<i>2,4-DB</i>		<i>2,4,5-T</i>		<i>Abamectin</i>		<i>Acephate</i>
(c) <i>Leafy Brassicas</i>															
Chinese cabbage		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Kale		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Others		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
(d) <i>Kohlrabi</i>		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
(v) LEAF VEGETABLES AND FRESH HERBS															
(a) <i>Lettuce & similar</i>															
Cress		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.05*	0.05*	0.1	0.02*			
Lamb's lettuce		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.05*	0.05*	0.1	0.02*			
Lettuce		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.05*	0.05*	0.1	0.02*			
Scarole		0.01* ⁽⁶⁾	0.01* ⁽⁶⁾	0.01* ⁽⁶⁾	0.05*	0.05*	0.05*	0.1	0.05*	0.05*	0.1	0.02*			
Others		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.05*	0.05*	0.1	0.02*			
(b) <i>Spinach & similar</i>															
Spinach		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Beet leaves (chard)		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Others		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
(c) <i>Watercress</i>															
(d) <i>Witloof</i>															
(e) <i>Herbs</i>															
Chervil		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Chives		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Parsley		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Celery leaves		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Others		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
(vi) LEGUME VEGETABLES (fresh)															
Beans (with pods)		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			
Beans (without pods)		0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.02*			

Peas (with pods)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Peas (without pods)	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

(vii) STEM VEGETABLES

Asparagus	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Cardoons	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Celery	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Fennel	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Globe artichokes	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Leeks	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Rhubarb	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

(viii) FUNGI

(a) <i>Cultivated mushrooms</i>	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(b) <i>Wild mushrooms</i>	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

3. PULSES

35

Beans	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Lentils	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Peas	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

4. OILSEEDS

Linseed	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Peanuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Poppy seed	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Sesame seed	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Sunflower seed	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Rape seed	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Soya bean	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Mustard seed	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Cotton seed	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*
Hemp seed								
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.05*	0.02*	0.05*

Rice ⁽¹⁾	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*
Other cereals	0.01*	0.01*	0.01*	0.05*	0.05*	0.01*	0.02*
<hr/>							
10. FOODSTUFFS OF ANIMAL ORIGIN							
Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.01*		0.1*	1 ⁽⁸⁾ 0.05* ⁽⁹⁾	0.05* ⁽¹⁰⁾ 0.1 ⁽¹¹⁾	0.02 ⁽¹²⁾ 0.01* ⁽⁹⁾	0.02*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.01*		0.1*	0.01*	0.01*	0.005*	0.02*
Eggs ⁽⁵⁾	0.01* ⁽⁷⁾		0.1*	0.01*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Aldicarb</i>	<i>Aldrin & Dieldrin</i>	<i>Amitraz (applies until 9 January 2007)</i>	<i>Amitraz (applying from 10 January 2007)</i>	<i>Amitrole</i>	<i>Aramite</i>	<i>Atrazine</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT	Grapefruit	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Lemons	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Limes	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Mandarins (inc clementines & similar hybrids)	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Oranges	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Pomelos	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(ii) TREE NUTS (shelled or unshelled)	Almonds	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Brazil nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Cashew nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Chestnuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Coconuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Hazelnuts	0.1*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Macadamia nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Pecans	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Pine nuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Pistachios	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Walnuts	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(iii) POME FRUIT	Apples	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
	Pears	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
	Quinces	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*

	Others	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
(iv) STONE FRUIT									
	Apricots	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Cherries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Plums	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(v) BERRIES AND SMALL FRUIT									
	(a) <i>Table & wine grapes</i>								
	Table grapes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Wine grapes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	(b) <i>Strawberries (other than wild)</i>								
		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	(c) <i>Cane Fruit (other than wild)</i>								
	Blackberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Dewberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Loganberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Raspberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	(d) <i>Other small fruit & berries (other than wild)</i>								
	Bilberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Cranberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Currants (red, black & white)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Gooseberries	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	(e) <i>Wild berries & wild fruit</i>	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(vi) MISCELLANEOUS FRUIT									
	Avocados	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Bananas	0.1	0.1	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Dates	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Figs	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Kiwi fruit	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
	Kumquats	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Aldicarb</i>	<i>Aldrin & Dieldrin</i>	<i>Amitraz (applies until 9 January 2007)</i>	<i>Amitraz (applying from 10 January 2007)</i>	<i>Amitrole</i>	<i>Aramite</i>	<i>Atrazine</i>
Litchis	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Mangoes	0.5	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Olives (table consumption)	0.02*	0.05*	0.01*	0.05*	0.05*	0.05	0.01*	0.1*	
Olives (oil extract)	0.02*	0.05*	0.01*	0.05*	0.05*	0.05	0.01*	0.1*	
Papaya	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Passion fruit	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Pineapples	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Pomegranates	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
<hr/>									
0¶ 2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Carrots	0.02*	0.1	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Cassava									
Celeriac	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Horseradish	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Jerusalem artichokes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Parsnips	0.02*	0.1	0.02	0.05*	0.05*	0.01*	0.01*	0.1*	
Parsley root	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Radishes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Salsify	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Sweet potatoes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Swedes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Turnips	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Yams	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	

Onions	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Shallots	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Spring onions	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	1	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
Peppers	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Chili peppers	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Aubergines	0.02*	0.05*	0.01*	0.5	0.05*	0.01*	0.01*	0.1*
Okra								
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
Gherkins	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
Courgettes	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.02	0.05*	0.05*	0.01*	0.01*	0.1*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
Squashes	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
Watermelons	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.03	0.05*	0.05*	0.01*	0.01*	0.1*
(d) <i>Sweet corn</i>	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.02*	0.05*	0.01*	0.05*(¹³)	0.05*	0.01*	0.01*	0.1*
Cauliflower	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.02*	0.2	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Head cabbage	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Kale	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Aldicarb</i>	<i>Aldrin & Dieldrin</i>	<i>Amitraz (applies until 9 January 2007)</i>	<i>Amitraz (applying from 10 January 2007)</i>	<i>Amitrole</i>	<i>Aramite</i>	<i>Atrazine</i>
(d) <i>Kohlrabi</i>		0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Lamb's lettuce	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Lettuce	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Scarole	0.02*	0.05*	0.01* ⁽⁶⁾	0.05* ⁽⁶⁾	0.05*	0.01*	0.01*(6)	0.1*	
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
(b) <i>Spinach & similar</i>									
Spinach	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Beet leaves (chard)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
(c) <i>Watercress</i>									
(d) <i>Witloof</i>									
(e) <i>Herbs</i>									
Chervil	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Chives	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Parsley	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Celery leaves	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Beans (without pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Peas (with pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Peas (without pods)	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*	

(vii) STEM VEGETABLES								
Asparagus	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Cardoons	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Celery	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Fennel	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Globe artichokes	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Leeks	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Rhubarb	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
3. PULSES								
Beans	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Lentils	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Peas	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Others	0.02*	0.05*	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
4. OILSEEDS								
Linseed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Peanuts	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Poppy seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Sesame seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Sunflower seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Rape seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Soya bean	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Mustard seed	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
Cotton seed	0.05*	0.05*	0.02	1	1	0.02*	0.01*	0.1*
Hemp seed								
Others	0.05*	0.05*	0.02	0.05*	0.05*	0.02*	0.01*	0.1*
5. POTATOES								
Early potatoes	0.02*	0.5	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*
Ware potatoes	0.02*	0.5	0.01*	0.05*	0.05*	0.01*	0.01*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Aldicarb</i>	<i>Aldrin & Dieldrin</i>	<i>Amitraz (applies until 9 January 2007)</i>	<i>Amitraz (applying from 10 January 2007)</i>	<i>Amitrole</i>	<i>Aramite</i>	<i>Atrazine</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.05*	0.05*	0.02*	0.1*	0.1*	0.02*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.05*	0.02*	20	0.1*	0.02*	0.1*	0.1*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05*	0.05*	0.01	0.02*	0.05*	0.01*	0.01*	0.01*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.02*	0.01*	0.2	0.02*(¹⁴⁾	0.05*(¹⁴⁾	0.01*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.02*	0.01*	0.006			0.01*
Eggs ⁽⁵⁾	0.02*	0.01*	0.02	0.02*	0.01*	0.01* ⁽⁷⁾

(iv) STONE FRUIT								
	Apricots	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cherries	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	1
	Plums	0.02*	0.05*	0.3	0.05*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.02*	0.05*	0.05*	2	0.05*	0.2	0.05*
	Wine Grapes	0.02*	0.05*	0.3	2	0.05*	0.2	0.05*
	(b) <i>Strawberries (other than wild)</i>							
		0.02*	0.05*	0.05*	2	0.05*	0.05*	0.05*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.02*	0.05*	0.05*	3	0.05*	0.05*	0.05*
	Dewberries	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Loganberries	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Raspberries	0.02*	0.05*	0.05*	3	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cranberries	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Currents (red, black & white)	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Gooseberries	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	(e) <i>Wild berries & wild fruit</i>	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Bananas	0.02*	0.05*	0.05*	2	0.05*	0.05*	0.05*
	Dates	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Figs	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kiwi fruit	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kumquats	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Litchis	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azimsulfuron</i>	<i>Azinphos-ethyl</i>	<i>Azoxyclopyrin and Cyhexatin</i>	<i>Azoxystrobin</i>	<i>Barban</i>	<i>Benzalaxyl</i>	<i>Benfuracarb</i>	<i>Benzomyl/Carbendazim Thiophanate-methyl (applies until 14 September 2006)</i>
Mangoes	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Olives (table consumption)	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Olives (oil extract)	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Papaya	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Passion fruit	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Pineapples	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Pomegranates	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Carrots	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Cassava				0.05*					
Celeriac	0.02*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*	0.1*
Horseradish	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Parsnips	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Parsley root	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Radishes	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Salsify	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
Sweet potatoes	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Swedes	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Turnips	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Yams	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(ii) BULB VEGETABLES									
Garlic	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Onions	0.02*	0.05*	0.05*	0.05*	0.05*	0.2	0.05*	0.05*	0.1*

Shallots	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Spring onions	0.02*	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.02*	0.05*	0.05*	2	0.05*	0.2	0.05*	0.5
Peppers	0.02*	0.05*	0.05*	2	0.05*	0.2	0.05*	0.1*
Chili peppers	0.02*	0.05*	0.05*	2	0.05*	0.2	0.05*	0.1*
Aubergines	0.02*	0.05*	0.05*	2	0.05*	0.2	0.05*	0.5
Okra								
Others	0.02*	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.1*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.02*	0.05*	0.05*	1	0.05*	0.05*	0.05*	1
Gherkins	0.02*	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.1*
Courgettes	0.02*	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.3
Others	0.02*	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.1*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.02*	0.05*	0.05*	0.5	0.05*	0.1	0.05*	0.5
Squashes	0.02*	0.05*	0.05*	0.5	0.05*	0.05*	0.05*	0.5
Watermelons	0.02*	0.05*	0.05*	0.5	0.05*	0.1	0.05*	0.1*
Others	0.02*	0.05*	0.05*	0.5	0.05*	0.05*	0.05*	0.1*
(d) <i>Sweet corn</i>	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.02*	0.05*(¹³)	0.05*	0.5(¹³)	0.05*	0.05*	0.05*	0.1*
Cauliflower	0.02*	0.05*	0.05*	0.5	0.05*	0.05*	0.05*	0.1*
Others	0.02*	0.05*	0.05*	0.5	0.05*	0.05*	0.05*	0.1*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.02*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.5
Head cabbage	0.02*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	3
Others	0.02*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	3
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.02*	0.05*	0.05*	5	0.05*	0.05*	0.05*	0.1*
Kale	0.02*	0.05*	0.05*	5	0.05*	0.05*	0.05*	0.1*
Others	0.02*	0.05*	0.05*	5	0.05*	0.05*	0.05*	0.1*
(d) <i>Kohlrabi</i>	0.02*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azimsulfuron</i>	<i>Azinphos-ethyl</i>	<i>Azocyclotin and Cyhexatin</i>	<i>Azoxystrobin</i>	<i>Barban</i>	<i>Benalaxyil</i>	<i>Benfuracarb</i>	<i>Benonyl/Carbendazim Thiophanate-methyl (applies until 14 September 2006)</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	20	0.1*	0.1*	5	0.1*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.02*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.1*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.05*	0.2 ⁽¹⁵⁾ 0.05* ⁽⁹⁾	0.05*	0.05*	0.05*	0.05*	0.1*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*
Eggs ⁽⁵⁾	0.05* ⁽⁷⁾	0.05*	0.05*	0.05* ⁽⁷⁾	0.05*	0.05*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Bentomyl/Carbendazim (applying from 15 September 2006)</i>	<i>Thiophanate-methyl (applying from 15 September 2006)</i>	<i>Bentazone</i>	<i>Bifenthrin</i>	<i>Binapacryl</i>	<i>Bitertanol</i>	<i>Bromophos-ethyl</i>	<i>Bromopropylate</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.1*	0.1*	0.1*	0.1	0.05*	0.05*	0.05*	2	
Lemons	0.1*	0.1*	0.1*	0.1	0.05*	0.05*	0.05*	2	
Limes	0.1*	0.1*	0.1*	0.1	0.05*	0.05*	0.05*	2	
Mandarins (inc clementines & similar hybrids)	0.1*	0.1*	0.1*	0.1	0.05*	0.05*	0.05*	2	
Oranges	0.1*	0.1*	0.1*	0.1	0.05*	0.05*	0.05*	2	
Pomelos	0.1*	0.1*	0.1*	0.1	0.05*	0.05*	0.05*	2	
Others	0.1*	0.1*	0.1*	0.1	0.05*	0.05*	0.05*	2	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Brazil nuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Cashew nuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Chestnuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Coconuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Hazelnuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Macadamia nuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Pecans	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Pine nuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Pistachios	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Walnuts	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
Others	0.1*	0.2	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	
(iii) POME FRUIT									
Apples	0.2	0.5	0.1*	0.3	0.05*	2	0.05*	2	
Pears	0.2	0.5	0.1*	0.3	0.05*	2	0.05*	2	
Quinces	0.2	0.5	0.1*	0.3	0.05*	2	0.05*	2	
Others	0.2	0.5	0.1*	0.3	0.05*	2	0.05*	2	

(iv) STONE FRUIT								
	Apricots	0.2	2	0.1*	0.2	0.05*	1	0.05* 0.05*
	Cherries	0.5	0.3	0.1*	0.2	0.05*	1	0.05* 0.05*
	Peaches (incl nectarines & similar hybrids)	0.2	2	0.1*	0.2	0.05*	1	0.05* 0.05*
	Plums	0.5	0.3	0.1*	0.2	0.05*	2	0.05* 0.05*
	Others	0.1*	0.1*	0.1*	0.2	0.05*	0.05*	0.05*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.3	0.1*	0.1*	0.2	0.05*	0.05*	0.05* 2
	Wine Grapes	0.5	3	0.1*	0.2	0.05*	0.05*	0.05* 2
	(b) <i>Strawberries (other than wild)</i>	0.1*	0.1*	0.1*	0.5	0.05*	0.05*	0.05* 0.05*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.1*	0.1*	0.1*	0.3	0.05*	0.05*	0.05* 0.05*
	Dewberries	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Loganberries	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Raspberries	0.1*	0.1*	0.1*	0.3	0.05*	0.05*	0.05* 0.05*
	Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Cranberries	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Currents (red, black & white)	0.1*	0.1*	0.1*	0.5	0.05*	0.05*	0.05* 0.05*
	Gooseberries	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	(e) <i>Wild berries & wild fruit</i>	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Bananas	0.1*	0.1*	0.1*	0.1	0.05*	3	0.05* 0.05*
	Dates	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Figs	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Kiwi fruit	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Kumquats	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*
	Litchis	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Bentazona</i>	<i>Bifenthrin</i>	<i>Binapacryl</i>	<i>Biteranol</i>	<i>Bromophos-ethyl</i>	<i>Bromopropylate</i>	
	Mangoes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Papaya	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Passion fruit	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pineapples	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pomegranates	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
(i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Carrots	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Cassava	0.1*	0.1*		0.05*			
	Celeriac	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Horseradish	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Parsnips	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Parsley root	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Radishes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Salsify	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Sweet potatoes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Swedes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Turnips	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Yams	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
(ii) BULB VEGETABLES								
	Garlic	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*
	Onions	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*

Shallots	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Spring onions	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.5	2	0.1*	0.2	0.05*	3	0.05*	1
Peppers	0.1*	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*
Chili peppers	0.1*	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*
Aubergines	0.5	2	0.1*	0.2	0.05*	0.05*	0.05*	0.05*
Okra	2	1						
Others	0.1*	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.1*	0.1*	0.1*	0.1	0.05*	0.5	0.05*	0.05*
Gherkins	0.1*	0.1*	0.1*	0.1	0.05*	0.5	0.05*	0.05*
Courgettes	0.1*	0.1*	0.1*	0.1	0.05*	0.5	0.05*	0.05*
Others	0.1*	0.1*	0.1*	0.1	0.05*	0.5	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.1*	0.3	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Squashes	0.1*	0.3	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Watermelons	0.1*	0.3	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.1*	0.3	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
(d) <i>Sweet corn</i>	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.1*	0.1*	0.1*	0.2 ⁽¹³⁾	0.05*	0.05*	0.05*	0.05*
Cauliflower	0.1*	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*
Others	0.1*	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.5	1	0.1*	1	0.05*	0.05*	0.05*	0.05*
Head cabbage	0.1*	0.1*	0.1*	1	0.05*	0.05*	0.05*	0.05*
Others	0.1*	0.1*	0.1*	1	0.05*	0.05*	0.05*	0.05*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Kale	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
(d) <i>Kohlrabi</i>	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Bentazon/<i>Carbendazim</i> (applying from 15 September 2006)</i>	<i>Thiophanate-methyl (applying from 15 September 2006)</i>	<i>Bentazone</i>	<i>Bifenthrin</i>	<i>Binapacryl</i>	<i>Biteranol</i>	<i>Bromophos-ethyl</i>	<i>Bromopropylate</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
	(a) Lettuce & similar								
	Cress	0.1*	0.1*	0.1*	2	0.05*	0.05*	0.05*	0.05*
	Lamb's lettuce	0.1*	0.1*	0.1*	2	0.05*	0.05*	0.05*	0.05*
	Lettuce	0.1*	0.1*	0.1*	2	0.05*	0.05*	0.05*	0.05*
	Scarole	0.1*	0.1*	0.1*	2 ⁽⁶⁾	0.05* ⁽⁶⁾	0.05*	0.05*	0.05* ⁽⁶⁾
	Others	0.1*	0.1*	0.1*	2	0.05*	0.05*	0.05*	0.05*
	(b) Spinach & similar								
	Spinach	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	(c) Watercress								
		0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	(d) Witloof								
		0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	(e) Herbs								
	Chervil	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chives	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	Parsley	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	Celery leaves	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
(vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.2	0.1*	0.1*	0.5	0.05*	0.05*	0.05*	1
	Beans (without pods)	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
	Peas (with pods)	0.2	0.1*	0.5	0.1	0.05*	0.05*	0.05*	0.05*
	Peas (without pods)	0.1*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*

(vii) STEM VEGETABLES								
Asparagus	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Cardoons	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Celery	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Fennel	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Globe artichokes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Leeks	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Rhubarb	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
3. PULSES								
Beans	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Lentils	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Peas	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
4. OILSEEDS								
Linseed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Peanuts	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Poppy seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Sesame seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Sunflower seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Rape seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Soya bean	0.2	0.3	0.1	0.1	0.05*	0.1	0.05*	0.1*
Mustard seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Cotton seed	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
Hemp seed	0.1*	0.1*						
Others	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*
5. POTATOES								
Early potatoes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*
Ware potatoes	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Bentomyl/Carbendazim (applying from 15 September 2006)</i>	<i>Thiophanate-methyl (applying from 15 September 2006)</i>	<i>Bentazone</i>	<i>Bifenthrin</i>	<i>Binapacryl</i>	<i>Bitertanol</i>	<i>Bromophos-ethyl</i>	<i>Bromopropylate</i>	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1	5	0.1*	0.1*	0.1*	0.1*	
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	10	0.1*	0.1*	0.1*	0.1*	
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others									
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.1 0.1 2 0.01* 2 0.1 0.01* 0.01* 0.01* 0.01* 0.01*	0.05 0.05 0.3 0.01* 0.3 0.05 0.01* 0.01* 0.01* 0.01* 0.01*	0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1* 0.1*	0.5 0.05* 0.5 0.05* 0.5 0.5 0.01* 0.01* 0.01* 0.01* 0.05*	0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*		

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.05*(⁴⁶) 0.05*(⁴⁶) 0.05*	0.1 ⁽¹⁶⁾ 0.05*(⁹)	0.01*	0.05*	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.05*(⁴⁶) 0.05*(⁴⁶) 0.02*	0.01*	0.01*	0.05*	0.05*
Eggs ⁽⁵⁾	0.05*(⁴⁶) 0.05*(⁴⁶) 0.05*	0.01*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>		<i>Bromoxynil (applying from 21 April 2007)</i>	<i>Camphechlor (Toxaphene)</i>	<i>Captfol</i>	<i>Carbofuran (applies until 26 July 2006)</i>	<i>Carbofuran (applying from 27 July 2006)</i>	<i>Carbon disulphide</i>	<i>Carbon tetrachloride</i>	<i>Carbosulfan</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts										
(i) CITRUS FRUIT										
Grapefruit	0.05*	0.1*	0.02*	0.3	0.3			0.05*		
Lemons	0.05*	0.1*	0.02*	0.3	0.3			0.05*		
Limes	0.05*	0.1*	0.02*	0.3	0.3			0.05*		
Mandarins (inc clementines & similar hybrids)	0.05*	0.1*	0.02*	0.3	0.3			0.05*		
Oranges	0.05*	0.1*	0.02*	0.3	0.3			0.05*		
Pomelos	0.05*	0.1*	0.02*	0.3	0.3			0.05*		
Others	0.05*	0.1*	0.02*	0.3	0.3			0.05*		
(ii) TREE NUTS (shelled or unshelled)										
Almonds	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Brazil nuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Cashew nuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Chestnuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Coconuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Hazelnuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Macadamia nuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Pecans	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Pine nuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Pistachios	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Walnuts	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
(iii) POME FRUIT										
Apples	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Pears	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Quinces	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*			0.05*		

(iv) STONE FRUIT						
	Apricots	0.05*	0.1*	0.02*	0.1*	0.02*
	Cherries	0.05*	0.1*	0.02*	0.1*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.1*	0.02*	0.1*	0.02*
	Plums	0.05*	0.1*	0.02*	0.1*	0.02*
	Others	0.05*	0.1*	0.02*	0.1*	0.02*
(v) BERRIES AND SMALL FRUIT						
(a) <i>Table & wine grapes</i>						
	Table Grapes	0.05*	0.1*	0.02*	0.1*	0.02*
	Wine Grapes	0.05*	0.1*	0.02*	0.1*	0.02*
(b) <i>Strawberries (other than wild)</i>						
		0.05*	0.1*	0.02*	0.1*	0.02*
(c) <i>Cane Fruit (other than wild)</i>						
	Blackberries	0.05*	0.1*	0.02*	0.1*	0.02*
	Dewberries	0.05*	0.1*	0.02*	0.1*	0.02*
	Loganberries	0.05*	0.1*	0.02*	0.1*	0.02*
	Raspberries	0.05*	0.1*	0.02*	0.1*	0.02*
	Others	0.05*	0.1*	0.02*	0.1*	0.02*
(d) <i>Other small fruit & berries (other than wild)</i>						
	Bilberries	0.05*	0.1*	0.02*	0.1*	0.02*
	Cranberries	0.05*	0.1*	0.02*	0.1*	0.02*
	Currents (red, black & white)	0.05*	0.1*	0.02*	0.1*	0.02*
	Gooseberries	0.05*	0.1*	0.02*	0.1*	0.02*
	Others	0.05*	0.1*	0.02*	0.1*	0.02*
(e) <i>Wild berries & wild fruit</i>	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
(vi) MISCELLANEOUS FRUIT						
	Avocados	0.05*	0.1*	0.02*	0.1*	0.02*
	Bananas	0.05*	0.1*	0.02*	0.1*	0.02*
	Dates	0.05*	0.1*	0.02*	0.1*	0.02*
	Figs	0.05*	0.1*	0.02*	0.1*	0.02*
	Kiwi fruit	0.05*	0.1*	0.02*	0.1*	0.02*
	Kumquats	0.05*	0.1*	0.02*	0.1*	0.02*
	Litchis	0.05*	0.1*	0.02*	0.1*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Bromoxynil (applying from 21 April 2007)</i>	<i>Camphechlor (Toxaphene)</i>	<i>Captfol</i>	<i>Carbofuran (applies until 26 July 2006)</i>	<i>Carbofuran (applying from 27 July 2006)</i>	<i>Carbon disulphide</i>	<i>Carbon tetrachloride</i>	<i>Carbosulfan</i>
Mangoes	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Olives (table consumption)	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Olives (oil extract)	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Papaya	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Passion fruit	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Pineapples	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Pomegranates	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Carrots	0.05*	0.1*	0.02*	0.3	0.02*		0.1		
Cassava	0.05*				0.02*				
Celeriac	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Horseradish	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Jerusalem artichokes	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Parsnips	0.05*	0.1*	0.02*	0.3	0.02*		0.1		
Parsley root	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Radishes	0.05*	0.1*	0.02*	0.5	0.02*		0.05*		
Salsify	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Sweet potatoes	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Swedes	0.05*	0.1*	0.02*	0.2	0.02*		0.05*		
Turnips	0.05*	0.1*	0.02*	0.2	0.02*		0.05*		
Yams	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.05*	0.1*	0.02*	0.3	0.02*		0.05*		
Onions	0.05*	0.1*	0.02*	0.3	0.02*		0.05*		

Shallots	0.05*	0.1*	0.02*	0.3	0.02*	0.05*
Spring onions	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
<hr/>						
(iii) FRUITING VEGETABLES						
(a) <i>Solanaceae</i>						
Tomatoes	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Peppers	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Chili peppers	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Aubergines	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Okra						
Others	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
(b) <i>Cucurbits-edible peel</i>						
Cucumbers	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Gherkins	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Courgettes	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
(c) <i>Cucurbits-inedible peel</i>						
Melons	0.05*	0.1*	0.02*	0.2	0.02*	0.05*
Squashes	0.05*	0.1*	0.02*	0.2	0.02*	0.05*
Watermelons	0.05*	0.1*	0.02*	0.2	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.2	0.02*	0.05*
(d) <i>Sweet corn</i>	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
<hr/>						
(iv) BRASSICA VEGETABLES						
(a) <i>Flowering Brassicas</i>						
Broccoli	0.05*	0.1*	0.02*	0.2	0.02*	0.05*
Cauliflower	0.05*	0.1*	0.02*	0.2	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.2	0.02*	0.05*
(b) <i>Head Brassicas</i>						
Brussels sprouts	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Head cabbage	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
(c) <i>Leafy Brassicas</i>						
Chinese cabbage	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Kale	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
(d) <i>Kohlrabi</i>	0.05*	0.1*	0.02*	0.2	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Bromoxynil (applying from 21 April 2007)</i>	<i>Camphechlor (Toxaphene)</i>	<i>Captafol</i>	<i>Carbofuran (applies until 26 July 2006)</i>	<i>Carbofuran (applying from 27 July 2006)</i>	<i>Carbon disulphide</i>	<i>Carbon tetrachloride</i>	<i>Carbosulfan</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Lamb's lettuce	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Lettuce	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Scarole	0.05*	0.1*(6)	0.02*(6)	0.1*	0.02*		0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Beet leaves (chard)	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
(c) <i>Watercress</i>	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
(d) <i>Witloof</i>	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
(e) <i>Herbs</i>									
Chervil	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Chives	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Parsley	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Celery leaves	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Beans (without pods)	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Peas (with pods)	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Peas (without pods)	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		
Others	0.05*	0.1*	0.02*	0.1*	0.02*		0.05*		

(vii) STEM VEGETABLES						
Asparagus	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Cardoons	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Celery	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Fennel	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Globe artichokes	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Leeks	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Rhubarb	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
(viii) FUNGI						
(a) <i>Cultivated mushrooms</i>	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
(b) <i>Wild mushrooms</i>	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
3. PULSES						
Beans	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Lentils	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Peas	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Others	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
4. OILSEEDS						
Linseed	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Peanuts	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Poppy seed	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Sesame seed	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Sunflower seed	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Rape seed	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Soya bean	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Mustard seed	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Cotton seed	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
Hemp seed					0.1	
Others	0.1*	0.1*	0.02*	0.1*	0.1	0.05*
5. POTATOES						
Early potatoes	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*
Ware potatoes	0.05*	0.1*	0.02*	0.1*	0.02*	0.05*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.2 ⁽³⁹⁾ 0.05 ⁽⁴⁰⁾	0.05* ⁽¹⁷⁾	0.01*	0.1*	0.1*	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.01*	0.01*	0.01*	0.1*	0.1*	0.05*
Eggs ⁽⁵⁾			0.01*	0.1*	0.1*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Carfentrazone-ethyl (applying from 4 December 2006)</i>	<i>Cartap</i>	<i>Chlorbenside</i>	<i>Chlorbuflam</i>	<i>Chlordane</i>	<i>Chlорfenапyr</i>	<i>Chлорфенон</i>	<i>Чормекват</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Lemons	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Limes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Mandarins (inc clementines & similar hybrids)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Oranges	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Pomelos	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Brazil nuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Cashew nuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Chestnuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Coconuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Hazelnuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Macadamia nuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Pecans	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Pine nuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Pistachios	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Walnuts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*		
(iii) POME FRUIT									
Apples	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*		
Pears	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.3	
Quinces	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*		
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*		

(iv) STONE FRUIT								
	Apricots	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Cherries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Plums	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(v) BERRIES AND SMALL FRUIT								
(a) <i>Table & wine grapes</i>								
	Table Grapes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Wine Grapes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(b) <i>Strawberries (other than wild)</i>								
		0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(c) <i>Cane Fruit (other than wild)</i>								
	Blackberries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Dewberries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Loganberries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Raspberries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(d) <i>Other small fruit & berries (other than wild)</i>								
	Bilberries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Cranberries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Currents (red, black & white)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Gooseberries	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(e) <i>Wild berries & wild fruit</i>	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Bananas	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Dates	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Figs	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Kiwi fruit	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Kumquats	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
	Litchis	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Carfentrazone-ethyl (applying from 4 December 2006)</i>	<i>Cartap</i>	<i>Chlorbenside</i>	<i>Chlorbuflam</i>	<i>Chlordane</i>	<i>Chlornapyr</i>	<i>Chlorthalonil</i>	<i>Chormequat</i>
Mangoes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Olives (table consumption)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*
Olives (oil extract)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.1*
Papaya	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Passion fruit	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Pineapples	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Pomegranates	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Carrots	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Cassava									
Celeriac	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Horseradish	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Jerusalem artichokes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Parsnips	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Parsley root	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Radishes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Salsify	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Sweet potatoes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Swedes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Turnips	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Yams	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(ii) BULB VEGETABLES									
Garlic	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Onions	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*

Shallots	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Spring onions	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Peppers	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Chili peppers	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Aubergines	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Okra							
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Gherkins	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Courgettes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Squashes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Watermelons	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(d) <i>Sweet corn</i>	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Cauliflower	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Head cabbage	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Kale	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(d) <i>Kohlrabi</i>	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Carfentrazone-ethyl (applying from 4 December 2006)</i>	<i>Cartap</i>	<i>Chlorbenside</i>	<i>Chlorbuflam</i>	<i>Chlordane</i>	<i>Chlornapyr</i>	<i>Chlorsenson</i>	<i>Chormequat</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Lamb's lettuce	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Lettuce	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Scarole	0.01*	0.01* ⁽⁶⁾	0.05* ⁽⁶⁾	0.01* ⁽⁶⁾	0.05*	0.01* ⁽⁶⁾	0.05*	0.01* ⁽⁶⁾	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(b) <i>Spinach & similar</i>									
Spinach	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Beet leaves (chard)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(c) <i>Watercress</i>	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(d) <i>Witloof</i>	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(e) <i>Herbs</i>									
Chervil	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Chives	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Parsley	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Celery leaves	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Beans (without pods)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Peas (with pods)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Peas (without pods)	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*

(vii) STEM VEGETABLES							
Asparagus	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Cardoons	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Celery	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Fennel	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Globe artichokes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Leeks	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Rhubarb	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	10
(b) <i>Wild mushrooms</i>	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
3. PULSES							
Beans	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Lentils	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Peas	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Others	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
4. OILSEEDS							
Linseed	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Peanuts	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Poppy seed	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Sesame seed	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Sunflower seed	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Rape seed	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Soya bean	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Mustard seed	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Cotton seed	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
Hemp seed							
Others	0.02*	0.01*	0.05*	0.02*	0.1*	0.01*	0.1*
5. POTATOES							
Early potatoes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*
Ware potatoes	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Carfentrazone-ethyl (applying from 4 December 2006)</i>	<i>Cartap</i>	<i>Chlorbenside</i>	<i>Chlorbufram</i>	<i>Chlordane</i>	<i>Chlорfenапyr</i>	<i>Chlоренсон</i>	<i>Chlormequat</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.02*	0.1*	0.1*	0.1*	0.02*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.02*		0.1*	0.1*	0.02*	0.1*	0.1*	0.1*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05*	0.01*	0.05*	0.02	0.05*	0.01*	2	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	2	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	2	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	5	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	2	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	
		0.05*	0.01*	0.05*	0.02	0.05*	0.01*	0.05*	

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat &
preparations of meat and
edible offal⁽²⁾

0.05* 0.05* 0.05

0.05* 0.05⁽¹⁸⁾
0.2⁽¹⁹⁾
0.1⁽¹²⁾
0.05*⁽⁹⁾

Milk⁽³⁾ & Dairy Produce⁽⁴⁾
Eggs⁽⁵⁾

0.05* 0.05* 0.002
0.05*⁽⁷⁾ 0.05*⁽⁷⁾ 0.005

0.05* 0.05
0.05*⁽⁷⁾ 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorobenzilate</i>	<i>Chlorothalonil</i>	<i>Chloroxuron</i>	<i>Chlorpropham (applying from 21 April 2007)</i>	<i>Chloryrifos</i>	<i>Chloryrifos-methyl</i>	<i>Chlozolineate</i>	<i>Cinidon-ethyl</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.02*	0.01*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*
Lemons	0.02*	0.01*	0.05*	0.05*	0.2	0.3	0.05*	0.05*	0.05*
Limes	0.02*	0.01*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.02*	0.01*	0.05*	0.05*	2	1	0.05*	0.05*	0.05*
Oranges	0.02*	0.01*	0.05*	0.05*	0.3	0.5	0.05*	0.05*	0.05*
Pomelos	0.02*	0.01*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.3	0.05*	0.05*	0.05*	0.05*
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
(iii) POME FRUIT									
Apples	0.02*	1	0.05*	0.05*	0.5	0.5	0.05*	0.05*	0.05*
Pears	0.02*	1	0.05*	0.05*	0.5	0.5	0.05*	0.05*	0.05*
Quinces	0.02*	1	0.05*	0.05*	0.5	0.5	0.05*	0.05*	0.05*
Others	0.02*	1	0.05*	0.05*	0.5	0.5	0.05*	0.05*	0.05*

(iv) STONE FRUIT								
	Apricots	0.02*	1	0.05*	0.05*	0.05*	0.05*	0.05*
	Cherries	0.02*	0.01*	0.05*	0.05*	0.3	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	1	0.05*	0.05*	0.2	0.5	0.05*
	Plums	0.02*	0.01*	0.05*	0.05*	0.2	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.02*	1	0.05*	0.05*	0.5	0.2	0.05*
	Wine Grapes	0.02*	3	0.05*	0.05*	0.5	0.2	0.05*
	(b) <i>Strawberries (other than wild)</i>							
		0.02*	3	0.05*	0.05*	0.2	0.5	0.05*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.02*	10	0.05*	0.05*	0.5	0.05*	0.05*
	Dewberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	Loganberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	Raspberries	0.02*	10	0.05*	0.05*	0.5	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cranberries	0.02*	2	0.05*	0.05*	0.05*	0.05*	0.05*
	Currents (red, black & white)	0.02*	10	0.05*	0.05*	1	0.05*	0.05*
	Gooseberries	0.02*	10	0.05*	0.05*	1	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	(e) <i>Wild berries & wild fruit</i>	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	Bananas	0.02*	0.2	0.05*	0.05*	3	0.05*	0.05*
	Dates	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	Figs	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.01*	0.05*	0.05*	2	0.05*	0.05*
	Kumquats	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorobenzilate</i>	<i>Chlorothalonil</i>	<i>Chloroxuron</i>	<i>Chlorpropham (applying from 21 April 2007)</i>	<i>Chlorpyrifos</i>	<i>Chlorpyrifos-methyl</i>	<i>Chlrozolinate</i>	<i>Cinidon-ethyl</i>
Mangoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Olives (table consumption)	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Olives (oil extract)	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Papaya	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Passion fruit	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pineapples	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pomegranates	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
08 (i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Carrots	0.02*	1	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05*
Cassava			0.05*						
Celeriac	0.02*	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Horseradish	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Parsnips	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Parsley root	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Radishes	0.02*	0.01*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*
Salsify	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Sweet potatoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Swedes	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Turnips	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Yams	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
(ii) BULB VEGETABLES									
Garlic	0.02*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Onions	0.02*	0.5	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*

(iii) FRUITING VEGETABLES

(iv) BRASSICA VEGETABLES

(vii) STEM VEGETABLES								
Asparagus	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cardoons	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Celery	0.02*	10	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Fennel	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Globe artichokes	0.02*	0.01*	0.05*	0.05*	1	0.05*	0.05*	0.05*
Leeks	0.02*	10	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Rhubarb	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.02*	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
3. PULSES								
Beans	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Lentils	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Peas	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
4. OILSEEDS								
Linseed	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Peanuts	0.02*	0.05	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Poppy seed	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Sesame seed	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Sunflower seed	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Rape seed	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Soya bean	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Mustard seed	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Cotton seed	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
Hemp seed								
Others	0.02*	0.01*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*
5. POTATOES								
Early potatoes	0.02*	0.01*	0.05*	10	0.05*	0.05*	0.05*	0.05*
Ware potatoes	0.02*	0.01*	0.05*	10	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorobenzilate</i>	<i>Chlorothalonil</i>	<i>Chloroxuron</i>	<i>Chlorpropham (applying from 21 April 2007)</i>	<i>Chlorpyrifos</i>	<i>Chlorpyrifos-methyl</i>	<i>Chlozolinate</i>	<i>Cinidon-ethyl</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	50	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.02*	0.1	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.1	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.1	0.05*	0.02*	0.2	3	0.05*	0.1*
		0.02*	0.01*	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.1	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.1	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.01*	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.01*	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.01*	0.05*	0.02*	0.05*	3	0.05*	0.1*
		0.02*	0.01*	0.05*	0.02*	0.05*	3	0.05*	0.1*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.01*	0.01*	0.05*	0.05*(⁴¹) 0.05*(⁴²) 0.2 ⁽³⁰⁾	0.05*(¹⁴)	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.1*	0.01*	0.05*	0.2	0.01*	0.01*
Eggs ⁽⁵⁾	0.1*(⁷)	0.01*	0.05*(⁷)		0.01*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Clofentezine</i>	<i>Cyazofamid</i>	<i>Cyclanilide</i>	<i>Cyfluthrin</i>	<i>Cyhalofop butyl</i>	<i>Cypermethrin</i>	<i>Cyromazine</i>	<i>Daminozide</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.5	0.01*	0.05*	0.02*	0.02*	2	0.05*	0.02*	
Lemons	0.5	0.01*	0.05*	0.02*	0.02*	2	0.05*	0.02*	
Limes	0.5	0.01*	0.05*	0.02*	0.02*	2	0.05*	0.02*	
Mandarins (inc clementines & similar hybrids)	0.5	0.01*	0.05*	0.02*	0.02*	2	0.05*	0.02*	
Oranges	0.5	0.01*	0.05*	0.02*	0.02*	2	0.05*	0.02*	
Pomelos	0.5	0.01*	0.05*	0.02*	0.02*	2	0.05*	0.02*	
Others	0.5	0.01*	0.05*	0.02*	0.02*	2	0.05*	0.02*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Brazil nuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Cashew nuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Chestnuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Coconuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Hazelnuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Macadamia nuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Pecans	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Pine nuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Pistachios	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Walnuts	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
Others	0.05*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	
(iii) POME FRUIT									
Apples	0.5	0.01*	0.05*	0.2	0.02*	1	0.05*	0.02*	
Pears	0.5	0.01*	0.05*	0.2	0.02*	1	0.05*	0.02*	
Quinces	0.5	0.01*	0.05*	0.2	0.02*	1	0.05*	0.02*	
Others	0.5	0.01*	0.05*	0.2	0.02*	1	0.05*	0.02*	

(iv) STONE FRUIT								
	Apricots	0.02*	0.01*	0.05*	0.5	0.02*	2	0.05* 0.02*
	Cherries	0.02*	0.01*	0.05*	0.2	0.02*	1	0.05* 0.02*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.01*	0.05*	0.5	0.02*	2	0.05* 0.02*
	Plums	0.2	0.01*	0.05*	0.2	0.02*	1	0.05* 0.02*
	Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.02*	0.5	0.05*	0.3	0.02*	0.5	0.05* 0.02*
	Wine Grapes	1	0.5	0.05*	0.3	0.02*	0.5	0.05* 0.02*
	(b) <i>Strawberries (other than wild)</i>	2	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	3	0.01*	0.05*	0.02*	0.02*	0.5	0.05* 0.02*
	Dewberries	0.3	0.01*	0.05*	0.02*	0.02*	0.5	0.05* 0.02*
	Loganberries	0.3	0.01*	0.05*	0.02*	0.02*	0.5	0.05* 0.02*
	Raspberries	3	0.01*	0.05*	0.02*	0.02*	0.5	0.05* 0.02*
	Others	0.3	0.01*	0.05*	0.02*	0.02*	0.5	0.05* 0.02*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Cranberries	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Currents (red, black & white)	0.5	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Gooseberries	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	(e) <i>Wild berries & wild fruit</i>	0.02*	0.01*	0.05*	0.02*	0.02*	2	0.05* 0.02*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Bananas	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Dates	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Figs	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Kiwi fruit	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Kumquats	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*
	Litchis	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05* 0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Clofentezine</i>	<i>Cyazofamid</i>	<i>Cyclanilide</i>	<i>Cyfluthrin</i>	<i>Cyhalofop butyl</i>	<i>Cypermethrin</i>	<i>Cyromazine</i>	<i>Daminozide</i>
Mangoes	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Olives (table consumption)	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Olives (oil extract)	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Papaya	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Passion fruit	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Pineapples	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Pomegranates	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Carrots	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	1	0.02*	
Cassava							0.05*		
Celeriac	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Horseradish	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Jerusalem artichokes	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Parsnips	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Parsley root	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Radishes	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Salsify	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Sweet potatoes	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Swedes	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Turnips	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Yams	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.02*	0.01*	0.05*	0.02*	0.02*	0.1	0.05*	0.02*	
Onions	0.02*	0.01*	0.05*	0.02*	0.02*	0.1	0.05*	0.02*	

Shallots	0.02*	0.01*	0.05*	0.02*	0.02*	0.1	0.05*	0.02*
Spring onions	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.3	0.2	0.05*	0.05	0.02*	0.5	1	0.02*
Peppers	0.02*	0.01*	0.05*	0.3	0.02*	0.5	1	0.02*
Chili peppers	0.02*	0.01*	0.05*	0.3	0.02*	0.5	1	0.02*
Aubergines	0.02*	0.01*	0.05*	0.02*	0.02*	0.5	1	0.02*
Okra								
Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.5	1	0.02*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.02*	0.1	0.05*	0.1	0.02*	0.2	1	0.02*
Gherkins	0.02*	0.01*	0.05*	0.02*	0.02*	0.2	1	0.02*
Courgettes	0.02*	0.01*	0.05*	0.02*	0.02*	0.2	1	0.02*
Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.2	1	0.02*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.1	0.1	0.05*	0.02*	0.02*	0.2	0.3	0.02*
Squashes	0.02*	0.1	0.05*	0.02*	0.02*	0.2	0.05*	0.02*
Watermelons	0.02*	0.1	0.05*	0.02*	0.02*	0.2	0.3	0.02*
Others	0.02*	0.1	0.05*	0.02*	0.02*	0.2	0.05*	0.02*
(d) <i>Sweet corn</i>								
	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.02*	0.01*	0.05*	0.05	0.02*	0.5	0.05*(¹³)	0.02*
Cauliflower	0.02*	0.01*	0.05*	0.05	0.02*	0.5	0.05*	0.02*
Others	0.02*	0.01*	0.05*	0.05	0.02*	0.5	0.05*	0.02*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.02*	0.01*	0.05*	0.2	0.02*	0.5	0.05*	0.02*
Head cabbage	0.02*	0.01*	0.05*	0.2	0.02*	0.5	0.05*	0.02*
Others	0.02*	0.01*	0.05*	0.2	0.02*	0.5	0.05*	0.02*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.02*	0.01*	0.05*	0.3	0.02*	1	0.05*	0.02*
Kale	0.02*	0.01*	0.05*	0.3	0.02*	1	0.05*	0.02*
Others	0.02*	0.01*	0.05*	0.3	0.02*	1	0.05*	0.02*
(d) <i>Kohlrabi</i>								
	0.02*	0.01*	0.05*	0.02*	0.02*	0.2	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Clofentezine</i>	<i>Cyazofamid</i>	<i>Cyclanilide</i>	<i>Cyfluthrin</i>	<i>Cyhalofop butyl</i>	<i>Cypermethrin</i>	<i>Cyromazine</i>	<i>Daminozide</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress		0.02*	0.01*	0.05*	0.5	0.02*	2	15	0.02*
Lamb's lettuce		0.02*	0.01*	0.05*	0.5	0.02*	2	15	0.02*
Lettuce		0.02*	0.01*	0.05*	0.5	0.02*	2	15	0.02*
Scarole		0.02*	0.01*	0.05*	0.5	0.02*	2	15 ⁽⁶⁾	0.02*
Others		0.02*	0.01*	0.05*	0.5	0.02*	2	15	0.02*
(b) <i>Spinach & similar</i>									
Spinach		0.02*	0.01*	0.05*	0.02*	0.02*	0.5	0.05*	0.02*
Beet leaves (chard)		0.02*	0.01*	0.05*	0.02*	0.02*	0.5	0.05*	0.02*
Others		0.02*	0.01*	0.05*	0.02*	0.02*	0.5	0.05*	0.02*
(c) <i>Watercress</i>									
(d) <i>Witloof</i>									
(e) <i>Herbs</i>									
Chervil		0.02*	0.01*	0.05*	0.02*	0.02*	2	15	0.02*
Chives		0.02*	0.01*	0.05*	0.02*	0.02*	2	15	0.02*
Parsley		0.02*	0.01*	0.05*	0.02*	0.02*	2	15	0.02*
Celery leaves		0.02*	0.01*	0.05*	0.02*	0.02*	2	15	0.02*
Others		0.02*	0.01*	0.05*	0.02*	0.02*	2	15	0.02*
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.02*	0.01*	0.05*	0.05	0.02*	0.5	5	0.02*
Beans (without pods)		0.02*	0.01*	0.05*	0.05	0.02*	0.05*	0.05*	0.02*
Peas (with pods)		0.02*	0.01*	0.05*	0.05	0.02*	0.5	5	0.02*
Peas (without pods)		0.02*	0.01*	0.05*	0.05	0.02*	0.05*	0.05*	0.02*
Others		0.02*	0.01*	0.05*	0.05	0.02*	0.05*	0.05*	0.02*

(vii) STEM VEGETABLES								
Asparagus	0.02*	0.01*	0.05*	0.02*	0.02*	0.1	0.05*	0.02*
Cardoons	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
Celery	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	2	0.02*
Fennel	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
Globe artichokes	0.02*	0.01*	0.05*	0.02*	0.02*	2	2	0.02*
Leeks	0.02*	0.01*	0.05*	0.02*	0.02*	0.5	0.05*	0.02*
Rhubarb	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	5	0.02*
(b) <i>Wild mushrooms</i>	0.02*	0.01*	0.05*	0.02*	0.02*	1	0.05*	0.02*
3. PULSES								
Beans	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
Lentils	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
Peas	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
Others	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	0.05*	0.02*
4. OILSEEDS								
Linseed	0.05*	0.02	0.05*	0.02*	0.05*	0.2	0.05*	0.05*
Peanuts	0.05*	0.02	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Poppy seed	0.05*	0.02	0.05*	0.02*	0.05*	0.2	0.05*	0.05*
Sesame seed	0.05*	0.02	0.05*	0.02*	0.05*	0.2	0.05*	0.05*
Sunflower seed	0.05*	0.02	0.05*	0.02*	0.05*	0.2	0.05*	0.05*
Rape seed	0.05*	0.02	0.05*	0.05	0.05*	0.2	0.05*	0.05*
Soya bean	0.05*	0.02	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Mustard seed	0.05*	0.02	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Cotton seed	0.05*	0.02	0.2	0.02*	0.05*	0.2	0.05*	0.05*
Hemp seed								
Others	0.05*	0.02	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
5. POTATOES								
Early potatoes	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	1	0.02*
Ware potatoes	0.02*	0.01*	0.05*	0.02*	0.02*	0.05*	1	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Clofentezine</i>	<i>Cyazofamid</i>	<i>Cyclanilide</i>	<i>Cyfluthrin</i>	<i>Cyhalofop butyl</i>	<i>Cypermethrin</i>	<i>Cyromazine</i>	<i>Daminozide</i>	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.02*	0.1*	0.1*	0.05*	0.5	0.05*	0.1*	
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.02*	0.1*	20	0.05*	30	0.05*	0.1*	
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others									
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	0.02* 0.02* 0.05* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	0.05* 0.05* 0.05* 0.02* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	0.05* 0.05* 0.2 0.05* 0.2 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*		

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.1 ⁽²⁰⁾ 0.05 ^{*(9)}	0.01*	0.05	0.05* ⁽¹⁴⁾ 0.2 ⁽⁹⁾	0.05* ⁽²¹⁾	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.05*	0.01*	0.02*	0.02	0.02*	0.05*
Eggs ⁽⁵⁾	0.02*	0.01*	0.02*	0.05*	0.2	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>Diaillate</i>	<i>Diazinon</i>	<i>Dichlorprop</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>Dimethenamid-P (applying from 21 April 2007)</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.05*	0.05*	1	0.05*		2	0.01*	
Lemons	0.05*	0.05*	0.05*	0.02*	0.05*		2	0.01*	
Limes	0.05*	0.05*	0.05*	0.02*	0.05*		2	0.01*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.02*	0.05*		2	0.01*	
Oranges	0.05*	0.05*	0.05*	1	0.05*		2	0.01*	
Pomelos	0.05*	0.05*	0.05*	1	0.05*		2	0.01*	
Others	0.05*	0.05*	0.05*	0.02*	0.05*		2	0.01*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Pecans	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
Others	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.01*	
(iii) POME FRUIT									
Apples	0.05*	0.1	0.05*	0.3	0.05*		0.02*	0.01*	
Pears	0.05*	0.1	0.05*	0.3	0.05*		0.02*	0.01*	
Quinces	0.05*	0.1	0.05*	0.02*	0.05*		0.02*	0.01*	
Others	0.05*	0.1	0.05*	0.02*	0.05*		0.02*	0.01*	

(iv) STONE FRUIT							
	Apricots	0.05*	0.1	0.05*	0.02*	0.05*	0.02* 0.01*
	Cherries	0.05*	0.1	0.05*	0.3	0.05*	0.02* 0.01*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.1	0.05*	0.02*	0.05*	0.02* 0.01*
	Plums	0.05*	0.1	0.05*	0.1	0.05*	0.02* 0.01*
	Others	0.05*	0.1	0.05*	0.02*	0.05*	0.02* 0.01*
(v) BERRIES AND SMALL FRUIT							
(a) <i>Table & wine grapes</i>							
	Table Grapes	0.05*	0.1	0.05*	0.02*	0.05*	2 0.01*
	Wine Grapes	0.05*	0.1	0.05*	0.02*	0.05*	2 0.01*
(b) <i>Strawberries (other than wild)</i>		0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.05*	0.5	0.05*	0.02*	0.05*	0.02* 0.01*
	Dewberries	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Loganberries	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Raspberries	0.05*	0.5	0.05*	0.02*	0.05*	0.02* 0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.05*	0.05*	0.05*	0.2	0.05*	0.02* 0.01*
	Cranberries	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Currents (red, black & white)	0.05*	0.2	0.05*	0.2	0.05*	0.02* 0.01*
	Gooseberries	0.05*	0.2	0.05*	0.2	0.05*	0.02* 0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
(e) <i>Wild berries & wild fruit</i>	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
(vi) MISCELLANEOUS FRUIT							
	Avocados	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Bananas	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Dates	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Figs	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Kiwi fruit	0.05*	0.05*	0.05*	0.2	0.05*	0.02* 0.01*
	Kumquats	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*
	Litchis	0.05*	0.05*	0.05*	0.02*	0.05*	0.02* 0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>Diaillate</i>	<i>Diazinon</i>	<i>Dichlorprop</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>Dimefenanmid-P (applying from 21 April 2007)</i>
Mangoes	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Olives (table consumption)	0.05*	0.1*	0.05*	0.02*	0.05*		0.02*	0.01*	
Olives (oil extract)	0.05*	0.1*	0.05*	0.02*	0.05*		0.02*	0.01*	
Papaya	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Passion fruit	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Pineapples	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Pomegranates	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Others	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Carrots	0.05*	0.05*	0.05*	0.2	0.05*		0.02*	0.01*	
Cassava								0.01*	
Celeriac	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Horseradish	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Jerusalem artichokes	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Parsnips	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Parsley root	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Radishes	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Salsify	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Sweet potatoes	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Swedes	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Turnips	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Yams	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Others	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.05*	0.1	0.05*	0.02*	0.05*		0.02*	0.01*	
Onions	0.05*	0.1	0.05*	0.02*	0.05*		0.02*	0.01*	

Shallots	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
Spring onions	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	0.05*	0.2	0.05*	0.5	0.05*	1	0.01*
Peppers	0.05*	0.2	0.05*	0.5	0.05*	0.02*	0.01*
Chili peppers	0.05*	0.2	0.05*	0.5	0.05*	0.02*	0.01*
Aubergines	0.05*	0.2	0.05*	0.5	0.05*	0.02*	0.01*
Okra							
Others	0.05*	0.2	0.05*	0.5	0.05*	0.02*	0.01*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.05*	0.1	0.05*	0.02*	0.05*	0.2	0.01*
Gherkins	0.05*	0.1	0.05*	0.02*	0.05*	0.2	0.01*
Courgettes	0.05*	0.1	0.05*	0.02*	0.05*	0.2	0.01*
Others	0.05*	0.1	0.05*	0.02*	0.05*	0.2	0.01*
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
Squashes	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
Watermelons	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
(d) <i>Sweet corn</i>	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
Cauliflower	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
Others	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
Head cabbage	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
Others	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.05*	0.5	0.05*	0.02*	0.05*	0.02*	0.01*
Kale	0.05*	0.5	0.05*	0.02*	0.05*	0.02*	0.01*
Others	0.05*	0.5	0.05*	0.02*	0.05*	0.02*	0.01*
(d) <i>Kohlrabi</i>	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>Diaillate</i>	<i>Diazinon</i>	<i>Dichlorprop</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>Dimethenamid-P (applying from 21 April 2007)</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Lamb's lettuce	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Lettuce	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Scarole	0.05*	0.5	0.05*(6)	0.02*	0.05*		0.02*	0.01*	
Others	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Beet leaves (chard)	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Others	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
(c) <i>Watercress</i>	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
(d) <i>Witloof</i>	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
(e) <i>Herbs</i>									
Chervil	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Chives	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Parsley	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Celery leaves	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
Others	0.05*	0.5	0.05*	0.02*	0.05*		0.02*	0.01*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.2	0.05*	0.02*	0.05*		0.02*	0.01*	
Beans (without pods)	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Peas (with pods)	0.05*	0.1	0.05*	0.02*	0.05*		0.02*	0.01*	
Peas (without pods)	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	
Others	0.05*	0.05*	0.05*	0.02*	0.05*		0.02*	0.01*	

(vii) STEM VEGETABLES							
Asparagus	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
Cardoons	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
Celery	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
Fennel	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
Globe artichokes	0.05*	0.1	0.05*	0.02*	0.05*	0.02*	0.01*
Leeks	0.05*	0.2	0.05*	0.02*	0.05*	0.02*	0.01*
Rhubarb	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
(b) <i>Wild mushrooms</i>	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
3. PULSES							
Beans	0.05*	1	0.05*	0.02*	0.05*	0.02*	0.01*
Lentils	0.05*	1	0.05*	0.02*	0.05*	0.02*	0.01*
Peas	0.05*	1	0.05*	0.02*	0.05*	0.02*	0.01*
Others	0.05*	1	0.05*	0.02*	0.05*	0.02*	0.01*
4. OILSEEDS							
Linseed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Poppy seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Sesame seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Rape seed	0.05*	0.1	0.05*	0.05*	0.05*	0.05*	0.02*
Soya bean	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Cotton seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1	0.02*
Hemp seed							
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
5. POTATOES							
Early potatoes	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.01*
Ware potatoes	0.05*	0.5	0.05*	0.02*	0.05*	0.02*	0.01*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	1	0.05*(¹⁴⁾ 0.2*	0.5 ⁽²²⁾ 0.1 ⁽¹⁴⁾ 0.05*(²³⁾ 1 ⁽²⁰⁾
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.04	0.2*	0.01*
Eggs ⁽⁵⁾	0.05	0.05*	0.2* ⁽⁷⁾

(iii) FRUITING VEGETABLES

(iv) BRASSICA VEGETABLES

(vii) STEM VEGETABLES								
Asparagus	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Cardoons	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Celery	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Fennel	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Globe artichokes	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Leeks	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Rhubarb	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
3. PULSES								
Beans	0.02*	0.05*	0.05*	0.05*	0.05*	0.2	0.2	0.02*
Lentils	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.02*
Peas	0.02*	0.05*	0.05*	0.05*	0.05*	0.2	0.2	0.02*
Others	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2	0.02*
4. OILSEEDS								
Linseed	0.05*	0.05*	0.05*	0.05*	0.05*	5	5	0.02*
Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.02*
Poppy seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.02*
Sesame seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.02*
Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	1	0.02*
Rape seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	2	0.02*
Soya bean	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.02*
Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.5	0.02*
Cotton seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.02*
Hemp seed							0.5	
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.02*
5. POTATOES								
Early potatoes	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Ware potatoes	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dimethoate</i>	<i>Dinoseb</i>	<i>Dimeterb</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<i>Diquat (applies until 26 July 2006)</i>	<i>Diquat (applying from 27 July 2006)</i>	<i>Disulfoton</i>	
6. TEA	(dried leaves and stalks, fermented or otherwise <i>Camellia sinensis</i>)	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.05*	
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.05*	
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others									
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.3 0.3 0.02* 0.02* 0.02* 0.3 0.02* 0.02* 0.02* 0.02*	0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01* 0.01*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*		0.05* 0.05* 10 0.05* 2 0.05* 1 0.05* 1 0.05*	0.05* 0.05* 10 0.05* 2 0.05* 1 0.05* 1 0.05*	0.1 0.02* 0.2 0.2 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*		

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.01*	0.05	0.05*	0.05*	0.02*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.01*	0.05*	0.05*	0.05*	0.02
Eggs ⁽⁵⁾	0.01*	0.05* ⁽⁷⁾	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>DNOC</i>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Etephon</i>	<i>Ethofumesate</i>	<i>Ethoxysulfuron</i>	<i>Ethylene Oxide</i>	<i>Famoxadone</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Lemons	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Limes	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Oranges	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Pomelos	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Others	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Brazil nuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Cashew nuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Chestnuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Coconuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Hazelnuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Macadamia nuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Pecans	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Pine nuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Pistachios	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Walnuts	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
Others	0.05*	0.1*	0.01*	0.1*	0.05*	0.05*	0.1*	0.02*	
(iii) POME FRUIT									
Apples	0.05*	0.3	0.01*	3	0.05*	0.05*	0.1*	0.02*	
Pears	0.05*	0.3	0.01*	3	0.05*	0.05*	0.1*	0.02*	
Quinces	0.05*	0.3	0.01*	3	0.05*	0.05*	0.1*	0.02*	
Others	0.05*	0.3	0.01*	3	0.05*	0.05*	0.1*	0.02*	

	(iv) STONE FRUIT								
	Apricots	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Cherries	0.05*	0.05*	0.01*	3	0.05*	0.05*	0.1*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Plums	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>								
	Table Grapes	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	2
	Wine Grapes	0.05*	0.5	0.01*	0.05*	0.05*	0.05*	0.1*	2
	(b) <i>Strawberries (other than wild)</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	(c) <i>Cane Fruit (other than wild)</i>								
	Blackberries	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Dewberries	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Loganberries	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Raspberries	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	(d) <i>Other small fruit & berries (other than wild)</i>								
	Bilberries	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Cranberries	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Currents (red, black & white)	0.05*	0.05*	0.01*	5	0.05*	0.05*	0.1*	0.02*
	Gooseberries	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	(e) <i>Wild berries & wild fruit</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
III	(vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Bananas	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Dates	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Figs	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Kiwi fruit	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Kumquats	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
	Litchis	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>DNOC</i>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Etephon</i>	<i>Ethofumesate</i>	<i>Ethoxysulfuron</i>	<i>Ethylene Oxide</i>	<i>Famoxadone</i>
Mangoes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Olives (table consumption)	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Olives (oil extract)	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Papaya	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Passion fruit	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Pineapples	0.05*	0.05*	0.01*	2	0.05*	0.05*	0.1*	0.02*	
Pomegranates	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.1*	0.02*	
Carrots	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Cassava					0.05*				
Celeriac	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Horseradish	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Jerusalem artichokes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Parsnips	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Parsley root	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Radishes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Salsify	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Sweet potatoes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Swedes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Turnips	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Yams	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Onions	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	

Shallots	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Spring onions	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.05*	0.5	0.01*	3	0.05*	0.05*	0.1*	1
Peppers	0.05*	1	0.01*	3	0.05*	0.05*	0.1*	0.02*
Chili peppers	0.05*	1	0.01*	3	0.05*	0.05*	0.1*	0.02*
Aubergines	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.2
Okra								
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.2
Gherkins	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.2
Courgettes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.2
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.2
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.05*	0.3	0.01*	0.05*	0.05*	0.05*	0.1*	0.3
Squashes	0.05*	0.3	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Watermelons	0.05*	0.3	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Others	0.05*	0.3	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
(d) <i>Sweet corn</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.05*(¹³)	0.05*	0.01*	0.05*	0.05*(¹³)	0.05*	0.1*	0.02*
Cauliflower	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Head cabbage	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Kale	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
(d) <i>Kohlrabi</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>DNOC</i>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Etephon</i>	<i>Ethofumesate</i>	<i>Ethoxysulfuron</i>	<i>Ethylene Oxide</i>	<i>Famoxadone</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Lamb's lettuce	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Lettuce	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Scarole	0.05*(6)	0.05*	0.01*	0.05*	0.05*(6)	0.05*	0.1*(6)	0.02*(6)	
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Beet leaves (chard)	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
(c) <i>Watercress</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
(d) <i>Witloof</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
(e) <i>Herbs</i>									
Chervil	0.05*	0.05*	0.01*	0.05*	1	0.05*	0.1*	0.02*	
Chives	0.05*	0.05*	0.01*	0.05*	1	0.05*	0.1*	0.02*	
Parsley	0.05*	0.05*	0.01*	0.05*	1	0.05*	0.1*	0.02*	
Celery leaves	0.05*	0.05*	0.01*	0.05*	1	0.05*	0.1*	0.02*	
Others	0.05*	0.05*	0.01*	0.05*	1	0.05*	0.1*	0.02*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Beans (without pods)	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Peas (with pods)	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Peas (without pods)	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*	

(vii) STEM VEGETABLES								
Asparagus	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Cardoons	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Celery	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Fennel	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Globe artichokes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Leeks	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Rhubarb	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
(b) <i>Wild mushrooms</i>	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
3. PULSES								
Beans	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Lentils	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Peas	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
4. OILSEEDS								
Linseed	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Peanuts	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Poppy seed	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Sesame seed	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Sunflower seed	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Rape seed	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Soya bean	0.05*	0.5	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Mustard seed	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
Cotton seed	0.05*	0.3	0.01*	2	0.1*	0.05*	0.2*	0.05*
Hemp seed								
Others	0.05*	0.1*	0.01*	0.05*	0.1*	0.05*	0.2*	0.05*
5. POTATOES								
Early potatoes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*
Ware potatoes	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>DNOC</i>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Etephon</i>	<i>Ethofumesate</i>	<i>Ethoxysulfuron</i>	<i>Ethylene Oxide</i>	<i>Famoxadone</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	30	0.01*	0.1*	0.1*	0.1*	0.2*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.2*	0.05*
8. SPICES	Cumin seed					0.5			
	Juniper seed					0.5			
	Nutmeg					0.5			
	Pepper, black and white					0.5			
	Vanilla pods					0.5			
	Others					0.5			
9. CEREALS	Wheat	0.05*	0.05*	0.01	0.2	0.05*	0.05*	0.02*	0.1
	Rye	0.05*	0.05*	0.01	0.5	0.05*	0.05*	0.02*	0.1
	Barley	0.05*	0.05*	0.01	0.5	0.05*	0.05*	0.02*	0.2
	Sorghum	0.05*	0.05*	0.01	0.05*	0.05*	0.05*	0.02*	0.1
	Oats	0.05*	0.05*	0.01	0.05*	0.05*	0.05*	0.02*	0.1
	Triticale	0.05*	0.05*	0.01	0.2	0.05*	0.05*	0.02*	0.1
	Maize	0.05*	0.05*	0.01	0.05*	0.05*	0.05*	0.02*	0.02*
	Buckwheat	0.05*	0.05*	0.01	0.05*	0.05*	0.05*	0.02*	0.1
	Millet	0.05*	0.05*	0.01	0.05*	0.05*	0.05*	0.02*	0.1
	Rice ⁽¹⁾	0.05*	0.05*	0.01	0.05*	0.05*	0.05*	0.02*	0.02*
	Other cereals	0.05*	0.05*	0.01	0.05*	0.05*	0.05*	0.02*	0.1

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat &
preparations of meat and
edible offal⁽²⁾

0.05* 0.1⁽¹⁷⁾ 0.05 0.05* 0.1* 0.02* 0.05*

Milk⁽³⁾ & Dairy Produce⁽⁴⁾

0.05* 0.004 0.0008 0.05* 0.1* 0.02* 0.05*

Eggs⁽⁵⁾

0.05*(7) 0.1*(7) 0.005 0.05* 0.1* 0.02* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenamidone</i> (applying from 4 December 2006)	<i>Fenamiphos</i>	<i>Fenarimol</i>	<i>Fenbutatin Oxide</i>	<i>Fenchlorphos</i>	<i>Fenhexamid</i>	<i>Fenpropimorph</i>	<i>Fenin</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.02*	0.02*	0.02*	5	0.01*	0.05*	0.05*	0.05*	
Lemons	0.02*	0.02*	0.02*	5	0.01*	0.05*	0.05*	0.05*	
Limes	0.02*	0.02*	0.02*	5	0.01*	0.05*	0.05*	0.05*	
Mandarins (inc clementines & similar hybrids)	0.02*	0.02*	0.02*	5	0.01*	0.05*	0.05*	0.05*	
Oranges	0.02*	0.02*	0.02*	5	0.01*	0.05*	0.05*	0.05*	
Pomelos	0.02*	0.02*	0.02*	5	0.01*	0.05*	0.05*	0.05*	
Others	0.02*	0.02*	0.02*	5	0.01*	0.05*	0.05*	0.05*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Brazil nuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Cashew nuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Chestnuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Coconuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Hazelnuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Macadamia nuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Pecans	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Pine nuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Pistachios	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Walnuts	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	
(iii) POME FRUIT									
Apples	0.02*	0.02*	0.3	2	0.01*	0.05*	0.05*	0.05*	
Pears	0.02*	0.02*	0.3	2	0.01*	0.05*	0.05*	0.05*	
Quinces	0.02*	0.02*	0.3	2	0.01*	0.05*	0.05*	0.05*	
Others	0.02*	0.02*	0.3	2	0.01*	0.05*	0.05*	0.05*	

(iv) STONE FRUIT								
	Apricots	0.02*	0.02*	0.5	0.05*	0.01*	5	0.05* 0.05*
	Cherries	0.02*	0.02*	1	0.05*	0.01*	5	0.05* 0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.02*	0.5	0.05*	0.01*	5	0.05* 0.05*
	Plums	0.02*	0.02*	0.02*	0.05*	0.01*	1	0.05* 0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05* 0.05*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.5	0.02*	0.3	2	0.01*	5	0.05* 0.05*
	Wine Grapes	0.5	0.02*	0.3	2	0.01*	5	0.05* 0.05*
	(b) <i>Strawberries (other than wild)</i>	0.02*	0.02*	0.3	1	0.01*	5	1 0.05*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.02*	0.02*	0.02*	0.05*	0.01*	10	1 0.05*
	Dewberries	0.02*	0.02*	0.02*	0.05*	0.01*	10	1 0.05*
	Loganberries	0.02*	0.02*	0.02*	0.05*	0.01*	10	1 0.05*
	Raspberries	0.02*	0.02*	0.1	0.05*	0.01*	10	1 0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.01*	10	1 0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.02*	0.02*	0.02*	0.05*	0.01*	5	1 0.05*
	Cranberries	0.02*	0.02*	0.02*	0.05*	0.01*	5	1 0.05*
	Currents (red, black & white)	0.02*	0.02*	1	0.05*	0.01*	5	1 0.05*
	Gooseberries	0.02*	0.02*	1	0.05*	0.01*	5	1 0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.01*	5	1 0.05*
	(e) <i>Wild berries & wild fruit</i>	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05* 0.05*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05* 0.05*
	Bananas	0.02*	0.05	0.3	3	0.01*	0.05*	2 0.05*
	Dates	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05* 0.05*
	Figs	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05* 0.05*
	Kiwi fruit	0.02*	0.02*	0.02*	0.05*	0.01*	10	0.05* 0.05*
	Kumquats	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05* 0.05*
	Litchis	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenamidone (applying from 4 December 2006)</i>	<i>Fenamiphos</i>	<i>Fenarimol</i>	<i>Fenbutatin Oxide</i>	<i>Fenchlorphos</i>	<i>Fenhexamid</i>	<i>Fenpropimorph</i>	<i>Fentin</i>
	Mangoes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Papaya	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Passion fruit	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Pineapples	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Carrots	0.02*	0.05	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Cassava								
	Celeriac	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Horseradish	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Parsnips	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Parsley root	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Radishes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Salsify	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Sweet potatoes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Swedes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Turnips	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Yams	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
<hr/>									
(ii) BULB VEGETABLES									
	Garlic	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
	Onions	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

Shallots	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Spring onions	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.5	0.05	0.5	1	0.01*	1	0.05*	0.05*
Peppers	0.02*	0.1	0.5	1	0.01*	2	0.05*	0.05*
Chili peppers	0.02*	0.1	0.5	1	0.01*	2	0.05*	0.05*
Aubergines	0.02*	0.05	0.02*	1	0.01*	1	0.05*	0.05*
Okra								
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.02*	0.05	0.2	0.5*	0.01*	1	0.05*	0.05*
Gherkins	0.02*	0.02*	0.2	0.05*	0.01*	1	0.05*	0.05*
Courgettes	0.02*	0.05	0.2	0.5	0.01*	1	0.05*	0.05*
Others	0.02*	0.02*	0.2	0.05*	0.01*	1	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.1	0.05	0.05	0.05*	0.01*	0.05*	0.05*	0.05*
Squashes	0.02*	0.02*	0.05	0.05*	0.01*	0.05*	0.05*	0.05*
Watermelons	0.02*	0.05	0.05	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.05	0.05*	0.01*	0.05*	0.05*	0.05*
(d) <i>Sweet corn</i>	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Cauliflower	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.02*	0.05	0.02*	0.05*	0.01*	0.05*	0.5	0.05*
Head cabbage	0.02*	0.05	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Kale	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
(d) <i>Kohlrabi</i>	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenamidone (applying from 4 December 2006)</i>	<i>Fenamiphos</i>	<i>Fenarimol</i>	<i>Fenbutatin Oxide</i>	<i>Fenchlorphos</i>	<i>Fenhexamid</i>	<i>Fenpropimorph</i>	<i>Fenin</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	2	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Lamb's lettuce	2	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Lettuce	2	0.02*	0.02*	0.05*	0.01*	30	0.05*	0.05*	
Scarole	2	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Others	2	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
(b) <i>Spinach & similar</i>									
Spinach	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Beet leaves (chard)	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
(c) <i>Watercress</i>		0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
(d) <i>Witloof</i>		0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
(e) <i>Herbs</i>									
Chervil	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Chives	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Parsley	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Celery leaves	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Beans (without pods)	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Peas (with pods)	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Peas (without pods)	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*

(vii) STEM VEGETABLES

Asparagus	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Cardoons	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Celery	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Fennel	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Globe artichokes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Leeks	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.5	0.05*
Rhubarb	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

(viii) FUNGI

(a) <i>Cultivated mushrooms</i>	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

3. PULSES

Beans	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Lentils	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Peas	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.05*

123

4. OILSEEDS

Linseed	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Peanuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Poppy seed	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Sesame seed	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Sunflower seed	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Rape seed	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Soya bean	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Mustard seed	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Cotton seed	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*
Hemp seed								
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*	0.05*	0.05*

5. POTATOES

Early potatoes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.1
Ware potatoes	0.02*	0.02*	0.02*	0.05*	0.01*	0.05*	0.05*	0.1

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenamidone (applying from 4 December 2006)</i>							
		<i>Fenamiphos</i>	<i>Fenarimol</i>	<i>Fenbutatin Oxide</i>	<i>Fenchlorphos</i>	<i>Fenhexamid</i>	<i>Fenpropimorph</i>	<i>Fenin</i>	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.05*	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.05*	5	0.1*	0.1*	0.1*	10	0.5
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.02*	0.02*	0.02*	0.05*	0.05*	0.5(24)	0.05*	

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.01*	0.02*	0.05*	0.05*	0.3 ⁽²⁶⁾ 0.05 ⁽²⁷⁾ 0.01* ⁽²⁸⁾ 0.02 ⁽²⁹⁾ 0.01 ⁽⁹⁾	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.005*	0.02*	0.05*	0.05*	0.01	0.05*
Eggs ⁽⁵⁾	0.01*	0.02*	0.05*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenin acetate</i>	<i>Fenin hydroxide</i>	<i>Fenvalerate and Esfenvalerat</i>	<i>Sum of RR and SS</i>	<i>Fenvalerate and Esfenvalerat</i>	<i>Sum of RS and SR</i>	<i>Flazasulfuron (applying from 21 April 2007)</i>	<i>Florasulam</i>	<i>Flucythrinate</i>	<i>Flufenacet (applying from 24 February 2007)</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
Grapefruit	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*			
Lemons	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*			
Limes	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*			
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*			
Oranges	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*			
Pomelos	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*			
Others	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*			
(ii) TREE NUTS (shelled or unshelled)											
Almonds	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Brazil nuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Cashew nuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Chestnuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Coconuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Hazelnuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Macadamia nuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Pecans	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Pine nuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Pistachios	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Walnuts	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.1*	0.05*	0.05*			
(iii) POME FRUIT											
Apples	0.05*	0.05*	0.05	0.02*	0.01*	0.01*	0.05*	0.05*			
Pears	0.05*	0.05*	0.05	0.02*	0.01*	0.01*	0.05*	0.05*			
Quinces	0.05*	0.05*	0.05	0.02*	0.01*	0.01*	0.05*	0.05*			
Others	0.05*	0.05*	0.05	0.02*	0.01*	0.01*	0.05*	0.05*			

(iv) STONE FRUIT	Apricots	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Cherries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Plums	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(v) BERRIES AND SMALL FRUIT									
	(a) <i>Table & wine grapes</i>								
	Table Grapes	0.05*	0.05*	0.1	0.02*	0.02	0.01*	0.05*	0.05*
	Wine Grapes	0.05*	0.05*	0.1	0.02*	0.02	0.01*	0.05*	0.05*
	(b) <i>Strawberries (other than wild)</i>	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	(c) <i>Cane Fruit (other than wild)</i>								
	Blackberries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Dewberries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Loganberries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Raspberries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>								
	Bilberries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Cranberries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Currents (red, black & white)	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Gooseberries	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	(e) <i>Wild berries & wild fruit</i>	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Bananas	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Dates	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Figs	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Kiwi fruit	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Kumquats	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Litchis	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenitin acetate</i>	<i>Fenitin hydroxide</i>	<i>Fenvalerate and Esfenvalerate Sum of RR and SS</i>	<i>Fenvalerate and Esfenvalerate Sum of RS and SR (applying from 21 April 2007)</i>	<i>Flazasulfuron (applying from 21 April 2007)</i>	<i>Florasulam</i>	<i>Flucythrinate</i>	<i>Flufenacet (applying from 24 February 2007)</i>
	Mangoes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.02*	0.02*	0.02	0.01*	0.05*	0.05*
	Papaya	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Passion fruit	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Pineapples	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Pomegranates	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Carrots	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Cassava					0.01*			
	Celeriac	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Horseradish	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Parsnips	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Parsley root	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Radishes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Salsify	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Sweet potatoes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Swedes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Turnips	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Yams	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(ii) BULB VEGETABLES									
	Garlic	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Onions	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*

Shallots	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Spring onions	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.05*	0.05*	0.05	0.02*	0.01*	0.01*	0.05*	0.05*
Peppers	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Chili peppers	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Aubergines	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Okra								
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Gherkins	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Courgettes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Squashes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Watermelons	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(d) <i>Sweet corn</i>	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Cauliflower	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.05*	0.05*	0.05	0.02*	0.01*	0.01*	0.05*	0.05*
Head cabbage	0.05*	0.05*	0.05	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Kale	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(d) <i>Kohlrabi</i>	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenitin acetate</i>	<i>Fenitin hydroxide</i>	<i>Fenvvalerate and Esfenvalerate Sum of RR and SS</i>	<i>Fenvvalerate and Esfenvalerate Sum of RS and SR</i>	<i>Flazasulfuron (applying from 21 April 2007)</i>	<i>Florasulam</i>	<i>Flucythrinate</i>	<i>Flufenacet (applying from 24 February 2007)</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
	(a) Lettuce & similar								
	Cress	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Lamb's lettuce	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Lettuce	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Scarole	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	(b) Spinach & similar								
	Spinach	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	(c) Watercress								
		0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	(d) Witloof								
		0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	(e) Herbs								
	Chervil	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Chives	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Parsley	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Celery leaves	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Beans (without pods)	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Peas (with pods)	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Peas (without pods)	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*

(vii) STEM VEGETABLES								
Asparagus	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Cardoons	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Celery	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Fennel	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Globe artichokes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Leeks	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Rhubarb	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
3. PULSES								
Beans	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Lentils	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Peas	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.05*
4. OILSEEDS								
Linseed	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Peanuts	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Poppy seed	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Sesame seed	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Sunflower seed	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Rape seed	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Soya bean	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Mustard seed	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Cotton seed	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
Hemp seed								
Others	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.05*	0.05*
5. POTATOES								
Early potatoes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.1
Ware potatoes	0.05*	0.05*	0.02*	0.02*	0.01*	0.01*	0.05*	0.1

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenin acetate</i>	<i>Fenin hydroxide</i>	<i>Fenvalerate and Esfenvalerate Sum of RR and SS</i>	<i>Fenvalerate and Esfenvalerate Sum of RS and SR</i>	<i>Flazasulfuron (applying from 21 April 2007)</i>	<i>Florasulam</i>	<i>Flucythrinate</i>	<i>Flufenacet (applying from 24 February 2007)</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.05*	0.05*	0.02*	0.1*	0.1*	0.05*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05*	0.05*	0.05	0.02*	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.05	0.02*	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.2	0.05	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.02*	0.02*	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.2	0.05	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.05	0.02*	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.02*	0.02*	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.02*	0.02*	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.02*	0.02*	0.02*	0.01*	0.05*	0.05*
		0.05*	0.05*	0.02*	0.02*	0.02*	0.01*	0.05*	0.05*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.02 ⁽¹⁴⁾ 0.2 ^{*(9)}	0.02 ⁽¹⁴⁾ 0.05 ^{*(9)}	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.02*	0.02*	0.05*
Eggs ⁽⁵⁾	0.02* ⁽⁷⁾	0.02* ⁽⁷⁾	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Flumioxazine</i>	<i>Fluprosulfuron-methyl</i>	<i>Fluroxypyr</i>	<i>Flurtamone</i> (applying from 21 April 2007)	<i>Folpet</i>	<i>Foramsulfuron</i>	<i>Formothion</i>	<i>Fosythiazate</i> (applying from 24 February 2007)
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Lemons	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Limes	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Oranges	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Pomelos	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Brazil nuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Cashew nuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Chestnuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Coconuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Hazelnuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Macadamia nuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Pecans	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Pine nuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Pistachios	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Walnuts	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.05*	0.02*	
(iii) POME FRUIT									
Apples	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Pears	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Quinces	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	

(iv) STONE FRUIT									
	Apricots	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Cherries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Plums	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
(v) BERRIES AND SMALL FRUIT									
	(a) <i>Table & wine grapes</i>								
	Table Grapes	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Wine Grapes	0.05*	0.02*	0.05*	0.02*	10	0.01*	0.02*	0.02*
	(b) <i>Strawberries (other than wild)</i>	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	(c) <i>Cane Fruit (other than wild)</i>								
	Blackberries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Dewberries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Loganberries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Raspberries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	(d) <i>Other small fruit & berries (other than wild)</i>								
	Bilberries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Cranberries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Currents (red, black & white)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Gooseberries	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	(e) <i>Wild berries & wild fruit</i>	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
(vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Bananas	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.05*
	Dates	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Figs	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Kiwi fruit	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Kumquats	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*
	Litchis	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Flumioxazine</i>	<i>Fluprosulfuron-methyl</i>	<i>Fluroxypyr</i>	<i>Flurtamone (applying from 21 April 2007)</i>	<i>Folpet</i>	<i>Foramsulfuron</i>	<i>Formothion</i>	<i>Fosythiazate (applying from 24 February 2007)</i>
Mangoes	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Olives (table consumption)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Olives (oil extract)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Papaya	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Passion fruit	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Pineapples	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Pomegranates	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Carrots	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Cassava				0.02*					
Celeriac	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Horseradish	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Jerusalem artichokes	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Parsnips	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Parsley root	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Radishes	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Salsify	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Sweet potatoes	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Swedes	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Turnips	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Yams	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Onions	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	

Shallots	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Spring onions	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Peppers	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Chili peppers	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Aubergines	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Okra							
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Gherkins	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Courgettes	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Squashes	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Watermelons	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(d) <i>Sweet corn</i>	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Cauliflower	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Head cabbage	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Kale	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(d) <i>Kohlrabi</i>	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Flumioxazine</i>	<i>Fluprosulfuron-methyl</i>	<i>Fluroxypyr</i>	<i>Flurtamone (applying from 21 April 2007)</i>	<i>Folpet</i>	<i>Foramsulfuron</i>	<i>Formothion</i>	<i>Fosythiazate (applying from 24 February 2007)</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Lamb's lettuce	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Lettuce	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Scarole	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Beet leaves (chard)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
(c) <i>Watercress</i>	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
(d) <i>Witloof</i>	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
(e) <i>Herbs</i>									
Chervil	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Chives	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Parsley	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Celery leaves	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Beans (without pods)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Peas (with pods)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Peas (without pods)	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	
Others	0.05*	0.02*	0.05*	0.02*		0.01*	0.02*	0.02*	

(vii) STEM VEGETABLES							
Asparagus	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Cardoons	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Celery	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Fennel	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Globe artichokes	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Leeks	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Rhubarb	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
(b) <i>Wild mushrooms</i>	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
3. PULSES							
Beans	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Lentils	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Peas	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
4. OILSEEDS							
Linseed	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Peanuts	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Poppy seed	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Sesame seed	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Sunflower seed	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Rape seed	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Soya bean	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Mustard seed	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Cotton seed	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
Hemp seed							
Others	0.1*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
5. POTATOES							
Early potatoes	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*
Ware potatoes	0.05*	0.02*	0.05*	0.02*	0.01*	0.02*	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.5 ⁽³⁰⁾ 0.05* ⁽⁹⁾
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.05*
Eggs ⁽⁵⁾	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Furathiocarb</i>	<i>Glyphosate - except trimesium salt (applies until 20 April 2007)</i>	<i>Glyphosate - except trimesium salt (applying from 21 April 2007)</i>	<i>Glyphosate - as trimesium salt (applying from 21 April 2007)</i>	<i>Heptachlor</i>	<i>Hexachlorobenzene (HCB)</i>	<i>Hexachlorocyclohexane (HCH)</i>	<i>Hexaconazole</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.1*	0.1	0.05*	0.01*	0.01*	0.01*	0.02*	
Lemons	0.05*	0.1*	0.1	0.05*	0.01*	0.01*	0.01*	0.02*	
Limes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.1*	0.1	0.05*	0.01*	0.01*	0.01*	0.02*	
Oranges	0.05*	0.1*	0.5	0.5	0.01*	0.01*	0.01*	0.02*	
Pomelos	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Brazil nuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Cashew nuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Chestnuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Coconuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Hazelnuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Macadamia nuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Pecans	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Pine nuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Pistachios	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Walnuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.05*	
(iii) POME FRUIT									
Apples	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.1	
Pears	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.1	
Quinces	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	

(iv) STONE FRUIT								
	Apricots	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*
	Cherries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Plums	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.05*	0.1*	0.5	0.05*	0.01*	0.01*	0.01*
	Wine Grapes	0.05*	0.1*	0.5	0.05*	0.01*	0.01*	0.1
	(b) <i>Strawberries (other than wild)</i>	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Dewberries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Loganberries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Raspberries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*
	Cranberries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Currents (red, black & white)	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Gooseberries	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.02*
	(e) <i>Wild berries & wild fruit</i>	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*
	Bananas	0.05*	0.1*	0.05*	0.05	0.01*	0.01*	0.01*
	Dates	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*
	Figs	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*
	Kiwi fruit	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*
	Kumquats	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*
	Litchis	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Furathiocarb</i>	<i>Glyphosate - except trimesium salt (applies until 20 April 2007)</i>	<i>Glyphosate - except trimesium salt (applying from 21 April 2007)</i>	<i>Glyphosate - as trimesium salt (applying from 21 April 2007)</i>	<i>Heptachlor</i>	<i>Hexachlorobenzene (HCB)</i>	<i>Hexachlorocyclohexane (HCH)</i>	<i>Hexaconazole</i>
Mangoes	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*	0.02*	
Olives (table consumption)	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*	0.02*	
Olives (oil extract)	0.05*	2	1	1	0.01*	0.01*	0.01*	0.02*	
Papaya	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*	0.02*	
Passion fruit	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*	0.02*	
Pineapples	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*	0.02*	
Pomegranates	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*	0.02*	
Others	0.05*	0.1*	0.05*	0.05*	0.01*	0.01*	0.01*	0.02*	
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Carrots	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Cassava			0.1*	0.05*					
Celeriac	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Horseradish	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Jerusalem artichokes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Parsnips	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Parsley root	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Radishes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Salsify	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Sweet potatoes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Swedes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Turnips	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Yams	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
(ii) BULB VEGETABLES									
Garlic	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Onions	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	

Shallots	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Spring onions	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*

(iii) FRUITING VEGETABLES

(a) <i>Solanaceae</i>								
Tomatoes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.1
Peppers	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Chili peppers	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Aubergines	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Okra								
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Gherkins	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Courgettes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Squashes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Watermelons	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(d) <i>Sweet corn</i>	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*

(iv) BRASSICA VEGETABLES

(a) <i>Flowering Brassicas</i>								
Broccoli	0.1	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Cauliflower	0.1	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.1	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Head cabbage	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Kale	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(d) <i>Kohlrabi</i>	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Furathiocarb</i>	<i>Glyphosate - except trimesium salt (applies until 20 April 2007)</i>	<i>Glyphosate - except trimesium salt (applying from 21 April 2007)</i>	<i>Glyphosate - as trimesium salt (applying from 21 April 2007)</i>	<i>Heptachlor</i>	<i>Hexachlorobenzene (HCB)</i>	<i>Hexachlorocyclohexane (HCH)</i>	<i>Hexaconazole</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Lamb's lettuce	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Lettuce	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Scarole	0.05*	0.1*	0.1*	0.05*	0.01*	0.01* ⁽⁶⁾	0.01* ⁽⁶⁾	0.02*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Beet leaves (chard)	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
(c) <i>Watercress</i>									
	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
(d) <i>Witloof</i>									
	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
(e) <i>Herbs</i>									
Chervil	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Chives	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Parsley	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Celery leaves	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Beans (without pods)	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Peas (with pods)	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Peas (without pods)	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*	

(vii) STEM VEGETABLES								
Asparagus	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Cardoons	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Celery	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Fennel	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Globe artichokes	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Leeks	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Rhubarb	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
(b) <i>Wild mushrooms</i>	0.05*	50	50	20	0.01*	0.01*	0.01*	0.02*
3. PULSES								
Beans	0.05*	2	2	0.05*	0.01*	0.01*	0.01*	0.02*
Lentils	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
Peas	0.05*	3	10	0.05*	0.01*	0.01*	0.01*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.01*	0.01*	0.02*
4. OILSEEDS								
Linseed	0.05*	10	10	0.05*	0.01*	0.02*	0.02*	0.05*
Peanuts	0.05*	0.1*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05*
Poppy seed	0.05*	0.1*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05*
Sesame seed	0.05*	0.1*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05*
Sunflower seed	0.05*	0.1*	20	0.05*	0.01*	0.02*	0.02*	0.05*
Rape seed	0.05*	10	10	0.05*	0.01*	0.02*	0.02*	0.05*
Soya bean	0.05*	20	20	10	0.01*	0.02*	0.02*	0.05*
Mustard seed	0.05*	10	10	0.05*	0.01*	0.02*	0.02*	0.05*
Cotton seed	0.05*	10	10	0.05*	0.01*	0.02*	0.02*	0.05*
Hemp seed								
Others	0.05*	0.1*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05*
5. POTATOES								
Early potatoes	0.05*	0.1*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*
Ware potatoes	0.05*	0.1*	0.5	0.05*	0.01*	0.01*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Furathiocarb</i>	<i>Glyphosate - except trimesium salt (applies until 20 April 2007)</i>	<i>Glyphosate - except trimesium salt (applying from 21 April 2007)</i>	<i>Glyphosate - as trimesium salt (applying from 21 April 2007)</i>	<i>Heptachlor</i>	<i>Hexachlorobenzene (HCB)</i>	<i>Hexachlorocyclohexane (HCH)</i>	<i>Hexaconazole</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	2	0.05*	0.02*	0.02*	0.02*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	5	0.1*	0.1*	0.05*	0.01*	0.02*	0.02*	0.05*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05*	5	10	5	0.01	0.01	0.02	0.1
		0.05*	5	10	5	0.01	0.01	0.02	0.02*
		0.05*	20	20	10	0.01	0.01	0.02	0.1
		0.05*	20	20	0.05*	0.01	0.01	0.02	0.02*
		0.05*	20	20	10	0.01	0.01	0.02	0.02*
		0.05*	5	10	5	0.01	0.01	0.02	0.02*
		0.05*	0.1*	1	0.05*	0.01	0.01	0.02	0.02*
		0.05*	0.1*	0.1*	0.05*	0.01	0.01	0.02	0.02*
		0.05*	0.1*	0.1*	0.05*	0.01	0.01	0.02	0.02*
		0.05*	0.1*	0.1*	0.05*	0.01	0.01	0.02	0.02*
		0.05*	0.1*	0.1*	0.05*	0.01	0.01	0.02	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.05*	0.5 ⁽³¹⁾ 2 ⁽³²⁾ 0.1*(⁹)	2 ⁽¹⁹⁾ 0.2 ⁽¹²⁾ 0.5 ⁽¹²⁾ 0.5 ⁽³¹⁾ 0.2 ⁽¹⁵⁾ 0.1 ⁽⁴⁴⁾ 0.1 ⁽⁴⁴⁾ 0.05* ⁽⁴³⁾ 0.05 ⁽⁴⁵⁾	0.2 ⁽¹⁹⁾ 0.5 ⁽¹²⁾ 0.2 ⁽¹⁵⁾ 0.1 ⁽⁴⁴⁾ 0.05* ⁽⁴³⁾ 0.05 ⁽⁴⁵⁾	0.02	0.2	0.3 ⁽³³⁾
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.05*	0.1*	0.1*	0.1	0.004	0.01	0.007 ⁽³³⁾
Eggs ⁽⁵⁾	0.05*	0.1*	0.1*	0.01*	0.02	0.02	0.03 ⁽³³⁾

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Hydrogen cyanide</i>	<i>Hydrogen phosphide</i>	<i>Imazalil</i>	<i>Imazamox</i>	<i>Iodosulfuron-methyl sodium (applying from 24 February 2007)</i>
1. Fruit, fresh dried or uncooked, preserved by freezing not containing added sugar: nuts						
(i) CITRUS FRUIT						
Grapefruit		5	0.05*	0.02*		
Lemons		5	0.05*	0.02*		
Limes		5	0.05*	0.02*		
Mandarins (inc clementines & similar hybrids)		5	0.05*	0.02*		
Oranges		5	0.05*	0.02*		
Pomelos		5	0.05*	0.02*		
Others		5	0.05*	0.02*		
(ii) TREE NUTS (shelled or unshelled)						
Almonds		0.02*	0.05*	0.02*		
Brazil nuts		0.02*	0.05*	0.02*		
Cashew nuts		0.02*	0.05*	0.02*		
Chestnuts		0.02*	0.05*	0.02*		
Coconuts		0.02*	0.05*	0.02*		
Hazelnuts		0.02*	0.05*	0.02*		
Macadamia nuts		0.02*	0.05*	0.02*		
Pecans		0.02*	0.05*	0.02*		
Pine nuts		0.02*	0.05*	0.02*		
Pistachios		0.02*	0.05*	0.02*		
Walnuts		0.02*	0.05*	0.02*		
Others		0.02*	0.05*	0.02*		
(iii) POME FRUIT						
Apples		5	0.05*	0.02*		
Pears		5	0.05*	0.02*		
Quinces		5	0.05*	0.02*		
Others		5	0.05*	0.02*		

(iv) STONE FRUIT			
Apricots	0.02*	0.05*	0.02*
Cherries	0.02*	0.05*	0.02*
Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	0.02*
Plums	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(v) BERRIES AND SMALL FRUIT			
(a) <i>Table & wine grapes</i>			
Table Grapes	0.02*	0.05*	0.02*
Wine Grapes	0.02*	0.05*	0.02*
(b) <i>Strawberries (other than wild)</i>	0.02*	0.05*	0.02*
(c) <i>Cane Fruit (other than wild)</i>			
Blackberries	0.02*	0.05*	0.02*
Dewberries	0.02*	0.05*	0.02*
Loganberries	0.02*	0.05*	0.02*
Raspberries	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(d) <i>Other small fruit & berries (other than wild)</i>			
Bilberries	0.02*	0.05*	0.02*
Cranberries	0.02*	0.05*	0.02*
Currants (red, black & white)	0.02*	0.05*	0.02*
Gooseberries	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(e) <i>Wild berries & wild fruit</i>	0.02*	0.05*	0.02*
(vi) MISCELLANEOUS FRUIT			
Avocados	0.02*	0.05*	0.02*
Bananas	2	0.05*	0.02*
Dates	0.02*	0.05*	0.02*
Figs	0.02*	0.05*	0.02*
Kiwi fruit	0.02*	0.05*	0.02*
Kumquats	0.02*	0.05*	0.02*
Litchis	0.02*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Hydrogen cyanide</i>	<i>Hydrogen phosphide</i>	<i>Imazalil</i>	<i>Imazamox</i>	<i>Iodosulfuron-methyl sodium (applying from 24 February 2007)</i>
Mangoes		0.02*	0.05*	0.02*		
Olives (table consumption)		0.02*	0.05*	0.02*		
Olives (oil extract)		0.02*	0.05*	0.02*		
Papaya		0.02*	0.05*	0.02*		
Passion fruit		0.02*	0.05*	0.02*		
Pineapples		0.02*	0.05*	0.02*		
Pomegranates		0.02*	0.05*	0.02*		
Others		0.02*	0.05*	0.02*		
2. Vegetables, fresh or uncooked, frozen or dry						
(i) ROOT AND TUBER VEGETABLES						
Beetroot		0.02*	0.05*	0.02*		
Carrots		0.02*	0.05*	0.02*		
Cassava						
Celeriac		0.02*	0.05*	0.02*		
Horseradish		0.02*	0.05*	0.02*		
Jerusalem artichokes		0.02*	0.05*	0.02*		
Parsnips		0.02*	0.05*	0.02*		
Parsley root		0.02*	0.05*	0.02*		
Radishes		0.02*	0.05*	0.02*		
Salsify		0.02*	0.05*	0.02*		
Sweet potatoes		0.02*	0.05*	0.02*		
Swedes		0.02*	0.05*	0.02*		
Turnips		0.02*	0.05*	0.02*		
Yams		0.02*	0.05*	0.02*		
Others		0.02*	0.05*	0.02*		
(ii) BULB VEGETABLES						
Garlic		0.02*	0.05*	0.02*		
Onions		0.02*	0.05*	0.02*		

Shallots	0.02*	0.05*	0.02*
Spring onions	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*

(iii) FRUITING VEGETABLES

(a) <i>Solanaceae</i>			
Tomatoes	0.5	0.05*	0.02*
Peppers	0.02*	0.05*	0.02*
Chili peppers	0.02*	0.05*	0.02*
Aubergines	0.02*	0.05*	0.02*
Okra			
Others	0.02*	0.05*	0.02*
(b) <i>Cucurbits-edible peel</i>			
Cucumbers	0.2	0.05*	0.02*
Gherkins	0.2	0.05*	0.02*
Courgettes	0.2	0.05*	0.02*
Others	0.2	0.05*	0.02*
(c) <i>Cucurbits-inedible peel</i>			
Melons	2	0.05*	0.02*
Squashes	0.02*	0.05*	0.02*
Watermelons	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(d) <i>Sweet corn</i>	0.02*	0.05*	0.02*

(iv) BRASSICA VEGETABLES

(a) <i>Flowering Brassicas</i>			
Broccoli	0.02*	0.05*	0.02*
Cauliflower	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(b) <i>Head Brassicas</i>			
Brussels sprouts	0.02*	0.05*	0.02*
Head cabbage	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(c) <i>Leafy Brassicas</i>			
Chinese cabbage	0.02*	0.05*	0.02*
Kale	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(d) <i>Kohlrabi</i>	0.02*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Hydrogen cyanide</i>	<i>Hydrogen phosphide</i>	<i>Imazalil</i>	<i>Imazamox</i>	<i>Iodosulfuron-methyl sodium (applying from 24 February 2007)</i>
(v) LEAF VEGETABLES AND FRESH HERBS						
(a) <i>Lettuce & similar</i>						
Cress		0.02*	0.05*	0.02*		
Lamb's lettuce		0.02*	0.05*	0.02*		
Lettuce		0.02*	0.05*	0.02*		
Scarole		0.02*	0.05*	0.02*		
Others		0.02*	0.05*	0.02*		
(b) <i>Spinach & similar</i>						
Spinach		0.02*	0.05*	0.02*		
Beet leaves (chard)		0.02*	0.05*	0.02*		
Others		0.02*	0.05*	0.02*		
(c) <i>Watercress</i>		0.02*	0.05*	0.02*		
(d) <i>Witloof</i>		0.02*	0.05*	0.02*		
(e) <i>Herbs</i>						
Chervil		0.02*	0.05*	0.02*		
Chives		0.02*	0.05*	0.02*		
Parsley		0.02*	0.05*	0.02*		
Celery leaves		0.02*	0.05*	0.02*		
Others		0.02*	0.05*	0.02*		
(vi) LEGUME VEGETABLES (fresh)						
Beans (with pods)		0.02*	0.05*	0.02*		
Beans (without pods)		0.02*	0.05*	0.02*		
Peas (with pods)		0.02*	0.05*	0.02*		
Peas (without pods)		0.02*	0.05*	0.02*		
Others		0.02*	0.05*	0.02*		

(vii) STEM VEGETABLES			
Asparagus	0.02*	0.05*	0.02*
Cardoons	0.02*	0.05*	0.02*
Celery	0.02*	0.05*	0.02*
Fennel	0.02*	0.05*	0.02*
Globe artichokes	0.02*	0.05*	0.02*
Leeks	0.02*	0.05*	0.02*
Rhubarb	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
(viii) FUNGI			
(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.02*
(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.02*
3. PULSES			
Beans	0.02*	0.05*	0.02*
Lentils	0.02*	0.05*	0.02*
Peas	0.02*	0.05*	0.02*
Others	0.02*	0.05*	0.02*
4. OILSEEDS			
Linseed	0.02*	0.05*	0.02*
Peanuts	0.02*	0.05*	0.02*
Poppy seed	0.02*	0.05*	0.02*
Sesame seed	0.02*	0.05*	0.02*
Sunflower seed	0.02*	0.05*	0.02*
Rape seed	0.02*	0.05*	0.02*
Soya bean	0.02*	0.05*	0.02*
Mustard seed	0.02*	0.05*	0.02*
Cotton seed	0.02*	0.05*	0.02*
Hemp seed			
Others	0.02*	0.05*	0.02*
5. POTATOES			
Early potatoes	0.02*	0.05*	0.02*
Ware potatoes	5	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Hydrogen cyanide</i>	<i>Hydrogen phosphide</i>	<i>Imazalil</i>	<i>Imazamox</i>	<i>Iodosulfuron-methyl sodium (applying from 24 February 2007)</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)		0.1*	0.1*	0.05*	
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.1*	0.1*	0.05*	
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Others					
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	15	0.1	0.02*	0.05*	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.02*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.02*
Eggs ⁽⁵⁾	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ioxynil (applying from 21 April 2007)</i>	<i>Iprodione (applies until 23 February 2007)</i>	<i>Iprodione (applying from 24 February 2007)</i>	<i>Iprovalicarb</i>	<i>Isoproturon</i>	<i>Isoxaflutole (applying from 4 December 2006)</i>	<i>Kresoxim-methyl</i>	<i>Lambda-cyhalothrin</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1	
Lemons	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.2	
Limes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.2	
Mandarins (inc clementines & similar hybrids)	0.05*	2	1	0.05*	0.05*	0.05*	0.05*	0.2	
Oranges	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1	
Pomelos	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1	
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Brazil nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Cashew nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Chestnuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Coconuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Hazelnuts	0.05*	0.2	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	
Macadamia nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Pecans	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Pine nuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Pistachios	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Walnuts	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	
(iii) POME FRUIT									
Apples	0.05*	10	5	0.05*	0.05*	0.05*	0.2	0.1	
Pears	0.05*	10	5	0.05*	0.05*	0.05*	0.2	0.1	
Quinces	0.05*	10	5	0.05*	0.05*	0.05*	0.2	0.1	
Others	0.05*	10	5	0.05*	0.05*	0.05*	0.2	0.1	

(iv) STONE FRUIT								
	Apricots	0.05*	5	3	0.05*	0.05*	0.05*	0.05*
	Cherries	0.05*	5	3	0.05*	0.05*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	5	3	0.05*	0.05*	0.05*	0.05*
	Plums	0.05*	5	3	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	5	3	0.05*	0.05*	0.05*	0.05*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.05*	10	10	2	0.05*	0.05*	1
	Wine Grapes	0.05*	10	10	2	0.05*	0.05*	1
	(b) <i>Strawberries (other than wild)</i>	0.05*	10	15	0.05*	0.05*	0.05*	1
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.05*	5	10	0.05*	0.05*	0.05*	0.05*
	Dewberries	0.05*	5	10	0.05*	0.05*	0.05*	0.05*
	Loganberries	0.05*	5	10	0.05*	0.05*	0.05*	0.05*
	Raspberries	0.05*	5	10	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	5	10	0.05*	0.05*	0.05*	0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.05*	10	10	0.05*	0.05*	0.05*	0.05*
	Cranberries	0.05*	0.02*	10	0.05*	0.05*	0.05*	0.05*
	Currents (red, black & white)	0.05*	10	10	0.05*	0.05*	0.05*	1
	Gooseberries	0.05*	10	10	0.05*	0.05*	0.05*	1
	Others	0.05*	0.02*	10	0.05*	0.05*	0.05*	0.05*
	(e) <i>Wild berries & wild fruit</i>	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.2
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*
	Bananas	0.05*	3	0.02*	0.05*	0.05*	0.05*	0.02*
	Dates	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*
	Figs	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*
	Kiwi fruit	0.05*	5	5	0.05*	0.05*	0.05*	0.05*
	Kumquats	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ioxynil (applying from 21 April 2007)</i>	<i>Iprodione (applies until 23 February 2007)</i>	<i>Iprodione (applying from 24 February 2007)</i>	<i>Iprovalicarb</i>	<i>Isoproturon</i>	<i>Isoxaflutole (applying from 4 December 2006)</i>	<i>Kresoxim-methyl</i>	<i>Lambda-cyhalothrin</i>
Mangoes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Olives (table consumption)	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.2	0.02*
Olives (oil extract)	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.2	0.02*
Papaya	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Passion fruit	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Pineapples	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Pomegranates	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.5	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Carrots	0.2	0.3	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Cassava	0.05*						0.05*	0.02*	
Celeriac	0.05*	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Horseradish	0.05*	0.1	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Jerusalem artichokes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Parsnips	0.2	0.1	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Parsley root	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Radishes	0.05*	0.3	0.3	0.05*	0.05*	0.05*	0.05*	0.05*	0.1
Salsify	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Sweet potatoes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Swedes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Turnips	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Yams	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
(ii) BULB VEGETABLES									
Garlic	0.05*	5	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Onions	0.2	5	0.2	0.1	0.05*	0.05*	0.05*	0.05*	0.02*

Shallots	0.05*	5	0.2	0.05*	0.05*	0.05*	0.05*	0.02*
Spring onions	0.05*	3	3	0.05*	0.05*	0.05*	0.05*	0.05
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.05*	5	5	1	0.05*	0.05*	0.5	0.1
Peppers	0.05*	5	5	0.05*	0.05*	0.05*	1	0.1
Chili peppers	0.05*	5	5	0.05*	0.05*	0.05*	1	0.1
Aubergines	0.05*	5	5	0.05*	0.05*	0.05*	0.5	0.5
Others	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.02*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.05*	2	2	0.1	0.05*	0.05*	0.05*	0.1
Gherkins	0.05*	2	2	0.1	0.05*	0.05*	0.05*	0.1
Courgettes	0.05*	2	2	0.1	0.05*	0.05*	0.05*	0.1
Others	0.05*	2	2	0.05*	0.05*	0.05*	0.05*	0.1
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.05*	0.3	1	0.2	0.05*	0.05*	0.2	0.05
Squashes	0.05*	0.02*	1	0.05*	0.05*	0.05*	0.2	0.05
Watermelons	0.05*	0.02*	1	0.2	0.05*	0.05*	0.2	0.05
Others	0.05*	0.02*	1	0.05*	0.05*	0.05*	0.2	0.05
(d) <i>Sweet corn</i>								
	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.05*	0.05	0.1	0.05*	0.05*	0.05*	0.05*(¹³)	0.1(¹³)
Cauliflower	0.05*	0.05	0.1	0.05*	0.05*	0.05*	0.05*	0.1
Others	0.05*	0.05	0.1	0.05*	0.05*	0.05*	0.05*	0.1
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.05*	0.5	0.5	0.05*	0.05*	0.05*	0.05*	0.05
Head cabbage	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.2
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	1
Kale	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	1
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	1
(d) <i>Kohlrabi</i>								
	0.05*	0.1	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Ioxynil (applying from 21 April 2007)</i>	<i>Iprodione (applies until 23 February 2007)</i>	<i>Iprodione (applying from 24 February 2007)</i>	<i>Iprodicarb</i>	<i>Isoproturon</i>	<i>Isoxaflutole (applying from 4 December 2006)</i>	<i>Kresoxim-methyl</i>	<i>Lambda-cyhalothrin</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
	(a) Lettuce & similar								
	Cress	0.05*	10	10	1	0.05*	0.05*	0.05*	1
	Lamb's lettuce	0.05*	10	10	1	0.05*	0.05*	0.05*	1
	Lettuce	0.05*	10	10	1	0.05*	0.05*	0.05*	1
	Scarole	0.05*	10	10	1	0.05*	0.05*	0.05* ⁽⁶⁾	1 ⁽⁶⁾
	Others	0.05*	10	10	1	0.05*	0.05*	0.05*	1
	(b) Spinach & similar								
	Spinach	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5
	Beet leaves (chard)	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5
	Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5
	(c) Watercress								
		0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	(d) Witloof								
		0.05*	2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*
	(e) Herbs								
	Chervil	0.05*	10	10	0.05*	0.05*	0.05*	0.05*	1
	Chives	0.05*	10	10	0.05*	0.05*	0.05*	0.05*	1
	Parsley	0.05*	10	10	0.05*	0.05*	0.05*	0.05*	1
	Celery leaves	0.05*	10	10	0.05*	0.05*	0.05*	0.05*	1
	Others	0.05*	10	10	0.05*	0.05*	0.05*	0.05*	1
(vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	5	5	0.05*	0.05*	0.05*	0.05*	0.2
	Beans (without pods)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Peas (with pods)	0.05*	1	2	0.05*	0.05*	0.05*	0.05*	0.2
	Peas (without pods)	0.05*	0.2	0.3	0.05*	0.05*	0.05*	0.05*	0.2
	Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*

(vii) STEM VEGETABLES

Asparagus	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Cardoons	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Celery	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.3
Fennel	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Globe artichokes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Leeks	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	5	0.3
Rhubarb	0.05*	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*

(viii) FUNGI

(a) <i>Cultivated mushrooms</i>	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
(b) <i>Wild mushrooms</i>	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.5

3. PULSES

Beans	0.05*	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*
Lentils	0.05*	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*
Peas	0.05*	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.2	0.2	0.05*	0.05*	0.05*	0.05*	0.02*

163

4. OILSEEDS

Linseed	0.1*	0.1	0.5	0.1*	0.1*	0.1*	0.1*	0.02*
Peanuts	0.1*	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*
Poppy seed	0.1*	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*
Sesame seed	0.1*	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*
Sunflower seed	0.1*	0.02*	0.5	0.1*	0.1*	0.1*	0.1*	0.02*
Rape seed	0.1*	0.5	0.5	0.1*	0.1*	0.1*	0.1*	0.02*
Soya bean	0.1*	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*
Mustard seed	0.1*	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*
Cotton seed	0.1*	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*
Others	0.1*	0.02*	0.02*	0.1*	0.1*	0.1*	0.1*	0.02*

5. POTATOES

Early potatoes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Ware potatoes	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.2 ⁽³⁹⁾ 0.05 ⁽⁴⁰⁾	0.05*	0.05*	0.05*	0.02*(³⁴⁾ 0.05 ⁽³⁰⁾	0.5 ⁽¹⁷⁾ 0.02*(¹⁴⁾
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.01*	0.05*	0.05*	0.05*	0.05*	0.05
Eggs ⁽⁵⁾		0.05*	0.05*	0.05*	0.02*(⁷⁾	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lindane</i>	<i>Linuron</i>	<i>Malathion</i>	<i>Maleic-hydrizide (applies until 4 December 2006)</i>	<i>Maleic- hydrizide (applying from 4 December 2006)</i>	<i>Maneb Mancozeb Metiram Propineb Zinc</i>	<i>Mecarban</i>	<i>Mecoprop (applying from 4 December 2006)</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Lemons	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Limes	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Oranges	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Pomelos	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Brazil nuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Cashew nuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Chestnuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Coconuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Hazelnuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Macadamia nuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Pecans	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Pine nuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Pistachios	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Walnuts	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	0.1*	0.05*	0.05*	
(iii) POME FRUIT									
Apples	0.01*	0.05*		1*	0.2*	3	0.05*	0.05*	
Pears	0.01*	0.05*		1*	0.2*	3	0.05*	0.05*	
Quinces	0.01*	0.05*		1*	0.2*	3	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	3	0.05*	0.05*	

(iv) STONE FRUIT							
	Apricots	0.01*	0.05*	1*	0.2*	2	0.05* 0.05*
	Cherries	0.01*	0.05*	1*	0.2*	1	0.05* 0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	1*	0.2*	2	0.05* 0.05*
	Plums	0.01*	0.05*	1*	0.2*	1	0.05* 0.05*
	Others	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
(v) BERRIES AND SMALL FRUIT							
	(a) <i>Table & wine grapes</i>						
	Table Grapes	0.01*	0.05*	1*	0.2*	2	0.05* 0.05*
	Wine Grapes	0.01*	0.05*	1*	0.2*	2	0.05* 0.05*
	(b) <i>Strawberries (other than wild)</i>						
		0.01*	0.05*	1*	0.2*	2	0.05* 0.05*
	(c) <i>Cane Fruit (other than wild)</i>						
	Blackberries	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Dewberries	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Loganberries	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Raspberries	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Others	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>						
	Bilberries	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Cranberries	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Currents (red, black & white)	0.01*	0.05*	1*	0.2*	5	0.05* 0.05*
	Gooseberries	0.01*	0.05*	1*	0.2*	5	0.05* 0.05*
	Others	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	(e) <i>Wild berries & wild fruit</i>	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
(vi) MISCELLANEOUS FRUIT							
	Avocados	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Bananas	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Dates	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Figs	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Kiwi fruit	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Kumquats	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*
	Litchis	0.01*	0.05*	1*	0.2*	0.05*	0.05* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lindane</i>	<i>Linuron</i>	<i>Malathion</i>	<i>Maleic-hydratide (applies until 4 December 2006)</i>	<i>Maleic- hydratide (applying from 4 December 2006)</i>	<i>Maneb Mancozeb Metiram Propineb Zinc</i>	<i>Mecarban</i>	<i>Mecoprop (applying from 4 December 2006)</i>
Mangoes	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Olives (table consumption)	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Olives (oil extract)	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Papaya	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Passion fruit	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Pineapples	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Pomegranates	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Carrots	0.01*	0.2		30	0.2*	0.2	0.05*	0.05*	
Cassava									
Celeriac	0.01*	0.5		1*	0.2*	0.2	0.05*	0.05*	
Horseradish	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Jerusalem artichokes	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Parsnips	0.01*	0.2		30	0.2*	0.05*	0.05*	0.05*	
Parsley root	0.01*	0.2		1*	0.2*	0.05*	0.05*	0.05*	
Radishes	0.01*	0.05*		1*	0.2*	2	0.05*	0.05*	
Salsify	0.01*	0.05*		1*	0.2*	0.2	0.05*	0.05*	
Sweet potatoes	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Swedes	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Turnips	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Yams	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.01*	0.05*		10	15	0.5	0.05*	0.05*	
Onions	0.01*	0.05*		10	15	0.5	0.05*	0.05*	

Shallots	0.01*	0.05*	10	15	0.5	0.05*	0.05*
Spring onions	0.01*	0.05*	1*	0.2*	1	0.05*	0.05*
Others	0.01*	0.05*	10	0.2*	0.05*	0.05*	0.05*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	0.01*	0.05*	1*	0.2*	3	0.05*	0.05*
Peppers	0.01*	0.05*	1*	0.2*	2	0.05*	0.05*
Chili peppers	0.01*	0.05*	1*	0.2*	2	0.05*	0.05*
Aubergines	0.01*	0.05*	1*	0.2*	2	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	2	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.01*	0.05*	1*	0.2*	0.5	0.05*	0.05*
Gherkins	0.01*	0.05*	1*	0.2*	2	0.05*	0.05*
Courgettes	0.01*	0.05*	1*	0.2*	2	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.01*	0.05*	1*	0.2*	0.5	0.05*	0.05*
Squashes	0.01*	0.05*	1*	0.2*	0.5	0.05*	0.05*
Watermelons	0.01*	0.05*	1*	0.2*	0.5	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	0.5	0.05*	0.05*
(d) <i>Sweet corn</i>	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.01*	0.05*	1*	0.2*	1	0.05*	0.05*
Cauliflower	0.01*	0.05*	1*	0.2*	1	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	1	0.05*	0.05*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.01*	0.05*	1*	0.2*	1	0.05*	0.05*
Head cabbage	0.01*	0.05*	1*	0.2*	1	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	1	0.05*	0.05*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.01*	0.05*	1*	0.2*	0.5	0.05*	0.05*
Kale	0.01*	0.05*	1*	0.2*	2	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	0.5	0.05*	0.05*
(d) <i>Kohlrabi</i>	0.01*	0.05*	1*	0.2*	0.1*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lindane</i>	<i>Linuron</i>	<i>Malathion</i>	<i>Maleic-hydratide (applies until 4 December 2006)</i>	<i>Maleic- hydrazide (applying from 4 December 2006)</i>	<i>Maneb Mancozeb Metiram Propineb Zinc</i>	<i>Mecarban</i>	<i>Mecoprop (applying from 4 December 2006)</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Lamb's lettuce	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Lettuce	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Scarole	0.01*(6)	0.05*		1*	0.2*	5	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
(b) <i>Spinach & similar</i>									
Spinach	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Beet leaves (chard)	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	
(c) <i>Watercress</i>	0.01*	0.05*		1*	0.2*	0.3	0.05*	0.05*	
(d) <i>Witloof</i>	0.01*	0.05*		1*	0.2*	0.2	0.05*	0.05*	
(e) <i>Herbs</i>									
Chervil	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Chives	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
Parsley	0.01*	1		1*	0.2*	5	0.05*	0.05*	
Celery leaves	0.01*	1		1*	0.2*	5	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	5	0.05*	0.05*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.01*	0.05*		1*	0.2*	1	0.05*	0.05*	
Beans (without pods)	0.01*	0.1		1*	0.2*	0.1	0.05*	0.05*	
Peas (with pods)	0.01*	0.05*		1*	0.2*	1	0.05*	0.05*	
Peas (without pods)	0.01*	0.1		1*	0.2*	0.1	0.05*	0.05*	
Others	0.01*	0.05*		1*	0.2*	0.05*	0.05*	0.05*	

(vii) STEM VEGETABLES

Asparagus	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Cardoons	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Celery	0.01*	0.1	1*	0.2*	0.5	0.05*	0.05*
Fennel	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Globe artichokes	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Leeks	0.01*	0.05*	1*	0.2*	3	0.05*	0.05*
Rhubarb	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*

(viii) FUNGI

(a) <i>Cultivated mushrooms</i>	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*

3. PULSES

Beans	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Lentils	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Peas	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	1*	0.2*	0.05*	0.05*	0.05*

171

4. OILSEEDS

Linseed	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Peanuts	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Poppy seed	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Sesame seed	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Sunflower seed	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Rape seed	0.01*	0.1	1*	0.5*	0.5	0.05*	0.05*
Soya bean	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Mustard seed	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Cotton seed	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*
Others	0.01*	0.1	1*	0.5*	0.1*	0.05*	0.05*

5. POTATOES

Early potatoes	0.01*	0.05*	1*	50	0.05*	0.05*	0.05*
Ware potatoes	0.01*	0.05*	50	50	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lindane</i>	<i>Linuron</i>	<i>Malathion</i>	<i>Maleic-hydrazide (applies until 4 December 2006)</i>	<i>Maleic- hydrazide (applying from 4 December 2006)</i>	<i>Maneb Mancozeb Metiram Propineb Zincb</i>	<i>Mecarbam</i>	<i>Mecoprop (applying from 4 December 2006)</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.05*	0.1	0.5	1*	0.5*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.1		1*	0.5*	25	0.1*	0.1*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Other								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.01*	0.05*	8	0.2*	1	0.05*	0.05*	

10. FOODSTUFFS OF ANIMAL ORIGIN		
Meat, edible offal, fat &	0.7 ⁽¹⁴⁾	0.05*
preparations of meat and	0.02 ⁽¹⁷⁾	
edible offal ⁽²⁾		
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.001*	0.05*
Eggs ⁽⁵⁾	0.1	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Mepanipyrim (applying from 21 April 2007)</i>	<i>Mercury compounds</i>	<i>Mesotriione (applying from 24 February 2007)</i>	<i>Metalexyl</i>	<i>Metalexyl-M</i>	<i>Methacryfos</i>	<i>Methamidophos</i>	<i>Methidathion</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.01*	0.01*	0.05*	0.5		0.05*	0.2	2	
Lemons	0.01*	0.01*	0.05*	0.5		0.05*	0.2	2	
Limes	0.01*	0.01*	0.05*	0.5		0.05*	0.2	2	
Mandarins (inc clementines & similar hybrids)	0.01*	0.01*	0.05*	0.5		0.05*	0.2	2	
Oranges	0.01*	0.01*	0.05*	0.5		0.05*	0.2	2	
Pomelos	0.01*	0.01*	0.05*	0.5		0.05*	0.2	2	
Others	0.01*	0.01*	0.05*	0.5		0.05*	0.2	2	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Brazil nuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Cashew nuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Chestnuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Coconuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Hazelnuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Macadamia nuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Pecans	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Pine nuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Pistachios	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Walnuts	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
Others	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.05*	
(iii) POME FRUIT									
Apples	0.01*	0.01*	0.05*	1		0.05*	0.05	0.3	
Pears	0.01*	0.01*	0.05*	1		0.05*	0.05	0.3	
Quinces	0.01*	0.01*	0.05*	1		0.05*	0.05	0.3	
Others	0.01*	0.01*	0.05*	1		0.05*	0.05	0.3	

(iv) STONE FRUIT								
	Apricots	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.2
	Cherries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.01*	0.05*	0.05*	0.05*	0.05	0.2
	Plums	0.01*	0.01*	0.05*	0.05*	0.05*	0.3	0.2
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.2
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	3	0.01*	0.05*	2	0.05*	0.01*	0.5
	Wine Grapes	3	0.01*	0.05*	1	0.05*	0.01*	0.5
	(b) <i>Strawberries (other than wild)</i>	2	0.01*	0.05*	0.5	0.05*	0.01*	0.02*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Dewberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Loganberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Raspberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Cranberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Currents (red, black & white)	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Gooseberries	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	(e) <i>Wild berries & wild fruit</i>	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Bananas	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Dates	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Figs	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Kiwi fruit	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Kumquats	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
	Litchis	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Mepanipyrim (applying from 21 April 2007)</i>	<i>Mercury compounds</i>	<i>Mesotriione (applying from 24 February 2007)</i>	<i>Metadoxyl</i>	<i>Metalexyl-M</i>	<i>Methacrifos</i>	<i>Methamidophos</i>	<i>Methidathion</i>
	Mangoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Olives (table consumption)	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	1	
	Olives (oil extract)	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	1	
	Papaya	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Passion fruit	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Pineapples	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Pomegranates	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Carrots	0.01*	0.01*	0.05*	0.1	0.05*	0.01*	0.02*	
	Cassava	0.01*		0.05*					
	Celeriac	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Horseradish	0.01*	0.01*	0.05*	0.1	0.05*	0.01*	0.02*	
	Jerusalem artichokes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Parsnips	0.01*	0.01*	0.05*	0.1	0.05*	0.01*	0.02*	
	Parsley root	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Radishes	0.01*	0.01*	0.05*	0.1	0.05*	0.01*	0.02*	
	Salsify	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Sweet potatoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Swedes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Turnips	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Yams	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*	
(ii) BULB VEGETABLES									
	Garlic	0.01*	0.01*	0.05*	0.5	0.05*	0.01*	0.02*	
	Onions	0.01*	0.01*	0.05*	0.5	0.05*	0.01*	0.02*	

Shallots	0.01*	0.01*	0.05*	0.5	0.05*	0.01*	0.02*
Spring onions	0.01*	0.01*	0.05*	0.2	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	1	0.01*	0.05*	0.2	0.05*	0.5	0.02*
Peppers	0.01*	0.01*	0.05*	0.5	0.05*	0.01*	0.02*
Chili peppers	0.01*	0.01*	0.05*	0.5	0.05*	0.01*	0.02*
Aubergines	0.01*	0.01*	0.05*	0.05*	0.05*	0.2	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.01*	0.01*	0.05*	0.5	0.05*	1	0.02*
Gherkins	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Courgettes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.01*	0.01*	0.05*	0.2	0.05*	0.01*	0.02*
Squashes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Watermelons	0.01*	0.01*	0.05*	0.2	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(d) <i>Sweet corn</i>	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.01*	0.01*	0.05*	0.1 ⁽¹³⁾	0.05*	0.5	0.02*
Cauliflower	0.01*	0.01*	0.05*	0.1	0.05*	0.5	0.02*
Others	0.01*	0.01*	0.05*	0.1	0.05*	0.5	0.02*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.01*	0.01*	0.05*	0.05*	0.05*	0.5	0.02*
Head cabbage	0.01*	0.01*	0.05*	1	0.05*	0.5	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.5	0.02*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Kale	0.01*	0.01*	0.05*	0.2	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(d) <i>Kohlrabi</i>	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Mepanipyrim (applying from 21 April 2007)</i>	<i>Mercury compounds</i>	<i>Mesotrione (applying from 24 February 2007)</i>	<i>Metalexyl</i>	<i>Metolachlor</i>	<i>Methamidophos</i>	<i>Methidathion</i>
(v) LEAF VEGETABLES AND FRESH HERBS								
(a) <i>Lettuce & similar</i>								
Cress	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
Lamb's lettuce	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
Lettuce	0.01*	0.01*	0.05*	2		0.05*	0.2	0.02*
Scarole	0.01*	0.01* ⁽⁶⁾	0.05*	1 ⁽⁶⁾		0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
(b) <i>Spinach & similar</i>								
Spinach	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
Beet leaves (chard)	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
(c) <i>Watercress</i>	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
(d) <i>Witloof</i>	0.01*	0.01*	0.05*	0.3		0.05*	0.01*	0.02*
(e) <i>Herbs</i>								
Chervil	0.01*	0.01*	0.05*	1		0.05*	0.01*	0.02*
Chives	0.01*	0.01*	0.05*	1		0.05*	0.01*	0.02*
Parsley	0.01*	0.01*	0.05*	1		0.05*	0.01*	0.02*
Celery leaves	0.01*	0.01*	0.05*	1		0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	1		0.05*	0.01*	0.02*
(vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)	0.01*	0.01*	0.05*	0.05*		0.05*	0.5	0.02*
Beans (without pods)	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
Peas (with pods)	0.01*	0.01*	0.05*	0.05*		0.05*	0.5	0.02*
Peas (without pods)	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*		0.05*	0.01*	0.02*

(vii) STEM VEGETABLES

Asparagus	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Cardoons	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Celery	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Fennel	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Globe artichokes	0.01*	0.01*	0.05*	0.05*	0.05*	0.1	0.02*
Leeks	0.01*	0.01*	0.05*	0.2	0.05*	0.01*	0.02*
Rhubarb	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

(viii) FUNGI

(a) <i>Cultivated mushrooms</i>	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
(b) <i>Wild mushrooms</i>	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

3. PULSES

Beans	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Lentils	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Peas	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

179

4. OILSEEDS

Linseed	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*
Peanuts	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*
Poppy seed	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*
Sesame seed	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*
Sunflower seed	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*
Rape seed	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.05*
Soya bean	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*
Mustard seed	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*
Cotton seed	0.02*	0.02*	0.05*	0.1*	0.05*	0.1	0.02*
Others	0.02*	0.02*	0.05*	0.1*	0.05*	0.01*	0.02*

5. POTATOES

Early potatoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*
Ware potatoes	0.01*	0.01*	0.05*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Mepanipyrim (applying from 21 April 2007)</i>	<i>Mercury compounds</i>	<i>Mesotriione (applying from 24 February 2007)</i>	<i>Metalexyl</i>	<i>Metalexyl-M</i>	<i>Methacrifos</i>	<i>Methamidophos</i>	<i>Methidathion</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.02*	0.02*	0.1*	0.1*		0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.02*	0.02*	0.1*	10		0.1*	2	3
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Other								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.01*	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat &
preparations of meat and
edible offal⁽²⁾
Milk⁽³⁾ & Dairy Produce⁽⁴⁾
Eggs⁽⁵⁾

0.01*	0.05*	0.01*	0.01*	0.02*
0.01*	0.05*	0.01*	0.01*	0.02*
0.01*	0.05*	0.01*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Methomyl thiodicarb</i>	<i>Methoxychlor</i>	<i>Methyl bromide</i>	<i>Metsulfuron-methyl</i>	<i>Molinate (applying from 24 February 2007)</i>	<i>Monocrotophos</i>	<i>Monolinuron</i>	<i>Myclobutanil</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.5	0.01*	0.05*	0.05*	0.05*	0.05*	3		
Lemons	1	0.01*	0.05*	0.05*	0.05*	0.05*	3		
Limes	1	0.01*	0.05*	0.05*	0.05*	0.05*	3		
Mandarins (inc clementines & similar hybrids)	1	0.01*	0.05*	0.05*	0.05*	0.05*	3		
Oranges	0.5	0.01*	0.05*	0.05*	0.05*	0.05*	3		
Pomelos	0.5	0.01*	0.05*	0.05*	0.05*	0.05*	3		
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	3		
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Brazil nuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Cashew nuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Chestnuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Coconuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Hazelnuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Macadamia nuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Pecans	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Pine nuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Pistachios	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Walnuts	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
Others	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*		
(iii) POME FRUIT									
Apples	0.2	0.01*	0.05*	0.05*	0.05*	0.05*	0.5		
Pears	0.2	0.01*	0.05*	0.05*	0.05*	0.05*	0.5		
Quinces	0.2	0.01*	0.05*	0.05*	0.05*	0.05*	0.5		
Others	0.2	0.01*	0.05*	0.05*	0.05*	0.05*	0.5		

(iv) STONE FRUIT							
Apricots	0.2	0.01*	0.05*	0.05*	0.05*	0.3	
Cherries	0.1	0.01*	0.05*	0.05*	0.05*	1	
Peaches (incl nectarines & similar hybrids)	0.2	0.01*	0.05*	0.05*	0.05*	0.5	
Plums	0.5	0.01*	0.05*	0.05*	0.05*	0.5	
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	
(v) BERRIES AND SMALL FRUIT							
(a) <i>Table & wine grapes</i>							
Table Grapes	0.05*	0.01*	0.05*	0.05*	0.05*	1	
Wine Grapes	1	0.01*	0.05*	0.05*	0.05*	1	
(b) <i>Strawberries (other than wild)</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	1
(c) <i>Cane Fruit (other than wild)</i>							
Blackberries	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	1
Dewberries	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Loganberries	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Raspberries	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	1
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(d) <i>Other small fruit & berries (other than wild)</i>							
Bilberries	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Cranberries	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Currents (red, black & white)	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	1
Gooseberries	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	1
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(e) <i>Wild berries & wild fruit</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(vi) MISCELLANEOUS FRUIT							
Avocados	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Bananas	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	2
Dates	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Figs	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Kiwi fruit	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Kumquats	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Litchis	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*

Shallots	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Spring onions	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	0.5	0.01*	0.05*	0.05*	0.05*	0.05*	0.3
Peppers	0.2	0.01*	0.05*	0.05*	0.05*	0.05*	0.5
Chili peppers	0.2	0.01*	0.05*	0.05*	0.05*	0.05*	0.5
Aubergines	0.5	0.01*	0.05*	0.05*	0.05*	0.05*	0.3
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.1
Gherkins	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.1
Courgettes	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.1
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.1
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.2
Squashes	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.2
Watermelons	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.2
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.2
(d) <i>Sweet corn</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.2 ⁽¹³⁾	0.01*	0.05*	0.05*	0.05*	0.05*(⁽¹³⁾)	0.02*
Cauliflower	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Head cabbage	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Kale	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(d) <i>Kohlrabi</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Methomyl thiodicarb</i>	<i>Methoxychlor</i>	<i>Methyl bromide</i>	<i>Metsulfuron-methyl</i>	<i>Molinate (applying from 24 February 2007)</i>	<i>Monocrotophos</i>	<i>Monolinuron</i>	<i>Myclobutanil</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Lamb's lettuce	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	5		
Lettuce	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Scarole	0.05* ⁽⁶⁾	0.01* ⁽⁶⁾	0.05*	0.05*	0.05*	0.05*	0.02*		
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
(b) <i>Spinach & similar</i>									
Spinach	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Beet leaves (chard)	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Others	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
(c) <i>Watercress</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
(d) <i>Witloof</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
(e) <i>Herbs</i>									
Chervil	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Chives	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Parsley	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Celery leaves	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Others	2	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Beans (without pods)	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Peas (with pods)	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Peas (without pods)	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*		

(vii) STEM VEGETABLES							
Asparagus	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Cardoons	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Celery	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Fennel	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Globe artichokes	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.5
Leeks	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Rhubarb	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
(b) <i>Wild mushrooms</i>	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
3. PULSES							
Beans	0.05*	0.01*		0.05*	0.05*	0.05*	0.02*
Lentils	0.05*	0.01*		0.05*	0.05*	0.05*	0.02*
Peas	0.05*	0.01*		0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.01*		0.05*	0.05*	0.05*	0.02*
4. OILSEEDS							
Linseed	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Peanuts	0.1	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Poppy seed	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Sesame seed	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Sunflower seed	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Rape seed	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Soya bean	0.1	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Mustard seed	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Cotton seed	0.1	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
Others	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*	0.05*
5. POTATOES							
Early potatoes	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*
Ware potatoes	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Methomyl thiocarb</i>	<i>Methoxychlor</i>	<i>Methyl bromide</i>	<i>Metsulfuron-methyl</i>	<i>Molinate (applying from 24 February 2007)</i>	<i>Monocrotophos</i>	<i>Monolinuron</i>	<i>Myclobutanil</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.1*	0.1*	0.05*	0.1*	0.1*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	10	0.1*	0.05*	0.1*	0.1*	0.1*	2	
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Other								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05*	0.01*	0.1	0.05*	0.05*	0.05*	0.02*	

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat &
preparations of meat and
edible offal⁽²⁾

0.02 0.01*

0.05* 0.01*

Milk⁽³⁾ & Dairy Produce⁽⁴⁾

0.02 0.01*

0.05* 0.01*

Eggs⁽⁵⁾

0.02 0.01*⁽⁷⁾

0.05*⁽⁷⁾ 0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Nitrofen</i>	<i>Oxadiazyl</i>	<i>Oxasulfuron</i>	<i>Oxydemeton-methyl</i>	<i>Paraquat</i>	<i>Parathion</i>	<i>Parathion-methyl</i>	<i>Penconazole</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Lemons	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Limes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Mandarins (inc clementines & similar hybrids)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Oranges	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Pomelos	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Brazil nuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Cashew nuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Chestnuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Coconuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Hazelnuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Macadamia nuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Pecans	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Pine nuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Pistachios	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Walnuts	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
(iii) POME FRUIT									
Apples	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	
Pears	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	
Quinces	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2	

(iv) STONE FRUIT								
	Apricots	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.1
	Cherries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.1
	Plums	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.2
	Wine Grapes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.2
	(b) <i>Strawberries (other than wild)</i>							
		0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Dewberries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Loganberries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Raspberries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Cranberries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Currents (red, black & white)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.5
	Gooseberries	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	(e) <i>Wild berries & wild fruit</i>	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Bananas	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Dates	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Figs	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Kiwi fruit	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Kumquats	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*
	Litchis	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Nitrofen</i>	<i>Oxadiazyl</i>	<i>Oxasulfuron</i>	<i>Oxydemeton-methyl</i>	<i>Paraquat</i>	<i>Parathion</i>	<i>Parathion-methyl</i>	<i>Penconazole</i>
Mangoes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Olives (table consumption)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Olives (oil extract)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Papaya	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Passion fruit	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Pineapples	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Pomegranates	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Carrots	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Cassava									
Celeriac	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Horseradish	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Jerusalem artichokes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Parsnips	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Parsley root	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Radishes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Salsify	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Sweet potatoes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Swedes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Turnips	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Yams	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Onions	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	

Shallots	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Spring onions	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Peppers	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Chili peppers	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Aubergines	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Gherkins	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Courgettes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.1
Squashes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.1
Watermelons	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.1
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.1
(d) <i>Sweet corn</i>								
	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Cauliflower	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.01*	0.01*	0.05*	0.05	0.05*	0.05*	0.02*	0.05*
Head cabbage	0.01*	0.01*	0.05*	0.05	0.05*	0.05*	0.02*	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Kale	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
(d) <i>Kohlrabi</i>								
	0.01*	0.01*	0.05*	0.05	0.05*	0.05*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Nitrofen</i>	<i>Oxadiazyl</i>	<i>Oxasulfuron</i>	<i>Oxydemeton-methyl</i>	<i>Paraquat</i>	<i>Parathion</i>	<i>Parathion-methyl</i>	<i>Penconazole</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.01*	0.01*	0.05*	0.05	0.05*	0.05*	0.02*	0.05*	
Lamb's lettuce	0.01*	0.01*	0.05*	0.05	0.05*	0.05*	0.02*	0.05*	
Lettuce	0.01*	0.01*	0.05*	0.05	0.05*	0.05*	0.02*	0.05*	
Scarole	0.01*(⁽⁶⁾)	0.01*	0.05*	0.05(⁽⁶⁾)	0.05*	0.05*(⁽⁶⁾)	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.05	0.05*	0.05*	0.02*	0.05*	
(b) <i>Spinach & similar</i>									
Spinach	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Beet leaves (chard)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
(c) <i>Watercress</i>									
	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
(d) <i>Witloof</i>									
	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
(e) <i>Herbs</i>									
Chervil	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Chives	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Parsley	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Celery leaves	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Beans (without pods)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Peas (with pods)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Peas (without pods)	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	

(vii) STEM VEGETABLES								
Asparagus	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Cardoons	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Celery	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Fennel	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Globe artichokes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.2
Leeks	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Rhubarb	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
(b) <i>Wild mushrooms</i>	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
3. PULSES								
Beans	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Lentils	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Peas	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.2	0.05*
Others	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
4. OILSEEDS								
Linseed	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Peanuts	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Poppy seed	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Sesame seed	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Sunflower seed	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Rape seed	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Soya bean	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Mustard seed	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cotton seed	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
5. POTATOES								
Early potatoes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*
Ware potatoes	0.01*	0.01*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat &
preparations of meat and
edible offal⁽²⁾

0.01* 0.05* 0.02* 0.05* 0.02* 0.05*

Milk⁽³⁾ & Dairy Produce⁽⁴⁾

0.01* 0.02* 0.05* 0.02* 0.01*

Eggs⁽⁵⁾

0.01* 0.02* 0.05* 0.02* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Permethrin</i>	<i>Phorate</i>	<i>Phosmet</i>	<i>Phosphamidon</i>	<i>Phoxim</i>	<i>Picolinafen</i>	<i>Picaridin</i> (applying from 24 February 2007)
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.05*	0.05*				0.05*	0.05*	
Lemons	0.05*	0.05*	0.05*				0.05*	0.05*	
Limes	0.05*	0.05*	0.05*				0.05*	0.05*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*				0.05*	0.05*	
Oranges	0.05*	0.05*	0.05*				0.05*	0.05*	
Pomelos	0.05*	0.05*	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.05*				0.05*	0.05*	
Brazil nuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Cashew nuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Chestnuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Coconuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Hazelnuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Macadamia nuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Pecans	0.05*	0.05*	0.05*				0.05*	0.05*	
Pine nuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Pistachios	0.05*	0.05*	0.05*				0.05*	0.05*	
Walnuts	0.05*	0.05*	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	
(iii) POME FRUIT									
Apples	0.05*	0.05*	0.05*				0.05*	0.05*	
Pears	0.05*	0.05*	0.05*				0.05*	0.05*	
Quinces	0.05*	0.05*	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	

(iv) STONE FRUIT						
Apricots	0.05*	0.05*	0.05*		0.05*	0.05*
Cherries	0.05*	0.05*	0.05*		0.05*	0.05*
Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*		0.05*	0.05*
Plums	0.05*	0.05*	0.05*		0.05*	0.05*
Others	0.05*	0.05*	0.05*		0.05*	0.05*
(v) BERRIES AND SMALL FRUIT						
(a) <i>Table & wine grapes</i>						
Table Grapes	0.05*	0.05*	0.05*		0.05*	0.05*
Wine Grapes	0.05*	0.05*	0.05*		0.05*	0.05*
(b) <i>Strawberries (other than wild)</i>	0.05*	0.05*	0.05*		0.05*	0.05*
(c) <i>Cane Fruit (other than wild)</i>						
Blackberries	0.05*	0.05*	0.05*		0.05*	0.05*
Dewberries	0.05*	0.05*	0.05*		0.05*	0.05*
Loganberries	0.05*	0.05*	0.05*		0.05*	0.05*
Raspberries	0.05*	0.05*	0.05*		0.05*	0.05*
Others	0.05*	0.05*	0.05*		0.05*	0.05*
(d) <i>Other small fruit & berries (other than wild)</i>						
Bilberries	0.05*	0.05*	0.05*		0.05*	0.05*
Cranberries	0.05*	0.05*	0.05*		0.05*	0.05*
Currants (red, black & white)	0.05*	0.05*	0.05*		0.05*	0.05*
Gooseberries	0.05*	0.05*	0.05*		0.05*	0.05*
Others	0.05*	0.05*	0.05*		0.05*	0.05*
(e) <i>Wild berries & wild fruit</i>	0.05*	0.05*	0.05*		0.05*	0.05*
(vi) MISCELLANEOUS FRUIT						
Avocados	0.05*	0.05*	0.05*		0.05*	0.05*
Bananas	0.05*	0.05*	0.05*		0.05*	0.05*
Dates	0.05*	0.05*	0.05*		0.05*	0.05*
Figs	0.05*	0.05*	0.05*		0.05*	0.05*
Kiwi fruit	0.05*	0.05*	0.05*		0.05*	0.05*
Kumquats	0.05*	0.05*	0.05*		0.05*	0.05*
Litchis	0.05*	0.05*	0.05*		0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Permethrin</i>	<i>Phorate</i>	<i>Phosmet</i>	<i>Phosphamidon</i>	<i>Phoxim</i>	<i>Picolinafen</i>	<i>Picarboxystrobin</i> (applying from 24 February 2007)
Mangoes	0.05*	0.05*	0.05*				0.05*	0.05*	
Olives (table consumption)	0.05*	0.05*	0.05*				0.05*	0.05*	
Olives (oil extract)	0.05*	0.05*	0.05*				0.05*	0.05*	
Papaya	0.05*	0.05*	0.05*				0.05*	0.05*	
Passion fruit	0.05*	0.05*	0.05*				0.05*	0.05*	
Pineapples	0.05*	0.05*	0.05*				0.05*	0.05*	
Pomegranates	0.05*	0.05*	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.05*	0.05*				0.05*	0.05*	
Carrots	0.2	0.05*	0.05*				0.05*	0.05*	
Cassava									
Celeriac	0.05*	0.05*	0.05*				0.05*	0.05*	
Horseradish	0.2	0.05*	0.05*				0.05*	0.05*	
Jerusalem artichokes	0.05*	0.05*	0.05*				0.05*	0.05*	
Parsnips	0.2	0.05*	0.05*				0.05*	0.05*	
Parsley root	0.2	0.05*	0.05*				0.05*	0.05*	
Radishes	0.05*	0.05*	0.05*				0.05*	0.05*	
Salsify	0.05*	0.05*	0.05*				0.05*	0.05*	
Sweet potatoes	0.05*	0.05*	0.05*				0.05*	0.05*	
Swedes	0.05*	0.05*	0.05*				0.05*	0.05*	
Turnips	0.05*	0.05*	0.05*				0.05*	0.05*	
Yams	0.05*	0.05*	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.05*	0.05*	0.05*				0.05*	0.05*	
Onions	0.05*	0.05*	0.05*				0.05*	0.05*	

Shallots	0.05*	0.05*	0.05*	0.05*	0.05*
Spring onions	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*
<hr/>					
(iii) FRUITING VEGETABLES					
(a) <i>Solanaceae</i>					
Tomatoes	0.05*	0.05*	0.05*	0.05*	0.05*
Peppers	0.05*	0.05*	0.05*	0.05*	0.05*
Chili peppers	0.05*	0.05*	0.05*	0.05*	0.05*
Aubergines	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>					
Cucumbers	0.05*	0.05*	0.05*	0.05*	0.05*
Gherkins	0.05*	0.05*	0.05*	0.05*	0.05*
Courgettes	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>					
Melons	0.05*	0.05*	0.05*	0.05*	0.05*
Squashes	0.05*	0.05*	0.05*	0.05*	0.05*
Watermelons	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*
(d) <i>Sweet corn</i>	0.05*	0.05*	0.05*	0.05*	0.05*
<hr/>					
(iv) BRASSICA VEGETABLES					
(a) <i>Flowering Brassicas</i>					
Broccoli	0.05*	0.05*	0.05*	0.05*	0.05*
Cauliflower	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*
(b) <i>Head Brassicas</i>					
Brussels sprouts	0.05*	0.05*	0.05*	0.05*	0.05*
Head cabbage	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*
(c) <i>Leafy Brassicas</i>					
Chinese cabbage	0.05*	0.05*	0.05*	0.05*	0.05*
Kale	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*
(d) <i>Kohlrabi</i>	0.05*	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Permethrin</i>	<i>Phorate</i>	<i>Phosmet</i>	<i>Phosphamidon</i>	<i>Phoxim</i>	<i>Picolinafen</i>	<i>Picoxystrobin</i> (applying from 24 February 2007)
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.05*	0.05*				0.05*	0.05*	
Lamb's lettuce	0.05*	0.05*	0.05*				0.05*	0.05*	
Lettuce	0.05*	0.05*	0.05*				0.05*	0.05*	
Scarole	0.05*	0.05* ⁽⁶⁾	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.05*	0.05*				0.05*	0.05*	
Beet leaves (chard)	0.05*	0.05*	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	
(c) <i>Watercress</i>	0.05*	0.05*	0.05*				0.05*	0.05*	
(d) <i>Witloof</i>	0.05*	0.05*	0.05*				0.05*	0.05*	
(e) <i>Herbs</i>									
Chervil	0.05*	0.05*	0.05*				0.05*	0.05*	
Chives	0.05*	0.05*	0.05*				0.05*	0.05*	
Parsley	0.05*	0.05*	0.05*				0.05*	0.05*	
Celery leaves	0.05*	0.05*	0.05*				0.05*	0.05*	
Others	0.05*	0.05*	0.05*				0.05*	0.05*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.2	0.05*	0.05*				0.05*	0.05*	
Beans (without pods)	0.2	0.05*	0.05*				0.05*	0.05*	
Peas (with pods)	0.2	0.05*	0.05*				0.05*	0.05*	
Peas (without pods)	0.2	0.05*	0.05*				0.05*	0.05*	
Others	0.2	0.05*	0.05*				0.05*	0.05*	

(vii) STEM VEGETABLES

Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*
Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*
Celery	0.05*	0.05*	0.05*	0.05*	0.05*
Fennel	0.05*	0.05*	0.05*	0.05*	0.05*
Globe artichokes	0.05*	0.05*	0.05*	0.05*	0.05*
Leeks	0.05*	0.05*	0.05*	0.05*	0.05*
Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*

(viii) FUNGI

(a) <i>Cultivated mushrooms</i>	0.05*	0.05*	0.05*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.05*	0.05*	0.05*	0.05*	0.05*

3. PULSES

Beans	0.05*	0.05*	0.05*	0.05*	0.05*
Lentils	0.05*	0.05*	0.05*	0.05*	0.05*
Peas	0.05*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.05*	0.05*	0.05*

4. OILSEEDS

Linseed	0.1	0.05*	0.05*	0.1*	0.05*
Peanuts	0.1	0.05*	0.1	0.1*	0.05*
Poppy seed	0.1	0.05*	0.05*	0.1*	0.05*
Sesame seed	0.1	0.05*	0.05*	0.1*	0.05*
Sunflower seed	0.1	0.05*	0.05*	0.1*	0.05*
Rape seed	0.1	0.05*	0.05*	0.1*	0.05*
Soya bean	0.1	0.05*	0.05*	0.1*	0.05*
Mustard seed	0.1	0.05*	0.05*	0.1*	0.05*
Cotton seed	0.1	0.05*	0.05*	0.1*	0.05*
Others	0.1	0.05*	0.05*	0.1*	0.05*

5. POTATOES

Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*
Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pendimethalin</i>	<i>Permethrin</i>	<i>Phorate</i>	<i>Phosmet</i>	<i>Phosphamidon</i>	<i>Phoxim</i>	<i>Picolinafen</i>	<i>Picoxystrobin</i> (applying from 24 February 2007)
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*			0.1*	0.1*	
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Other								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05*	0.05*	0.05*	0.05	0.05	0.05*	0.05*	

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat &
preparations of meat and
edible offal⁽²⁾

0.05* 0.5 0.05* 0.05*

Milk⁽³⁾ & Dairy Produce⁽⁴⁾

0.05* 0.05 0.02* 0.02*

Eggs⁽⁵⁾

0.05* 0.05 0.05* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pirimiphos-methyl</i>	<i>Prochloraz</i>	<i>Procymidone</i>	<i>Profenofos</i>	<i>Prohexadione</i>	<i>Propargite</i>	<i>Propham</i>	<i>Propiconazole (applies until 23 February 2007)</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	
Lemons	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	
Limes	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	
Mandarins (inc clementines & similar hybrids)	2	10	0.02*	0.05*	0.05*		0.05*	0.05*	
Oranges	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	
Pomelos	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	
Others	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Brazil nuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Cashew nuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Chestnuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Coconuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Hazelnuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Macadamia nuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Pecans		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Pine nuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Pistachios		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Walnuts		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
Others		0.05*	0.1*	0.05*	0.05*		0.05*	0.05*	
(iii) POME FRUIT									
Apples		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	
Pears		0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*	
Quinces		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	

(iv) STONE FRUIT							
	Apricots	0.05*	0.05*	2	0.05*	0.05*	0.05* 0.2
	Cherries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	2	0.05*	0.05*	0.05* 0.2
	Plums	0.05*	0.05*	2	0.05*	0.05*	0.05* 0.05*
	Others	0.05*	0.05*	2	0.05*	0.05*	0.05* 0.05*
(v) BERRIES AND SMALL FRUIT							
	(a) <i>Table & wine grapes</i>						
	Table Grapes	0.05*	0.05*	5	0.05*	0.05*	0.05* 0.5
	Wine Grapes	2	0.05*	5	0.05*	0.05*	0.05* 0.5
	(b) <i>Strawberries (other than wild)</i>						
		0.05*	0.05*	5	0.05*	0.05*	0.05* 0.05*
	(c) <i>Cane Fruit (other than wild)</i>						
	Blackberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Dewberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Loganberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Raspberries	0.05*	0.05*	10	0.05*	0.05*	0.05* 0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>						
	Bilberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Currents (red, black & white)	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Gooseberries	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	(e) <i>Wild berries & wild fruit</i>	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
(vi) MISCELLANEOUS FRUIT							
	Avocados	0.05*	5	0.02*	0.05*	0.05*	0.05* 0.05*
	Bananas	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.1
	Dates	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Figs	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Kiwi fruit	2	0.05*	5	0.05*	0.05*	0.05* 0.05*
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*
	Litchis	0.05*	0.05*	0.02*	0.05*	0.05*	0.05* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pirimiphos-methyl</i>	<i>Prochloraz</i>	<i>Procymidone</i>	<i>Profenofos</i>	<i>Prohexadione</i>	<i>Propargite</i>	<i>Propham</i>	<i>Propiconazole (applies until 23 February 2007)</i>
Mangoes	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
Olives (table consumption)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Olives (oil extract)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Papaya	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
Passion fruit	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Pineapples	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
Pomegranates	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Carrots	1	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Cassava									
Celeriac	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Horseradish	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Parsnips	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Parsley root	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Radishes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Salsify	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Swedes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Turnips	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Yams	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.05*	0.5	0.2	0.05*	0.05*		0.05*	0.05*	
Onions	0.05*	0.05*	0.2	0.05*	0.05*		0.05*	0.05*	

Shallots	0.05*	5	0.2	0.05*	0.05*	0.05*	0.05*
Spring onions	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	1	0.05*	2	0.05*	0.05*	0.05*	0.05*
Peppers	1	0.05*	2	0.05*	0.05*	0.05*	0.05*
Chili peppers	1	0.05*	2	5	0.05*	0.05*	0.05*
Aubergines	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	2	0.05*	0.05*	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.1	0.05*	1	0.05*	0.05*	0.05*	0.05*
Gherkins	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*
Courgettes	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>							
Melons	1	0.05*	1	0.05*	0.05*	0.05*	0.05*
Squashes	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*
Watermelons	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	1	0.05*	0.05*	0.05*	0.05*
(d) <i>Sweet corn</i>	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	1	0.05*	0.02*	0.05*	0.05*	0.05*(¹³)	0.05*
Cauliflower	1	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Others	1	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
(b) <i>Head Brassicas</i>							
Brussels sprouts	2	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Head cabbage	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Kale	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
(d) <i>Kohlrabi</i>	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pirimiphos-methyl</i>	<i>Prochloraz</i>	<i>Procymidone</i>	<i>Profenofos</i>	<i>Prohexadione</i>	<i>Propargite</i>	<i>Propham</i>	<i>Propiconazole (applies until 23 February 2007)</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	
Lamb's lettuce	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	
Lettuce	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	
Scarole	0.05*	5	5	0.05*	0.05*		0.05* ⁽⁶⁾	0.05*	
Others	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Beet leaves (chard)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
(c) <i>Watercress</i>									
	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
(d) <i>Witloof</i>									
	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	
(e) <i>Herbs</i>									
Chervil	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
Chives	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
Parsley	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
Celery leaves	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
Others	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	
Beans (without pods)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	
Peas (with pods)	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	
Peas (without pods)	0.05*	0.05*	0.3	0.05*	0.05*		0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	

(vii) STEM VEGETABLES							
Asparagus	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Cardoons	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Celery	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Fennel	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Globe artichokes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Leeks	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Rhubarb	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>	2	2	0.02*	0.05*	0.05*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
3. PULSES							
Beans	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Lentils	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Peas	0.05*	0.3	0.2	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
4. OILSEEDS							
Linseed	0.05*	0.5	0.05*	0.05*	0.1*	0.05*	0.05*
Peanuts	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*
Poppy seed	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*
Sesame seed	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*
Sunflower seed	0.05*	0.5	1 or 0.05*(³⁵)	0.05*	0.1*	0.05*	0.05*
Rape seed	0.05*	0.5	1	0.05*	0.1*	0.05*	0.05*
Soya bean	0.05*	0.1*	1	0.05*	0.1*	0.05*	0.05*
Mustard seed	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*
Cotton seed	0.05*	0.1*	0.05*	2	0.1*	0.05*	0.05*
Others	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*
5. POTATOES							
Early potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*
Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.05*	0.2 ⁽¹⁶⁾ 2 ⁽¹²⁾ 0.5 ⁽¹⁹⁾ 0.1* ⁽⁹⁾	0.05*	0.05*	0.05*	0.05*	0.1 ⁽³⁶⁾ 0.05* ⁽⁹⁾
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.05*	0.02*	0.05*	0.01*	0.01*	0.05*	0.01*
Eggs ⁽⁵⁾	0.05*	0.1*	0.05*	0.05*	0.05* ⁽⁷⁾	0.05* ⁽⁷⁾	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Propiconazole (applying from 24 February 2007)</i>	<i>Propoxur</i>	<i>Propoxycarbazone (applying from 21 April 2007)</i>	<i>Propyzamide (applies until 3 December 2006)</i>	<i>Propyzamide (applying from 4 December 2006)</i>	<i>Prosulfuron</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin (applying from 21 April 2007)</i>
	Mangoes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05
	Olives (table consumption)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Olives (oil extract)	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Papaya	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.05
	Passion fruit	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Pineapples	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Pomegranates	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Carrots	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Cassava			0.02*				0.02*	0.02*
	Celeriac	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Horseradish	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Parsnips	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Parsley root	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Radishes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Salsify	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Sweet potatoes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Swedes	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Turnips	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Yams	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
	Others	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.02*
(ii) BULB VEGETABLES									
	Garlic	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.2
	Onions	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*	0.02*	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Propiconazole (applying from 24 February 2007)</i>	<i>Propoxur</i>	<i>Propoxy carbzone (applying from 21 April 2007)</i>	<i>Propyzamide (applies until 3 December 2006)</i>	<i>Propyzamide (applying from 4 December 2006)</i>	<i>Prosulfuron</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin (applying from 21 April 2007)</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.05*	0.05*	0.05*	0.1*	5	0.05*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Other								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05* 0.05* 0.2 0.05* 0.2 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02* 0.02*	0.1 0.1 0.3 0.02* 0.3 0.1 0.02* 0.02* 0.02* 0.02* 0.02*	

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.1 ⁽³⁶⁾ 0.01 ⁽⁹⁾	0.05* 0.02*(⁹)	0.05*(³⁷) 0.02*(⁹)	0.05*(³⁷) 0.02*(⁹)	0.01*	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.01*	0.05*	0.01*	0.01*	0.01*	0.01*
Eggs ⁽⁵⁾	0.01*	0.05*	0.02*	0.02*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pyraflufen-ethyl</i>	<i>Pyrazophos</i>	<i>Pyrethrins</i>	<i>Pyridate</i>	<i>Quinalphos</i>	<i>Quinoxifen (applying from 21 April 2007)</i>	<i>Quintozone</i>	<i>Resmethrin</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Lemons	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Limes	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Mandarins (inc clementines & similar hybrids)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Oranges	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Pomelos	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Brazil nuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Cashew nuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Chestnuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Coconuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Hazelnuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Macadamia nuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Pecans	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Pine nuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Pistachios	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Walnuts	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
Others	0.1*	0.05*		0.05*	0.05*	0.02*	0.02*	0.2*	
(iii) POME FRUIT									
Apples	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Pears	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Quinces	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	

(iv) STONE FRUIT								
	Apricots	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Cherries	0.02*	0.05*	0.05*	0.05*	0.3	0.02*	0.1*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Plums	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(v) BERRIES AND SMALL FRUIT								
	(a) <i>Table & wine grapes</i>							
	Table Grapes	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.1*
	Wine Grapes	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.1*
	(b) <i>Strawberries (other than wild)</i>	0.02*	0.05*	0.05*	0.05*	0.3	0.02*	0.1*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Dewberries	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Loganberries	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Raspberries	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	(d) <i>Other small fruit & berries (other than wild)</i>							
	Bilberries	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.1*
	Cranberries	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.1*
	Currents (red, black & white)	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.1*
	Gooseberries	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.1*
	Others	0.02*	0.05*	0.05*	0.05*	1	0.02*	0.1*
	(e) <i>Wild berries & wild fruit</i>	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Bananas	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Dates	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Figs	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Kiwi fruit	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Kumquats	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
	Litchis	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pyraflufen-ethyl</i>	<i>Pyrazophos</i>	<i>Pyrethrins</i>	<i>Pyridate</i>	<i>Quinalphos</i>	<i>Quinoxifen (applying from 21 April 2007)</i>	<i>Quintozone</i>	<i>Resmethrin</i>
Mangoes	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Olives (table consumption)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Olives (oil extract)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Papaya	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Passion fruit	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Pineapples	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Pomegranates	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
<hr/>									
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Carrots	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Cassava						0.02*			
Celeriac	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Horseradish	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Jerusalem artichokes	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Parsnips	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Parsley root	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Radishes	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Salsify	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Sweet potatoes	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Swedes	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Turnips	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Yams	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Onions	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	

Shallots	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Spring onions	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Peppers	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Chili peppers	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Aubergines	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Gherkins	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Courgettes	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.02*	0.05*	0.05*	0.05*	0.05	0.02*	0.1*
Squashes	0.02*	0.05*	0.05*	0.05*	0.05	0.02*	0.1*
Watermelons	0.02*	0.05*	0.05*	0.05*	0.05	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.05	0.02*	0.1*
(d) <i>Sweet corn</i>	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.02*	0.05* ⁽¹³⁾	0.05*	0.05*	0.02*	0.02*	0.1*
Cauliflower	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Head cabbage	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Kale	0.02*	0.05*	0.2	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(d) <i>Kohlrabi</i>	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pyraflufen-ethyl</i>	<i>Pyrazophos</i>	<i>Pyrethrins</i>	<i>Pyridate</i>	<i>Quinalphos</i>	<i>Quinoxifen (applying from 21 April 2007)</i>	<i>Quintozone</i>	<i>Resmethrin</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Lamb's lettuce	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Lettuce	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Scarole	0.02*	0.05* ⁽⁶⁾		0.05*	0.05*	0.02*	0.02* ⁽⁶⁾	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
(b) <i>Spinach & similar</i>									
Spinach	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Beet leaves (chard)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
(c) <i>Watercress</i>	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
(d) <i>Witloof</i>	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
(e) <i>Herbs</i>									
Chervil	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Chives	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Parsley	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Celery leaves	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Beans (without pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Peas (with pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Peas (without pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.02*	0.1*	

(vii) STEM VEGETABLES							
Asparagus	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Cardoons	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Celery	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Fennel	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Globe artichokes	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Leeks	0.02*	0.05*	1	0.05*	0.02*	0.02*	0.1*
Rhubarb	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
3. PULSES							
Beans	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Lentils	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Peas	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Others	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
4. OILSEEDS							
Linseed	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.2*
Poppy seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Sesame seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Rape seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Soya bean	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Cotton seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2*
5. POTATOES							
Early potatoes	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*
Ware potatoes	0.02*	0.05*	0.05*	0.05*	0.02*	0.02*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pyraflufen-ethyl</i>	<i>Pyrazophos</i>	<i>Pyrethrins</i>	<i>Pyridate</i>	<i>Quinalphos</i>	<i>Quinoxifen (applying from 21 April 2007)</i>	<i>Quintozone</i>	<i>Resmethrin</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.05*	0.1*		0.1*	0.1*	0.05*	0.05*	0.2*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.1*		0.1*	0.1*	0.5	0.05*	0.2*
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Other								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.02*	0.05*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.02*	0.4 ⁽⁸⁾ 0.05* ⁽⁹⁾	0.2	0.01*	0.1*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.02*	0.05*	0.05	0.01*	0.1*
Eggs ⁽⁵⁾	0.1* ⁽⁷⁾	0.05*	0.02*	0.01*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Silthiofam (applying from 24 February 2007)</i>	<i>Spiroxamine</i>	<i>Sulfosulfuron</i>	<i>Tecnazene</i>	<i>TEPP</i>	<i>Thiabendazole</i>	<i>Thifensulfuron methyl</i>	<i>Triadimenfon and Triadimenol</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Lemons	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Limes	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Oranges	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Pomelos	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Coconuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Pecans	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Pine nuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Pistachios	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Walnuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.05*	0.2*	
(iii) POME FRUIT									
Apples	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.2	
Pears	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Quinces	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	

(iv) STONE FRUIT								
	Apricots	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cherries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Plums	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
(v) BERRIES AND SMALL FRUIT								
(a) <i>Table & wine grapes</i>								
	Table Grapes	0.05*	1	0.05*	0.05*	0.01*	0.05*	0.05*
	Wine Grapes	0.05*	1	0.05*	0.05*	0.01*	0.05*	0.05*
(b) <i>Strawberries (other than wild)</i>		0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
(c) <i>Cane Fruit (other than wild)</i>								
	Blackberries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Dewberries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Loganberries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Raspberries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
(d) <i>Other small fruit & berries (other than wild)</i>								
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Currents (red, black & white)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
(e) <i>Wild berries & wild fruit</i>	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.05*	0.05*	0.01*	15	0.05*
	Bananas	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*
	Dates	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Figs	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*
	Litchis	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Silthiofam (applying from 24 February 2007)</i>	<i>Spiroxamine</i>	<i>Sulfosulfuron</i>	<i>Tecnazene</i>	<i>TEPP</i>	<i>Thiabendazole</i>	<i>Thifensulfuron methyl</i>	<i>Triadimenol and Triadimenol</i>
Mangoes	0.05*	0.05*	0.05*	0.05*	0.01*	5	0.05*	0.1*	
Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Papaya	0.05*	0.05*	0.05*	0.05*	0.01*	10	0.05*	0.1*	
Passion fruit	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Pineapples	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	3	
Pomegranates	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.1*
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Carrots	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Cassava						15			
Celeriac	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Horseradish	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Parsnips	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Parsley root	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Radishes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Salsify	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.01*	15	0.05*	0.1*	
Swedes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Turnips	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Yams	0.05*	0.05*	0.05*	0.05*	0.01*	15	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
(ii) BULB VEGETABLES									
Garlic	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Onions	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.5	

Shallots	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Spring onions	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	1
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.3
Peppers	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.5
Chili peppers	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Aubergines	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Gherkins	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Courgettes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Squashes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Watermelons	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(d) <i>Sweet corn</i>	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
<hr/>								
(iv) BRASSICA VEGETABLES								
(a) <i>Flowering Brassicas</i>								
Broccoli	0.05*	0.05*	0.05*	0.05*(¹³)	0.01*	5(¹³)	0.05*	0.1*
Cauliflower	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(b) <i>Head Brassicas</i>								
Brussels sprouts	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Head cabbage	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Kale	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(d) <i>Kohlrabi</i>	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Silthiofam (applying from 24 February 2007)</i>	<i>Spiroxamine</i>	<i>Sulfosulfuron</i>	<i>Tecnazene</i>	<i>TEPP</i>	<i>Thiabendazole</i>	<i>Thifensulfuron methyl</i>	<i>Triadimefon and Triadimenol</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Lamb's lettuce	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Lettuce	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Scarole	0.05*	0.05*	0.05*	0.05* ⁽⁶⁾	0.01*	0.05* ⁽⁶⁾	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
(c) <i>Watercress</i>	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
(d) <i>Witloof</i>	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
(e) <i>Herbs</i>									
Chervil	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Chives	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Parsley	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Celery leaves	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Beans (without pods)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Peas (with pods)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Peas (without pods)	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*	

(vii) STEM VEGETABLES								
Asparagus	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Cardoons	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Celery	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Fennel	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Globe artichokes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	1
Leeks	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Rhubarb	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.05*	0.05*	0.05*	0.05*	0.01*	10	0.05*	0.1*
(b) <i>Wild mushrooms</i>	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
3. PULSES								
Beans	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Lentils	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Peas	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
4. OILSEEDS								
Linseed	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Peanuts	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Poppy seed	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Sesame seed	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Sunflower seed	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Rape seed	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Soya bean	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Mustard seed	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Cotton seed	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
Others	0.05*	0.05*	0.1*	0.05*	0.01*	0.05*	0.05*	0.2*
5. POTATOES								
Early potatoes	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.1*
Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.01*	15	0.05*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Silthiofam (applying from 24 February 2007)</i>	<i>Spiroxamine</i>	<i>Sulfosulfuron</i>	<i>Tecnazene</i>	<i>TEPP</i>	<i>Thiabendazole</i>	<i>Thifensulfuron methyl</i>	<i>Triadimenfon and Triadimenol</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1*	0.1*	0.02*	0.1*	0.1*	0.2*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	0.1*	0.02*	0.1*	0.1*	10
8. SPICES	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Other								
9. CEREALS	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice ⁽¹⁾ Other cereals	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.3 0.05* 0.3 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05* 0.05*	0.2 0.2 0.2 0.1* 0.2 0.2 0.1* 0.1* 0.1* 0.1*	

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.2 ⁽¹¹⁾ 0.05* ⁽⁹⁾	0.05*	0.05*	0.1 ⁽³⁸⁾	0.1*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.02	0.05*	0.05*		0.1*
Eggs ⁽⁵⁾	0.05* ⁽⁷⁾	0.05*	0.05* ⁽⁷⁾	0.1*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triasulfuron</i>	<i>Triazophos</i>	<i>Trichlorfon</i>	<i>Tridemorph</i>	<i>Trifl oxystrobin (applying from 4 December 2006)</i>	<i>Triforine</i>	<i>Vinclozolin</i>	<i>Zoxamide (applying from 21 April 2007)</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.02*		0.05* 0.3	0.05*	0.05*	0.05*	0.02*	
Lemons	0.05*	0.02*		0.05* 0.3	0.05*	0.05*	0.05*	0.02*	
Limes	0.05*	0.02*		0.05* 0.3	0.05*	0.05*	0.05*	0.02*	
Mandarins (inc clementines & similar hybrids)	0.05* 0.02*			0.05* 0.3	0.05*	0.05*	0.05*	0.02*	
Oranges	0.05* 0.02*			0.05* 0.3	0.05*	0.05*	0.05*	0.02*	
Pomelos	0.05* 0.02*			0.05* 0.3	0.05*	0.05*	0.05*	0.02*	
Others	0.05* 0.02*			0.05* 0.3	0.05*	0.05*	0.05*	0.02*	
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Brazil nuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Cashew nuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Chestnuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Coconuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Hazelnuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Macadamia nuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Pecans	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Pine nuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Pistachios	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Walnuts	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
Others	0.05* 0.02*		0.1*	0.02* 0.05*	0.05*	0.05*	0.05*	0.02*	
(iii) POME FRUIT									
Apples	0.05* 0.02*		0.05* 0.5	2	1	0.02*			
Pears	0.05* 0.02*		0.05* 0.5	2	1	0.02*			
Quinces	0.05* 0.02*		0.05* 0.5	2	1	0.02*			
Others	0.05* 0.02*		0.05* 0.5	2	1	0.02*			

(iv) STONE FRUIT								
	Apricots	0.05*	0.02*	0.05*	1	2	2	0.02*
	Cherries	0.05*	0.02*	0.05*	1	2	0.5	0.02*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.02*	0.05*	1	2	0.05*	0.02*
	Plums	0.05*	0.02*	0.05*	0.02*	1	2	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(v) BERRIES AND SMALL FRUIT								
(a) <i>Table & wine grapes</i>								
	Table Grapes	0.05*	0.02*	0.05*	5	0.05*	5	5
	Wine Grapes	0.05*	0.02*	0.05*	5	0.05*	5	5
(b) <i>Strawberries (other than wild)</i>		0.05*	0.02*	0.05*	0.02*	0.05*	5	0.02*
(c) <i>Cane Fruit (other than wild)</i>								
	Blackberries	0.05*	0.02*	0.05*	0.02*	0.05*	5	0.02*
	Dewberries	0.05*	0.02*	0.05*	0.02*	0.05*	5	0.02*
	Loganberries	0.05*	0.02*	0.05*	0.02*	0.05*	5	0.02*
	Raspberries	0.05*	0.02*	0.05*	0.02*	0.05*	5	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	5	0.02*
(d) <i>Other small fruit & berries (other than wild)</i>								
	Bilberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Cranberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Currents (red, black & white)	0.05*	0.02*	0.05*	1	2	10	0.02*
	Gooseberries	0.05*	0.02*	0.05*	1	2	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(e) <i>Wild berries & wild fruit</i>	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Bananas	0.05*	0.02*	0.05*	0.05	0.05*	0.05*	0.02*
	Dates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Figs	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Kiwi fruit	0.05*	0.02*	0.05*	0.02*	0.05*	10	0.02*
	Kumquats	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triasulfuron</i>	<i>Triazophos</i>	<i>Trichlorfon</i>	<i>Tridemorph</i>	<i>Trifl oxystrobin</i> (applying from 4 December 2006)	<i>Triforine</i>	<i>Vinclozolin</i>	<i>Zoxamide</i> (applying from 21 April 2007)
Mangoes	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Olives (table consumption)	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Olives (oil extract)	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Papaya	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Passion fruit	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Pineapples	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Pomegranates	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Carrots	0.05*	0.02*		0.05*	0.02*	0.05*	0.5	0.02*	
Cassava									0.02*
Celeriac	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Horseradish	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Jerusalem artichokes	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Parsnips	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Parsley root	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Radishes	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Salsify	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Sweet potatoes	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Swedes	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Turnips	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Yams	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
(ii) BULB VEGETABLES									
Garlic	0.05*	0.02*		0.05*	0.02*	0.05*	1	0.02*	
Onions	0.05*	0.02*		0.05*	0.02*	0.05*	1	0.02*	

Shallots	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.02*
Spring onions	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.02*
<hr/>							
(iii) FRUITING VEGETABLES							
(a) <i>Solanaceae</i>							
Tomatoes	0.05*	0.02*	0.05*	0.5	0.05*	0.05*	0.5
Peppers	0.05*	0.02*	0.05*	0.02*	0.05*	3	0.02*
Chili peppers	0.05*	0.02*	0.05*	0.02*	0.05*	3	0.02*
Aubergines	0.05*	0.02*	0.05*	0.02*	0.05*	3	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	3	0.02*
(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.05*	0.02*	0.05*	0.2	0.5	1	0.02*
Gherkins	0.05*	0.02*	0.05*	0.2	0.5	1	0.02*
Courgettes	0.05*	0.02*	0.05*	0.2	0.5	1	0.02*
Others	0.05*	0.02*	0.05*	0.2	0.5	1	0.02*
(c) <i>Cucurbits-inedible peel</i>							
Melons	0.05*	0.02*	0.05*	0.3	0.05*	1	0.02*
Squashes	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.02*
Watermelons	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.02*
(d) <i>Sweet corn</i>	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
<hr/>							
(iv) BRASSICA VEGETABLES							
(a) <i>Flowering Brassicas</i>							
Broccoli	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Cauliflower	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Head cabbage	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.05*	0.02*	0.05*	0.02*	0.05*	2	0.02*
Kale	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(d) <i>Kohlrabi</i>	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triasulfuron</i>	<i>Triazophos</i>	<i>Trichlorfon</i>	<i>Tridemorph</i>	<i>Trifl oxystrobin (applying from 4 December 2006)</i>	<i>Triforine</i>	<i>Vinclozolin</i>	<i>Zoxamide (applying from 21 April 2007)</i>
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.02*		0.05*	0.02*	0.05*	5	0.02*	
Lamb's lettuce	0.05*	0.02*		0.05*	0.02*	0.05*	5	0.02*	
Lettuce	0.05*	0.02*		0.05*	0.02*	0.05*	5	0.02*	
Scarole	0.05*	0.02*		0.05*	0.02*	0.05*	5	0.02*	
Others	0.05*	0.02*		0.05*	0.02*	0.05*	5	0.02*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
Beet leaves (chard)	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
Others	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
(c) <i>Watercress</i>	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
(d) <i>Witloof</i>	0.05*	0.02*		0.05*	0.02*	0.05*	2	0.02*	
(e) <i>Herbs</i>									
Chervil	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
Chives	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
Parsley	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
Celery leaves	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
Others	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.02*		0.05*	0.02*	0.05*	2	0.02*	
Beans (without pods)	0.05*	0.02*		0.05*	0.02*	0.05*	0.5	0.02*	
Peas (with pods)	0.05*	0.02*		0.05*	0.02*	0.05*	2	0.02*	
Peas (without pods)	0.05*	0.02*		0.05*	0.02*	0.05*	0.3	0.02*	
Others	0.05*	0.02*		0.05*	0.02*	0.05*	0.05*	0.02*	

(vii) STEM VEGETABLES							
Asparagus	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Cardoons	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Celery	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Fennel	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Globe artichokes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Leeks	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Rhubarb	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(b) <i>Wild mushrooms</i>	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
3. PULSES							
Beans	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.02*
Lentils	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Peas	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
4. OILSEEDS							
Linseed	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Peanuts	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Poppy seed	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Sesame seed	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Sunflower seed	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Rape seed	0.05*	0.02*	0.1*	0.05*	0.05*	1	0.05*
Soya bean	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Mustard seed	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
Cotton seed	0.05*	0.1	0.1*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
5. POTATOES							
Early potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
Ware potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN				
Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.02*	0.05*	0.05*	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.02*	0.05*	0.05*	0.05*
Eggs ⁽⁵⁾	0.02* ⁽⁷⁾	0.05*	0.05*	0.05*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
3. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
4. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk of a combination, the following levels apply:
- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
5. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
6. Scarole includes broad-leaf endive.
7. For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
8. Kidney except of poultry.
9. All other meat, edible offal, fat and preparations of meat and edible offal.
10. All meat.

11. All liver and kidney.
12. Liver of bovine animals.
13. Broccoli includes calabrese.
14. Meat of poultry.
15. Meat of bovine animals.
16. Fat of bovine animals.
17. Except poultry.
18. Liver of chicken.
19. Kidney of bovine animals.
20. Liver of bovine animals, sheep and goats.
21. Except foodstuffs of ovine origin.
22. Meat of bovine animals, sheep and goats.
23. Except meat and liver of bovine animals, sheep and poultry or meat of poultry.
24. This MRL also applies to spelt.
25. Except spelt.
26. Liver of bovine animals, sheep, goats, and swine.
27. Kidney of bovine animals, sheep, goats, and swine.
28. Meat of poultry, fat and edible offal.
29. Meat of bovine animals, sheep, goats, and swine.
30. All kidney.
31. Kidney of swine
32. Kidney of bovine animals, sheep and goats.
33. This figure is the sum of the alpha and beta isomers. For meat, fat and preparations of meat MRL for aplha isomer is 0.2 mg/kg and MRL for beta isomer is 0.1 mg/kg. For milk and dairy produce MRL for alpha isomer is 0.004 mg/kg and MRL for beta isomer is 0.003 mg/kg. For eggs MRL for alpha isomer is 0.02 mg/kg and MRL for beta isomer is 0.01 mg/kg.

34. All meat, liver and fat.
35. 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
36. Ruminant liver.
37. Fat liver and kidney.
38. With the exception of meat and other ovine, bovine and caprine products.
39. Offals only.
40. All meat except offal.
41. All meat except liver and kidney.
42. All liver.
43. Except liver and kidney of bovine animals, and kidney of swine and poultry.
44. Kidney of poultry.
45. Except liver, kidney and meat of bovine animals, and kidney of poultry.
46. The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

SCHEDULE 3

Regulation 5(a)

NOTE: THE WORD "FRESH" EXTENDS TO PRODUCTS WHICH HAVE BEEN CHILLED

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts		
(i) CITRUS FRUIT	Grapefruit Lemons Limes Mandarins (including clementines and similar hybrids) Oranges Pomelos Others	Whole product
(ii) TREE NUTS (shelled or unshelled)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts Others	Whole product after removal of shell
(iii) POME FRUIT	Apples Pears Quinces Others	Whole product after removal of stems
(iv) STONE FRUIT	Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	Whole product after removal of stems
(v) BERRIES AND SMALL FRUIT	(a) <i>Table and wine grapes</i> Table grapes Wine grapes (b) <i>Strawberries (other than wild)</i> (c) <i>Cane fruit (other than wild)</i> Blackberries Dewberries Loganberries Raspberries Others (d) <i>Other small fruit and berries (other than wild)</i> Bilberries Cranberries Currants (red, black and white) Gooseberries Others (e) <i>Wild berries and wild fruit</i>	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
(vi) MISCELLANEOUS	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes Olives (table consumption) [†] Olives (oil extract) Papaya Passion fruit Pineapples Pomegranates Others	Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of the crown
2. Vegetables, fresh or uncooked, frozen or dry		[†] Whole fruit after removal of stems (if any), after removal of soil (if any) by rinsing in running water
(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Cassava Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(ii) BULB VEGETABLES	Garlic Onions Shallots Spring onions Others	For dry onions, shallots and garlic: garlic: whole product after removal of easily detachable skin and soil (if any); onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
(iii) FRUITING VEGETABLES	(a) <i>Solanacea</i> Tomatoes Peppers Chilli peppers Aubergines Okra Others (b) <i>Cucurbits — edible peel</i> Cucumbers Gherkin Courgettes Others (c) <i>Cucurbits — inedible peel</i> Melons Squashes Watermelons Others (d) <i>Sweet corn</i>	Whole product after removal of stems Kernels or cobs without husks

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
(iv) BRASSICA VEGETABLES	(a) <i>Flowering brassicas</i> Broccoli Cauliflower Others (b) <i>Head brassicas</i> Brussels sprouts Head cabbage Others (c) <i>Leafy brassicas</i> Chinese cabbage Kale Others (d) <i>Kohlrabi</i>	Cauliflower and broccoli curd only Product after removal of decayed leaves (if any) Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(v) LEAF VEGETABLES AND FRESH HERBS	(a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Scarole Others (b) <i>Spinach and similar</i> Spinach Beet leaves (chard) Others (c) <i>Watercress</i> (d) <i>Witloof</i> (e) <i>Herbs</i> Chervil Chives Parsley Celery Leaves Others	Whole product after removal of decayed outer leaves, root and soil (if any)
(vi) LEGUME VEGETABLES (FRESH)	Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others	Whole product after removal of pods or with pods if they are intended to be eaten
(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
(viii) FUNGI	Mushrooms (other than wild) Wild Mushrooms	Whole product after removal of soil or growing medium
3. Pulses	Beans Lentils Peas Others	Whole product

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
4. Oil seeds	Linseed Peanuts Poppy seed Rape seed Sesame seed Sunflower seed* Soya bean Hemp seed Others	Whole seed or kernel after removal of shell and husk when possible * Whole seed, including shell when present, and whole seed without shell, when the shell is absent
5. Potatoes	Early potatoes Ware potatoes	Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		Whole product
7. Hops (dried), including hop pellets and unconcentrated powder		Whole product
8. Spices	Cumin seed Juniper berries Nutmeg Pepper, black and white Vanilla pods Others	Whole product
9. Cereals	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice Other cereals	Whole grain without husk
10. Foodstuffs of animal origin	Meat, fat and preparations of meat Milk Eggs	Whole commodity (for fat soluble pesticides a portion of carcase fat is analysed and MRLs apply to carcase fat) Whole commodity Whole egg whites and yolks combined after removal of shells

SCHEDULE 4

Regulation 6

REVOCATIONS

<i>Title</i>	<i>Number</i>
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002	S.R. 2002 No. 20
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2002	S.R. 2002 No. 27
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) (No. 2) Regulations (Northern Ireland) 2002	S.R. 2002 No. 250
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2003	S.R. 2003 No. 123
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) (No. 2) Regulations (Northern Ireland) 2003	S.R. 2003 No. 379
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) (No. 3) Regulations (Northern Ireland) 2003	S.R. 2003 No. 435
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2004	S.R. 2004 No. 200
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) (No. 2) Regulations (Northern Ireland) 2004	S.R. 2004 No. 367
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2005	S.R. 2005 No. 51
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment No. 2) Regulations (Northern Ireland) 2005	S.R. 2005 No. 401

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations are made under section 2(2) of the European Communities Act 1972 and section 16(2) of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002 (S.R. 2002 No. 20) as amended by S.R. 2002 No. 27, S.R. 2002 No. 250, S.R. 2003 No. 123, S.R. 2003 No. 379, S.R. 2003 No. 435, S.R. 2004 No. 200, S.R. 2004 No. 367, S.R. 2005 No. 51 and S.R. 2005 No. 401 — see regulation 6 and Schedule 4 for revocations.

To the extent that the Regulations are made under the European Communities Act 1972, regulation 3 and Part II of Schedule 2 specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Council Directive 76/896/EEC (O.J. No. L340, 9.12.1976, p. 26) relating to fruit and vegetables, Council Directive 86/362/EEC (O.J. No. L221, 7.8.86, p. 37) and Council Directive 86/363/EEC (O.J. No. L221, 7.8.86, p. 43) as regards cereals and products of animal origin, and Council Directive 90/642/EEC (O.J. No. L350, 14.12.90, p. 71) as regards certain products of plant origin (including fruit and vegetables), as amended (these Directives as so amended being referred to in these Regulations as “the Residues Directives”).

In particular, these Regulations specify new maximum residue levels on products of plant origin including cereals for the pesticides Carfentrazone-ethyl, Fenamidone, Isoxaflutole, Maleic Hydrazide, Mecoprop, Mecoprop-P, Propyzamide, Trifloxyystrobin in implementation of Commission Directive 2005/37/EC (O.J. No. L141, 4.6.2005, p. 10); on products of plant origin, cereals and foodstuffs of animal origin for Amitraz in implementation of Commission Directive 2005/46/EC (O.J. No. L177, 9.7.2005, p. 35); on products of plant origin, cereals and foodstuffs of animal origin for Flufenacet, Fosthiazate, Iodosulfuron-methyl sodium, Iprodione, Mesotrione, Molinate, Picoxyystrobin, Propiconazole, Silthiofam in implementation of Commission Directive 2005/48/EC (O.J. No. L219, 24.8.2005, p. 29); on cereals and certain products of animal and plant origin for Bromoxynil, Dimethenamid-P, Flazasulfuron, Flurtamone, Mepanipyrim, Propoxycarbazone, Pyraclostrobin, Quinoxifen, Zoxamide in implementation of Commission Directive 2005/70/EC (O.J. No. L276, 21.10.2005, p. 35); on certain products of plant origin including fruit and vegetables for Ethofumesate, Lambda-cyhalothrin, Methomyl, Pymetrozine and Thiabendazole in implementation of Commission Directive 2005/74/EC (O.J. No. L282, 26.10.2005, p. 9); on cereals and certain products of plant origin including fruit and vegetables for Azoxystrobin, Bifenthrin, Cyromazine, Kresoxim-methyl and Metalaxyl in implementation of Commission Directive 2005/76/EC (O.J. No. L293, 9.11.2005, p. 14); on cereals and certain products of plant origin including fruit and vegetables for Carbofuran in implementation of Commission Directive 2006/4/EC (O.J. No. L23, 27.1.2006, p. 69); on certain products of plant origin including fruit and vegetables for Diquat in implementation of Commission Directive 2006/9/EC (O.J. No. L22, 26.1.2006, p. 24) and on cereals, foodstuffs of animal origin and certain products of plant origin, including fruit and vegetables for the Benomyl group in implementation of Commission Directive 2006/30/EC (O.J. No. L75, 14.3.2006, p. 7).

To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs which are the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Part I of Schedule 2 do no more than specify the maximum residue level which may be left in a particular product.

Regulation 3 also creates offences, specifies penalties, provides defences and confers enforcement powers where maximum residue levels have been exceeded in respect of products put into circulation.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 4) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 5(a) and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when

found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 5(c) and (d)).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002 (S.R. 2002 No. 20 as amended by S.R. 2002 No. 27, S.R. 2002 No. 250, S.R. 2003 No. 123, S.R. 2003 No. 379, S.R. 2003 No. 435, S.R. 2004 No. 200, S.R. 2004 No. 367, S.R. 2005 No. 51 and S.R. 2005 No. 401).

Printed in the UK by The
Stationery Office Limited
under the authority and
superintendence of Carol
Tullo, Controller of
Her Majesty's Stationery
Office being the Government
Printer for Northern Ireland and
the Officer appointed to print the
Acts of the Northern Ireland Assembly

Dd. N2608. C2. 5/06. Gp. 130. 14567.