## SCHEDULE 1

Regulation 5

## Permitted Controlled Activities

Column 1	Column 2
Activity	Conditions

- 1. The construction, alteration or operation of the following descriptions of weir namely:
- (a) a weir that is not associated with an abstraction;
- (b) a weir that is not capable of being operated to control the water level upstream of the weir:
- (c) a weir that is not capable of being operated so as to create a height differential between the upstream and downstream water surfaces of more than one metre.
- 2. The abstraction of less than 10 m<sup>3</sup> of water in (a) any one day.
- there shall be a means of demonstrating that the abstraction is less than 10 m<sup>3</sup> in any one day;
- (b) water leakage shall be kept to a minimum by ensuring all pipe work, storage tanks and other equipment associated with the abstraction and use of the water are maintained in a state of good repair;
- (c) subject to paragraphs (d) and (e) the abstraction shall not cause the entry of water of a different chemical composition into any water contained in any underground strata;
- (d) drilling fluids may be introduced into a well or borehole if necessary to facilitate the drilling of the well or borehole provided this does not result in pollution of the water environment;
- (e) potable water may be introduced into a well or borehole to test the hydraulic properties of an aquifer;
- (f) when a well or borehole is not being used for abstraction, it shall be backfilled or sealed to the extent necessary to avoid loss of any water contained in any underground strata.
- 3. The abstraction of between  $10\text{m}^3$  and  $20\text{m}^3$  of (a) water in any one day.
- there shall be a means of demonstrating that the abstraction is less than  $20m^3$  in any one day;
- (b) the operator shall notify the Department of the location and volume of the abstraction —

1

Column 1	Column 2
Activity	Conditions
	(i) in any case where he is carrying on that activity on the date of the coming into operation of these regulations, within 12 months of that date; and (ii) in all other cases, within 28 days of the date on which he commences the activity; (c) water leakage shall be kept to a minimum by ensuring all pipe work, storage tanks and other equipment associated with the abstraction and use of the water are maintained in a state of good repair; (d) subject to paragraphs (e) and (f) the abstraction shall not cause the entry of water of a different chemical composition into any water contained in any underground strata; (e) drilling fluids may be introduced into a well or borehole if necessary to facilitate the boring of the well or borehole provided this does not result in pollution of the water environment; (f) potable water may be introduced into a well or borehole to test the hydraulic properties of an aquifer; (g) when a well or borehole is not being used for abstraction, it shall be backfilled or sealed to the extent necessary to avoid loss of any water contained in any underground strata.
<ul> <li>4. The abstraction from a borehole where the total volume of water abstracted is less than 150 m³ in any period of one year and the purpose of the abstraction is either:</li> <li>(a) subject to paragraphs (b) and (c) the abstraction shall not cause the entry of water of a different chemical composition into any water contained in any underground strata;</li> <li>(b) to sample the water quality.</li> </ul>	(a) to test the yield of the borehole or well or the hydraulic

an aquifer; or

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Column 1	Column 2
Activity	Conditions
-	(b) drilling
	fluids
	may
	be
	introduced
	into
	a
	well
	or
	borehole
	if
	necessary
	to
	facilitate
	the
	drilling
	of
	the
	well
	or
	borehole
	provided
	this
	does
	not
	result
	in
	pollution
	of
	the
	water
	environment;
	(c) potable
	water
	may
	be
	introduced
	into
	a
	well
	or
	borehole
	to
	test
	the
	hydraulic
	properties

properties of an aquifer;

Column 1	Column 2
Activity	Conditions
	(d) when
	the
	borehole
	is
	not
	being
	used
	for
	abstraction,
	it
	shall
	be
	back-
	filled
	or
	sealed
	to
	the
	extent
	necessary
	to
	avoid
	loss
	of
	any
	water
	contained
	in
	any
	underground
	strata.