SCHEDULE 4

Restrictions on the landing in and movement within Northern Ireland of relevant material

PART B

Relevant material, from another part of the European Community, which may only be landed in or moved within Northern Ireland if special requirements are satisfied

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
1.	Plants, other than seeds, of <i>Pinus</i> L., intended for planting	Without prejudice to the requirements in item 2, the plants shall be accompanied by an official statement that no symptoms of <i>Scrirrhia pini</i> Funk and Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
2.	Plants, other than seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr., intended for planting	Without prejudice to the requirements in item 1, the plants shall be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
3.	Plants, other than seeds, of <i>Populus</i> L., intended for planting	The plants shall be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
4.	Plants, other than seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L., intended for planting	The plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from <i>Cryphonectria</i>

1

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		parasitica (Murrill) Barr; or (b) no symptoms of Cryphonectria parasitica (Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
5.	Plants, other than seeds, of Platanus L., intended for planting	The plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from Ceratocystis fimbriata f.sp. platani Walter; or (b) no symptoms of Ceratocystis fimbriata f.sp. platani Walter have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
6.	Plants, other than seeds, of Amelanchier Med., Chaenomeles Lindl., Cotoneaster Ehrh., Crataegus L., Cydonia Mill., Eriobotrya Lindl., Malus Mill., Mespilus L., Photinia davidiana (Dcne.) Cardot, Pyracantha Roem., Pyrus L. or Sorbus L., intended for planting	Without prejudice to the requirements in items 10 and 12, the plants shall be accompanied by an official statement that: (a) they originate in zones recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> ; or (b) the plants in the field of production or in its immediate vicinity, which have shown symptoms of <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> , have been rogued out

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
7.	Plants, other than fruit or seeds, of Citrus L., Fortunella Swingle or Poncirus Raf.	The plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from Spiroplasma citri Saglio et al., Phoma tracheiphila (Petri) Kanchaveli and Gikashvili, Citrus vein enation woody gall and Citrus tristeza virus (European strains); (b) they derive from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, Citrus tristeza virus (European strains) and Citrus vein enation woody gall, and have been growing permanently in an insect proof glasshouse or in an isolated cage on which no symptoms of Spiroplasma citri Saglio et al., Phoma tracheiphila (Petri) Kanchaveli and Gikashvili, Citrus tristeza virus (European strains) and Citrus vein enation woody gall have been observed; or
		(c) they: (i) have been derived from a certification

in direct line from material which has been maintained

(1)	(2)	(3)
Item	Description of relevant	Requirements of landing

under appropriate conditions and has been subjected to official individual testing for, at least, Citrus vein enation woody gall and Citrus tristeza virus (European strains), and has been found free from Citrus tristeza virus (European strains), and certified free from, at least, Citrus tristeza virus (European strains) in official individual tests, and

(ii) have been inspected and no symptoms of Spiroplasma citri Saglio et al, Phoma tracheiphila (Petri) Kanchaveli and Gikashvili, Citrus vein enation woody gall or Citrus tristeza virus have been observed since the beginning of the last complete cycle of vegetation

Plants of Araceae, Marantaceae, Musaceae, Persea spp. or Strelitziaceae, rooted or with growing medium attached or which appear to have been in contact with growing medium The plants shall be accompanied by an official statement that:

- (a) no contamination by Radopholus similis
 (Cobb) Thorne has been observed at the place of production, since the beginning of the last complete cycle of vegetation; or
- (b) soil and roots from suspected plants have been subjected since

8.

(2)	(3)
Description of relevant material	Requirements of landing
	the beginning of the last complete cycle of vegetation to official nematological testing for at least <i>Radopholus similis</i> (Cobb) Thorne and have been found free from that plant pest
Plants, other than seeds, of Fragaria L., Prunus L. or Rubus L., intended for planting	Without prejudice to the requirements in items 11 and 13, the plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from the following plant pests— (i) on Fragaria L.: — Phytophthora fragariae Hickman var. fragariae, — Arabis mosaic virus, — Raspberry ringspot virus, — Strawberry crinkle virus, — Strawberry latent ringspot virus, — Strawberry mild yellow edge virus, — Tomato black ring virus, — Xanthomonas fragariae Kennedy and King; (ii) on Prunus L.: — Apricot chlorotic leaf roll mycoplasm, — Xanthomonas campestris
	Plants, other than seeds, of Fragaria L., Prunus L. or

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		pv. pruni (Smith) Dye; (iii) on Prunus persica (L.) Batsch: — Pseudomonas syringae pv. persicae (Prunier et al.) Young et al.; and (iv) on Rubus L.: — Arabis mosaic virus, — Raspberry ringspot virus, — Strawberry latent ringspot virus, — Tomato black ring virus; or (b) no symptoms of diseases caused by the plant pests in sub-paragraph (a) have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation
10.	Plants, other than seeds, of <i>Cydonia</i> Mill. or <i>Pyrus</i> L., intended for planting	Without prejudice to the requirements in items 6, the plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from Pear decline mycoplasm; or (b) the plants at the place of production and its immediate vicinity, which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasm, have been rogued out at that place within the last

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		three complete cycles of vegetation
11.	Plants, other than seeds, of Fragaria L., intended for planting	Without prejudice to the requirements in item 9, the plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from Aphelenchoides besseyi Christie; (b) no symptoms of Aphelenchoides besseyi Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation; or (c) in the case of plants in tissue culture, the plants have been derived from plants complying with sub-paragraph (b) or have been officially tested by appropriate nematological methods and have been found free from Aphelenchoides besseyi Christie
12.	Plants, other than seeds, of Malus Mill., intended for planting	Without prejudice to the requirements in item 6, the plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from Apple proliferation mycoplasm; or (b) other than those raised from seed, the plants: (i) have been officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate

(1)	(2)	(3)		
Item	Description of relevant material	Reg	quirem	ents of landing
			(ii)	conditions and subjected to official testing for at least Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found free from that plant pest; or have been derived in direct line from material which is maintained under appropriate conditions and has been subjected, at least once, within the last six complete cycles of vegetation, to official testing for, at least, Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found free from that plant pest; and
		(c)	caus proli have on p of programs	ymptoms of diseases ed by Apple iferation mycoplasm been observed lants at the place roduction, or on eptible plants in its ediate vicinity, since beginning of the last

Plants, other than seeds, of the Without prejudice to the following species of Prunus L., requirements in item 9, the intended for planting:

— Prunus amygdalus Batsch,

plants shall be accompanied by an official statement that

vegetation

three complete cycles of

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
	 Prunus armeniaca L., Prunus blireiana Andre, Prunus cerasifera Ehrh., Prunus cistena Hansen, Prunus curdica Fenzl and Fritsch., Prunus domestica ssp domestica L., Prunus domestica ssp insititia (L.) C K Schneid, Prunus domestica ssp italica (Borkh.) Hegi., Prunus glandulosa Thunb., Prunus holosericea Batal., Prunus hortulana Bailey, Prunus japonica Thunb., Prunus mandshurica (Maxim) Koehne, Prunus maritima Marsh., Prunus mume Sieb. and Zucc., Prunus persica (L.) Batsch, Prunus salicina L., Prunus sibirica L., Prunus sibirica L., Prunus simonii Carr., Prunus spinosa L., Prunus triloba Lindl., or other species of Prunus L. susceptible to Plum pox virus 	certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for, at least, Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest; or (ii) have been derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest; (c) no symptoms of disease caused by Plum pox virus have been observed on plants at the place
		of production or on susceptible plants in its
	9	

(2)	(3)
Description of relevant material	Requirements of landing
	immediate vicinity, since the beginning of the last three complete cycles of vegetation; and (d) plants at the place of production which have shown symptoms of disease caused by other viruses or virus-like pathogens, have been rogued out
Plants, other than fruit or seeds, of <i>Vitis</i> L.	The plants shall be accompanied by an official statement that no symptoms of Grapevine flavescence dorée MLO or <i>Xylophilus ampelinus</i> (Panagopoulos) Willems <i>et al.</i> have been observed on the mother-stock plants at the place of production since the beginning of the last two complete cycles of vegetation
Tubers of Solanum tuberosum L., intended for planting	Without prejudice to the requirements in item 16, the tubers shall be accompanied by an official statement that: (a) the Community provisions to combat Synchytrium endobioticum (Schilbersky) Percival have been complied with; (b) they originate in an area or areas known to be free from Clavibacter michiganensis subsp. sepedonicus (Spieckermann and Kotthoff) Davis et al. or the Community provisions to combat Clavibacter michiganensis subsp. sepedonicus (Spieckermann and Kotthoff) Davis et al.
	Plants, other than fruit or seeds, of Vitis L. Tubers of Solanum tuberosum

(1)	(2)	(3)	
Item	Description of relevant material	Reg	quirements of landing
	material	(c)	they originate from a field known to be free from Globodera rostochiensis (Wollenweber) Behrens and Globodera pallida (Stone) Behrens; they originate in an area or areas in which Ralstonia solanacearum (Smith) Yabuuchi et al.: (i) is known not to occur; or (ii) is known to occur, and the tubers originate from a place of production found free from Ralstonia solanacearum (Smith) Yabuuchi et al. or considered to be free of Ralstonia solanacearum (Smith) Yabuuchi et al. as a consequence of the implementation of an appropriate procedure aimed at eradicating Ralstonia solanacearum
		(e)	(Smith) Yabuuchi et al.; and they originate in an area or areas in which Meloidogyne chitwoodi Golden et al. (all populations) and Meloidogyne fallax Karssen are known not

areas where *Meloidogyne* chitwoodi Golden et al. (all populations) and *Meloidogyne fallax*

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing

Karssen are known to occur and:

- they originate (i) from a place of production which has been found free from Meloidogyne chitwoodi Golden et al. (all populations) and Meloidogyne fallax Karssen based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production; or
- (ii) the tubers after harvest have been randomly sampled, and either checked for the presence of symptoms after an appropriate method to induce symptoms or laboratory tested, as well as inspected visually both externally and by cutting the tubers, at appropriate times and in all cases at the time of sealing of the packages or containers before marketing according to the provisions on sealing in Council Directive

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		2002/56/EC on the marketing of seed potatoes(1), and no symptoms of Meloidogyne chitwoodi Golden et al. (all populations) or Meloidogyne fallax Karssen have been found
16.	Tubers of Solanum tuberosum L, intended for planting, other than tubers of those varieties accepted in one or more member States pursuant to Council Directive 2002/53/EC on the common catalogue of varieties of agricultural plant species(2)	Without prejudice to the requirements in item 15, the tubers shall be accompanied by an official statement that they: (a) belong to advanced selections such a statement being indicated in an appropriate way on the document accompanying the relevant tubers; (b) have been produced within the Community; and (c) have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected within the Community to official quarantine testing in accordance with appropriate methods and has been found, in these tests, free from harmful organisms
17.	Plants of stolon- or tuber- forming species of <i>Solanum</i> L., intended for planting, other than those tubers of <i>Solanum</i>	Without prejudice to the requirements in item 20: (a) the plants shall have been held under quarantine

OJ No. L 193, 20.7.2002, p.60, to which there are amendments not relevant to this Order. OJ No. L 193, 20.7.2002, p.1; amended by the Act concerning the Conditions of Accession of the Czech Republic, the Republic of Estonia, the Republic of Cyprus, the Republic of Latvia, the Republic of Lithuania, the Republic of Hungary, the Republic of Malta, the Republic of Poland, the Republic of Slovenia and the Slovak Republic and the adjustments to the Treaties on which the European Union is founded, OJ No. L 236, 23.9.2003, p 820, 828 and 910; there are other amending instruments but not is relevant.

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
	tuberosum L specified in column 2 of items 15 and 16, and other than culture maintenance material being stored in gene banks or genetic stock collections in item 18	conditions and shall have been found free of any plant pests in quarantine testing which shall: (i) be supervised by the responsible official body of the member State concerned and executed by scientifically trained staff of that organisation or of any officially approved body; (ii) be executed at a site provided with appropriate facilities sufficient to contain plant pests and maintain the material including indicator plants in such a way as to eliminate any risk of spreading plant pests; (iii) be executed on each unit of the material: (aa) by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of development during the testing programme
		programme, for symptom

(1)	(2)	(3)	
Item	Description of relevant material	Requirements of	flanding
			caused by any plant pests;
		(bb)	and by testing:
		(00)	— in the
			case
			of all
			potato
			material
			at least
			for:
			— Andean
			potato
			latent
			virus,
			— Arracacha
			virus
			B. oca
			strain,
			— Potato
			black
			ringspot
			virus,
			— Potato
			spindle
			tuber
			viroid, — Potato
			virus T,
			— Andean
			potato
			mottle
			virus,
			— common
			potato
			viruses
			A, M,
			S, V, X
			and Y
			(including
			Y°, Y^{n}
			and
			Y ^c) and
			Potato
			leaf roll
			virus,
			— Clavibacte
			— Ciavibacie michigane
			michigane

(1)	(2)	(3)	
Item	Description of relevant material	Reg	quirements of landing
			subsp. sepedonicus (Spieckerm
			and Kotthoff) Davis <i>et</i>
			al., — Ralstonia
			<i>solanaceart</i> (Smith) Yabuuchi
			et al.; — in the case
			of true seed of
			potato at least for the
			viruses and
			viroid listed above;
			and (iv) by appropriate
			testing on any other symptom
			observed in the visual examination in order to identify
			the plant pests having caused such
		(b)	symptoms; material, if any, which has not been found free,
			under the testing referred to in sub-paragraph (a)
			from plant pests specified in that sub-paragraph shall be immediately
			destroyed or subjected to procedures which
		(c)	eliminate the plant pest or pests; and each organisation or
		(-)	research body holding this material shall inform

their official Member

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		State Plant Protection Organisation of the material held
18.	Plants of stolon, or tuber- forming species of <i>Solanum</i> L., intended for planting, being stored in gene banks or genetic stock collections	Each organisation or research body holding such material shall inform their official Member State Plant Protection Organisation of the material held
19.	Tubers of Solanum tuberosum L., other than those mentioned in column 2 of items 15 to 18	There shall be evidence by a registration number put on the packaging, or in the case of loose loaded potatoes transported in bulk, on the vehicle transporting the potatoes, that the potatoes have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, indicating that the tubers are free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> and that: (a) the Community provisions to combat <i>Synchytrium endobioticum</i> (Schilbersky) Percival; and (b) where appropriate, the Community provisions to combat <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis <i>et al.</i> are complied with
20.	Plants, other than seeds, of <i>Solanaceae</i> , intended for planting, other than plants mentioned in column 2 of items 18 or 19	Without prejudice to the requirements in items 15 to 17, 21 and 31, the plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		free from Potato stolbur mycoplasm; or (b) no symptoms of Potato stolbur mycoplasm have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
21.	Plants, other than seeds, of Capsicum annuum L., Lycopersicon lycopersicum (L.) Karsten ex Farw., Musa L., Nicotiana L. or Solanum melongena L., intended for planting	Without prejudice to the requirements in item 20, the plants shall be accompanied by an official statement that: (a) they originate in an area or areas which have been found free from Ralstonia solanacearum (Smith) Yabuuchi et al.; or (b) no symptoms of Ralstonia solanacearum (Smith) Yabuuchi et al. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
22.	Plants, other than seeds, of <i>Humulus lupulus</i> L. intended for planting	The plants shall be accompanied by an official statement that no symptoms of <i>Verticillium albo-atrum</i> Reinke and Berthold or <i>Verticillium dahliae</i> Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation
23.	Plants, other than seeds, of <i>Dendranthema</i> (DC) Des Moul., <i>Dianthus</i> L. or <i>Pelargonium</i> l'Hérit ex Ait., intended for planting	Without prejudice to the requirements in items 24, 25 and 27, the plants shall be accompanied by an official statement that: (a) no signs of <i>Heliothis</i> armigera Hubner, or Spodoptera littoralis

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		(Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation; or (b) they have undergone appropriate treatment to protect them from these pests
24.	Plants, other than seeds, of Dendranthema (DC) Des Moul., intended for planting	Without prejudice to the requirements in items 23 and 27, the plants shall be accompanied by an official statement that: (a) they are no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering; (b) they or cuttings have come from premises: (i) which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of Puccinia horiana Hennings have been observed during that period, and in the immediate

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		vicinity of which no symptoms of Puccinia horiana Hennings have been known to have occurred during the three months prior to marketing; or (ii) the consignment has undergone appropriate treatment against Puccinia horiana Hennings; and (c) in the case of unrooted cuttings no symptoms of Didymella ligulicola (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or that, in the case of rooted cuttings, no symptoms of Didymella ligulicola (Baker, Dimock and Davis) v. Arx were observed either on the cuttings, no symptoms of Didymella ligulicola (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or the rooting bed
25.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting	Without prejudice to the requirements in items 23 and 27, the plants shall be accompanied by an official statement that: (a) they have been derived in direct line from mother plants which have been found free from Erwinia chrysanthemi pv. dianthicola (Hellmers) Dickey, Pseudomonas caryophylli (Burkholder) Starr and Burkholder and Phialophora cinerescens (Wollenw.) van Beyma on officially approved

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		tests carried out at least once within the two previous years; and (b) no symptoms of these plants pests have been observed on the plants
26.	Bulbs of <i>Tulipa</i> L. or <i>Narcissus</i> L., other than those for which there is evidence from their packaging, or from other means, that they are intended for sale to final consumers not involved in professional cut flower production	The bulbs shall be accompanied by an official statement that no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed on the plants since the beginning of the last complete cycle of vegetation
27.	Plants of herbaceous species intended for planting, other than: — bulbs, — corms, — plants of the family Gramineae — rhizomes, — seeds, or — tubers	Without prejudice to the requirements in items 23 to 25 and 31, the plants shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from Liriomyza huidobrensis (Blanchard) and Liriomyza trifolii (Burgess); (b) no signs of Liriomyza huidobrensis (Blanchard) or Liriomyza trifolii (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting; or (c) immediately prior to marketing, the plants have been officially inspected and found free from Liriomyza huidobrensis (Blanchard) and Liriomyza trifolii (Burgess) and have been subjected to an appropriate treatment against Liriomyza huidobrensis (Blanchard)

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		and <i>Liriomyza trifolii</i> (Burgess)
28.	Plants with roots, planted or intended for planting, grown in the open air	There shall be evidence that the place of production is known to be free from Clavibacter michiganensis subsp. sepedonicus (Spieckermann and Kotthoff) Davis et al., Globodera pallida (Stone) Behrens, Globodera rostochiensis (Wollenweber) Behrens and Synchytrium endobioticum (Schilbersky) Percival
29.	Plants, other than seeds, of Beta vulgaris L., intended for planting	The plants shall be accompanied by an official statement that: (a) they originate in area or areas known to be free from Beet leaf curl virus; or (b) Beet leaf curl virus has not been known to occur in the area of production and no symptoms of Beet leaf curl virus have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
30.	Seeds of Helianthus annuus L.	The seeds shall be accompanied by an official statement that: (a) they originate in areas known to be free from Plasmopara halstedii (Farlow) Berl. and de Toni; or (b) other than those seeds that have been produced on varieties resistant to all races of Plasmopara halstedii (Farlow) Berl. and de Toni present in the area of

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		production, they have been subjected to an appropriate treatment against <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berl. and de Toni
31.	Plants, other than seeds, of Lycopersicon lycopersicum (L.) Karsten ex Farw., intended for planting	Without prejudice to the requirements in items 20 and 27, the plants shall be accompanied by an official statement that: (a) they originate in areas known to be free from Tomato yellow leaf curl virus; (b) no symptoms of Tomato yellow leaf curl virus have been observed on the plants, and: (i) the plants originate in an area or areas known to be free from Bemisia tabaci Genn; or (ii) the place of production has been found free from Bemisia tabaci Genn. on official inspections carried out at least monthly during the three months prior to export; or (c) no symptoms of Tomato yellow leaf curl virus have been observed at the place of production and the place of production and the place of production has been subjected to an appropriate treatment and monitoring regime to ensure freedom from
32.	Seeds of <i>Lycopersicon</i>	Bemisia tabaci Genn. The seeds shall be
52.	lycopersicum (L.) Karsten ex Farw.	accompanied by an official statement that they have been obtained by means of an

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		appropriate acid extraction method, and: (a) the seeds originate in an area or areas where Clavibacter michiganensis subsp. michiganensis (Smith) Davis et al. or Xanthomonas campestris pv. vesicatoria (Doidge) Dye are not known to occur; (b) no symptoms of diseases caused by those plant pests have been observed on the plants at the place of production during their last complete cycle of vegetation; or (c) the seeds have been subjected to official testing for at least those plant pests, on a representative sample and using appropriate methods, and have been found to be free from those plant pests
33.	Seeds of Medicago sativa L.	Without prejudice to the requirements in item 34, the seeds shall be accompanied by an official statement that: (a) no symptoms of Ditylenchus dipsaci (Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and that no Ditylenchus dipsaci (Kühn) Filipjev has been revealed by laboratory tests on a representative sample; or (b) fumigation has taken place prior to marketing

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
34.	Seeds of Medicago sativa L.	Without prejudice to the requirements in item 33, the seeds shall be accompanied by an official statement: (a) that they originate in an area or areas known to be free from Clavibacter michiganensis subsp. insidiosus (McCulloch) Davis et al.; or (b) that: (i) Clavibacter michiganensis subsp. insidiosus (McCulloch) Davis et al. has not been known to occur on the farm or in the immediate vicinity since the beginning of the past 10 years and (aa) the crop belongs to a variety recognised as being highly resistant to Clavibacter michiganensis subsp. insidiosus (McCulloch) Davis et al., (bb) it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested, and there was not more than one preceding seed harvest

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing

from the crop;

- (cc) the content of inert matter which has been determined in accordance with the rules applicable for certification of seed marketed in the Community, does not exceed 0.1 % by weight;
- (ii) no symptoms of Clavibacter michiganensis subsp. insidiosus (McCulloch) Davis et al. have been observed at the place of production or on any Medicago sativa L. crop adjacent to it, during the last complete cycle of vegetation or, where appropriate, the last two cycles of vegetation; and
- (iii) the crop has been grown on land on which no previous *Medicago sativa*L. crop has been present during the last three years prior to sowing

Seeds of *Phaseolus* L.

The seeds shall be accompanied by an official statement that:

(a) they originate in an area or areas known to be

35.

(1)	(2)	(3)
Item	Description of relevant material	Requirements of landing
		free from <i>Xanthomonas</i> campestris pv. phaseoli (Smith) Dye; or (b) a representative sample of the seeds has been tested and found free from <i>Xanthomonas</i> campestris pv. phaseoli (Smith) Dye
36.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf.	The packaging, any label attached to the packaging or any document normally used for trade purposes which accompanies the consignment shall bear an appropriate origin mark (which may be a reference to the name of the country of origin)