

2000 No. 22

**AGRICULTURE
PESTICIDES**

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000

Made

31st January 2000

Coming into force

1st February 2000

The Scottish Ministers, in exercise of the powers conferred on them by section 2(2) of the European Communities Act 1972(a) and by section 16(2) of the Food and Environment Protection Act 1985(b), and of all other powers enabling them in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides established under section 16(7) of that Act(c), hereby make the following Regulations, a draft of which has been laid before and approved by resolution of the Scottish Parliament:

Citation, commencement and extent

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 and shall come into force on 1st February 2000.

(2) These Regulations extend to Scotland only.

Interpretation

2.—(1) In these Regulations—

“EEA State” means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992(d) as adjusted by the Protocol signed at Brussels on 17 March 1993(e);

“product” means any crop, food or feeding stuff specified in Schedules 2 or 3;

“putting into circulation” means any handing over, whether or not for a consideration of any product—

- (a) in the case of fruit and vegetables, after they have been harvested, and
- (b) in any other case, at any time; and

(a) 1972 c.68. Section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(b) 1985 c.48; see section 24(1) for a definition of “the Ministers” and section 24(3) on the exercise of the power conferred by section 16. Section 16 was amended by the Pesticides (Fees and Enforcement) Act 1989 (c.27), section 1(2) and by the Pesticides Act 1998 (c.26), section 1. The functions of “the Ministers” were transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998 (c.46).

(c) Established by S.I. 1985/1516.

(d) O.J. No. L1, 3.1.94, p.3.

(e) O.J. No. L1, 3.1.94, p.572.

“the Residues Directives” means Council Directive 86/362/EEC(**a**) (as amended by Council Directives 88/298/EEC(**b**), 90/654/EEC(**c**), 93/57/EEC(**d**), 94/29/EC(**e**), 95/39/EC(**f**), 96/33/EC(**g**), 97/41/EC(**h**) and Commission Directives 97/71/EC(**i**), 98/82/EC(**j**), 1999/65/EC(**k**) and 1999/71/EC(**l**), together with Council Directive 86/363/EEC(**m**) (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC and 1999/71/EC) and Council Directive 90/642/EEC(**n**) (as amended by Council Directives 93/58/EEC(**o**), 94/30/EC(**p**), 95/38/EC(**q**), 95/61/EC(**r**), 96/32/EC(**s**), 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC and 1999/71/EC).

(2) The words and expressions “dried”, “processed”, “composite food”, “drying” and “processing”, when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the pesticide named in column 1 of that Schedule from which, or from the metabolites and breakdown or reaction products of which, it can be derived.

(4) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.

(5) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

Maximum residue levels

3. The maximum level of any pesticide residue which may be left in any product named in Part I of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

4.—(1) No person shall put into circulation any product named in Part 2 of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product (if any) specified opposite the name of that product under the name of the pesticide concerned.

- (2) Subject to the provisions of regulation 6, the provisions of this regulation shall apply—
(a) to any products which after drying or processing are obtained from any of the products named in Part 2 of Schedule 2; and
(b) to any composite foods which include any of the products named in that Part of that Schedule,

notwithstanding that no maximum permitted level has been expressly specified therein for the amount of pesticide residue which may be contained in that dried or processed product or composite food.

(3) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable—

-
- (a) O.J. No. L221, 7.8.86, p.37.
(b) O.J. No. L126, 20.5.88, p.53.
(c) O.J. No. L353, 17.12.90, p.48.
(d) O.J. No. L211, 23.8.93, p.1.
(e) O.J. No. L189, 23.7.94, p.67.
(f) O.J. No. L197, 22.8.95, p.29.
(g) O.J. No. L144, 18.6.96, p.35.
(h) O.J. No. L184, 12.7.97, p.33.
(i) O.J. No. L347, 18.12.97, p.42.
(j) O.J. No. L290, 29.10.98, p.25.
(k) O.J. No. L172, 8.7.99, p.40.
(l) O.J. No. L194, 27.7.99, p.36.
(m) O.J. No. L221, 7.8.86, p.43.
(n) O.J. No. L350, 14.12.90, p.71.
(o) O.J. No. L211, 23.8.93, p.6.
(p) O.J. No. L189, 23.7.94, p.70.
(q) O.J. No. L197, 22.8.95, p.14.
(r) O.J. No. L292, 7.12.95, p.27.
(s) O.J. No. L144, 18.6.96, p.12.

- (a) on summary conviction, to a fine not exceeding the statutory maximum; and
 - (b) on conviction on indictment, to a fine.
- (4) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question was put into circulation—
- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment—
 - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
 - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
 - (b) it was so put with the intention that—
 - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
 - (ii) it be used for sowing or planting.
- (5) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any Part of it to be references to this regulation.
- (6) In paragraph (4)(a) “country which is not an EEA state” does not include any part of the United Kingdom.

Seizure or disposal of crops, food or feeding stuffs

5. If any product contains a level of pesticide residue above that permitted under either regulations 3 or 4(1), the Scottish Ministers shall have the power—
- (a) to seize or dispose of the consignment containing that product, or any part of it, or to require that some other person shall dispose of it, or
 - (b) to direct some other person to take such remedial action as appears to the Scottish Ministers to be necessary.

Sampling and analysis

6. In determining for the purposes of regulations 3 or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted—
- (a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of Schedule 3 opposite the name of that product in column 2 of that Schedule;
 - (b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues(a) shall so far as is practicable be followed;
 - (c) in the case of any product named in paragraphs 3, 4, or 5 of Part 1 of Schedule 2 which has been dried, that Part of that Schedule shall have effect as if for the number of milligrams of each pesticide residue specified opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
 - (d) in the case of any product named in Part 2 of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
 - (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part 2 of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account—

(a) Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the Determination of Pesticides Residues, Volume 2 Section 3 *Codex Alimentarius*, 1993.

- (i) the relative concentrations of each of the constituent products in the mixture; and
- (ii) the provisions of paragraph (d) above.

Revocations

7. The Regulations specified in Schedule 4 are hereby revoked.

ROSS FINNIE

A member of the Scottish Executive

St Andrew's House,
Edinburgh
31st January 2000

SCHEDULE 1

<i>Column 1</i> Pesticide	<i>Column 2</i> Residues
Acephate	Acephate
Aldrin & Dieldrin	singly or combined, expressed as dieldrin (HEOD)
2-Aminobutane	2-aminobutane
Aminotriazole	Aminotriazole
Atrazine	Atrazine
Azinphos-methyl	azinphos-methyl
Benalaxyl	Benalaxyl
Benfuracarb	Benfuracarb
Binapacryl	Binapacryl
Biphenthrin	Biphenthrin
Bitertanol	Bitertanol
Bromophos-ethyl	bromophos-ethyl
Camphechlor (Toxaphene)	camphechlor (toxaphene)
Captafol	Captafol
Captan	Captan
Carbaryl	Carbaryl
Carbendazim, Benomyl and Thiophanate-methyl	carbendazim, benomyl and thiophanate-methyl (expressed as carbendazim)
Carbon disulphide	carbon disulphide
Carbon Tetrachloride	carbon tetrachloride
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbophenothion	sum of carbophenothion, its sulphoxide and its sulphone, expressed as carbophenothion
Carbosulfan	Carbosulfan
Cartap	Cartap
Chlordane	(1) for products of animal origin: sum of <i>cis</i> - and <i>trans</i> - isomers and oxychlordane expressed as chlordane; (2) for cereals, fruit and vegetables: sum of <i>cis</i> - and <i>trans</i> -isomers expressed as chlordane
Chlorfenvinphos	sum of E- and Z- isomers of chlorfenvinphos
Chlormequat	Chlormequat
Chlorothalonil	Chlorothalonil
Chlorobenzilate	Chlorobenzilate
Chlorpyrifos	Chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Cyfluthrin	cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cypermethrin	cypermethrin (sum of isomers)
Daminozide	sum of daminozide and 1,1-dimethyl-hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'-TDE (DDD) expressed as DDT
Deltamethrin	Deltamethrin
Diazinon	Diazinon
1,2-Dibromoethane	1,2-dibromoethane
Dichlofluanid	Dichlofluanid
Dichlorvos	Dichlorvos
Dichlorprop	dichlorprop (including dichlorprop P)
Dicofol	Dicofol
Diflubenzuron	Diflubenzuron
Dimethipin	Dimethipin
Dimethoate	Dimethoate
Dinoseb	Dinoseb
Dioxathion	Dioxathion
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton

<i>Column 1</i>	<i>Column 2</i>
Pesticide	Residues
Endosulfan	sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	Endrin
Ethephon	Ethephon
Ethion	Ethion
Etrimfos	Etrimfos
Fenarimol	Fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenitrothion	Fenitrothion
Fentin	fentin expressed as triphenyltin cation
Fenvalerate	fenvalerate (sum of isomers)
Fluazifop	fluazifop and esters (including conjugates) of fluazifop, expressed as free acid
Flurochloridone	Flurochloridone
Furathiocarb	Furathiocarb
Glyphosate	Glyphosate
Haloxyfop	haloxyfop and esters (including conjugates) of haloxyfop, expressed as free acid
Hexachlorobenzene (HCB)	Hexachlorobenzene
Hexachlorocyclohexane (HCH)	Hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hydrogen cyanide	cyanides expressed as hydrogen cyanide
Hydrogen phosphide	phosphides expressed as hydrogen phosphide
Imazalil	Imazalil
Inorganic bromide	determined and expressed as total bromine from all sources
Ioxynil	Ioxynil
Iprodione	Iprodione
Lambda-cyhalothrin	lambda-cyhalothrin
Malathion	sum of malathion and malaoxon, expressed as malathion
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram, Propineb and Zineb	{ determined and expressed as carbon disulphide (CS ₂) }
Mecarbam	Mecarbam
Mercury compounds	determined as total mercury and expressed as mercury
Metalaxyl	metalaxyl
Methacrifos	methacrifos
Methamidophos	methamidophos
Methyl bromide (bromomethane)	methyl bromide (bromomethane)
Mevinphos	sum of <i>cis</i> - and <i>trans</i> - mevinphos
Monocrotophos	monocrotophos
Omethoate	omethoate (from use of formothion, dimethoate and omethoate)
Paraquat	paraquat
Parathion	parathion
Parathion-methyl	parathion-methyl
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate
Phosalone	phosalone
Phosmet	phosmet
Phos�amidon	sum of phosphamidon (E- and Z- isomers) and N-desethylphosphamidon (E- and Z- isomers) expressed as phosphamidon
Pirimiphos-methyl	pirimiphos-methyl
Procymidone	procymidone
Propargite	propargite

<i>Column 1</i>	<i>Column 2</i>
Pesticide	Residues
Propiconazole	propiconazole
Propoxur	propoxur
Propyzamide	propyzamide
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Quinalphos	quinalphos
Quintozene	sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	thiabendazole
Triazophos	triazophos
Trichlorfon	trichlorfon
Triforine	triforine
2, 4, 5-T	2, 4, 5-T
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

SCHEDULE 2
PART 1

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2- Aminobutane	Azinphos-methyl	Bitertanol	Captan	Carbaryl	Carbendazim	Carbophenothion	Chlordane	Chlorfenvinphos	Chloro benzilate	Diazinon	Dichlo fluanid
------------------------------------	--	-------------------	----------------	-----------------	------------	--------	----------	-------------	-----------------	-----------	-----------------	------------------	----------	----------------

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

i) CITRUS FRUIT

Grapefruit	0.05	5	2	0.1	7	2	0.02*	1	1	1	5
Lemons	0.05	5	2	0.1	7	2	0.02*	1	1	1	5
Limes	0.05	5	2	0.1	7	2	0.02*	1	1	1	5
Mandarins (inc clementines & similar hybrids)	0.05	5	2	0.1	7	2	0.02*	1	1	1	5
Oranges	0.05	5	2	0.1	7	2	0.02*	1	1	1	5
Pomelos	0.05	5	2	0.1	7	2	0.02*	1	1	1	5
Others	0.05	5	2	0.1	7	2	0.02*	1	1	1	5

ii) TREE NUTS (shelled or unshelled)

Almonds
Brazil nuts
Cashew nuts
Chestnuts
Coconuts
Hazelnuts
Macadamia nuts
Pecans
Pine nuts
Pistachios
Walnuts
Others

∞

iii) POME FRUIT

Apples	0.05	1	1	3	5	1	0.02*	0.05	5
Pears	0.05	1	1	3	5	1	0.02*	0.05	5
Quinces	0.05	1	1	3	5	1	0.02*	0.05	5
Others	0.05	1	1	3	5	1	0.02*	0.05	5

iv) STONE FRUIT

Apricots	0.05	4	1	2	10	1	0.02*	0.05	5
Cherries									
Peaches (incl nectarines & similar hybrids)	0.05	4	1	2	10	1	0.02*	0.05	5
Plums	0.05	1	1	2	10	1	0.02*	0.05	5

Others

v) BERRIES AND SMALL FRUIT

a) Table & wine grapes									
Table grapes	0.05	2	3	5		0.02*	0.05		15
Wine grapes	0.05	2	3	5		0.02*	0.05		15

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2- Aminobutane	Azinphos-methyl	Bitertanol	Captan	Carbaryl	Carbendazim	Carbophenothion	Chlordane	Chlorfenvinphos	Chloro benzilate	Diazinon	Dichlo fluanid
-----------------------------	---------------------------------------	-------------------	----------------	-----------------	------------	--------	----------	-------------	-----------------	-----------	-----------------	------------------	----------	----------------

b) Strawberries (other than wild)	0.05		1		3	7	5			0.02*	0.05			10
c) Cane Fruit (other than wild)														
Blackberries	0.05		1		3	10				0.02*	0.05			15
Loganberries	0.05		1		3	10				0.02*	0.05			15
Raspberries	0.05		1		3	10	5			0.02*	0.05			15
Others	0.05		1		3	10				0.02*	0.05			15
d) Other small fruit & berries (other than wild)														
Bilberries	0.05		1		3	10				0.02*	0.05			15
Cranberries	0.05		1		3	10				0.02*	0.05			15
Currants (red, black & white)	0.05		1		3	10				0.02*	0.05			15
Gooseberries	0.05		1		3	10				0.02*	0.05			15
Others	0.05		1		3	10				0.02*	0.05			15
e) Wild berries & wild fruit														
vi) MISCELLANEOUS FRUIT														
Avocados														
Bananas	0.05		1	0.5	0.1	5				0.02*	0.05			5
Dates														
Figs														
Kiwi fruit														
Kumquats														
Litchis														
Mangoes														
Olives														
Passion fruit														
Pineapples														
Pomegranates														
Others														

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot														
Carrots	0.05		0.5		0.1	2				0.02*	0.5			5
Celeriac														
Horseradish	0.05		0.5		0.1	2				0.02*	0.5			5
Jerusalem artichokes														
Parsnips	0.05		0.5		0.1	2				0.02*	0.5			5
Parsley root	0.05		0.5		0.1	2				0.02*	0.5			5
Radishes														
Salsify	0.05		0.5		0.1	2				0.02*	0.5			5
Sweet potatoes														
Swedes	0.05		0.5		0.1	2				0.02*	0.5			5

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2- Aminobutane	Azinphos-methyl	Bitertanol	Captan	Carbaryl	Carbendazim	Carbophenothion	Chlordane	Chlorfenvinphos	Chloro benzilate	Diazinon	Dichlo fluanid
	Others													
5. POTATOES														
	Early potatoes	0.05		0.2		0.1	0.2			0.02*	0.5		0.5	0.1
	Ware potatoes	0.05	1	0.2		0.1	0.2			0.02*	0.5		0.5	0.1
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)													
7. HOPS (dried)	including hop pellets & unconcentrated powder													

Regulation

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Diflubenzuron	Dimethipin	Dimethoate	Endo sulfan	Ethion	Fenitrothion	Fluazifop	Flurochloridone	Haloxyp	Hexachloro cyclohexane	Inorganic bromide (HCH)	Ioxynil	Malathion
															γ	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																
i) CITRUS FRUIT	Grapefruit	0.1	1		2		2	2					1	30	2	
	Lemons	0.1	1		2		2	2					1	30	2	
	Limes	0.1	1		2		2	2					1	30	2	
	Mandarins (inc clementines & similar hybrids)	0.1	1		2		2	2					1	30	2	
	Oranges	0.1	1		2		2	2					1	30	2	
	Pomelos	0.1	1		2		2	2					1	30	2	
	Others	0.1	1		2		2	2					1	30	2	
ii) TREE NUTS (shelled or unshelled)	Almonds															
	Brazil nuts															
	Cashew nuts															
	Chestnuts															
	Coconuts															
	Hazelnuts															
	Macadamia nuts															
	Pecans															
	Pine nuts															
	Pistachios															
	Walnuts															
	Others															
iii) POME FRUIT	Apples	0.1	1		1		0.5	0.5				0.05*	1	20	0.5	
	Pears	0.1	1		1		0.5	0.5				0.05*	1	20	0.5	
	Quinces	0.1	1		1		0.5	0.5				0.05*	1	20	0.5	
	Others	0.1	1		1		0.5	0.5				0.05*	1	20	0.5	
iv) STONE FRUIT	Apricots	0.1	5			2		0.5	0.5				1	20	0.5	
	Cherries															
	Peaches (incl nectarines & similar hybrids)	0.1	5			2		0.5	0.5				1	20	0.5	
	Plums	0.1	5	1		2		0.5	0.5				1	20	0.5	
	Others															
v) BERRIES AND SMALL FRUIT	a) Table & wine grapes															
	Table grapes	0.1				1		0.5	0.5				0.5	20	0.5	
	Wine grapes	0.1				1		0.5	0.5				0.5	20	0.5	

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Diflubenzuron	Dimethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Fluazifop	Flurochloridone	Haloxyp	Hexachloro cyclohexane (HCH)	Inorganic bromide	Ioxynil	Malathion
														γ		
b)	Strawberries (other than wild)	0.1				1	2	0.1	0.5				3	30		0.5
c)	Cane Fruit (other than wild)															
	Blackberries	0.1				1	2	0.1	0.5				3	20		0.5
	Loganberries	0.1				1		0.1	0.5				3	20		0.5
	Raspberries	0.1				1		0.1	0.5				3	20		0.5
	Others	0.1				1		0.1	0.5				3	20		0.5
d)	Other small fruit & berries (other than wild)															
	Bilberries	0.1				2		0.1	0.5				3	20		0.5
	Cranberries	0.1				2		0.1	0.5				3	20		0.5
e)	Wild berries & wild fruit															
vi)	MISCELLANEOUS FRUIT															
	Avocados															
	Bananas	0.1														
	Dates															
	Figs															
	Kiwi fruit															
	Kumquats															
	Litchis															
	Mangoes															
	Olives															
	Passion fruit															
	Pineapples															
	Pomegranates															
	Others															

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot																
Carrots	0.5															
Celeriac																
Horseradish	0.5															
Jerusalem artichokes																
Parsnips	0.5															
Parsley root	0.5															
Radishes																
Salsify	0.5															
Sweet potatoes																
Swedes	0.5															

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Diflubenzuron	Dimethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Fluazifop	Flurochloridone	Haloxifop	Hexachloro cyclohexane (HCH)	Inorganic bromide	Ioxynil	Malathion	
															γ		
	Turnips	0.5				1		0.1	0.5		0.01*		1				0.5
	Yams																
	Others																
ii) BULB VEGETABLES																	
	Garlic	0.5	5			1		0.1	0.5		0.01*		1		0.1		3
	Onions	0.5				1		0.1	0.5		0.01*		1		0.1		3
	Shallots	0.5				1		0.1	0.5		0.01*		1		0.1		3
	Spring onions																
	Others																
iii) FRUITING VEGETABLES																	
5	a) Solanaceae																
	Tomatoes	0.5		1		1		0.1	0.5			2	75				3
	Peppers	0.5		1		1		0.1	0.5			2	75				3
	Aubergines	0.5		1		1		0.1	0.5			2	75				3
	Others	0.5		1		1		0.1	0.5			2	75				3
	b) Cucurbits-edible peel																
	Cucumbers	0.5				2		0.1	0.5			1	50				3
	Gherkins	0.5				2		0.1	0.5			1	50				3
	Courgettes	0.5				2		0.1	0.5			1	50				3
	Others	0.5				2		0.1	0.5			1	50				3
	c) Cucurbits-inedible peel																
	Melons																
	Squashes																
	Watermelons																
	Others																
	d) Sweet corn																
	iv) BRASSICA VEGETABLES																
	a) Flowering Brassicas																
	Broccoli																
	Cauliflower	0.5				2		0.1	0.5			2					3
	Others																
	b) Head Brassicas																
	Brussels sprouts	0.5		1		2		0.1	0.5			2					3
	Head cabbage	0.5		1		2		0.1	0.5			2	100				3
	Others																
	c) Leafy Brassicas																
	Chinese cabbage																
	Kale																
	Others																
	d) Kohlrabi																
v) LEAF VEGETABLES AND FRESH HERBS																	
	a) Lettuce & similar																
	Cress																

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Diflubenzuron	Dimethipin	Dimethoate	Endo sulfan	Ethion	Fenitrothion	Fluazifop	Flurochloridone	Haloxyp	Hexachloro cyclohexane	Inorganic bromide	Ioxynil	Malathion (HCH)
																γ
	Others															
5. POTATOES																
	Early potatoes	0.5			0.1*	0.05	0.2		0.05*	0.1	0.01*			0.05*		0.5
	Ware potatoes	0.5			0.1*	0.05	0.2		0.05*	0.1	0.01*			0.05*		0.5
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)															
7. HOPS (dried)	including hop pellets & unconcentrated powder															

Group to which food belongs	Groups include the following products	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
<hr/>													
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts													
i) CITRUS FRUIT													
Grapefruit		5	0.2	1	1	0.2	1						
Lemons		5	0.2	1	1	0.2	1						
Limes		5	0.2	1	1	0.2	1						
Mandarins (inc clementines & similar hybrids)		5	0.2	1	1	0.2	1						
Oranges		5	0.2	1	1	0.2	1						
Pomelos		5	0.2	1	1	0.2	1						
Others		5	0.2	1	1	0.2	1						
ii) TREE NUTS (shelled or unshelled)													
Almonds													
Brazil nuts													
Cashew nuts													
Chestnuts													
Coconuts													
Hazelnuts													
Macadamia nuts													
Pecans													
Pine nuts													
Pistachios													
Walnuts													
Others													
iii) POME FRUIT													
Apples		0.02		0.2	0.2			2					
Pears		0.02		0.2	0.2			2					
Quinces		0.02		0.2	0.2			2					
Others		0.02		0.2	0.2			2					
iv) STONE FRUIT													
Apricots				0.2	1			2					
Cherries													
Peaches (incl nectarines & similar hybrids)				0.5	1			2					
Plums					0.5	1			1				
Others													
v) BERRIES AND SMALL FRUIT													
a) Table & wine grapes													
Table grapes				0.1	1			1					
Wine grapes				0.1	1			1					

Group to which food belongs	Groups include the following products	Mercury	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozone	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
------------------------------------	--	---------	-----------	-----------	-----------	-----------	------------------	-----------	------------	-----------	---------------	------------	-------------

b) Strawberries (other than wild)	0.1	1		1									
c) Cane Fruit (other than wild)													
Blackberries	0.1	1						1					
Loganberries	0.1	1						1					
Raspberries	0.1	1						1					
Others	0.1	1						1					
d) Other small fruit & berries (other than wild)													
Bilberries	0.1	1						1					
Cranberries	0.1	1						1					
Currants (red, black & white)	0.1	1						1					
Gooseberries	0.1	1						1					
Others	0.1	1						1					
e) Wild berries & wild fruit													

vi) MISCELLANEOUS FRUIT

Avocados													
Bananas													
Dates													
Figs													
Kiwi fruit													
Kumquats													
Litchis													
Mangoes													
Olives													
Passion fruit													
Pineapples													
Pomegranates													
Others													

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot													
Carrots	0.02		0.1	0.2				0.1					
Celeriac													
Horseradish	0.02		0.1	0.2				0.1					
Jerusalem artichokes													
Parsnips	0.02		0.1	0.2				0.1					
Parsley root	0.02		0.1	0.2				0.1					
Radishes													
Salsify	0.02		0.1	0.2				0.1					
Sweet potatoes													
Swedes	0.02		0.1	2				0.1					

Group to which food belongs	Groups include the following products	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
------------------------------------	--	--------------------------	------------------	------------------	------------------	------------------	-------------------------	------------------	-------------------	------------------	----------------------	-------------------	--------------------

	Turnips	0.02		0.1	0.2			0.1					
	Yams												
	Others												
ii) BULB VEGETABLES													
	Garlic	0.02		0.1	0.1			1				0.05*	
	Onions	0.02		0.1	0.1			1				0.05*	
	Shallots	0.02		0.1	0.1			1				0.05*	
	Spring onions												
	Others												
iii) FRUITING VEGETABLES													
a) Solanaceae													
	Tomatoes	0.02		0.1	1			1	0.1				
	Peppers	0.02		0.1	1			1	0.1				
	Aubergines	0.02		0.1	1			1	0.1				
	Others	0.02		0.1	1			1	0.1				
b) Cucurbits-edible peel													
	Cucumbers	0.02		0.1	0.2			1					
	Gherkins	0.02		0.1	0.2			1					
	Courgettes	0.02		0.1	0.2			1					
	Others	0.02		0.1	0.2			1					
c) Cucurbits-inedible peel													
	Melons												
	Squashes												
	Watermelons												
	Others												
d) Sweet corn													
iv) BRASSICA VEGETABLES													
a) Flowering Brassicas													
	Broccoli												
	Cauliflower	0.02		0.1	0.2			1	0.02				
	Others												
b) Head Brassicas													
	Brussels sprouts	0.02		0.1	0.2			1				0.1	
	Head cabbage	0.02		0.1	0.2			1	0.02			0.1	
	Others												
c) Leafy Brassicas													
	Chinese cabbage												
	Kale												
	Others												
d) Kohlrabi													
v) LEAF VEGETABLES AND FRESH HERBS													
a) Lettuce & similar													
	Cress												

Group to which food belongs	Groups include the following products	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
	Lamb's lettuce												
	Lettuce	0.02		0.5	0.2			1	3	2			
	Scarole												
	Others												
b)	Spinach & similar												
	Beet leaves (chard)												
c)	Watercress												
d)	Witloof												
e)	Herbs												
	Chervil												
	Chives												
	Parsley												
	Celery leaves												
	Others												
vi)	LEGUME VEGETABLES (fresh)												
	Beans (with pods)		0.1	0.2				1	0.01				
	Beans (without pods)												
	Peas (with pods)		0.1	0.2					1				
	Peas (without pods)												
	Others												
vii)	STEM VEGETABLES											5	
	Asparagus												
	Cardoons												
	Celery	0.02		0.1	0.2			1					
	Fennel												
	Globe artichokes												
	Leeks	0.02		0.1	2			1					
	Rhubarb	0.02		0.1	0.2			1					
	Others												
viii)	FUNGI												
	a) Cultivated mushrooms	0.02		0.1	0.2			1					
	b) Wild mushrooms												
3.	PULSES												
	Beans												
	Lentils												
	Peas												
	Others												
4.	OILSEEDS												
	Linseed												
	Peanuts												
	Poppy seed												
	Sesame seed												
	Sunflower seed												
	Rape seed												
	Soya bean												
	Mustard seed												
	Cotton seed												

Group to which food belongs	Groups include the following products	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole	Triazophos	Vinclozolin
	Others												
5. POTATOES													
	Early potatoes	0.02		0.1	0.05			0.1*	0.2		5	0.05*	
	Ware potatoes	0.02		0.1	0.05			0.1*	0.2			0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)												
7. HOPS (dried)	including hop pellets & unconcentrated powder												

Group to which food belongs	Groups include the following products	Diazinon	Dichlorvos	Diflubenzuron	Etrimfos	Fenitrothion	Mercury compounds	Methacrifos
-----------------------------	---------------------------------------	----------	------------	---------------	----------	--------------	-------------------	-------------

8. CEREALS

Wheat		5	5	0.02	5
Rye		5	5	0.02	5
Barley		5	5	0.02	5
Oats		5	5	0.02	5
Triticale		5	5	0.02	5
Maize		5	5	0.02	5
Rice ⁽¹⁾		5	5	0.02	5
Other cereals ⁽²⁾		5	5	0.02	5

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁽³⁾	0.2	0.7	0.05	0.05*
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.008	0.02	0.02	0.05*
Eggs ⁽⁶⁾		0.05*	0.05*	

FOOTNOTES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice
2. Other cereals do not include rice
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.

In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.

4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)

SCHEDULE 2
PART 2

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl	Biphenothrin	Bromophosethyl	Bromopropylate	Camphchlor (Toxaphene)	Captfol	Carbendazim
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																	
i) CITRUS FRUIT																	
	Grapefruit	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Lemons	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Limes	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Mandarins (inc clementines & similar hybrids)	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Oranges	1	0.2		0.05*	1	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Pomelos	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
	Others	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
ii) TREE NUTS (shelled or unshelled)																	
	Almonds	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Brazil nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Cashew nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Chestnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Coconuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Hazelnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Macadamia nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Pecans	0.02*	0.2		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Pine nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Pistachios	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Walnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
iii) POME FRUIT																	
	Apples	1	0.05*		0.05*	1	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	2
	Pears	1	0.05*		0.05*	1	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	2
	Quinces	1	0.05*		0.05*	1	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	2
	Others	1	0.05*		0.05*	1	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	2
iv) STONE FRUIT																	
	Apricots	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	1
	Cherries	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
	Peaches (incl nectarines & similar hybrids)	0.2	0.05*		0.05*	1	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	1
	Plums	2	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.5
	Others	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxy	Benfuracarb	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Camphechlor (Toxaphene)	Captafol	Carbendazim
v) BERRIES AND SMALL FRUIT																	
a) Table & wine grapes																	
Table grapes	0.02*	0.05*		0.05*		0.1*	2	0.2	0.05*	0.05*		0.05*		0.1*	0.02*	2	
Wine grapes	0.02*	0.05*		0.05*		0.1*	2	0.2	0.05*	0.05*		0.05*		0.1*	0.02*	2	
b) Strawberries (other than wild)	0.02*			0.05*		0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*		
c) Cane Fruit (other than wild)																	
Blackberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Dewberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Loganberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Raspberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
d) Other small fruit & berries (other than wild)																	
Bilberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Cranberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Currants (red, black & white)	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Gooseberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
e) Wild berries & wild fruit	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
vi) MISCELLANEOUS FRUIT																	
Avocados	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Bananas	0.02*			0.05*	0.02*	0.1*	0.1	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	1	
Dates	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Figs	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Kiwi fruit	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Kumquats	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Litchis	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Mangoes	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Olives (table consumption)	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Olives (oil extract)	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Passion fruit	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Pineapples	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Pomegranates	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	0.02*	0.1*	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl	Biphen thrin	Bromophosethyl	Bromopropylate	Camphchlor (Toxaphene)	Captfol	Carbendazim
2. Vegetables, fresh or uncooked, frozen or dry																	
i) ROOT AND TUBER VEGETABLES																	
Beetroot		0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Carrots		0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Celeriac		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Horseradish		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Jerusalem artichokes		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Parsnips		0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Parsley root		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Radishes		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Salsify		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Sweet potatoes		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Swedes		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Turnips		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Yams		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Others		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
ii) BULB VEGETABLES																	
Garlic		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Onions		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Shallots		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Spring onions		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Others		0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
iii) FRUITING VEGETABLES																	
a) Solanaceae																	
Tomatoes		0.5			0.05*	0.5	0.1*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.5
Peppers		0.02*			0.05*		0.1*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Aubergines		0.5	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.5
Others		0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
b) Cucurbits-edible peel																	
Cucumbers		0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.5
Gherkins		0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
Courgettes		0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.3
Others		0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*
c) Cucurbits-inedible peel																	
Melons		0.02*	0.05*		0.05*		0.1*	0.05*			0.05*		0.05*		0.1*	0.02*	0.5
Squashes		0.02*	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.5
Watermelons		0.02*	0.05*		0.05*		0.1*	0.05*			0.05*		0.05*		0.1*	0.02*	0.1*
Others		0.02*	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
d) Sweet corn																	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Campheclor (Toxaphene)	Captafol	Carbendazim
iv) BRASSICA VEGETABLES																	
a) Flowering Brassicas																	
Broccoli	2				0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Cauliflower	2	0.2			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Others	2	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
b) Head Brassicas																	
Brussels sprouts	2	0.2			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.5
Head cabbage	2				0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	3
Others	2	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	3
c) Leafy Brassicas																	
Chinese cabbage	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Kale	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Others	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
d) Kohlrabi	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
v) LEAF VEGETABLES AND FRESH HERBS																	
a) Lettuce & similar																	
Cress	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Lamb's lettuce	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Lettuce	1	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	5
Scarole	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Others	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
b) Spinach & similar																	
Spinach	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Beet leaves (chard)	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Others	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
c) Watercress																	
Watercress	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
d) Witloof	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
e) Herbs																	
Chervil	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Chives	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Parsley	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Celery leaves	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Others	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
vi) LEGUME VEGETABLES (fresh)																	
Beans (with pods)	3	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Beans (without pods)	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Peas (with pods)	3	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Peas (without pods)	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Others	0.05*				0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
vii) STEM VEGETABLES																	
Asparagus	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Cardoons	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Celery	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	2
Fennel	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Globe artichokes	0.2	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Leeks	0.02*				0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*
Rhubarb	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	2
Others	0.02*	0.05*			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*		0.05*		0.1*	0.02*	0.1*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl	Biphenthrin	Bromophosethyl	Bromopropylate	Camphechlor (Toxaphene)	Captafol	Carbendazim
viii) FUNGI																	
a) Cultivated mushrooms	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	1	
b) Wild mushrooms	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
3. PULSES																	
Beans	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	2	
Lentils	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Peas	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
4. OILSEEDS																	
Linseed	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Peanuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Poppy seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Sesame seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Sunflower seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Rape seed	0.02*			0.05*	0.02*	0.1*	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Soya bean	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*			0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.2	
Mustard seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Cotton seed	0.02*			0.05*		0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	0.1*	
5. POTATOES																	
Early potatoes	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	3	
Ware potatoes (dried leaves and stalks,	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02*	3	
6. TEA																	
fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*	0.1*	
7. HOPS (dried)																	
including hop pellets & unconcentrated powder	0.1*			0.1*	50	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Carbofuran	Carbosulfan	Cartap	Chlordane	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon	1,2-Dibromo-ethane	Dichlorprop
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																	
i) CITRUS FRUIT																	
Grapefruit																	
Lemons																	
Limes																	
Mandarins (inc clementines & similar hybrids)																	
Oranges																	
Pomelos																	
Others																	
ii) TREE NUTS (shelled or unshelled)																	
Almonds		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashew nuts		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts		0.05*				0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pecans		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Others		0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT																	
Apples																	
Pears																	
Quinces																	
Others																	
iv) STONE FRUIT																	
Apricots																	
Cherries																	
Peaches (incl nectarines & similar hybrids)																	
Plums																	
Others																	

Group to which food belongs	Groups include the following products	Carbofuran	Carbosulfan	Cartap	Chlordane	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon	1,2-Dibromo-ethane	Dichlorprop
v) BERRIES AND SMALL FRUIT																	
a) Table & wine grapes																	
Table grapes	0.1*	0.05*			1	1	0.5	0.2	0.3	0.5	0.02*	0.05*	0.1	0.5	0.5	0.01*	0.05*
Wine grapes	0.1*	0.05*			1	3	0.5	0.2	0.3	0.5	0.02*	0.05*	0.1	0.5	0.5	0.01*	0.05*
b) Strawberries (other than wild)	0.05*					3	0.2	0.5		0.05*	0.02*	0.05*		0.05*	0.5	0.01*	0.05*
c) Cane Fruit (other than wild)																	
Blackberries	0.1*	0.05*			0.05*	10	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5	0.5	0.01*	0.05*
Dewberries	0.1*	0.05*			0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.5	0.01*	0.05*
Loganberries	0.1*	0.05*			0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.5	0.01*	0.05*
Raspberries	0.1*	0.05*			0.05*	10	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5	0.5	0.01*	0.05*
Others	0.1*	0.05*			0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5	0.5	0.01*	0.05*
d) Other small fruit & berries (other than wild)																	
Bilberries	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2	0.01*	0.05*	
Cranberries	0.1*	0.05*			0.05*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Currants (red, black & white)	0.1*	0.05*			0.05*	10	1	0.05*		0.05*	0.02*	0.05*	0.2	0.2	0.01*	0.05*	
Gooseberries	0.1*	0.05*			0.05*	10	1	0.05*		0.05*	0.02*	0.05*	0.2	0.2	0.01*	0.05*	
Others	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
e) Wild berries & wild fruit	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
vi) MISCELLANEOUS FRUIT																	
Avocados	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Bananas	0.1*	0.05*			0.05*	0.2	3	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*	
Dates	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Figs	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Kiwi fruit	0.1*	0.05*			0.05*	0.01*	2	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*	
Kumquats	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Litchis	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Mangoes	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Olives (table consumption)	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.5	0.01*	0.05*	
Olives (oil extract)	0.1*	0.05*			0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.5	0.01*	0.05*	
Passion fruit	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Pineapples	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Pomegranates	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	
Others	0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Carbofuran	Carbosulfan	Cartap	Chlordane	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon	1,2-Dibromo-ethane	Dichlorprop
2. Vegetables, fresh or uncooked, frozen or dry																	
i) ROOT AND TUBER VEGETABLES																	
Beetroot		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Carrots		0.3	0.1			0.05*	1	0.1	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Celeriac			0.05*			0.05*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Horseradish		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Jerusalem artichokes		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
Parsnips		0.3	0.1			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Parsley root		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
Radishes		0.5	0.05*			0.05*	0.01*	0.2	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Salsify		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
Sweet potatoes		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
Swedes						0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Turnips						0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Yams		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
Others		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
ii) BULB VEGETABLES																	
Garlic		0.3	0.05*			0.05*	0.5		0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Onions		0.3				0.05*	0.5	0.2	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Shallots		0.3	0.05*			0.05*	0.5		0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Spring onions		0.1*	0.05*			0.05*	5		0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Others		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
iii) FRUITING VEGETABLES																	
a) Solanaceae																	
Tomatoes		0.1*	0.05*				2	0.5	0.5	0.05	0.5	0.02*	0.05*	0.2	0.5	0.01*	0.05*
Peppers		0.1*	0.05*			0.05*	2	0.5	0.5		0.5	0.02*	0.05*	0.2	0.5	0.01*	0.05*
Aubergines		0.1*	0.05*			0.05*	2	0.5	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.5	0.01*	0.05*
Others		0.1*	0.05*			0.05*	2	0.5	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.5	0.01*	0.05*
b) Cucurbits-edible peel																	
Cucumbers		0.1*	0.05*			0.05*	1	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Gherkins		0.1*	0.05*			0.05*	5	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Courgettes		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Others		0.1*	0.05*			0.05*	0.01*	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5	0.01*	0.05*
c) Cucurbits-inedible peel																	
Melons						0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.5	0.01*	0.05*	
Squashes		0.1*				0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.5	0.01*	0.05*	
Watermelons		0.1*				0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.5	0.01*	0.05*	
Others		0.1*				0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.5	0.01*	0.05*	
d) Sweet corn			0.05*			0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*

Group to which food belongs	Groups include the following products	Carbofuran	Carbosulfan	Cartap	Chlordane	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon	1,2-Dibromo-ethane	Dichlorprop
iv) BRASSICA VEGETABLES																	
a) Flowering Brassicas																	
Broccoli	0.2					0.05*	3	0.05*	0.05*	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*	
Cauliflower	0.2					0.05*	3	0.05*	0.05*	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*	
Others	0.2					0.05*	3	0.05*	0.05*	0.2*	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*
b) Head Brassicas																	
Brussels sprouts						0.05*	0.5	0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Head cabbage						0.05*	3	1	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Others						0.05*	0.01*	0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*
c) Leafy Brassicas																	
Chinese cabbage						0.05*	0.01*	0.5	0.05*	1	0.02*	0.05*	0.5	0.5	0.01*	0.05*	
Kale						0.05*	0.01*	0.05*	0.05*	1	0.02*	0.05*	0.5	0.5	0.01*	0.05*	
Others						0.05*	0.01*	0.05*	0.05*	1	0.02*	0.05*	0.5	0.5	0.01*	0.05*	
d) Kohlrabi	0.2					0.05*	0.01*	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS																	
a) Lettuce & similar																	
Cress	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Lamb's lettuce	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Lettuce	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Scarole	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Others	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
b) Spinach & similar																	
Spinach	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Beet leaves (chard)	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Others	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5	0.01*	0.05*
c) Watercress	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
d) Witloof	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
e) Herbs																	
Chervil	0.1*	0.05*				0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Chives	0.1*	0.05*				0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Parsley	0.1*	0.05*				0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Celery leaves	0.1*	0.05*				0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
Others	0.1*	0.05*				0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5	0.01*	0.05*
vi) LEGUME VEGETABLES (fresh)																	
Beans (with pods)		0.05*						0.01*	0.05*	0.05*	0.5	0.02*	0.05*	0.2	0.5	0.01*	0.05*
Beans (without pods)		0.05*						0.05	0.05*	0.05*	0.5	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Peas (with pods)	0.1*	0.05*						2	0.05*	0.05*	0.5	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Peas (without pods)	0.1*	0.05*						0.01*	0.05*	0.05*	0.5	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
Others	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
vii) STEM VEGETABLES																	
Asparagus	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
Cardoons	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.02*	0.01*	0.05*	
Celery						0.05*	10	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
Fennel	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.02*	0.01*	0.05*	
Globe artichokes	0.1*	0.05*				0.05*	0.01*	1	0.05*	0.02*	2	0.02*	0.05*	0.1	0.5	0.01*	0.05*
Leeks						0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.2	0.5	0.01*	0.05*
Rhubarb	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
Others	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Carbofuran	Carbosulfan	Cartap	Chlordane	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon	1,2-Dibromo-ethane	Dichlorprop
viii) FUNGI																	
a) Cultivated mushrooms	0.1*	0.05*				2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5	0.01*	0.05*
b) Wild mushrooms	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.02*	0.01*	0.05*
3. PULSES																	
Beans		0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1		0.01*	0.05*
Lentils	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1		0.01*	0.05*
Peas	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1		0.01*	0.05*
Others	0.1*	0.05*				0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1		0.01*	0.05*
4. OILSEEDS																	
Linseed		0.05*					0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
Peanuts		0.05*				0.1*	0.05	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
Poppy seed	0.1*	0.05*				0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
Sesame seed	0.1*	0.05*				0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
Sunflower seed						0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
Rape seed		0.05*					0.01*	0.05*	0.05*	0.05	0.2	0.05*	0.05*	0.05*	0.1	0.05*	0.05*
Soya bean		0.05*					0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
Mustard seed	0.1*	0.05*					0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
Cotton seed								0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.01*	0.05*
Others	0.1*	0.05*					0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*
5. POTATOES																	
Early potatoes		0.05*					0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*		0.01*	0.05*
Ware potatoes (dried leaves and stalks,		0.05*					0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5	0.01*	0.05*
6. TEA	fermented or otherwise, <i>Camellia sinensis</i>)	0.2*	0.1*	20	0.02*	0.1*	0.1*	0.1*	0.1*		0.5	0.1*	0.2	5	0.05*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	10				0.1*	50	0.1*	0.1*	20	30	0.1*	0.05*	5		0.01*	0.1*

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin	Etephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																	
i) CITRUS FRUIT																	
Grapefruit																	
Lemons																	
Limes																	
Mandarins (inc clementines & similar hybrids)																	
Oranges																	
Pomelos																	
Others																	
ii) TREE NUTS (shelled or unshelled)																	
Almonds																	
Brazil nuts																	
Cashew nuts																	
Chestnuts																	
Coconuts																	
Hazelnuts																	
Macadamia nuts																	
Pecans																	
Pine nuts																	
Pistachios																	
Walnuts																	
Others																	
iii) POME FRUIT																	
Apples																	
Pears																	
Quinces																	
Others																	
iv) STONE FRUIT																	
Apricots																	
Cherries																	
Peaches (incl nectarines & similar hybrids)																	
Plums																	
Others																	

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin	Etephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate
-----------------------------	---------------------------------------	------------	---------	------------	---------	------------	------------	------------	--------	---------	--------	-----------	------------------	--------------	--------------	--------	-------------

v) BERRIES AND SMALL FRUIT

a) Table & wine grapes

Table grapes	1		0.05*	0.05*	0.02*	1	0.01*				0.3	2	0.01*		0.05*	1
Wine grapes	1		0.05*	0.05*	0.02*	1	0.01*				0.3	2	0.01*		0.05*	1

b) Strawberries (other than wild)

Strawberries (other than wild)	2		0.05*	0.05*			0.01*	0.05*			0.3		0.01*		0.05*	0.05*
--------------------------------	---	--	-------	-------	--	--	-------	-------	--	--	-----	--	-------	--	-------	-------

c) Cane Fruit (other than wild)

Blackberries	0.02*		0.05*	0.05*	0.02*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Dewberries	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Loganberries	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Raspberries	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*			0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*

d) Other small fruit & berries (other than wild)

Bilberries	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Cranberries	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Currants (red, black & white)			0.05*	0.05*	0.02*		0.01*	5			1	0.05*	0.01*		0.05*	0.05*
Gooseberries	0.02*		0.05*	0.05*	0.02*		0.01*	0.05*			1	0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
e) Wild berries & wild fruit	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	

vi) MISCELLANEOUS FRUIT

Avocados	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Bananas	2		0.05*	0.05*	0.02*		0.01*	0.05*			0.3	0.01*		0.05*	0.05*
Dates	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Figs			0.05*	0.05*	0.02*	0.05*	0.01*			0.02*	0.05*	0.01*		0.05*	0.05*
Kiwi fruit	0.02*		0.05*	0.05*	0.02*	1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Kumquats	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Litchis	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Mangoes	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Olives (table consumption)	0.02*		0.05*	0.05*	0.02*	1	0.01*			0.02*	0.05*	0.01*		0.05*	0.05*
Olives (oil extract)	0.02*		0.05*	0.05*	0.02*	1	0.01*			0.02*	0.05*	0.01*		0.05*	0.05*
Passion fruit	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Pineapples	0.02*		0.05*	0.05*		0.05*	0.01*			0.02*	0.05*	0.01*		0.05*	0.05*
Pomegranates	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin	Etephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate	
<hr/>																		
2. Vegetables, fresh or uncooked, frozen or dry																		
i) ROOT AND TUBER VEGETABLES																		
Beetroot		0.02*		0.05*	0.05*	0.02*	0.2	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Carrots		0.02*		0.05*	0.05*		0.2	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Celeriac		0.02*		0.05*	0.05*	0.02*	0.2	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Horseradish		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Jerusalem artichokes		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Parsnips		0.02*		0.05*	0.05*		0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Parsley root		0.02*		0.05*	0.05*	0.02*	0.2	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Radishes		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Salsify		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Sweet potatoes		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Swedes		0.02*		0.05*	0.05*	0.02*		0.2	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Turnips		0.02*		0.05*	0.05*	0.02*		0.2	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Yams		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Others		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
ii) BULB VEGETABLES																		
Garlic				0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
Onions				0.02*	0.05*	0.05*	0.02*	1	0.01*		0.02*	0.05*	0.01*		0.05*	0.05*		
Shallots				0.02*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Spring onions				0.02*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Others				0.02*	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
iii) FRUITING VEGETABLES																		
a) Solanaceae																		
Tomatoes		0.5		0.05*	0.05*	0.02*		1	0.01*	3				0.01*		0.05*	1	
Peppers		0.5		0.05*	0.05*	0.02*		1	0.01*	3				0.01*		0.05*	0.2	
Aubergines		0.02*		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.05*	
Others		0.02*		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.05*	
b) Cucurbits-edible peel																		
Cucumbers		0.5		0.05*	0.05*	0.02*		1	0.01*	0.05*			0.5*	0.01*		0.05*	0.2	
Gherkins		0.5		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.05*	
Courgettes		0.5		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.05*	
Others		0.5		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.05*	
c) Cucurbits-inedible peel																		
Melons		0.5		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.2	
Squashes		0.5		0.05*	0.05*			1	0.01*	0.05*				0.01*		0.05*	0.5	
Watermelons		0.5		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.5	
Others		0.5		0.05*	0.05*	0.02*		1	0.01*	0.05*				0.01*		0.05*	0.05*	
d) Sweet corn																		
		0.02*		0.05*	0.05*	0.02*		0.05*	0.01*			0.02*	0.05*	0.01*		0.05*	0.05*	

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin	Etephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate
iv) BRASSICA VEGETABLES																	
a) Flowering Brassicas																	
Broccoli	0.02*		0.05*	0.05*			1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	1	
Cauliflower	0.02*		0.05*	0.05*			1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	1	
Others	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	1
b) Head Brassicas																	
Brussels sprouts	0.02*		0.05*	0.05*			1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Head cabbage	0.02*		0.05*	0.05*			1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Others	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
c) Leafy Brassicas																	
Chinese cabbage	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	1
Kale	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
d) Kohlrabi	0.02*		0.05*	0.05*			0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS																	
a) Lettuce & similar																	
Cress	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Lamb's lettuce	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Lettuce	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Scarole	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
b) Spinach & similar																	
Spinach	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Beet leaves (chard)	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
c) Watercress	0.02*		0.05*	0.05*		0.02*		0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
d) Witloof	0.02*		0.05*	0.05*		0.02*		0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
e) Herbs																	
Chervil	0.02*		0.05*	0.05*			0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Chives	0.02*		0.05*	0.05*			0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Parsley	0.02*		0.05*	0.05*			0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Celery leaves	0.02*		0.05*	0.05*			0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*			0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)																	
Beans (with pods)	0.5		0.05*	0.05*			1	0.01*	0.05*		0.02*		0.01*		0.05*	0.05*	
Beans (without pods)	0.5		0.05*	0.05*			1	0.01*	0.05*		0.02*		0.01*		0.05*	0.05*	
Peas (with pods)	0.5		0.05*	0.05*			1	0.01*	0.05*			0.05*	0.01*		0.05*	0.05*	
Peas (without pods)	0.5		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.05*	0.01*		0.05*	0.05*	
Others	0.02*		0.05*	0.05*			1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
vii) STEM VEGETABLES																	
Asparagus	0.02*		0.05*	0.05*		0.02*	0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Cardoons	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Celery	0.02*		0.05*	0.05*			1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	
Fennel	0.02*		0.05*	0.05*		0.02*	0.05*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Globe artichokes			0.05*	0.05*		0.02*		1	0.01*	0.05*			0.05*	0.01*		0.05*	0.05*
Leeks	0.02*		0.05*	0.05*		0.02*		1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Rhubarb	0.02*		0.05*	0.05*		0.02*		0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Others	0.02*		0.05*	0.05*		0.02*		0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin	Etephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate
viii) FUNGI																	
a) Cultivated mushrooms					0.05*	0.05*	0.02*	1	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
b) Wild mushrooms		0.02*			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
3. PULSES																	
Beans					0.05*	0.05*		0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Lentils		0.02*			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Peas		0.02*			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
Others		0.02*			0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*
4. OILSEEDS																	
Linseed		0.05*			0.05*	0.05*	0.02*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Peanuts		0.05*			0.05*	0.05*	0.02*	0.1*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Poppy seed		0.05*			0.05*	0.05*	0.02*	0.1*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Sesame seed		0.05*			0.05*	0.05*	0.02*	0.1*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Sunflower seed		0.05*			0.05*	0.05*	0.02*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Rape seed		0.05*			0.05*	0.05*	0.02*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Soya bean		0.05*			0.05*	0.05*	0.02*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Mustard seed		0.05*			0.05*	0.05*	0.02*		0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
Cotton seed		0.1			0.05*	0.05*	0.05	0.3	0.01*	0.05*		0.02*		0.01*		0.05*	0.1
Others		0.05*			0.05*	0.05*	0.02*	0.1*	0.01*	0.05*		0.02*	0.05*	0.01*		0.05*	0.1
5. POTATOES																	
Early potatoes		0.02*			0.05*	0.05*			0.01*	0.05*		0.02*	0.05*	0.01*		0.1	0.05*
Ware potatoes (dried leaves and stalks,		0.02*			0.05*	0.05*			0.01*	0.05*		0.02*	0.05*	0.01*		0.1	0.05*
6. TEA	fermented or otherwise, Camellia sinensis)	0.1*	20	0.2	0.1*	0.1*	0.05*	30	0.01*	0.1*	2	0.05*	0.1*	0.1*	0.5	0.1*	10
7. HOPS (dried)	including hop pellets & unconcentrated powder		50		0.1*	0.1*			0.1*	0.1*		5		0.1*		0.5	5

Group to which food belongs	Groups include the following products	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene (HCB) α	Hexachlorocyclohexane (HCH) β	Hexachlorocyclohexane (HCH) γ	Hexachlorocyclohexane (HCH)	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion	Maleic-Hydrazide	Maneb	Mancozeb	Metiram	Propineb	Zineb	Mecarbam	Metalaxyl	Methamidophos	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																							
i) CITRUS FRUIT																							
Grapefruit		0.05*		0.1*		0.01*										1*	5	2		0.2			
Lemons		0.05*		0.1*		0.01*										1*	5	2		0.2			
Limes		0.05*		0.1*		0.01*										1*	5	2		0.2			
Mandarins (inc clementines & similar hybrids)		0.05*		0.1*		0.01*										1*	5	2		0.2			
Oranges		0.05*		0.1*		0.01*										1*	5	2		0.2			
Pomelos		0.05*		0.1*		0.01*										1*	5	2		0.2			
Others		0.05*		0.1*		0.01*										1*	5	2		0.2			
ii) TREE NUTS (shelled or unshelled)																							
Almonds		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Brazil nuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Cashew nuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Chestnuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Coconuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Hazelnuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Macadamia nuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Pecans		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Pine nuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Pistachios		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Walnuts		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
Others		0.05*		0.1*		0.01*										1*	0.1*	0.05*	0.05*	0.01*			
iii) POME FRUIT																							
Apples		0.05*		0.1*		0.01*										5	10	0.1	1*	3	0.05*	1	0.05
Pears		0.05*		0.1*		0.01*										5	10	0.1	1*	3	0.05*	1	0.05
Quinces		0.05*		0.1*		0.01*										5	10	0.1	1*	3	0.05*	1	0.05
Others		0.05*		0.1*		0.01*										5	10	0.1	1*	3	0.05*	1	0.05
iv) STONE FRUIT																							
Apricots		0.05*		0.1*		0.01*										0.02*	5	0.2	1*	2	0.05*	0.05*	0.1
Cherries		0.05*		0.1*		0.01*										0.02*	5	0.1	1*	1	0.05*		
Peaches (incl nectarines & similar hybrids)		0.05*		0.1*		0.01*										0.02*	5	0.2	1*	2	0.05*		0.05
Plums		0.05*		0.1*		0.01*										0.02*	5	0.1	1*	1	0.05*	0.05*	0.3
Others		0.05*		0.1*		0.01*										0.02*	5	0.1	1*	0.05*	0.05*	0.05*	0.01*

Group to which the food belongs	Groups include the following products	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH) α	Hexachlorocyclohexane (HCH) β	Hexachlorocyclohexane (HCH) γ	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion	Maleic-Hydrazide	Maneb	Mancozeb	Metiram	Propineb	Zineb	Mecarbam	Metalaxyl	Methamidophos
v) BERRIES AND SMALL FRUIT																						
a) Table & wine grapes																						
Table grapes		0.05*		0.1*		0.01*				0.02*	10	0.2		1*	2	0.05*	2	0.01*				
Wine grapes		0.05*		0.1*		0.01*				0.02*	10	0.2		1*	2	0.05*	1	0.01*				
b) Strawberries (other than wild)		0.05*		0.1*		0.01*				0.02*	10			1*	2	0.05*	0.5	0.01*				
c) Cane Fruit (other than wild)																						
Blackberries		0.05*		0.1*		0.01*				0.02*	5	0.02*		1*	0.05*	0.05*		0.01*				
Dewberries		0.05*		0.1*		0.01*				0.02*	5	0.02*		1*	0.05*	0.05*		0.01*				
Loganberries		0.05*		0.1*		0.01*				0.02*	5	0.02*		1*	0.05*	0.05*		0.01*				
Raspberries		0.05*		0.1*		0.01*				0.02*	5	0.02*		1*		0.05*		0.01*				
Others		0.05*		0.1*		0.01*				0.02*	5	0.02*		1*	0.05*	0.05*		0.01*				
d) Other small fruit & berries (other than wild)																						
Bilberries		0.05*		0.1*		0.01*				0.02*	10	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Cranberries		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Currants (red, black & white)		0.05*		0.1*		0.01*				0.02*	10	0.1		1*	5	0.05*	0.05*	0.01*				
Gooseberries		0.05*		0.1*		0.01*				0.02*	10	0.1		1*	5	0.05*	0.05*	0.01*				
Others		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
e) Wild berries & wild fruit		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
vi) MISCELLANEOUS FRUIT																						
Avocados		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*		0.01*				
Bananas		0.05*		0.1*		0.01*				2	3	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Dates		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Figs		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Kiwi fruit		0.05*		0.1*		0.01*				0.02*	5	0.02*		1*	0.05*	0.05*		0.01*				
Kumquats		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Litchis		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Mangoes		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Olives (table consumption)		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Olives (oil extract)		0.05*		2		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Passion fruit		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Pineapples		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Pomegranates		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				
Others		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.01*				

Group to which food belongs	Groups include the following products	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachloro-cyclohexane (HCH) β	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion	Maleic-Hydrazide	Maneb	Mancozeb	Metiram	Propineb	Zineb	Mecarbam	Metalaxyl	Methamidophos			
2. Vegetables, fresh or uncooked, frozen or dry																									
i) ROOT AND TUBER VEGETABLES																									
Beetroot		0.05*		0.1*		0.01*				0.02*		0.5		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Carrots		0.05*		0.1*		0.01*				0.02*		0.3		0.02*			1*		0.2		0.05*		0.1		0.01*
Celeriac		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.2		0.05*		0.05*		0.01*
Horseradish		0.05*		0.1*		0.01*				0.02*		0.1		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Jerusalem artichokes		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Parsnips		0.05*		0.1*		0.01*				0.02*		0.1		0.02*			1*		0.05*		0.05*		0.1		0.01*
Parsley root		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Radishes		0.05*		0.1*		0.01*				0.02*		0.3		0.02*			1*		0.2		0.05*		0.05*		0.01*
Salsify		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.2		0.05*		0.05*		0.01*
Sweet potatoes		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Swedes		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Turnips		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Yams		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.05*		0.05*		0.05*		0.01*
Others		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			1*		0.05*		0.05*		0.05*		0.01*
ii) BULB VEGETABLES																									
Garlic		0.05*		0.1*		0.01*				0.02*		5		0.02*			10		0.5		0.05*		0.01*		
Onions		0.05*		0.1*		0.01*				0.02*		5		0.02*			10		0.5		0.05*		0.01*		
Shallots		0.05*		0.1*		0.01*				0.02*		5		0.02*			10		0.5		0.05*		0.01*		
Spring onions		0.05*		0.1*		0.01*				0.02*		3					1*		0.05*		0.05*		0.01*		
Others		0.05*		0.1*		0.01*				0.02*		0.02*		0.02*			10		0.05*		0.05*		0.01*		
iii) FRUITING VEGETABLES																									
a) Solanaceae																									
Tomatoes		0.05*		0.1*		0.01*					0.5		5					1*		3		0.05*		0.5	
Peppers		0.05*		0.1*		0.01*				0.02*		5					1*		2		0.05*		0.01*		
Aubergines		0.05*		0.1*		0.01*				0.02*		5					1*		2		0.05*		0.2		
Others		0.05*		0.1*		0.01*				0.02*		5					1*		2		0.05*		0.01*		
b) Cucurbits-edible peel																									
Cucumbers		0.05*		0.1*		0.01*					0.2		2		0.1			1*		0.5		0.05*		1	
Gherkins		0.05*		0.1*		0.01*					0.2		2		0.1			1*		2		0.05*		0.01*	
Courgettes		0.05*		0.1*		0.01*					0.2		2		0.1			1*		2		0.05*		0.01*	
Others		0.05*		0.1*		0.01*					0.2		2		0.1			1*		0.05*		0.05*		0.01*	
c) Cucurbits-inedible peel																									
Melons		0.05*		0.1*		0.01*					2		0.3					1*		0.5		0.05*		0.01*	
Squashes		0.05*		0.1*		0.01*				0.02*		0.02*					1*		0.5		0.05*		0.05*		
Watermelons		0.05*		0.1*		0.01*				0.02*		0.02*					1*		0.5		0.05*		0.01*		
Others		0.05*		0.1*		0.01*				0.02*		0.02*					1*		0.5		0.05*		0.05*		
d) Sweet corn																									

Group to which food belongs	Groups include the following products	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachloro-cyclohexane (HCH) β	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion	Maleic-Hydrazide	Maneb	Mancozeb	Metiram	Propineb	Zineb	Mecarbam	Metalaxyl	Methamidophos
iv) BRASSICA VEGETABLES																						
a) Flowering Brassicas																						
Broccoli		0.1	0.1*	0.01*														1*	1	0.05*	0.5	
Cauliflower		0.1	0.1*	0.01*														1*	1	0.05*	0.5	
Others		0.1	0.1*	0.01*														1*	1	0.05*	0.5	
b) Head Brassicas																						
Brussels sprouts		0.05*	0.1*	0.01*														1*	1	0.05*	0.05*	0.5
Head cabbage		0.05*	0.1*	0.01*														1*	1	0.05*	1	0.5
Others		0.05*	0.1*	0.01*														1*	1	0.05*	0.05*	0.5
c) Leafy Brassicas																						
Chinese cabbage		0.05*	0.1*	0.01*														1*	0.5	0.05*	0.01*	
Kale		0.05*	0.1*	0.01*														1*	0.5	0.05*	0.01*	
Others		0.05*	0.1*	0.01*														1*	0.5	0.05*	0.01*	
d) Kohlrabi		0.05*	0.1*	0.01*														1*	0.1*	0.05*	0.05*	0.01*
v) LEAF VEGETABLES AND FRESH HERBS																						
a) Lettuce & similar																						
Cress		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
Lamb's lettuce		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
Lettuce		0.05*	0.1*	0.01*														1*	5	0.05*	0.2	
Scarole		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
Others		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
b) Spinach & similar																						
Spinach		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.01*	
Beet leaves (chard)		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.01*	
Others		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.01*	
c) Watercress		0.05*	0.1*	0.01*													1*	0.3	0.05*	0.01*		
d) Witloof		0.05*	0.1*	0.01*														1*	0.2	0.05*	0.01*	
e) Herbs																						
Chervil		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
Chives		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
Parsley		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
Celery leaves		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
Others		0.05*	0.1*	0.01*														1*	5	0.05*	0.01*	
vi) LEGUME VEGETABLES (fresh)																						
Beans (with pods)			0.1*	0.01*														1*	1	0.05*	0.05*	0.5
Beans (without pods)			0.1*	0.01*														1*	0.1	0.05*	0.05*	0.01*
Peas (with pods)		0.05*	0.1*	0.01*														1*	1	0.05*	0.05*	0.5
Peas (without pods)		0.05*	0.1*	0.01*														1*	0.1	0.05*	0.05*	0.01*
Others		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.05*	
vii) STEM VEGETABLES																						
Asparagus		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.05*	0.01*
Cardoons		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.05*	0.01*
Celery			0.1*	0.01*														1*	0.5	0.05*	0.05*	0.01*
Fennel		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.05*	0.01*
Globe artichokes		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.05*	0.1
Leeks		0.05*	0.1*	0.01*														1*	3	0.05*	0.01*	
Rhubarb		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.05*	0.01*
Others		0.05*	0.1*	0.01*														1*	0.05*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachloro-cyclohexane (HCH) β	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion	Maleic-Hydrazide	Maneb	Mancozeb	Metiram	Propineb	Zineb	Mecarbam	Metalexyl	Methamidophos
viii) FUNGI																						
a) Cultivated mushrooms		0.05*		0.1*		0.01*				0.02*	0.02*			1*	0.05*	0.05*	0.05*	0.05*	0.01*			
b) Wild mushrooms		0.05*		50		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.05*	0.01*			
3. PULSES																						
Beans				2		0.01*				0.02*	0.2	0.02*		1*	0.05*	0.05*	0.05*	0.05*	0.01*			
Lentils			0.05*		0.1*		0.01*			0.02*	0.2	0.02*		1*	0.05*	0.05*	0.05*	0.05*	0.01*			
Peas			0.05*		3		0.01*			0.02*	0.2	0.02*		1*	0.05*	0.05*	0.05*	0.05*	0.01*			
Others			0.05*		0.1*		0.01*			0.02*	0.2	0.02*		1*	0.05*	0.05*	0.05*	0.05*	0.01*			
4. OILSEEDS																						
Linseed		0.05*		10		0.01*				0.02*	0.1	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
Peanuts		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
Poppy seed		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
Sesame seed		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
Sunflower seed		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
Rape seed			10		0.01*					0.02*	0.5	0.02*		1*	0.5	0.05*	0.05*	0.05*	0.01*			
Soya bean			20		0.01*					0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
Mustard seed		0.05*		10		0.01*				0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
Cotton seed			0.1*		0.01*					0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.1			
Others		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.1*	0.05*	0.05*	0.05*	0.01*			
5. POTATOES																						
Early potatoes		0.05*		0.1*		0.01*				0.02*	0.02*	0.02*		1*	0.05*	0.05*	0.05*	0.05*	0.01*			
Ware potatoes (dried leaves and stalks,		0.05*		0.1*		0.01*				5	0.02*	0.02*		50	0.05*	0.05*	0.05*	0.05*	0.01*			
6. TEA																						
fermented or otherwise, <i>Camellia sinensis</i>)		0.1*		0.1*		0.1*	0.02*	0.01*	0.2	{ alpha and β sum of β alpha and β	0.2	0.1*	0.1*	1	0.5	1*	0.1*	0.05*	0.1*	0.1*	0.1*	
7. HOPS (dried)																						
including hop pellets & unconcentrated powder		5		0.1*		0.01*				0.1*	0.1*	10		1*	25	0.1*	10	2				

Group to which food belongs	Groups include the following products	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																		
i) CITRUS FRUIT																		
Grapefruit	2		0.05*				0.05*	0.5	0.05*		1	0.02*			0.05*	3	0.02*	
Lemons	2		0.05*				0.05*	0.5	0.05*		1	0.02*			0.05*	3	0.02*	
Limes	2		0.05*				0.05*	0.5	0.05*		1	0.02*			0.05*	3	0.02*	
Mandarins (inc clementines & similar hybrids)	2		0.05*				0.05*	0.5	0.05*		2	0.02*			0.05*	3	0.02*	
Oranges	2		0.05*				0.05*	0.5	0.05*		1	0.02*			0.05*	3	0.02*	
Pomelos	2		0.05*				0.05*	0.5	0.05*		1	0.02*			0.05*	3	0.02*	
Others	2		0.05*				0.05*	0.5	0.05*		1	0.02*			0.05*	3	0.02*	
ii) TREE NUTS (shelled or unshelled)																		
Almonds		0.05*	0.05*				0.05*	0.1	0.05*			0.05*			0.05*	0.05*	0.02*	
Brazil nuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Cashew nuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Chestnuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Coconuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Hazelnuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Macadamia nuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Pecans		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Pine nuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Pistachios		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Walnuts		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
Others		0.05*	0.05*				0.05*	0.05*	0.05*			0.05*			0.05*	0.05*	0.02*	
iii) POME FRUIT																		
Apples	0.3	1	0.05*				0.05*	1	0.05*			0.02*			0.05*	3	0.02*	
Pears	0.3		0.05*				0.05*	1	0.05*			1			0.05*	3	0.02*	
Quinces	0.3	0.05*	0.05*				0.05*	1	0.05*			0.02*			0.05*	3	0.02*	
Others	0.3	0.05*	0.05*				0.05*	1	0.05*			0.02*			0.05*	3	0.02*	
iv) STONE FRUIT																		
Apricots	0.2						0.05*	1	0.05*			2			0.2	3	0.02*	
Cherries							0.05*	1	0.05*			0.02*			3	0.02*		
Peaches (incl nectarines & similar hybrids)	0.2						0.05*	1	0.05*			2			0.2	3	0.02*	
Plums	0.2						0.05*	1	0.05*			2			3	0.02*		
Others	0.2						0.05*	1	0.05*			2			0.05*	3	0.02*	

Group to which food belongs	Groups include the following products	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide
v) BERRIES AND SMALL FRUIT																		
a) Table & wine grapes																		
Table grapes	0.5	3					0.05*	1	0.05*			5			0.5	3	0.02*	
Wine grapes	0.5	3					0.05*	1	0.05*			5			0.5	3	0.02*	
b) Strawberries (other than wild)	0.02*	0.05*	0.05*				0.05*	1				5			0.05*	3		
c) Cane Fruit (other than wild)																		
Blackberries	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	3	0.02*	
Dewberries	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Loganberries	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Raspberries	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	10			0.05*	3	0.02*	
Others	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
d) Other small fruit & berries (other than wild)																		
Bilberries	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Cranberries	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Currants (red, black & white)	0.02*		0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.2		
Gooseberries	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.2		
Others	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
e) Wild berries & wild fruit	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
vi) MISCELLANEOUS FRUIT																		
Avocados	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Bananas	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.1	0.05*	0.02*	
Dates	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Figs	0.02*	0.05*					0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Kiwi fruit	0.02*	0.05*	0.05*				0.05*	1	0.05*		2	5			0.05*	0.05*	0.02*	
Kumquats	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Litchis	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Mangoes	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Olives (table consumption)	1		0.05*				0.05*	0.05*	0.05*			0.02*			0.05*	3	0.02*	
Olives (oil extract)	1		0.05*				0.05*	0.05*	0.05*			0.02*			0.05*	3	0.02*	
Passion fruit	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Pineapples	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Pomegranates	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
Others	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide
2. Vegetables, fresh or uncooked, frozen or dry																		
i) ROOT AND TUBER VEGETABLES																		
Beetroot		0.02*	0.05*	0.05*			0.05*	0.05*				0.05*	0.02*			0.05*	3	0.02*
Carrots		0.02*	0.05*	0.05*			0.05*	0.05*			1	0.02*			0.05*	0.05*	0.02*	
Celeriac		0.02*	0.05*	0.05*			0.05*	0.1	0.05*			0.05*	0.02*			0.05*	3	0.02*
Horseradish		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Jerusalem artichokes		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Parsnips		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Parsley root		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Radishes		0.02*	0.5	0.05*			0.05*	0.1	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Salsify		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Sweet potatoes		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Swedes		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Turnips		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Yams		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
Others		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*
ii) BULB VEGETABLES																		
Garlic		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.2				0.05*	0.05*	0.02*
Onions			0.05*	0.05*			0.05*	0.05*	0.05*			0.2				0.05*	0.05*	0.02*
Shallots			0.05*	0.05*			0.05*	0.05*	0.05*			0.2				0.05*	0.05*	0.02*
Spring onions		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.02*				0.05*	0.05*	0.02*
Others		0.02*	0.05*	0.05*			0.05*	0.05*	0.05*			0.02*				0.05*	0.05*	0.02*
iii) FRUITING VEGETABLES																		
a) Solanaceae																		
Tomatoes		0.02*		0.05*			0.05*	0.5				2				0.05*		0.02*
Peppers		0.02*		0.05*			0.05*	0.5				2				3	0.02*	
Aubergines		0.02*		0.05*			0.05*	0.5				2				0.05*	3	0.02*
Others		0.02*		0.05*			0.05*	0.5				2				0.05*	3	0.02*
b) Cucurbits-edible peel																		
Cucumbers		0.02*		0.05*			0.05*	0.1	0.05*			1						0.02*
Gherkins		0.02*		0.05*	0.05*		0.05*	0.1				1				3	0.02*	
Courgettes		0.02*		0.05*			0.05*	0.1				1					0.02*	
Others		0.02*		0.05*	0.05*		0.05*	0.1				1				3	0.02*	
c) Cucurbits-inedible peel																		
Melons		0.02*	0.2	0.05*			0.05*	0.1	0.05*			1				3	0.02*	
Squashes		0.02*	0.2	0.05*			0.05*	0.1	0.05*			1				3	0.02*	
Watermelons		0.02*	0.2	0.05*			0.05*	0.1	0.05*			1				3	0.02*	
Others		0.02*	0.2	0.05*			0.05*	0.1	0.05*			1				3	0.02*	
d) Sweet corn																		
		0.02*	0.05*	0.05*			0.05*	0.1				0.05*	0.02*			0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Methidathion	Methomyl thiocarb	Methyl bromide	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide
iv) BRASSICA VEGETABLES																		
a) Flowering Brassicas																		
Broccoli	0.02*		0.05*				0.05*	0.05*				0.02*			0.05*	3	0.02*	
Cauliflower	0.02*		0.05*				0.05*	0.1			1	0.02*		0.05*	3	0.02*		
Others	0.02*		0.05*				0.05*	0.05*			1	0.02*		0.05*	3	0.02*		
b) Head Brassicas																		
Brussels sprouts	0.02*		0.05*				0.05*	0.05*			2	0.02*		0.05*	3	0.02*		
Head cabbage	0.02*		0.05*				0.05*	1				0.02*		0.05*	3			
Others	0.02*		0.05*				0.05*	0.05*				0.02*		0.05*	3	0.02*		
c) Leafy Brassicas																		
Chinese cabbage	0.02*		0.05*				0.05*	1				0.02*		0.05*	3	0.02*		
Kale	0.02*		0.05*				0.05*	1				0.02*		0.05*	3	0.02*		
Others	0.02*		0.05*				0.05*	1				0.02*		0.05*	3	0.02*		
d) Kohlrabi	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*			0.02*		0.05*	3	0.02*		
v) LEAF VEGETABLES AND FRESH HERBS																		
a) Lettuce & similar																		
Cress	0.02*		0.05*				0.05*	2				5		0.05*	0.05*			
Lamb's lettuce	0.02*		0.05*				0.05*	2				5		0.05*	3			
Lettuce	0.02*		0.05*				0.05*	2				5		0.05*	3			
Scarole	0.02*		0.05*				0.05*	2				5		0.05*	3			
Others	0.02*		0.05*				0.05*	2				5		0.05*	3			
b) Spinach & similar																		
Spinach	0.02*	2	0.05*				0.05*	1	0.05*			0.02*		0.05*	3	0.02*		
Beet leaves (chard)	0.02*	2	0.05*				0.05*	1	0.05*			0.02*		0.05*	3	0.02*		
Others	0.02*	2	0.05*				0.05*	1	0.05*			0.02*		0.05*	3	0.02*		
c) Watercress	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*			0.05*	0.02*	0.05*	0.05*	0.02*		
d) Witloof	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*			0.05*	2	0.05*	0.05*	0.02*		
e) Herbs																		
Chervil	0.02*		0.05*				0.05*	2				0.02*		0.05*	3			
Chives	0.02*		0.05*				0.05*	2				0.02*		0.05*	3			
Parsley	0.02*		0.05*				0.05*	2				0.02*		0.05*	3			
Celery leaves	0.02*		0.05*				0.05*	2				0.02*		0.05*	3			
Others	0.02*		0.05*				0.05*	2				0.02*		0.05*	3			
vi) LEGUME VEGETABLES (fresh)																		
Beans (with pods)	0.02*		0.05*				0.05*	0.5				2		0.05*	3			
Beans (without pods)	0.02*	0.05*	0.05*				0.05*	0.05*				0.02*		0.05*	0.05*			
Peas (with pods)	0.02*		0.05*				0.05*	0.1				1		0.05*	3	0.02*		
Peas (without pods)	0.02*	0.05*	0.05*				0.05*	0.05*				0.05*	0.3	0.05*	0.05*	0.02*		
Others	0.02*	0.05*	0.05*				0.05*	0.05*				0.02*		0.05*	0.05*	0.02*		
vii) STEM VEGETABLES																		
Asparagus	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*			0.02*		0.05*	0.05*	0.02*		
Cardoons	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*			0.02*		0.05*	3	0.02*		
Celery	0.02*	0.05*	0.05*				0.05*	2				0.02*		3	0.02*			
Fennel	0.02*		0.05*				0.05*	0.05*	0.05*			0.02*		0.05*	3	0.02*		
Globe artichokes	0.02*		0.05*				0.05*	0.05*	0.05*			0.02*			3			
Leeks		0.05*	0.05*				0.05*	0.5	0.05*			0.02*		0.05*	1	0.02*		
Rhubarb	0.02*	0.05*	0.05*				0.05*	2	0.05*			0.02*		0.05*	0.05*	0.02*		
Others	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*			0.02*		0.05*	0.05*	0.02*		

Group to which food belongs	Groups include the following products	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide
viii) FUNGI																		
a) Cultivated mushrooms	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		2	0.02*			0.05*	0.05*	0.02*	
b) Wild mushrooms	0.02*	0.05*	0.05*				0.05*	0.05*	0.05*		0.05*	0.02*			0.05*	0.05*	0.02*	
3. PULSES																		
Beans	0.02*	0.05*					0.05*	0.05*				0.02*			0.05*	0.05*	0.02*	
Lentils	0.02*	0.05*					0.05*	0.05*	0.05*			0.02*			0.05*	0.05*	0.02*	
Peas	0.02*	0.05*					0.05*	0.05*	0.05*			0.2			0.05*	0.05*	0.02*	
Others	0.02*	0.05*					0.05*	0.05*	0.05*			0.02*			0.05*	0.05*	0.02*	
4. OILSEEDS																		
Linseed	0.02*	0.05*	0.1*				0.05*	0.05*				0.05*				0.05*	0.05*	
Peanuts	0.02*	0.05*	0.1*				0.05*	0.1	0.1			0.05*			0.05*	0.05*		
Poppy seed	0.02*	0.05*	0.1*				0.05*	0.05*	0.05*		0.05*	0.05*			0.05*	0.05*	0.02*	
Sesame seed	0.02*	0.05*	0.1*				0.05*	0.05*	0.05*		0.05*	0.05*			0.05*	0.05*	0.02*	
Sunflower seed	0.02*	0.05*	0.1*				0.05*	0.05*	0.05*			1/0.05* ⁽¹⁴⁾			0.05*	0.05*	0.02*	
Rape seed	0.05	0.05*	0.1*				0.05*	0.1				1				0.05*		
Soya bean	0.02*	0.2	0.1*				0.05*	0.05*	0.05*			1			0.05*	0.05*	0.02*	
Mustard seed	0.02*	0.05*	0.1*				0.05*	0.1	0.05*		0.05*	0.05*			0.05*	0.05*	0.02*	
Cotton seed		0.5	0.1*				0.05*	0.2	0.05*			0.05*			0.05*	0.05*		
Others	0.02*	0.05*	0.1*				0.05*	0.05*	0.05*		0.05*	0.05*			0.05*	0.05*	0.02*	
5. POTATOES																		
Early potatoes	0.02*	0.05*	0.05*				0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*	
Ware potatoes (dried leaves and stalks,	0.02*	0.05*	0.05*				0.05*	0.05*			0.05*	0.02*			0.05*	0.05*	0.02*	
6. TEA	fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.05*	0.1*	0.1	0.1*	2	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	5	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	3	10	0.05*			0.1*	0.1*	0.1*		0.05*	0.1*			0.1*	0.1*		

Group to which food belongs	Groups include the following products	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
<hr/>								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
Grapefruit		0.01*	6		0.05*	0.05*	0.05*	
Lemons		0.01*	6		0.05*	0.05*	0.05*	
Limes		0.01*	6		0.05*	0.05*	0.05*	
Mandarins (inc clementines & similar hybrids)		0.01*	6		0.05*	0.05*	0.05*	
Oranges		0.01*	6		0.05*	0.05*	0.05*	
Pomelos		0.01*	6		0.05*	0.05*	0.05*	
Others		0.01*	6		0.05*	0.05*	0.05*	
ii) TREE NUTS (shelled or unshelled)								
Almonds		0.01*	0.1*			0.05*	0.05*	
Brazil nuts		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Cashew nuts		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Chestnuts		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Coconuts		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Hazelnuts		0.01*	0.1*		0.05*	0.05*	0.05*	
Macadamia nuts		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Pecans		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Pine nuts		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Pistachios		0.01*	0.1*		0.05*	0.05*	0.05*	
Walnuts		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
Others		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*	
iii) POME FRUIT								
Apples		0.01*	5		2	0.05*	1	
Pears		0.01*	5		2	0.05*	1	
Quinces		0.01*	5		2	0.05*	1	
Others		0.01*	5		2	0.05*	1	
iv) STONE FRUIT								
Apricots		0.01*	0.05*			0.05*	2	
Cherries		0.01*		0.02*	2	0.05*	0.5	
Peaches (incl nectarines & similar hybrids)		0.01*	0.05*			0.05*	2	
Plums		0.01*	0.05*	0.02*	1	0.05*	2	
Others		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	

Group to which Groups include the food belongs

Quinalphos TEPP Thiabendazole Triazophos Triforine 2,4,5-T Vinclozolin

v) BERRIES AND SMALL FRUIT

a) Table & wine grapes

Table grapes	0.01*		0.02*		0.05*	5
Wine grapes	0.01*		0.02*		0.05*	5

b) Strawberries (other than wild)

Strawberries (other than wild)	0.01*	5		0.05*		5
--------------------------------	--------------	----------	--	--------------	--	----------

c) Cane Fruit (other than wild)

Blackberries	0.01*	0.05*	0.02*	0.05*	0.05*	5
Dewberries	0.01*	0.05*	0.02*	0.05*	0.05*	5
Loganberries	0.01*	0.05*	0.02*	0.05*	0.05*	5
Raspberries	0.01*		0.02*	0.05*	0.05*	5
Others	0.01*	0.05*	0.02*	0.05*	0.05*	5

d) Other small fruit & berries (other than wild)

Bilberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Cranberries	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Currants (red, black & white)	0.01*		0.02*	2	0.05*	10
Gooseberries	0.01*		0.02*	2	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*

e) Wild berries & wild fruit

Wild berries & wild fruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
---------------------------	--------------	--------------	--------------	--------------	--------------	--------------

vi) MISCELLANEOUS FRUIT

Avocados	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Bananas	0.01*	3	0.02*	0.05*	0.05	0.05*
Dates	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Figs	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Kiwi fruit	0.01*	0.05*	0.02*	0.05*	0.05*	10
Kumquats	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Litchis	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Mangoes	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Olives (table consumption)	0.01*	0.05*		0.05*	0.05*	0.05*
Olives (oil extract)	0.01*	0.05*		0.05*	0.05*	0.05*
Passion fruit	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Pineapples	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Pomegranates	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
Beetroot		0.01*			0.05*	0.05*	0.05*	
Carrots		0.01*	0.05*	1	0.05*	0.05*	0.5	
Celeriac		0.01*	0.05*		0.05*	0.05*	0.05*	
Horseradish		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Jerusalem artichokes		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Parsnips		0.01*	0.05*	1	0.05*	0.05*	0.05*	
Parsley root		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Radishes		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Salsify		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Sweet potatoes		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Swedes		0.01*	0.05*	0.02*		0.05*	0.05*	
Turnips		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Yams		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
ii) BULB VEGETABLES								
Garlic		0.01*			0.05*	1		
Onions		0.01*			0.05*	1		
Shallots		0.01*			0.05*	1		
Spring onions		0.01*	0.05*	0.02*		0.05*	1	
Others		0.01*	0.05*	0.02*		0.05*	1	
iii) FRUITING VEGETABLES								
a) Solanaceae								
Tomatoes		0.01*		0.02*	0.05*	3		
Peppers		0.01*		0.02*	0.05*	3		
Aubergines		0.01*	0.05*	0.02*	0.05*	3		
Others		0.01*	0.05*	0.02*	0.05*	3		
b) Cucurbits-edible peel								
Cucumbers		0.01*			0.5	0.05*	1	
Gherkins		0.01*	0.05*		0.5	0.05*	1	
Courgettes		0.01*	0.05*		0.5	0.05*	1	
Others		0.01*	0.05*		0.5	0.05*	1	
c) Cucurbits-inedible peel								
Melons		0.01*			0.05*	1		
Squashes		0.01*	0.05*		0.05*	1		
Watermelons		0.01*			0.05*	1		
Others		0.01*	0.05*		0.05*	1		
d) Sweet corn								
		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
<hr/>								
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
Broccoli	0.01*	5		0.05*	0.05*			
Cauliflower	0.01*	0.05*		0.05*	0.05*			
Others	0.01*	0.05*		0.05*	0.05*			
b) Head Brassicas								
Brussels sprouts	0.01*	0.05*		0.05*	0.05*			
Head cabbage	0.01*			0.05*	0.05*			
Others	0.01*	0.05*		0.05*	0.05*			
c) Leafy Brassicas								
Chinese cabbage	0.01*	0.05*		0.05*	2			
Kale	0.01*	0.05*		0.05*	0.05*			
Others	0.01*	0.05*		0.05*	0.05*			
d) Kohlrabi	0.01*	0.05*	0.02*	0.05*	0.05*			
v) LEAF VEGETABLES AND FRESH HERBS								
a) Lettuce & similar								
Cress	0.01*	0.05*	0.02*	0.05*	5			
Lamb's lettuce	0.01*	0.05*	0.02*	0.05*	0.05*	5		
Lettuce	0.01*		0.02*	0.05*	0.05*	5		
Scarole	0.01*	0.05*	0.02*	0.05*	0.05*	5		
Others	0.01*	0.05*	0.02*	0.05*	0.05*	5		
b) Spinach & similar								
Spinach	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
Beet leaves (chard)	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
c) Watercress								
d) Witloof	0.01*	0.05*	0.02*	0.05*	0.05*	2		
e) Herbs								
Chervil	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
Chives	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
Parsley	0.01*	0.05*	0.02*		0.05*	0.05*		
Celery leaves	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)	0.01*			0.05*	2			
Beans (without pods)	0.01*			0.05*	0.5			
Peas (with pods)	0.01*	0.05*		0.05*	2			
Peas (without pods)	0.01*	0.05*		0.05*	0.3			
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		
vii) STEM VEGETABLES								
Asparagus	0.01*			0.05*	0.05*			
Cardoons	0.01*	0.05*	0.02*	0.05*	0.05*			
Celery	0.01*			0.05*	0.05*			
Fennel	0.01*	0.05*		0.05*	0.05*			
Globe artichokes	0.01*	0.05*		0.05*	0.05*			
Leeks	0.01*			0.05*	0.05*			
Rhubarb	0.01*	0.05*		0.05*	0.05*	0.05*		
Others	0.01*	0.05*	0.02*	0.05*	0.05*	0.05*		

Group to which food belongs	Groups include the following products	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
<hr/>								
viii) FUNGI								
a) Cultivated mushrooms		0.01*		0.02*	0.05*	0.05*	0.05*	
b) Wild mushrooms		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
3. PULSES								
Beans		0.01*	0.05*	0.02*	0.05*	0.05*	0.5	
Lentils		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Peas		0.01*	0.05*	0.02*	0.05*	0.05*	0.5	
Others		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
4. OILSEEDS								
Linseed		0.01*	0.05*		0.05*	0.05*	0.05*	
Peanuts		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Poppy seed		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Sesame seed		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Sunflower seed		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Rape seed		0.01*	0.05*		0.05*	0.05*	1	
Soya bean		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
Mustard seed		0.01*	0.05*		0.05*	0.05*	0.05*	
Cotton seed		0.01*	0.05*	0.1	0.05*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*	
5. POTATOES								
Early potatoes		0.01*			0.05*	0.05*	0.05*	
Ware potatoes (dried leaves and stalks,		0.01*	5		0.05*	0.05*	0.05*	
6. TEA								
fermented or otherwise, <i>Camellia sinensis</i>)	2	0.02*	0.1*	0.05*	0.1*	0.05*	0.1*	
7. HOPS (dried)								
including hop pellets & unconcentrated powder		0.02*	0.1*	0.05*	30	0.05*	40	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz	Azoxystrobin	Benalaxyil	Benfuracarb	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide
8. CEREALS													
	Wheat	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	Rye	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	Barley	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	Sorghum	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	Oats	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*		0.1
	Triticale	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	Maize	0.02*	0.05*	0.01	0.02*	0.05*	0.05*		0.05*	0.5	0.1*	0.1*	0.1
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	Millet	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
	Rice ⁽¹⁾	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	1	0.1*		0.1
	Other cereals ⁽²⁾	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1
9. PRODUCTS OF ANIMAL ORIGIN													
	Meat, fat & preparations of meat ⁽³⁾	0.02*	0.01*	0.2	0.02* ⁽⁸⁾	0.05*	0.05*	0.05*			0.1*	0.1*	
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*	0.01*	0.006		0.01*	0.05*	0.05*			0.1*	0.1*	
	Eggs ⁽⁶⁾	0.02*	0.01*	0.02	0.02*	0.05*	0.05*	0.05*			0.1*	0.1*	

Group to which food belongs	Groups include the following products	Carbon tetrachloride	Carbosulfan	Chlordane	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide
8. CEREALS											
	Wheat	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*	0.05*	0.02*
	Rye	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*	0.05*	0.02*
	Barley	0.1	0.05*	0.02	2	0.1	0.2	3	0.02*	0.2	0.02*
	Sorghum	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
	Oats	0.1	0.05*	0.02	5	0.1	0.05*	3	0.02*	0.2	0.02*
	Triticale	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*	0.05*	0.02*
	Maize	0.1	0.05*	0.02		0.01*	0.05*	3	0.05*	0.05*	0.02*
	Buckwheat	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
	Millet	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
	Rice ⁽¹⁾	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
	Other cereals ⁽²⁾	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN											
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05		0.01*	0.05* ⁽⁸⁾	0.05*	0.05	0.05* ⁽⁸⁾	0.05*	0.05*
									0.2 ⁽¹⁰⁾		
	Milk ⁽⁴⁾ &	0.05*	0.002		0.01*	0.01*	0.01*	0.02*	0.02	0.05*	
	Dairy produce ⁽⁵⁾										
	Eggs ⁽⁶⁾	0.05*	0.005		0.01*	0.01*	0.01*	0.02*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	DDT	Deltamethrin	Diazinon	1,2-Dibromo ethane	Dichlorvos	Dicofol	Disulfoton	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide
-----------------------------	---------------------------------------	-----	--------------	----------	--------------------	------------	---------	------------	------------	--------	----------	-----------	------------------

8. CEREALS

Wheat	0.05	1	0.05	0.01*	2	0.02*	0.1	0.1	0.01	0.2		0.05*
Rye	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.5	0.02*	0.05*
Barley	0.05	1	0.05	0.01*	2	0.02*	0.2	0.1	0.01	0.5		0.05*
Sorghum	0.05	1	0.05	0.01*	2	0.02*	0.2	0.05*	0.01	0.05*	0.02*	0.05*
Oats	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.05*	0.02*	0.05*
Triticale	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1	0.01	0.2	0.02*	0.05*
Maize	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.2	0.01		0.02*	0.05*
Buckwheat	0.05	1	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*
Millet	0.05	1	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*
Rice ⁽¹⁾	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*
Other cereals ⁽²⁾	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.05*	0.01	0.05*	0.02*	0.05*

57

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁽³⁾	1	0.05* ⁽⁸⁾			0.5 ⁽²¹⁾	0.02*	0.1 ⁽¹¹⁾	0.05	0.05*	0.02* ⁽¹⁵⁾		0.05*
					0.1 ⁽⁸⁾							
					0.05* ⁽²²⁾							
					1 ⁽²³⁾							
Milk ⁽⁴⁾ &	0.04				0.02	0.02	0.004	0.0008	0.05*	0.02*		0.05*
Dairy produce ⁽⁵⁾												
Eggs ⁽⁶⁾	0.1	0.05*			0.05*	0.02*			0.005	0.05*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Fentin	Fenvalerate	Furathiocarb	Glyphosate	Heptachlor	Hexachloro benzene (HCB)	Hexachloro cyclohexane (HCH) α	Hexachloro cyclohexane (HCH) β	Hexachloro cyclohexane (HCH) γ	Hydrogen cyanide	Hydrogen phosphide
8. CEREALS												
Wheat		0.05*	0.05*	0.05*	5	0.01	0.01	0.02	sum of alpha & beta	0.1	15	0.1
Rye		0.05*	0.05*	0.05*	5	0.01	0.01	0.02		0.1	15	0.1
Barley		0.05*	0.2	0.05*	20	0.01	0.01	0.02		0.1	15	0.1
Sorghum		0.05*	0.05*	0.05*	20	0.01	0.01	0.02		0.1	15	0.1
Oats		0.05*	0.2	0.05*	20	0.01	0.01	0.02		0.1	15	0.1
Triticale		0.05*	0.05*	0.05*	5	0.01	0.01	0.02		0.1	15	0.1
Maize		0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1
Buckwheat		0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1
Millet		0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1
Rice ⁽¹⁾		0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1
Other cereals ⁽²⁾		0.05*	0.05*	0.05*	0.1*	0.01	0.01	0.02		0.1	15	0.1
9. PRODUCTS OF ANIMAL ORIGIN												
Meat, fat & preparations of meat ⁽³⁾		0.05*	0.5 ⁽¹⁰⁾	0.05*	0.5 ⁽¹²⁾	0.2	0.2	0.2	0.1	2 ⁽⁷⁾		
			0.05* ⁽⁸⁾		2 ⁽¹³⁾					1 ⁽⁹⁾		
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾		0.05*	0.05	0.05*	0.1*	0.004	0.01	0.004	0.003	0.008		
Eggs ⁽⁶⁾		0.05*	0.05*	0.05*	0.1*	0.02	0.02	0.02	0.01	0.1		

Group to which food belongs	Groups include the following products	Imazalil	Inorganic bromide	Iprodione	Lambda-cyhalothrin ⁽¹⁸⁾	Malathion	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalexyl	Methamidophos	Methidathion	Methomyl thiodicarb
-----------------------------	---------------------------------------	----------	-------------------	-----------	------------------------------------	-----------	---	----------	-----------	---------------	--------------	---------------------

8. CEREALS

Wheat	0.02*	50	0.5	0.02*	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
Rye	0.02*	50	0.02*	0.02*	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
Barley	0.02*	50	1	0.05	8	2	0.05*	0.05*	0.01*	0.02*	0.05*
Sorghum	0.02*	50	0.02*	0.02*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Oats	0.02*	50	0.02*	0.02*	8	2	0.05*	0.05*	0.01*	0.02*	0.05*
Triticale	0.02*	50	0.02*	0.02*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Maize	0.02*	50	0.02*	0.02*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Buckwheat	0.02*	50	0.02*	0.02*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Millet	0.02*	50	0.02*	0.02*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Rice ⁽¹⁾	0.02*	50	3	0.02*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Other cereals ⁽²⁾	0.02*	50	0.02*	0.02*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁽³⁾	0.02*		0.05*	0.5 ⁽¹¹⁾ 0.02* ⁽⁸⁾		0.05*		0.05*	0.01*	0.02*	0.02*
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*		0.05*	0.05		0.05*		0.05*	0.01*	0.02*	0.02*
Eggs ⁽⁶⁾	0.02*		0.05*	0.02*		0.05*		0.05*	0.01*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Methyl bromide	Permethrin	Phorate	Phosphamidon	Pirimiphos-methyl	Procymidone	Propiconazole	Propoxur	Propyzamide	Pyrethrins
8. CEREALS											
	Wheat	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Rye	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Barley	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Sorghum	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Oats	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Triticale	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Maize	0.1	0.2		0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Buckwheat	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Millet	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Rice ⁽¹⁾	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
	Other cereals ⁽²⁾	0.1	2	0.05*	0.05	5	0.02*	0.05*	0.05*	0.02*	3
9. PRODUCTS OF ANIMAL ORIGIN											
	Meat, fat & preparations of meat ⁽³⁾	0.5	0.05*		0.05*	0.05*	0.1 ⁽¹⁶⁾ 0.05* ⁽¹⁷⁾	0.05*	0.05*	0.05* ⁽²⁴⁾⁽²⁶⁾ 0.02* ⁽²⁵⁾⁽²⁶⁾	
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05	0.02*		0.05*	0.05*	0.01*	0.05*	0.05*	0.01* ⁽²⁶⁾	
	Eggs ⁽⁶⁾	0.05	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.02* ⁽²⁶⁾	

Group to which food belongs	Groups include the following products	Thiabendazole	Triazophos	Trichlorfon	Triforine	Vinclozolin
8. CEREALS						
Wheat				0.1	0.1	0.05*
Rye	0.05*			0.1	0.1	0.05*
Barley	0.05*			0.1	0.1	0.05*
Sorghum	0.05*	0.02*		0.1	0.05*	0.05*
Oats	0.05*			0.1	0.1	0.05*
Triticale	0.05*			0.1	0.1	0.05*
Maize	0.05*			0.1	0.05*	0.05*
Buckwheat	0.05*	0.02*		0.1	0.05*	0.05*
Millet	0.05*	0.02*		0.1	0.05*	0.05*
Rice ⁽¹⁾		0.02*		0.1	0.05*	0.05*
Other cereals ⁽²⁾	0.05*	0.02*		0.1	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN						
Meat, fat & preparations of meat ⁽³⁾		0.1 ⁽¹⁹⁾	0.01* ⁽¹¹⁾		0.05*	0.05*
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾				0.05*		0.05*
Eggs ⁽⁶⁾		0.1*		0.05*		0.05*

FOOTNOTES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice
2. Other cereals do not include rice
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table,.
but must be no less than 0.01mg/kg
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
7. Sheepmeat only.
8. Poultrymeat only
9. All meat except sheepmeat.
10. Other meat products
11. All meat except poultrymeat
12. Pig kidney
13. Cattle, goat and sheep kidney
14. Procymidone: 1mg/kg applies to whole seed
0.05 mg/kg applies to seed without shell
15. All meat except liver and kidney.
16. Ruminant liver.
17. All meat except ruminant liver
18. For animal products MRLs relate to cyhalothrin (sum of isomers).
19. With the exception of meat and other ovine, bovine and caprine products.
20. Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
21. Meat of cattle sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultry meat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol.
24. Fat, liver and kidney.
25. Other than fat, liver and kidney.
26. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamid

SCHEDULE 3

Note: The word ‘fresh’ is taken to extend to products which have been chilled.

<i>Column 1</i> Group of products	<i>Column 2</i> Products included in the groups	<i>Column 3</i> Part of product to which maximum residue levels apply
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts		
(i) CITRUS FRUIT	Grapefruit Lemons Limes Mandarins (including clementines and similar hybrids) Oranges Pomelos Others	}
		}
		}
		}
		Whole Product.
(ii) TREE NUTS (shelled or unshelled)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts Others	}
		}
		}
		}
		}
		Whole product after removal of shell.
		}
		}
		}
		}
		}
		}
(iii) POME FRUIT	Apples Pears Quinces Others	}
		Whole product after removal of stems.
		}
		}
		}
(iv) STONE FRUIT	Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	}
		}
		Whole product after removal of stems.
		}
		}
		}
(v) BERRIES AND SMALL FRUIT	(a) <i>Table and wine grapes</i> Table grapes Wine grapes (b) <i>Strawberries</i> (other than wild) (c) <i>Cane fruit</i> (other than wild) Blackberries Dewberries Loganberries Raspberries Others (d) <i>Other small fruit and berries</i> (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries	}
		}
		}
		}
		}
		Whole product after removal of caps and stems (if any)
		}
		and, in the case of currants, fruits with stems.
		}
		}
		}
		}
		}
		}

<i>Column 1</i> Group of products	<i>Column 2</i> Products included in the groups	<i>Column 3</i> Part of product to which maximum residue levels apply
	Others	}
	(e) <i>Wild berries and wild fruit</i>	}
(vi) MISCELLANEOUS FRUIT	Avocados	}
	Bananas	}
	Dates	} Whole fruit after removal
	Figs	} of stems (if any) and in the
	Kiwi fruit	} case of pineapple, after
	Kumquats	} removal of the crown.
	Litchis	}
	Mangoes	}
	Olives (table consumption) [†]	} [†] Whole fruit after removal
	Olives (oil extract)	} of stems (if any) after
	Passion fruit	} removal of soil (if any)
	Pineapples	} by rinsing in running
	Pomegranates	} water.
	Others	}
(i) ROOT AND TUBER VEGETABLES	Beetroot	}
	Carrots	}
	Celeriac	}
	Horseradish	} Whole product after removal
	Jerusalem artichokes	} of tops and adhering soil
	Parsnips	} (if any) (removal of soil by
	Parsley root	} rinsing in running water
	Radishes	} or by gentle brushing of the
	Salsify	} dry product).
	Sweet potatoes	}
	Swedes	}
	Turnips	}
	Yams	}
	Others	}
2. Vegetables, fresh or uncooked, frozen or dry		
(ii) BULB VEGETABLES	Garlic	} For dry onions, shallots and
	Onions	} garlic: whole product after
	Shallots	} removal of easily detachable
	Spring Onions	} skin and soil (if any).
	Others	} Onions, shallots and garlic
		} other than dry, spring onions:
		} whole product after removal
		} of roots and soil (if any).
(iii) FRUITING VEGETABLES	(a) <i>Solanaceae</i>	}
	Tomatoes	}
	Peppers	}
	Aubergines	}
	Others	}
	(b) <i>Cucurbits-edible peel</i>	}
	Cucumbers	} Whole product after
	Gherkin	} removal of stems.
	Courgettes	}
	Others	}
	(c) <i>Cucurbits-inedible peel</i>	}
	Melons	}
	Squashes	}
	Watermelons	}
	Others	}
	(d) <i>Sweet corn</i>	} Kernels or cobs without

<i>Column 1</i> Group of products	<i>Column 2</i> Products included in the groups	<i>Column 3</i> Part of product to which maximum residue levels apply
		} husks.
(iv) BRASSICA VEGETABLES	(a) <i>Flowering brassicas</i> Broccoli Cauliflower Others	} } Cauliflower and broccoli } curd only. }
	(b) <i>Head brassicas</i> Brussels sprouts Head cabbage Others	} } Product after removal of } decayed leaves (if any). }
	(c) <i>Leafy brassicas</i> Chinese cabbage Kale Others	} } } } } } }
	(d) <i>Kohlrabi</i>	} Whole product after removal } of tops and adhering soil (if } any) (removal of soil by } rinsing in running water or } by gentle brushing of the } dry product).
(v) LEAF VEGETABLES AND FRESH HERBS	(a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Scarole Others	} } } } } } Whole product after } removal of decayed outer } leaves, root and soil (if } any). }
	(b) <i>Spinach and similar</i> Spinach Beet leaves (chard) Others	} } } } } }
	(c) <i>Watercress</i>	}
	(d) <i>Witloof</i>	}
	(e) <i>Herbs</i> Chervil Chives Parsley Celery leaves Others	} } } } } } } }
(vi) LEGUME VEGETABLES (FRESH)	Beans with pods Beans without pods Peas with pods Peas without pods Others	} } Whole product after } removal of pods or with } pods if they are intended } to be eaten.
(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others	} } } Whole product after } removal of decayed tissue } and soil (if any); leeks and } fennel: whole product after } removal of roots and soil } (if any). }
(viii) FUNGI	Mushrooms (other than wild) Wild Mushrooms	} Whole product after } removal of soil or growing } medium.

<i>Column 1</i> Group of products	<i>Column 2</i> Products included in the groups	<i>Column 3</i> Part of product to which maximum residue levels apply
3. Pulses	Beans Lentils Peas Others	}
		} Whole product.
		}
		}
4. Oil seeds	Linseed Peanuts Poppy seed Rape seed Sesame seed Sunflower seed* Soya bean Others	}
		} Whole seed or kernel after removal of shell and husk,
		} when possible.
		}
		} * Whole seed including shell, when present, and
		} whole seed without shell,
		} when shell is absent.
5. Potatoes	Early potatoes Ware potatoes	}
		} Whole product after removal of soil (if any)
		} (removal of soil by rinsing in running water or by gentle brushing of the dry product).
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		}
		Whole product.
7. Hops (dried), including hop pellets and unconcentrated powder		}
		Whole product.
8. Cereal grains	Wheat Rye Barley Oats Triticale Maize Rice Other cereals	}
		}
		}
		} Whole commodity without husk.
		}
		}
		}
9. Products of animal origin	Meat, fat and preparations of meat	}
		Whole commodity (For fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat.)
	Milk	}
		Whole commodity.
	Eggs	}
		Whole egg whites and yolks combined after removal of shells.
10. Spices	Cumin seed Juniper berries Nutmeg Pepper, black and white	}
		}
		} Whole product.
		}

<i>Column 1</i> Group of products	<i>Column 2</i> Products included in the groups	<i>Column 3</i> Part of product to which maximum residue levels apply
	Vanilla pods	}
	Others	}

SCHEDULE 4
REVOCATIONS

<i>Title</i>	<i>S.I. Number</i>
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994	S.I. 1994/1985.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995	S.I. 1995/1483.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1996	S.I. 1996/1487
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1997	S.I. 1997/567.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1998	S.I. 1998/2922.
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1999	S.I. 1999/1109.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations are made under section 2(2) of the European Communities Act 1972 and Part III of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part 2 specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs in implementation of Council Directive 86/362/EEC (O.J. No. L221, 7.8.86, p.37) and Council Directive 86/363/EEC (O.J. No. L221, 7.8.86, p.43) as regards cereals and products of animal origin, and Council Directive 90/642/EEC (O.J. No. L350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), each as last amended by Commission Directive 1999/71/EC (O.J. No. L194, 27.7.99, p.36) (these Directives as so amended being referred to in these Regulations as "the Residues Directives"). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive 1999/71/EC. Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation.

To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticides residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Schedule 2 Part 1 do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 6).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109) (regulation 7 and Schedule 4).

2000 No.22

AGRICULTURE

PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000

£x.xx

© Crown Copyright 2000

Published and printed in the UK by The Stationery Office Limited under the authority and
superintendence of Carol Tullo, Controller of Her Majesty's Stationery Office and
Queen's Printer of Acts of Parliament

xxx

02/00

19593

